SCIENCE ABSTRACTS, SERIES A

# **Physics Abstracts**

1967 Subject Index Number Part I (January-June)

An INSPEC Publication
The Institution of Electrical Engineers



# SUBJECT INDEX-PART I

INTRODUCTION

ARRANGEMENT OF HEADINGS AND SUBHEADINGS

ARRANGEMENTS OF ENTRIES UNDER HEADINGS

COLLECTED LIST OF SUBJECT HEADINGS

HEADINGS WITH NO ENTRIES

ELEMENTS, COMPOUNDS AND OTHER SUBSTANCES

The entries in this index refer to the abstracts by their serial number, not by the page number. The entries are grouped under headings (printed in bold type, e.g. "Abrasion") which represent, in the main, general categories or concepts rather than specific names. If a heading for a particular subject does not appear, a more general heading should be consulted; for example, "Zone plates" would be listed under "Diffraction/light"; "Barkhausen discontinuities" under "Magnetization process". There are numerous cross-references directing attention to related headings in other parts of the index.

Many of the headings are subdivided by the use of subheadings which are indented (to

Many of the headings are subdivided by the use of subheadings, which are indented (i.e. printed slightly to the right) and commence with a small letter (for example, see the subheadings under "Absorption").

The headings are arranged throughout the index in alphabetical order according to British-Standard 1749:1951 (the "word by word" system, not "reading right through"). The subheadings, with a few exceptions, are themselves arranged in alphabetical order under their respective headings. The exceptions (for example, see the subheadings under "Spectra", "Crystal structure, atomic") are cases where a more logical order is preferable to a purely alphabetical one.

Entries are arranged in two alphabetical groups as follows. First group: generalities and named substances (in words); second group: named substances (chemical formulae). If a search is being made for a particular substance, both the first and second alphabetical groups should be inspected since, for example, alumina may also be listed as  $\mathrm{Al}_2\mathrm{O}_3$ .

The alphabetical arrangement of the headings is the most convenient for locating a known heading quickly, but there may be other related headings elsewhere in the index of which the reader is unaware, and which he would only come across by accident. To assist the reader to discover all the headings appropriate to his subject, a collected list of the headings is given on pages S2 to S16, which follow this page; they should be consulted as a matter of routine each time a search is made. In this list, the headings are not arranged in alphabetical order, but are grouped into sections by subject on the same basis as the arrangement of the abstracts in the monthly issues of Physics Abstracts. By using this list, the reader can quickly determine which are the headings appropriate to his subject, and they are then easily found in the main index in their alphabetical position.

Because physics is a developing subject, it is not possible to maintain the list of headings unchanged from year to year; it is subject to a continuous process of revision, with the introduction of new headings and subheadings, and the alteration and elimination of old ones. This process is a gradual one, however, and the great majority of the headings are the same as those of the previous year. To assist in maintaining the continuity of the index, all the headings in current use in a given year are printed, even those for which there are no abstracts to be recorded. The latter are followed by the announcement "No entries"; this supplies confirmation that these headings have not been dropped from the index, and entries may reappear under them in the next issue of the index.

The names of elements, their compounds, a few compounds of special interest (e.g. "Ruby", "Water") and a few common materials (e.g. "Wood", "Paper") are included as headings or subheadings (e.g. "barium titanate" under "Barium compounds"). Under these, as well as under the appropriate "subject" headings, are listed any abstracts which contain significant physical information about the element, compound or substance named; except however, that abstracts listed under headings referring to nuclear properties, including radioactivity, are not necessarily also listed under the substance name. The entries under these headings are themselves arranged in alphabetical order of substance or nuclide names, so that a given substance can be readily located.

Inorganic compounds of the elements are listed under the first element in the chemical formula, and all the compounds of a given element are grouped under a single heading (e.g. "Sodium compounds"). Alloys are listed under compounds of the base or first-named constituent, e.g. Au-Ag alloys under "Gold compounds". There are also four special headings for the common alloys: "Aluminium alloys", "Copper alloys", "Iron alloys", "Nickel alloys". Organic compounds are grouped under "Organic compounds", "Polymers", "Plastics" and under special substance headings such as "Paper", "Proteins", etc.; all the latter are listed in the collected list of headings at the end of the index.

BEFORE USING INDEX, CONSULT LIST OF SUBJECT HEADINGS ON PAGES S2-S16, WHICH FOLLOW THIS PAGE

# LIST OF SUBJECT INDEX HEADINGS

The headings used in the Alphabetical Index are listed below. The headings are grouped into sections on the same basis as the arrangement of the abstracts in the monthly issues of Physics Abstracts. Each section lists the headings which concern its subject and it follows that many of the headings are listed in several places.

An introduction to the Subject Index will be found on page S423.

# GENERAL

Bibliographies Biographies Books Collections of physical data Conferences History Laboratories
Laboratory apparatus and
technique
Nomenclature and symbols

Physics Physics fundamentals Reviews

#### **EDUCATION**

Biographies Books History Laboratories Laboratory apparatus and technique Physics fundamentals

Reviews Teaching demonstrations

# UNITS · MEASUREMENT · METROLOGY

Acceleration measurement
Alignment
Anemometers
Angle measurement
Angular velocity measurement
Area measurement
Balances
Constants
Density measurement

Dimensions
Dynamometers
Force measurement
Instruments
Interferometry
Length measurement
Manometers
Measurement
errors

Mechanical measurement Micrometry Nomenclature and symbols Particle size Pressure measurement Recording Standards Strain gauges Stroboscopes Surface measurement
Thickness measurement
Time interval measurement
Time measurement
Units
Vapour pressure measurement
Velocity measurement
Volume measurement

# MATHEMATICAL PHYSICS

Algebra Differential equations Equations Field theory, classical Fluctuations Fourier analysis Functions Geometry Group theory Hysteresis Information theory Integral equations Integrals Mathematics Matrices Probability Radiation Relaxation Series Statistical analysis applications Tensors Transformations, mathematica Vectors

# MATHEMATICAL METHODS COMPUTATION

Calculating apparatus
analogue apparatus
digital computers
digital computer proCalculation [grammes
Graphs

Nomograms Sliderules Statistical analysis applications Tables, mathematical

# MECHANICS

Ballistics
Centrifuges
Dynamics
Friction
Gravitation
Gyroscopes
Impact
Kinematics

Mechanics Pendulums Pressure Rockets Rotating bodies Torsion Velocity

# **Elasticity** · **Plasticity**

Bending
Compressibility
Damping
Deformation
Elastic deformation
Elasticity
Photoelasticity
Plastic deformation

Plasticity Relaxation Rheology Stress analysis Stresses, internal Thermoelasticity Viscoelasticity

# GRAVITATION · RELATIVITY

Gravitation Relativity general special unified field theories

# STATISTICAL PHYSICS

Bosons
Brownian movement
Fermions
Fluctuations
Hysteresis
Information theory
Kinetic theory
Probability

Quantum theory
many-particle systems
Random processes
Relaxation
Statistical analysis
applications
Statistical mechanics
Thermodynamics

#### **Thermodynamics**

Entropy
properties of substances
Equations of state
gases
liquids
solids

Joule — Thomson effect Thermodynamic properties Thermodynamics applications

# TRANSPORT PROCESSES

Diffusion Radiation Radiative transfer
Transport processes

# **VIBRATIONS · WAVES · ACOUSTICS**

Oscillations Vibrations Waves

#### VIBRATIONS · ELASTIC WAVES

Damping
Clastic waves
Membranes
Oscillations
Piezoelectric oscillations
Relaxation
Resonators
Seismic waves

Shock waves
effects
Vibrating bodies
Vibrations
excitation
measurement
Waves

#### SHOCK WAVES

Detonation Explosions nuclear Schlieren systems Shock tubes Shock waves effects Supersonic flow

#### ACOUSTICS

Absorption/
acoustic waves
acoustic waves, ultrasonic
Acoustic analysis
Acoustic generators
Acoustic impedance
Acoustic radiators

Acoustic impedance
Acoustic radiators
Acoustic receivers
Acoustic resonators
Acoustic streaming
Acoustic transducers
Acoustic two propagation

ultrasonic

Acoustic waves
effects
Acoustical laboratories
Acoustical measurement
Acoustics
musical
Acoustoelectric effects
Architectural acoustics
Atmospheric acoustics
Biological effects of radiations
Chemical effects of radiations/acoustic waves

Diffraction/
acoustic waves
acoustic waves, ultrasonic
Diffusion/
acoustic waves
Dispersion, acoustic
ultrasonic
Doppler effect
Echo
Helium/
liquid, sound propagation

Intensity measurement/
acoustics
Interference/
acoustic waves
Interferometers/
acoustic waves
Interferometry/
acoustic waves
Magnetoacoustic effects

Microphones

Musical instruments
Noise/
acoustic
Noise abatement
Physical effects of radiations
Radiation pressure

Reflection/
acoustic waves
acoustic waves, ultrasonic
Refraction/
acoustic waves
acoustic waves, ultrasonic
Reverberation
Scattering/
acoustic waves
acoustic waves
acoustic waves, ultrasonic
Schlieren systems
Sound ranging
Sound recording
Sound reproduction

Speech
Stroboscopes
Transmission/
acoustic waves, ultrasonic
Ultrasonics
Velocity/
acoustic waves

acoustic waves, ultrasonic Velocity measurement/ acoustic waves acoustic waves, ultrasonic

# **Hearing** · Speech

Ear Hearing Noise/ acoustic Speech

# HEAT

Bolometers
Calorimeters
Calorimetry
Combustion
Conductivity, thermal
Cooling
Cryostats

Flames
Heat
Heat conduction
Heat transfer
Heat treatment
Heating
High-temperature production
[and effects]

Emissivity

Latent heat
Pyrometers
Radiation
heat
Radiation detectors
Radiation pressure
Radiative transfer
Specific heat
Temperature

Temperature distribution
Temperature measurement
spectral methods
Thermal expansion
Thermal measurement
Thermocouples
Thermometers
resistance
Thermostats

#### LOW-TEMPERATURE PHYSICS

Cryostats
Joule -Thomson effect
Liquefaction, gases
Low-temperature phenomena
Low-temperature production

Low-temperature technique Magnetic cooling Cuantum theory/ many-particle systems Superconductivity

# Liquid and Solid Helium

Helium/ liquid liquid, sound propagation solid Superfluidity

# ELECTRICITY AND MAGNETISM

Electricity Electromagnetism Magnetism

# ELECTRICAL MEASUREMENTS AND CIRCUITS

Amplifiers
Circuits
Counting circuits
Dielectric measurement
Electrical measurement

Fluctuations/
electrical
High-voltage production
Image convertors and amplifiers
Plasma/
measurement technique

**Direct Conversion** 

Electricity/ direct conversion Magnetohydrodynamics

# **ELECTROSTATICS** · DIELECTRICS

Breakdown, electric Contact potential Dielectric devices Dielectric phenomena Electrets Electric charge Electric fields effects Electric strength Electroluminescence Electrostatics Electrostriction
Ferroelectric phenomena
High-voltage production
Hysteresis
Piezoelectric oscillations
Piezoelectricity
Pyroelectricity
Relaxation
Space charge
Triboelectricity

#### MAGNETISM

Antiferromagnetism
Compasses
de Haas—van Alphen effect
Diamagnetism
Ferrimagnetism
Ferromagnetism
spin-wave theory
Gyromagnetic effect
Gyromagnetic ratio
Hall effect
Magnetic devices
Magnetic field measurement
Magnetic fields
effects
Magnetic films

Magnetic measurement
Magnetic resonance and relaxation
Magnetism
Magnetization process
Magnetization state
Magnetoacoustic effects
Magnetoacoustic effects
Magnetoelectric effects
Magnetomechanical effects
Magneto-optical effects
Magnetoresistance
Magnetoresistance
Magnetostriction
Magnetothermal effects
Magnets
Paramagnetism

# CURRENT ELECTRICITY

Acoustoelectric effects Conduction, electrical Conductivity, electrical measurement Contact potential Contact resistance Current, electrical Eddy-currents Electric charge Electrical properties of substs. Electrokinetic effects
Electromotive force Electron gas Electrons Electro-optical effects Electrophoresis Fluctuations electrical

Hall effect Inductance Magnetoelectric effects Magnetoresistance Photoconductivity Photoelectricity Photoelectromagnetic effects Photovoltaic effects Piezoresistance Rectifiers Resistance, electrical Semiconductors Skin effect Space charge Superconductivity Thermocouples Thermoelectricity

# ELECTROMAGNETISM

Eddy-currents
Electromagnetism
Electromagnetic fields
Electromotive force
Inductance

# ELECTRODYNAMICS · PARTICLE OPTICS

Electrodynamics Particle optics Particle range Particle velocity analysis

# ELECTRON BEAMS ELECTRON OPTICS AND TUBES

Electron beams
effects
Electron diffraction
Electron gas
Electron lenses
electrostatic
magnetic
Electron microscopes
Electron microscopy
Electron optics

Electrons
absorption
ionization
radiation
scattering
Fluctuations/
electrical
Gas-discharge tubes
Image convertors and amplifiers
Photomultipliers
Space charge

# ION BEAMS

Bremsstrahlung Ion beams effects Ion microscopes Ion optics Ion sources Ion velocity Ions

SOURCES

recombination scattering Sputtering

# MAGNETOHYDRODYNAMICS MAGNETOGASDYNAMICS

Electricity/ direct conversion Magnetohydrodynamics Plasma/ magnetohydrodynamics Shock waves effects

# **ELECTROMAGNETIC WAVES AND OSCILLATIONS**

Electromagnetic oscillations Electromagnetic waves Light/ electromagnetic theory Radiation

# GENERATION AND PROPAGATION

Absorption/ electromagnetic waves Amplifiers Diffraction electromagnetic waves

Diffusion/ electromagnetic waves Doppler effect

Electromagnetic oscillations Electromagnetic wave atmosphere [propagation

ionosphere guided waves Electromagnetic waves radiators

Interference/

electromagnetic waves Interferometers

electromagnetic waves Interferometry/

electromagnetic waves

Plasma/

electromagnetic wave propagation Reflection/ electromagnetic waves

Refraction/

electromagnetic waves Scattering/

electromagnetic waves

# RADIOFREQUENCY SPECTROSCOPY MAGNETIC RESONANCES

Antiferromagnetic resonance Cyclotron resonance Ferrimagnetic resonance Ferromagnetic relaxation Ferromagnetic resonance Magnetic resonance and

relaxation

MASERS

Amplifiers

Masers

Nuclear magnetic resonance and measurement [relaxation Nuclear quadrupole resonance Paramagnetic resonance and measurement [relaxation

Spectra Spectrometers, radiofrequency Spectroscopy, radiofrequency

Optical pumping

Lasers

Amplifiers Lasers gaseous solid

Velocity/

light

coherence Optical pumping

# OPTICS

Doppler effect Electro-optical effects Light

coherence e.m. theory Light sources

Optics

# PHOTOMETRY · COLORIMETRY

Bolometers Brightness Colorimetry Colour Densitometry Emissivity

Illumination Photometers Photometry light sources Pyrometers

# GEOMETRICAL OPTICS Aberrations, optical Dispersion, optical

Lenses aspherical photographic Mirrors Optical images Optical systems

Optics geometrical Radiation detectors Prisms, optical Reflection/

light Refraction/ light Refractive index/

light Resolving power, optics Schlieren systems Stereoscopy

# INSTRUMENTAL OPTICS

Aberrations, optical Dispersion, optical Filters, optical Glass Image convertors and

Lasers [amplifiers gaseous solid Lenses

aspherical photographic Light sources Luminescent devices Microscopes Microscopy Mirrors

Optical constants Optical films Optical images Optical instrument testing Optical instruments Optical materials Optical systems Prisms, optical Projectors, optical Quartz Reflection/ light Refraction/ light Refractive index/ light Refractive index measurement Refractometers Resolving power, optics Schlieren systems Stereoscopy Stroboscopes Telescopes

Photons Photophoresis Radiation Radiation pressure

# Spectroscopy

Astronomical spectra Atmospheric spectra Monochromators Spectral line breadth Spectrochemical analysis Spectrometers accessories Spectrophotometers

light Spectrophotometry

Velocity measurement/

Spectroscopy light sources Stark effect Temperature measurement/ spectral methods Zeeman effect

#### PHYSICAL OPTICS

Absorption/ light Diffraction/

light Diffraction gratings Diffusion/

light Dispersion, optical Doppler effect Double refraction

flow mechanical Electro-optical effects Filters, optical Interference/

light Interferometers/ light

Interferometry/ light Magneto-optical effects Optical constants Optical films Optical pumping Optical rotation Photoelasticity Pleochroism Polarimeters Polarized light Reflection/ light Reflectivity Refraction light Refractive index/ light Scattering/ light Transmission/

light

Transparency

#### **PHOTOGRAPHY**

Cameras Cinematography Densitometry Lenses/ photographic Light sources Nuclear track emulsions Photographic materials sensitivity Photographic process development Photography applications colour high-speed Radiography

#### VISION

Eye Colour vision Stereoscopy Vision

# X-RAYS . TUBES AND TECHNIQUES

Dosimetry High-voltage production Radiation monitoring Radiation protection Radiography X-ray absorption
X-ray diffraction
X-ray examination of materials
X-ray measurement

X-ray monochromators X-ray reflection X-ray scattering X-ray spectra absorption emission X-ray spectrometers X-ray spectroscopy X-ray tubes X-rays effects

# QUANTUM THEORY

Collision processes Dispersion relations Indeterminacy Parity Quantum electrodynamics Quantum theory application methods many-particle systems quantization wave equations Scattering

#### QUANTUM FIELD THEORY

Dispersion relations

Field theory, quantum interactions interactions, strong interactions, weak meson field quantization

Nuclear forces
Parity
Quantum electrodynamics
Quantum theory
application methods
many-particle systems
quantization
wave equations

S-matrix theory Scattering

# **ELEMENTARY PARTICLE AND NUCLEAR MEASUREMENTS**

#### APPARATUS · PARTICLE DETECTORS

Alpha-ray spectrometers Beta-ray spectrometers Counters

accessories Cherenkov crystal Geiger operation technique proportional scintillation semiconductor spark statistical analysis Dosimetry
Gamma-ray spectrometers
Ionization chambers
Neutron spectrometers
Nuclear bombardment targets
Particle accelerators
Particle detectors
Particle optics
Particle spectrometers
Particle velocity analysis
Photomultipliers
Radioactivity measurement/
apparatus

# **Counting Circuits**

Amplifiers Counting circuits

### Track Visualization

Bubble chambers
Cloud chambers
Luminescence chambers
Nuclear track emulsions

Particle range Particle tracks Particle track visualization Spark chambers

#### PARTICLE ACCELERATORS

High-voltage production Ion sources

Particle accelerators linear orbital orbital, cyclotrons

#### ELEMENTARY PARTICLES

Elementary particles Fermions Parity

Particle range Particle velocity analysis Scattering, particles Strange particles

# **Elementary Particle Theory**

Collision processes Dispersion relations Elementary particles Fermions Field theory, quantum interactions interactions, strong interactions, weak meson field

quantization

Nuclear forces Parity S-matrix theory Scattering, particles Strange particles

#### Photons · Gamma-rays · X-rays

Bremsstrahlung Cherenkov radiation Compton effect Gamma-ray spectrometers Gamma-rays absorption angular distribution detection, measurement effects scattering Mössbauer effect

Photons interactions polarization scattering X-ray absorption X-ray diffraction X-ray measurement X-ray reflection X-ray scattering X-rays effects

### Leptons Leptons

#### Neutrinos

Neutrinos and antineutrinos

#### **Electrons**

Beta-ray spectra conversion electrons Beta-ray spectrometers Beta-rays absorption angular distribution detection, measurement effects polarization scattering

Electron pairs annihilation production Electron theory Electrons absorption ionization radiation scattering scattering, electron-proton Positronium Positrons

#### Muons

Muons

capture decay detection, measurement interactions production scattering Muonium

#### Mesons

Mesons absorption capture decay decay observations detection, measurement effects interactions magnetic moment production scattering spin and parity

interactions interactions, pion-nucleon interactions, pion-pion interactions, pion-proton production scattering scattering, pion-nucleon scattering, pion—pion scattering, pion—proton Strange particles

Pions

#### Meson Resonances

Mesons

resonances

#### Baryons

Baryons

### Nucleons

Nuclear forces

Nucleons and antinucleons antinucleons interactions interactions, nucleon-nucleon scattering scattering, nucleon-nucleon

### **Protons**

Proton spectra Protons and antiprotons absorption angular distribution antiprotons detection, measurement effects interactions interactions, proton-proton magnetic moment polarization production scattering scattering, proton -deuteron scattering, proton -proton

#### Neutrons

Neutron diffraction Neutron spectra Neutron spectrometers Neutrons and antineutrons absorption angular distribution detection, measurement diffusion effects interactions moderation polarization production reflection scattering scattering, proton-neutron

#### Hyperons

Hypernuclei Hyperons absorption capture decay decay observations detection, measurement effects interactions magnetic moment mass production scattering spin and parity

Strange particles

### **Baryon Resonances**

Hyperons resonances Nucleons

#### **Deuterons**

Deuterons interactions photodisintegration polarization scattering

#### **Tritons**

Tritons

#### Alpha-particles, He Nuclei

Alpha-particles and He nuclei Alpha-rays Alpha-ray spectrometers absorp

absorption angular distribution detection, measurement scattering

#### COSMIC RAYS

Cosmic rays absorption apparatus composition alpha-particles deuterons electrons mesons neutrons photons protons effects and interactions origin primary showers and bursts variation

# **NUCLEAR PHYSICS**

Nuclear physics

#### **NUCLEUS**

Gyromagnetic ratio Nucleus electric moment Hypernuclei energy levels magnetic moment Mössbauer effect Nuclear forces Nuclear magnetic resonance and measurement [relaxation]
Nuclear orientation models size spin and parity theory

# Energy levels · Excited nuclei

Beta-ray spectra conversion electrons Gamma-ray spectra Gamma-rays angular distribution internal conversion

Mössbauer effect Nuclear excitation Nuclear isomerism Nucleus energy levels models

# NUCLEAR DECAY. RADIOACTIVITY

Alpha-particles and He nuclei Alpha-ray spectra Alpha-ray spectrometers Alpha-rays

absorption angular distribution detection, measurement effects scattering Beta-decay theory

Beta-ray spectra conversion electrons Beta-ray spectrometers

Beta-rays absorption

angular distribution detection, measurement effects polarization scattering

Biological effects of radiations Chemical effects of radiations/ ionizing radiations

Dosimetry

Fallout Gamma-ray spectra Gamma-ray spectrometers Gamma-rays absorption angular distribution

detection, measurement effects internal conversion

scattering Nuclear decay theory Nuclear bombardment targets Physical effects of radiations Radiation monitoring

Radiation protection Radioactive dating Radioactive tracers Radioactivity

decay periods decay schemes electron capture Radioactivity measurement

apparatus Radiochemistry

#### NUCLEAR REACTIONS

Alpha-rays/ scattering Chemical analysis/ by nuclear reactions Collision processes Deuterons scattering Electrons scattering Gamma-rays, scattering Hyperons scattering Mesons/ scattering

Muons/ scattering Neutrinos and antineutrinos Neutrons and antineutrons/

scattering Nuclear bombardment targets Nuclear excitation

Nuclear forces Nuclear reactions chemical effects

# **Nuclear Fission**

Explosions/ nuclear

Nuclear fission products uranium

#### Thermonuclear Reactions **Nuclear Fusion**

Explosions/ nuclear Nuclear fusion Plasma Thermonuclear reactions

Nuclear reactions due to/

alpha-rays

deuterons

electrons

helium-3

neutrinos

neutrons nuclei of Z>2

photons

protons

tritons

Photons

Pions/

Nuclear spallation

scattering

scattering

scattering Protons and antiprotons/

scattering

Radiation monitoring

Radiation protection

Scattering, particles

Nucleons and antinucleons/

mesons

mijons

cosmic rays

#### **NUCLEAR POWER STUDIES**

Chemical analysis/ by nuclear reactions Chemical effects of radiations/ Nuclear fusion ionizing radiations Dosimetry Neutrons absorption angular distribution detection, measurement diffusion effects interactions moderation polarization production

reflection

scattering

Biological effects of radiations Nuclear fission products uranium Nuclear reactions chemical effects Nuclear reactors, fission materials operation theory Nuclear reactors, fusion Physical effects of radiations Plasma

> Radiation monitoring Radiation protection Radiochemistry Thermonuclear reactions

devices

# ATOMIC AND MOLECULAR PHYSICS

Collision processes Orbital calculation methods Quantum theory

#### MASS SPECTROMETERS

Mass spectra Mass spectrometers accessories applications

#### ATOMS

Atomic beams Atomic mass and weight Atoms electron scattering excitation magnetic moment structure Collision processes Electron emission/ photoelectric

Elements origin relative abundances Gyromagnetic ratio Ionization potential Luminescence gases Optical pumping
Orbital calculation methods Periodic system Spectra atoms Spectral line breadth Stark effect

Zeeman effect

# Isotopes

Isotope effects Isotope exchanges Isotope separation Isotopes

detection relative abundances Mass spectra

Mass spectrometers/ applications Radioactive dating Radioactive tracers Radiochemistry Tracers

#### Mesic and Muonic Atoms

Atoms, mesic and muonic

#### MOLECULES

Molecules

# Structure · Internal Mechanics Spectra

Chemical structure Isomerism Luminescence gases Molecular weight

Molecules configuration and dimensions inorganic

organic excitation internal mechanics

nuclear coupling rotation

vibration moments Optical pumping

inorganic liquids and solutions inorganic solids electronic structure radiofrequency electronic structure, inorganic electronic structure, organic electronic structure, organic infrared radiofrequency Spectral line breadth Stark effect Valency Zeeman effect

diatomic, radiofrequency

polyatomic, radiofrequency

Orbital calculation methods Raman spectra

> inorganic molecules diatomic

> > polyatomic

inorganic

organic

#### Magnetic Resonances

Magnetic resonance and [relaxation

Molecules/ nuclear coupling relaxation

Nuclear magnetic resonance and relaxation
Nuclear quadrupole resonance Paramagnetic resonance and [relaxation

# Dissociation · Free Radicals

Association gases Free radicals Heat of dissociation Molecules/ dissociation dissociation energies

#### Intermolecular Mechanics

Collision processes Molecular beams

intermolecular mechanics

#### Macromolecules · Polymers

Association Heat of formation Isomerism Macromolecules

Molecules/ configuration and dimensions, [macromolecules Polymers Proteins

#### Mesic and Muonic Molecules

Molecules, mesic and muonic

#### **ELECTRIC DISCHARGES**

Arcs, electric Breakdown, electric gases

Corona, electric discharge

Discharges, electric glows high-frequency Gas-discharge tubes Lightning Sparks, electric Sputtering

#### IONIZATION

Dissociation Ion velocity Ionization Ionization potential Ionization, surface

recombination scattering Shock waves effects Space charge

#### **PLASMA**

Discharges, electric glows high-frequency Electron gas Ionization gases Nuclear fusion Nuclear reactors, fusion

Plasma electromagnetic wave propagation magnetohydrodynamics measurement techniques Shock waves/

effects Space charge

Thermonuclear reactions

# Plasma Confinement

Plasma/

confinement

#### Plasma Oscillations and Stability

magnetohydrodynamics oscillations stability

#### Plasma Devices

Nuclear reactors, fusion Plasma/ devices

# **FLUIDS**

Flow Fluids Hydrodynamics Hydrostatics Oscillations Turbulence Viscosity Vortices Waves

#### MECHANICS OF GASES

Acoustic streaming Aerodynamics Anemometers Compressibility/gases Condensation Density/gases Diffusion in gases thermal Flow/gases Flowmeters Gases

Humidity

Hygrometers
Jets
Manometers
Moisture
Pressure
Pumps
Radiation pressure
Supersonic flow
Turbulence
Viscometers
Viscosity/
gases
Vortices
Waves

#### GASEOUS STATE

Absorption/ acoustic waves acoustic waves, ultrasonic electromagnetic waves light Association/ gases Breakdown, electric/ gases Conductivity, electrical/ measurement Conductivity, thermal/ gases measurement Dielectric properties of substances/ gases Diffraction/ acoustic waves acoustic waves, ultrasonic electromagnetic waves light Diffusion/ acoustic waves electromagnetic waves light Electrical properties of substances Electroluminescence Equations of state/ gases Gases Helium/ Interference/ acoustic waves
Joule -- Thomson effect
Kinetic theory/ gases Lasers/ gaseous Luminescence/

gases

Magnetic resonance and relaxation Molecules/ intermolecular mechanics Nuclear magnetic resonance and relaxation Nuclear quadrupole resonance Optical properties of substances Paramagnetic resonance and relaxation Reflection/ acoustic waves acoustic waves, ultrasonic electromagnetic waves light Refraction/ acoustic waves acoustic waves, ultrasonic electromagnetic waves Scattering/ acoustic waves acoustic waves, ultrasonic electromagnetic waves light Sorption Specific heat/ gases Spectra Statistical mechanics Thermoluminescence Transmission/ acoustic waves acoustic waves, ultrasonic light Velocity/ acoustic waves acoustic waves, ultrasonic

#### **Viscosity** · Diffusion

Diffusion in gases thermal Transport processes Viscosity/ gases

#### **VACUUM PHYSICS**

Glass—metal seals Leak detection Manometers Sputtering Vacuum apparatus Vacuum gauges Vacuum pumps Vacuum technique

#### MECHANICS OF LIQUIDS

Acoustic streaming Bubbles Capillarity Cavitation Compressibility/ liquids Density/ liquids Diffusion in liquids thermal Double refraction/

Drops Elasticity/ liquids Emulsions Films/ liquid Filters liquids Flowmeters Foams

Hydrodynamics

Hydrostatics Liquid oscillations Liquid waves surface Lubrication Moisture Pressure Pumps Radiation pressure Rheology Schlieren systems

Sprays Surface energy Surface tension Surface tension measurement Thixotropy Turbulence Viscometers Viscosity/ liquids Vortices Wetting

# LIQUID STATE

Liquids

### Theory and Structure of Liquids Solutions

liquids Electron diffraction examination liquids Films/ liquid Heat of solution

Liquid crystals

Association/

Liquids structure theory Equations of state/ [of materials Neutron diffraction examination of Neutrons/ materials scattering Polymers Solubility Solutions X-ray examination of materials/ liquids

# Viscosity · Surface Tension · Diffusion

Diffusion in liquids thermal Filters Membrances Osmosis

Absorption/

Sorption Surface tension Surface tension measurement Transport processes Viscosity liquids

Raman spectra

inorganic

organic

Reflection/

# **Optical Properties of Liquids**

electromagnetic waves light electromagnetic waves Diffusion/ electromagnetic waves light Double refraction flow Electroluminescence Luminescence/ liquids and solutions Optical pumping Optical properties of substs.

electromagnetic waves light electromagnetic waves light Scattering/ electromagnetic waves light Spectra/ inorganic liquids and solutions Thermoluminescence Transmission/ light

# Thermal Properties of Liquids

Conductivity, thermal/ liquids measurement Heat of solution

Specific heat/ liquids Thermal expansion
Thermodynamic properties

Refraction/

# Acoustical Properties of Liquids

Absorption/ acoustic waves acoustic waves, ultrasonic Acoustic wave propagation ultrasonic Diffraction/ acoustic waves acoustic waves, ultrasonic Diffusion/ acoustic waves Interference/ acoustic waves Reflection/

Scattering/ acoustic waves acoustic waves, ultrasonic Transmission/ acoustic waves acoustic waves, ultrasonic Velocity/ acoustic waves acoustic waves, ultrasonic

acoustic waves
acoustic waves, ultrasonic

# acoustic waves, ultrasonic **Electrical and Magnetic Properties**

of Liquids Absorption/ electromagnetic waves Breakdown, electric/ liquids Conductivity, electrical/ liquids

acoustic waves

liquids, electrolytic measurement Dielectric properties of substs./ Electrical properties of substs.

Ionization, liquids Magnetic properties of substs. Magnetic resonance and relaxation Nuclear magnetic resonance and [relaxation Nuclear quadrupole resonance Paramagnetic resonance and Semiconducting materials Semiconductors

# **DISPERSIONS · COLLOIDS**

Aerosols Centrifuges Colloids Disperse systems Electrophoresis Emulsions

Foams Heat of solution Membranes

Particle size Precipitation Sedimentation Sols

Solubility Solutions Surface phenomena Suspensions Thixotropy

# CHANGE OF STATE

Boiling point Condensation Critical constants, thermal Distillation Drying

Equations of state gases liquids solids Evaporation Freezing Heat of fusion

Heat of sublimation Heat of transformation Heat of vaporization Humidity Liquefaction, gases Melting Melting point

Phase equilibrium Phase transformations Sublimation Supercooling Vapour pressure Vapour pressure measurement

# SOLID-STATE PHYSICS

Ronds Crystals internal fields Crystal properties Equations of state/ solids Metals theory

Mössbauer effect Nuclear orientation Orbital calculation methods Solids structure theory

#### STRUCTURE OF SOLIDS · ALLOYS

Crystal structure Density solids Fibres Filters Granular structure Heat treatment

alloys

Membranes

Particle size Permeability, mechanical Polymorphism Porous materials Powders Sintering Solids structure Solid solutions Solubility

#### MICROSTRUCTURE OF SOLIDS

Amorphous state Crystal structure microstructure

Electron diffraction examination [of materials

Electron microscope examination [of materials

Electron microscopy Fibres Granular structure Ion microscopes

Microscopy Neutron diffr.exam.of materials Particle size Porous materials Powders Radiography

Surface texture X-ray examination of materials/ microstructure molecular structure

#### Solid-State Phase Transformations

Heat treatment alloys Phase equilibrium Phase transformations/ solid-state Polymorphism Precipitation

#### **Surfaces**

Surface energy Surface measurement Surface phenomena Surface texture

#### Films

Evaporation solid

Sputtering Sublimation

#### Adsorption

Adsorbed layers Adsorption

Heat of adsorption Sorption

#### NON-CRYSTALLINE STATE

Amorphous state Plastics Polymers

Rubber Vitreous state Waxes

# CRYSTAL LATTICE STRUCTURES

Crystal structure, atomic elements alloys inorganic compounds organic compounds

Electron diffraction crystallography Electron diffraction examination of materials

Electron microscope examination of materials

Neutron diffraction crystallography Neutron diffraction examination (of materials

Polymers

X-ray absorption X-ray crystallography apparatus calculation apparatus calculation methods technique X-ray diffraction

X-ray examination of materials/ molecular structure X-ray measurement

X-ray monochromators X-ray reflection X-ray scattering X-ray tubes

#### LATTICE MECHANICS

Crystals/ lattice mechanics Mössbauer effect

#### ACOUSTICAL PROPERTIES OF SOLIDS

Absorption/

acoustic waves, ultrasonic Acoustic wave propagation ultrasonic

Acoustoelectric effects Diffraction/

acoustic waves acoustic waves, ultrasonic Dispersion, acoustic

ultrasonic Magnetoacoustic effects Reflection/

acoustic waves acoustic waves, ultrasonic

Refraction/

acoustic waves acoustic waves, ultrasonic

Scattering/

acoustic waves acoustic waves, ultrasonic

Transmission/

acoustic waves acoustic waves, ultrasonic

Velocity/

acoustic waves

acoustic waves, ultrasonic

#### **CRYSTALLOGRAPHY**

Crystal chemistry Crystal properties Crystal structure Crystallization Crystallography Crystals

etching faces growth orientation twinning whiskers

Minerals Polymorphism Precipitation Solids structure Surface texture Zone melting and refining

#### THERMAL PROPERTIES OF SOLIDS

Conductivity, thermal/ measurement solids Equations of state / solids

Heat conduction Specific heat/ solids Thermal expansion Thermodynamic properties

#### DIFFUSION IN SOLIDS

Diffusion in solids

Permeability, mechanical

#### DEFECT PROPERTIES OF SOLIDS

Cold working Creep Crystal imperfections dislocations interstitials vacancies Crystal structure Crystals etching twinning Deformation

# Elastic deformation Colour Centres

Absorption/ light Colour centres

#### **EFFECTS** RADIATION

Acoustic waves/ effects Alpha-rays effects Beta-rays/ effects Deuterons/ Electron beams/ effects Gamma-rays/ effects Hyperons/ effects

Electron diffraction examination [of materials
Electron microscope examination
Heat treatment [of materials alloys

Internal friction Neutron diffraction examination Plastic deformation [of materials Plastic flow Slip

Stresses, internal Work hardening X-ray examination of materials/ microstructure

X-rays/ effects

# IN SOLIDS

Ion beams/ effects Mesons / effects Neutrons and antineutrons/ effects Physical effects of radiations Protons and antiprotons/ effects Sputtering X-rays/ effects

# MECHANICAL PROPERTIES OF SOLIDS

Abrasion Adhesion Bending Cold working Compressibility Corrosion Cracks Creep Deformation Density/ solids Elastic constants measurement Elastic deformation Elastic fatigue Elastic limit Elastic relaxation Elasticity Fracture Friction Hardness Heat treatment allovs

High-pressure phenomena Hysteresis [and effects Impact

Internal friction Lubrication Magnetomechanical effects Mechanical properties of substs. Mechanical strength compressive shear tensile Photoelasticity
Physical effects of radiations Plastic deformation Plastic flow Plasticity Rheology Slip Strain gauges Stress analysis Stress effects Stress/strain relations Stresses, internal Thermoelasticity Thixotropy Torsion Viscoelasticity Work hardening

#### ELECTRON STATES IN SOLIDS

Crystal electron states excitons Fermi level Fermi surface plasma polarons surface Crystal properties Cyclotron resonance Electron beams/ effects Electron gas

Electron pairs/ annihilation Electrons absorption radiation scattering Hall effect Magnetoacoustic effects Metals theory Piezoresistance Solids theory

Surface phenomena

Magnetothermal effects

Resistance, electrical

Piezoelectricity

Piezoresistance

Electrostriction

Piezoelectricity

Pyroelectricity

Ferroelectric materials

barium titanate

Ferroelectric phenomena

Piezoelectric oscillations

Space charge

Hysteresis

Relaxation Rochelle salt

Space charge

Triboelectricity

Thermoelectricity

PROPERTIES OF SOLIDS

PHOTOVOLTAIC EFFECTS

# **ELECTRICAL PROPERTIES OF SOLIDS**

Acoustoelectric effects Conduction, electrical Conductivity, electrical/ measurement solids Contact potential

# Metals · Conductors

Electron gas Hall effect Magnetoelectric effects Magnetoresistance

Superconductivity

Superconductivity

Superconducting Materials and Devices

Superconducting materials and devices

# Semiconductors

Acoustoelectric effects Contact potential Contact resistance Electron gas Electro-optical effects Fluctuations/ electrical

#### Semiconducting Materials

Semiconducting materials gallium arsenide germanium indium antimonide silicon

Magnetoelectric effects Magnetoresistance Magnetothermal effects Piezoelectricity Piezoresistance Semiconductors Space charge

Contact resistance

Eddy-currents

theory

Skin effect

Piezoresistance

Electron gas

Metals

Crystal electron states

Electrical properties of substs.

# Semiconducting Devices

Counters/ semiconductor Semiconducting devices diodes p-n junctions transistors tunnel diodes Rectifiers

Electro-optical effects Fluctuations/ electrical

Hall effect Magnetoelectric effects Magnetoresistance

#### **Dielectrics**

Breakdown, electric/ solids Contact potential Dielectric devices Dielectric measurement Dielectric phenomena Dielectric properties of substs./ solids Electrets

Electric charge Electric fields Electric strength

THERMOELECTRIC Thermocouples

PHOTOCONDUCTIVITY

Photoelectromagnetic effects Photoconductivity

Photovoltaic effects Photoelectricity

#### EMISSION BY **SOLIDS** ELECTRON AND ION

Cathodes oxide Electron emission field emission photoelectric secondary thermionic

Ion emission secondary thermionic Ionization/ solids Ionization, surface Work function MAGNETIC PROPERTIES OF SOLIDS

Antiferromagnetism de Haas -van Alphen effect Diamagnetism Electron diffraction examination

of materials Electron microscope examination of materials

Ferrimagnetism Ferrites

spin-wave theory Gyromagnetic ratio Hall effect Hysteresis Magnetic devices Magnetic fields/ effects Magnetic films

Ferromagnetism

**Paramagnetic Properties** 

Magnetic properties of substances/ Paramagnetism paramagnetic

Ferromagnetic Properties

Ferromagnetism spin-wave theory Hysteresis Magnetic devices Magnetic films

Magnetic properties of substances/ ferromagnetic Magnetization process Magnetization state domains

Magnetic properties of substs.
antiferromagnetic diamagnetic ferrimagnetic ferromagnetic paramagnetic transitions Magnetism Magnetization process Magnetization state domains

Magneto-optical effects Magnetoresistance Magnetostriction Magnetothermal effects Neutron diffraction examination [of materials Paramagnetism

Magnetoacoustic effects

Magnetoelectric effects

Zeeman effect

Ferrimagnetic Properties · Ferrites

Ferrimagnetism Ferrites Hysteresis Magnetic devices Magnetic films Magnetic properties of substs./ ferrimagnetic

**Antiferromagnetic Properties** 

Antiferromagnetism

Magnetic properties of substs./ antiferromagnetic

MAGNETIC RESONANCES IN SOLIDS

Antiferromagnetic resonance Cyclotron resonance

Ferrimagnetic resonance

Ferromagnetic relaxation Ferromagnetic resonance Gyromagnetic ratio

Lasers/

Magnetic resonance and relaxation Nuclear quadrupole resonance Magnetomechanical effects Nuclear magnetic resonance and relaxation measurement

Optical pumping Paramagnetic resonance and relaxation measurement

OPTICAL PROPERTIES OF SOLIDS

Absorption/ electromagnetic waves light

Diffraction/ electromagnetic waves light

Diffusion/ electromagnetic waves light

Dispersion, optical Double refraction mechanical Electromag. wave propagation Electro-optical effects Emissivity

Interference/

light

solid Magneto-optical effects Optical constants Optical films Optical materials Optical properties of substances Optical pumping Optical rotation Photoelasticity Pleochroism Polarized light Raman spectra inorganic organic Reflection /

electromagnetic waves light Reflectivity

Refraction/ Spectral line breadth electromagnetic waves Stark effect light Transmission/ Refractive index/ light Transparency light Scattering/ Velocity/ electromagnetic waves light light X-ray spectra Spectra/ absorption inorganic solids emission radiofrequency Zeeman effect organic molecules and

radiofrequency Luminescence of Solids

infrared [substances

Colour centres Counters, scintillation Electroluminescence Luminescence/ solids, inorganic solids, organic Luminescent devices Thermoluminescence

# PHYSICAL CHEMISTRY

Atomic mass and weight Balances

Centrifuges Chemical structure Chemical technology

THERMOCHEMISTRY · REACTIONS

Association gases liquids Catalysis Chemical reactions Combustion Corresion Crystal chemistry Detonation Dissociation Exchanges, chemical Explosions

**ELECTROCHEMISTRY** 

liquids, electrolytic Dissociation/ electrolytic Electrochemistry electrodes Electrokinetic effects

Distillation Elements origin

relative abundances Filters

Isomerism

Heat of adsorption Heat of combustion

Heat of dissociation Heat of formation Heat of reaction Isotope exchanges Oxidation

Phase equilibrium
Phase transformations Polymerization Polymers Reaction kinetics

Sorption

Electrolysis Electrolytic deposition Electrophoresis Ion velocity/ electrolytic Ions, electrolytic

Laboratory app. and technique Macromolecules

Molecular weight

Pumps Molecular weight determn. Periodic system Quantum chemistry Sedimentation Valency

**PHOTOCHEMISTRY** RADIATION CHEMISTRY RADIOCHEMISTRY

Chemical effects of radiations acoustic waves ionizing radiations

Nuclear reactions/ chemical effects Photochemistry Radiochemistry

Physical chemistry

Precipitation

PHYSICAL METHODS OF CHEMICAL ANALYSIS

Chemical analysis adsorption

by mass spectrometry by nuclear reactions electrochemical radioactive X-ray

Chromatography Radioactive tracers Spectrochemical analysis

#### **GEOPHYSICS**

Marth age composition electricity heat rotation

Anemometers Atmosphere composition humidity movements precipitation

radioactivity structure temperature thermodynamics

Geodesv Geophysical prospecting Geophysics

Glaciers

Oceanography Radioactive dating

Radioactivity Seawater Seismic waves Seismology

#### ATMOSPHERE

Atmospheric acoustics Atmospheric electricity Atmospheric optics Atmospheric pressure and [density Atmospheric spectra

Atmospherics Clouds

Electromagnetic wave atmosphere [propagation Evaporation Fallout Fog Humidity Hygrometers Lightning

Meteorological instruments

Meteorology Rain Satellites, artificial Sky brightness Sunlight Thunderstorms Twilight

#### UPPER ATMOSPHERE

Airglow Atmosphere composition movements radiation belts radioactivity structure

temperature thermodynamics Atmospheric electricity Atmospheric optics Atmospheric pressure and

GEOMAGNETISM Compasses magnetic field magnetic field, variations

Idensity

Atmospheric spectra Atmospherics Aurora Fallout Ionization, atmosphere Meteors Satellites, artificial Sky brightness Twilight Zodiacal light

Magnetic storms Rock magnetism Ionosphere

Atmospherics Aurora Electromag. wave propagation ionosphere Ionization, atmosphere

D-region E-region F-region Ionosphere meas. apparatus

# SPACE RESEARCH TECHNIQUES

Rockets Satellites, artificial Space research

Space vehicles instrumentation

Ionosphere

# **ASTROPHYSICS**

Astronomical instruments Astronomical observations Astronomical spectra Astronomy and astrophysics Celestial mechanics Cosmic rays Cosmology

# STARS . GALAXIES

Cosmic radiations, r.f. Galaxies the Galaxy Interstellar matter

Magnetohydrodynamics Nebulae

Elements/ origin relative abundances Gravitation Interstellar matter Telescopes/ astronomical

composition magnetism radiation spectra structure Thermonuclear reactions

# SOLAR SYSTEM · SUN

Comets Cosmic rays Earth rotation Gravitation Interplanetary magnetic field Interplanetary matter Meteorites Meteors Moon Planets Solar system

Sun corona eclipses flares magnetism prominences radiation radiation, corpuscular radiation, r.f. spectra Sunspots Zodiacal light

# RADIOASTRONOMY TECHNIQUES

Cosmic radiations, r.f. Radioastronomy

# BIOPHYSICS

Biological effects of radiations Medical science Biological technique and [instruments

Biology Biophysics Blood Dosimetry Physiology -Proteins Radiation protection Radiography Zoology

# TECHNIQUE · MATERIALS

Biological technique and instruments Chemical technology Heat treatment alloys Laboratory apparatus and technique

Leak detection Low-temperature technique Metallurgy Vacuum technique Zone melting and refining

# HIGH-PRESSURE **TECHNIQUES**

High-pressure phenomena and eff 'ts

Materials

#### **SUBSTANCES**

#### Chemical elements and inorganic compounds

All the chemical elements are listed by name, followed by their compounds, e.g. "Cadmium", "Cadmium compounds".

"Hydrogen" is subdivided by the subheadings "neutral atoms", "neutral molecules", and "ions". "Deuterium" and "Tritium" are independent headings. "Hydrogen compounds" is supplemented by "Ice", "Steam", and "Water".

"Oxygen" is supplemented by "Ozone", and "Carbon" is supplemented by "Diamonds" and "Graphite".

The following inorganic compounds are further subdivided by subheadings as shown:-

Barium compounds barium titanate\*
Cadmium compounds cadmium sulphide
Calcium compounds calcium fluoride
Gallium compounds gallium arsenide\*\*
Indium compounds
indium antimonide\*\*
Lithium compounds
lithium fluoride

Nitrogen compounds
ammonia
ammonium compounds
Potassium compounds
potassium bromide
potassium chloride
Sodium compounds
sodium chloride
Zinc compounds
zinc sulphide

- \* Ferroelectric properties are listed under "Ferroelectric materials/barium titanate"
- \*\* Semiconducting properties are listed under the corresponding subheadings of "Semiconducting materials"

#### Organic compounds

Organic compounds are grouped under headings "Organic compounds", "Polymers", "Plastics", "Proteins". "Rochelle salt" is an independent heading.

#### Substance groups

In addition there are the following headings for groups of elements, compounds or substances:-

Actinides
Actinide compounds
Alkali metals
Alkali metal compounds
halides
Alkaline-earth metals
Alkaline-earth compounds
Ferrites
Ferroelectric materials
barium titanate\*
Garnets
Halogens

Garnets Halogens Inert gases Minerals
Rare-earth metals
Rare-earth compounds
Semiconductors
Semiconducting materials
gallium arsenide\*\*
germanium\*\*
indium antimonide\*\*

germanium\*\*
indium antimonide\*\*
silicon\*\*
Transition metals
Transition-metal compounds

\*\* Used for semiconducting properties only

#### Alloys

General papers on alloys are indexed under "Alloys". Alloys of specified composition are listed under, either

- (i) special alloy headings (there are five of them: "Aluminium alloys", "Copper alloys", "Iron alloys", "Nickel alloys", "Steel"), e.g. Al-Ni alloys under "Aluminium alloys", or
- (ii) compounds of the base or first-named element, e.g. Mn-Zn alloys under "Manganese compounds", and silicon-iron under "Iron alloys".

# Special substances and materials

There are also the following special headings for certain common substances:-

Air
Blood
Ceramics
Clay
Coal
Concrete
Fibres
Gelatin
Glass
Mica
Optical materials

Paper
Porous materials
Powders
Quartz
Rubber
Ruby
Sand
Seawater
Soil
Waxes

Physics Abstracts 1967 — Part I (Jan.-June) DP (ammonium dihydrogen phosphate). See Nitrogen compounds/ammonium compounds. bacs. See Nomograms. berrations, optical
See also Electron lenses; Ion optics; Optical instrument testing; Optics/geometrical; Particle optics. aperture, corrections in objective formed by quadrupolar lenses 7=317-8 astigmation in Czerny-Turner spectrometers 7=16255 axial bundle, two matrices, elements 7=3210 chromatic, meas. by wavefront reversing interferometer 7=320 chromatic, rel. to resolving power 7=16229 in holography 7=12731 image quality, diffraction-based, in automatic design 7=9552 instrumental astigmatism, correction for determ. of solar u.v.limb darkening profiles 7=2723 lateral colour of images, prod. by atmosphere, compensation 7=12012 in lenses, thin single, Maréchal method of balancing 7=3211 off-axis, and diffraction image of single bar 7=348 photographic lenses, chromatic, and optical transfer functions 7=9633 prisms, spectral 7=12687 Abrasion See also Hardness; Wear. autunite, random layer structure prod. by grinding 7=1623 corundum rods flame polishing 7=4508 graphite, polycrystalline, by terbulent liquids, rel. to vortices obs. 7=4770 metal destruction by water drop impact 7=11256 plastics, rubbing with abrasive cloth for meas. of wear resistance 7=11341 precision polishing 7=14266 CdS film precision polishing 7=14266 CsI windows polishing for i.r. 7=9561 Ti alloys foils electropolishing for electron microscope exam. 7=10971 Ti foils electropolishing for electron microscope exam. 7=10971 Absorption See also subheadings of Alpha-rays; Beta-rays; Cosmic rays; Electrons; Gamma-rays; Hyperons; Mesons; Neutrons and antineutrons; Protons and antiprotons; and also Sorption; X-ray absorption. bilitubin, of O, elec. cond. var. obs. 7=17073 in Hg of SO<sub>2</sub>, press. var. at 25°C 7=10813 acoustic waves See also Noise abatement; Transmission/acoustic waves. acoustic-wave interaction with solid-gas interface 7=14143 clothing of individual people 7=2905 coefficients of walls of rooms, reviews 7=12448 in crystals, from results of phonon scatt. 7=4610 curved non-porous plates 7=2906 deep water, fish as cause 7=15471 dielectrics, second and ordinary sound, theory 7=11114 in gas, rel. to linearized boundary value problem 7=17200 in gases, rarefied 7=2907 liquids, effect of critical density fluctuations 7=14081 metals, acoustic nuclear spin resonance 7=2225 oleic acid aerosol in  $N_2$  obs. 7=10880 pipe organ external surface, cross-section 7=15951 polymers, for sound insulation 7=7491 temperature distribution prod., Boltzmann eqn. 7=9205 temperature distribution prod., macroscopic calc. 7=9204

in tube of uniform cross-section, attenuation const., meas. 7=15947 Bi, magnetoacoustic geometric resonance, high ql 7=1779 CCl<sub>4</sub> crystals, attenuation 7=11116 CO<sub>2</sub>-He mixtures, vibrational relaxation 7=16943 Cu, |001| longit.propag. 7=14445 He Π, second sound, mutual friction angular var. 7=161 He3-He4 solution, attenuation, meas. and fermion-phonon interaction 7=5781 SO<sub>2</sub>, vibr. relax. 7=13985 SO2-Ar mixtures, vibr. relax. 7=13985 acoustic waves, ultrasonic alkali halides, and dislocation pinning centres annealing,  $120^{\circ}{-}180^{\circ} K$   $7{=}1614$ 

analyzer of ultrasonic-pulse spectra 7=18345 anisotropic materials diffraction loss calc. 7=4627

benzene cryst, near m.p. 7=1466 Brillouin scatt, meas. 7=9211 crystal dielectrics, low temp. var. mechanism 7=4628 crystal insulators, temp. and freq. var. calc. 7=7484 crystals, thermal, rel. to third order elastic consts. 7=4626 cyclohexane cryst. near m.p. 7=1466

ferromagnets and antiferromagnets 7=14437 inert gas mixtures, effect of diffusion 7=17206

SUBJECT INDEX S 17 Absorption - contd acoustic waves, ultrasonic—contd liquids, attenuation, to 4°K and 1 Gc/s, interferometer meas. 7=14080 meas. 7=1900 in liquids, dispersion of hypersonic waves, meas. from Brillouin scatt. 7=14082 liquids, meas. by interferometer, 1-15 Mc/s 7=4345 liquids, non-associated polar, model 7=7074 measurement in mag. field on circularly polarized u.s. 7=4889 measurement, shear wave, with liquid buffer and oblique incidence longitudinal waves 7=9215 metals, anisotropy 7=17552 mixed solvents, theory 7=7075 molecular crysts.near m.p. 7=1466 muddy seawater 7=5726 paraffin cryst. near m.p. 7=1466 solids, low-temp. absorption of longit. phonons 7=14433 steel, stainless, 2-15 Mc/s 7=9215 superconductors with mag. impurities, theory 7=4918 water, compressed, rel to shear viscosity 7=17266 water-dioxane solns. 7=7075 Ag, low temp. calc. with electron gas viscosity effect 7=14865 Al, elastically deformed, time var. 7=4632 Al, magnetoacoustic, circularly polarized 7=4642 Al, phonon and electron drag coefficients 7=7572 Al27, in ruby, nuclear acoustic resonance 7=15260 Al<sub>2</sub>O<sub>3</sub>: V<sup>2+</sup>, resonance, spin-lattice relax. 7=11690 Ar liquid, vol. viscosity calc. 7=7046 Au, low temp. calc. with electron gas viscosity effect 7=14865 Bi, longit., gigantic oscs. in coeff. 7=14441
Bi-Te-Sn alloys 7=14440
CdS, attenuation meas., 1.8°-300°K 7=14443
Co, ferromag., rel. to temp. and mag. field intensity 7=15153 Cu, low temp. calc. with electron gas viscosity effect 7=14865 Cu, plastically deformed or irradiated, recovery rel. to imperfections 7=1537
Fe, ferromag., rel. to temp. and mag. field intensity 7=15153
Ga, var. with freq., amplitude and plastic deformation obs. 7=14446 Ge, theory, by neutral donors 7=1461  $\rm H_2O$ , Brillouin scatt. obs., 500-1500 Mc/s 7=9211  $\rm H_2O$  fundamental freq. of finite amplitude at 5.65 Mc/s 7=4348  $\rm H_2O$ ,  $\rm D_2O$  vapour, 137°C 7=6971  $\rm In$ , normal state electronic contribution 7=1462 K, in thermal cond. theory, 0.5°-4°K 7=14474 K-Cs(0-10%), in thermal cond. theory, 0.5°-4°K 7=14474 La, superconducting, temp. var. obs. 7=4946 Mg, quantum oscillations 7=4639 Na acetate soln. 7=14084-5 Nb, 1.4-25°K, 290-1280 Mc/s 7=7903 Nb, superconducting, impure, at low magnetic field 7=11472 Nb\_SN, anomalous low temp. var., 555 Mc/s 7=17558 Ge, theory, by neutral donors 7=1461 Nb<sub>3</sub>Sn, anomalous low temp. var., 555 Mc/<sub>3</sub> 7=17558 Ni, ferromag., rel. to temp. and mag. field intensity 7=15153 Ni, peak in attenuation with const. stress and varying mag.field 7=7486 Pb, normal and supercond., amplitude-dependent 7=7487 Pb, supercond., amplitude-dependent 7=7488 PbMg $_{y_2}$ V $_{y_2}$ O $_3$ , relaxation absorption, near phase transition 7=4640

Sb, magnetoacoustic, circularly polarized 7=4642
Sb, oscillations, rel, to electron energy states 7=14451
SiO<sub>2</sub> microwave phonons obs. 7=7480
Sn, doped, supercond., u. s. studies of energy gap 7=7913
Sn, magnetoacoustic, circularly polarized 7=4642 Sn, superconducting, strain and impurities effects 7=11481
Sn, temp. and freq. dependence 7=7490
Tm ethyl sulphate: Tm³\*, resonance, spin-lattice
relax. 7=11690

YFe garnet, anisotropy 7=14452 Zn, quantum oscillations 7=4639

electromagnetic waves

See also Spectra (radiofrequency subheadings). auroral, near geographic North Pole, 32 and 40 MHz 7=12055

auroral radio absorpt. and geomag.activity 7=2558 cosmic noise absorpt.correl.with VLF chorus 7=15530 crystal local states, l. f. peak due to anharmonism

calc. 7=8354 gases, cm range, opticoacoustical determ. 7=17207

helicon resonance in In boxes filled with ferromagnetic 7=11410 interplanetary space and near sun, attenuation 7=8952 liquids, surface heating, conversion to acoustic energy 7=12429

measurement for solids ~ 2 mm 7=2265 plasma column, microwaves, resonance-like lines 7=4203 polar gases, microwave 7=6604

properties of medium effects in classical and quantum electrodynamics 7=5849

```
S 18
              SUBJECT INDEX
Absorption-contd
     electromagnetic waves-contd
         quantized coupling to lossy cavity 7=5933
          receiver with n-InSb detector, for spectra in sub mm.
               range 7=16105
          rockets solid propellants ionization obs. 7=8530
          superconductor alloys, absorption edge 7=8352
          Venus atm., microwave opacity 7=15776
Venus, model atmospheres, microwave meas. 7=8943
Al, superconducting, mag. field var. obs. at mm 7=4942
         Al: Ag, superconducting, mm obs. of energy gap 7=4940 CaF<sub>2</sub>:Y, anelastic and dielectric loss in kc/s
              range 7=5252
          Ca-V-Bi garnet, room temp., 77°K, 4. 2°K, 4. 2 Gc/s 7=8446
         Ca-V-Bi garnet, room temp., 17 K, 4.2 K, 4.2 Gc/s 1=0440 CsBr, \lambda=0.38-1.1 mm (18°C) 7=15322 CsI, \lambda=0.49-2 mm (78-385 K) 7=15322 Gd-YFe garnet, room temp., 77 K, 4.2 K, 4.2 Gc/s 7=8446 HCl in CCl<sub>4</sub>, absorption and dielec. loss factor calc. 7=4376 HgTe, effective mass, millimeter microwave determination 7=7792
          KCl, dielectric loss tangents below 4.2°K 7=11791
NaCl, dielectric loss tangents below 4.2°K 7=11791
Nb superconductor, microwave losses obs. 7=4957
          O_2 in atmosphere, cm and dm obs. 7=8680 OH-, paraelectric resonance transitions in KCl, micro-
               wave saturation 7=11548
          Pb superconductor, microwave losses obs. 7=4957
Si, and relaxation of ionized impurity pairs 7=14803
          YFe garnet, room temp., 77° K, 4. 2°K, 4. 2 Gc/s 7=8446
     light
               See also Atmospheric optics; Densitometry; Filters,
               optical; Optical constants; Optical films; Pleochroism;
          Transmission/light; Spectra.
air, shocked, 65-13000°K 7=6972
          alkali halide vapour, u.v. filtering props. meas. 7=13989
          alkali halides, rel. to electronic polarization 7=5239 anthracene, laser induced multi-photon absorption
               obs. 7=15068
          anthracene, polarized edge, Davydov splitting 7=11818 anthracene, two-photon absorption bulk generation of photocarriers obs. 7=15088
               states 7=15358
```

anthracene, two-quantum, rel. to new exciton chlorobenzene, far i.r. spectra, up to 35 kbars 7=15360 coefficients meas., criteria for accuracy 7=16250 in crossed elec. and mag. fields 7=18023 cryptocyanine optical absorption and luminescence obs. 7=1148 crystal lattice chain with unequal mass atoms, size effects

theory 7=15294 films, very thin dielectric, on evaporated metals,

anomaly 7=2264

gas, monochromatic coefficient, nonlinearity 7=17210 gases, pressure-induced, calc. 7=4295 glass, laser damage on linear absorption 7=14633 graphite spheres extinction, wavelength var., Mie calc. 7=2278

helicon window below absorption edge 7=11407 i. r. by excitons due to photoionization and intraband

lattice scatt. 7=8350
impurities, conc. var. theory 7=11737
indirect transitions with Coulomb interaction between electrons 7=2262

inert gas solids, rel. to electronic polarization 7=5239 infrared window seal for vacuum, bakeable 7=16241 integrated strengths from refraction data, calc. 7=12714 lattice fundamental vibr. width in ionic crystals, temp.
and freq.var.theory 7=2263
line absorpt.coeff.in blanketing effect computation 7=5705

liquids, acoustic impulses induced by laser beam 7=14083 measurement from spontaneous emission profiles 7=3248 measurement by thermal lens method in resonator 7=9603

metals, degenerate, by direct transitions 7=11734 metal films, very thin, total absorption, rel. to energy levels 7=18199

microabsorption spectroscopy 7=3249

naphthalene, multiphoton photons absorption probability ratio obs. 7=2353 p-nitroaniline crystals, near-i.r. anisotropy 7=11824 organic liquids, i.r. obs. 7=17269

paramagnetic crysts., broad electron-vibrational bands 7=8353

phthalocyanine, change of pulse shape 7=10842 phthalocyanines, saturation, under laser irrad.  $7\!=\!17277$  plastic scintillation granules, theory and expt.  $7\!=\!18315$ polyethylene.u.v. 7=2359 quartz, effect of n-irrad. 7=11807

ruby, pink, cross-section for polarized light 7=11746 saturable absorbers wave interactions theory 7=12695 semiconductor, Kronig-Penney model 7=15297

semiconductor, krong-renney model (=1529) semiconductor laser amplifier, saturation 7=16181 semiconductors, degenerate, by direct transitions7=11733 semiconductors, degenerate, exciton effects calc. 7=15298 semiconductors, effect of strong elec. fields 7=14789

```
Absorption-contd
```

light-contd semiconductors, extremely anisotropic, bound and unbound exciton transitions 7=11735 semiconductors, absorption of laser light by

carriers 7=15295

carriers (=1025) semiconductors at h.f., many-body effects calc. 7=15296 semiconductors, interband, single-photon and two-photon processes calc. 7=11736 solids in crossed fields calc. 7=7819

solids, vacuum chambers for meas. in high temp. i. r.

range 7=8351 spectral bands, absorpt, functions, allowing for intensity and half-width variations 7=10459 spectral line width 7=9584

transition element ions in octahedral environment, temp.

van.calc. 7-8445
two-exciton, calc. for molecular crystal 7-8355
water, liquid, coeff. for polarized light, meas. 7water, liquid, and dispersion in range of valence
vibrations 7-7082

Ag halides, rel. to electron polarization 7=5239 Ag-0.05-1.25 at.%Au solid solns. 7=15308
AgBr edge, crystal surface effects obs. in suspensions in
H<sub>2</sub>O 7=15310

Al films data, 1-6500Å 7=8371 AlN, laser induced multi-photon absorption obs. 7=15068 AlSb, i.r. donor electron contribution calc. 7=11734 As<sub>2</sub>S<sub>3</sub>, glassy, fundamental edge, Ag impurity effect 7=8374 Au, quantum absorpt. 7=11748

B amorphous films in i.r., no peaks obs. with high purity 7=18217

BiSBr, band gaps, 80°-310°K 7=11801 CS<sub>2</sub>, far i.r. spectra, up to 35 kbars 7=15360 Ca fluoxyantimoniate, photocoloration and optical bleaching, reversible phenomena obs. 7=2283

CaF $_2$ , i.r., 500°-600°C, from emissivity data 7=15317 CaF $_2$ , i.r., rel. to colouration conditions 7=18223 CaF $_2$ , "pure", induced, distinguished from double absorption 7=11780

CdO films, optical fundamental absorpt. 7=11755 CdS, exciton region electroabsorption meas. 7=8381 CdS, laser induced multi-photon absorption obs. 7=15068 CdSe film, absorption edge rel. to elec. fields 7=8380

CdTe 7=11406 CdTe, rel. to excitons obs. 7=17831

CdTe, theory 7=2291

CdTe-AgInTe<sub>2</sub>, i.r. obs. of energy gap 7=11005 CdTe-CuGaTe<sub>2</sub>, i.r. obs. of energy gap 7=11005 CdTe 2-300°K, experimental 7=2290 Cl<sub>2</sub>, u.v. filtering props. meas, 7=13989

Cu-Sn glasses, fluorescent 7=15352

DyAl garnet, H<sub>182</sub> → F<sub>32</sub>, <sup>6</sup>F<sub>5</sub>, absorpt. spectrum 7=11758 Er³ glasses, fluorescent 7=15352 Eu chalcogenides, and ferromag, exchange 7=8388 Fe ions in synthetic quartz crystals, green and brown colours 7=1642

colours 7=1642
GaAs, compensated Si-doped, of i.r.active localized vibrational modes 7=2302
GaAs, i.r., donor electron contribution calc. 7=11734
GaAs<sub>1-x</sub>P<sub>x</sub>, i.r. localized vibrational mode 7=11794
GaP, intrinsic edge spectrum 7=2305
GaS<sub>x</sub>Se<sub>1-x</sub>, and reflection obs. 7=5300
GaSb, i.r., donor electron contribution calc. 7=11734
Ge amorphous films obs. 7=17966
Ge doped with Zn. compensated with Sb. impurity

Ge, doped with Zn, compensated with Sb, impurity abs. 7=11812

Ge, elec.field induced, photon energies below direct gap 7=2309

Ge free holes, theory rel. to obs. 7=8398 Ge, i.r., donor electron contribution calc. 7=11734

Ge indirect under combined static and oscillatory stress 7=11767

Ge, intrinsic absorpt.coeff., minimizing strain 7=2311 p-Ge, temperature var. anomaly in i.r. 7=18241 H, atomic, Lyman-alpha, in elec. field 7=13692 H molecules continuous absorption in solar-type stars

calc. 7=15658 H2, pressure-induced, calc. 7=4295

H<sub>2</sub>O, of i.r., for depth gauge in waves meas. 7=4317 InSb, i.r., donor electron contribution calc. 7=11734 InSb, multiphonon magneto-optical resonances obs. 7=5271

K, foils, plasma resonance 7=18251 K, plasma resonance meas. 7=8406

KCl coloured additively, dielec. relax. obs. 7=8008 KCl, modulated, for F-centre excited states obs. 7=7611 KCl, "pure" induced, distinguished from double absorption 7=11780

KCl H centre rel. to e.s.r. absorption obs. 7=17632 KCl:Pb, V<sub>K</sub> centres thermal preferential reorientation obs. 7=17632

KCl:srCl<sub>2</sub> coloured additively, dielec. relax. obs. 7=8008 LaF<sub>3</sub>, single cryst., i.r. cut-off 7=2320 LiF F-centres prod. on n-irradiation 7=11215 LiNbO<sub>3</sub>, in far i.r. 7=8414

N2, shock-heated, vac.u.v. absorpt. 7=16953

```
Physics Abstracts 1967 - Part I (Jan.-June)
Absorption-contd
     light-contd
         nt-contd
Na, phonon-aided 7=2328
NaF, F<sub>2</sub> centre 7=1640
Nd<sup>3*</sup> ion in lanthanum-borate glass 7=11875
O<sub>2</sub> and O<sub>2</sub>-N<sub>2</sub> mixtures, 2800-2350Å 7=16956
OH concentration in fused Si, by meas. of molexinction coeffs. 7=2491
PbO, single crystals, energy gaps 7=15345
PbTe, multiphonon magneto-optical resonances obs. 7=5271
         RbNiF<sub>3</sub>, hexagonal, Ni<sup>2</sup>* transitions 7=14840
SbSBr, band gaps, 80°-310°K 7=11801
SbSI, band gaps, 80°-310°K 7=11801
SbSI forbidden band width var. with temp. and press.
              rel. to [erroelec. transition 7=8432
          Se, amorphous, in high elec. fields 7=2333
          Se, electroabsorption at optical absorption edge 7=8434
          Se, i. r., for determ. of O<sub>2</sub> content 7=4872
Se, sols, extinction coeffs., rel. to wavelength and particle diam., calc 7=17305
          Se, trigonal and amorphous, Franz-Keldysh
               effect 7=2332
           n-Si free electrons, contributions of transfer processes
               and intervalley transitions calc. 7=8436
          Si, piezoabsorption, indirect, matrix elements 7=2334
          n-Si, resonance in far i.r.due to donor-pair conduction 7=18265
          Si, stressed, differential, obs. by sample rotation 7=8438
          n-SiC, i.r., impurity sensitive, obs. 7=15350
SiO<sub>2</sub> films, i.r., vapour and thermally grown 7=2337
          Si<sub>2</sub>O groups in Si, i. r. fine structure at low temp.
                                                                                               7 = 11802
          SnTe, Burstein shift of fundamental edge 7=5276
          SrTiO<sub>3</sub>, stressed, differential, obs. by sample rotation 7=8438
          UO<sub>2</sub>* glasses, fluorescent 7=15352
W-Re(0.46-1.57%), 0.5-8.0μ 7=18273
ZnO noncrystalline films obs., rel.to
crystalline 7=1281
Abundance ratio. See Elements/relative abundances; Isotopes/
relative abundances.
 Acceleration. See Dynamics; Kinematics.
Acceleration measurement
See also Velocity measurement.
accelerometer using effect on filamentary elec.
discharge 7=6777
by strain gauge 7=5653
Accelerators. See Particle accelerators.
 Accommodation coefficient. See Gases; Kinetic theory/gases;
      Surface phenomena.
```

Acids, inorganic. See Individual compounds, and Hydrogen compounds.

Acids, organic. See Organic compounds.

Acoustic amplification in solids. See Acoustoelectric effects. Acoustic analysis

acoustostructural vibration problems, damped, variational formulation 7=2870

Acoustic field. See Acoustic radiators; Acoustics; Intensity measurement/acoustics.

Acoustic generators

See also Musical instruments.

amplifier for u.s., parametric, proposal 7=2911 drum, shape from isospectral graphs 7=12397 e.m.energy conversion by surface heating of liquids 7=12429

linear array of vibrators theory 7=12426 liquids, impulses induced by laser beam 7=14083 ocean surface waves generation of underwater

sound 7=8619 piezoelectric films, for microwave phonons 7=7480 quartz, phonon effects, 70 Gc/s, 4. 2-33°K 7=4641 singing sands 7=124

sparks, for diffr. of pulses meas. 7=12441 transformers, sound radiation calc. 7=9191 wedge with vibrating faces, edge effect 7=123 CdS crysts. with depletion layer 7=1459

Acoustic impedance

air layer in membrane harmonic vibrations 7=2895 interaction radiation resistance and reactance for two transducers at air-water surface 7=12438 measurements at high hydrostatic press. 7=12444 moving monopole 7=122

He3, liquid, theory 7=12489

Acoustic paramagnetic resonance. See Paramagnetic resonance and relaxation.

Acoustic radiators

See also Doppler effect.

difference pattern formation in arrays with odd number of elements, calc. 7=2910 dipole distribution in inhomogeneous convecture

flow 7=2896 dipole near-field, use in meas, in shallow lakes 7=12446 directivity of linear array of directional transmitters calc. 7=2901

electrolyte-Hg systems, acoustic spectra of electrolyte excited to mech. vibs. by a.c. field 7=7073

Helmholtz integral transformation into line integral 7=2898

Acoustic radiators-contd

infinite plate below critical freq., fluid loading effects calc. 7=9188 linear acoustic radiating array with equalized

side-lobes 7=9185

linear-array design by nonlinear programming 7=9184 linear array, near field 7=120

loudspeaker, use of permanent magnets 7=3015 moving monopole, energy and impedance 7=122

panel, rectangular, transduction of boundary-layer noise 7=12431

piston.force following switch-on 7=2899 piston in H<sub>2</sub>O with air bubbles with infinite baffle calc. 7=9189

piston in layered medium with infinite baffle calc. 7=9189 plate, elastic, point-excited, radiated pressure 7=12428 point array mechanoacoustic efficiency maximiza-

singing sand freq. analysis 7=5717

tion 7=2900

"space-time" correlation experiment 7=9186
steered rectangular arrays, radiation resistance and beam
pattern 7=12427
strip, sound field in moving medium 7=121

transformers, sound radiation calc. 7=9191 transient, energy exchange between incompressible

turbulent flow near compliant surface 7=9190 vibrating circular plates and membranes, direction var. calc. 7=9187

Acoustic receivers

near and far field 7=9183

See also Microphones.
arrays, optimum-signal-detection theory, criteria 7=15945 circular aperture, response to coaxial circular source of different radius 7=9197

with distributed elements, detection of random signals 7=15946

piezoelectric films, for microwave phonons 7=7480 rectangular aperture, response to rectangular source 7=12437

speaker verification using two-level adaptive linear
threshold element 7=9217

Acoustic resonators

free-flooding, unidirectional, for deep-ocean transducers 7=15944 piezoelectric, finite-difference calc. 7=5715 quartz, temp. depend. of longit. mode of bars 7=11319

Acoustic streaming

aerosol particle in distorted sound waves 7=1184 heat transfer from a cylinder, influence of sound 7=12471sphere, mass transfer from, in acoustic field 7=15916

Acoustic transducers

See also Acoustic generators; Acoustic receivers;
Microphones; Sound reproduction.
coupling factor for single-degree-of-freedom,
formulae tables 7-9192
deep-ocean, free-flooding unidirectional resonators 7-15944

difference pattern formation in arrays with odd number of elements, calc. 7=2910 magnetostrictive, frequency response obs. 7=2902 micromechanical translator, voltage activated, with elec. readout 7=9195 multilayer, piezoelectric. 7=12434

for oceanography 7=5368

panel, rectangular, transduction of boundary-layer noise 7=12431

piezoceramic cylinders, vibr. freq. 7=126 piezoelectric films, for microwave phonons 7=7480 'planar', for exciting longit acoustic waves 7=127 polarization transformers for microwaves 7=12436

pulse intensity meas. u.s. waves in solids 7=7483 quarter-wave plates for microwaves 7=12436 shielded, effect of turbulence nearfield 7=12430

for solids u.s. strain amplitude meas.,  $5-100\,Mc/s$  7=4747for solids u.s. strain amplitude meas., 5-100 Mc/s 7=4747 ultrasonic amplifier, heating and dispersion effects 7=5725 ultrasonic, employing CdS depletion layer, preparation and operation 7=9194 ultrasonic, fine structure and freq.characteristics using acoustoelectric effect obs. 7=9193 ultrasonic, measurement of frequency response 7=125 underwater, directional reflectors 7=12432

underwater, directional reflectors 7=12432
vibroscope for strings, transverse freq. 7=9149
CdS film, shear mode, 100-600 Mc/s 7=5718
CdS film transducers, shear mode, 100-600 Mc/s 7=5718
CdS-SiO thin film, multilayer, piezoelectric 7=12434
GaAs, ultrasonic 7=5719
LiNbO<sub>2</sub>, for high-temperature piezoelectric 7=2011
ZnO film for microwaves 7=12433

ZnS film, longitudinal wave, for up to 600°C 7=5720

Acoustic wave propagation

See also Absorption/acoustic waves; Dispersion/ acoustic; Doppler effect; Helium/liquid, sound propagation; Shock waves; Velocity/acoustic waves. air-water surface, interaction from two transducers 7=12438

crystal, nonlinear, general formula 7=11112

p-GaSb:Li, domain prod. current oscills.obs. 7=17960

```
S 20
```

```
Acoustic wave propagation-contd
                                                                                                                         Acoustic waves-contd
         in crystals, acoustic branches to third order 7=1456 crystals, axis meas., rel. to elastic props. theories 7
                                                                                                                                  in piezoelectric semiconductors, amplification, effective elastic consts. theory 7=17554 radiation pressure, general formula 7=9032 wavelength in gases, meas., refined tube method 7=12443
                                                                                              7=14644
          directional characteristics of sound impulse 7=9199
          in divergent channel, refracted/reflected ray
               transmissions 7=15948
                                                                                                                                   in Si, X-ray diffraction obs. of u.s. 7=17560
         electric discharge, l.p., positive column, damping meas. 7=10580
                                                                                                                              effects
                                                                                                                                       See also Chemical effects of radiations/acoustic waves.
         ferromagnets, Doppler and adiabatic time domain
conversion 7=4631
impedance, specific acoustic, meas. 7=12445
                                                                                                                                  aerosol particles aggregation under Stokes flow,
                                                                                                                                  theory 7=4401
cavitation at high press.,u.s. 7=4315
on convection in forced case, fluxmeter 7=15968
         impedance, specific acoustic, meas. 7=12445
ion-acoustic solitary waves, small-amplitude propag. 7=4244
liquids, stratified, surface wave dispersion rel. to pulses
compression obs. 7=2904
metallic liquids, review 7=4347
nearfield turbulence, effect on shielded transducer 7=12430
noisy ocean, arrays for acoustic transmission 7=11979
                                                                                                                                  electric discharge, d.c., disturbance current 7=10573
                                                                                                                                   force on pulsating sphere 7=2899
                                                                                                                                  heat transfer from a cylinder in a sound field 7=12469 heat transfer from a cylinder 7=12471 illite hydrophobic colloids sedimentation obs. 7=7127
          ocean, W. Pacific, volume-scatt. at 12 kc/s 7=18349
                                                                                                                                   interfaces, solid-gas and liquid-vapour 7=14143
          piezoelectric semiconductors, amplification, effective elastic consts. theory 7=17554
                                                                                                                                  light diffraction by u.s., simplification of equations 7=16286 light refraction by u.s., calc. 7=3206 light scatt., rel. to deflection and modulation devices 7=3230 mass transfer from sphere in acoustic field 7=15916
          plasma-air boundary, coupling with e.m. waves 7=1014
          pulsed discharges, afterglow, for gas temp. meas. 7=13800
                                                                                                                                  quartz, diffraction of light by u.s. 7=11804
                                                                                                                                  semiconductor helicons in multi-valley case 7=17840 on tissue growth in rabbits' ears 7=15834 u.s., on permittivity of liq. mixtures 7=4378
          quartz, longitudinal mode of crystal bars, reson. freqn.
temp. depend. 7=11319
         reactive flow, one-dim., transverse waves theory 7=4278 SOFAR channel, axial focusing of sound 7=18350
                                                                                                                                  Al-Mn(1.7%) cavitational erosion at 17 kc/s, stress
          {\tt semiconductors, piezoelectric, steady-state} \ \ {\tt and \ unstable} \\ {\tt conditions} \ \ {\tt 7=14434}
                                                                                                                                       effects obs. 7=17683
                                                                                                                                  CO2-He laser, output modulation by longitud.
         conditions 7=14434
semiconductors plasma drift acoustic amplification, h.f.
conductivity, carrier waves 7=4886
shadowing of randomly rough surfaces 7=15859
shallow water, under isovelocity conditions 7=15470
sine rays channel model 7=9200
transient source, energy exchange between incompressible
near and far field 7=9183
undersea signals, freq. correl. of amplitude
fluctuations 7=5366
                                                                                                                                       waves 7=311
                                                                                                                                  KBr F-band u.s. modulation 7=11202
KBr, F centre u.s. modulation 7=14621
                                                                                                                                  n-PbTe helicons calc. in multi-valley case 7=17840
                                                                                                                         Acoustical laboratories
                                                                                                                                  No entries
                                                                                                                         Acoustical measurement
                                                                                                                                       See also Interferometry/acoustic waves; and under separate subjects e.g. Intensity measurement/acoustics.
          underwater, analog computer programme 7=5363
                                                                                                                                   frequency and amplitude recorder for waveform
          underwater, directional reflector for transducers 7=12432
                                                                                                                                        analysis 7=5728
         underwater, interaction with rough sea-bed 7=15859 underwater, phase periodicities obs. 7=11978 underwater, phase stability at 420 c/s 7=8620
                                                                                                                                  impedance, at high hydrostatic pressure 7=12444
                                                                                                                                  impedance, specific acoustic 7=12445
                                                                                                                                  in lakes, use of dipole near-field 7=12446
          CCl4, surface wave dispersion rel. to pulses compression
          obs. 7=2904

He<sup>3</sup>-He<sup>4</sup> solution, theory with negl. phonon excit. 7=5782
                                                                                                                                  liquids, 300-1000 Mc/s 7=4344
                                                                                                                                  planets atmospheres composition 7=5497
                                                                                                                                  pressure in liquids, C paper indicator 7=10834
          Zr-Nb alloys, relaxation peaks meas. 7=14454
                                                                                                                                   radiometer for meas. acoustic fields in liqs. 7=4343
     ultrasonic
                                                                                                                                  spectrophone, for vibr. relax. time meas. 7=10481 turbulence nearfield, effect on shielded transducer 7=12430
          ADP, secondary harmonic obs. by optical diffraction 7=11112
          across contactless junction between piezoelectric
                                                                                                                                  ultrasonic pulses in thin samples, apparatus 7=1455
               bodies 7=2885
                                                                                                                         Acoustics
         amplifier, parametric, proposal 7=2911 anisotropic materials phase change calc. 7=4627 bitumen, to 1950 kc/s, -25° to 65°C 7=14455 crystals, interaction of longitudinal waves 7=17550 cylindrical lenses, max. aperture angles 7=130 cylindrical lenses and reflector, amplitude distrib.
                                                                                                                                       See also Acoustic resonators; Architectural acoustics;
                                                                                                                                  Atmospheric acoustics; Hearing; Noise/acoustic; Sound reproduction; Speech; Ultrasonics; Vibrations. drying colloids in standing sound wave 7=4398 ocean, review and bibliography 7=15467 stereophony, head-oriented, transmission defects 7=2903
               functions 7=129
                                                                                                                                  transient source, energy exchange between incompressible near and far field 7=9183
          for elastic consts of third order pulse meas.,
               theory 7=17654
                                                                                                                                  underwater acoustic camera 7=5726
         heterogeneous medium 7=9198 ionic solutions, Debye effect obs. 7=4380
                                                                                                                                       See also Musical instruments.
         measurement apparatus, -100° to 150°C, 400, 700 kc/s 7=12447
                                                                                                                                  frequency and amplitude recorder for waveform analysis 7=5728
         quartz, diffraction of light by u.s. 7=11804
quartz, laser prod. wave nonlinearity calc. 7=17561
quartz surface wave amplification by electron beam
                                                                                                                        Acoustoelectric effects
                                                                                                                                  acoustomagnetoelectric effect in unipolar
                                                                                                                                       conductors 7=14435
               calc. 7=7489
                                                                                                                                  domains meas. by optical probe 7=17960
          solids, pulse intensity meas. 7=7483
                                                                                                                                  ionic solutions, Debye effect obs. 7=4380
          Al, 2nd and 3rd harmonics generation due to dis-
                                                                                                                                  piezoelectric materials, collective waves in limit of
               locations 7=4633
                                                                                                                                       nonlinear mixing 7=17555
          Bi, aniplification, quantum resonances 7=7482
                                                                                                                                  relation to hot-electron energy losses 7=14785
         \mathrm{Bi}_{12}\mathrm{GeO}_{20} 7=4629 CdS, amplification, temp. dependence 7=7485 CdS, Rayleigh waves interaction with conduction
                                                                                                                                  semiconductor piezoelectric moving domain double-Doppler
                                                                                                                                  effect interaction with elastic waves or i.r.calc. 7=15307
semiconductors, acoustodensity effect 7=14438
semiconductors, rel. to amplification of lattice
              electrons 7=4771
          CdS, waveform distortion due to nonlinear
                                                                                                                                       waves 7=14936
         elasticity 7=14444
Fe rods, propag. of high freq. pulses 7=4637
KCl, elastic const. of third order obs. 7=14753
                                                                                                                                  semiconductors, many-valley, amplification in d.c elec
field theory 7=17553
semiconductors, piezoelectric, acoustoelectric current
NaCl, attenuation and dislocation rel. to deformation obs. 7=7585
NaCl, elastic const. of third order obs. 7=14753
SF<sub>e</sub>, -100° to 150°C 7=12447
Acoustic waves
                                                                                                                                       contribution to current saturation 7=1918
                                                                                                                                  CdS amplification rel. to current saturation and instabilities obs. 7=17949
CdS, amplification rel. to e.m. transmission at
                                                                                                                                      35 Gc/s 7=18226
               See also Diffraction; Interference, etc.; Elastic waves;
                                                                                                                                  CdS, continuous current oscs, modulation effect 7=15071
         Shock waves; Ultrasonics.
flow, acoustic, weakly radiative, induced by radiation from
                                                                                                                                 Cds crysts. with depletion layer, u. s. amplification 7=1459
Cds, giant acoustic wave packets prod. by high elec.
fields, 100-1500 Mc/s 7=14442
Cds, influence of trapping 7=4636
          stationary wall 7=17208 gases wavelength 7=10745
                                                                                                                                 CdS, rel. to oscillations in current damping in high elec. fields obs. 7=17947 n-GaAs, domain prod. current oscills. obs. 7=17960 GaAs, gain interaction, 30-90 Uc/s 7=4638
          interaction radiation resistance and reactance for two
              transducers at air-water surface 7=12438
         ion-acoustic, instability with nonlinear dispersion 7=9034
         in liquids, induced by laser beam 7=14083 optical Bragg diffraction for beam visualization 7=12442
```

#### Acoustoelectric effects -contd

InSb, acoustoelec. current oscill., depend. on transverse mag. field angle, 77°K 7=14449

InSb, acoustoelectric current oscill., transverse mag. field depend., 77°K 7=14448

InSb, domain prod. current oscills. obs. 7=17960 Te, domains rel. to current saturation and oscills. obs. 7=17988

YFe garnet, echo pulses, nonlinear effect 7=18142 ZnO, semicond. rel. to decay of transient current 7=15249 \*\*Acoustomagnetic effects. See Magnetoacoustic effects. Actinides

#### No entries

Actinide compounds

#### No entries Actinium

Actinium compounds

Ac C identification in  $\alpha$ -radioactivity of air 7=12020

No entries

Actinometry. See Photometry.
Activation analysis. See Chemical analysis/by nuclear reactions.

Active nitrogen. See Nitrogen. Active oxygen. See Oxygen.

Adhesion

epoxy resin and Cu(or steel), durability at 30-80°C 7=7748 particles on wall, theory, rel. to van der Waals forces 7=1697

polymers SKN-40 and P-200, autohesion of elastomers

with plasticizers 7=4827 polypropylene, effect of spherulite growth and dimensions 7=11349

polyvinylchloride laminates to steel, effect of stabilizers 7=17741

resin coatings on Aerosil, to glass, molecular inter-action effects obs. 7=17742 solids, effect of bonding material on vel. of u. s. 7=14432

stripping strength of joints using polymer adhesives, temp. depend. 7=11339 vacuum, ultrahigh, meas. appratus 7=7668

Au films to oxide substrates, O effect 7=1273 PbTe thermoelements, bonding to electrodes 7=15063 Adiabatic demagnetization. See Magnetic cooling.

Adion. See Adsorption.

#### Adsorbed layers

field emission through atoms on metal surface 7=15092 heat capacity depend, on surface coverage 7=11117 thermodynamic state of perfect solid-fluid inter-face 7=8553

Ge, on W, electron emission 7=5111 La, on W, electron emission 7=5109

on Pt, metallic monolayers, packing density of atoms 7=14294

#### Adsorption

See also Chemical analysis/adsorption; Chromatography; Films; Heat of adsorption; Sorption. adions, calc. of potentials and fields 7=15438 alkali metal atoms on metal, theory 7=14282 alkaline earth metals, on W, Ir and Rh 7=5107 aromatic-alkali-metal charge transfer complexes, activated adsorpt. of H 7=15432

atom-metal interactions, one-electron transition matrix elements 7=14283

b.c.c. substrates dependence on surface struct 7=14284 cationic surfactants to AgBr-gelatin 7=10885 charcoal, of H isotopes 7=14289 charged micelles, Gibbs eqn. 7=17250 edingtonite, of H<sub>2</sub>O, molecules rotation, n. m. r.

obs. 7=10975
electron grazing incidence reflection at high energy meas. 7=1287
free energy of adhesion and equilib. of contact

reactions 7=8553

gases on evaporated gold electrodes in quartz-crystal vacuum microbalances 7=12286

graphite, ordered physiosorption of Xe 7=1283 graphite, pyrolytic, adsorpt. of Kr 7=17400

ice, low temp., adsorpt. and occlusion of gases 7=17405 intermetallic III-V cpds., adsorpt. of O 7=2459

large atoms, configurational entropy 7=1282 local vibrations calc. 7=7289

macromolecules, flexible, theory 7=14286

metallic surface-adsorbate system, electronic configurations, theory 7=4490

methane, solid, capacities for H<sub>2</sub>, He, Ne 7=14291 molecules, surface transport, mechanistic model, and expts. 7=4489

expts. 7=4489 and nucleation, vapour-solid 7=7158

polarizable ions layer penetration parameter calc. 7=2049

pyrex glass, adsorption of Ar, Kr, Xe at 77 3 to 90. 2°K and 10<sup>-11</sup> to 10<sup>-5</sup> torr 7=17404 quartz, of Na\*, Cl-, and dodecylammonium chloride 7=2464 semiconductors, photoadsorption and desorption 7=14280 silica gel granules, of  $N_2$ , Ar,  $H_2$  at liquid  $N_2$  temp.  $7{=}14290$ 

#### Adsorption-contd

silica, i.r. spectra of adsorbed H<sub>2</sub>O 7=14297 silica melts, foam stability 7=14062 statistical theory, molecular interaction 7=14285 sticking time rel. to diffusion of gases meas. 7= streaming current detector, use in adsorption

studies 7=17397 surface flow of adsorbed gases and vapours 7=14281 syntered substances, changes in pore sizes 7=14197 thermodynamics of equilibria 7=4411

thionin blue by PbNO<sub>3</sub> growing crystals, effect on morphology 7=1340
Al<sub>2</sub>O<sub>3</sub>, lowering of surface energy 7=14265
Ar, solid, capacities for H<sub>2</sub>, H<sub>6</sub>, Ne 7=14291 Au, effect on photon prod. by low-energy electron bombard. 7=8469

Au, of Na organic sulphates from soln. obs. 7=7290 Au, of pyridinium bromides from soln. obs. 7=7290 Au, or pyriginium promides from soln. obs. 7=7290
B, amorphous, of polar compounds obs. 7=17398
B, evap. films, adsorpt. of diatomic gases 7=10974
C, at α, γ interface of Fe-C alloys 7=10977
C granules, of N<sub>2</sub>, Ar, H<sub>2</sub> at liquid N<sub>2</sub> temp. 7=14290
C, porous, from PVC decomposition, of benzene, hysteresis rel. to C struct. 7=17344

CO on evap. metal films, i.r. spectra 7=17406 CO<sub>2</sub>, solid, isotherms for D<sub>2</sub>, H<sub>2</sub>, Ne, He 7=14291 Cs. on W. field emission data 7=4491 Cu, of S, and Cu surface self-diffusion var. obs. 7=468 Cu, of S, sites obs. 7=4492

Cu-Ar or CO2 molecular beam collision, energy transfer and adsorption time 7=17401Fe films, of  $O_2$ ,  $H_2O$  elec. cond. var. obs. 7=14886Fe-Ar or CO2 molecular beam collision, energy

transfer and adsorption time 7=17401
Fe<sub>2</sub>O<sub>3</sub>, adsorpt. of H<sub>2</sub>O vapour 7=17402
GaAs, effect of O<sub>2</sub> adsorpt. on e.p.r. 7=72
Ge, adsorpt. of O 7=2459

Ge, effect of O<sub>2</sub> adsorpt, on e.p.r. 7=7293
Ge, of O, effect on photoelec props 7=17403
Ge, of O<sub>2</sub>, kinetics of N<sub>2</sub>O decomposition on cleavage planes 7=1284

H2 adsorption by Pd, consequences of proton model 7=8552

H<sub>2</sub> by solid condensed gases, 14-20 K 7=14287 H2 on surface on non-metallic crystal 7=10973  $H_2O$ , by  $Al_2O_3$  and  $NiO-Al_2O_3$ , i.r. spectra 7=8402 He<sup>3</sup> on Pb-zeolite powder, nuclear polarization, 0.05-1°K, to 16 kOe 7=13124

Hg-solution interface, adsorption-desorption processes 7=2465

Ir, of Li, rel. to electron and ion emission obs. 7=8063 K, on W field-emission projector 7=14300 Kr for small surface areas meas. 7=4481 Kr, for specific area determ. 7=14262 MgO, proton n.m.r. of adsorbed  $\rm H_2O$  7=14292

Mo, of CO, electron probe mass spectra 7=1286 Mo evaporated films, adsorption of Kr and Xe  $\,7\!=\!17407$  N<sub>2</sub>, solid, capacities for H<sub>2</sub>, He, Ne  $\,7\!=\!14291$ 

on Na bentonite, of cetyl dimethyl benzyl ammonium chloride, study by streaming current detector 7=17397 Ne by solid condensed gases 14-20°K 7=14287 Ni films, effect on electrical props. 7=14887

Ni, of O, on (110) surface grazing incidence high energy electron reflection obs. 7=1287
O structures on W(110) surface 7=10983
O<sub>2</sub> on Re, effect on work function 7=2052

O<sub>2</sub> on W, mass spectrometry 7=11941 PbI<sub>2</sub>, adsorpt. of H<sub>2</sub>O vapour 7=7291

Re of H, obs. with field emission microscope 7=14296 Re, kinetics of  $\rm N_2$  adsorpt. 7=7292

S-Pt and S-Au system, adsorpt. meas. by chromatographic anal. 7=8556Si, effect of  $O_2$  adsorpt. on e.p.r. 7=7293

Si, of vapors, rel. to surface conductivity 7=15023 SiO,, adsorpt. of H<sub>2</sub>O vapour 7=17402

SiO2 gel, of Ag, X-ray effects e.s.r. SnO2, adsorpt. of H2O vapour 7=17402 Ta-Ar or CO2 molecular beam collision, energy

transfer and adsorption time 7=17401 Ti, adsorption mechanism of inert gas ions 7=4495

Ti, of inert gas ions, constantly renewed surface 7=17408
TiO<sub>2</sub>, adsorpt. of H<sub>2</sub>O vapour 7=17402
TiO<sub>2</sub>, of electron-donor mols., forming colour
centres 7=4726

W, adsorpt. of CO on (100) surface 7=10981

w, adsorpt. of co of (100) surface 1-10001

W, of Cs, work function of faces var. 7=8066

W, of Cs, rel. to field emission 7=14298

W, adsorpt. of H<sub>2</sub> on oriented cryst. surfaces 7=7294

W, of K, lifetime and diffusion, effect of elec. field 7=1291

W, of Li, field emission projector obs. 7=7295

W, of N, (113) plane of single cryst. 7=14301
 W, of N, (13) plane of single cryst. 7=14301
 W, adsorpt. of N<sub>2</sub> and N<sub>2</sub>+CO on (100) surface 7=10982
 W, adsorpt. of O on oriented surfaces 7=1292
 W, of O and CO on (110) surface, low-energy electron diffr. obs. 7=1288

```
Adsorption-contd
                                                                                                                         Air-contd
        W, adsorpt. of Si in field emission microscope 7=14302 W, of Si, field electron microscope obs. 7=7296
        W evaporated films adsorption of Kr and Xe 7=17407 W, oxygen-coated of Li 7=14299 W(100) surface, chemisorpt. of H 7=2462 W (110) surface, coadsorpt. of O and CO 7=1290 ZnO, adsorpt. of CO 7=7297
Aerials. See Electromagnetic waves/radiators.
Aerodynamics
              See also Flow/gases; Jets; Shock waves; Supersonic
                                                                                                                                      obs. 7=6780
              flow; Turbulence.
         air, shock-heated, ion-density profiles in boundary
             layers 7=17041
         air shock layers, radiation 7=17209
         balance, wind tunnel, mag. supported, three-dim. 7=9009
                                                                                                                                      obs. 7=6781
         Couette shear transients from sudden change in
         blowing current calc. 7=13959
flow, supersonic, maximum drag 7=1072
grid turbulence at large Reynolds numbers 7=1069
        grid turbulence at large Reynolds numbers 7=1069 jet flow opposing a supersonic free stream 7=1071 laser interferometers, review 7=9612 liquid drops breakup behind shock waves, high-speed photography 7=1100 near-wake ionization in hypersonic flight 7=17020 nose region of blunt body, viscous flow 7=6958 oblique collapse of two metal plates, interaction region structure 7=4273 plasma jet meas. 7=13889 Possio's eqn. soln. for oscillating thin airfoils in incompressible flow 7=6957 unsteady with small entropy gradients 7=10720
         unsteady with small entropy gradients 7=10720
         wake behind cone, transition at low Reynolds numbers
              obs. 7=17188
         wings in hypersonic flow 7=1073
         H-Ar shock tubes, temps of shocks obs. 7=1075
He, fluid dynamic studies to M=41 7=17189
Aeronomy. See Atmosphere; Meteorology.
Aerosols
              See also Foams.
         acoustic aggregation under Stokes flow, theory 7=4401 air ions and other particles, vol. recombination or combination time 7=14139 in atmosphere, light scatt. obs. to 70 km 7=5374
          atmosphere, particle spectrum determination by light scatt. 7=15519
          atmosphere, removal, parameter determination, radioactive 7=18374
          atmospheric, distrib. in haze and fog. 7=8 atmospheric dust ozone and layer 7=8639
          atomization of liq.by u.s. vibrations 7=1185 coherent light scattering meas. 7=17302
          condensation nuclei distribution in free atmos. over
European USSR 7=15487
          detection, containing sulphate particles influence of
               water vapour 7=14142
          diffusiophoresis of large particles 7=10881
          drift of particles in distorted sound waves 7=1184
          dusty gases, shockwave propagation 7=116
          homogeneous, precip. pots. 7=14140
           inertial settling of particles, theory 7=10879 microscopy sampler, e.s. 7=17303 natural, charge and mobility 7=8670
           oleic acid in N2, acoustic absorption and dispersion
               obs. 7=10880
          one. 7=1080 particle counting and size distribution, 0.015-1μ, electric 7=14137 particle size analysis exhaustion method 7=1182 photophoresis and descent of particles 7=15494 scattered photons obs. rel. to theories 7=14138 spinning-top homogeneous generator, with shockproof mounting 7=4400 theory of flow 7=1183 thermal precipitation and particle conductivity. 7=108
                                                                                                                           Airglow
           thermal precipitation and particle conductivity 7=10882
           Rn daughter, mech. of formation in air 7=14141
 Afterglow. See Discharges, electric.
 Ageing. See Alloys; Metallurgy; Phase transformations/
      solid-state.
 Air
                See also Atmosphere.
           acoustic impedance of layer in membrane harmonic vibrations 7=2895
           air-CH<sub>4</sub> interface, refraction of plane shock
waves 7=10727
           air-CO<sub>2</sub> interface, refraction of plane shock waves 7=10727
           air-water plasma, equilib. conc. at 3000°-7000°K 7=6832
           ambient, concn. meas. of halogenated hydro-
                carbons 7=8588
           arc columns, interrupted, cond. decay 7=6788
           arc column temp. decay following interruption 7=6787
           atomic line radiation 7=16904
bremsstrahlung calc. 7=12968
           bubbles in water, and acoustic radiation from piston with
                infinite baffle calc. 7=9189
```

```
conduction on liquid H cooled surface, 10^{-3}-10 torr 7=7145 convection, electric a.c. field effect obs. 7=7071
convection, electric a.c. field effect obs. 7=7071 corona discharge, mass spectra 7=971 corona, point-to-plane, permanent current obs. 7=4154 dielectric const. of liquid ~ 9000 Mc/s obs. 7=10857 discharge, impulsive, time variation of spectrum 7=944 dissociating, heat transfer to surface of a body 7=13981 electric breakdown by microwave nanosec pulses
 electric discharge 50 c/s waveform asymmetry with identi-
                                                                 7=10576
cal metal electrodes, 1 mm press. electric discharge in flow obs. 7=6764
 electric r.f. breakdown in superimposed d.c. field
 electrical conductivity in presence of impurity, applic.
     to arcs 7=13992
 electron attachment-detachment processes obs. 7=17021
electron avalanches, emission of ionizing radiation 7=13813 emissivity under shock, 65-13000°K 7=6972 entrainment in liquid sprays, theory and expt., and comparison with gas jets 7=4320 film cooling by injection of He and air into incompressible air flow obs. 7=10740
 electron avalanches, emission of ionizing
 flow visualization using electron-beam afterglow 7=10713
 γ-ray exposure field from point source on air-ground
     interface 7=16503
 \gamma-ray scatt., air-ground effects on exposure from elevated sources 7=16497
 γ-ray scatt. near air-ground interface, theory 7=16491
 ionization, behind sphere in hypersonic flight 7=17020
  ionization, behind strong shocks, rate and
      mechanisms 7=4164
 ions recombination in aerosols 7=14139
 luminescence spectrum, electron beam excited,
      50 keV 7=6676
 neutron distribution, Monte-Carlo calc. 7=10009
neutron transport calc.for protection design 7=16629
 optical refr. index, rel. to pressure, temp. and composition 7=13988 pulsed breakdown with high overvoltage 7=17002 pump for >10kbar 7=5649
  radiation, from shock layers 7=17209
  shock-heated, supersonic flow, ion-density
       profiles 7=17041
  in shock tube, boundary layer flows, turbulence and wall roughness effects 7=15933
  spark, laser-induced, quasi-stationary and afterglow
  stages 7=13811
spark, laser prod., plasma diamag. perturbation of external
mag. field obs. 7=10644
  sparks, dimension change invest. with two synchronized
      lasers 7=970
  sparks, by laser beams, obs. and spectrum of
      plasma 7=969
  sparks, laser-induced, optical props. 7=13814 spectrum, electron beam excited, 13 keV, rel. to 37 keV p and
       aurora 7=10508
   streamer-spark transition, cathode field emission 7=13815
  supersonic flow with H injection, turbulent mixing and diffusion obs. 7=10725
   suspension with glass 30\mu beads flow in elec. field, heat
  transfer and particle transport obs. 7=10873 temperature, local acoustic meas. method 7=18358
  thermodynamic props. calc. from subcritical temps. to 1500°K 7=10744
  transmittance of components at \lambda 1850Å 7=4296 H detection by alkali ion current from hot Pd 7=18343 Li^7 ions energy distrib. curve 7=10267
   Rn daughter aerosols, mech. of formation 7=14141
        See also Atmospheric spectra; Aurora; Sky brightness;
        Twilight; Zodiacal light.
  dayglow, interferometry data 7=2549
  dayglow, intertementy data 7=2099
dayglow meas., method of estimating the earth
albedo 7=2548
dayglow, visible, rocket meas. of spectrum and altitude
distrib. 7=8704
dayglow, Na, Zeeman photometer meas. 7=8703
   magnetic storm increase obs. 7=5403
   night, slit spectrograph using image orthicon 7=2550 nightglow, emitting height of 6300Å O line 7=5404
   nightglow, 5577Å, synoptic description 7=18381
  nightglow, 057/A, synoptic description 7=18381
nightglow, 05s. with oscillating Fabry-Perot inter-
ferometer 7=9611
nightglow photometer using filter tilting technique 7=5405
nightglow, thermosphere, lower, oxygen 5577Å emission
large amplitude intensity var. 7=18382
photometers, calibration 7=2547
5577Å emission, Doppler profiles 7=8701
   6300Å, quenching 7=8702
   {\rm He^+ + N_2~charge~transfer~emission} 7=13834 {\rm N_2^+ emission~in~twilight} 7=8706
```

```
wirglow-contd
```

O<sub>2</sub> spectra 7=15561 albedo. See Cosmic rays; Earth; Nuclear reactors, fission. Ifvén waves. See Magnetohydrodynamics; Plasma/oscillations.

Algebra anticommutation relations, representations in Hilbert space 7=15846

covariance, in field theory and statistical mechanics 7=9664

current, and non-Regge behaviour of weak amplitudes 7=9853 δ-group, formulation of quantum mech. 7=5925

De Sitter, associated with Poincaré group and centre-ofinertia 7=9100

Dirac matrix, 6-dimensional form 7=515 dispersion-theoretic approach to current algebras 7=16475 enveloping algebras of noncompact groups 7=9022 Fierz's relns, complete set in 6-D form 7=9677 in geometrical symmetry operations of given points determination 7=12291

Hilbert spaces, nested, homomorphisms and direct

sums 7=12778 irreducible representations in class in projective representations of finite groups 7=9020

Lie, expansion of TO(p, q) to O(p+1, q) or O(p, q+1) and vice versa 7=9021

Lie p-algebras cohomology definition and

theorems 7=15845 Lie, semi-simple, inhomogenizations 7=11

Lie, spin 3/2 rotation group, enveloping algebra resolution 7=12877

quantum theory observations 7=16322 ray representations of product of n commuting parity operators 7=9771

saturation of eqns., with higher baryonic resonances 7=13107 SU(4) and SU(6), hadronic weak current realizations 7=16459 U(N, N) algebras, "oscillator-like" representations 7=9801 U(2, 2) algebra, "oscillator-like", "spin-basis" construction 7=9802

Algol. See Calculating apparatus/digital computer programmes. Algorithms. See Calculation.

Alignment No entries

Aliphatic compounds. See Organic compounds.

Alkali metals

See also the individual metals.

acceptor action in II-VI cpds. 7=4854 atom, elec. polarizability, perturbation theory in Coulomb approx. 7=3996 atomic beams, 6 to 4000 eV 7=4048

atoms, interactions with metal, theory 7=14282 atoms, oscillator strengths calc. 7=6539 atoms, resonance lines perturbed by foreign gas 7=6515 condensation, evaporation, 1-100 mm 7=14158

crystal energy of b.c.c., fc.c. and h.c.p. structures calc. 7=17321

detection by mass spectrometer 7=15453

elastic moduli, theory 7=11259-60 electron energy losses in ultra-high vacuum 7=4729 electron-excited atoms, polarization of line

radiation 7=10422

Hugoniot eqn. of state calc. 7=14459 influence in spectral anal of alloys in unipolar arc  $\,7{=}10592$  ionization of atoms, three-photon, calc.  $\,7{=}10614$ 

ions, charge transfer to Cs atoms, oscillations, 50-4500 eV 7=6798

liquid state, electronic struct 7=17244

liquid, thermal and electrical props. at high-temps. obs. 7=1139

melting at high pressures 7=4403

negative ions photoionization cross sections calc. 7=983 optical pumping rates in atomic beam calc. 7=6557 optically oriented vapours, relax., temp. effects 7-13688 optically pumped vapors, meas. of longitudinal decay in weak mag. fields 7-4019

plasma, drift waves, ion-beam excitation 7=17125 reaction with org. halogens rel. to form of amorphous

C 7=7298 vapour, optically pumped, relax. 7=6555 vapour pressure, 50-4000 torr 7=17317

Alkali metal compounds

See also the compounds of the individual metals. alloys, liquid, calc. of heat of mixing 7=7031 antimonides, photoelectron emission, in total reflection,

anomalous vector effect 7=5114
dialkali silicate glasses, i. r. spectra, elec. cond. and
density obs. 7=2343
with graphite, lamellar, dimensionality of supercond. 7=14914
interstitial split Clocalc, 7=1566

hydrides, trends in vibr. and rot. consts. 7=6655 silicate glasses, spectra obs. in i.r. 7=2343 tetraborate glasses, Ni2+ optical spectra 7=15344 Alkali metal compounds-contd

tungstates, glass-forming critical cooling rate 7=14305

halides

See also the compounds of the individual metals aqueous solns., proton n. m. r. solvent shifts 7=7120 binary solid solns., thermodynamics 7=7206 chlorides, irrad., paramag. resonance of Ag2 ions 7=18159

chlorides, lead hydrochlorocomplexes, optical data 7=11800

colloid centres formation, defects role 7=7532 colour centres, effect of hydrostatic pressure 7=14618 coloured, photoelectric emission anisotropy with polarized light obs. 7=11606

crystals, activator distribution, radiotracers obs. 7=4507 crystals containing divalent cation impurities, thermodynamics 7=14460

thermodynamics 7=14460
crystals, thermal expansion, statistical mech.
calc. 7=1484
D-bands, when containing impurity ions 7=5241
deformed, elec. relaxation and polarization 7=15014
dielectric const. and interatomic forces 7=1991
dielectric consts., 4, 2°K to room temp. 7=2000
divole centres OH and E review of recent obs. dipole centres, OH and F , review of recent obs. 7=1576 dislocation pinning centres annealing obs. from u.s. absorption, 120°-180°K 7=1614

dislocations, characts. and mobility 7=17610 dislocations, visualization by microdrop condensation 7=14572

elastic constants calc.for NaCl type 7=7674 elastic consts.of third-order, theory 7=7638 electron energy loss spectra 7=7630

emmission of films on metals for transverse optical resonance meas. 7=18250
F-centre production, impurity inhibition, theory 7=4718

F-centres g-factors, e.s.r. obs. 7=11692 F' centres theory 7=11496

 $\rm F_{2}$  and  $\rm F_{2}{'}$  centers low-lying states calc.rel.to M' band 7=17627

force constants, effective, between substitutional impurity and nearest neighbours 7=1453

H' centre formation 7=11196 hardness, micro 7=7675 heats of dilute solid soln., calc. 7=7207 impurities, paraelectric, model Hamiltonian 7=5054 iodides, Tl activated, photoluminescence, elec. field effects 7=5283

ionic charge and thermal expansion  $\,7{=}1485$  luminescence of bound excitons  $\,7{=}11869$  luminescence from exciton and V  $_K$  -plus-electron

states 7=5287 luminescence, X-ray induced; heavy halide impurities 7=15372 molecular beams, scatt. cross-sections 7=6756

molten, significant-struct, theory 7-14032 nonactivated, scintillation at low temp. 7-14032 nonactivated, scintillation at low temp. 7-14032 nonactivated, scintillation at low temp. 7-14032 nonactivated for the scintillation at low temp. 7-14032 nonactiv optical absorption rel. to electronic polarization 7=5239 paraelectric impurities, strong-coupling theory 7=4695 phosphors, dynamical Jahn-Teller effect with heavy metal ions 7=5242

photoelectric emission, by X-rays, electron range 7=15099 point defect configurations prod. at low temps. by X-irrad. 7=11155

radiation-damaged, paramag. fragments study by ESR 7=11688

solubility, rel. to dielec. const. of solvent 7=10811 solutions in  $\mathrm{H_2O}$ , afterglow 7=7094 spectra, resonant-mode sidebands theory 7=5240 subhalide metals, molecular ionization potentials 7=2075 vacancies and monovalent cation impurities 7=4684vapour, u.v. filtering props. meas. 7=13989

Ag-activated, recomb. luminescence spectra 7=8466 Ag\* dipole strengths in alkali halides, temp. depend. 7=10914

Ag single cryst. films on cleavage planes 7=7344
Al single cryst. films on cleavage planes 7=7344
Au single cryst. films on cleavage planes 7=7344 NH, and NO, absorption and fluoresc. 7=5267 OH--rich, luminescence 7=11867

Alkaline earth metals

See also the individual metals. electron energy losses in ultra-high vacuum 7=4729 excess in oxide cathodes, correl. of conc. with emission 7=15094

vapour pressure, 50-4000 torr 7=17317 on Ir, adsorption and electron emission 7=5107on Rh, adsorption and electron emission 7=5107 on W, adsorption and electron emission 7=5107

Alkaline earth compounds

See also the compounds of the individual metals dihalides, bond angles and bonding 7=6634 fluorides, absorpt. and luminesc. of Sm2+, press. effect 7=2344 oxide molecules, partially ionic model 7=4066

Allotropes. See Phase transformations; Polymorphism. Alloys

See also Crystal structure, atomic/alloys; Heat treat-ment/alloys; Solid solutions; Steel; and under alloys or compounds of the base of the first-named element. Alloys such as Au<sub>3</sub>Cu, Au-Cu, Au-Cu-Zn are indexed under compounds of the first-named element, i. e. Gold compounds in these examples.

binary, diffusion vacancy flux and Kirkendall shift, effect of vacancy jump correlations calc. 7=1503

binary, dilute, size of cellular interface struct., depend. on solidification conditions 7=14157

binary, role of lattice vacancies in phase transformations 7=14199 brittle fracture, influence of grain size and dispersed particles 7=7659

cathodic polarization appls in nuclear industry 7=8563 creep of eng. alloys, review 7=14662

diffusion in f.c.c. state, solute-enhanced vacancy jump theory 7=17577 dilute, no bound state with ferromag. coupling 7=5133

dilute of f.c.c. metals, diffusion of solvent and solute 7=14483

dilute, origin of giant moments 7=14170

dilute, specific heat meas at low temp. with metal 7=7498 dilute, superconductivity rel. to Coulomb interaction between electrons 7=11457 dislocation locking and fatigue 7=14682

disordered, LCAO method for atoms arbitrary mixture 7=9654

disordered, spectral limits 7=4425

80 NKhS films, magnetic moment change, Barkhausen discontinuities 7=8196

electron states in dilute case, Kondo anomalous scatt. in Anderson model 7=17746

energy gaps in disordered systems 7=7776 Engel correl. between electronic configuration and crystal

structure 7=14165 eutectic, structure and growth mechanism 7=1222 ferromagnetic dilute, nuclear orientation method 7=7192 field evaporation 7=2073

film resistors ageing mechanisms obs. 7=7870 films, thin, electron diffr.patterns interpretation 7=10962

grain boundary precipitation, crystallographic anal. 7=4455 Heisenberg model, one or two-dim., no ferro or antiferromagnetism 7=4445

impurity-edge dislocation, electronic interaction theory 7-11161 intermetallic cpds. as permanent magnets, survey 7-5139

Ising models, planar, dimer soln. 7=7204

Ising spin-one systems phase transformations 7=4452 magnetic weak susceptibility meas.,  $6\text{--}300^\circ\text{K}$  7=-5124 magnetism in sigma phase obs. 7=-8175

magnets in signa phase cost. 1-0173 magnets, struct, and precipitation process 7=4457 melting process kinetics 7=7137 metal, coalescence of finely dispersed phases 7=7217

mixed III-V type, energy gap variation rel.to composition 7=17780 noble with B group metals, Hall effect residual resistivity and band struct.components 7=7846

ordered, mechanical props., review 7=1665 Ostwald ripening, mass transport analysis 7=4456 outer energy bands, KB<sub>5</sub> emission and K-absorpt. edge 7=14822

oxidation, internal, simultaneous with external scale formation, kinetics for binary alloys 7=11931

positron reflection rel. to electron obs. 7=11218
resistance minimum due to dilute transition metal
impurities 7=14875
rupture strength, long-term, from tensile
strength 7=11251

solidus-liquidus region study by X-ray fluorescent analysis 7=10891

solvent diffusivity in dilute b, c, c, binary alloy 7=11138 specific heat of dilute mag. alloys, low temp. var. theory 7=11119

spectral anal. in unipolar arc, influence of alkali metals 7=10592

spectrochemical microanalysis, localization and sensitivity 7=18338

spinodal decomp. and particle coarsening 7=10939 with stacking order, long-period, direct obs. of period 7=1414

superconducting, dirty, spin-lattice relax. 7=7886 superconducting, electron microdiffraction 7=1377

superconductivity with ferromagnetism possibility rel.to impurity spins 7=11452

superconductivity, gapless, of "dirty" alloys in a magnetic field 7=11465

superconductor, calc. of e.m. absorption edge 7=8352 superconductors, type II, microwave surface resistance 7=4964 theory rel. to ferromagnet spherical model order corrections 7=8124

Alloys-contd

thermoelectricity phonon drag increase over metals due to anisotropy of electron scatt, relax, time 7=11572 vacancies review 7=1532

Vergard's law deviations, elastic model 7=7372 vibrations for random dilute alloys, theory 7=7467 volatilization, composition of liquid and vapour 7=7153 X-ray coherent diffuse scatt singularities in random

alloys 7=1402 X-ray spectrometer, soft, for valence bands meas. 7=11379 AB and B<sub>3</sub>A, vacancy migr., Monte Carlo simulation 7=4682

A3B, disordering, anisotropic, fast electron A<sub>3</sub>B, disordering, anisotropic, last electron irradiated 7=14202

L1<sub>2</sub> structure, dislocations along (110) and hardening 7=14580

Alnico alloys. See Nickel alloys.

Alpha decay. See Nuclear decay theory; Radioactivity/decay periods; Radioactivity/decay schemes. Alpha-particle model. See Nucleus models.

Alpha-particles and helium nuclei See also Alpha-rays.

α, energy integrals 7=16657 electron scattering rel. to neutron form factors 7=3527 four-body system, eigenvalue upper and lower bounds 7=16660 history, rel. to inert gases and theory of atomic structure 7=2751

0° level at 14.8 ± 1.19 MeV prediction 7=6327 three-nucleon, angular functions 7=6265  $D(p, \gamma)He^{3}$ , capture cross-section, effect of D compt. in He<sup>3</sup> 7=16659

 ${\rm He^3-}\alpha$  scatt., rel. to  ${\rm He^3}$  polarization studies 7=3681 Hes capture of  $\mu$  calc.from current commutation relations 7=16535 Hes charge exchange with  $\pi^-$  7=13572

He<sup>3</sup> Coulomb energy calc. with proton finite size and hard core 7=13122 He<sup>3</sup>, coupling constants in muon capture 7=6130

He<sup>3</sup> e.m. form factors with realistic potentials 7=13115 He<sup>3</sup>, ground state, complete, variational wave function 7=623 n-He<sup>3</sup> interaction, 14. 4 MeV 7=6268

He3 liquid target for photodisintegration meas. 7=625 He<sup>3</sup>(n, d)np, final state interaction, 14. 4 MeV n 7=13123 He<sup>3</sup>(n, p)T at 5-300 keV, from T(p, n)He<sup>3</sup> up to 1.4 MeV 7=13118

He<sup>3</sup>(n, p)T spin dependence and nuclear susceptibility obs. 7=624

He<sup>3</sup>(n, p)t, spin var. at 0.11 eV obs. 7=13124 He<sup>3</sup>(p, d)pp, final state interaction, 25.45 MeV p 7=13123 He<sup>3</sup>-p elastic scatt., Li<sup>4</sup> level at 10.6 MeV

search 7=16696 He<sup>3</sup>-p elastic scatt., polarization 7=9979 He<sup>3</sup>(p, n)3p, search 7=626

He<sup>3</sup>,  $\pi$  capture with breakup obs. 7=9901 He<sup>3</sup> Panofsky ratio obs. 7=6267 He<sup>3</sup> recycling in cyclotron 7=9739

He<sup>3</sup>, scattering by B<sup>10</sup>, elastic, 9.8 MeV 7=13608 He<sup>3</sup>,  $T = \frac{1}{2}$  levels, unbound, search 7=13121

Hes, virtual states search by e inelastic scatt, at 200 MeV 7=16658

 $\mbox{He}^{_3}$  wave functions, form factors and binding energy calc.  $7{=}13116$ 

He³ and H³ mass difference and Coulomb

energy 7=13120 \*\*

He³ + m system \*N resonances 7=16553

He³.4 scatt. on even-mass nuclei, microscopic theory 7=13604

He⁴(y, n) to 80 MeV 7=6270

 ${
m He^4+}\gamma,\pi^{\circ}$  prod. calc. with  $\omega$  exchange at high energies 7=9860

He4(He3, p")Li6\*\*, for Be7 structure obs. 7=16698 <sup>Λ</sup>He<sup>4</sup> ΛH<sup>4</sup> binding energy difference, ΛNN forces effect on 7=10089

He', nucleon scatt., charge-invariant anal. of expts. 7=6218 He', scatt. by nuclei of Z=20-30, elastic, 16-19.5 MeV 7=13607

He4, single-particle states in particle-hole model 7=6269

He<sup>5</sup>, modified two body interaction 7=10047  ${\rm He^5}, {\rm two\text{-}body}$  interaction, modified  $~7{=}16671$   $_{\Lambda}{\rm He^6}$  hypernucleus, evidence for existence  $~7{=}3725$ 

 $_{\Lambda\Lambda} He^{6}$  and  $\Lambda - \Lambda$  interaction 7=10032 He<sup>6</sup>, three-body model, binding energy 7=16661

He<sup>8</sup>, obs. among 'hammer tracks' in nuclear emulsion 7=6272

He<sup>8</sup> photoproduction and  $\beta$ -decay 7=3685  $K^+ H e^4 \! \to \! \pi^+ \! \Lambda_0^+ H e^3$  , capture from 2P orbit 7=9936 from  $U^{235}$  fission, yield and energy spectrum obs. 7=3970

Alpha-ray spectra See also Nuclear decay theory

channeled in Au foil, calc. 7=14635 from  $(n,\alpha)$  on heavy nuclei at 14.2 MeV 7=13466

```
Alpha-rays-contd
Alpha-ray spectra-contd
                                                                                                                           scattering-contd
         for metal foil thickness uniformity meas.by degradation
                                                                                                                                p-α, phase shifts and polarization, 0.9-3.2 MeV 7=9981
p, 0.94-3.2 MeV, polarized 7=9980
surface analysis, accelerated 7=2494
Al<sup>27</sup>, elastic at 27.2 MeV, optical model analysis 7=3949
              on transmission 7=12281
         (n, \alpha), and level densities of medium wieght nuclei
         obs. 7=13242
Cm<sup>240</sup> 7=13379
Cm<sup>241</sup> 7=13379
Pu<sup>236</sup> 7=13379
                                                                                                                                Ar<sup>40</sup>, Regge representation 7=10206
B<sup>10,11</sup>(\alpha, \alpha'), (\alpha, heavy ion), \alpha-clusters evidence 7=3947
                                                                                                                                Be^{8}, effective-range theory for ground state width 7=3717
         Pu<sup>244</sup> obs. 7=13378
from U<sup>232</sup> 7=6388
                                                                                                                                Be9(He3He3)Be9, excitation functions, ang. distrib. and
         U, rel. to isotope abundance anal. 7=848
                                                                                                                                absolute cross section obs. 7=10308
C<sup>12</sup>, elastic at 27.2 MeV, optical model analysis 7=3949
C<sup>12</sup> (He³, He³)C<sup>12</sup> 7=3948
 Alpha-ray spectrometers
         ionization, pulse amplifier, stable 7=3684
         semiconductor, characts. 7=16363
Si surface barrier detectors, use 7=10028
UO<sub>2</sub> self-diffusion coeffs meas. 7=1506
                                                                                                                                C<sup>12</sup>, resonance, Regge pole analysis 7=10217 Cd<sup>114,116</sup>(\alpha,\alpha'), energy levels obs. 7=13298 F<sup>19</sup>(He³, He³)F<sup>19</sup>, differential cross sections, elastic 7=10307
 Alpha-rays
                                                                                                                                He³ on C, rel. to C¹¹ energy levels 7=13609

He³ from C¹³, complete ang. distrib., 12, 15, 18 MeV 7=10311

α-He³, rel. to He³ polarization studies 7=3681

He³ (α, α), total and partial widths relationship 7=3886
               See also Alpha-particles; Cosmic rays/alpha-particles;
               Radioactivity.
          d + \alpha interaction, continuous energy spectra of
              protons 7=16655
                                                                                                                                He3-p, elastic, Li4 level at 10.6 MeV search 7=16696
          sources, weightless, for spectrography 7=10203
                                                                                                                                He<sup>3</sup>, T = ½ levels, unbound, search 7=13121

He<sup>3</sup>-He<sup>4</sup>, elastic, optical parameters 7=13125

p-He<sup>4</sup>, elastic, optical model analysis 7=13061

π<sup>1</sup> - He<sup>4</sup> rel. to π e.m. form factor 7=13009

127(ο, α'γ), low-energy states Coulomb excitation

obs. 7=3796

Li<sup>1</sup>(α, α')Li<sup>2</sup>, rel to B<sup>11</sup> energy levels 7=672
          Pa sources prep. 7=13376
          for Al foil thickness uniformity meas. 7=12281
          for metal foil thickness uniformity meas. 7=12281
      angular distribution
          correlations, in crystal and liquid internal field studies 7=14169
                                                                                                                                 Mg26, inelastic, 20-23 MeV, compound nucleus states 7=3766
           (d, α) reactions, theory ·7=10300
                                                                                                                                 Ne<sup>20</sup>(He<sup>3</sup>, \alpha)Ne<sup>19</sup>, energy levels up to 5 MeV obs. 7=13254 Ni<sup>60</sup>, inelastic, coupled channel calcs., rel. to Ni<sup>60</sup>
           Am<sup>243</sup>, \alpha-\gamma correl., decoupling expt. 7=6389 B<sup>11</sup> (He<sup>3</sup>, \alpha)B<sup>10</sup>, 1. 0-2. 15 MeV 7=3953
          C^{12}(\text{He}^3, \alpha)C^{11}, 2. \text{ to 6.2 MeV} 7=3593 C^{12}(\text{He}^3, \alpha)C^{11}, 2. \text{ to 6.2 MeV} 7=13590 Ca^{40}(n, \alpha), Ar^{37} 7=747
                                                                                                                                      levels 7=16843
                                                                                                                                 O18, 21. 4 MeV 7=13610
                                                                                                                                 \alpha-P<sup>31</sup>, large angles obs. 7=3945
           Ca40(n, \alpha), compound nucleus process 7=13535 F<sup>19</sup>(n, \alpha)N<sup>16</sup> 7=747
                                                                                                                                 Pb<sup>208</sup>, Regge representation 7=10206
                                                                                                                                 Rugs. 101, Coulomb excitation obs. 7=16725

Sp2(He3, He3)Sp2 obs. 7=3957

Si28(He3, He3)Sp2, and. distrib., energy levels. obs. 7=13617

Sm152,154, rel. to multiple nuclear excitation of rotational

levels, 50 MeV 7=13320
           {\rm P}^{\rm a1}({\rm n},\alpha), compound nucleus process \, 7=13535 {\rm S}^{\rm s2}({\rm n},\alpha), compound nucleus process \, 7=13535 from {\rm U}^{\rm 235} triple fission obs. \, 7=10331
      detection, measurement
See also Alpha-ray spectrometers, Dosimetry;
Particle detectors; Radioactivity measurement.
                                                                                                                        Altimeters. See Length measurement.
                                                                                                                        Aluminium
           absolute counting of emitters, review 7=6370
                                                                                                                                 \alpha\text{-particle energy loss} and energy straggling rel.to foil thickness obs. 7=3683
           α-disintegration rate determination, liquid scintillation spectrometer 7=10172
                                                                                                                                 absorption spectrum near L _{\rm II,\ III} edge \ 7{=}11744 \beta particles effect, 0.5 and 0.1 MeV, dosis depth
           divergent, by multiwire spark counters 7=628
           polymers for track visualization 7=12810
                                                                                                                                      distrib. 7=17639
           positive point to plane corona-streamer counter
in air 7=13126
semiconductor counter pulses direct recording
                                                                                                                                 bicrystals, slip band continuity across grain boundaries 7=11187
                                                                                                                                  characteristic X-ray prod. by H and He ions 7=8483 climb sources, quenched, obs. 7=7570
                circuit 7=5964
            in solar plasma, separation from H by mass spectrometer
                                                                                                                                  compressive strain-rate tests,
                average charge detector 7=5498
                                                                                                                                       10-3-10-4 in./in./sec. 7=11270
            spectrometers, magnetic 7=529
                                                                                                                                  conductivity electrons conc. temp. var., optical and
            for thickness meas., Am<sup>241</sup> source, dual method, semicond. detector gauge 7=9007
                                                                                                                                       X-ray obs. 7=11354
                                                                                                                                  creep, substructure, X-ray diffr. 7=14696
            track obs. by charge images 7=4148
                                                                                                                                  creep, work hardening and recovery 7=4798
            \mathrm{Bi^{211}}, \alpha - \gamma coincidence expt., prompt resolution curve 7=3369
                                                                                                                                  critical shear stress, electron and neutron irrad. 7=7679
                                                                                                                                  crystal atomic struct., neutron diffr. time-of-flight obs.
            NaI(Tl), Am241 doped, scintillation response 7=627
                                                                                                                                       on powder 7=7405
                                                                                                                                   crystal energy of b.c.c., f.c.c and h.c.p. structures calc. 7=17321
                 See also Nuclear reactions due to/alpha-rays.
            inert gas solid and liquid luminescence, excitation trapping
  by molecule formation obs. 7=2395
interaction with matter obs. 7=519
                                                                                                                                   cyclotron resonance of carriers, and effective
                                                                                                                                       masses 7=7829
                                                                                                                                  Debye temperature from 14.4 keV \gamma-ray scattering 7=7497
            methane, radiolysis 7=8582
            organic scintillators decay obs. 7=15364
Ag foil, energy loss and energy straggling rel.to thickness
obs. 7=3683
                                                                                                                                   defect clusters formed by Xe ion bombardment 7=14498
                                                                                                                                   defects induced by rolling at low temp., recovery 7=4698 deformed, misalignment of blocks, study by electron micro-
            Al foil, energy loss and energy straggling rel.to thickness obs. 7=3683
                                                                                                                                   scope and X-ray diffraction 7=4713
diffusion in n-SiC 7=1520
            Au foil, energy loss and energy straggling rel. to thickness obs. 7=3683
                                                                                                                                   discontinuous yielding, commercially-pure 7=14695
                                                                                                                                   dislocation loop formation mechanism on cyclic straining 7=7569
             CdTe, electron states from surface barriers pulse height
                 obs. 7=17758
                                                                                                                                   dislocation loops, nucleation rel. to impurities \, 7=14576 dislocation trapping of point defects, irradiation
             He, He-Ar, He-Ne, luminescence prod. mechanism 7=4085
             HeII scintillations inhibition between 1.1 and
                                                                                                                                       obs. 7=1533
                  3.0°K 7=9285
                                                                                                                                   dislocations, X-ray topographic obs. 7=1525
             Ni foil, energy loss and energy straggling rel. to thickness
                                                                                                                                   e.s.r., conduction, obs. 7=2188
                 obs. 7=3683
                                                                                                                                   effective mass, supercond. transition temp.,
resistivity 7=11364
elastic consts. of second, third and fourth orders
             on Pb diffusion in Ag 7=1507 ZrSiO<sub>4</sub>, interstitials prod. by U impurities obs. 7=1545
        scattering
                                                                                                                                        calc. 7=7698
              α-d, tensor polarization of d, elastic 7=10045
                                                                                                                                   electrical cond. var. on plastic deformation obs. 7=14878
             d + \alpha, continuous energy spectra of \alpha 7=16655
                                                                                                                                   electrical surface cond. increase at microwaves by lowering
             d-α, phase shift analysis 7=13114
                                                                                                                                   temp., for linear accelerators 7=1832 electrodes, steady-state cathode luminescence 7=11844 electron absorpt., 30-50 keV, in films 7=11418 electron absorption high voltage obs. 7=1382
             d-\alpha, tensor polarization obs. 7=13113 inelastic, 'two-phonon' excitations 7=766 by light nuclei, large angles obs. 7=3945
                                                                                                                                   electron absorption, inelastic scatt. effects and temp. var.obs. 7-1653
             n-\alpha, E. = 8-29 MeV 7=13084
neutrons, polarized 7=3682
              nuclear pair-spherical pair quadrupole and octupole excitations near closed shells 7=767
                                                                                                                                    electron beam effects above stage I obs. 7=7854
                                                                                                                                    electron diffraction equal-thickness fringes velocity
              nuclei of Z=20-30, elastic, 16-19 MeV 7=13607
                                                                                                                                        analysis 7=1376
              odd-mass nuclei, microscopic theory, DWBA 7=13605
```

phonon and electron drag coefficients 7=7572

plasma volume loss damping obs. by electron

Aluminium-contd

```
SUBJECT INDEX
Aluminium-contd
         electron diffraction in films obs. 7=1416
         electron diffr.gegenfeld filter obs.of films 7=1419
         electron diffraction, temperature and wavelength
         var.obs. 7=1415
electron emission, secondary, by 1-20 keV Ar and
Ar' 7=5118
         electron energy-loss spectra 7=528
electron-ion pseudopotentials 7=1778
electron scatt., 1 MeV 7=3525
electrons absorption and extinction, 100-500 kV 7=1427
         electrons anomalous absorption, convergent beam diffr.obs. 7=1428
         epitaxy on NaCl and KCl cleaved in vac, nuclei
orientation 7=11019
evaporation, BN source 7=4419
evaporation source, crucible type 7=7154
          exploding foils for magnetic energy rapid transfer to
               inductor 7=193
         extrusions, pyrometer for continuous meas. 7=9235 fatigue props. In reverse bending in vacuo 7=1699 fatigue testing, multiple specimen method 7=11253 fatigue transition pressure, temp. depend. 7=11271 Fermi surface third zone press. var. to 7 kbar 7=7782 fibre wire, heat resistance 7=1700 film existing 40.600°C electron microscope.
          film, oxidation, 400-600°C, electron microscope obs. 7=15417
           films on alkali halide cleavage planes 7=7344
           films optical transmission and absorption data,
                1-6500Å 7=8371
           films surface density meas, from proton prod.
          X-rays 7=17383 films, thin, on Au, rel. to Al-Au bonds 7=14698
          films, vacuum-deposited, mosaic structure electron diffraction obs. 7=1267 films, very thin, on SiO<sub>2</sub> electrical failure 7=14698 films, X-ray diffraction study of substructure 7=7271 flow stress, influence of strain rate and strain ageing 7=14694
          foils magnetically imploded in theta pinch, magnetic flux compression 7=3007
Frenkel defects on neutron irradiation obs. 7=1565
galvanomagnetic props.temp.and field depend. 7=7849
           \gamma-ray field distribution for soft radiation 7=9861 grain-boundary relaxation 7=14342
           grain growth transient during recrystallization heat treatment var. obs. 7=14341
           growth of single crystal, of required shape, orientation and
purity 7=11002
hardening by e-irrad., interstitial-dislocation
interact. 7=14545
           hardening, (flow stress) rel.to various secondary defects 7=14697
            high-speed extrusion 7=14693
            impurity in Cu, stacking fault stabilization 7=14608
            indentation hardness rel. to creep 7=11255
            internal friction, background, below 40 kc/s,
           meas. 7=11268
d-irradiated, radiation annealing and damage prod.,
           alloying, cold work and quenching effects obs. 7=14516
d-irradiation recovery, alloying, cold work and quenching
effects obs. 7=14517
           irradiated, recovery stages, interpretation 7=1563 ions on n-Ge, inversion layers prod. 7=7977 "kink pressure" and interaction energy obs. 7=7562
            Knight shift calc., direct and core-polarization contributions 7=8317
             lattice dynamics, electronic struct, and elect.
                 props. 7=11108
             lattice dynamics, electronic structure and electrical
                  props. 7=17814
             lattice dynamics, Toya's model for polyvalent
                 metals 7=17540
             lattice vibr., X-ray diffr. temp. var. obs. 7=7469
             liquid, absolute thermoelectric power 7=1168
liquid, conduction electrons, density of states and
momentum distrib. 7=7019
             liquid and polycrystalline, collective atomic motions by
             cold neutron scatt obs. 7=17247 mech. props. effect of hot rolling temps. 7=7678
             in multilayer film, i.r. photocond., modulated
                  tunnelling 7=5103
             neutron-irradiated, annealing-induced softening of single
                  cryst. 7=7680
             n-irradiated, stored energy, volume and resistivity
                  change 7=1550
             neutron differential albedo meas, on finite slabs \, 7=16633 nucleation of solidifying high purity metal \, 7=10895
             optical consts. calc. from reflection coeff. and phase using Kramers-Krönig rels. 7=11729 optical consts. of films, 2400-1200Å, rel. to Drudes' theory 7=15311
```

optical constants, 12-36 eV, meas. 7=5243 optical obs. of conduction electron conc., periodic lattice potential effects calc. 7=7775

```
scatt. 7=4892
polycrystalline, recovery, low temperature 7=11272 proton neutralization, characteristic Lyman- \alpha emission
    meas. 7=4731
meas. 7=4711 quenched, mechanism of hardening 7=11273 quenched, nucleation and growth of voids 7=11152 quenched, nucleation of vacancy clusters 7=44528 radial density function by X-ray diffraction obs., liquid and solid 7=1116 reaction kinetics of stage III recovery after neutron
    irrad. 7=7534
 residual resistivity, transition metal impurity
effects 7=4899
resistance, electrical, calc. 7=4898
 resistivity of dislocations, anisotropy 7=14882
resistivity of dislocations, anisotropy 7=14002 resistivity R<sub>278</sub>/R<sub>78</sub> ratio, rel. to impurity content and heat treatment 7=7848 rolled, Be, Ni, Ti, B or Mn additions, effect on recovery 7=7682
 second-order strain accumulation in torsion
     fatigue 7=11267
 shock compression, viscosity and melting 7=17689
 slip bands, direction under uniaxial tension, poly-
     crystalline 7=4774
 for solar wind trapping, in foils \, 7=5616 specifc heat \, \!< \!4^{\circ}\text{K} \, 7=14463 \,
 sputtered films, methods, growth and struct. obs. 7=7272
 sputtering by Cs ions 7=17638 sputtering by Cs ions, yield obs. 7=1654
 stresses, applied and residual meas. by u. s. 7=11296
 superconducting, mm absorption, mag. field var-
     obs. 7=4942
 superconducting energy gap anisotropy in films, tunnelling obs. ^{\sim}1.\,2^{\circ}K 7=11466
 tunnelling obs.~1.2 K 7=11466
superconducting, microwave surface impedance, mag-
field var. anomalies obs. 7=4941
in superconducting tunnelling junctions, capacity, temp-
and mag. field depend. 7=4972
superconductivity with Ag doping, mm absorption obs. of
energy gap 7=4940
surface plasmons, photon excitation 7=11412
thermal diffusion of vacancies 7=17595
  thickness uniformity of foils meas, by \alpha absorption and
      spectrum degradation 7=12281
  two-triangle loops, quenched from 600°C 7=7571
 ultrasonic absorption time var, in elastically deformed
      Al 7=4632
 ultrasonic effect on perfection of crystal grown from melt 7=7318
  ultrasonic 2nd and 3rd harmonics generation due to
  dislocations 7=4633
ultrasonic magnetoacoustic attenuation, circularly
polarized 7=4642
  vacancy cluster voids prod.on quenching 7=1630
  vacancy clustering, quenched-in, after deformation,
       meas. 7=11151
  vacancy concn. meas, at melting point 7=14521
  vacancy formation energy and entropy obs. from thermal
       expansions 7=14527
  vacancy-impurity binding energy 7=1551
  vacancy pits obs. at grain boundary-free surface intersections 7=7539
  voids heterogeneous nucleation, quenched 7=17626
  wetting on BN 7=4419
  work function change due to chemisorption of water
  and {\rm O_2} 7=8064 work hardening of sintered Al, recryst. and polygonised,
       comp.to normal Al 7=7677
  X-ray double reflections, intra- and inter-granular 7=7356
  X-ray K emission in Al-Fe, alloying effect obs. 7=18212 X-ray \rm L_{2,3} spectrum obs. 7=11379 X-ray scatt. factors, electron band struct. calc. 7=14382
  X-ray soft absorption spectrum obs. 7=15313
yield stress after quenching 7=4763
Al* beam, using arc source discharge in AICl<sub>3</sub>
vapour 7=16086
   Al plastically deformed, internal friction meas. 7=11269
   Al-Al<sub>2</sub>O<sub>3</sub> structure, tunnel emission of electrons 7=2057
  Al-Al<sub>2</sub>O<sub>3</sub>-Al sandwich, capacitance, effect of thickness of
       dielec.layer 7=2014
   Al-Al<sub>2</sub>O<sub>3</sub>-Au film system, photo-emission 7=11607
   Al I in solar spectrum, auto-ionization lines 7=5610
   Al-Pb supercond, diode, tunnelling due to longit. microwave phonons 7=7921
   Al-SiO<sub>2</sub>-Si structures, surface charge after annealing
   under bias 7=5016
Al-Sn supercond, diode, tunnelling due to longit. microwave
        phonons 7=7921
   C ions charge distrib. at 8 MeV in foils 7=12553
   Cr<sup>3+</sup> in presence of V<sup>3+</sup>, e.p.r. spectrum obs. 7=2194
Fe<sup>57</sup> Mössbauer Zeeman spectrum temp. var. obs. 7=7174
```

#### Aluminium alloys

See also Aluminium compounds.

Alnico, decomposition types obs. in electron microscope 7=7357

crystal imperfections, solute effects obs. 7=1595 elastic consts. of third order, u. s. velo. under stress obs. 7=11298

elasto-plastic waves formation and structure 7=7697
recrystallisation rel. to conc. of alloying additions 7=17433
SAP, (sintered with dispersed Al<sub>2</sub>O<sub>3</sub>), quenched-in
resistivity 7=14515

specific heat of dilute alloys < 4°K, electronic component var. with valence electron conc. obs. 7=14463 yield point phenomenon mechanism at high temp.

obs. 7=17687

yield strength at high strains 7=7681

Al alloys, age hardening at room temp. after quenching, resist.changes 7=7850

Al-0.18 at.% Ag, binding energy between vacancy and Be or Ti atom 7=17594

Al-Ag, intersecting stacking faults 7=14605

Al-Au diffusion couples, phases and bond failure 7=14698

Al-4 wt. % Cu, deuteron irrad. effects 7=14525 A1-Sn, vacancy-tin binding 7=14526

Al-rich Zn, strengthening due to spherical G.P. zones 7=7685

Al-rich Zn, strengthening due to spherical G.P. zones 7=7686

Al-(0.5%) Ag, climb sources, quenched, obs. 7=7570 Al-15%Ag, dislocation structures of the broad faces of

y-plates 7=11173 Al-5% Ag, work hardening, influence of second-phase interface 7=1702

Al-Ag-Ge and Al-Cu-Ge, ageing rel. to Guinier-Preston zones obs. 7=1389
Al-Al<sub>2</sub>O<sub>3</sub>-Ag cathodes, field emission characts. 7=2060
Al-2% Al<sub>2</sub>O<sub>3</sub> SAP-type, oxidation obs. 7=11933

Al-Cd-Sn, constitution 7=14145 Al-Cr, decomposition of solid solution, activation energy 7=7205

Al-Cu, ageing kinetics, plastic strain effects 7=17355-6 Al:Cu, dilute, n.m.r. 7=15261 Al-Cu (4%), formation mechanisms 7=17351-4 Al-Cu (96-4), cyclic strain, Bauschinger effect meas. 7=4764

Al-Cu (96-4), cyclic strain, low cycle fatigue 7=4765

Al-4%Cu, deformation effect on precipitation of O and O 7=4458

Al-4%Cu, growing cryst. with chosen orientation 7=7321 Al-Cu, Guinier-Preston I zones thermodynamic

stability 7=1390

Al-Cu (2 at. %), Guinier-Preston II zones nucleation and growth 7=1391

Al-Cu, yielding phenomenon at above 350°C 7=17686

Al-Cu-Ag, growth of  $\theta'$  and  $\gamma'$  phases in solid soln. decomposition 7=10940

Al-Cu-Ag phase transformation, X-ray diffraction and electron microscope obs. 7=7223

Al-Cu-Mg alloys, effect of small Ag additions on age-hardening 7=10941

Al:Fe, dilute, n.m.r. 7=15261

Al-Fe, X-ray emission spectra of Al and Fe obs. 7=18212 Al + 0.25 wt. % Fe, effect of isochronal annealing on strength 7=7683

Al-Ge(0.093, 0.44 at.%) vacancies obs. 7=1552

Al-Mg with Ag, Cu or Zn, X-ray data of T-phases 7=4460 Al-11% Mg solid solution ageing rel. to Ag addition obs. 7=4459

Al-Mg, tensile deformation behaviour 7=1703

Al-Mg, vacancy conc. and binding energy 7=1553

Al-Mg, X-ray soft absorption spectrum obs. 7-15313 Al-Mg, yielding phenomenon at above  $350^{\circ}$ C 7=17686 Al-Mg-Cr fatigue endurance and humidity 7=17684

Al-Mg-Si in reactor core, hardness and ductility change obs. 7=1701

Al-Mn(1.7%) cavitational erosion at 17 kc/s, stress effects obs. 7=17683

Al-Mn, decomposition of solid solution, activation energy 7=7205

Al:Mn, dilute, n.m.r. 7=15261 Al-Mn, temperature coeff. of resistance, effect of cooling rate during crystallisation 7=1313

Al-Na, AlF, -Ag cathodes, field emission characts. 7=2060 Al-Ni, δ phase structural changes obs. 7=4576

AlNiCo hysteresis rel.to precipitation obs. 7=8156 AlSb, adsorpt.of O 7=2459

AlSb, donor electrons in i.r.absorption, calc. 7=11734 AlSb electron band struct., K. p calc. 7=17806

AlSb, electron mobility, mixed scatt. calc. 7=17755

AlSb films, preparation and semiconducting props. 7=11500 AlSb, i.r. obs. of Raman spectra 7=5257

AlSb:Te, electron mobility temp. var. calc. 7=1756

Aluminium alloys-contd

A1-Si electron probe microanalysis, resolution improvement by specimen current method 7-15455

Al-Si, solubility of Si by low-temp. resistivity meas. 7=1227

Al-Si, varying Si, thermal stresses 7=7684

Al-Ti twinning in dendritic growth obs. 7=4500 Al-4.01 at.%Zn, ageing kinetics, effect of Mg 7=1231

Al-4. 4at.% Zn, binding energy between vacancy and Be or Ti atom 7=17594

Al-Zn, Guinier-Preston zones, spherical, lattice directions 7=11029
Al-Zn, kinetics of ageing processes, solubility limits 7=10942

Al-Zn, precipitation, structural invest. 7=1232 Al-Zn, quenched solid solns., lattice spacings 7=14373

Al-Zn, supersaturated, mechanism of struct.

transforms. 7=14203 Si crysts.in Al melt, anisotropy of dissolution 7=10956

Aluminium compounds

See also Aluminium alloys; Ruby.

alumina-silica films, low temp. deposition 7=4484 aluminoborosilicate glass fibres, mechanical strength under tension with torsion, rel. to anisotropy 7=7687

aluminosilicate catalyst, active centres study by i.r. spectra 7=8373

cordierite, e. s. r. of Fe<sup>3+</sup> 7=8286

corundum crystal growth gem-grade, by industrial method 7=4508

corundum, dislocation decoration obs. 7=11174 corundum, elastic constants, variation below 273°K 7=17685

corundum, resonance absorption of V3+ ion at  $\lambda \simeq 1.21 \text{ mm} 7 = 11810$ 

corundum, synthetic, elastic constants 7=7690 halloysite crystallites, microdiffraction obs. 7=11030 leuco-sapphire, destruction by strong laser radiation 7=7629

porcelain, texture rel. to Al2O3 content 7=11318 ruby, laser, c. w. operation at room temp. 7=3157 ruby, in laser, mag. Q-spoiling, 77°K 7=3156

ruby, laser, Q-switched, single modes 7=3158 ruby, laser, radiation coupling with Nd3+-glass laser 7=3178

ruby, lasers, mode coupling 7=3159 sapphire crystal growth by Verneuil method for optical quality 7=11001 sapphire, frictional anisotropy, crystallographic direction

depend. 7=4768

sapphire, heat-pulse propag., temp. dependence 7=4658 sapphire, photoelastic anisotropy 7=5245

sapphire, sliding on clean sapphire, friction in high vacuum 7=4767

sapphire substrate, Si film single crystals deposition by pyrolytic decomposition of SiH<sub>4</sub>-H<sub>2</sub> 7=7282 topaz, e.s.r. of Fe<sup>3+</sup> and defect centres 7=18168

Al borides, higher, crystal structure obs. 7=17494 Al-Al<sub>2</sub>O<sub>3</sub>-plasma capacitor relaxation obs. 7=15046

 $AI-AI_2O_3-SnTe$  and  $AI-AI_2O_3-GeTe$  tunnel junctions electron barriers 7=17793  $AI_xC_yN_z$  crystal atomic structures relationship by

block inversion and shear 7=1417

Al(EL-510) electroluminescence, 10<sup>-2</sup>-10<sup>3</sup> c/s 7=11846 (Al,Ca<sub>1-x</sub>)As p-n junction graded energy gap, injection electroluminescence obs. 7=2415
AlH, Rydberg levels calc. 7=6642
AlLaO<sub>3</sub>, Pr<sup>3\*</sup> fluorescence spectra at ordinary and low temperatures obs. 7=5308

AlLaO<sub>3</sub>, Pr<sup>3+</sup> fluorescence spectrum lines classifi-cation 7=5289

AlN, photoconductivity, laser induced multiphoton absorption obs.  $7{=}15068$ 

AlO, new band system 7=4067

 $\alpha\text{-Al}_2\text{O}_3, \text{absorption spectra and slip}, \gamma\text{-irradiated}, 30 kbar 7=7689$ 

γ-Al<sub>2</sub>O<sub>3</sub>, active centres study by i. r. spectra 7=8373 Al2O3, brittle fracture rel. to dislocation movement 7=1704 Al<sub>2</sub>O<sub>3</sub> ceramic, emittance, 1200-1600 K 7=11745

 $Al_2O_3$  (corundum), luminescence, thermal and X-ray,  $100-650^{\circ}K$  7=5288

Al2O3 (corundum), Stark effect of exchange coupled pairs of 3ds ions calc. 7=8372 Al<sub>2</sub>O<sub>3</sub>, solid solutions with  $\mathrm{Cr_2O_3}$ , hardness 7=17688

 $A_1O_3$ ,  $Cr^3$  spin-lattice relax calc. 7=2220  $A_2O_3$ ,  $Cr^3$  spin-lattice relax calc. 7=2220  $A_2O_3$  containing  $Mn^*$  ion, paramag, reson. 7=18172  $\eta$ - $A_2O_3$  crystal struct rel to preparation method 7=7409

 $\gamma$  -A<sub>2</sub>O<sub>3</sub>, defect bleaching,  $\gamma$  -irradiated, pressure deformed 7=11197 Al<sub>2</sub>O<sub>3</sub>, e.s.r. of V<sup>3-</sup> 7=15251 Al<sub>2</sub>O<sub>3</sub> films, ion migration as breakdown mechanism 7=11546

 $Al_2O_3$ , fission fragment damage 7=11222  $Al_2O_3$ , i.r. spectra of adsorbed water 7=8402  $Al_2O_3$ , inert gas bombarded, diffusion at low temp.

obs. 7=4663

#### Aluminium compounds -contd

Al<sub>2</sub>O<sub>3</sub>, lowering surface energy by adsorpt. 7=14265 Al<sub>2</sub>O<sub>3</sub> melting point obs. using solar furnace 7=9250 Al<sub>2</sub>O<sub>3</sub>-metal contacts, negative resistance 7=2013

Al2O3 molten particle cloud emissive props. obs. 7=14103

Al<sub>2</sub>O<sub>3</sub>, Mo dispersion addition for strengthening 7=7688 Al<sub>2</sub>O<sub>3</sub>, in multilayer film, i. r. photocond., modulated

tunnelling 7=5103 Al2O3, porous, grain growth controlled by pore migration, theory 7=14195

 $\rm Al_2O_3$  pressure shift of Cr³ levels, (ruby R lines) 7=18213  $\rm Al_2O_3$  (ruby), nuclear acoustic resonance of  $\rm Al^{27}$  7=15260  $\alpha$ -Al<sub>2</sub>O<sub>3</sub>, as substrate for single-crystal growth of Ge and Si 7=11020

Al<sub>2</sub>O<sub>3</sub>, surface grain growth, effect of metal oxides, 1400-1650°C 7=1392

 $\begin{array}{l} 1440-1650 \ \ C \ \ ^{\prime }=1392 \\ Al_2O_3, \ V^{3*} \ e.s.r. \ at \ 4.2 \ \ ^{\circ}K \ \ 7=9463 \\ Al_2O_3; \ V^{3*}, \ resonance \ u.s. \ absorption, spin-lattice relax. \ \ 7=11690 \\ Al_2O_3, \ V^{3*} \ spin-Hamiltonian \ calc. \ by \ tensor \end{array}$ 

operators 7=17340 Al<sub>2</sub>O<sub>3</sub>, V<sub>2</sub>O<sub>3</sub> in, solid solns, mag. props. 7=15114

AlP, energy band structure 7=11387 Al<sub>2</sub>SiO<sub>5</sub> crystal growth by transport with fluorides 7=7320 Al<sub>2</sub>(SO<sub>4</sub>)<sub>3</sub> solutions, effect on AgI sols 7=17301

#### Americium

No entries

#### Americium compounds

No entries Ammonia. See Nitrogen compounds/ammonia, Ammonium compounds. See Nitrogen compounds/ammonium compounds

#### Amorphous state

See also Vitreous state.

crystallite models, X-ray small-angle scatt. upper bound calc. 7=17410 glucose pentacetate for transition demonstration 7=7253

in quartz crystals, prod. by n irrad. 7=14643 semiconductors, LCAO method for atoms arbitrary

mixture 7=9654 spectral limits 7=4425

two-dimensional structures diffraction pattern rel. to

radial distrib.function calc. 7=1109 X-ray scatt., ratio of intensity of double to single scatt. 7=1369

B, adsorption of polar compounds obs. 7=17398 B films, i.r. absorption, no peaks obs. with high purity 7=18217

Be, thin film, electron diffr. exam., 4.2°K 7=7359
Bi, film, thin, electron diffr. exam., 4.2°K 7=7358
C, formed by reaction of alkali metals with org.
halogens 7=7298

Co-Au(25at.%) fibres prod. by quenching melt 7=17411 Cr films condensed at 4.2°K, electron diffr. obs. 7=14276 Fe films condensed at 4.2°K, electron diffr. obs. 7=14276

Ga, film, thin, electron diffr. exam., 4.2°K 7=7358 Ge, electron states optical obs. 7=18238

Ge, optical, elec. and photocond. props. of films obs. 7=17966 Pb-12%Bi, thin film, electron diffr. exam., 4.2°K 7=7359

Se, atomic radial distrib. 7=10985

Se films, crystallization by electron beam 7=17391 Se, g-values of paramag, centres 7=8306 Se, layer lattice, Fourier analysis 7=7024

SiO<sub>2</sub> films, electron diffraction study 7=17394 TISe films, electron diffr. exam 7=7299

ZnO, sputtering prod. of films 7=1281

# Amplifiers

for  $\alpha$  ionization spectrometer pulses, stable 7=3684 beam-plasma, Cherenkov coupling 7=239-40 beam-plasma system parametric amplification 7=4265 charge, noise meas. 7=416

coherent amplification of spin waves by charged beam, nonlinear effects 7=11681

dilute laser media, gain saturation by travelling-wave fields 7=12610

double delay line using one line only 7=12797

e.m. wave amplification in partially ionized gases 7=16991 electron multipliers for r.f. 7=2972

exponential gain const. of light waves 7=12673

exponential gain const. of light waves '7=12673' ferrites magnetostatic oscillations increase by electron beam calc. '7=15206' field effect transistor optimum noise conditions rel. to gate bias obs. '7=11540' five-channel recording '7=15998' laser, with axial mag. field, interactions of polarized waves '7=271'

laser, nonlinear props. for pulses 7=12605

lasers gain saturation, spectral hole-burning and cross relaxation effects theory 7=274 maser, Q of active material 7=3106

of masers, from stimulated phonon-photon double-quantum emission 7=12590

```
Amplifiers-contd
```

MOS transistor, v. h. f. performance 7=11543 for n.m.r. spectrometer, microwave planar triode appl. 7=16139

for n.q.r. spectrometer operational control 7=16140 nuclear pulse, filters 7=12798 nuclear reactor error detector, mag. and transistor 7=6490

optimum signal-to-noise ratio; nuclear radiation detectors 7=9711

oscillator, self-excited, effect of external force 7=16103 paramagnetic, susceptibility of four-level system 7=16142 parametric, for far i.r. with Te 7=9527 photodiode circuit 7=2963

photoparametric, operation 7=14982

plasma, ion-acoustic waves 7=17132

preamplifier, low-noise, fast-rise-time 7=16007

preamplifier optimization for short pulse det. with photodiodes 7=3199

preamplifier, for parametric radiation detector 7=414 preamplifier, recorder, displaying 3 decades, on one linear scale 7=9313

and preamplifiers for nuclear radiation detection, electronic 7=9683

pulse, nanosec., high input impedance 7=9706 pulse type, nuclear, new concepts in design 7=415 quantum electronics conference, Phoenix, USA, 1966 7=3116

ruby, anomalous absorption due to excited-state

effects 7=12652 for semiconductor detectors, very high counting rate capability 7=5962

semiconductor laser, light intensity variation and saturation 7=16181 semiconductor lattice waves, acoustoelectric 7=14936

semiconductors, many-valley, acoustic, d.c. elec. field theory 7=17553

superconducting bolometric modulator 7=16005 travelling-wave, using semicond. carrier drift 7=5843 ultrasonic, heating and dispersion effects 7=5725 ultrasonic, parametric, proposal 7=2911

Fe-Y ferrite, e.m. signals non-stationary retarded re-emission during parametric regeneration 7=9472

GaAs, bulk, temperature effects 7=17998 LiNbO3, parametric oscillator, role of longit. modes 7=12668

TiO<sub>2</sub>:Cr<sup>3+</sup> travelling wave maser 7=16143 YAlG:Nd laser oscillator, regenerative noise amplifier 7=12670

YFe garnet magnetoelastic waves, parametric,  $1-10~{\rm Gc/s}~7=18143$ Analogue computers. See Calculating apparatus analogue

apparatus.

Analysis. See Chemical analysis; Statistical analysis.

Anechoic rooms. See Acoustical laboratories. Anelasticity. See Internal friction.

Anemometers

temperature compensated, for boundary layers 7=4280 Angle measurement

See also Alignment.

in cosmology, error due to gravitational scatt. of light 7=8776 differential circle dividing machines 7=4 goniometer head base improvement 7=14364

interferometer with cube corner systems, fringe pattern props. 7=5651 Angular distribution. See Gamma-rays/angular distribution; Neutrons and antineutrons/angular distribution; Protons and antiprotons/angular distribution.

Angular velocity measurement
See also Stroboscopes.
optical incremental shaft resolver using plastic radial gratings 7=12283

by superconducting interferometer 7=9008 tachometer 7=2757

Annealing. See Heat treatment.

Annihilation of electrons. See Electron pairs. Anodic films. See Electrochemistry; Films/solid. Antennae. See Electromagnetic waves/radiators.
Antiferroelectric materials. See Ferroelectric materials.

Antiferromagnetic resonance

in cm and mm wave regions, direct obs. and identification 7=15203

dielectrics and semiconductors, interaction between spin waves and carriers 7=18144

impurity mag. levels spin system oscillations 7=8249 metals, plasma effects theory 7=11686

CuCl<sub>2</sub>2H<sub>2</sub>O, new lines 7=2182 CuF<sub>2</sub>.2H<sub>2</sub>O, linewidth 7=11687 MnO, 35 Gc/s 7=8274 NiCl<sub>2</sub>6H<sub>2</sub>O 7=15210 RbMnF<sub>3</sub> 7=2168 Antiferromagnetism

See also Magnetic properties/antiferromagnetic. appearance due to umklapp in band structure 7=8106

# Physics Abstracts 1967 - Part I (Jan.-June) Antiferromagnetism-contd conduction electron, localized spin interact., ground state energy 7=8247 critical mag. scatt. of neutrons, theory 7=11634 dielectrics and semiconductors, interaction between spin waves and carriers 7=18144 and ferromag.kinematic interactions at low-temp. 7=5131 ground state, long-range order 7=8248 for harmonic generation in i.r., theory 7=5905 Heisenberg antiferromagnet, magnetization directions 7=2158 Heisenberg model, high-temp, susceptibility 7=8113 Heisenberg model, one or two-dim., absence 7=4445 Heisenberg model with staggered fields, exact soln. 7=11633 Heisenberg, 1/S expansion 7=8245 helicoidal structures, interact of e.m. and spin waves 7=11664 ion pairs coupled by exchange interaction, theory 7=8244 Kondo effect, long-range spin polarization 7=4834 linear chains, pseudospin approach 7=2156 linear mag. chain, anisotropic 7=2089 linear organic crysts. 7=11621 magnetic transitions, multi-axis 7=2159 mapping of spin Hamiltonians 7=11632 n.m.r.quadrupole splitting theory 7=8312 neutron scattering cross-section, polarized 7=15189 neutron spectroscopy, review 7=14422 nonmagnetic impurity, coupling across, asympt. model 7=2093 ordering in 1- and 2-D systems 7=11629 paramagnetic impurity effects, spin-wave scattering 7=5176 nonmagnetic impurity, moment deviation and neutron scatt. 7=2092 s-d exchange interaction, bound state, higher-order corrections 7=8246 spin density change at Néel point 7=15190 spin deviation probabilities 7=18101 spinel B-site lattices, molec. field theory 7=5184 spin-wave scattering, by paramag. impurities 7=5176 sublattice magnetization, temp. depend., 1/4 power law 7=8092 superexchange interaction 7=2157 Antimony diffusion in Ge, from vapour phase 7=11142 e.s.r.in Ge, Zeeman effect compression var. obs. 7 electron loss anisotropy effects at 28.4 keV 7=7631 Fermi level quantum oscillations obs. 7=7800 hardness, photoeffect with Ge impurity 7=7711 in meteorites, abundance 7=2713 laser transitions, new 7=5888 magnetoacoustic u.s. resonances obs. rel. to cyclotron mass 7=17559 specific heat and electronic density of states 7=11399 surface oxidation kinetics 7=2455 thermal cond., lattice, down to 0.4°K 7=4660 ultrasonic magnetoacoustic attenuation, circularly polarized 7=4642 ultrasound absorption and electron energy states 7=14451 vaporization of single cryst. 7=4420 X-ray soft absorption spectrum obs. 7=15313 Cd heat of mixing with Sb 7=7039 Sb+ beam, using arc source discharge in Sb vapour 7=16086 Sb124 diffusion in Ge, effect of specific radioactivity 7=14490 Sb125 contamination in antimonal Pb 7=18340 Sb + SbI<sub>3</sub>, solns., electrical conductivity 7=14125 Zn heat of mixing with Sb 7=7039 Antimony compounds antimonides, liquid, elec. props. meas. 7=4388 SbI<sub>3</sub>, photocond. rel. to hydrostatic press. up to 14 kbar 7=11595 Sb<sub>2</sub>S<sub>3</sub> dielectric permittivity, 9-16.5 Gc/s 7=8014 SbSBr and SbSI, band gaps by optical absorption obs., 80°-310°K 7=11801 SbSI, band structure rel. to double chain structure 7=11400 SbSI, dielectric const. change due to illumination 7=18051 SbSI, ferroelec., crystal structure and phase transition 7=4596 SbSI, ferroelec., phase boundary movement in elec. field and temp. grad. 7=11564 SbSI, ferroelectric-paraelectric phase transformation in single crystal, optical observation 7=8027 SbSI forbidden band width var. with temp. and press. rel. to ferroelec. transition 7=8432 SbSI, pyroelectric current peaks near Curie point 7=8029 SbSI, space charge drifting patterns under d.c. bias obs. 7=15037 SbSI, stripe pattern index 110 volts due to negative resistance 7=8028 Sb+SbI<sub>3</sub>, solns, electrical conductivity 7=14125 Sb<sub>2</sub>Te<sub>3</sub>, magnetic anisotropy, room temp, to 1,3°K 7=8097 Sb<sub>2</sub>Te<sub>3</sub>-Bi<sub>2</sub>Te<sub>3</sub> thermocouple, effect of leg size and mechanical surface treatment 7=11582

```
Antineutrinos. See Neutrinos and antineutrinos.
Antineutrons. See Neutrons and antineutrons
Antinucleons. See Nucleons and antinucleons
Antiparticles. See under corresponding particle.
Antiphase domains. See Alloys; Crystal structure/microstructure;
    Solids/structure.
Antiprotons. See Protons and antiprotons.
Antireflection coatings. See Optical films.
Apodization. See Optical images.
Apparatus. See Cosmic rays/apparatus; Instruments; Ionosphere measuring apparatus; Laboratory apparatus and technique; Radioactivity measurement/apparatus; Vacuum apparatus;
    X-ray crystallography/apparatus. Further entries describing apparatus for specific purposes are included under the headings of the appropriate subjects.
Appearance potential. See Ionization potential.
Architectural acoustics
             See also Echo; Noise abatement; Reverberation;
              Transmission/acoustic waves.
         floors, impact-noise rating, lemale footfall data 7=15953 joints, gas-pumping damping theory 7=9150 reverberation time rel. to resonances in halls 7=12449 rooms, review 7=12448
         school-band rehearsal rooms 7=15954
Arcs, electric
         air, column temp. decay following interruption 7=6787
         air, elec. cond., impurity effects 7=13992 air, interrupted columns, elec. cond. decay
         column temp. decay following interruption 7=6787
         current density calc. 7=13818
d.c., charged particle conc. using Na emission
spectra 7=10595
         d.c.plasma, temperature distribution, influence of
Li and Ca 7=972
         diffusion across mag. field, electron and ion
             transport 7=13819
         electrode insulators, composite metal and dielectric, long life 7=4156
         electrode spots, dynamics obs. 7=973
         falls at anode and cathode with cold cathode obs. 7=17006 fluctuating, error in spectroscopic meas. of electron temp. 7=10591
         generalizations, appl. to stability and motion 7=17004 graphite, spectral radiance at low current 7=15315 graphite, temp. of radiance at 6550Å obs. for standard 7=2941
         high-current, 50 c/s circuit breaker, temp. 7=4157 initiation at metal surfaces in H discharge 7=6789
         interrupted columns, elec. cond. decay 7=6788
         luminosity near electrodes meas. apparatus,
         0-3000 c/s 7=13820
non-stationary column, theory 7=10590
plasma beam, heat flow meas. 7=17164
plasma, inhomogeneous, effect of radial elec. field on
instability 7=6918
         plasma instability, formation of torches 7=6917
         plasma propagation velocity with current breaking in
              vacuum 7=6786
         positive column, ionization waves 7=13798 for spectral anal. of alloys, influence of alkali metals 7=10592
         for spectral anal., electrode polarity rel. to current
         and luminescence 7=8591 in spectrochemical analysis, probe current in arc channel
         effects on calibration lines arrangement 7-11968
spectrographic, semiconductor current regulator 7-340
         spectrum obs. 7=17003
substance distrib. between electrodes 7=6785
         thermal similarity theory, application 7=17005 thermo-field emission, effect of ion fields 7=8068
         Ar in arc plasma, continuous absorpt. cross-
section 7=6535
         Ar, column temp. decay following interruption 7=6787
          Ar, energy balance, high current 7=974
          Ar ion Hall accelerator thrust at low exhaust press.
             obs. 7=9403
          Ar plasma, partially ionized, continuum radiation 7=10593
         Ar-H<sub>2</sub>O, high-voltage excitation capacity 7=17007 for C plasma prod., with shock tubes 6=1045 Cs, low-voltage, low-temp. plasma 7=17060 Cs thermionic convertors, low voltage mode theory 7=16028 in Cs vapour, thermalization of electrons in plasma 7=10594
          Cs vapours, low voltage arc 7=13821
H,l.p., ion and electron energy distrib. meas. 7=6790
          He plasma, local thermodyn. equil., spectral study 7=6791
          He, plasma, Thomson scattering of laser light rel.to electron temp. and conc. 7=975
          electron temp. and conc. 7=975 Hg' capillary source 7=223 \rm N_2, column temp. decay following interruption 7=6787
          N_2-H_2O, high-voltage, excitation capacity 7=17007
          Na, concentration of charged particles 7=10596
          O<sub>2</sub>-H<sub>2</sub>O<sub>4</sub>, high-voltage, excitation capacity 7=17007
SO<sub>2</sub>Cl<sub>2</sub>, S I multiplets transition probabilities and arc-
column wobble 7=6550
Xe, plasma, highly radiative, using wall-stabilized pulsed
arc discharge 7=6865
```

```
Area measurement
```

No entries Area measurement, porous substances. See Surface measurement. Argon

adsorption by C and silica gel granules at liquid  $\rm N_2$  temp.  $\rm 7{=}14290$ 

adsorption on pyrex glass at 77.3 to 90.2°K and 10-11 to 10-5 torr 7=17404 arc column temp. decay following interruption 7=6787

arc, energy balance, high current 7=974 arc transition, high-voltage, containing water

vapour 7=17007

atom, double Auger effect, electron energy spectrum 7=4033 atomic beam, spin polarization of scatt. 40 eV electrons 7=10443

electrons 7=10443
atomic interaction potential as rel.to internuclear
separation 7=4041
atoms and Ar' ions, 1-20 keV, secondary electron emission
by Be, CuBe, Cu and Al 7=5118
atoms.Ar.II. u.v. multiplets 7=10400
atoms, collision processes, characteristic energy 7=4040
conductivity, thermal, 1500-5000°K 7=1083
continuous absorpt. cross-section 7=6535
continuous radiation from positive column. 7=961

continuum radiation from positive column 7=961 crystal vacancy formation energy 7=1553 crystalline, linear coeff. of expansion 7=1486

discharge, reflex, using brush cathodes 7=13803 in e.m. shock tube, study of precursor waves 7=17042 in earth, degassing 7=8604

electron drift velo. in solid and liquid obs. 7=11367

electron energy-loss spectra 7=528 excited atoms scatt. on H, ArH+ prod. 7=6591

excitons in solid obs.from electron energy loss 7=7814 fluorescence, alpha-induced, decay times 7=13676

glow discharge, abnormal, impedance rd .to transit time of positive ions obs. 7=10582 impurity effect on ionization growth behind shock

waves 7=4165 ion, Art, charge-transfer collisions, small-angle scatt.

meas. 7=13830 ion, Ar+, neutralization in gas targets 7=13838

ion bombard of Au foils 7=14639

ion Hall accelerator thrust at low exhaust press. obs. 7=9403

ion laser, c.w., emission-line widths 7=12625

ion, three-body collision recomb., Gryzinski cross-sections 7=13839 ionization, total cross-sections for electrons 7=10616

ionized-gas laser, polarization in mag. field 7=9503 ions, Ar\*, in sputtering of Kr from Pyrex 7=4736 ions, Ar\*, strongest laser transitions, excitation cross-

sections 7=4020 ions on Cu, secondary electron emission ang. var. due

tons on Cu, secondary electron emission ang. var. due to 20-80 keV 7=11611 ions, reflection from Cu, ang. and energy distrib. 7=11224 laser, high-current 7=9501 laser, ion, wavelength selection by var. voltage on KD\*P in Q spoiler 7=9500 laser power at single freq. obs. by interferometer laser 7=279

laser, pulsed 7=12628

laser, self-locking of modes 7=3134 liquefaction of gas, theory 7=7146 liquid, direct correlation functions 7=17249

liquid distribution functions 0.3°K above triple point, X-ray diffr. obs. 7=10805

liquid, electron drift velocity, atomic distortion effect 7=4383

liquid, electron drift velocity at low electric field strength obs. 7=1169
liquid, motion of H<sub>2</sub>, diffusion const. and freq. of vibration 7=7056
liquid, struct. in critical region by X-ray diffr. 7=17248
liquid, viscosity, 1-100 atmospheres 7=7049
liquid, viscosity pressure dependence meas by too

liquid, viscosity pressure dependence meas by torsionally oscillating quartz crystal 7=17257

iduid, vol. viscosity, high press. 7=7046
Mercury atmosphere, variation 7=15771
molecular flow meas., through high-vacuum
components 7=13975

negative molecular ions, existence in Faraday space 7=6766 0°C isotherm 7=13979

at 1 atm. press., Rayleigh scatt. 7=13986

plasma arc, partially ionized, continuum radiation 7=10593 plasma, high density, study by negative bias probe 7=6879

plasma jet heating of a body, specific heat-flow distrib,

obs. 7=2947 plasma laminar jet velocity and "temperature" obs. 7=4260 plasma, microwave maintained at cyclotron resonance, 2nd harmonic generation 7=10597

plasma, partially ionized, elec. cond. in mag. field, calc. 7=6842

Argon -contd

plasma, subject to progressive waves, acceleration mechanism 7=4262

plasma torch using inductive coupling to r.f. field 7=13946

plasma, Z-pinch contraction, 0.1-20 torr 7=13902 positive column moving striations obs. 7=13802 positive column moving striations theory 7=13802 positive column moving striations theory 7=13801 Rayleigh radiation scatt., depolarization 7=1089 solid, adsorption of H<sub>2</sub>, He, Ne 7=14291

solid, adsorption of H<sub>2</sub>, He, Ne 1=14291 solid, cryst. growth, thermal cond., self-diffusion 7=14316 solid, interatomic potential parameters 7=7181 solid, isotopic diff. in 0°K vol. and sublimation energies 7=7162 solid-liquid transition, quantum effect in theory 7=10893 solid Lorentz-Lorenz function 7=11747 solid, melting curve and latent heat 7=4405 solid ultrasonic religities 7=4634

solid, ultrasonic velocities 7=4634

solid, vacancy free energy, by two-body force approx. 7=4685

solubility in polystyrene films, direct sorption 7=10984 sorption by glass, from Ar-Ne mixtures, rel. to gas dis-charge lamps 7=6765

sound velocity, longitudinal, 76.8 and 4.2  $^{\circ}\mathrm{K}$  7=14439 sparks in Ar and Xe, as light source 7=9574 thermal cond. of mixtures with He and Kr 7=1085

thermal electron scattering cross-sections  $7\!=\!6581$  thermal equilibration behind ionizing shock waves  $7\!=\!10615$ 

u.h.f.discharge, plasma parameters 7=956 X-ray lattice const., thermal expansivity and

isothermal compressibility meas. 7=1418 Ar\* charge-transfer reactions at near-thermal energies 7=10612

Ar-ion laser, characts. 7=3131 Ar-ion laser, excitation mechanism 7=12623 Ar-methane, relativistic electron ionization loss 7=3529

Ar I 4s-4p array, experimental transition probabilities 7=13677
Ar', proportional counter response, 5-40 keV 7=3055
Ar' pulsed laser 7=9502
Ar' pulsed laser 7=12627

e-Ar scatt., total and momentum transfer cross-sections, comparison 7=6586

Ar-H laser discharge spectral line shapes obs. 7= Ar II laser,  $5s^2P_{3g} \rightarrow 4p^2D_{8g}$  relative intensity to  $5s^4P_{8g} \rightarrow 4p^4D_{9g}^2$ , 7=12626 Ar II laser, lifetimes of levels and transition probabilities 7=126247 = 16163

ArII laser states, electron impact excitation cross-sections 7=16164
Ar\*-Ar collisions ejected electron energy distrib. 7=6590
Ar-Br<sub>2</sub> laser, oscillation lines, interpretation 7=9504
Ar-CH<sub>4</sub> system, phase equilibrium data at 90.67°K, and theory 7=4414
Ar-Cs plasma in discharge, electron scatt. obs. 7=6841

Ar-D<sub>2</sub> mixture, thermal conductivity 7=6969

Ar-H<sub>2</sub>, volume change on mixing,up to 100 atm. 7=10709-10
Ar-He mixture, baroeffect 7=1092
Ar-K plasma, electron scatt., effective crosssection 7=10638

Ar-Kr system, gaseous diffusion 7=6980

Ar-Kr-D<sub>2</sub>, mixture, thermal conductivity 7=6969

Ar-N2 system, phase equilibrium data at 83.82 K, and theory 7=4414

Ar-N<sub>2</sub>, volume change on mixing, up to 100 atm. 7=10709 Ar $^{+}$  on Ne, charge exchange, 0.06-10 eV 7=6816 Ar + Xe, in spark chambers 7=16385

CO<sub>2</sub> + Ar mixture behind direct shock wave, thermodynamic parameters 7=1084

parameters 7=1084

H:-Ar collisions ejected electron energy distrib. 7=6590

HBr polymerization spectral obs. on freezing from -170° to -196°C 7=11952

HCl polymerization spectral obs. on freezing from -170° to -196°C 7=11952

HCl-HBr polymerization spectral obs. on freezing from -170° to -196°C 7=11952

TiO2 ceramic surface sparks in Ar and Xe, as light

source 7=9574 Argon compounds

ArD formation 7=6802

ArH+ prod. by excited Ar scatt. on H 7=6591 Aromatic compounds. See Organic compounds.

Arsenic Auger transitions, KLL, relative intensities and energies 7=13678

cyclotron resonance rel. to Fermi surface, 1.4°K 7=17853 Fermi surface, de Haas-van Alphen obs. 7=17795 Fermi surface, de Haas-van Alphen obs., doping effects 7=17794

ion, charge distribs. after stripping 7=226 melting relations 7=10894

As borate glasses, gamma-induced colouration, rel. to structure 7=4719

```
Arsenic-contd
```

As75 in CuAsS, n. q. r. spectrum and freq. obs. 7=8343

Arsenic compounds

Al<sub>2</sub>S<sub>3</sub> polycrystalline, Mn<sup>2+</sup> e.s.r. 7=2205

As selenide, glassy, carrier mobility 7=17756 AsBr<sub>3</sub>, force consts. calc. 7=10538 AsCl<sub>3</sub>, force consts. calc. 7=10538 AsF<sub>3</sub>, force consts. 7=6686

AsO spectrum, rotation structure of  $C^2\Delta$ - $X^2\pi$  system

bands obs. 7=13722
AsO', A'\(\Sigma - \times \) x\\ 2 \\ \text{system}, new bands 7=4068
AsO\_3^2 \( \text{in calcite}, \text{e.s.r.} \) 7=2189
As\_0\( \text{s}\_3 \) \( \text{s}\_4 \) \( \text{L}\_2 \) \( \text{cyst. struct.} \) 7=4577

As<sub>2</sub>O<sub>5</sub>, 7<sub>3</sub>n<sub>2</sub>O, cryst. Situdt. [==317]
As<sub>2</sub>S<sub>3</sub>, absorption fundamental edge in glassy state,
Ag impurity effect 7=8374
As<sub>4</sub>S<sub>4</sub>, mobilities of electrons and holes obs. 7=11586
As<sub>5</sub>S<sub>5</sub>, optical props. 7=18215
Assistors. See Semiconducting devices; Resistance, electrical.

Association

BF<sub>3</sub>, dimers in Ar matrices 7=1220

atomic to molecular ions in ionc-atom triple collisions calc. 7=10609

metastably bound molecules contribution to 2nd virial coeff. 7=17202

liquids

See also Colloids.

benzene-methyl alcohol, rel. to second viscosity in critical region 7=4336

chloroform, with thiophene and triethylamine, effect on reorientation rate 7=14034

dioxane-water solns.,u.s.absorpt. 7=7075
rhodamine dyes in polar + nonpolar solvents,rel.to
luminescence conc.quenching 7=10852
LiI in p-dioxane-H<sub>2</sub>O mixtures 7=7110

3-methylpyridine water solns., by spin-echo and i.r. spectra 7=14037

Na acetate soln., ion assoc. 7=14084-5

Astatine

No entries Astatine compounds

No entries Asteroids. See Planets; Solar system.

Astigmatism. See Aberrations, optical. Astronautics. See Space research.

Astronomical instruments

See also Radioastronomy; Telescopes/astronomical. developments in France  $7{=}3223$ 

heliograph, monochromatic, at Mitaka, for solar flare obs. 7=8979 intensity interferometer for angular diameter of stars, correlation determ. 7=2644 intensity interferometer for angular diameter of stars, principles 7=2643

rocket, i. r. night-sky radiation upper limit obs. 7=12127 sensitivity meas. by starlike images prod. in

laboratory 7=12126

solar, H $\alpha$  limb patrol system 7=8982 spark chamber for  $\gamma$  7=629

spectrometer, Ebert-Fastie plane reflection grating 7=18423

spectrometer, rapid scanning photoelec.system 7=5512

stellar diameter measurement, by Michelson interfero-meter 1-km 7=8797 u.v.polarimeter for high altitude balloons 7=18424 X-ray spectrometer, slitless, for 2-10Å 7=8791

Astronomical observations

See also Radioastronomy.

accurate data on comets, minor planets and satellites 7=5583

Airy-Simms eyepiece for neutralizing atm. dispersion 7=18420

balloon telescope optics 7=18421

characteristic curve wavelength dependence 7=15631 colour photographs of objects 7=15629

extended source isophotes meas, earth's atmosphere scatt. calc. 7=8792

frequency secondary standard 7=2762

geocentric latitude reduction to sea level 7=8598

Hawaii, observatory site, meteorological considerations 7=12128 infrared night-sky radiation upper limit obs. by rocket 7=12127

lunar international laboratory conference, Athens, 1965 7=18459 lunar meteorological observatory for studying Earth, projected 7=18357

lunar scientific laboratory, research and system requirements 7=18460-1 observatory on moon, projected 7 =18464

photography, wide-latitude developer 7=15630 photometry of elliptical galaxies 7=2682

photometry, photographic, colour eqns. 7=18419

physics programme for lunar laboratory 7=18463

Astronomical observations-contd

'point' source, size 7=12694

proper motions, reduction of relative photographic to absolute 7=5515

quark detection possibility 7=16413 sensitivity meas, by starlike images prod. in laboratory 7=12126

space balloon payload orientation system 7=8775 stars, distances and mass from grav. lens effect stars, 36, trigonometric parallaxes obs. 7=5513

sun, short-wavelength, from moon 7=18472

tangential velo. meas. using transverse Doppler effect 7=8793

u.v.polarimetry using high altitude balloons 7=18424 He $^3$  sources methods 7=8868

Astronomical spectra

See also Atmospheric spectra; Cosmic radiations, radio-frequency; Stars/spectra; Sun/spectra; and

other individual astronomical bodies.

galactic disk, 12.8 $\mu$  luminosity 7=5562

Reya-Seki (1965f), NaD<sub>2</sub> line, polarization 7=15783 line absorpt. coeff. in blanketing effect computation 7=5705 nebulae, gaseous, escape of Lyman-line radiation 7=5652

quasar absorption lines of equal wavelengths obs. 7=12192

quasar 0237-23 redshift and absorption 7=12198-9 quasars colors rel. to red shifts 7=8894

quasars, four, scanner obs. 7=8897

quasars red shift mechanism 7=5577

quasars shifts calc. in ejection from near galaxies model 7=5575

quasars, 16 new obs. 7=12196 quasars, 20 new obs. 7=12195

quasar 3C345 Mg II optical var. mechanism 7=8898 3C191 quasar absorption spectrum interpretation 7=5581 3C9 absorption obs. 7=18455

radio source CTA-102 7=8899

Saturn's ring, i.r. emission, ice hypothesis rejection 7=5593

Zeeman effect studies 7=12130

Astronomical telescopes. See Radioastronomy; Telescopes/ astronomical.

Astronomy and astrophysics

See also Cosmology; Radioastronomy. evidence for direct e $\nu$  weak interaction 7=8811

extended source isophotes meas., earth's atmosphere scatt. calc. 7=8792

and gravitational monopole radiation 7=8893 light scatt.in 1-D nonstationary medium 7=12393

magnetic field confinement, energy principles theory 7=12522 neutrino synchrotron radiation and its significance 7=16519 pulsating collapse viewed by external observer 7=8780 quasars luminosity fluctuations relativistic limits rel. to

local ejection model 7=12190 spherical gaseous masses, stability, Schwarzschild's

criterion 7=5499 3°K blackbody radiation, and leakage lifetime of cosmic ray electrons 7=10051

3C273 luminosity var.possible randomness 7=18457 Tonantzinfla catalogue of blue stars, nonstellar objects 7=12201

X-ray sources, spectra 2-60 keV 7=8784 He³ sources and obs. methods 7=8868

Atmosphere

See also Air; Electromagnetic wave propagation/  ${\tt atmosphere}; {\tt Ionosphere}.$ 

EAS transitions obs. 7=16664 earth outgassing 7=8605

energy dissipation rates, eddy fluxes of heat, momentum and kinetic energy obs. 7=8631 flux-gradient relationships near ground, dimensional

approach 7=8630

plane wave propag. in layered medium, dynamic programming appl. 7=9148 radiation fluxes due to water vapour, by emissivity

calc. 7=15518 Reynolds' equations under unsteady conditions and

implications for micrometeorology 7=8628 shock-wave structure in gas containing ablating particles 7=17190

spatial spectral functions decomposition in time domain 7=5369

stratosphere and lower mesosphere, meteorological rocket network 7=11982 stratospheric oscillation, biennial and eddy fluxes 7=8648

stratospheric radioactive materials, numerical models of diffusion and rainout 7=15502 stratosphere, X-ray photons, density and energy 7=3696 thermosphere, lower, structure and night airglow obs. 7=18382

troposphere, spectra of clear-air turbulence, 6-12 km 7=11997

tropospheric tropical disturbances and equatorial spread-F 7=8746

Atmosphere-contd v.l.f. meas., Sao Paulo 7=15590 water vapour  $\nu_2$  band at 400 and 540 K, line widths and intensities obs. 7=15525weather rel. to sunspots, note on sampling methods and data treatment 7-8975
whistlers occurrence rel. to max. and min. solar activity, obs. 7-5388  ${
m N_2}$  and N, metastable states quenching by atmospheric particles  $7{=}10437$ O2 and O, metastable states quenching by atmospheric particles 7=10437 composition aerosols, light scatt. obs. to 70 km 7=5374 albedo neutrons meas. 7=15572 auroral particle precipitation general pattern 7=15564 auroral zone protons 7=5407 chemical evolution rel. to Venusian 7=15474 chemistry conference, Visby, Sweden, 1965 7=11989 dust layer at 80 km rel. to stellar extinction, Gemini 9 obs. 7=15475 and earth degassing of He, Ar 7=8604 effect on conductivity of ZnO powder 7=14973 electron precipitation, ionization and excitation 7=5379 electrons, energetic, correl. with mag.fields on IMP 1 satellite 7=2564 electrons, low-energy, spectrum meas.on IMP 2 7=2545 gases, behaviour of slow electrons 7=17030 ion, 225-1400 km, at solar min. winter and summer, radar obs. 7=12061 ionosphere at equator obs. 7=5417 isotopic, in precipitation, contaminants meas. 7=12002 layer of anomalous ozone and dust 7=8639 neutral, 100-200 km 7=12028 ozone, apparent variation at night 7=8637 ozone, content and distrib., from u.v. solar rad. spectrum, model 7=12004 ozone, horiz. and vertical distrib. in 1963 7=11992 ozone, latitude distrib. above 35 km, satellite meas. 7=8638 ozonesonde for rocket flight 7=11991 plasma conc. from magnetosphere toroidal fluctuations obs, 7=5396 radiation equilibria due to ionizing radiation or u.v. light 7=15774 stratosphere, lower, CO<sub>2</sub> content, space and time variations 7=15479 and thermodynamic equilibrium calc. 7=12226 troposphere, CO<sub>2</sub> content, space and time variations 7=15479 upper, ions, rel. to photochemical equilibrium 7=12027 upper, O atom densities, by wind tunnel simulation of NO releases 7=12030 visibility and small-ion density 7=2527

Be<sup>7</sup> and P<sup>32</sup> at ground level 7=15482 C<sup>14</sup> conc. in troposphere, variation, 9°N-78°N 7=15484
C<sup>14</sup> variations 7=18361
CH<sub>4</sub> in troposphere and lower stratosphere to 23 km, meas. 7=15483 meas. 7=15483 CO<sub>2</sub>, regulation 7=15481 H, neutral, in upper atmosphere, total content obs. 7=12029  $\rm H_2$ , T and D analysis 7=18360 H<sub>2</sub> from thermonuclear explosions, T and D tracers 7=18359 He escape var. due to mag. field var. 7=8690 Hg-organic dusts and vapours, detection 7=2510  $\rm N_2, 100-200~km$  7=12028  $\rm N_2, regulation$  7=15481 Na, estimation from dayglow emission 7=8703 Na, upper-atmospheric stratospheric warnings 7=15553 NO conc. in D-region 7=2581 NO\* in upper atmosphere, laser meas. 7=18376 NO<sub>3</sub> conc. and thunderstorm electrification 7=5378 N<sub>2</sub>O content 7=15478 O allotropes, 20-100 Km layer, photochem. model 7=15480 O, concs. above 120 km, expt. data anal. 7=12031 O, photochemical equilib., above 120 km., theory 7=12032 O<sub>2</sub>, O, 100-200 km 7=12028 O2 accumulation, primordial time to present 7=15476 O<sub>2</sub> accumulation, primordial time to present 7=15476
O<sub>2</sub> molecules, photochemical formation and electronic excitation 7=15520
O<sub>2</sub>, regulation 7=15481
O<sub>3</sub> local distrib. theory 7=5375
O<sub>3</sub>, vertical distrib. up to 58 Km, rocket obs. 7=8636
P<sup>32</sup> and Be<sup>7</sup> at ground level 7=15482 Pb particles in air, technique for detection 7=11990 Pb<sup>210</sup> conc. relative to Po<sup>210</sup> 7=15486 Rn and decay prods., lower, continuous meas. 7=15491
Rn decay prods., short-lived, temporal and spatial
variations, lower 7=15493  $\rm Rn^{220}$  content, meteorological influences 7=15488  $\rm Rn^{220.222}$  continuous meas. 7=15490 Xe, from solar wind 7=15477 Xe<sup>133</sup> meas. 7=15492

Atmosphere contd humidity See also Humidity. condensation nuclei distribution in free atmos.over European USSR 7=15487 cosmic ray nucleons, absorption by water vapour 7=10061 equivalent temperature tables at standard levels 7=18354 stratosphere, 22.235 Gc/s emission line 7=2512 ionization. See Atmospheric electricity; Ionization, atmosphere; Ionosphere. movements See also Wind. aerosol distribution radioactive over oceans; lat. exchange in tropical zone 7=15539 artificial ion clouds in upper atm. 7=15555 barotropic basic flow, stability in stratified atm. 7=8646 between stratosphere and troposphere, by Ru and Mn isotopes 7=11995 biennial oscillation in equatorial troposphere 7=15506 circulation epochs and climatology analysis 7=11983 circulation, 15-75 km, and effect on movement of tracers 7=15500 concentration fluctuations in turbulent diffusion 7=13965 in conference on atmos. chemistry, Visby,
Sweden, 1965 7=11989 convective flow, effect of horizontal shear, expt. 7=10718 convective mechanism in clear air 7=8650 convective vortex over horizontal surface with nonuniform temp. 7=8651 descent of particles into lower stratosphere, photophoresis 7=15494 diffusion, simulating large scale 7=13997 drop coalescence enhanced by elec. fields in equilib. with turbulence 7=15510 dynamic stability problems, finite difference approximations 7=15497 dynamics of atmos. and oceanic boundary layers 7=8653 80-100 km, radar meteor obs. 7=15554 frontal wave growth, in two-layer model 7=11999 gravity-shear waves, internal 7=2514-16 gravity waves, internal, propagation 7=2518 gravity waves in realistic atmos. 7=2517 instability of Ekman boundary flow 7=6939 instability of laminar Ekman boundary layer 7=6938 ionosphere, acoustic-gravity wave modes from range-time data 7=5439 ionospheric drift 7=5463 ionosphere drifts meas. by spaced receivers, inter-pretation 7=5449 ionosphere E and F drifts near equator obs. 7=5458 ionosphere E and F horizontal drifts in equatorial electrojet region obs. 7=5457 ionosphere sporadic E equatorial irregularities h.f. obs. 7=5453 lowest layer, Lagrange correlation and Euler's space and time correlation functions 7=18363 magnetosphere, geomag. and ionospheric effects 7=5400 mean and eddy kinetic energy spectra, 0-50 km 7=8647 optical aperture-gain loss due to turbulence calc. 7=5386 optical radar meas, of turbulence using λ/2 Kerr cell ruby laser 7=5376 ozone as tracer, in Southern Hemisphere 7=18362 shallow rotating atm., eqns. of motion 7=8641 solitary wave soln. with arb. wind and density profiles 7=2519 storms, convective balance level 7=8652 stratosphere, circulation studies using radioactive tracers 7=15501 stratospheric investigation with  $Cd^{109}$  and  $Pu^{238}$  7=18356 stratospheric tidal circulations 7=8649 stratospheric tidal jet 7-8645 stratospheric solar response 7-2521 surface frictional velocity, effect of velocity shear 7=15498 thermal convection, dielectric liquids model 7=2513 thermosphere, lower, semidiurnal tide 7=11998 thermosphere, two-dimensional dynamic model of diurnal var. 7=8696 tide, diurnal, thermally driven, review of theory 7=15503 tides in meteor zone 7=8697 tracer, artificial radioactivity in Southern Hemisphere 7=18362 turbulence, acoustic spectral densities meas. 7=2915 turbulence, clear air, near jet-stream 7=2520 turbulence, laser beam obs. 7=18364 turbulence rel. to daytime seeing 7=15523 turbulent diffusion in model 7=8642 turbulent kinetic energy rel.to jet streams, cyclone tracks and ocean currents 7=2522 turbulence, light beam fluctuations prod. calc. 7=15522 turbulence in meteor region  $\,$  7=15556  $\,$ turbulence parameters meas.by laser, feasibility 7=15495

# Atmosphere-contd

movements-contd

upper atm., rotational speed 7=8694 vertical stability influence of horizontal temp. gradient 7=15496

volcanic dust in Southern Hemisphere 7=18362 vortex eqns., similarity solns., unstably stratified atm. 7=15499

waves, and ionospheric disturbance 7=2588

#### precipitation

See also Ice; Rain; Snow.

contaminants, radioactive and isotopic, meas. 7=12002 drop coalescence enhanced by elec. fields in equilib. with turbulence 7=15510

droplet growth from giant salt nuclei in ascending air below cloud base 7=8657

electrons, ionization and excitation 7=5379

haze and fog aerosol distrib. 7=8669

homogeneous aerosol, precip. pots. 7=14140 ice nucleation in cold and dry air 7=8661

natural aerosols, charge and mobility 7=8670 radar obs. of phase struct from polarization 7=8664 raindrops and ice crytals, meas of radioactivity 7=8686 statistical theory 7=12001

theory of condensation nuclei 7=8660

thermal, and particle conductivity 7=10882 thoron decay prod. in surface layer, washout 7=15547  $NO_3$  conc. and thunderstorm electrification 7=5378

Rn, decay prod. in surface layer, washout 7=15547

radiation belts

dust cathode scatt. in proton zone 7=8724 effects on photoelectric imaging system obs. 7=8774 electron acceleration by ionosp. current variations 7=8721 electron intensities, temporal variations, satellite obs. 7=12058

electrons, 5-160 keV, satellite meas. 7=12060 electrons in magnetosheath 7=5402

electrons, trapped, correl. with mag. tail field 7=8722 inner, fluxes and energy distrib. of trapped e and p
 at lower edge 7=2563

and magnetic storms in Feb. 1964 7=5415

magnetosphere, distrib. of trapped electrons, effect of dynamo-elec. field 7=15570

outer, low-energy electron intensities during geomag. storms 7=5416

outer, particle intensity var., Cosmos 41 meas. 7=12059 outer, satellite obs. at low altitudes 7=15571

outer-zone particles, adiabatic motion in geoelec-geomag. model 7=8723

protons, equatorial, 0.5-4 MeV 7=5414 ring current effects on trapped particles 7=2562 Van Allen, investigation by satellites on equatorial orbit 7=5413

Van Allen zones, formation 7=5398

#### radioactivity

See also Fallout.

aerosol removal, parameter determination 7=18374  $\alpha$ -active isotopes, pulsed ionization chamber meas. 7=5392 condensation nuclei, radon and thoron decay

prods. 7=15544

debris, from nuclear explosions, meteorological study of course 7=15540

diffusion of debris in troposphere, model 7=8683 fallout monitor for long lived  $\beta$  activity 7=2535

γ activity on particles radius < 2.10 ° cm at ground level 7=15545

 $\gamma$ -ray scatt., air-ground effects on exposure from elevated sources 7=16497

ray scatt. near air-ground interface, theory 7=16491 global circulation of nuclear matter from May 14, 1965 explosion 7=8681

ionization intensity variations near ground, prod. by "\$\alpha" and "\$\gamma" radiations 7=15543

natural aerosols, charge and mobility 7=8687 natural aerosols, charge and mobility 7=8670 nuclear debris, particle props., 8-12 km 7=15541 of precipitating raindrops and ice crystals, method of meas. 7=8686

precipitation, particulate contaminants meas. 7=12002 radioisotopes, short-lived, cosmic ray prod. in troposphere rain anal. 7=15542

stratospheric mixing processes, investigation by decay prods. 7=18355

stratosphere, transport and fallout of radioactive debris 7=15538

Sumner long-term recorder, attachment integrating a radiometer output 7=5370

thoron decay prod.conc.in surface layer, diurnal variations and washout 7=15547 thoron and radioactive daughters, meas. of diffusion in lower layers 7=15546

AcC identification in  $\alpha$ -radioactivity 7=12020 C<sup>14</sup> conc. In troposphere, variation, 9°N-78°N 7=15484 C14 isotope production by n and  $\gamma$  from cosmic sources obs. 7=5393 Atmosphere - contd

mosphere — cohu radioactivity — contd I<sub>2</sub> vapour, snow and rain wash-out coefficients 7=2534 P isotope production by cosmic rays 7=637 Pb<sup>210</sup> tracer, neve layer dating of Antarctic

continent 7=15489 Rn daughter ions, and dec. props. 7=15548

Rn decay prod. conc. in surface layer, diurnal variations and washout 7=15547

Rn and decay prods., lower, continuous meas. 7=15491

Rn decay prods., short-lived, temporal and spatial variations, lower 7=15493
Rn, and radioactive daughters, meas. of diffusion in

lower layers 7=15546

Rn<sup>220</sup> content, meteorological influences 7=15488 Rn<sup>220</sup>.<sup>222</sup> continuous meas. 7=15490 T post 1960 increase 7=8685

Xe133 obs. 7=15492

#### structure

aerosol, particle spectrum determination by light scatt. 7 = 15519

ozone, latitude distrib. above 35 km, satellite meas. 7=8638  $\rm O_2$  and  $\rm O_2 - N_2$  complexes rel.to surface layer transparency in 2800-2300 Å  $\,$  7=12010

 $O_{\rm s}$ , transport processes 7=15485 from Rn<sup>220</sup> measurements below 50 cm 7=11993

#### temperature

above 100 km 7=15551 air, local acoustic meas. method 7=18358 amplitude maintenance of var. along latitude circle 7=15472

daytime temperature profiles 7=8632 equivalent temperature tables at standard levels 7=18354 i.r. irradiance estimation, radiometersonde temp. errors 7=15516

ionosphere electrons calc. rel. to thermosphere probe data 7=18389

ionosphere at equator obs. 7=5417

measurement from meteors photographic obs. 7=5394

model thermosphere, seasonal and latitudinal variability 7=15550

perturbations, decay by thermal radiation 7=8634

profiles in lapse conditions 7=8643 profile to 30 km 7=18366

pulsations, structure function in turbulent atm. 7=11984

radiative heating rates rel. to evolution of macrocirculation processes 7=8635

seasonal variations at Woomera, 40-90 km 7=5373

stratosphere, zonal harmonic analysis 7=11987 structure characteristics obs. 7=12023

rel. to sunspots, comment and reply 7=11988 26-month oscillation 7=8655

vertical stability influence of horizontal temp.
gradient 7=15496

 ${\rm CO_2}\,15\mu$  band spectrum thermal radiation temp. distribution 7=11985

# thermodynamics

counter-gradient heat flux 7=8644

earth radiation scattering through atmospheric layers obs. 7=2511

equilibrium rel. to composition calc. 7=12226 heat transfer and general circulation 7=18352

model thermosphere, seasonal and latitudinal variability 7=15550 temperature of surfaces exposed to sky, shape

effects 7=8633 thermospheric energetics, rel. to geomag. Kp anomalies and radio aurorae 7-15473 vertical heat flux model, rel. to kinetic energy generation 7-11986

#### upper

albedo neutrons meas. 7=15572 atomic and molecular processes, symposium,

Tokyo, 1965 7=12025

bremsstrahlung flux caused by energetic electron

precipitation 7=18375 conductivity, elec., corrected eqns. 7=12057

cosmic ray electrons, secondary, flux and energy spectrum 7=10063

density, Cosmos rockets orbits obs. 7=2537 density, relation to geomag. storms 7=8755

density, semi-annual variation 7=2536

disturbances caused by solar flare, polyphase aspects 7=15584 dust layer at 80 km rel. to stellar extinction, Gemini 9 obs. 7=15475

earth's dust belt, capture by sunlight pressure and air drag 7=12042

earth's dust belt, gravitational focusing and Jacobi capture 7=12040

earth's dust belt, lunar ejecta contribution 7=12041 earth's dust belt, perturbing forces calc. 7=12039

electron densities at Alouette II satellite obs. 7=12098

upper-contd

electron gas, thermal cond., neutral particle

correction 7=12024 electrons, low-energy, spectrum meas.on IMP 2 7=2545

electrons obs. by satellites, 10-20 keV 7=12026 exosphere, guiding of radio waves 7=5865 exosphere, guiding of whistlers 7=2546 exosphere, H density and temp., daily var., model 7=12044 generalized dynamo mechanism 7=8692

geomagnetic field interaction with solar corpuscular stream 7=2543

stream 7=2543 geomagnetic tail, electron spatial distrib. meas. 7=12037 hydromagnetic emissions, origin 7=8720 i.r. radiation, spectrum obs. 7=2565 ion formation intensity, 100-300 km 7=12064 ionic processes, rate constants 7=2570 ionic processes, rate consts. meas. 7=5395

m.h.d. resonantly unstable off-angle waves 7=17139

magnetic field components in solar-ecliptic coordinate system calc. 7=12045 magnetic field confinement, energy principles theory 7=12522

magnetopause, theoretical shape 7=5402

magnetosphere, annual variation in config. rel. to

polar mag.field 7=15559 magnetosphere boundary, shock wave exicted r.f. emission 7=12034

magnetospheric currents and N-S asymmetry of 7=2560

magnetosphere deform., rel. to changes in pc 5 periods 7=15606

periods 7=15000
magnetosphere, dipole model, adiabatic motions of charged particles 7=8695
magnetospheric dynamics, unified theory 7=2544
magnetosphere, hydromagnetic shock wave propag.
intensity decrease obs. 7=18377
magnetosphere, hydromagnetic wave propagation
obs. 7=2542

magnetosphere, hydromagnetic waves, collisionless damping 7=12033

damping 7=12033
magnetosphere, hydromagnetically trapped particles,
periodic drift 7=12036
magnetosphere, inner, inflation during mag. storm 7=5482
magnetosphere, inner, thermal plasma heating 7=18378
magnetosphere interaction with solar plasma,
review 7=8718

magnetosphere, interaction of solar wind 7=8700 magnetosphere interaction with solar wind 7=12043 magnetosphere, isothermal, fluctuations 7=5399

magnetosphere model, plasma intrusion obs. 7=171 magnetosphere, proton intensity meas. 7=5401 magnetospheric quiet phenomena rel. to geomag. tail

theory 7=15560

magnetosphere ring current mag. field calc. series 7=9350

magnetosphere satellite obs. 7=8699 magnetosphere, from satellite and space-probe meas. 7=5398

magnetosphere shape, effect of solar wind 7=12046 magnetosphere, steady-state mag.field in transition region between magnetosphere and bow shock 7=15558 magnetospheric tail instability and accel. of auroral electrons 7=15557

magnetosphere tail, intersection by Moon 7=12223 magnetosphere, temperature distribution 7=12035 main developments leading to present concept 7=12021 measurement of temp., press, and density from meteors photographic obs. 7=5394

micropulsation "nose whistlers", explanation 7=8725

model thermosphere, seasonal and latitudinal variability 7=15550 motion of artificial ion clouds 7=15555 movements, 80-100 km, radar meteor obs. 7=15554 neutral composition, 100-200 km 7=12028 neutral composition, purpose described from the composition of the

neutral composition, number density and temp., 120-200 km 7=2538

neutron latitude variation, fast, at solar min. meas. 7=8691 noctilucent clouds, review 7=12047

nuclear explosion fragments  $\gamma$  radiation, satellite obs. 7=12022

ozone distrib. at night 7=2539
particle injections into polar zone, two types 7=8719
photochemical equilibrium rel. to ion
composition 7=12027

photoelectronic processes obs. 7=18390

plasma conc. from magnetosphere toroidal fluctuations obs. 7=5396

plasmapause formation by magnetosphere convection and escape from tail 7=12038 radiation emerging from atm., balloon meas. 7=18379 ring current and polar electrojet, growth and decay 7=2561

rotational speed 7=8694

Atmosphere-contd

upper-contd

rotational speed rel. to changes in satellite orbital inclinations obs. 7=8693

shock wave from a release of gas at 230 km 7=8698 solar ionizing radiation effects during twilight 7=8707 solar wind bow shock near earth theory 7=17062 stratosphere, equatorial, and lower mesosphere, zonal winds 7=2541

temperature above 100 km 7=15551

temperature of electrons calc. rel. to thermosphere probe data 7=18389

theory of differential absorption equation 7=8717 thermometry, sonic 7=15549

thermosphere, two-dimensional dynamic model of diurnal var. 7=8696

durnal var. 7-3030 tides in meteor zone 7-8697 turbulence characteristics rel. to spectral density fluctuations obs. 7-12023 turbulence, energy balance 7-2540 turbulence in meteor region 7-15556

whistler mode dispersion theory 7=16120 wind meas. by Na cloud drifts 7=5397 H, neutral, total content obs. 7=12029

He escape var. due to mag. field var. 7=8690

Lii 6708 A line, in twilight airglow, enhancement due to thermonuclear explosion 7=12049

N<sub>2</sub> conc., 100-200 km 7=12028 NO\*, laser meas. 7=18376

Na and stratospheric warnings 7=15553

Na and strategy of the strateg

Atmospheric acoustics

# No entrie

Atmospheric disturbances. See Atmosphere/movements; Thunderstorms

Atmospheric duct. See Electromagnetic wave propagation.

Atmospheric electricity

See also Atmosphere/radioactivity; Atmospherics; Aurora; Electromagnetic wave propagation/atmosphere; Ionization, atmosphere; Ionosphere; Lightning; Thunder-

auroral zone, 400 keV electron precipitation 7=8714 charge density, absolute meas. 7=15527cloud droplets, charged, collision efficiency in electric fields 7=4322

conductivity, lower atm. effect of radioactive fallout 7=15537 drop coalescence enhanced by elec. fields in equilib. with turbulence 7=15510

electrode effect, theory 7=2529 electrode effect, var. of ionization with height 7=15526 electrojet, equatorial and word-wide Sq currents 7=15569 equatorial electrojet fluctuations rel. to geomag.

var. 7=5479

equatorial electrojet night reversal, radar obs. 7=5412 field-change compensation for air-earth

conduction 7=2528

ice sphere electrification by moving through clouds 7=8672 and magnetic disturbances at middle latitudes 7=5489 magnetospheric currents and N-S asymmetry of S 7=2560

meteor streams, influence on elec. field 7=12013 potential gradients, effect of solar eclipse 7=18371 potential gradient in polar regions and solar emission 1000 Mc/sec 7=15528

potential gradients above thunderstorms  $\ 7{=}8675$  research and applications  $\ 7{=}5387$ 

ring current and polar electrojet, growth and decay 7=2561 space charge over sea 7=8625

Van Allen belt, 5-160 keV electrons, satellite meas. 7=12060

Rn daughter ions 7=15548

Atmospheric optics

See also Airglow; Sky brightness; Sunlight; Twilight. absorption, 2100-2700 cm<sup>-1</sup>, balloon obs. 7=18366 aerosols, light scatt. obs. to 70 km 7=5374

Airy-Simms eyepiece for neutralizing atm. dispersion 7=18420

aperture averaging of scintillation, fluctuations due to turbulence obs. 7=18367 aperture-gain loss due to turbulence calc. 7=5386

beam in turbulence, statistics calc. 7=15522

daytime, rel. to turbulence 7=15523

distorted wave front, optical heterodyne detection, theory 7=16218 extended external source scatt. calc. rel. to isophotes meas. 7=8792

haze and fog aerosol distrib. determ. 7=8669 i.r. irradiance estimation, radiometersonde temp.

errors 7=15516 image quality, dependence on horizontal range 7=2526

#### Atmospheric optics-contd

infinite plane wave propag, in turbulent medium 7=12008 laser beam freqn. spectra, due to turbulence,  $6328 \text{\AA} \ \ 7{=}5384$ 

laser beam scintillation, log-amplitude variance obs. 7=18369

laser beam, spectrum, wavelength depend. 7=15521 lateral colour aberration of images, compensation 7=12012 light propagation, strong intensity fluctuations 7=8674 light scattering by cloud layers 7=15513

log-amplitude covariance and phase-structure function for spherical wave propag, in turbulent medium 7=18368 optical radar meas, of turbulence using  $\lambda/2$  Kerr cell

photophoresis, descent of particles into lower stratosphere 7=15494

power pattern of circular aperture, effect of turbulent medium 7=12009

radiative transfer in Doppler-broadened line, semi-

infinite atmos. 7=12006 resolution, limiting, looking down through atmosphere 7=5385

resolution through randomly inhomogeneous medium for very long and very short exposures 7=323 Rytov approx., test 7=18370

ruby laser 7=5376

in satellite communication by laser, refraction effects calc. 7=5494

solar radiation above 3000 m, lack of variations 7=12005 spectrum of aerosol by light scatt. obs. 7=15519

stratification of attenuation components in strato-sphere 7=18365

sun radiation, reflected, 2250-3070 Å, Cosmos-65 satellite meas. 7=12011

surface layer transparency in 2800-2300 Å, O2 and O2-N2 complexes effect 7=12010

solar models, blanketing approximations 7=5609 thermal and radio emissivity contrasts 7=15466 turbulence parameters meas. by laser, feasibility 7=15495 turbulent atmos., multiple scatt. of light 7=12007

visibility and small-ion density  $7{=}2527$   $H_2O$  droplets light scatt., glory, Mie theory calc.  $7{=}3273$ NO2, chemiluminescent radiation during PCA

events 7=18380 Atmospheric pressure and density

absolute density from spin and orbital decays of Explorer VI 7=8689

exospheric densities from orbit of Echo 2 7=8688 measurement from meteors photographic obs. 7=5394 seasonal variations at Woomera, 40-90 km 7=5373

## Atmospheric spectra

See also Atmospheric optics.

auroral H profiles, red shift rel. to pitch-angle distrib. 7-8715

ionosphere, magnetic dipole transitions of neutral constituents, intensity 7=8728

stratospheric water-vapour, 22.235 Gc/s emission line 7=2512

u.v., solar, rel. to atmospheric ozone content and distrib. model 7=12004 Ca\*, 3968 and 3933 Å lines, twilight obs. 7=12048

LiI 6708 Å line, in twilight airglow, enhancement due to thermonuclear explosion 7 = 12049  $O_2$  microwave emission 7 = 10515

## Atmospherics

a.f. spectrum at large distances 7=5390 lightning corona currents, e.l.f. emission 7=15531 micropulsation "nose whistlers", explanation 7=8725 noise, crossing-rate distribution 7=2530 propagation in Earth-ionosphere waveguide 7=12016 propagation and geographic asymmetries, < 10 kHz, effects of Earth's mag.field in ionosphere 7=18372
satellite obs. of low hybrid resonance noise 7=15386
spectral analysis, rel. to v.l.f. transmission loss 7=15582
VLF chorus, correl. with cosmic noise absorpt. 7=15530
v.l.f. emission, 1. 5-3 kc/s, at conjugate points 7=12018
whistler disparsion is low latitude disparsion.

whistler dispersion, in low latitude, discontinuity in diurnal var. 7=12017 whistler mode dispersion theory 7=16120 whistler mode, l.f., calc. 7=13874 whistler, same radioelectric, reception at two

points 7=5431 whistlers during IGY and IQSY at low latitude 7=15532 whistlers, in exosphere 7=2546 whistlers reception method 7=5389

## Atomic beams

See also Particle velocity analysis alkali metal beams, 6 to 4000 eV 7=4048 alkali metals, optical pumping rates calc. 7=6557 apparatus for detection of low-density beams 7=938 apparatus for 10° to 10° eV energy beams 7=16922 crystal surface specular reflection conditions rel. to defects 7=7255 deflection in cylindrical deflection systems 7=10454 Atomic beams-contd

energy distrib. of energetic atoms in gaseous medium 7 = 15451

inert gases, ang. distrib. of elastically scatt. electrons 7=10443 ioniser for polarised ions production 7=16083

light atoms passage through films of heavy elements, theory 7=4046

magnetic resonance techniques, review 7=10455 metals, electron impact ionization functions, meas. 7=17012

proportional counter for keV 7=3055
Ramsey resonance, mag. field depend. 7=4049
scattering from Ag (111) plane 7=1258
scattering cross-sections, potential-well characts. 7=13698

spectrophotometer for solar SrA4607 line oscillations obs. 7=15816 Ag, elastic scatt with electrons 7=6579

Ar, 1-20 keV, secondary electron emission by Be, CuBe, Cu and Al 7=5118

Be9(1s22s2p)3P states h.f.s., atomic beam mag. resonance obs. 7=10403

Cs clock freq. shift by conducting plate confinement search 7=9880 Cu<sup>63,65</sup>, h.f.s. determ. 7=824

H, ionization by electrons and resonant charge exchange, accelerated, calc. 7 = 6808

H, metastable, and ionization 7 = 10395

H, polarized, focusing and separation by periodic mag. field 7=5874

He, one-electron loss in gases, metastable  $\,$  7=13835 He-He interaction below 1.1 Å  $\,$  7=10451  $\,$ 

K, reactive scatt. with oriented CH, I mols. 7=6747 K, source, hyperthermal energies 0.3-20 eV 7=4050

 $K^{39},$  Ramsey resonance, mag. field depend. 7=4049 K-Hg scatt., interatomic potential determ. 7=847 Li-Hg total cross-sections, glory extrema 7=13699

Atomic clocks. See Time measurement.

Atomic frequency standards. See Time measurement.

Atomic mass and weight

See also Isotopes; Mass spectra. Mg, and isotopic abundance 7=16923

Atomic orbitals. See Atoms/structure; Orbital calculation methods

Atomic scattering factors. See Crystal structure, atomic; X-ray crystallography; X-ray scattering. Atomic spectra. See Spectra/atoms.

Atoms

See also Atoms, mesic; Elements; Nucleus; Positronium. alkali, interactions with metal, theory 7=14282 coherently illuminated, images in electron microscope with zone-plate correction 7=16073 collision with diatomic mol., quantum mech. 7=6743

collision, inelastic, energy transfer and crosssections 7=4039

Compton effect on K-electrons 7=3501

configuration of equiv.electrons, terms obtained 7=13667 Coulomb field accuracy from Lamb shift 7=10384 cut-off wave frequency 7=17535

disordered chain, energy spectrum, LCAO calc. 7=4426 e.s.r.of free atoms stabilized at low temps. 7=13705effective cross-section of depolarising collisions from

degree of polarisation meas. 7=10445 eigenfunctions, in one-electronic approx.theory 7=10386 electric polarizability, perturbation theory in Coulomb approx. 7=3996

inert gases, repulsive interaction potentials 7=13697 interaction with metal, one-electron transition matrix elements 7=14283

interactions with metals, field ionization calcs. 7=15105 ion-atom inelastic collisions, cross-section 7=13696

ionization, in varying electric field 7=13822 L and M subshells, form factors and X-ray prod. 7=6516

long-range forces, correl. between exchanging electrons 7=10370

many-electron, oscillator strengths 7=823 mean powers, sum rule and transition integrals appl. 7=814 metal atom clusters, electron in box theory 7=10472

mixture, arbitrary, LCAO method 7=9654 molecule scattering, amplitude density functions method 7=12764

photoabsorption cross sections obs. 7=13694 polarizabilities calc. in many-body perturbation theory 7=6549

relativistic interaction energies between atoms in degenerate states 7=6589

resonance fluoresc., effect of impurity gas on polarization 7=16898
S-state, shielding factors and uniform-elec.-field quadrupole polarizabilities 7=6507 scattering, classical and semiclassical impact expansions 7=842

Slater-type orbitals, Gaussian expansions 7=10381 statistical theory, rel. to solids eqns. of state 7=11230 stopping, review of post 1960 developments 7=4047

Atoms-contd

electron scattering-contd

```
SUBJECT INDEX
Atoms-contd
        in 3d- and 4d-elements, core polarization 7=8089
        three-electron atomic integral, reduction 7=6518
        two-electron, energy value calc. 7=3519
        two-level, noninteracting medium, transient oscs, due to intense light pulses 7-13686
        X-ray absorption cross-sections calc. for 10 wave-
lengths 7=16899
         Ar, two, interaction potentials rel. to electron
             distrib. 7=4041
         C, coherent scatt. length for free neutrons 7=9989
         C, Fourier maxima, temp. factor and cutoff effect 7=17498
         Cl, coherent scatt. length for free neutrons 7=9989
Cl, radiative recomb. in shock waves 7=16975
         Fe, in Pd, hyperfine field, spin degeneracy of giant
             moment 7=5209
         H, coherent scatt. length for free neutrons 7=9989
         H, Coulomb field and nonrelativistic quantization 7=13673
        H, ground state, rel. to lower bounds to energies for Gaussian wave functions 7=6527
H, n-n' transition induced by electron impact 7=4036
H, spin-change collisions 7=4042
H, 2S<sub>1/2</sub> metastable state as source of polarized negative ions obs. 7=10395
H<sub>2</sub>: lower bound energy 7=6525
         He dipole polarizabilities of 2<sup>3</sup>S<sub>1</sub> and 2<sup>1</sup>S<sub>0</sub> states calc. 7=6534
         He, e* annihilation 7=839
         He, intermolec. potential 7=6752
         He, metastable, self-diffusion effective cross section temp.var. 7=996
          He, phase mechanics, mathematics 7=16901
         He, singlet state, self-broadening and radiation width 7=4002
          He(2°S) + He(2°S) reaction cross-section 7=845
         He-He interaction energy at small internuclear distances 7=10449
         He-He repulsion, one-centre calc. 7=10450
K-Hg, interatomic potential 7=347
Lit dipole polarizabilities of 23S<sub>1</sub> and 21S<sub>0</sub> states calc. 7=6534
Lit, momentum eigenfunction 7=5265
         of Ne config., dipole and quadrupole polarizabilities, and shielding factors 7=13669
          O, polarizabilities calc. in many-body perturbation
              theory 7=6549
         O2- in MgO, X-ray form factors theory and obs. 7=14391
Pb, K electrons y incoherent scatt, at 662 keV 7=10415
Rb, spin-exchange cross-section, maser expt. 7=13704
Rb<sup>85</sup> electric dipole moment upper limit, optical
          pumping obs. 7=10439
Sm, K electrons \gamma incoherent scatt. at 662 keV 7=10415
Sn, K electrons \gamma incoherent scatt. at 662 keV 7=10415
Ta, K electrons \gamma incoherent scatt. at 662 keV 7=10415
      electron scattering
          e-H, ang. dependence of resonance structure 7=6582
          e--He, phase shifts for different ang. momenta 7=6576
           elastic, iteration and iteration-variation methods 7=4034
          electron correl effects in diffraction 7=6575
excitation of resonance lines, cross. meas. 7=10433
in gases by other atoms, excited levels widths and
densities 7=6554
          Hartree-Fock, low-energy elastic scatt. calc. 7=6580 inert gases, cross-section calc. from statistical electron density distrib. 7=10401
           inert gases, elastic, ang. distrib. 7=10443
ionization 7=4161
           ions of 3p3 configuration, excitation calc. 7=16915
           metals, ionization functions, meas. 7=17012
           optical model, imaginary part 7=4014 polarization of line radiation 7=10422
           by potential with long-range r-4 tail 7=6576
           resonances due to metastable auto-ionizing states
               calc. 7=6578
           resonant scatt. by atomic system rel. to
autoionization, reveiw 7=10442
resonant states 7=806
           small-angle, cross-sections, validity of Born approx. 7=836
           Ag, elastic cross-section 7-e6577
Ag, elastic cross-section 7-e6579
Ar, liquid, effect on electron drift velocity 7=4383
Ar, spin polarization of 40eV electron beam 7=10443
           Ar, thermal electron cross-sections 7=6581
           Ar, total and momentum transfer cross-sections,
           comparison 7=6586
Ar-Cs discharge plasma obs. 7=6841
           Cs, cross-section for slow electrons 7=837
           Cs, excitation of resonance lines, cross. obs. 7=10433
Cs plasma 7=6841
            Cs, slow, cross-section 7=4035
           H, close-coupling approx. modification, long-range interaction 7=16919
```

H, by e\*, amplitude density functions method 7=12764 H-e' resonances calc. 7=6806

H, ionization, classical cross-sections calc. 7=4168

```
H, lower bound to reciprocal of scatt. length 7=6073
   H, s-wave phase-shifts variational lower bounds
       calc. 7=10444
    H in stars, contribution to line broadening calc. 7=15660
    He, elastic, iteration and iteration-variation
       methods 7=4034
   He, with excitation, 150-200 eV, 2900-11000Å 7=16916
    He excitation to 160 eV 7=4023
    He, with excitation, polarization of emitted light
       obs. 7=10429
    He, excitation, threshold structure 7=6583
   He, low-energy, modified optical-potential approach 7=6585
    He, lower bound to reciprocal of scatt, length 7=6073
    He, positrons, elastic, zero-energy calc. 7=6587
   ne, positrons, etastic, zero-energy calc. 7=6587
e-He, resonances rel. to angle and channel obs. 7=838
He, slow, variational treatment 7=4037
He, total and momentum transfer cross-sections,
comparison 7=6586
    He-Cs discharge plasma obs. 7=6841
    K, excitation to 4p level, initial energy var. obs. 7=10438
K, excitation of resonance lines, cross. obs. 7=10433
   N, bremsstrahlung absorption cross-section 7=13695
Na-free electron, spin-exchange collisions 7=6588
Ne, ten 2p levels excitation meas. 7=16918
   O, bremsstrahlung absorption cross-section 7=13695
O calc. 7=10629
    O, thermal electron cross-sections 7=6581
    Pb, ionization function 7=17012
    Rb, excitation cross-sections 7=4030
    Rb, excitation to 5p level, initial energy var. obs. 7=10438
    Rb, excitation of resonance lines, cross. obs. 7=10433
    Zn, excited 4sP, level obs. 7=13693
excitation
    alkali metals, by electron impact, polarization of line
radiation 7=10422
alkali metals, optical rel.to electron impact 7=10423
    alkali metals, optically pumped, relax. 7=6555
"anticrossing" signals in resonance fluorescence
calc. 7=10420
    by charged particles, impact parameter treatment 7=4016
    \Delta S = \pm 1 mag.quadrupole radiative transitions 7=10421 electron collisions 7=4015
    electron impact, rel. to electron-electron repulsion 7=4017
    electron impact, polarization of line radiation 7=10422 electron impact rel to optical 7=10423
    by electron scatt. on atoms in gases, levels widths and
         densities 7=6554
     electron shell, collective oscillations 7=4013
    electron shell ionization by Brownian movement of heated nucleus surface 7=10604
     in gases, kinetic theory 7=10735
Hartree-Fock self-consistent-field wave functions for
second-row atoms 7=6510
     Hartree-Fock wave functions calc. 7=13685
    induced and spontaneous emission for two-level system 7=16914 in ion-atom collisions, calc. ~ 1 keV 7=6803
     ions of 3p3 configuration, by electrons calc. 7=16915 level-crossing effect in resonance fluorescence, excited
    by monochromatic light 7=6519
lifetimes, explicit formulae 7=16913
and light beam self-focusing 7=16269
monochromator, semi-automatic, for meas. 7=12710
     moving atom interact. with e.m. field, asymptotic
         soln. 7=16912
     optical model, imaginary part 7=4014
population distrib. of energy states 7=6553
and rearrangements, Born approx. calc. 7=840
resonance lines by electrons, cross. meas. 7=10433
resonant states 7=806
     in stars, long period variables 7=15676
     in two-atom systems, radiation damping of degenerate states 7=4038
     Ar, double Auger effect, electron energy spectrum \, 7=4033 Ar, scattering on H, ArH ^{\circ} prod. \, 7=6591
     ArII laser states, electron impact 7=16164
     Ar II, strongest laser transitions, upper levels, cross-
sections 7=4020
     Au III, energy levels 7=16905
     Ba II, oscillator strengths 7=10402
Bi<sup>210</sup> from Pb<sup>210</sup> decay, L-Auger spectrum
obs. 7=10440
     Br (4^2P_{1/2}), in photolysis of bromides 7=10425 Ca II, Q(4s \rightarrow 3d) cross-section 7=4021
     Cr from Mn<sup>84</sup> source decay, self-absorption of Auger electrons 7=16749
     CrI 25F<sub>1</sub> levels in S stars 7=15676
Cs in N<sub>2</sub> and H<sub>2</sub>, transfer and quenching obs. 7=10448
Cs, optically pumped in aromatic gases, spin
          relax. 7=10426
      Cs resonance lines by electrons, cross. obs. 7=10433
     Cs, by slow electrons, cross-section 7=837
```

```
excitation-contd
```

Cs,  $^2P_{1/2}$   $^2P_{5/2}$ , cross-section in collisions 7=4018 Fe I  $^2G_2^0$  levels in M stars 7=15676 H, absorption of Lyman-alpha radiation in elec.

field 7=13692

H, by charge exchange in ground state atoms calc. 7=6559 H, Lyman  $L_{\theta}$  line excit, by proton charge exchange 7=13691

H, n=2 cross-section, threshold behaviour 7=4022

H, by proton charge exchange 7=13689 H, 3s, 3p, 3d states, in H<sub>2</sub> dissociation 7=13690 H(2p) + H(1s)  $\rightarrow$  H(1s) + H(2p) 7=16921 He, by electron, threshold structure 7=6583

He by electron, threshold structure 7=5583
He by electrons, 150-200 eV, 2900-11000Å 7=16916
He by electrons, to 160 eV 7=4023
He by electrons, polarization of emitted light obs. 7=10429
He, lifetimes of excited states, meas. 7=6530
He metastable states, by electron impact 7=10428

He metastable states, by electron impact  $^{\prime}$  =10428 He, of n <sup>1</sup>D states, by proton impact 7=6562 He, polarization of lines excited by electrons 7=831 He, polarization of 5016Å line excited by electrons 7=830 He, total cross sections, Born approx. calc. 7=4024 HeI in chromospheric spicules calc. 7=5630 HeII, Fowler- $\alpha$ -line, by electron impact 7=832 He,  $^{\prime}$  2<sup>2</sup>P level, by electron impact 7=6561

He, of 29S state by He ions, differential crosssection 7=4025

He'-He collisions, electron energy distrib. 7=6594 Hg, by electron impact, levels study by magnetic

resonance 7=833 Hg, optical excitation functions, by coincidence

method 7=10432 Hg, transfer to T1 from 6<sup>3</sup>P<sub>1</sub> and 6<sup>3</sup>P<sub>0</sub> states, 800-900°C 7=6595

Hg198, double resonance, of Zeeman transitions freq.

shifts 7=4007

Hg<sup>199,202</sup> 6<sup>3</sup>P<sub>3</sub> level relax. by collision with rare gas atoms 7=4043

Hg\* + CO, electronic-to-vibr. energy transfer 7=10503

HgI oscillator strengths ratios obs. 7=13681 Hg\* + NO, electronic-to-vibr. energy transfer 7=10504 K, by electrons to 4p level, initial energy var. obs. 7=10438

K, light modulation at g. s. hyperfine freqn.  $7{=}4027$  K,  ${}^2P_{1/2}{=}^2P_{3/2}$ , cross-section in collisions  $7{=}4018$  K, Raman resonance i.r.emission obs.  $7{=}16917$ 

K, resonance fluoresc. yield factor, meas. in flames 7=6568

K resonance lines by electrons, cross. obs. 7=10433

Kr calc. 7=6565

Kr L absorption spectrum double excitations obs. 7=6564

Li, excitation functions 7=6567 Li', excited S states, calc. and expt. 7=6566 Li-like ions by electron impacts,  $2s \rightarrow ns$  and  $\rightarrow nd$ 

obs. 7=6556

Li 2ºP term, "anticrossing" signals in resonance fluorescence calc. 7=10420

Li<sup>7</sup>, 2ºP term lifetime obs. 7=10411

Mn, lifetimes of the 3d\*4s4p z°P<sub>5/2</sub> and y°P<sub>8/2</sub> levels 7=6544

N, metastable states quenching by atmospheric particles 7=10437

N II-V u. v. multiplets radiative lifetimes obs. 7=10434

Na, electron impact, rel. to electron-electron repulsion 7=4017 Na, resonance fluoresc. yield factor, meas. in

flames 7=6568 Na, 32P states lifetime, effect of radiation imprisonment

obs. 7=10435
Ne in He-Ne hollow cathode discharge obs. 7=10578
Ne. in electron-atomic collisions 7=13687

Ne, 2p levels, ten, by electrons meas. 7=16918

Ne  $3s_2$  level, by metastable He atoms 7=834 Ne,  $3.39~\mu$  maser transition, isotope shift 7=10436

Ne\*-He collisions, electron energy distrib. 7=6594 O, deactivation in NO $_2$  photolysis 7=2473

O, by electrons, of spin multiplets of ground state 7=6570 O, metastable states quenching by atmospheric particles 7=10437

O negative ions, possibility review 7=6571 O( $^1\mathrm{D}$  ), in photolysis of O $_2$  7=2474

O(-D), in photolysis of O<sub>2</sub> 7-2474

O-H collisions, spin change 7=4045

Pb(6s²6p7s)<sup>1</sup>P<sub>1</sub>° state lifetime obs. 7=6572

Pt, K-, L- and M-Auger and L-Coster-Kronig spectra obs. 7=10441

Rb, by electrons to 5p level, initial energy var.obs. 7=10438 Rb resonance lines by electrons, cross.obs. 7=10433 Rb, by slow electrons, cross-sections 7=4030

Rb,  $^{2}P_{y_{2}}$  =  $^{2}P_{3/2}$ , cross-section in collisions 7=4018 S, d orbitals 7=4031 Xe calc. 7=6565 Zn by e,  $^{4}P_{2}$  level obs. 7=13693 Zn, in h. f. discharge with Hg 7=835 removes the removal of the re

magnetic moment

See also Gyromagnetic ratio. collection, longit, and transverse, by optical pumping 7=10424

Atoms-contd

magnetic moment-contd

Cr3. in octahedral ligand field 7=15113 Mn<sup>4</sup> in octahedral ligand field 7=15113 V<sup>2</sup> in octahedral ligand field 7=15113

structure

See also Nucleus; Spectra/atoms. alkali metals, oscillator strengths calc. 7=6539 charge densities at nucleus for Z=2-36 calc. 7=6511 close-packed spheres model 7=10376

correlations, calc. by quantum field theory methods 7=6497

Doppler-broadened transition involving levels structure, saturation behaviour 7=815

in e.m. wave field, levels shift and splitting calc. 7=6523

calc. 7=6523
effect of intra-atomic correl. on London dispersion
interactions 7=6754
electron binary energy, and kinetic energy rel. to mag.
rigidity, tables 7=3988
electron binding effects on Compton scatt. 7=9883
electron cloud, geometric analogue 7=816
electron groups formation pressure var., statistical model
calc. 7=817 calc. 7=817

electron wave eqn., Weinstein's method generalization 7=10383

energy eigenvalues, lower-bound procedure 7=9653 excited states, variational group-function calc. 7=6558 fd configurations in cryst.field 7=17341

fractional parentage coefficients calc. 7=7200 fractional parentage coefficients in f<sup>§</sup> configurations 7=7201

geminals with r<sub>12</sub> depend. 7=10371 Hartree-Fock approx. orthogonality assumption 7=10378 Hartree-Fock procedure for nsn's S configurations 7=822 Hartree-Fock self-consistent-field wave functions for

second-row atoms 7=6510 Hartree-Fock theory of atomic props. 7=10379 higher ions, absolute transition probabilities 7=13671

hybridization of isolated atom 7=13668 inert gases, form factors calc. 7=10401

inert gases, history, and radium disintegration and theory of atomic structure 7=2751

intra-atomic interactions, rotation group analysis, and Zeeman effect 7=10391 ionization, electron affinities and screening consts. 7=10603

ionization potentials calc. 7=10602

ions, orbital bonding from photoelectron energies 7=10599 least squares adjustment of levels 7=3992

many-electron theory, symmetry props. of wave-functions 7=13657

mixed configurations, Lie groups appl. 7=13666 Moszkowski conjecture of spectral-line distrib.variances, proof 7=813

oscillator strengths of reson. multiplets, isoelectronic series 7=10399

partition functions and energy data for Na to Ar 7=6508 perturbation theory in Coulomb approx. 7=3996 radioactive decay effects 7=6491

relativistic effects on expectation values and charge distribs. 7=13665

relativistic effects in fine struct., Breit eqn. calcs. 7=10393

resonance transitions in non-metals, dipole transition integrals calc. 7=10392

Rydberg states, pseudopotential theory 7=807 screening corrections for M-subshell internal conversion coefficients 7=13236

screening constants relativistic wave functions 7=10380 spectra analysis, use of Zeeman effect 7=9581

Thomas-Fermi function, convergence of series expansion 7=13664

Thomas-Fermi functions, temp. perturbed 7=6514 3-electron systems quartet states var.calc. 7=10382 transition element groups, three-body model interactions 7=10427

two-electron atoms, Born-Oppenheimer separation 7=6496

two-electron atoms, ground-state energy 7=6512 two- and three-electron atoms, config. interaction 7=6513

variational principles for dynamic and static polarizability 7=6498 variational wave functions comparison 7=10385

X-ray levels reevaluation 7=10394

Ag, hyperfine structure in ice 7=14184 Ag.<sup>107,109</sup>,  $^2D_{5/2}$  and  $^4F_{9/2}$  states h.f.s.obs. 7=821 Al, electronic struct.from ion interaction calcs. 7=11108

Au, hyperfine structure in ice 7=14184 Ba<sup>135</sup>, 187, Zeeman levels by optical pumping 7=649

Be, ground state energy and wavefunction 7=4005 Be isoelectronic sequence, excited states calc. 7=6558 Be\*(1s22s2p)\*P states h.f.s., atomic beam mag. resonance obs. 7=10403

C, 1s<sup>2</sup>2s2p<sup>3</sup> valence state, partial form factors calc. 7=17497 C, pair correlations calc. 7=10404

Cd, lifetimes of certain levels 7=4026

```
Atoms-contd
```

structure-contd

Cl, octopole hyperfine interaction calc. 7=10406

Cl, octopole hyperfine interaction calc. 7=10406
Cr impurity pairs in ruby, structure and luminescence 7=15371
Cs, electronic structure 7=11109
Cu, hyperfine structure in ice 7=14184
Cu<sup>53,69</sup>, h.f.s. of 3d<sup>104</sup>p<sup>2</sup>P<sub>3/2</sub> terms 7=824
Er<sup>31</sup>, energy levels in LaBr, 7=1221
Eu<sup>151</sup> ground state, relativistic quadrupole and dipole interactions constants A and B obs. 7=16909
Fe XVII levels calc. 7=6541
Fe XIV-XVI, wave functions and oscill. strengths with config. mixing 7=10410
Ga, octopole hyperfine interaction calc. 7=10406

Ga, octopole hyperfine interaction calc. 7=10406

H eigenfunctions in momentum space 7=3997 H energy levels ladder operator soln. 7=819

H-like, electronic pseudocharge distribution effect calc. 7=6524

calc. 7=6524

H, one-dimensional, ground state 7=9656
H, oscillator strength of \$^2P\_{3/2,1/2} \leftarrow ^2S\_{1/2} transition 7=6526
H, '1S' autoionizing states 7=6532
H auto-ionization states Hylleraas var. calc. 7=10396
He auto-ionization states Hylleraas var. calc. 7=10396
He, Coulson-Neilson relation trial function
criterion 7=10398
He-like atoms, correlated wavefunctions 7=820
He, lifetimes of excited states, meas. 7=6530
He, Rayleigh-Ritz calc. of 2'S state 7=6531
He, 'S' autoionizing states 7=6532
He, singlet S ground state, DODS calc. 7=4001

He, singlet S ground state, DODS calc. 7=4001

He3, singly-charged, ground state h.f.s. theory 7=16903

Hg, lifetimes of certain levels 7=4026

Hg, relativistic X-ray and electron form factors 7=11064 K, electronic struct.from ion interaction calcs. 7=11108 Li quartet states var.calc. 7=10382

Li quartet states var. Calc. 7=1032 Li<sup>2\*</sup>, wave function, by polarized orbitals 7=13837 Li<sup>2\*</sup>, <sup>2</sup>2\* term h.f.s. obs. 7=10411 Mn ground states, relativistic quadrupole interaction constant B obs. 7=16909 Mn<sup>2\*</sup> in NaCl, hyperfine coupling, temp. depend. 7=14186 Mo<sup>5\*</sup>(4d<sup>3</sup>) h.f.s. and core polarization obs. from e.s. r. in K<sub>2</sub>SnCl<sub>6</sub> 7=10929 N ions, Grottrian charts, energy levels 7=4009

Na, electronic struct from ion interaction calcs. 7=11108 Ne, lifetime of 2p<sup>5</sup>3p(2p<sub>4</sub>) state 7=4028 O ions, Grottrian charts, energy levels 7=4009

O to O4+, configuration results superposition 7=6533

OIII, absolute transition probabilities 7=13671

Pr3+, energy levels in LaBr3 7=1221

Pb, electronic structure 7=11109 Rb, electronic structure 7=11109 S, excited, d orbitals 7=4031 Sb, new laser transitions 7=5888

Sm<sup>3\*</sup>, energy levels in LaF<sub>3</sub>, 7=17339 Te, new laser transitions 7=5888

Tl, wavefunctions of valence electrons 7=8341 Xe, h. f. s., gas laser study 7=6573 Yb²' in cubic fields 7=17341

Zn, population of levels 7=835 Atoms, mesic and muonic

μp total spin state determination by elastic scattering on

 $H_2$  and  $D_2$  7=13707  $\mu$ p. transfer rates to Xe, Ne, Ar, Kr 7=16925  $\mu$  2p-1s transition energies in S, Cl, Ar, K, Ca, and Cr obs. 7=10456

muonic h.f.s. of deformed nuclei, charge distribution 7=661

oxides and halogens,  $\mu$  capture probability obs. 7=6597  $\pi$ -mesic, higher transitions meas. for Z=16-94 7=4051

π recapture mechanism 7=6600

X-ray spectrometer, at cyclotron 7=16926

Bi,  $\mu$  depolarization obs. with cosmic ray  $\mu$  7=13406

Cu,  $\mu$  depolarization obs. with cosmic ray  $\mu$  7=13406 Fe,  $\mu$  depolarization obs. with cosmic ray  $\mu$  7=13406 in H, gaseous,  $d\mu$  + p and  $d\mu$  + p processes,  $d\mu$  +  $d\rightarrow$ He<sup>s</sup> + n + $\mu$ obs. 7=6599

Pb,  $\mu$  depolarization obs. with cosmic ray  $\mu$  7=13406 Pb<sup>206-8</sup>, muonic X-ray spectra, meas. 7=6598

Attenuation. See Absorption.

Auger effect. See Atoms 'excitation; Atoms, mesic; Radioactivity. Auger showers. See Cosmic rays/showers and bursts. Aurora

See also Airglow; Atmospheric spectra. absorption, solar M-region effect 7=8978 arcs, orientation obs. 7=15565 belt and polar geomagnetic disturbances dynamics 7=15563

dayside, at College, 1965, latitude 7=2552

distribution, in mag.disturbed and quiet periods, 1957-59 and 1963-65 7=12051

in E-region, propag. of pressure waves 7=8743 electron accel., and magnetospheric tail instability 7=15557

Aurora-contd

electron flux, monoenergetic, during visible aurora 7=15562

electron precipitation, 400 keV, satellite obs. 7=8714 electron source, from spectrum and ang. distrib.

meas. 7=8713

E-W motion, obs. at Moscow, Idaho 7=18385

fluctuations of red spots rel.to geomagnetic activity 7=18383 image orthicon techniques obs. 7=8709 ionospheric absorption events, slowly varying, in zone 7=12052 magnetic disturbances, transverse, 1100 km meas. 7=8763

magnetospheric quiet phenomena rel.to geomag.tail theory 7=15560

observing times, best, during sun-spot minimum 7=2551

particle precipitation, general pattern 7=15564 particles, adiabatic motion, comments and reply 7=2554-5 polar radar system 7=2559

proton-electron anticorrel, and proton ang. distrib. 7=8716 proton energy spectra 7=5407

protons pitch angle distribution 7=5406

pulsations, high frequency, characteristics 7=15566 radar echo, wavelength depend. meas. 7=5409

radar obs. of ionization struct., mag. field var. effects 7=5408

radio absorpt.variation with geomag.activity 7=2558

radio absorpt, variation with geomag, activity 7-2558 radio-auroral freq. depend., statistical fluctuation 7-8711 radio echoes, v. h. f., at sunspot max. 7-5410-11 radio, excitation, rel. to thermospheric energetics and solar wind 7-15473 radio, height determ., rel. to refraction in troposphere and ionosphere 7-2557 radio waves, absorpt. near geographic North Pole, 32 and 40 MHz 7-12055 seasonal frequency in Germany 7-2553

secondary electrons, energy distrib. meas. 7=8712 secular movement of zone of auroral blackout 7=15568 slit spectrograph using image orthicon 7=2550

spectrum, rel. to electron beam excited spectra of N2, O2, air 7=10508 storms, development 7=8753

storms, rel. to magnetosphere interaction with solar plasma 7=8718

substorm, X-ray microbursts rel. to geomag.

micropulsations 7=12053 theory and ring current 7=12054

twilight aureole, photometric anal. of photos taken by Vostok-6 7=8708

zone, position rel. to mag. activity and time of day, 1962-63 7=12050

H emission, quenching by collisional ionization 7=8710 H profiles, red shift rel. to pitch-angle distrib. 7=8715

 $H_{\alpha}$ ,  $H_{\beta}$  and HeI emissions, due to penetrating particles 7=2556

 $H_o$  line intensity ratio to  $N_a^+ \lambda$  4709 band obs. 7=15567 N2, excitation and photon emission rates of first positive

group 7=18384

Austenite. See Iron alloys; Steel. Avogadro's number. See Constants.

Axicons. See Lenses.

BCS theory. See Nucleus/theory; Superconductivity.

Backscattering. See Scattering, particles; and under "scattering" subheadings of the appropriate particles.

Backward wave oscillations. See Electromagnetic oscillations; Electron tubes. Balances

Brownian motion limit to accuracy rel. to sensitivity calc. 7=15842

diamond phonograph needles as pivot bearings, in conference, Princeton (1965) 7=12284

film thickness meas., microbalance and quartz oscillator comparison 7 = 17377

microbalance, quartz-crystal, for monitoring vacuum

depositions at elevated temps. 7=17378 microbalances, thermomolecular flow effect, in conference, Princeton (1965) 7=13970

microbalances, thermomolecular flow forces above 0.1 torr 7=13971 pivot bearings, in conference, Princeton (1965) 7=12284

quartz crystal microbalance, for film thickness 7=7263 quartz vacuum microbalance, deflection-type, for meas. of sputtering yields 7=17636 ultrahigh-vacuum microbalance design 7=12285

vacuum micro balance, use in apparatus for meas. of magnetic susceptibilities of solids 7=11616

vacuum microbalance, calibration of quartz crystal oscillator 7=17376

```
Balances-contd
          vacuum microbalances, quartz-crystal, effects of gas
               pressure 7=12286
          vacuum microbalance quartz-crystal resonators, effect of
               hydrostatic press. 7=12287
          vacuum microbalance techniques, conference, Princeton,
               1965 7=10777
          voltmeter, e.s., for 1-74.5 kV 7=9304 wind tunnel, mag. supported, three-dim. 7=9009
          CdTe film formation by coevap. of Cd and Te, use of recording microbalance 7=14275
Ballistics
               See also Impact.
          atmospheric entry trajectories approx. on cylindrical
               planet 7=8770
Band theory of solids. See Crystal electron states; Solids/theory.
Bardeen-Cooper-Schrieffer theory. See Nucleus/theory;
     Superconductivity.
Barium
          b. c. c. = h. c.p. transition boundary 7=14204 electron band struct. in f.c.c. state under press.
               calc. 7=17801
          excess in 'twin' oxide cathode system, determ. 7=15095
          optical consts. of evaporated films, 1500-3000 Å 7=5246
          optical interband transitions from elec. cond. 7=8389
           in thermionic energy converter, with Cs 7=9330 vapour in upper atmosphere obs. 7=15552
           Ba II, oscillator strengths 7=10402
           for Ba-Sr oxide cathodes activation 7=8071
Barium compounds
           edingtonite, adsorbed H2O molecules rotation, n. m. r.
               obs. 7=10975
           Ba ferrite crystallites orientation var. on sintering obs. 7=10988
           Ba ferrite magnets, appls. in elect. machines 7=3012
           Ba ferrite magnets, use in automatic warning system of train control 7=5807
           Ba ferrite magnets, effect of Fe<sub>2</sub>O<sub>3</sub> quality 7=
Ba ferrite magnets in mag. separator 7=3018
          Ba ferrite magnets in mag. separator 7=5016
Ba ferrite powders, temp. var. of mag. obs. 7=18138
Ba salts, hydrated cryst., proton spin-lattice relax. 7=8318
Ba<sup>155,137</sup>, Zeeman levels by optical pumping 7=649
BaAl<sub>2</sub>O<sub>4</sub> single crysts., growth and struct. 7=17495
BaCl<sub>1</sub>. 2D<sub>2</sub>O<sub>7</sub>, i. r. and Raman spectra rel. to H bonds 7=8375
BaCl<sub>2</sub>. 2H<sub>2</sub>O<sub>7</sub>, i. r. and Raman spectra rel. to H bonds 7=8375
           BaF2, activated with rare earth ions, new cooperative
                 sensitization of luminescence 7=11840
           BaF2, discrete saturation of e.p.r.lines 7=14974
           BaF2, electrical conductivity (50-800°C) 7=15015
            BaF<sub>2</sub>, n. m. r. of F<sup>19</sup>, and point defects 7=8319
           BaF<sub>2</sub> pure, synthesis for growing optical mono-
crystals 7=1320
           BaF2, rare-earth doped, as i.r. quantum counters 7=5290
           BaF2, refractive index var. with pressure up to
                7 kbar 7=5251
            BaF<sub>2</sub>, struct. transformation at high press. 7=14205
           \mathrm{BaF}_2^{2}, vapour pressure, evaporation coeff. and heat of sublimation 7=1203
            BaF<sub>2</sub>, Ce<sup>3+</sup> doped, u.v. absorption spectra 7=18222
            BaF2:Eu2+, electron and nuclear spin-lattice relax. 7=15264
           BaF<sub>2</sub>:Eu<sup>x</sup>, electron and nuclear spin-lattice relax. 7=15264
BaF<sub>2</sub>:Gd<sup>x</sup>, optical spectra 7=11766
BaF<sub>2</sub>:Mn<sup>2</sup>*, electron and nuclear spin-lattice relax. 7=15264
BaF<sub>2</sub>:TR<sup>3</sup>*, \( \gamma\) -irrad., u. v. absorpt. 7=8378
BaF<sub>2</sub>:TR<sup>3</sup>* (TR=rare earth) crysts., u. v. absorpt. 7=8378
BaF<sub>2</sub>:Y, thermoluminescence 7=11849
BaFeO<sub>3-x</sub>, phase transformation 7=10945
Ba<sub>2</sub>GdNDO<sub>3</sub>:Eu<sup>x</sup>* fluorescence, elec. -mag. dipole emission ratio 7=5295
           Fatto 7=5295

BaGe(Ge<sub>3</sub>O<sub>9</sub>) crystal structure 7=11056

BaMoO<sub>4</sub>, e.p.r. of Gd<sup>5+</sup> 7=15231

BaNiO<sub>0.5</sub>W<sub>0.5</sub>O<sub>3</sub>, antiferromagnetism at 55°K obs. 7=8262

Ba(NO<sub>3</sub>)<sub>2</sub> crystal faces growth, interaction with methyl blue impurity 7=1315

BaO. 6Al<sub>2</sub>O<sub>3</sub>:Fe<sup>3+</sup>, e.p.r. of Fe<sup>3+</sup> 7=8287

BaPbO<sub>3</sub> ceramics, electrical props. 7=1927

BaPt(CN)<sub>3</sub>, luminesc. of frozen solns. 7=2397

BaS-Cu electroluminescence 10<sup>2-2</sup>-10<sup>3</sup>-6<sup>2-7</sup>-7=11446
             BaS-Cu electroluminescence, 10-2-103 c/s 7=11846
             BaS<sub>2</sub>O<sub>6</sub>. 2H<sub>2</sub>O, cryst. struct. 7=4578
             Ba-Sr oxide cathodes activation by Ba varour 7=8071
            BaZrO<sub>3</sub> on Pt cathode for oxidizing atmospheres,
850-1100°C 7=18082
       barium titanate
                  See also Ferroelectric materials/barium titanate.
             after-effect currents obs. 7=11555
             barrier layers electron microscope obs. 7=11031
             crystal growth from {\rm BaCl_2} melt and structure obs. 7=1316
            dichroism meas. with Bi doping 7=11749
e.s.r. of Mn²*, tetragonal and cubic phases meas. 7=8
elastic props. above and near Curie point obs. 7=7691
            electroreflectance, rel. to ferroelec.props. 7=18219
electro-reflection meas., 2.3 to 5 eV 7=18218
evaporation products, mass spectra 7=6819
             ferroelectric, semicond. props. 7=17944
fundamental absorption edge, temp. shift, in phase
transition 7=5247
```

```
Barium compounds-contd
    barium titanate-contd
        lattice vibration rel. to ferroelectric transition,
        X-ray study 7=17541
lattice vibrations, diffraction diffuse streak patterns obs.
             with X-rays and electrons 7=1450
        phase transform. points, shift due to lattice
            defects 7=1230
         phase transformations, radiation and thermally induced,
        obs. 7=10946
powder, internal field and spont. polarization 7=15030
prisms, laser beam deflection expts. 7=3280
         semiconductor, Ni-P alloy electrode comp. and
             resist. 7=5017
         semiconductors containing controlled amounts of Nd, preparation 7 = 11003
         shell model for interionic interactions 7=11556
        Ba-Sr titanate: La thermistors, thin-film, positive temp. coeff., preparation and props. 7=7972
(Ba-Sr)TiO<sub>3</sub> series, production, dielectric and optical props. 7=4510
        props. 7=4510
(Ba, SrTiO<sub>3</sub>) solution, In<sub>2</sub>O<sub>3</sub> doping to improve RC time constant 7=11558
BaTiO<sub>3</sub>-Ba(Fe<sub>1,2</sub>Ta<sub>1,2</sub>)O<sub>3</sub> system, dielec. props. 7=15031
BaTiO<sub>3</sub>-BaSnO<sub>3</sub> system, dielec. props. 7=15031
BaTiO<sub>3</sub>-PTC thermistors, props. and applications 7=17997
BaTiO<sub>3</sub>-Ta<sub>2</sub>O<sub>5</sub>, ferroelectric polarization, humidity var. obs. 7=8022
         {
m Gd^{3+}} doped, grown in molten KF, resistivity 7=11557 OH as defect of perovskite lattice 7=4696
Barkhausen effect. See Magnetization process.
Barnett effect. See Gyromagnetic effect.
Baryons
             See also Hyperons; Nucleons and antinucleons.
         axial-vector coupling constant renormalization,
              sum rules 7=13047
         baryon-antibaryon scatt.and collinear \mathrm{U}(3) \times \mathrm{U}(3)
              symmetry 7=592
         baryon-meson resonances in mp scatt., absorptive
             corrections 7=13004
         baryon-meson systems 7=16428
bootstrap model with nondegenerate mesons 7=6203
          Cabibbo parameters from leptonic decay 7=9962
         chiral algebra, configuration mixing, magnetic moments, pion photoproduction 7=9961 correspondence with leptons, rel. to SU<sub>3</sub> symmbreakdown 7=6023
         coupling shifts in broken SU(3) 7=6207 "currents" commutation rels. 7=6208
         e.m. mass difference in fundamental triplet model 7=16592
          e.m. mass splittings, self-consistent bootstrap
model 7=16593
          e.m. mass splittings, use of bootstrap model 7=3618
          electromagnetic form factors and masses in quark
              model 7=13049
          electromagnetic form factors in Quark model 7=6204
          e.m. mass differences, and four-fermion interacts. 7=6255 electromagnetic mass differences in quark model 7=6205
          energy var.rel. to π-N elastic and inelastic scatt. props
direct correl. 7=6162
          exchange processes in K p interactions 7=16578
          form factors, rel. to quark statistics 7=3619
          leptonic decay rel. to two-angle theory obs. 7=588
          and leptons interrelationship in hadron model 7=9965
         MB→γB* (M is meson, B and B* are baryons), props. obs. 7-16544
magnetic-moment sum rules, two 7-3629
magnetic moments in broken SU<sub>3</sub> 7-6206
          magnetic moments of 56-plet, dynamical model calc. 7=13048
           mass differences in broken unitary symmetry
              model 7=587
          mass formulae, quadratic, by broken SU_s symm. 7=9966 mass formulae for 364 representation 7=9759 mass levels, three-body bound-state model 7=6256 mass relations 7=3617
           mass spectra in dynamical S-wave SU(6) model 7=9963
           mass splittings of octet in current-current
              picture 7=13046
           meson-baryon-baryon coupling constants in broken
               SU(3) 7=12912
           meson-baryon coupling constants in current-current
               model 7=16542
           meson-baryon coupling constants evaluation from current divergences 7=537
           meson-baryon inelastic scatt, with baryon exchange
           peripheral model 7=16645
meson-baryon interaction Hamiltonian observing
           permutation symmetry 7-467
meson and baryon Regge traj., rel. to quark model 7-3437
meson-baryon, saturation of superconvergence
               relation 7=12996
           meson-baryon scatt., sum rules for baryonic resonance widths 7=10034
```

Barysphere. See Earth.

SUBJECT INDEX Baryons - contd meson-baryon strong interactions, Lorentz covariant chiral U(6)  $\times$  U(6) scheme 7=16541 meson-baryon vertex in SL(6, C) 7=6057 meson coupling consts., current algebra and quark model predictions 7=9896 meson scatt., pseudoscalar, superconvergence rel. 7=16546 meson scattering, rel. to axial-vector coupling const. meson scattering, ref. to axial-vector coupling const.
renormalization 7=9895
mesons, D<sub>92</sub> resonances, broken unitary
symmetry 7=10035
missing SU(3) multiplets and SU(6), selection rules 7=9750
neutrino prod. in U(12) at high energies 7=12974
passive state, possible existence ref. to expt. cosmic ray evidence 7=585 photoproduction on nucleons in quark model 7=536 pion-baryon-baryon vertex 7=9964 positive strangeness, unsuccessful search 7=586 pseudoscalar meson-baryon charge- and hyperchargeexchange reaction model 7=16438 resonance at low energy obs. 7=618 resonance, strangeness +1, in K'-p 7=3601 resonances antidecuplet, coupled-channel, several-force model 7=616 resonances assignments in  $S\widetilde{U}$  (12) and their strongdecays 7=3663 resonances, chiral algebra approx. saturation consistency with expt. 7=6252 resonances,  $\Delta(2420)$  and  $\Delta(2840)$  from  $\pi^+$ -p elastic scatt. 7=16570 resonances, direct channel fermions, interference of Regge  $\rho$  exchange 7=6253 resonances dynamical model 7=6254 resonances effects in p Compton scatt. calc., 600-750 MeV 7=13060 resonances electric dipole operators in configuration mixing scheme 7=10037 resonances, higher, current algebra eqns. saturation 7=13107 resonances,  $J=\frac{1}{2}$ , and current commutation relation 7=613resonances in K-p  $\to \Sigma\pi$  , 780-1220 MeV/c 7=16653 resonances, mass levels classification with symm.group of degree 3 7=3664 resonances, as meson-baryon bound states 7=614 resonances with mesons systematization 7=16649 resonances of negative parity, mass spectrum and structure, 1-2.2 BeV theory 7=6257 resonances of nucleons and hyperons 7=16646 resonances of odd parity, SU(6)w-symmetry dynamic models 7=16651 resonances produced by high-energy photonuclear reaction 7=9858 resonances in quark model 7=10033 resonances, quark model with p-wave forces 7=3620 resonances, quark model review 7=16449 resonances, SU(3) assignments 7=3667 resonances, 70\*, 56, 35 peak coupling consts. ratio 7=10036 scattering, meson-baryon and baryon-baryon, quark model 7=9791 scattering by mesons, forward, in relativistic theories of spin and unitary symmetry 7=9894 spin  $< \frac{3}{2}$  states dynamics, bootstrap calc. 7=16648 structure 7=3616 structure, hadronic 7=589 SU(2) static model saturation, dynamical symmetries 6=16596
sub-hadronic and hadronic dynamics 7=590
U(3) \(^\infty\) U(3) algebras, saturation at infinite and finite momentum transfer 7=6209 vector meson coupling, effective, strong and e.m. vertices 7=3609 weak axial vector current and baryon field 7=591 weak interactions model, decay selection rules 7=9967 and Wigner quarks 7=3423 N isobar prod. in pp scatt., absorption and Regge pole models, 5, 5-30 GeV/c 7=6261 N isobar subtracted masses rel. to heavy bosons 7=6260 N-N\* coupling, weak consts., saturation of charge-current algebra 7=13053 N\*(1238 MeV) mass splittings rel. to n-p mass difference 7=6220 N\*(1238) prod. in  $\pi$  p at 2.7 GeV/c 7=16559 N\*(1518) and N\*(1688) widths and decay branching ratios obs. 7=13071 N\*+ $\pi$ (K) prod. in  $\pi$ (K)+p, N\* decay test of one-particle N\*+ $\pi$ (K) prod. in  $\pi$ (K)- $\tau$ p, N\* decay test of the exchange 7=9911 N\*<sub>35</sub> form factors from  $\nu$  single  $\pi$  prod. 7=12972  $\gamma NN^*$  form factor obs.from e + p  $\rightarrow$  e + N\* 7=13109  $\gamma NN^*$  vertices T invariance for all N\* and real or virutal photons 7=12907  $\pi N$  first resonance pionic form factor 7=6259  $\pi N$  resonances in  $\pi$  + He<sup>3</sup> 7=16553

Y<sub>0</sub>\*(1405) state, model calc. 7=16650

Bauschinger effect. See Deformation. Bayard-Alpert gauges. See Vacuum gauges. Bays. See Earth/magnetic field; Magnetic storms. Bells. See Musical instruments. Bending See also Stress analysis; Torsion. bar under torsion, optimum cross-section design 7=2812 beams on immovable supports, finite elastic-plastic deflections 7=1683 corundum rods 7=4508 loop test for bending length 7=1671 plastic glass-reinforced oriented plate 7=11338 plastics, oriented glass-reinforced, and shear effects 7=4815 plate, circular, solid, variable thickness, thermo-elastic 7=5670 vibrating bodies inverse design 7=2872 waves in elastic, visco-plastic beams, propagation and reflection 7=9167-8

Bending of light. See Gravitation; Light. Berkelium No entries Beryllium ageing, effect on elec. resist. 7=7851 atom, oscill, strengths calc, with config. mixing 7=10410 atoms, ground state energy and wavefunction 7=4005 diffusion in Mg 7=1522 diffusion in Mg0 7=1517 dislocation effects of pressures up to 27 kbar 7=17691 dislocations, twinning and deformation by climbing 7=14577 ductility, effect of programmed loading on single cryst. 7=7692 electron emission, secondary, by 1-20 keV Ar and Ar+ 7=5118 electron loss anisotropy effects at 28.4 keV 7=7631 electron reflection, 0.2-0.8 keV, inelastic 7=17640 film growth, thin 7=17385 films, vacuum-deposited, growth textures 7=14274 microstrain behaviour, single crystals 7=1706 for mirrors, nonelastic strains 7=9548 in Penning discharge, existence of Be and BeHions 7=6799 phonon dispersion relations calc. 7=17542 phonon dispersion relations, pseudo potential calc. 7=7470plastic deformation due to compression 7=11275 point defects electron scatt., elec. cond. prod. calc. 7=11426 in stars, F dwarfs and K giants obs., rel. to Li 7=5530 stars, in h and x Persie region, classification 7=2648 thin film, amorphous state, electron diffr. exam., 4.2°K 7=7359 X-ray K-spectrum obs. 7=11379 X-ray soft absorption spectrum obs. 7=15313
Be' in ground level air 7=15482
Be', radioactive tracer for stratospheric circulation studies 7=15501 Be°(1s²2s2p)³P states h.f.s., atomic beam mag. resonance obs. 7=10403 Beryllium compounds BeCl<sub>2</sub>(g), ht. of formation and entropy 7=18331 Be-Cr alloy, ageing, effect on elec. resist. 7=7851 BeF2 glass, Nd-doped, luminesc. and stimulated emission 7=8490 BeH<sub>3</sub>-, one-centre-expansion SCF calc. 7=13726 BeO, diffusion of Be cations and elec. cond. at high temps. obs. 7=7517 BeO dislocations obs. by etching 7=7574 BeO, fission fragment damage 7=11222 BeO, ionic cond. 7=18036 BeO, lattice vibrations 7=14426 BeO, sintered, n damage, 110°, 650°, 1100°C 7=11221 BeO substrate, Si film single crystals growth 7=7283 BeS molecule, ground state, calc. as  $^1\Sigma^*$  7=16940 Be-Zr alloy, ageing, effect on elec. resist. 7=7851 Bessel functions. See Functions. Beta-decay theory See also Nuclear decay theory.
allowed, Fermi function, screening corrections 7=3838  $\beta$ - $\gamma$  angular correlations and  $\beta$  ang. distribs. formulae 7=16745  $\beta$ - $\nu$  correlation rel. to  $\nu$  helicity 7=3844 conservation laws 7=6374 coupling constants, magnitude and relative phase 7=709 deformed odd nuclei in transuranium region, improved superfluid corrections 7=712 double decay, rel. to neutrino and nucleon-lepton interaction 7=708 interaction i==00 first-forbidden transitions, single-particle matrix element jj-coupling 7=710 first-forbidden, use of conserved vector current theory 7=3839  $(G_{\rm A}/G_{\rm V})_{\rm n\to p}$ , use of R(11) 7=3459 GT type to one-phonon state in even-mass nuclei 7=10179 hindered Fermi matrix elements 7=6377

Beta-ray spectrometers-contd

coil 7=12983

recoil 7=3825

theory and design 7=529

spectra 7=3726

See also Electrons.

helicity obs. 7=3845

Baiss 7=3797

Co<sup>56</sup> 7=10185

Mn<sup>56</sup> 7=10185

Zn<sup>62</sup> 7=13283

detection, measurement

techniques 7=525

review 7=6369

meas. 7=527

Geiger 7=15618

effects

internal pairs from  $(p, \gamma)$  7=13261

No entries angular distribution

absorption

conversion, automatic mag. recording 7=3729 conversion, high-voltage source with automatic control 7=3730

double focusing, array detectors and extended source 7=12984

for conversion meas., with high luminosity and high resolution 7=3727

cylindrical, for energy distrib, over transverse cross-section of beam 7=16530

electrostatic correction to w√2 device calc. 7=3535 electrostatic resolving limit 7-528 improvements to  $\pi \lor 2$  in luminosity and orbit shape 7=3534

ironless asymmetric double-lens with compensating

large permanent magnet semicircular 7=16529 magnetic field stabilizer using Hall effect 7=12986

samples, hypodermic syringe for liquid deposition 7=665 scintillation, Harley-Hallden method analysis 7=13351

simplified 180° focusing, structure and operation 7=3533

spectra 7=3726 for Th<sup>227,228</sup> conversion and Auger e, acceleration, pre- and

post-, photographic blackening increase calc. 7=13348

trochoidal trajectory, iron-less coils prod. 7=3532

Ge(Li) drifted detectors appl. for conversion

Si(Li) drifted detectors appl. for conversion

e/m experiment with a.c. heating of filament

B12, electron radial functions, approx. 7=13354

from Co<sup>50</sup>, helicity var. with momentum, Mott scatt. obs. 7=13361 Co<sup>55</sup>, positron decay 7=3849

N<sup>12</sup>, electron radial functions, approx. 7=13354 Np<sup>23</sup>, Fermi matrix elements 7=13377 Pm<sup>143</sup>.1<sup>44</sup>.1<sup>46</sup>, search for position decay 7=10191 Re<sup>183</sup>, delayed coincidences meas. 7=10161 Sb<sup>128</sup>, Λ parameter meas. 7=3855

Sr<sup>90</sup>, internal bremsstrahlung spectrum 7=13363 Ta<sup>183</sup>, delayed coincidences meas. 7=10161

Yºo, internal bremsstrahlung spectrum 7=13363

 $\beta$ - $\gamma$  angular correlations and  $\beta$  ang. distribs. formulae 7=16745

 $\beta \gamma \gamma$  correlation in nuclear decay 7=13353 correlations, in crystal and liquid internal field studies 7=14169

Eu<sup>154</sup>, K-forbidden,  $\beta-\gamma$  correl. meas. 7=10192

in gas samples, plastic scintillator cell 7=10174

liquid scintillation spectrometers for emitters,

global activity, method for dense source 7=13352 gravitational force on electron meas.using low-temp.

low background gas-filled counters, review 7=16527 monochromator design 7=16060multidetector system relative efficiencies in scatt.

in spectrometer double focusing array detectors and extended source 7=12984 NaI-Tl, output rel. to resolution obs. 7=3531 Th A, electrostatic pickup 7=526

See also Electron beams/effects; Nuclear reactions due

shower meas, in neutrino spark chamber 7=6275 space vehicles ionization chamber with matched

ln¹¹¹e, anisotropy meas, after nuclear polarization 7=3854 Sb¹²⁵,  $\beta$ - $\gamma$  correl. 0. 255-0. 405 MeV = E $_{\rm B}$  7=3855

See also Beta-ray spectrometers; Dosimetry; Particle detectors; Radioactivity measurement. bubble chambers energy meas. optimization 7=3530

advantages over d.c. 7=12978

internal bremsstrahlung in decay 7=711

Cu69, new decay modes meas. 7=3850

I<sup>131</sup>, effect of physical state 7=16753

See also Electrons/absorption.

for radioactivity subnanosec. lifetimes meas. by

for radioactivity meas., toroidal 7=704

```
Beta-decay theory-contd
                    hypernuclei, sum rules 7=6304 inverse obs. 7=707
                     isospin-forbidden (O^{\circ})-(O^{\circ}) \beta-transitions 7=3837
                    mesons, maximization of rate rel. to electron mass 7=3521
                    n axial-vector to vector coupling consts.ratio 7=12922
                    odd-mass nuclei, 1p shell, ground-state transitions 7=10111
                    radiation corrections, current algebra calc. 7=12894 review 7=6375
                    strangeness-conserving, weak interactions conference, Argonne, USA, 1965 7=471
                    vector interaction constant and ft values for super-allowed \beta^*-transitions calc. 7=10178 B<sup>11</sup>(\mu, e)Be<sup>11</sup>, to two lowest levels, simple shell
                            model 7=10231
                    Sc40 7=13360
     Beta-ray spectra
                            See also Nuclear decay theory.
                     corrections for resolution and backscatt. in continuous
                             spectra, for computers 7=12985
                     and decay schemes obs. 7=701
                    Harley-Hallden method analysis using scintillation
                     spectrometer 7=13351 shape obs. 7=3840
                     Al26m ft anomaly obs. 7=13356
                    B^{12}, analysis 7=13354 Ca<sup>47</sup> feeding of d_{3_0} Sc<sup>47</sup> hole state 7=10138 Co<sub>5</sub>s, positron decay 7=3849 Cs<sup>137</sup> decay obs. 7=716
                     \mathrm{Eu^{154}}, K-forbidden, meas., violation of modified \mathrm{B_{i_1}}
                     approx. 7=10192
Ir<sup>192</sup> 7=3857
                     N12, analysis 7=13354
                      Nd149 7=3799
                     Np<sup>241</sup>, 16 min 7=3859
Pm<sup>149</sup> 7=3800
                     Rb90 decay obs. 7=10187
                     Sb118 7=16751
                    Sb129 obs. 7=13306
Sn123, rel. to Sb123 levels 7=13302
Ta185 \rightarrow W183 decay coincidence meas, with \beta-ray
                     spectrometer 7=6359
Th<sup>227,228</sup> Auger spectrometer with acceleration, pre- and
                     post-, photographic blackening increase calc. 7=13348 Th^{227} \rightarrow Ra^{223} obs. 7=13375
                    Th<sup>207</sup> → Ra<sup>eco</sup> Oue, The Three Thr
                     U<sup>2256</sup>m, very low transition energy determination 7=16740
Yes 7=16751
             Y<sup>95</sup> decay scheme 7=3851
Y<sup>95</sup> obs. 7=16752
conversion electrons
                    angular correlations, particle parameters 7=6314 automatic mag. recording 7=3729 line intensity, photographically recorded, obs. 7=66 measuring samples, hypodermic syringe for liquid deposition 7=665
                                                                                                                                                  7=656
                      rare earths, rel. to high-spin rot. states 7=3748
                     spectrometer with high luminosity and high resolution 7=3727
                      spectrometer high-voltage source with automatic
                             control 7=3730
                      tables of coefficients 7=6312
                      tables of conversion matrix elements and phases 7=6313
                     vibrational and rotational levels excited by (p, 2n), anisotropy 7=10108 Ce<sup>140</sup>, 0^{+*} \rightarrow 0^{+} transition obs. 7=10151 Cu<sup>00</sup> 7=3781
                      Dy<sup>161</sup>, M type, anal. 7=6352
                      on Gd n capture, for n detection 7=10024 Gd obs. 7=3729 Ge(Li) drifted detectors appl. 7=3726
                      Ho<sup>156</sup> decay obs. 7=10193
Ir<sup>192</sup>, internal and external 7=3857
                      Pa<sup>231</sup>, M type, anal. 7=6352
                      Pa<sup>231</sup>, 25.6 keV E, transition obs. 7=700
Ra<sup>223</sup>, internal, existence of satellite bands in transmutation from Th<sup>227</sup> 7=699
                      Ra^{228} \rightarrow Rn^{222} decay 7=6362
                     Ra<sup>222</sup> HR<sup>222</sup> decay (2636)
from Re<sup>184</sup> decay obs. 7=6360
Rn<sup>222</sup> in Ra<sup>225</sup> decay 7=6362
Si(Li) drifted detectors appl. 7=3726
                      Ta<sup>182</sup>m obs. 7=6358
Th<sup>227,228</sup> spectrometer with acceleration, pre- and post-,
                      photographic blackening increase calc. 7=13348 Tl<sup>204</sup>, bremsstrahlung 7=6387 Xe<sup>129</sup>, from Cs<sup>129</sup> decay, L-subshell ratios 7=10190
                      Yt91, bremsstrahlung 7=6387
Beta-ray spectrometers
```

acceleration, pre- and post-, photographic blackening increase calc. 7=13348 with azimuthal var. of mag. field 7=12987

to/electrons. Al, effect of 0.5 and 0.1 MeV  $\beta$  particles, dosis depth distrib. 7=17639

```
Biophysics - contd
Beta-rays-contd
                                                                                                                                  ribonucleic acid, transfer, by small-angle X-rays 7=10563
     effects-contd
                                                                                                                                  short-lived isotopes prod. by cyclotron 7=3824
         CdS(Cu), luminescence excited by Pm^{147}\beta-radiation
                                                                                                                                  threshold determination decision rules, computer
             obs. 7=11900
                                                                                                                        calc. 7=9224
Weber's law and internal noise 7=9221
Biot-Savart law. See Electromagnetism.
Birefring acc. See Double refraction.
         Cu. effect of 0.5 and 0.1 MeV \beta particles, dosis depth distrib. 7=17639 K<sup>40</sup> \beta-activity in pure KCl obs. 7=714
         NaCl, luminescence spectrum prod., 83°-540°K 7=11874
                                                                                                                         Bismuth
         Pb, prod. of showers, cascade curves and ang.
                                                                                                                                 crystal growth, predetermined shape and orientation 7=7337
              distrib. 7=6415
         Zn, luminescence excited by Pm147 β-radiation
                                                                                                                                  current distrib. in mag. field, modelling of m. h. d.
              obs. 7=11900
                                                                                                                                       channel 7=16090
    polarization
                                                                                                                                  cyclotron damping of magneto-plasma waves obs. damped Alfvén wave transmission at 4.2 ^{\circ}{\rm K} ^{7=7826}
                                                                                                                                                                                                                      7 = 17854
         Tm170 decay, transverse, obs. 7=10195
    scattering
                                                                                                                                  de Haas-Shubnikov meas. 7=17869
effect of compression on elec. cond. 7=14699
              See also Electrons/scattering.
         back-scattering rel. to thickness meas. 7=17374 measurement, multidetector system relative
                                                                                                                                  electrical props of films, size effects, 300, 77°, 4.2°K 7=17945 electron band struct., tunneling obs. 7=17798 electron emission microscope, image contrast 7=12543
              efficiencies 7=527
Betatrons. See Particle accelerators/orbital.
Bethe-Salpeter equation. See Field theory, quantum.
Bethe-Uhlenbeck equations. See Statistical mechanics.
                                                                                                                                  electron-hole recombination, below 20°K 7=4841 electron states, magnetoacoustic giant quantum absorption
Bevatron. See Particle accelerators/orbital.
                                                                                                                                       obs. 7=17797
Bibliographies
                                                                                                                                   emissivity at melting point of solid and liquid obs. 7=14147
         boiling, nucleate, pure and in mixtures 7=7148
                                                                                                                                  Fermi surface, magnetoacoustic geometric resonance obs., high ql 7=1779
         conservation laws in general relativity 7=2825 e.p.r., August 1963-July 1965 7=5193
                                                                                                                                   film, amorphous state, electron diffr. exam., 4.2°K 7=7358
         electron transport theory < 10 MeV \,7=16525 friction, lubrication and wear, last decade \,7=7667 instrumental developments in France \,7=3223
                                                                                                                                  films, elec. props., temp. and thickness depend. 7=4985 film, 5000A, thermoelec. power meas. 7=5082
                                                                                                                                   films, quantum size effects 7=4985
          lasers, 644 references 7=3115
                                                                                                                                   film, quantum size region, galvanomag. coeffs. 7=14879
         neutron resonance absorption, thermal utilization factor and fast fission factor 7=13637
                                                                                                                                   galvanomagnetic properties 7=7933
                                                                                                                                   grown by normal freezing, distribution coeff. of
          lunar observation projects of interplanetary
                                                                                                                                       Ag 7=1509
         medium 7=18470
ocean, acoustics 7=15467
optical pumping 7=4012
                                                                                                                                   liquid, conduction electrons, density of states and
                                                                                                                                       momentum distrib. 7=7019
                                                                                                                                   liquid, diffusion by impurity atoms, temp. depend.
         optical pumping 1-472
optical resonances 7=9489
physiological optics at NBS 7=16311
plasma diagnostics, laser methods 7=6871
                                                                                                                                   meas. 7=14072
magnetoacoustic attenuation and energy surface
parameters 7=4635
          space vehicle shielding against high-energy nucleons 7=18402
                                                                                                                                   magnetoacoustic giant oscillations anisotropy and temp.
                                                                                                                                   var.obs. 7=17556
magnetoelectric anisotropy, Sn and Te effects 7=1928
magnetoplasma waves carrier insensitive mode cyclotron
damping obs. 7=7827
          twilight 7=8705
          CO, band spectrum 7=4071
 Binary stars. See Stars.
Binding energy, solid state. See Bonds; Solids.
Bingham plastics and solids. See Rheology.
                                                                                                                                    magnetoresistance and Hall coeff. meas. 35-5000 Oe 7=14944
                                                                                                                                   magnetoresistance oscillations due to electron inelastic
 Biographies
                                                                                                                                        scatt. by optical phonons 7=7934
           Abbé's work on microscopes 7=16237
                                                                                                                                    \mu-mesic atoms, \mu depolarization obs. with cosmic
          Barkla, rel.to X-rays 7=13663
Ernst Abbe and his work 7=3189
Hajek's early attempts to meas. stellar parallaxes 7=8795
                                                                                                                                        ray \mu 7=13406
                                                                                                                                    nucleation of solidifying high purity metal 7=10895
                                                                                                                                   oxidation of Bi films at 30 mm O_2 press., 175–250°C 7=8532 phase diagram, 25-40 kbars, 77-293°K 7=14207
           Henry, Joseph, teaching rel. to research 7=9001
           Maxwell's ovals and light refraction 7=9549
                                                                                                                                    photoelectron emission, u. v., during recrystalliza-
           Shapley's researches on Magellanic clouds 7=8879
Umanskii 7=7393
                                                                                                                                        tion 7=11608
                                                                                                                                    quantum oscillations due to higher electron bands
 Biological effects of radiations
                                                                                                                                        obs. 7=7783
                                                                                                                                   obs. 7=7783
Shubnikov-de Haas effect, analysis 7=4855
thermal cond, at liq. He temp. 7=14472
thermoelectricity, magnetic field var., electron state
theory 7=18057
thermomagnetic effects, theory 7=5123
thermopower, size effect 7=2021
transitions III-IV and IV-V, obs. by resistivity
meas. 7=14206
twin layer growth rate, stress var. obs. 7=10992
u.s. absorption coeff., gigantic oscillations 7=14441
u.s. amplification, quantum resonances 7=7482
vapour pressure, 50-4000 torr 7=17317
X-ray soft absorption spectrum obs. 7=15313
          apparatus for obs.u.s.effects on tissue growth in rabbits' ears 7=15834
           calls 1-1004
bullfrog mating calls vocal response 7=9230
carcinoma in bones of rabbits, due to u.s. heating 7=5640
cells, isolated living, us. vibration 7=15833
enzyme solns. u.s. inactivation spuriousness 7=15835
on hearing, children's toys hazards 7=2925
           noise of crackers and toy firearms obs. 7=5730
 Biological technique and instruments
           bioelectric potentials, meas. circuits 7=5641
           cathode follower with input capacitance neutralization for glass microelectrode meas. 7=2741
            \chi and \gamma sources gas image amplifier 7=703
                                                                                                                                    X-ray soft absorption spectrum obs. 7=15313
Bi and Bi<sub>2</sub>, enthalpies of evaporation 7=7155
           convective heat loss from human meas. 7=2742
           electron microscopy, optical diffr.for one-sided image prod. 7=18479
                                                                                                                                    Bi+BiBr<sub>4</sub>, Bi+BiCl<sub>4</sub>, solns, electrical conductivity 7=14125 Bi<sup>210</sup> from Pb<sup>210</sup> decay, L. Auger spectrum obs. 7=10440 Bi:Sn electron bands, magnetoresistance oscills. and Hall effect obs. 7=14828
            galvanic skin response apparatus 7=12269
           Hall effect meas from microwave Faraday rotation 7=2969 metal microelectrodes, local removal of insulation 7=2740
                                                                                                                                     Bi:Sn electron and hole bands, magnetoelec. obs. 7=17796
           microscope, reflection-diffraction, for obs. diatoms in colour 7=8994
                                                                                                                           Bismuth compounds
                                                                                                                                    superconducting phases with many elements 7=1873 Bi-alloys, differential thermo-e.m.f. 7=15050
           for ultrasonic effects on tissue growth in rabbits' ears obs. 7=15834
                                                                                                                                    Bi-alloys, differential thermo-e.m. f. 7=15050 Bi+BiBr<sub>3</sub>, Bi+BiCl<sub>3</sub>, solns, electrical conductivity 7=14125 Bi<sub>3-2</sub>,Ca<sub>2</sub>xFe<sub>5-x</sub>V<sub>0.12</sub>, ferrimag. resonance and anisotropy 7=15207 Bi<sub>0.5</sub>Ca<sub>2.5</sub>Fe<sub>3.75</sub>V<sub>1.25</sub>O<sub>12</sub>, ferromag. resonance, 495-9250 Mc/s, 4.2-530°K 7=5187 Bi-Cd alloys, photoelectron emission, u. v., during recrystallization 7=11608 BiCl, visible band spectrum T=10485 BiFeO. Phase transitions 20^{\circ}_{-}950^{\circ}_{-}7=10047
  Biology
                See also Medical science; Physiology; Zoology
            ancient life on earth obs., review 7=5639
            bone, estimate of Th and U at sub-microgram level, by
            n activation 7=15832 micro-organisms, detection in reactor water circuits 7=2743 wood-rings of spruces in lower Silesia, \beta-radioactivity obs., rel. to age 7=8995
                                                                                                                                     BiFeO<sub>3</sub>, phase transitions, 20°-850°C 7=10947
                                                                                                                                    B_{1_2}GeO_{20}, optical activity and electro-optic effect 7=5248 B_{1_2}GeO_{20}, ultrasonic props. 7=4629 BiH and BiD, h. f. s. 7=13725
  Biophysics
            DNA-type molecules, helix-coil transition 7=10562
            electronics, liquid state 7=5787
                                                                                                                                    {\rm BiI_3} photocond. rel. to hydrostatic press. up to 14 kbar 7=11595
            muscle cells Ca binding, elec. current effects
                 obs. 7=18478
                                                                                                                                     Bi-Mn, dilute, Shubnikov-de Haas effect meas. 7=7932
            oilseeds crystal struct., X-ray diffr. obs. 7=14402
```

Bismuth compounds-contd

BiMnO<sub>3</sub>-PbTiO<sub>3</sub> phase diagram 7=14208  $BiMn_2O_5$ , mag. structure and props. 7=18090 BiOCl, electron diffr.phase grating approx.test 6=1409 Bi-3.5% Pb, thermo-e.m.f. and Hall constant, effect of plastic deformation 7=15051

Bi-Pb-Tl alloy systems, lattice vibrations 7=17543 BiS. absorption bands, rotational analysis 7=13727 BiSBr, band gaps by optical absorption obs., 80°-310°K 7=1801 Bi-Sb alloys, thermal resistivity due to mass fluctuation

scatt. 7=1495

BiSb, electron band struct tunneling obs. 7=17798  $\mathrm{Bi}_{1-x}\mathrm{Sb}_x(0 \le x \le 0.3)$  electron bands, Shubnikov-de Haas obs.  $7{=}17799$ 

Bi-Sb(5, 10%), thermoelec. and elec. cond., 0-15 kOe, temp. var. 7=11581

Bi<sub>1.75</sub>Sb<sub>0.25</sub>Te<sub>3</sub>, thermoelec. props. rel. to CuBr conc. 7=8044 BiSe, absorption bands, rotational analysis 7=13727
Bi-Se alloys, de Haas-van Alphen effect, rel. to Fermi surface 7=18089
Bi-O. 2at. % Sn valence band structure from galvanomagnetic effects and magnetic susceptibily 7=14827

Bi-Te alloys, de Haas-van Alphen effect, rel. to Fermi

surface 7=18089

Bi-Te helicon waves large quantum oscills obs.  $7{=}17845$   $\rm Bi_2Te_3$  cpds., Peltier cooling, devices and theory  $7{=}2023$ Bi<sub>2</sub>Te<sub>3</sub>, dislocation loops, interacting 7=4703

Bi<sub>2</sub>Te<sub>3</sub>, disorder effects 7=14531 p-Bi<sub>2</sub>Te<sub>3</sub>, Hall effect and magnetoresistance, proton effects obs. 7=1929

Bi<sub>2</sub>Te<sub>3</sub>, inelastic carrier scattering 7=17772 Bl<sub>2</sub>Te<sub>3</sub>, magnetic anisotropy, room temp. to 1.3 K 7=8097 Bl<sub>2</sub>Te<sub>3</sub>, microsegregation impurities rel. to thermo-electric characteristics obs. 7=4986

Bi<sub>2</sub>Te<sub>3</sub> thermal cond., I doping effects rel. to surplus Bi 7=17571

Bi2Te3+Bi2S3 thermal cond., I doping effects rel to surplus Bi 7=17571 BiTe<sub>3</sub>-Bi<sub>2</sub>Se<sub>3</sub> thermocouple effect of leg size and

mechanical surface treatment 7=11582

 $\rm Bi_2Te_3-Sb_2Te_3$  thermal cond., I doping effects rel. to surplus Bi  $\ 7{=}17571$ 

Bi<sub>4</sub>Ti<sub>3</sub>O<sub>12</sub> ferroelectricity, optics and crystal symmetry obs. 7=15032

 ${\rm Bi_4Ti_3O_{12}}, {\rm polarization~threshold~field~7=18047~Bi-Zn~alloys, de~Haas-van~Alphen~effect, rel.}$  to Fermi surface 7=18089

Bitter patterns. See Magnetization state/domains.

Bitumen. See Materials.

Bloch walls. See Ferromagnetism; Magnetization state/domains. Blood

ferric hemin, Mössbauer spectra 7=14181 Boiling

See also Distillation.

bubble growth rates at high Jacob numbers 7=10901 bubbles growth rate obs. 7=17314 droplets, leidenfrast, data and model 7=7151

drops, spheroidal, vaporization on film boiling, theory and expt. 7=10900

Freon-13, superheated, nucleation kinetics, by light scatt. 7=14160

hexane, superheated, effervescence kinetics meas. 7= nucleate, incipience in forced convection flow 7=4416 7=14159 nucleate, in pure liqs. and binary mixtures, theory 7=7148 nucleate, in pure liqs. and binary mixtures, theory 7=7149 nucleate, temp. diff. meas. 7=7150

pentane, superheated, effervescence kinetics meas. 7=14159

propagation and wave form of vapour volumetric concentration, forced convection, oscillatory 7=1199 steam, bubble formation and growth in channel boiling 7=1198

water, pool, min. heat fluxes meas. 7=7156

 $\rm H_2O,\,heat$  transfer from metal, maxima and minima rel. to temp. difference obs.  $\,7{=}10903$ 

**Boiling** point

cyclanes, rel. to Raman spectra 7=14152 normal oxygen boiling temperature 7=9249 Bolometers

black coatings for absolute radiometers 7=9237 for high-sensitivity e.s.r.detection 7=2183 i.r., solid-state, review 7=9236

Boltzmann equation. See Transport processes. Bonding of materials. See Adhesion.

See also Molecules.

alkali halides, energies of dilute solid solns. 7=7207 alkali metals b.c.c., f.c.c. and h.c.p. structures energies calc. 7=17321

alloys, Engel correl. between electronic configuration and crystal structure 7 = 14165

ammonia, liq., H bonding at temps.from deuteron spin-lattice data 7=7117

covalent, partial ionic character 7=6628

ceramic-metal, review 7=14003

Bonds -contd

cyclopentadienyl ligands, bond lengths calc. 7=16962 dihalides of Gp. Ia metals, bond angles and bonding 7=6634 dihaloboranes, polarizabilities calc. 7=10537 heavy metals to BeO ceramics, by sintering at 1300, 1500°C 7=14004

hybridization, orbital theory 7=13668 hydrogen bonds, influence on anharmonicity 7=4081

imperfections and ions covalency and molecular orbitals 7=14821

ionic crystals, binding energy calc. 7=14166 ionicity in iono-covalent cpds. 7=7170 metal atom clusters, electron in box theory 7=10472

metals, di- and trivalent, pseudopotential and second order perturbation theory 7=7773

metals, Engel correl. between electronic configuration and crystal structure 7=14165 metals, rel. to strength 7=14676

molecular crysts., destruction by pressure 7=1207 N-methyl-3,5-dibromopyridone crystal struct., bond

lengths and angles obs. 7=11087 noble metals cohesion theory 7=7172

oxalic acid dihydrate, effect of D substitution on bond lengths 7=7457

perfect crystal, rel. to mech. strength, theory 7=4753 polycarbonate, oriented glassy, grain slip and bond flexing 7=1745

polyphenylene oxide, oriented glassy, grain slip and bond flexing 7=1745

rare-earth trichlorides, covalency contribution 7=1208 rare-gas and similar crystals, stability rel. to 3-ion interactions 7=4430

water, H bonding at temps. from deuteron spin-lattice data 7=7117

XY<sub>3</sub> isoelectronic sequences of pyramidal symmetry, 14 ions and molecules analysed 7=13711

XY4 with D4h symmetry, force consts. of general valence force field, calc. 7=16933

Al, b. c. c., f. c. c. and h. c. p. structures energies calc. 7=17321 Al-Cr, decomposition, activation energy 7=7205

Al-Mn, decomposition activation energy 7=7205 Al-Sn alloys, vacancy-tin binding 7=14526 Au-Al in diffusion couples, failure 7=14698

B<sub>2</sub>H<sub>6</sub>, hyperconjugation 7=6638

BaCl<sub>2</sub>·2D<sub>2</sub>O, H bonds from spectra 7=8375
BaCl<sub>2</sub>·2D<sub>2</sub>O, H bonds from spectra 7=8375
BaCl<sub>2</sub>·2H<sub>2</sub>O, H bonds from spectra 7=8375
(BrF<sub>2</sub>)<sub>2</sub>SnF<sub>6</sub>, Mössbauer effect of Sn<sup>119</sup> obs. 7=16941
(BrF<sub>4</sub>)<sub>2</sub>SnF<sub>6</sub>, Mössbauer effect of Sn<sup>119</sup> obs. 7=16941
C-H, quadrupole and octupole moments, from barrier to internal rotation 7=6631

Ca in muscle cells, elec. current effects obs. 7=18478 Cl, solid molecular, motion and intermolecular forces n.q.r. study 7=17322

Cl in NaCl, CCl<sub>4</sub>, PbCl<sub>2</sub>, search for effect on Cl neutron 405 eV resonance Doppler broadening 7=16816

Cr(III) complexes, luminesc. and ligand-field strength 7=15377

Cu alloys, Cu as transition metal 7=14168 Cu cohesion theory 7=7172

Cu, as transition metal 7=14168

Fe(dimethyl glyoxime), pyridine derivative complexes, Mössbauer obs. 7=16964 Fe(III) complexes, %A,-2T, crossover, mag. moment, theory of temp. depend, 7=10493

H atoms in CaF<sub>2</sub>, covalency effects on g factor 7=11679

H, effect on elec. cond. of organic solids 7=11525 H, in NH<sub>4</sub>OOH 7=14387

 $\rm H_2^+$  energy no correl, with axial electron density  $\,7{=}13731$   $\rm H_2^-O$  , and neutron resonance integrals meas.  $\,7{=}10258$ He<sup>3,4</sup> cohesive energy at melting calc. 7=15991 KCl cohesive energy calc.from electron states 7=14839

KCuCl, 7=11625

KrF<sub>2</sub>, Bastiasen-Morino shrinkage effect calc. 7=10507 Mn-O, in Mn(III)tris(acetylacetonate) 7=10548 N-N, single, double, and triple, theory 7=890

Nb-Ta, elastic properties rel. to alloying effect on bond strength 7=4795

Nb-Ti, elastic properties rel. to alloying effect on bond strength 7=4795

Nb-V, elastic properties rel. to alloying effect on bond strength 7=4795

O-H...O in solns., ht of formation 7=1154 PbO, SiO<sub>2</sub> glases, rel. to composition, optical effects 7=18261

TiN containing excess N 7=10909

TiO<sub>0-85-1,20</sub>, X-ray K spectra obs. 7=17323

Tl<sup>205</sup> covalency and chemical shift in Tl halide-Cs halide solid solutions chemical shift and covalency 7=8340 ZnO, from diamag. susceptibility data 7=5128

Bone. See Materials. Books

> breakdown in gases, electron avalanche theory 7=963 dispersion techniques in field theory 7=12943

```
Boron compounds-contd
Books-contd
         elementary particle teaching 7=9742
elementary particles at high energy, series, for Trieste
1965 seminar review 7=12882
                                                                                                                                           BN, shock-wave-induced transformations 7=14230
                                                                                                                                           BN suspension in n-octadecane for high press transmission
                                                                                                                                           to fragile structures 7=18486
B<sub>2</sub>O<sub>3</sub>, vitreous, h.f. moduli 7=4766
          entropy in low temp. physics 7=85
         geophysics, methods and techniques 7=11971
high-energy beam optics 7=9375
many-electron problem lectures 7=15910
                                                                                                                                           B<sub>2</sub>O<sub>2</sub>ClF, vibr. spectra 7=15312
B<sub>2</sub>O<sub>2</sub>Cl<sub>2</sub>F, vibr. spectra 7=15312
                                                                                                                                 Borrmann effect. See X-ray diffraction.
         neutron slowing down and thermalization 7=6464 nuclear interactions of hyperons 7=6245
                                                                                                                                 Bose gas. See Bosons.
                                                                                                                                 Bosons
                                                                                                                                                See also Elementary particles; Quantum theory/many-
        numerical methods of reactor analysis 7=6468 optical pumping introduction and bibliography 7=4012 optics, applied and engineering, review 7=16208 physical basis of polarized emission 7=12726 plasma turbulence 7=6911 plasticity theory for frictionless materials, clay failure 7=7676
          numerical methods of reactor analysis 7=6468
                                                                                                                                           particle systems. A<sub>2</sub>(1290), possible structure within 7=583
                                                                                                                                           asymmetric ground states and Bose-Einstein condensation of symmetry multiplets 7=15907

Bethe-Salpeter eqn., causal Green's function, properties 7=12902

Bose gas, translational velocity of vortices 7=5694
          potential scatt. analytic props. 7=9822 pseudopotentials in theory of metals 7=7164
                                                                                                                                           Bose liquids, T4 law for density of normal component 7=15908
          quantum field theoretical methods in statistical
mechanics 7=5689
quantum mechanics 7=5924
                                                                                                                                           commutation rules, Bargmann's represent., group
                                                                                                                                                theory 7=12901
         quantum theory, advanced, for graduates, on field, symmetry and collision theories 7=365
                                                                                                                                           decaying into 3 spinless particles, spin tests 7=6028 diboson production by \pi of 12 and 18 GeV/c 7=6141
          reactions of elementary particles relativistic
                                                                                                                                           e.m. mass difference in fundamental triplet
model 7=16592
          theory 7=16437
scattering theory 7=6072
spectrum atlases at Vatican Observatory, 1935-65 7=804
                                                                                                                                           field in optical coherence theory 7=9532 field two-point-functions functional calc. 7=5940
          twilight 7=8705
                                                                                                                                           G-parity doublet, e.m. interactions 7=12885
gas, imperfect, quantized vortices 7=5695
gas, weakly interacting, uniform electric fields
effects 7=12380
          X-ray crystallography, international tables, note on 7=14361
Bootstrap theory. See Elementary particles; Field theory;
     quantum.
Bordoni effect. See Acoustic wave propagation/ultrasonic;
Damping; Internal friction.
                                                                                                                                           general relativity in five dimensions 7=9777 imperfect gas in n dimensions, thermodynamics 7=9111 interacting, ground state energy 7=9109
          adsorption in amorphous state of polar compounds obs. 7=17398
                                                                                                                                           intermediate, neutrino interaction data 7=16518 intermediate, production by \nu possible obs. 7=472
          adsorption of diatomic gases on evap. films 7=10974
                                                                                                                                           intermediate and unitarity symmetry 7=16429 intermediate, in weak interaction theory 7=16457
         adsorption of diatomic gases on evap. NIME 7 determination, thermal neutron capture γ-ray analysis 7=18341 diffused in Si, elastic strain and lattice contraction 7=11076 diffusion in n-SiC 7=1520 evaporation coeff. 7=10904
                                                                                                                                           intermediate, weak interactions conference, Argonne, USA 1965 7-471
                                                                                                                                           isovector-vector, non-Abelian Compton effect 7=3629
Lee model with one-boson dispersion rels. 7=12942
         evaporation coeff. 7=10904
fibres, pyrolytically produced, mech. props. 7=14198
fibres, structure of W borides 7=14356
films, self-supporting, prod. 7=3350
forbidden-band width, determ. by "intrinsic
thermometer" 7=14825
in graphite, determ. of content with spark source mass
spectrograph 7=3589
in graphite, rel. to nucleation of radiation
damage 7=14551
                                                                                                                                           leptons, bosonic, possible existence 7=16517
liquid, vortex struct. under press. calc. 7=9112
liquids, superfluidity, review 7=5761
magnetization of charged ideal "pair gas" 7=9110
                                                                                                                                           mass levels calc, by composite model 7=3429 mass spectrum obs, in reaction \pi^*p \to pX^* 7=3558 masses rel. to N isobar subtracted masses 7=6260
                                                                                                                                            non-ideal Bose gas, second sound 7=2856
                                                                                                                                           operators in one-dim. fermions model, rel. to neutrino theory of light 7=5698
          admage (=1900)
infrared absorption of amorphous films, no peaks obs. with high purity 7=18217
interaction with W substrate 7=2438
ions on diamond at 40keV, semicond, prod. 7=7935
                                                                                                                                           operators, representation of group generators and spin
perturb, theory 7=3439
quantum fluids, conference, Brighton, England,
                                                                                                                                                 Aug. 65 7=157
          ions on n-Ge, inversion layers prod. 7=7977 in steel, occurrence in oxide inclusions 7=17343
                                                                                                                                            R(1675), structure within 7=583
                                                                                                                                            relativistic two-boson bound states with high binding
Boron compounds
                                                                                                                                                 energy 7=6043
          borate and borophosphate glasses, structure rel.to colour
                                                                                                                                            resonances, dynamical relations 7=3426
               centres 7=1632
                                                                                                                                            resonances, mass formula 7=9758 resonances, in NN annihilation 7=16600
          borate glasses dispersion ratios, rel. to silicate 7=11772
          borate phosphors activated with fluorescein,
phosphorescence obs. 7=2413
borates of dolomite structure 7=7410
                                                                                                                                            resonant states production and decay in \pi^- + p interaction at 3.2 GeV/c 7=6152
                                                                                                                                            self-conjugate, isospin, locality 7=16433 system, compensation of dangerous diagrams principle,
          hydrides, mass spectra, synthesis, and cryogenic
                stability 7=15418
                                                                                                                                                 best energy criterion 7=9108
           trihalides, in-plane vibr. freqs. and force consts. 7=10482
                                                                                                                                            system, hydrodynamic eqns. and elementary excitation 7=9113
          B¹¹Br₂H molecular vibr. generalized mean and Coriolis const. approx. at 300°K 7=10484
           B<sup>11</sup>Cl<sub>2</sub>H molecular vibr. generalized mean and Coriolis const. approx. at 300°K 7=10484
                                                                                                                                            system, interacting mixture with fermions, finite-temp.
                                                                                                                                            theory 7=9114
system, relax. of two level system coupled to a bose gas
with Einstein spectrum 7=12379
          \rm B_5D_9, vibration of boron skeleton, calc. 7=6606 BF_3, B-B bond distance 7=6641
                                                                                                                                            system, renormalization and statistical mechanics 7=5691 system, superfluidity kinetic equations and their
          BF<sub>3</sub>, dimers in Ar matrices 7=1220
BF<sub>3</sub>, Fermi resonance 7=4069
                                                                                                                                                 solutions 7=91
          BH, molecule, mag. props. 7=873
BH, Rydberg levels calc. 7=6642
                                                                                                                                            system, weakly coupled, condensate turbulence 7=15909
                                                                                                                                            systems, \alpha-matter, generalized theory 7=6291 systems, bilinear coupling effect on degenerate
           \rm BH_{3}, one-centre-expansion SCF calc. 7=13726 \rm BH_{3}, SCF calc. 7=6639
                                                                                                                                                modes 7=2853
           BH_4, optimized minimum basis set 7=13723 B_2H_6, electronic struct. 7=6638
                                                                                                                                            systems, ground-state density matrices 7=2855 T = 1, S = 0 states, classified as Regge trajectories 7=6102
           B2H6 electronic wave functions in bridge regions
                                                                                                                                            weak interaction scheme 7=16460
                calc. 7=6640
                                                                                                                                            W intermediate search from p-N \mu prod. with high energy at large angles 7=13050-1 Yang-Mills field redundant variables separation 7=12880
           B2H6, molec. geometry 7=872
           B_2H_6, SCF calc. 7=6639 B_2H_7 electronic wave functions in bridge regions
                                                                                                                                  Boundary layer flow. See Flow.
Bragg reflection. See X-ray crystallography.
                calc. 7=6640
           B4H4, SCF calc. 7=6637
                                                                                                                                  Brass. See Copper alloys.
           B_6H_9, vibration of boron skeleton, calc. 7=6606
                                                                                                                                  Bravais lattice. See Crystal structure, atomic. Breakdown, electric
           BN, e.p.r. of thermally and radiation produced centres 7=11693
                                                                                                                                           See also Discharges, electric; Electric strength, threshold electron density 7=10586 vacuum, minimum energy 7=964
           BN, evaporation and wetting of Al 7=4419
BN, ground state and low-lying valence levels 7=10483
```

```
Breakdown, electric-contd
   gases
```

air, emission of ionizing radiation 7=13813 air, microwave nanosec pulses obs. air, r.f. in superimposed d.c. field obs. 7=6781 air, required conditions 7=6778 air, square pulses with high overvoltage, mechanism obs. 7=17002

atmospheric, by Nd and ruby laser pulses 7=13809 electron avalanche theory, book 7=963 electron avalanches, emission of ionizing

radiation 7=13812-13

electron avalanches obs. by charge images 7=4148 focus discharge, dense plasma, development obs. 7=4150 inhibitors for carbon deposition 7=6763

by lasers, theory of rate of growth of ionization 7=13827 noble, by Nd and ruby laser pulses 7=13809 by optical beams, expt. results on threshold 7=13810 by optical freq. radiation, high-intensity 7=13808 potential difference/distance relationship between

spheres 7=17000 quantum electronics, conference, San Juan, 1965 7=12588 secondary, effect on duration of discharge 7=17001 two electrode gap, static and pulsed, depend on press. 7=4151

two-point discharger, starting voltages 7=968

vacuum gap delay time, electrode material effects rel. to melting point 7-13807 vacuum, ultrahigh, rel. to clump theory and electrode erosion 7-6779

vapours, emission of ionizing radiation 7=13813 CO, pd=0.02-1.0torr.cm 7=966  $CO_2$ , emission of ionizing radiation 7=13813  $H_2$ , high press. 7=4152 H<sub>2</sub>, pd=0.02-1.0 torr.cm 7=966 H2, r.f. in superimposed d.c. field obs. 7=6781

 $N_2$ , high press. 7=4152

 $C_2$ , emission of ionizing radiation 7=13812-13  $C_2$ , pd=0.02-1.0 torr. cm 7=966  $C_3$ , r.f. in superimposed d.c. field obs. 7=6781 liquids

alcohol-n-hexane mixture, and high field conduction 7=4375 benzene, and high field conduction 7=4375

conditions required 7=6778 for dielectric thin layers 7=4372 dielectrics, elec. strength and conduction 7=4379 dielectrics, nsec formative times, carrier mobility,

insulating qualities 7=1163 dielectrics, thermal, rel. to high field conduction 7=4373

hexane with anthracene, pre-, luminescence pre-break-down pulses mechanism 7=14113 by laser beam, acoustic impulse prod. 7=14083 laser prod. obs. 7=10837

methyl-methacrylate, and high field conduction 7=4375 mineral oil, at microwave freqs. 7=4377

polymers, organic, threshold electric breakdown 7=10586 silicone-n-hexane mixture, and high field conduction 7=4375 solids

conditions required 7=6778

dielectrics, avalanche theories 7=5051 MIS capacitors avalanche transients 7=15047 magnetic breakdown model, exact solns. 7=17784 metal-semiconductor point contact maximum inverse voltage calc. 7=17995

needle test equipment 7=8004

organic insulators, dendritic erosion mechanism 7=8003 plastic, transparent, electrical strength rel. to cathode surface condition 7=8012

plastics, organic, electric stress induced 7=8019 polyethylene, using aqueous electrodes 7=2003 polyethylene films, space charge effects 7=5070 polymers, organic, threshold electron density 7=10586 rocksalt in micron range of thickness 7=11550 semiconductor devices, second breakdown 7=5040 semiconductor devices, second breakdown, scanning electron microscope study 7=5042

semiconductors, avalanche multiplication, temp. depend. 7=4983

semiconductors, doping effects at low temps. theory 7=17940

transistors, second breakdown, failures 7=5043 transistors, second breakdown, forward and reverse base current region 7=5044

transistors, second breakdown, review 7=5039 Zener diodes, press. var. mechanism 7=14994

Al<sub>2</sub>O<sub>3</sub> films, ion migration as breakdown mechanism 7=11546

Cr-SiO<sub>2</sub>-Al layer structures 7=15024 Cu wire, m.h.d.instabilities obs. 7=965 CuCl, mechanism 7=5056

GaAs p-n junctions avalanche multiplication 7=18009 GaAs, p-π-p structs. avalanching 7=14983

Ge alloyed junction transistors, second breakdown 7=5047 Ge p-n junctions avalanche multiplication 7=18009

Breakdown, electric-contd

solids-contd

Ge p-n junctions, mechanical stress effects on voltage 7=1968

InAs, p-n junctions 7=14987

p-InSb, avalanche plasma prod. and instabilities at onset 7=17980

KCl, space charge effect 7=8056

LiF, dielectric, on electron bombardment 7=11560 LiF, p-irradiated, negative electrolytic breakdown figure obs. 7=15019

Mo wire, m.h.d.instabilities obs. 7=965

NaCl, electrical strength rel to current emitted from cathode 7=8011
Pb wire and liquid jet, m.h.d. instabilities obs. 7=965
Si avalanche diodes phase-locked oscillations at
1 Gc/s 7=7989

Si, breakdown voltage, effect of junction curvature 7=18013 Si, filamentary double injection in semi-insulating

Si 7=1950

7=3076 Si, Ni-doped, impact ionization microwave limiter Si p-n junction, avalanche breakdown voltage, calc.

Si p-n junction, effect of ambient temp. 7=18016 Si p-n junctions, rel. to light emission 7=18308

Si p-n junctions, mechanical stress effects on

voltage 7=1968 Si, p-n junction rectifiers, transient component 7=18021

Si p-n junctions, second breakdown 7=5027 Si power transistors, second breakdown 7=5048

Si Zener diodes at low temps. 7=11534 SiO, evaporated thin films 7=5062 SiO<sub>2</sub> layers, for determ of imperfections 7=1280

W wire, m.h.d. instabilities obs. 7=965

Breaking strength. See Mechanical strength. Breeders. See Nuclear reactors, fission.

Bremsstrahlung

See also Electrons/radiation; Gamma-ray spectra; Gamma-rays; X-ray spectra/emission; X-rays.

in air, rel. to bremsstrahlung and elastic scatt. by molecular nitrogen calc. 7=12968

in atmosphere, upper, cause by energetic electron precipitation 7=18375 beams, quantameter for energy obs. 7=12970

in beta decay and electron capture, internal 7=711 diamond, coherent, 1-40 GeV 7=12969

double, for monitor volume of colliding beams in e-estorage ring 7=9882 in electron collisions at high energy calc. 7=9869

electron, high-energy on nuclei, polarization effects rel. to nucleus mag. moment 7=6410

electron interaction with matter obs. 7=519

electron, 180 and 380 keV, effective cross-sections 7=3523

in electron scattering, ultrarelativistic 7=513 electrons, longit. polarized, circular polarization calc. 7=3502

from electrons longitudinally polarized, nuclear mag. moment effect calc. 7=10226

from electrons, monochromatization 7=3522

hadrons, at high energies 7=16516 induced effect on relativistic electrons 7=9470 maximum energy rel.to U<sup>235</sup> photofission asymmetry 7=772

from  $\mu$ , calc. for soils and water,  $5\times10^{10}-10^{14}$  eV 7=12992 from  $\nu$ -N collision, circular polarization 7=9870 nitrogen, atomic, absorption cross-section 7=13695

nuclear, on 140 MeV proton bombardment 7=9982 on nuclei, giant resonances obs. on scatt. 7=13232

oxygen, atomic, absorption cross-section 7=13695 p-p, theory 7=9975

plasma, effect of electron-electron collisions 7=4208 plasma, inhomogeneous, thermal, obs. 7=6861

in plasma, partially ionized, anomalous 7=17071 polarization, plane, from 15 MeV betatron 7=9871

production, coincidence meas. of angular distribution 7=512

spectra as function of target thickness, rel. to secondary-particle production by electrons 7=520

wide-angle, differential cross section dip obs. 7=16454 from Ag foils, bombarded by electrons 7=16515 Bi<sup>210</sup>, internal 7=13357

in KBr, absorption, 200 keV 7=8409 in KCl, absorption, 200 keV 7=8409 in KI, absorption, 200 keV 7=8409 Psz, internal 7=13357

Si, coherent, interference obs. 7=14393 Xe, partially ionized, e.m. wave amplification 7=16991

See also Illumination.

spark chamber tracks meas. 7=3396 Brillouin scattering. See Scattering/light Brillouin zones. See Crystal electron states. Brittleness

See also Breaking strength. brittle-ductile fracture transition press. and temp. var. theory 7=14685

crack propag. in compressed bodies 7=17679

Brittleness-contd

fracture and brittle-ductile transition, effect of triaxial stress systems 7=14683

high-strength solids, specific stress raisers 7=14684

laser irradiation effects 7=17671 metals, welded, fracture 7=1694

PVC films, brittleness temp. 7=4830

polymers, brittleness temp. 7=4830 in uniaxial tension 7=4830 polymethylmethacrylate, brittle fracture and crazing 7=14774

self-stressed bodies, fracture 7=14680

steel, high temp., after n-irradiation, phase-transition effect obs. 7=14735 steel, notch brittleness at -196°C 7=17705

yield and fracture conference, Oxford, 1966 7=14656 AgCl, complex ion, double layer mechanism 7=14690

Cu, O<sub>2</sub> free, rel. to pore formation 7=7699 Fe brittle fracture, effect of 5-10% Co 7=14732 Fe, due to irradiation, effect of interstitial impuri-

ties 7=1719 Fe-24at.%Cr, annealed at 475°C, segregation 7=14734

Mo, interstitial impurity var. and grain boundary relax. obs. 7=4791

Mo, oxide contaminated rel. to thermal expansion of oxides 7=4790

#### Bromine

in light source gas incandescent tube  $\,7{=}5914$  Br  $(4^2P_{1/2}),$  excitation and decay in photolysis  $\,7{=}10425$ Br79 ions, equilib. charge-state distribs. 7=13831

Bromine compounds

 $({\rm BrF_2})_2 {\rm SnF_6},$  chemical struct.obs,from Mössbauer effect of  ${\rm Sn^{119}}$   $7{=}16941$ 

HBr in Ar, polymerization, spectral obs. on freezing from -170° to -196°C 7=11952

### Brownian movement

and balance accuracy limitation, rel. to sensitivity calc. 7=15842

coagulation, self-preserving particle size distrib. 7=9093 fluctuation-dissipation theorem 7=9092 linear chain particle, theory review 7=15895 phenol-water critical point of liquid-liquid equilibrium

obs. 7=7059

photographic meas of submicron particle in gas 7=4395statistical mechanics, Rubin's model and Langevin eqn. 7=12366

statistical mechanics theory 7=12367

teaching demonstration 7=9094

Brush discharges. See Corona, electric discharge. Bubble chambers

data processing rel, to particle motion in decelerating medium and uniform mag.field 7=16377 e energy meas.optimization 7=3530

equipment with pulsed magnetic field 7=16376 gap length meas. using rotating slit, automatic 7=5968

high-energy physics conference, Dubna, USSR, (1964) 7=3413

hodoscope using  $4 \times 4$  scintillation counters 7=5958

hydrogen, review 7=16379

for  $\nu$  high energy interactions meas. 7=12973 laser illumination 7=5967

magnets, pulsed, for 200 kG 7≈5808

measurement of density of bubbles 7=3387

microscope projection adaptor 7=3392 multimetre hydrogen, design 7=5983

np film traces geometric reconstruction consts. obs. 7=3388 on-line checking of meas. 7=5969-71

on-line measuring machines 7=12801 pattern recognition and encoding system for film using c.r.t. 7=5974

photograph scanning, use of optical computer 7=3393 photography, flashtube system, shunt triggered 7=9636

photometric identification of particles 7=12802

with piston window lens, rapid cycling 7=5979 propane-freon, 40 kG 7=5978 pulsed field, 35-70 kOe 7=5977

resonant, hydrodynamics, design 7=5980

review of advances at conference on high-energy physics in 1964 at Dubna 7=5985 scanning and measuring projectors for films, performance rel. to Franckensteins 7=5973

scanning simulated photographs 7=5975

shape of projected image of tracks 7=3389

with superconducting magnet, and piston window lens 7=5976

teaching expt. on elementary particles 7=3390

track recording using in-line Fraunhofer hologram method 7=16378 track superimposition prevention using stepper

magnet 7=3391

vidicon camera appl to film meas. 7=5972 25000 litre liquid H proposal 7=5982 H, large glass sealing system 7=5984

H liquid, with small glass windows, 55 litre 7=5981

He  $\Pi$  liquid, bubble formation on vortices obs. 7=5764

#### Bubbles

See also Foams.

and acoustic radiation from piston with infinite baffle calc. 7=9189

air in water, and acoustic radiation from piston with

infinite baffle calc. 7=9189 in boiling, growth rate obs. 7=17314

in boiling, growth rates at high Jacob numbers 7=10901 cavitation, collapse effects 7=1140 collapsing causing cavitation, pressure effect 7=7010 glasses, of N, rel. to solubility in melts 7=7035

heat transfer of gas bubbling through liq. 7=7069 liquid systems, sphere of finite initial radius controlled

by mass diffusion, eqns. for dissolution or growth 7=14067

growth 7=14067 motion, rising in liquid, rel. to surf. tension and temp. 7=14028 in silicate melts, spontaneous form at high temp. 7=10795 soap, containing gas, noise emitted when ignited 7=2916 spherical, motion through Maxwell liquids 7=10794 steam, in channel boiling, formation and growth 7=1198

growth 7=1198 in viscous fluids, dynamics theory 7=7011 wake behind cone in compress. flow 7=13976 wakes behind, large, rising 7=14029

water flows, air-entraining aspects of similarity 7=14030 on He II liquid bubble chamber vortices obs. 7=5764 in UO<sub>2</sub>, fission gas release 7=10361

Burgers vector. See Crystal imperfections/dislocations.

CPT (charge, parity, time) conservation. See Field theory, quantum/interactions; Parity.

#### Cadmium

aggregates formation during cooling of drops obs. 7=4512 atoms in Kr and Ar at low temps., resonance lines triplet structure obs. 7=8448

atoms, lifetimes of levels 7=4026

coevap, with Te, use of recording microbalance for determ. of impingement rates and CdTe film formation rate 7=14275

diffusion in Au-Cd(47.5, 49.0, 50.5 at.%), Cd/Au ratio temp.var., six vacancy jumps mechanism 7=14484 diffusion in n-InAs 7=11143 elastic consts.meas.and determ.of temp.dependence of

specific heat at 300°-575°K 7=1709

Fermi surface, r.f. study 7=17802 liquid, sound velocity 7=1141

nucleation of solidifying high purity metal 7=10895 photoelectron emission, u. v., during recrystallization 7=11608

single crystal, dislocations obs., by etch pitting 7=11176 standard electrode potential in molten alkali

nitrates 7=2467

strain behaviour, effect of vacuum annealing 7=1708 stress relaxation 7=17693

tensile kinks microstructure obs. 7=11175 vapour, sensitized fluorescence rel. to Hg presence 7=6592

Cd solutions in CdCl2, activities and molar volumes obs. 7=7067 Cd II spectrum doublets relative strengths calc. 7 = 10419

Cd<sup>109</sup>, investigation of stratospheric motions 7=18356 Cd<sup>111</sup> n. m. r. rel. to Hg<sup>199</sup> obs. in vapour 7=6563

in NaCl, effect on fracture characts. 7=17724 Sb, heat of mixing with Cd 7=7039 Cadmium compounds

Cd dilute alloys grain growth ghost boundaries obs. 7=7606

 $\text{Cd}_3\text{As}_2, \text{electron states, magneto-optical obs.,} \\ 300,77,4^\circ\!K~7{=}17803$   $\text{Cd}_2\text{As}_2, \text{melting and polymorphism up to 40 kbar}~7{=}4408$ 

n-Cd3As2, Shubnikov-de Haas obs. of electron band struct. 7=17946

Cd3As2, thermal cond. anomalous, rel. to lattice defect 7=1496

 $Cd_3As_2\!-\!Zn_3As_2$  alloys, thermal cond. anomalous, rel. to lattice defect  $7\!=\!1496$ 

CdCl, spectral emission,  $B^2\Sigma - X^2\Sigma$  vibr. bands obs. 7=10492

Cd<sub>2</sub>Cl<sub>2</sub> thermodynamic props.from CdCl<sub>2</sub>-Cd solns, obs. 7=7067

CdCl2-Cd solutions activities and molar volumes CdC<sub>12</sub>-Cd solutions activities and molar volumes obs. 7-27067
CdCr<sub>2</sub>S<sub>4</sub>, magnetoabsorption meas.on single crystal 7-5523
CdCr<sub>2</sub>S<sub>4</sub>, optical absorption, around mag. ordering temp. 7-5253
CdCr<sub>2</sub>Se<sub>4</sub>, magnetoabsorption meas.on single

crystal 7=5235

```
Physics Abstracts 1967 - Part I (Jan.-June)
Cadmium compounds-contd
        CdCr2Se4, optical absorption, around mag. ordering
        temp. 7=5253
CdF<sub>2</sub>:Er<sup>3*</sup>, spin-lattice relaxation processes 7=5196
        CdF<sub>2</sub>, Gd<sup>3+</sup> impurity centre formation 7=14553
        CdFe<sub>2</sub>O<sub>4</sub>, Fe<sup>57</sup> Mössbauer quad. splitting and field
            gradient 7=17327
        CdGeP2, n-type, photocond. and opt. transmission 7=15069
       CdGeP<sub>2</sub> semiconducting, preparation and properties 7=7968
Cd_Hg<sub>1-x</sub>Te epitaxial films on BaF<sub>2</sub> obs. 7=2285
CdI, rhombohedral polytypes transformation during
            growth 7=17499
        Cdl<sub>2</sub>, excitons obs. from reflectivity, 2.5-10 eV, 300°, 77°K 7=17830 Cdl<sub>2</sub>, refr. index., ord. and extraord., meas. 7=5226
        CdI<sub>2</sub>, streaking and arcing rel. to stacking disorder during growth obs. 7=17621
       CdI_2 thermal expansion at low temps. 7=1487 CdMn_2O_4, antiferromagnetism 7=2160
        CdMoO<sub>4</sub>, crystal structure 7=11060
        CdMoO4:Eu phosphor, excitation and emission 7=11852
        Cd(NO<sub>s</sub>)<sub>2</sub>.4H<sub>2</sub>O, cryst. struct. 7=4580
CdO e.s.r. obs. interpretation 7=11697
        CdO, electron scatt. on lattice oscs. 7=7414
        CdO films, optical fundamental absorpt. and dielect
        consts. 7=11755
CdP<sub>2</sub> semiconducting props. 7=7936
        p-CdSb magnetoelectric effects rel. to electron band
             struct., obs. 7=17951
        CdSb magnetoelectric effects >77°K, <7500G 7=14946
        CdSb thermo-e.m.f. anisotropy obs. 7=5083
CdSb, thermoelectric eddy currents 7=15052
        CdSe, e.s.r. of Co2+ 7=2192
        CdSe, electrical cond. anisotropy in intrinsic state obs. 7=17952
        CdSe, electron bombard., fluoresc. band
        annealing 7=15374
CdSe, hot excitons 7=7815
        CdSe, In doped, electron affinity meas. 7=14947
        CdSe, as i.r. difference freq. generator, with lasers 7=3194
        CdSe laser, single- and double-photon excitation 7=16197
        CdSe laser with two-photon optical excitation obs. 7=5893
        CdSe laser, ultrathin, volume excitation 7=5892
        CdSe, phonon coupling in photocond, and edge
        emission 7=11104
CdSe, self-diffusion of Se, mechanism 7=4666
        CdSe, spectra of Ag activated 7=2405
        CdSe, spectral transmission obs. of multiphonon
            processes 7=18277
        CdSe thin film transistors, equiv. circuit from h.f.
meas. 7=11541
CdSe transistor, thin film 7=5046
CdSe, vaporization thermodynamics 7=7160
        CdSnAs<sub>2</sub> magetoelectricity, 1.3 -450°K, rel. to electron
             states 7=7939
        CdSnAS<sub>2</sub>, p-type, optical properties and hole mass 7=18224
CdSnAs<sub>2</sub>, reflection spectra and effective electron
mass 7=18225
        \rm n\text{-}CdSnAs_2 semiconducting props. and preparation ~7\text{=}17953 \rm CdSnAs_2, spectra, double-refraction and magneto-optical effects, 3-20 \mu ~7\text{=}2289
        CdTe diode, luminescence 7=15410
        CdTe diodes, luminesc. and elec. props. 7=15376
        CdTe, doping by In ion bombardment 7=14948
        CdTe electron states, from \alpha-particle pulse height
            from surface barrier obs. 7=17758
        CdTe, excitons obs. in optical absorption, photocond.,
        luminescence and lasing 7=17831
CdTe, Fe<sup>2+</sup> spectral absorption obs. 7=8391
CdTe, film formation on hot quartz and Mo by coevap.of
        Cd and Te, use of recording micro balance in rate
determ. 7=14275
CdTe films crystal struct.var.with non-stoichiometry
                    7=7276
        CdTe, films prep. by gas transport 7=10965
        CdTe impurities obs. by n-irradiation changes in elec.
and optical props. 7=17602
CdTe, as i.r. transmitting material 7=2292
        CdTe, isothermal compressibility, lattice parameters,
             at high press. 7=11059
        CdTe laser, single- and double-photon excitation 7=16197
CdTe, optical absorption edge, theory 7=2291
CdTe, optical absorption edge, 2-300°K, experimental 7=2290
        CdTe, p-n junctions, electroluminescence 7=15375
        CdTe p-n junctions, electroluminescence injection
```

mechanism and recombination kinetics obs. 7=2416

CdTe, p-n junctions, optical absorpt., photocond. 7=11406

CdTe photocells, mechanism of photovoltaic

CdTe, spectral distrib. of photo-e.m.f. 7=5094

CdTe, as possible  $\gamma$ -ray detector 7=505 CdTe, radiation damage, review 7=12514

CdTe, shallow acceptor states 7=1793 CdTe, spectra of Ag activated 7=2405

effect 7=11601

```
Cadmium compounds-contd
        CdTe, sputtering atom ejection patterns obs. 7=1660
        CdTe-AgInTe2, preparation, phase and diagram, lattice
            parameters and optical energy gap obs. 7=11005
        CdTe-CuGaTe2, preparation, phase diagram, lattice para-
        meters and optical energy gap obs. 7=11005
2CdTe-CuInTe<sub>2</sub> section of Cu-Cd-In-Te system, forbidden
zone width 7=11389
CdTe-Si heterojunctions, p-n and p-p 7=18014
CdWO<sub>4</sub> crystal field at Cd calc. 7=7187
    cadmium sulphide
       acoustic giant wave packets prod. by high elec. fields, 100-1500 Mc/s 7=14442
        acoustic-waveform distortion due to nonlinear elasticity 7=14444
        acoustoelectric effects, influence of trapping 7=4636
        carrier capture mechanisms on single recombination centre 7=8471
        cathodoluminescence 7=5292
        conduction electron scatt. mechanisms in n-type 7=4842 conductivity and thermoluminescence 7=2372
        current oscillations damping in high elec. fields
            obs. 7=17947
        current oscillations in photoconductor obs. 7=8051
        current oscillations produced by strongly illuminating
            a narrow zone 7=2029
        current saturation and instabilities rel. to phonon amplification obs. 7=17949 current saturation nonlinear theory 7=14945
        defects, elec. active, distrib. in surface region 7=11153
depletion layer for u.s. transducer, preparation and
operation 7=9194
        depolarization kinetics of photoelectrets 7=15070 diodes, negative resistance peculiarities 7=1972
        diodes, space-charge limited, deviations 7=18007
        edge emission 7=8472
        edge emission, effect of heat treatment 7=18291
        edge emission, 18°-150°K, as donor-acceptor associates
            internal transition 7=8473
        edge emission, new acceptor at 152 meV above VB 7=18292 electrical conductivity, dark, phonon buildup, higher-order
            effect 7=7940
        electrical props. temp. var. obs. 7=7973
        electroacoustic oscs. with amplitude modulation, rel. to
            illumination 7=15071
        electroluminescence, double injection effects 7=2374
        electromagnetic transmission under acoustoelec.
            amplification conditions, 35 Gc/s 7=18226
        electron band structure OPW and pseudopotential
            calc. 7=17804
        electron-phonon interaction in strong elec. fields theory 7=17757 electron states on surface, field effect obs. 7=7807
        electro-optical effects, possible exciton explanation 7=15319
        epitaxial films, changes in structure 7=14210
evaporation, in heated Mo honeycombed block in
vacuo 7=4418
        exciton region electroabsorption meas. 7=8381
        excitons, free motion and interactions with
       phonons 7=4883 field emission from etched pointed single crystals 7=15093 film precision polishing 7=14266 films, crystal orientation rel. to elec. cond. obs. 7=7275
        films, electrical properties, crystal anisotropy 7=17948 films, monocrystalline, properties rel. to substrates and conditions of deposition 7=10964
       films, optical props., luminesc., temp. depend. 7=18227 films, thin; photoconductivity 7=11588 Hall mobility anisotropy and field var. theory 7=14794 Hall mobility var., layers deposited in vacua 7=7937 holes, nonequilibrium lifetime and mobility 7=15075
       as i.r. difference frequency generator, with lasers 7=3194 irradiation effects of \gamma and fast n on elec.props. and luminescence 7=2027
        laser, electron beam excited, transition mechanism 7=9525
        laser, electron-bombarded, far field pattern,
            77°K 7=16191
        laser pumping by electron beam 7=12657
        laser, single- and double-photon excitation 7=16197
        light emission, electron excitation 7=5293
       luminescence centres 7=18290
luminescence, edge emission 7=5315
       luminescence, green-edge, distant-pair recombination, 4.2° and 77°K 7-2373
        luminescence yield of films at 77°K 7=2375
        magnetoresistance, transient of photocarriers, meas. by
            a.c.method 7=2030
        measurement of cond. without contact electrodes 7=15077
        with metal contacts, elec. props. temp. var. obs. 7=7973 multilayer Ohmic contacts technique 7=11503
        opti cal energy gap of cubic form obs. 7=11752
       optical refractive index, temp. and press. var.
           obs. 7=2287
       p-type, high resistivity, obs. 7=1931
```

```
Cadmium compounds-contd
    cadmium sulphide-contd
        p-type near hole-injecting anode obs.from Franz-Keldysh
            effect 7=18069
        phase equilibrium, up to 50 kbar and 700°C 7=14209
        phonon decay obs. after excitation 7-17544
phonon-exciton interaction theory for exciton band
            shift 7=4882
        phosphors, spectra of Ag activated 7=2405
photoconducting, space-charge-limited currents 7=2032
        photoconductivity, i. r. quenching 7=5093
photoconductivity rel. to In, Ga, In+Cl and Ga+Cl
        doping 7=5092
photoconductivity, laser induced multiphoton absorption
            obs. 7=15068
        photoconductivity, laser-pulse excited 7=15074
        photoconductivity, space charge effect in high elec.
fields 7=11587
        photoelectric state formation kinetics, single
crystals 7=15073
        photoelectrons Hall mobility in high field, temp. var.
            obs. 7=18068
        photoelectrons transient magnetoresistance,
1.9°-78°K 7=15072
        photoresistors together with phosphors for u.v.
        detection 7=9545
preparation of thin large-area filaments 7=8999
radiation damage, review 7=12514
        radiation detection, pulse counting or a. c. or d. c.
        conductivity 7=12791
Raman scatt. cross-sections, explanation by virtual quasiparticles 7=2286
        Raman spectrum obs.of multiphonon processes 7=18277 Rayleigh waves interaction with conduction
             electrons 7=4771
        resistivity decay at low temp. 7=1930
resistivity, photocurrents, spectral sensitivity and response
rel. to thickness obs. 7=5091
        solar cell, model 7=12507
         solar cells, thin film polycrystalline 7=12509
         space-charge-limited current, effect of impurities 7=17950
         space-charge-limited current, and effect of light 7=8050 supersonic electron-microwave interaction 7=15076
         surface photopotential of single crystals in alternating
             electric field 7=2028
         surface pinned layer-like field inhomogeneities 7=7938
         surface states on (0001) faces 7=11402 thin film solar cell, review 7=12508
         transducer films, shear mode, 100-600 Mc/s 7=5718
         transient photocond, quenching by surface trapping 7=2031
transistor, thin film 7=5046
transistor, thin film field effect, failure mechanisms 7=1975
         traps pulse obs. 7=7763
         two-photon absorption spectrum obs. 7=11753 u.s. amplification, by depletion layer 7=1459 u.s. diffraction of laser radiation by photoelastic
             effect 7=1460
         ultrasonic amplification, temp. dependence 7=7485 ultrasonic attenuation meas., 1.8°-300°K 7=14443
         vapour growth kinetics 7=14321
         volt-ampere characteristics 7=4988
         X-ray damage rel.to photocond., and annealing of these defects 7=14533
         Cds "diode", electron voltaic effect 7=14996
Cds-CdTe crysts., optical props. and energy
struct. 7=2288
         CdS(Cu) luminescence excited by Pm ^{147}\,\beta -radiation obs. 7{=}11900
          CdS:Cu films, photoelectromotive force, optical quenching 7=18067
          CdS:I bands gap uniaxial press.var., e.s.r. g value
             obs. 7=11388
          CdS:Li, local mode absorption bands in i.r.obs. 7=18278
         Cd(S<sub>0.5</sub>-Se<sub>0.5</sub>), photoconductivity saturation prod. by laser obs., rel. to imperfections 7=2033
         {\rm CdS_x\text{-}CdSe_{1^-x}} system, optical dispersive props. 7=11754 CdSe, phonon coupling in photocond, and edge
         emission 7=11104
CdSe, transistor, thin film field effect, failure
mechanisms 7=1975
          CdSe<sub>x</sub>S<sub>1-x</sub>, phonon coupling in photocond, and edge emission 7=11104
          CdS-SiO multilayer piezoelec.transducer 7=12434
          with In electrical contact 7=5018
Mn<sup>2+</sup> e.s.r.exchange narrowing 7=2206
          absorption spectra in Xe atmos., collision enforced
```

transitions 7=6537 adsorption and field emission on W 7=14298 adsorption, on W, field emission data 7=4491 adsorption on W, work functions of faces var. obs. 7=8066 arc plasma, thermalization of electrons 7=10594 atom, electron scattering, slow, cross-section 7=4035 atom, optically pumped in aromatic gases, spin relax, 7=10426

Caesium-contd atom,  $^2P_{1/2}$  - $^2P_{3/2}$  excitation, cross-section in collisions 7=4018 atomic clock freq. shift by conducting plate confinement search 7=9880 atoms, charge transfer with alkali metal ions, oscillations, 50-4500 eV 7=6798 atoms, excitation by slow electrons 7=837 atoms excitation transfer and quenching in N2 and H<sub>2</sub> obs. 7=10448 atoms ionization by electrons, initial energy var. obs. 7=10438
atoms resonance lines excitation by electrons,
cross. obs. 7=10433 converter, effect of interelectrode gap size 7=2994 electric plasma generator, use of photoionization 7=17022 ion, three-body collision recomb., Gryzinski cross-sections 7=13839 sections (=13038) ionization of vapour by laser at 6943Å, two-quantum mechanism 7=17024 ions, accelerated, cathode sputtering 7=1649 ions, sputtering of Al, Cu and Ti 7=17638 isotope shift in reson. lines of arc spectrum of Cs<sup>135</sup>, Cs<sup>135</sup> and Cs<sup>137</sup> 7=13679 Knight shift, line shape and width 28,5-1,6°K n.m.r. obs. 7=2230 lattice dynamics, electronic struct, and elect. props. 7=11109 n.m.r. in metallic Cs 7=15279 photoionization spectra of vapour obs. by Cs-filled thermionic diode 7=6800 plasma confinement in mirror field 7=4223 plasma diode influence of work function of cathode material on current 7=179 plasma in discharge, electron scatt. 7=6841 plasma electrondrift waves temp. var. obs. 7=17137 plasma, highly ionized, cyclotron echo phenomena 7=1038 plasma, low-temp., in low-voltage arc 7=17060 plasma in stellarator, resistive diffusion 7=6836 sputtering of Al by ions, yield obs. 7=1654 surface ionization on metals obs. 7=2063 thermionic converter with addition of noble gases 7=2993 thermionic convertors, low voltage mode theory 7=16028 in thermionic energy converter, with Ba 7=9330 vapour, charge exchange of protons forming excited H atoms 7=984 vapour, low voltage arc 7=13821 Cs\*Cl plasma e.m. wave propagation calc. 7=6848 Cs-Sb layer, anomalous vectorial photoemission 7=2068 Caesium compounds molecular geometry determ by elec. deflection 7=10493 Cs halides, Debye-Waller factor meas by Mössbauer effect 7=7471 CsBr, absorption at  $\lambda = 0.38-1.1$  mm (18°C) 7=15322 CsBr, colour centres, optical and thermal props. 7=1633 CsBr films condensation, electron diffr.obs. 7=1274 CsBr, freq. distrib. and Raman spectrum 7=7472 CsBr, refractive index meas. 7=11784 CsBr:Intspectrum, vibration fine structures of A and C bands obs. 7=18248 Cs<sub>2</sub>CeCl<sub>6</sub>, cryst. struct. 7=7416 CsCl films condensation, electron diffr.obs. 7=1274 CsCl, phase transformation, electron diffr. study 7=7225 CsCl, photoelectric emission, by X-rays, electron range 7=15099 CsCl, proton irrad., I<sup>130</sup> recoils, thermal annealing meas. 7=17644 CsCl, Schottky pair formation energy 7=7541  ${\rm CsCr_sO_8}$ , cryst. struct. 7=11062 CsD, absorpt. spectrum 7=6655 CsH, A' $\Sigma$  state 7=6655 CsH, A'∑ state 7=6655
CsI, absorption at  $\lambda = 0.49-2$  mm (78-385°K) 7=15322
CsI, Ca²\*, Sr²\* and Mn²\* doped, blue 4300Å
component 7=11854
CsI films condensation, electron diffr.obs. 7=1274
CsI, kink formation, etching obs. 7=7577
CsI, photoelectric emission, by X-rays, electron range 7=15099 CsI, refractive index meas. 7=11784 CsI, relativistic electron ionization loss 7=3529 CsI, scintillation luminescence, 3450Å component 7=11853 CsI windows polishing for i.r. 7=9561 Csi(In), \( \alpha\) and \( \gamma\) scintillation yields, temp. depend. 7=8475 Csi(Tt), \( \alpha\) and \( \gamma\) scintillation yields, temp. depend. 7=8475 Csi:Tt), \( \gamma\)-scintillation, decay component 7=15378 Csi:Tt luminescence decay times and scintillation processes obs. 7=8474  $CsMnF_3$  spectrum magnon sidebands obs. 7=8383 CsPbBr<sub>s</sub> crystal atomic struct. obs., white-type 7=7417 Cs-Sb films, photoelectron and thermionic emission, elec. cond. and contact potential 7=11505
Cs-Sb films, thickness rel. to original Sb film, meas. 7=1268

CsSb, S-11 photocathode, parameters 7=392

Calcium compounds-contd

```
Physics Abstracts 1967 - Part I (Jan.-June)
Caesium compounds-contd
                Cs-Sb, photoconductivity and photoelec. emission
                        obs, in films 7=8052
                Cs(UO_2)(NO_3)_3, irrad., e.s.r. 7=15224

Cs_3ZnCl_5, Co^{2s} in Cs_3ZnCl_6, weak exchange interactions in pairs e.s.r.obs. 7=2193
Calcium
                atoms, CaI, \(\lambda\)6362 emission in stars, central depth 7=8821
               atoms, Ca II, excitation cross-section Q(4s \rightarrow 3d) 7=4021 diffusion in MgO 7=1518
                effect on mechanical properties of Fe-0.2%C 7=1724
                electron band struct. in f.c.c. state under press.
                         calc. 7=17801
                λ6573 line, collision broadening and shift 7=16906 ions, 3968 and 3933 Å lines, twilight obs. 7=12048
                muscle cells binding, elec. current effects obs. 7=18478 proton, stopping powers meas. in 0.4-0.6 MeV 7=9983
                Ca* ions, obs. of long-lived auto-ionization states 7=13832
Calcium compounds
               autunite, random layer structure prod. by
                        grinding 7=1623
                calcite, e.s.r. of Mn2+, forbidden hyperfine
                transitions 7=15236 calcite, 1085 cm<sup>-1</sup> linewidth 7=2282
                calcite, twin lamellae and movement of twinning
                        dislocations 7=14578
                calcite, \gamma-irrad., e.s.r. of AsO<sub>3</sub><sup>2-</sup> 7=2189 calcite, irrad., P impurity centres 7=7549
                fluorspar, luminescence meas. 7=15373
                kainosite, crystal structure eval. 7=11058
                limestone pellets, dry compressive strength 7=17692 perovskites, far i.r. reflectance and dielec. dispersion 7=2281
                Ca aluminate glasses, defects prod. by stress obs. 7=11276
                Ca aluminates, i.r. spectra, in various dispersing
                         media 7=15316
                Ca ferrites, i.r. spectra, in various dispersing
                        media 7=15316
                Ca fluorosilicate, (niocalite), crystal structure 7=1432
Ca fluoxyantimoniate, photocoloration and optical
bleaching, reversible phenomena obs. 7=2283
                 Ca silicate fibre polytypes nomenclature 7=17347
               Ca-Bi-V garnet, parametric magneto-acoustic resonance 7=1458 \alpha\text{-CaB}_2\text{O}_4.4\text{H}_2\text{O} struct, appl. of linear struct, factor eqn. systems 7=4579
               eqn. systems '1=45'9'
CaB<sub>p</sub>O<sub>4</sub>(OH)<sub>3</sub>. H<sub>2</sub>O (colemanite) crystal atomic struct.
obs., rel. to ferroelec. 7=7413
CaB<sub>r2</sub>. 10H<sub>2</sub>O. 2(CH<sub>2</sub>)<sub>8</sub>N<sub>4</sub> complex, cryst. struct. 7=7411
CaCl<sub>2</sub>-MgCl<sub>2</sub>-H<sub>2</sub>O soln., activity coeffs. 7=7036
CaCl<sub>2</sub>-NaCl-H<sub>2</sub>O solns., thermodynamic props. 7=7037
                 CaCl<sub>2</sub> solution, structure and viscosity 7=14036
                 CaCO3, calcite-aragonite transition and triple
                        point 7=17358
                CaCO<sub>3</sub> cleavage plane on electron charging, electron diffr.
exam. 7=7309
                CaCO<sub>3</sub>, e.s.r. of Mn<sup>2</sup>*, effect of pressure 7=15237
CaCO<sub>3</sub> growth by chemical method, up to 50°C 7=1319
               CaCO<sub>3</sub> optical second harmonic generation, c.w. obs. 7=18258
               CaCO<sub>3</sub> stimulated Raman emission increase on decreasing temp. obs. 7=16189
CaCO<sub>3</sub>-MgCO<sub>3</sub> optical consts. in i.r. obs.from reflectivity with and without coatings 7=15289
CaFe<sub>2</sub>O<sub>3</sub> ferrites, with tri- or tetravalent ions, mag.
                        and crystallographic props. 7=15168
                 \begin{array}{l} {\rm CaHPO_4.2H_2O, solubility\ in\ system\ Ca(OH)_2-H_3PO_4-H_2O} \\ {\rm at\ 37.5^{\circ}C\ 7{=}17252} \\ {\rm CaMoO_4, e.s.r.of\ Nd^{3^{\circ}}\ 7{=}15245} \end{array} 
                CaMoO<sub>4</sub>, orientation, X-ray obs. 7=10989 Ca(NO<sub>3</sub>)<sub>2</sub>, spectra of aq. solns. 7=10843
                CaO, chemisorption of O_2 7=18335
CaO, \gamma-ray prod. centres e.s.r.obs. 7=1541
                CaO, produced in lime-burning, Cu X-irrad. effect on
                         surface area 7=11965
                CaO, pure and rare-earth doped, thermo-
                luminescence 7=11850
4CaO. Al<sub>2</sub>O<sub>3</sub>, Fe<sub>2</sub>O<sub>3</sub>, elec. field gradient 7=18137
CaOH, prep. and thermal decomposition 7=11004
                 Ca(OH)_2 - H_3PO_4 - H_2O system at 37.5°C, ion pair formation 7=17252
              formation 7=17252  \begin{array}{l} \text{CaO-HfO}_2 \text{ phase equilibrium up to 2400°C obs. } 7=1234 \\ \text{CaO-HfO}_2 \text{ phase equilibrium up to 2400°C obs. } 7=15238 \\ \text{CaO-SiO}_2 \text{ glasses, ionic conductivity } 7=11547 \\ \text{CaO-Yb}_2O_3 \text{ and CaO-Dy}_2O_3 \text{ phase equilibrium and Debye-Scherrer pattern obs. } 7=1233 \\ \beta\text{-Ca}_2P_2O_7, \text{cryst. struct. } 7=7412 \\ \text{Ca}_2\text{Sb}_2O_6F, \text{effect of ultraviolet radiations on electrical conductivity obs. } 7=15016 \\ \text{Ca}_2\text{SiO}_4\text{-CaMgSiO}_4 \text{ system obs. } 7=4448 \\ \text{Ca}_3\text{Sr}_{1-3}F_2 \text{ and Sr}_3\text{Ba}_{1-3}F_2, \text{mixed, Raman spectra } 7=2284 \\ \text{CaTiO}_3 \text{ dispersions electroviscosity } 7=17295 \\ \text{CaTiO}_4 \text{ lispersions electroviscosity } 7=17295 \\ \text{CaTiO}_4\text{ Pr. capture levels, by thermoluminescence } 7=237 \\ \text{CaTiO}_4 \text{ lispersions electroviscosity } 7=17295 \\ \text{CaTiO}_4\text{ lispersions electrovisco
```

CaTiOs. Pr, capture levels, by thermoluminescence 7=2371

```
Ca-V-Bi garnet e.m. absorption at room temp., 77° K, 4.2°K, 4.2 Gc/s 7=8446  
Ca<sub>2</sub>V<sub>1.5</sub>Fe<sub>3.5</sub>O<sub>12</sub> ferromagnetic resonance linewidth temp. var. T=2177
                     CaWO4, growth and ideal solvent 7=4511
                    CaWO4, impurity effects in thermoelec. and thermo-
                    luminescence, no rel. obs. 7=18059
CaWO<sub>4</sub>, laser oscillator, cavity dumping using time variable
                              reflection 7=303
                   CaWO<sub>4</sub>, Ho<sup>3*</sup> e.s.r., point defect prod. of disymmetry 7=1705
CaWO<sub>4</sub>:Mo<sup>2*</sup>, elec. field shift in e.p.r. 7=15239
CaWO<sub>4</sub>:No<sup>2*</sup>, cryst.-field term symbols 7=7188
CaWO<sub>4</sub>:No<sup>2*</sup> laser, internal losses effects on threshold
                   obs. 7=16180

CaWO<sub>4</sub>:Nd<sup>3*</sup>, paramag. res., effect of uniaxial compression 7=11712

CaWO<sub>4</sub>, Nd<sup>3*</sup> tetragonal crystal field splitting calc. 7=4437

CaWO<sub>4</sub> slip dislocations obs. by electron micro-
                              scope 7=1597
                    CaWO<sub>4</sub>:Nd laser 7=9526
CaWO<sub>4</sub>:Nd<sup>3*</sup> single phonon spin-lattice relax., mag. field
var. obs. 7=2221
         calcium fluoride
                     colour centres, by \gamma-irradiation 7=14620
                    coloured and uncoloured, mag. and elect. props. 7=4720 crystals growth, artificial fluorite props. and rare earth fluoride doping effects 7=1321
                    discrete saturation of e.p.r.lines 7=14974
dislocation clusters, formed during sintering 7=7576
                    e.s.r. of V and Cr 7=15250
                   electrical conductivity (50-800°C) 7=15015

F-centre electrons potential energy curve 7=11198
i.r. absorption bands rel. to colouration conds. 7=18223
i.r. emissivity, normal, 500°-600°C 7=15317
induced photon absorption in "pure" material 7=11780
                    magnetization induced by oscillating field, F_{\rm in} obs. 7=2231 magneto-optical rotation spectra of U4+, meas. 7=11740
                   nuclear Zeeman-dipolar cross. relax time obs. 7=11716 proton stopping powers meas. in 0.4-0.6 MeV 7=9983 pure, synthesis for growing optical monocrystals 7=1320 rare-earth doped, as i.r. quantum counter 7=5290
                    refractive index var. with pressure up to 7 kbar 7=5251
                    X-ray crystallog. single-cryst. intensity project
                              report 7=7382
                   CaF<sub>2</sub>:Ce<sup>3</sup>, orthorhombic and trigonal e.s. r. spectra 7=8283
CaF<sub>2</sub>:Ce<sup>3</sup>, orthorhombic and trigonal e.s. r. spectra 7=8283
CaF<sub>2</sub>:Dy<sup>2</sup>, giant laser pulse generation 7=16190
CaF<sub>2</sub>:Dy<sup>2</sup>, h.f. paramag.resonance 7=15228
CaF<sub>2</sub>:Dy<sup>2</sup>, luminescence line width 7=8470
CaF<sub>2</sub>:Dy<sup>2</sup>, paramicining fraction for the following fraction fraction for the following fraction for the following fraction fraction for the following fraction fracti
                     CaF<sub>2</sub>:Eu<sup>2*</sup>, magnetization from inverse Faraday
effect 7=15318
                    CaF<sub>2</sub>, F<sup>19</sup>, dynamic nuclear polarization effect 7=10916
                   CaF2:Gd3+, luminescence of trigonal centres with OH
                   compensation 7=2369
CaF<sub>2</sub>(I):Tb<sup>3+</sup>, cubic-field energy-level schemes of
                            fluorescence 7=18289
                   CaF<sub>2</sub>:Na,i.r. absorption bands rel. to colouration
conds, 7=18223
                   CaF<sub>2</sub>:Nd<sup>3+</sup> single-phonon spin-lattice relax., mag. field var. obs. 7=2221
                     CaF<sub>2</sub>:Sc<sup>2+</sup>, paramag. resonance obs. of Jahn-Teller effect 7=11696
                   effect 7=11890

CaF<sub>2</sub>:Sm<sup>2*</sup>, g-factors by mag. dichroism 7=11751

CaF<sub>2</sub>:TR<sup>3*</sup>, y-irrad, u. v. absorpt. 7=8378

CaF<sub>2</sub>:(Tb<sup>2*</sup>, Tm<sup>3*</sup>, Sm<sup>3*</sup>), F<sup>19</sup> n.m.r. 28-300°K obs. 7=2232

CaF<sub>2</sub>:Tm<sup>2*</sup>, ligand field splitting radial var., covalency effects calc. 7=7183
                    CaF<sub>2</sub>:U3*, luminesc. and stimulated emission 7=2370
                 CaF<sub>2</sub>:U<sup>3</sup>', luminesc. and stimulated emission 7=2370
CaF<sub>2</sub>:Y:CaO, charge compensated O<sup>2</sup> colour centres
obs. 7=11199
CaF<sub>2</sub>-YF<sub>3</sub>-Nd<sup>3</sup>', stimulated, radiation spectrum 7=3164
Ce<sup>3</sup>' doped, u.v. absorption spectra 7=18222
Er<sup>3</sup>' doped, e.p.r. and spin-lattice relax 7=11701
Er<sup>3</sup>' doped, spin-lattice relaxation processes 7=5196
F<sup>19</sup> n.m.r., line shape problem 7=15265
H atoms trapped in, covalency effects on g
factor 7=11679
NaF doped, dipole relax. 7=5055
Pr<sup>3</sup>' paramag, resonance trigonal spectra obs. 7=2212
Sm<sup>3</sup>' e. s. r. on trigonal sites obs. 7=8307
                    Sm3+ e. s. r. on trigonal sites obs.
                                                                                                                                           7 = 8307
                   U<sup>4+</sup> paramag.resonance 6=2212
Y-doped, anelastic and dielectric loss in kc/s
                              range 7=525
                     Y doped, thermoluminescence 7=11849
Calculating apparatus
                             See also Fourier analysis; X-ray crystallography/
                             calculation apparatus.
                    bubble chamber pattern recognition and encoding system
                            for film using c.r.t. 7=5974
                   computer expts. for self-gravitating system, one-
dimensional model 7=15640
computer, hybrid, for X-ray crystallography 7=11050
for cyclotron ion extraction and transport calc. 7=12822
```

```
Calculating apparatus-contd
                                                                                                              digital computer programmes—contd
for diatomic molecular integrals 7=16936
diatomic mols., rot. spectra analysis 7=10462
DIFIGREC, for 2-D criticality calc. 7=780
for dead time correction of pulse height spectra 7=3834
Calculating apparatus contd
        for cyclotron trim-coil supplies control at
Berkeley 88 in. 7=12824
        for fluctuations ensemble dependence 7=9087
        formulae for structural analysis using parameters of
                                                                                                                  for diffraction by semitransparent half plane, Cornu spiral appl. 7=3267
            group symmetry 7=4554
        manual code punching panel with perforator 7=15862
        memory, associative 7=16047
                                                                                                                  for electromagnet design, pulsed 7=186
        memory, fast periodic, capable of simultaneous writing and reading 7=16048
                                                                                                                  for electron bunched beams velo. spread 7=16059
                                                                                                                  for electron microbeam probe data anal. 7=7400
        for multiple scintillation detector array, digital pulse
                                                                                                                  film scanner, computer controlled 7=7399
            height recording 7=419
                                                                                                                  force constants 7=13714
Fortran, for e-heavy target interaction, heat generation
        radioactivity, low levels continuous recording, digital to analogue converter 7=13350
                                                                                                                       distrib. and n prod. calc. 7=3875
        for screw dislocation field ion image simulation 7=14571 space vehicles, data processing and receiving, review 7=2616
                                                                                                                   FORTRAN IV for Voigt function calc.
                                                                                                                                                                          7 = 12303
                                                                                                                  for gamma-ray spectra analysis 7=3507
                                                                                                                  executive program for time-shared on-line computer system 7=9682 high-energy physics conference, Dubna, USSR, (1964) 7=3413
        for teaching physics 7=9039
time-of-flight data processing 7=410
    analogue apparatus
            See also Nomograms; Sliderules.
        for charged particle in e.s.field trajectory plotting with electrolytic tank 7=9373
                                                                                                                   for interplanar angles calc. and indexing back-
                                                                                                                       reflection Laue data 7=14398
                                                                                                                   ion-sensitive photoplate, computer eval. program 7=6506
microwave spectroscopy, internal rot. splittings 7=10461
        and computational method for mag.potential rel.to particle accelerator pole forms 7=432
        for cyclotron trim-coil supplies control at
Berkeley 88 in. 7=12824
                                                                                                                   molecular potential, arbitrary, in cylindrical coord. 7=6627
                                                                                                                   molecular potential, arbitrary, in three dim. 7=6626
                                                                                                                   for molecules vibr. internal displacement coordinates
        electrolytic tank for plasma confinement mag. field
design 7=4226
                                                                                                                        redundancy condition calc. 7=13713
                                                                                                                   for n.m.r. spectra chemical shifts and spin-spin coupling consts. 7=5869
         laser appls. to memory, logic etc.
         for muon momentum determ. 7=10049
                                                                                                                   for neutron multigroup transport, DUNDEE 7=781
for neutron resonance parameters least square analysis,
computer programmes 7=13438
         for nuclear structure analysis, review 7=3706
        optical computer for bubble chamber photograph
            scanning 7=3393
                                                                                                                    for neutron scatt by cylinders, ang. distrib.
correction 7=3974
neutron thermalization in reactor elementary cell 7=779
         quantum spinless particles analogue circuit 7=9776
        scintillation counter statistics equivalent circuit 7=9692 underwater sound programme 7=5363 for Ge(Li) detectors 7=3506
                                                                                                                    for non-linear electromagnet field 7=16046
                                                                                                                    for nuclear reactor multigroup n transport calc. 7=13641
     digital computers
         use in apparatus for particle track vizualization,
review 7=3385
applications in education 7=1
applications in science 7=27
                                                                                                                    nuclear reactors, core optimization 7=16872
                                                                                                                    for optical constants in Fortran 7=3263
                                                                                                                    for organic crystal struct., molecular packing use 7=17483 PDP8 associative analyser operating instructions 7=9686
                                                                                                                    for particle beam transport optics by Newton-Raphson
method 7=3034
         applications in technology 7=28 for bubble chamber meas on-line checking 7=5969-71
                                                                                                                    permeability data in porous media, FORTRAN 7=10711 plasma, diffusion, anomalous, computer model 7=4188
         for counter hodoscopes and digitized spark
             chambers on-line data handling 7=5957
                                                                                                                    process for V° events in Wilson chamber 7=3386
         for crystallography, recording of three-dimensional
                                                                                                                    for pulse height spectra analysis 7=16765
             struct. amplitudes with systematic absences 7=7381
                                                                                                                    for radiative transfer internal intensities in
          for cyclotron trim-coil supplies control at
                                                                                                                        slab 7=9143
              Berkeley 88 in. 8=12824
                                                                                                                    for radioactive decay curves analysis 7=10171 for radioactive source-to-detector geometry 7=705 for radioactivity \gamma-spectra unfolding by stepwise statistical method 7=6366 for radio sources scan or lunar-occultation Gaussian
          in data acquisition system, for multichannel
              analysis 7=16370
         electron-density maps, presentation using computer 7=17485 eye, schematic, ray tracing of optical system 7=360 for ferromagnets flux penetration calc. with var. permeability and hysteresis 7=9351
                                                                                                                         least-squares fit 7=12268
                                                                                                                    for random vibrations first passage 7=9151 for SU(3) irreducible representations 7=5662
          for heat transfer, simultaneously conductive and radiative 7=2934
                                                                                                                     for seismic waves from explosions 7=8611
          for \gamma scintillation spectrometry quality control 7=12964
                                                                                                                    for shock-wave structure in gas containing ablating
          hologram-generating, for holographic synthesis 7=16296
                                                                                                                        particles 7=17190
         magnetic resonance zero crossing detector using time averaging computer 7=16122 laser appls to memory, logic etc. 7=2799 for (n, γ) reaction meas., γ absorption tank sample changing on line 7=13464 for nuclear physics multichannel data acquisition at low energy, review 7=3346
                                                                                                                     spectral reflectivity oscillator analysis 7=2323
                                                                                                                     spectrometer, calibration of wavelength drive 7=16265
                                                                                                                     in X-ray crystallography, for Fourier transform of
helical structure 7=17484
X-ray diffractometer, on-line automation 7=7395
                                                                                                                     X-ray powder patterns, indexing unknown structs. 7=7388
                                                                                                                     for X-ray small angle scatt. collimation correction for finite apertures 7=364
          nuclear reactor time optimal control system 7=793
          for nuclear structure analysis, review 7=3706
P.D. P-8, logs data from on-line thermocouples 7=9252
print-out for BCD weighted numbers 7=26
                                                                                                                     N-e cascade in cosmic-ray absorber 7=10059
                                                                                                                     for Y, h.c.p., interplanar angles and planar spacings 7=4604
          reactor analysis, book 7=6468
                                                                                                             Calculation
          resolution of classical capacity problems 7=9315 for spectrophotometers, magnetic tape input 7=9599
                                                                                                                        See also Graphs; Nomograms.
                                                                                                                     acoustic linear-array design by nonlinear
programming 7=9184
characteristic values by Bubnov-Galerkin method, appl. to
flow stability theory 7=12299
          standard projections of planes and directions in any
crystal system 7=14355
          for teaching physics 7=2
          time-sharing for several meas. 7=5952
                                                                                                                     decay period of nuclear level in multichannel coincidence meas. 7=382
          for Van de Graaff accelerators, on-line \,7{=}9722 vapour,thermodynamic props. \,7{=}6968
                                                                                                                     delayed coincidences time spectrum computer
          CO<sub>2</sub>, pressure-broadened i.r. absorpt, spectra band
strength at 15 microns, by digital integration 7=13730
for Ge(Li) detectors 7=3506
                                                                                                                         analysis 7=381
                                                                                                                      equation, dispersive nonlinear, numerical computation 7=24
                                                                                                                     JWKB-type approximations, higher order, general theory 7=5661
           U prospecting data analysis 7=8614
       digital computer programmes
                                                                                                                     magnetic field series for axisymmetric current distrib.,
           ALGOL 60 language review 7=2800 for atomic levels least squares adjustment 7=3992
                                                                                                                     magnetospheric appls. 7=9350
relaxation method for network of elec. railway 7=9314
shock flow discontinuities numerical calc. using artificial
```

heat conduction 7=12414

slope of curve by least square, error for heat transients 7=12467

variational, convergence rate estimation 7=15860 Calculus. See Differential equations; Integrals; Mathematics.

for  $\beta$  continuous spectra corrections for resolution and backscatt. 7=12985

for bubble chamber photographs simulation 7=5975

cosmic rays, cascade curves interpolation 7=10060 crystallography, rotation function 7=7370 for cyclotron control at Michigan 7=12865

### Californium

No entries

Californium compounds

No entries

# Calorimeters

aneroid bomb, for heat of combustion of irradiated graphite 7=9263

cone-type, for laser energy meas. 7=3123 regulator, automatic, for temps, between block and shell, adiabatic 7=150

for specific heat meas., 2-80  $^{\circ}K$  7=9262 spherical, for explosion study, energy losses 7=15939 for water in ice meas. 7=8616

### Calorimetry

See also Heat of adsorption, etc; Specific heat.

adiabatic, low-temp., automatic temp. controller 7=9274
laser energy meas. with liq. absorpt. cell. 7=9482
low-temp., conference, Otaniemi, Finland, 1966 7=15981
powders at low temps., thermal cond. prod. 7=1467
rare earth garnets, investigation of mag. transitions
0.35]4.2°K 7=18150
specific heat meas. by differential scanning
calorimetry 7=1472
superconductors two II isothermal 7=17898

superconductors, type II isothermal 7=17898 use of He3 gas conduction, 0.4°-4.0°K 7=11123

# Cameras

high speed framing 7=359 luminosity distrib. of decaying plasma, high speed recording 7=10651

nuclear emulsion, for scatt. from gas and solid targets 7=12809

rotating mirror, imagery improvement by He atmosphere 7=16308

smear camera complicated slits prod. 7=9635 twin-chamber, focusing, for X-ray fine struct.

determ. 7=11051 underwater acoustic camera 7=5726

for X-ray diffr. of polymers, heating and cooling unit 7=4538

for X-ray diffraction contrast topography 7=1535 Candoluminescence. See Luminescence.

#### Capillarity

See also Bubbles; Drops; Films/liquid; Foams; Surface tension.

benzene, drop formation in glycerine-water mixtures, effect of capillary diameter on drop volumes 7=14031 condensation, model calcs. 7=7143

damping of capillary-gravitational waves by surface-active substs. 7=4318

drop formation in liquid-liquid systems, effect of capillary

diameter on drop volumes 7=14031 electrolytic separation method 7=8565

liquid, plane motion due to surface tension action 7=4321

Capture cross-sections. See Nuclear reactions and subheadings. Carathéodory's principle. See Thermodynamics. Carbon

See also Diamonds; Graphite.

adsorption by granules, of N2, Ar, H2 at liquid

 $N_2$  temp. 7=14290 amorphous, formed by reaction of alkali metals with org. halogens 7=7298

atom, 1s<sup>2</sup>2s2p³ valence state, partial form factors calc. 7=17497 atom, pair correlations calc. 7=10404 atomic spectrum obs. and calc., 1492-1602Å 7=4006

atomic spectrum oss, and care, 1972
atoms in \$\beta\$-Mo\_2C, ionization state 7=7434
carbon black, resistivity-bulk density relations 7=11430
carbon black resistivity, pressure dependence 7=11429

coherent scatt. length for free neutrons 7=9989 creep rate at extrusion temp., stress var. obs. in green mixes 7=14700

deposition in gas discharges, inhibitors 7=6763

diffusion and high-temperature reactivity 7=8533 diffusion in TaC 7=14494 diffusion in TaC and Ta<sub>2</sub>C 7=7529

e.s.r. rel.to interlayer spacing in C blacks 7=15219 e.s.r. obs of Pauli paramag. temp. var. in pregraphitic C, rel. to band struct. 7=11694

electrons mass scatt. cross for films, 60, 80 keV 7=7632

electrons mass scatt.cross-section analytical expression 7=1395

film growth, thin 7=17385

films, growth of crystals 7=17386

films, optical props. in i.r. region obs. 7=8376 foils, ion stopping cross-section, 0.1-1.0 MeV with

 $6 \le \mathbf{Z}_1 \le 20 \ 7 = 11223$ 

graphitization rel. to spark discharge energy obs 7=17357 impurity crystallisation on W faces, electron and ion microscope examination 7=1575

ion beams charge distributions in various media at 8 MeV 7=12553

ion, CIII, oscill. strengths calc. with config. mixing 7=10410 molecule, swan band, vibr. lines meas. 7=6645

Carbon-contd

molecules vibrational relaxation in excited d3m state obs. 7=6643

neutron transmission spectra and total cross-section minima 7=16627

paper, for liquids acoustic press. meas. 7=10834

plasma prod. with shock tube and arc 7=1045 porous, from PVC decomposition, structure obs. by

electron microscopy and benzene adsorption 7=17344 precipitation and resolution in Fe 7=1228 proton energy-loss distrib, in foils 7=1656

proton, stopping powers meas. in 0.4-0.6 MeV 7=9983 resistor sensors for cryogenic temp. meas. 7=12474 in solid solns., activity meas. 7=4447 solubility in Mo, W and Re 7=7208

solutions at high-press. 7=14317

sorption of  $CO_2$  on molecular sieves obs. 7=17399 spectra, He-like 7=6536

spectrum of vapour condensed in inert-gas matrices 7=2277

in stars, abundances in M and S types obs. from molecular spectra 7=5532

stars, vibrational stability rel.to  $\nu$  losses 7=15677 surface reactivity rel.to chemisorbed  $O_2$  7=8554 thermoelectric power effect of O, chemisorption 7=11576 thermometric resistor, superheated, temp. jump with He II bath 7=9259 vapour flames, spectra 7=874

Vapour Hames, spectra '1=014'
X-ray Fourier maxima, temp. factor and cutoff
effect 7=17498
C, reaction rates with O<sub>2</sub> and CO<sub>2</sub> 7=15419
C<sub>2</sub>, emission from oxyacetylene flames 7=875
C<sub>2</sub>, low-lying valence levels, MO calc. 7=10488
CII multiplets rel. oscillator strengths obs. 7=10405
C<sup>12</sup>/C<sup>13</sup> in sun, lower limit in photosphere rel. to C<sup>13</sup>N
absence in spectrum 7=12663 absence in spectrum 7=12263

C 18 content in solar atmosphere 7=5632

C<sup>13</sup> n.m.r. in paramag. Fe-group cyanides 7=11695
 C<sup>14</sup> conc. in troposphere, variation, 9°N-78°N 7=15484
 C<sup>18</sup> isotopes in earth atmosphere, production by n and γ from cosmic sources obs. 7=5393

C<sup>14</sup> radioactivity meas., rapid technique 7=16746 C<sup>14</sup> variations in atmosphere 7=18361

C + O atom interaction effective cross sections calc. 7=843

in Fe alloys, activity, substitutional solutes effects 7=4447

in  $\alpha$ -Fe, atoms clustering calc. 7=14554

Fe recrystallisation kinetic, effect obs. 7=4513 in Fe-C-V, activity at  $1000^{\circ}$ C, V effect 7=4447

Ni-Fe and Ni-Cu f. c. c. alloys, anisotropy energy of mag. C after-effect 7=8215 in Th, diffusion prod. by d.c. obs. 7=4677

Carbon compounds
See also Organic compounds.

carbides, neutron diffr. exam. furnace for up to 2500°C 7=4541

carbonates, growth by chemical method, up to 50°C 7=1319

graphite nitrates, thermoelec, anomaly rel. to phase boundary carrier scatt. 7=18058 group IVB and VB metal carbide-carbon eutectic

temp. 7=10892

metal carbonates absorption, 70-350 cm<sup>-1</sup>, rel. to lattice vibr. 7=5250

C-kaolin composites, resistivity, temp. dependence 7=11427

C-kaolin composites, resistivity temperature dependence 7=11428

C2, growth curves calc., self-absorption 7=6644

 $C_3$  in  $C_3O_2$  flash photolysis, spectral obs. 7=8566 CCl<sub>4</sub>, rhombohedral modification 7=7454

CCl, surface wave dispersion rel. to pulses compression

obs. 7=2904
CF, heat of formation 7=10486
CF, oscillator strengths 7=10486
CF<sub>2</sub>, heat of formation 7=10486

CH<sub>4</sub>, solubility in polystyrene films, direct sorption 7=10984

CN, growth curves calc., self-absorption 7=6644 CN halides, u. v. absorpt. spectra 7=10487-8

CN lasers, submm emission mechanism 7=3136 CN molecules, interstellar, excitation temp. 7=2670 CN-, reaction with methyl iodide, isotope effects

calc. 7=8534

CN in sun, 868& line interpretation 7=8965  $C \equiv N$  vibr. freq shifts, source of 7=16942 CN violet system, electronic transition moment

variation 7=6646

CNN<sub>3</sub>, flash photolysis in N matrix 7=2472 CNO emulsion,  $\pi^-$  interactions at 17.2 GeV 7=16828

CO, adsorbed on metal films, i.r. spectra 7=17406 CO, adsorpt. on evap. B films 7=10974

CO, adsorpt. on Mo, electron probe mass spectra 7=1286

Carbon compounds-contd

SUBJECT INDEX Carbon compounds—contd CO, adsorpt. on W (100) surface 7=10981 CO, adsorption on W (100) surface 7=10981 CO adsorption on W (110) surface, low-energy electron diffr. obs. 7=1288 CO, adsorption on ZnO 7=7297 CO,  $B^{2}\Sigma \rightarrow ^{2}\Sigma$ ,  $A^{2}\pi \rightarrow ^{2}\Sigma$  and  $B^{2}\Sigma \rightarrow A^{2}\pi$  excitation obs. 7=4072 CO, band spectrum, review 7=4071 CO band systems, transition probability parameters calc. 7=6651 Co, chemisorption on Pt 7=8555 CO, coadsorpt. with O on W (110) surface 7=1290 CO, cryst., far i.r. spectra 7=8421 CO desorption from W by giant pulse laser obs. 7=17409 CO, dispersion in fundamental band 7=6650 CO, electric breakdown, pd=0.02-1.0 torr.cm 7=966 CO, evolution on exposure of glass to gamma radiation 7=4740 CO, ionization, total cross-sections for electrons 7=10616 CO, liquid, viscosity 7=14053 CO, negative ion-molecule reactions, high press. 7=8542 CO, new vac. u.v. bands 7=877 CO, overtone intensities 7=876 CO partial pressure in terrestrial and Venusian atmosphere 7=15474
CO, reaction rate with OH 7=2440
CO, reaction rates with O<sub>2</sub> and CO<sub>2</sub> 7=15419
CO, rot, mag, and elec. dipole moments 7=4070
C<sup>12</sup>O<sup>16</sup>, rotational moment 7=16944
CO spectrum, forbidden I<sup>1</sup> D<sup>-</sup> - X<sup>1</sup> D<sup>\*</sup> absorption bands obs. 7=6647
CO in sup bands is to CO in sun, bands in u.v. obs. 7=8963 CO, vibr. luminesc. excited by active N, 7=13728 CO, vibrational relax. of fluorescence 7=6649 CO-CH<sub>4</sub> system, phase equilibrium data at 90.67°K, and theory 7=4414 CO+ + CO reaction 7=15427 CO + Hg\*, electronic-to-vibr. energy transfer 7=10503 CO+N<sub>2</sub>, adsorpt. on W(100) surface 7=10982 CO-N<sub>2</sub> system, phase equilibrium data at 83.82°K, and CO<sub>2</sub> in atmosphere,  $15\mu$  band spectrum thermal radiation temp. distribution 7=11985 CO<sub>2</sub> atmosphere, regulation 7=15481 theory 7=4414 CO<sub>2</sub>, average energy to produce ion pair by recoil nuclei 7=17023 CO2, convection and heat transfer near critical pt. 7=13984 CO<sub>2</sub> convection near transposed critical point calc. 7=9243 CO2, correl. length and mass transfer near crit. point 7=14066 CO2, decomp. in shock waves 7=15420 CO<sub>2</sub>, density fluctuations above critical temp. obs. by n scatt. 7=10708 CO<sub>2</sub> desorption from W by giant pulse laser obs. 7=17409 CO<sub>2</sub>, difference bands, intensity 7=6653 CO<sub>2</sub>, electron avalanches, emission of ionizing radiation 7=13813 CO<sub>2</sub>, electron drift velocity meas. at 293°K 7=6978 CO<sub>2</sub>, evolution on exposure of glass to gamma radiation 7=4740 CO, films, i.r. spectra at nonnormal incidence 7=8377 CO2, flash photolysis, CO formation 7=11957 CO2 Geiger counters, afterpulse analysis 7=16350 CO<sub>2</sub>,1.r. transmission of inhomogeneous vapour, Curtis—Godson approx. test 7=4294 CO2, ionization by ion and electron impact 7=980 CO<sub>2</sub> laser, characts. 7=3131 CO<sub>2</sub> laser effects on molecules obs. 7=5338 CO2 laser, heterodyne detection and linewidth meas. 7=16165 CO<sub>2</sub> laser, inexpensive 7=283 CO<sub>2</sub> laser, for radiation production in Tl 7=9506 CO<sub>2</sub> laser self-modulation 7=9505 CO<sub>2</sub> laser transition probabilities calc. 7=280 CO2 laser, 20 watt construction and physical principle 7=282 CO<sub>2</sub> lasers at 10.6 µ, reactive Q-switching 7=281 CO<sub>2</sub>, luminescence spectrum, electron beam excited, 50 keV 7=6676 CO<sub>2</sub> in Mars atmosphere, spectral obs. 7=5591
 CO<sub>2</sub>, near crit. point, density fluctuations obs. with He-Ne laser 7=14046 Taser i=14045 CO<sub>2</sub>, negative ion-molecule reactions, high press. 7=8542 CO<sub>2</sub>, 9,  $4\mu$  and 10.  $4\mu$  bands transmission calc. 7=13729 CO<sub>2</sub> oxide cathode poisening prod. obs. by O'Fallon method, rel. to press. 7=8073 CO<sub>2</sub> photolysis 7=8567 CO<sub>2</sub>, pressure-broadened i. r. absorpt, spectra band strength at 15 microns, by digital integration 7=13730 CO<sub>2</sub>, Rayleigh scatt. breakdown obs. near critical liquidvapour point 7=4413 CO<sub>2</sub>\*, rotational energy levels and geometric config. 7=4074

CO2, solid, adsorption of D2, H2, Ne, He 7=14291

CO<sub>2</sub>, solubility in polystyrene films, direct sorption 7=10984 CO<sub>2</sub>, sorption on carbon molecular sieves obs. 7=17399 CO<sub>2</sub>, spectral emissivity meas, of 15µ-band, at high-temp. 7=10489 14CO<sub>2</sub>, tracer diffusivities through ternary mixtures 7=10758 CO<sub>2</sub>, vapour pressure obs. 7=1202 CO<sub>2</sub>, vapour press at 0.01°C, fixed pt. on high press. scale 7=12239 CO<sub>2</sub>, vibr. luminesc. excited by active N<sub>2</sub> 7=13728 CO<sub>2</sub>, vibr. relactor 7=10481 CO2, vibration tation spectra 7=4073 CO<sub>2</sub>, virial coemcients optimal recovery from compressibility data 7=10739 CO, weak 1 µ triad, intensity meas. 7=6652 CO2 + Ar mixture behind direct shock wave, thermodynamic parameters 7=1084 CO<sub>2</sub>-Ar system, binary diffusivities 7=10758 CO<sub>2</sub>-He lasers, output modulation by acoustic waves 7=311 CO<sub>2</sub>-He mixtures, vibrational relaxation 7=16943 CO<sub>2</sub>-N<sub>2</sub> laser, mechanism ensuring level population inversion 7=12629  $\text{CO}_2-\text{N}_2$  mixture, dissociating, heat transfer 7=13981  $\text{CO}_2-\text{N}_2$  system, binary diffusivities 7=10758  ${\rm CO_2-N_2}$  system, binary diffusivities 7=10758  ${\rm CO_3}$ , production, i.r. spectrum and struct. 7=8568  ${\rm C_3O_2}$ , condensed phases, i.r. and Raman spectra 7=2280  ${\rm C_3O_2}$  flash photolysis spectra obs. 7=8566  ${\rm C_3O_2}$ , u.v. spectrum 7=6648  ${\rm COS^+}$ , emission spectra 7=6654  ${\rm COS^+}$  spectrum emission bands obs. 7=10490  ${\rm COS}$  with relax 7=10491 COS, vibr. relax. 7=10481CS,  $A^{1}\Pi - X^{1}\Sigma^{+}$  isotope shifts 7=10491CS, decomp. in shock waves 7=15420 CS2, far i.r. spectra, up to 35 kbars 7=15360 CS2-nitrobenzene mixtures, intensity of stimulated Raman emission 7=3187 CS2, Raman nonlinearities prod. by Raman laser obs. 7=4361 CS2, relaxation after stimulated Raman effect 7=1145 CS2, stimulated Brillouin and Raman scatt., interference 7=14094 CS<sub>2</sub>, stimulated optical frequency mixing obs. 7=4356 CS<sub>2</sub>, stimulated Raman scatt. backward, obs. of intense light bursts 7=9529 CS<sub>2</sub>, transmission and intense reflection of laser light 7=1147 CS<sub>2</sub> travelling-wave Kerr cells, for light modulation 7=5907 HCN, vibr. relax. 7=10481 Carbon tetrachloride (CCl.). See Organic compounds. Carcinotrons. See Electromagnetic oscillations; Electron tubes. Carrier mobility. See Crystal electron states; Semiconducting materials; Semiconductors. Carrier scattering. See Crystal electron states; Semiconducting materials; Semiconductors. Catalysis See also Reaction kinetics. enzyme solns.u.s. inactivation spuriousness 7=15835 by magnetic field, butene-2 isomerization 7=2469 ortho-para  $\rm H_2$  conversion, paramag. catalysis 7=11943 radical recomb. luminesc. 7=11883  $\rm O_3$  chain decomp., by OH, mechanism 7=11944 Pt, thermal desorption of Hg 7=10979  $\begin{array}{c} \rm oFe\text{-}FeAl_2O_4\ mixed\ crystal\ in\ activated\ ammonia} \\ \rm catalysts\ 7\text{=}7421 \\ \bf Cataphoresis.\ See\ Electrophoresis. \end{array}$ Cathode-ray oscillographs. See Electrical measurement. Cathode-ray tubes. See Electron tubes. Cathode rays. See Electron beams. Cathodes See also Electron emission. anode erosion in heavy-current discharge in vacuum 7=950 arc spots dynamics obs. 7=973 field, with thin insulator films 7=11610glass, in electrostatic beam separators 7=424 hot, interaction of dense plasma 7=10633 ionization gauge, coating with  ${\rm LaB_6}$  7=4305 metal photocathodes for vauum u.v. intensity meas. 7=3201 metal, with pulsed heating of emitting surface 7=18081 metals in  $N_{\rm 2},\, Ar$  and  $H_{\rm 2},\, depend.$  of breakdown on pressure  $\, 7{=}4151$ opaque photocathodes, multiple beam interference 7=16225-6 photocathodes, processing, spectral response monitoring 7=9395 photocathodes, translucent and opaque, analysis 7=3200 semiconductor, residual gases short period obs. 7=5112 Al, sandwich type, field emission characts., rel. to dielec. thickness 7=2060 LaB<sub>6</sub> for electron guns 7=208 Th dispenser, for electron gun 7=12546 UC, evaporation rate obs. 7=18083

#### Cathodes -contd

UC-ZrC. evaporation rate obs. 7=18083 W-Ba, sealing by electron beam welding 7=2065 ZrC, evaporation rate obs. 7=18083

emission, correl. with conc. of excess alkaline earth metal 7=15094

methane effects on thermoemission obs. 7=8072 Ba, excess, determ. in 'twin' oxide cathode system 7=15095

Ba-Sr, Ba vapour activation 7=8071

 $BaZrO_s$  on Pt, for oxidizing atmospheres, 850-1100°C 7=18082

CO<sub>2</sub> poisening prod. obs. by O'Fallon method, rel. to press. 7=8073

H<sub>2</sub> poisening prod. obs. by O'Fallon method, rel. to press. 7=8073

Or concentration and mobility meas, and capacitance variation with temp. 7=2062

O<sub>2</sub> poisening prod. obs. by O'Fallon method, rel. to press. 7=8073

### Cathodoluminescence. See Luminescence. Causality. See Physics fundamentals.

#### Cavitation

See also Vortices.

acoustic array, steered rectangular, cavit.factor 7=12427 on bubble collapse, pressure effect 7=7010 flow past curved obstacle, parallel-wall cav flow 7=17237

in lubrication with parallel vibrating discs separated by

fluid, onset calc. 7=14017 mechanism of inception obs. 7=7004

origin, extremum principles use 7=17238 plastic 7=1688

plastic 1=1000
process, effect of temp. and gas content of liq. 7=1140
ultrasonic, high press, 7=4315
Al-Mn(1.7%) cavitational erosion at 17 kc/s, stress
effects obs. 7=17683 in Ga supercooled-state nucleation 7=17310

 $\rm H_2O$  , hydration of ions effect obs. 7=4313  $\rm H_2O$  saturated with air inception obs. 7=14018 He, by exchange forces, rel. to orthopositronium lifetime 7=17211

Cavity resonators. See Acoustic resonators; Electromagnetic oscillations.

#### Celestial mechanics

centrally condensed masses, equilibrium models with triplanar symmetry 7=18418

collective effects, 1-D model 7=2665

comets with long periods in interstellar and interplanetary

matter in general relativity 7=8944 ellipsoidal coords., no exact soln. 7=9051 Enke special perturbation method 7=2614-15 equilibrium state of self-gravitating cylindrical

field 7=12340 fields of force generating spiral motions 7=9050

fields of force producing motion on family of spirals 7=36 galaxies rotating rapidly, equilibrium calc. 7=8881 gaseous masses stability, post Newtonian hydro-

dynamics 7=15627 gravitational instability of rotating collapsing cloud 7=15715

cloud 7=15/15
Hamiltonian system, integrals, near equilib. point 7=2768
Jacobian integral, regularizing transforms 7=8789
Jeans instability in collisionless media,
suppression 7=18417
lunar disturbing function, tenth-order expansion 7=8900
Moon early history, tidal friction importance 7=12208
moon satellite aphilis cale. 7=12110 moon satellite orbits calc. 7=12110

oscillations of gas masses in mag. field, var. principle 7=5538 periodic orbits in 3-dimens. 3-body problem 7=2638

quasi-periodic solns, for 3-body problem 7=2639 regularized eqns. of motion of restricted problem 7=2636-7

relativistic precession of spinning satellite calc. 7=8767

resonance, third integral of motion 7=5511 self-gravitational Rayleigh-Taylor instability 7=8790

small divisors, formal soln. 7=2802 small divisors, third integral of motion 7=5511 spin-orbit coupling of planets and satellites 7=5582

stability of gravitating streams 7=12170

sun, earth and moon parameters relation 7=8904 third integral in resonance case, isolating

character 7=2810 three-body problem, restricted, existence of new

integral 7=2809 three bodies restricted problem, regularized, Birkhoff's eqns. soln., collision orbit 7=12318

three bodies restricted problem soln, by power series,

collision orbit 7=12317 three bodies restricted problem, three-dimensional, further periodic solns. 7=12319

two rotating spheres calc. in general relativity 7=5510 von Zeipel method and two-variable expansion procedure 7=9052

Whittaker's periodic orbits generalization to arbitrary attraction law 7=12316

Cell model. See Liquids, theory.

multicell photoelectric scanner 7=4394

#### Ceramics

bonding to metals, review 7=1400?

devitrified glass powder compacts, electron microscopy 7=14194

dielectric props., transient effect of nuclear radiation 7=5053 disintegration under ion bombard.obs. 7=1657 electrolyte for high-temp. fuel cells 7=172 fibres, as optical reflectance standard 7=11759 fracture meas.using vacuum furnace 7=1710

internal stresses in ceramics containing cristobalite 7=7694 piezoelectric for electron microscope ultramicro-

manipulator 7=7355 secondary electron emission 7=2072

shock wave effects on powders obs. 7=7212

strength of prestressed plates after nonuniform heating 7=11247

surface phys. and chem., conference, London (1964) 7=10948 surfaces, physics and chem. 7=17371 thermal radiation 7=7509

yield and fracture, physical basis 7=14679

BeO type, bonding to heavy metals, by sintering at 1300,1500°C 7=14004 Nb2O6-based, negative differential resistance due to

microheating obs. 7=7954
Pb zironate-titanate, dielectric props. obs. 7=8026 Pb(Mg<sub>1/3</sub>Nb<sub>2/3</sub>)O<sub>3</sub>-PbTtO<sub>3</sub>-PbZrO<sub>3</sub> piezoelec. props., effects of additives 7=11567

TiO<sub>2</sub>, sparks along surface in Ar and Xe, as light source 7=9574

#### Cerenkov radiation. See Cherenkov radiation. Cerium

allotropic transformations 7=14211 Ce<sup>3\*</sup> e.s.r. in YGa garnet obs. 7=18161 Ce<sup>3\*</sup> in ethyl sulphate, crystal-field splittings 7=1210

# Cerium compounds

monochalcogenides magnetism, 4.2-1300°K 7=11665 Ce ethyl sulphate thermodynamic props., effect of spin-h.f. phonon interaction 7=17565
Ce monochalcogenides, magnetic properties, 4. 2-1300 K 7=2079

Ces: CaF<sub>2</sub>, orthorhombic and trigonal e.s.r.spectra 7=8283 CeF<sub>3</sub>, n.m.r. and hyperfine interact. of F<sup>19</sup> 7=8326

(Ce-Mg) nitrate, stimulated phonon emission 7=14416 Ce<sub>8</sub>Mg<sub>42</sub>, crystal structure meas. 7=17500 CeO, absorption band rotational analysis 7=18228 CeO<sub>2</sub>, Er<sup>3</sup>\* and Yb<sup>3</sup>\* impurity centres 7=14552

CeO<sub>2</sub>, fluorescence of trivalent rare earths 7=11848 CeO<sub>2</sub>, single cryst. growth from Li<sub>2</sub>O. 2WO<sub>3</sub> solvent 7=7323

Ce<sub>n</sub>O<sub>2n-2</sub> crystal atomic structures generation from string 7=1421

CeO<sub>2</sub>:Gd³, e.s.r. and cubic crystal splitting 7=11702 CeO<sub>2</sub>-UO<sub>2</sub> system, thermal diffusion 7=11147 Ce-Sc(9-90 at.%), Curie temp. and susceptibility at 77-1100°K 7=2087

Cermets. See Ceramics; Metals.

Change of state. See Boiling; Condensation; Freezing; Melting; Phase transformations; Sublimation; Vaporization.

Characteristic temperature. See Specific heat.

Charcoal. See Carbon.

Charge. See Electric charge.

Charge carriers. See Crystal electron states; Semiconducting materials; Semiconductors.

Charge exchange. See Collision processes; Ionization/gases. Chelates. See Molecules; Organic compounds.

# Chemical analysis

See also Spectrochemical analysis.

copolymers, by p.m.r. 7=942

e.p.r., literature survey, August 1963-July 1965 7=5193 e.p.s., literature survey, August 1963-July 1965 7=5193

electron probe microanalyser resolution improvement by specimen current method 7=15455

electron spectroscopic technique, review 7=16895 fracture by electron probe 7=17670

fuel element, gamma analysis by Ge(Li) spectrometer with plastic anticoincidence mantle 7=10367 hydrocarbons, halogenated, concn. meas. in air 7=8588

inert gas discharge from nuclear reactor VVR-M 7-13656 isotopes, review of new aspects and methods 7-5347 n.m.r., using uncertainty principle 7-2487 Ratharometers, props. rel. to binary and multi-component gas mixtures 7-5354

surface, by alpha particle scattering 7=2494 Cr in ruby, 4 methods compared 7=2484 K<sub>4</sub>Nb<sub>6</sub>O<sub>F</sub>, 7=7331 Mg, isotopic composition, spectral method 7=8590

 $UO_{2*x}$ , determ. of O/U ratio 7=8587  $VO^{2*}$  in glass, e.s.r. 7=11713

# adsorption

See also Chromatography.

Pa<sup>233</sup>, on silicagel in HNO<sub>3</sub>, separation from neutron irrad. Th, in conference, Orsay (1965) 7=10884

```
Chemical analysis-contd
  electrochemical
```

H in air by alkali ion current from hot Pd 7=18343 polarographic theory, review of literature 1963-65 7=5348 polarography in binary salt soln. 7=18342

by mass spectrometry

See also Mass Spectrometers/applications. alkali metals, detect. of v. small amounts 7=15453 flame ions by time-of-flight 7=2486 inert ion microprobe sputtering spectrometer, vacuum system 7=2485 MS7, mass spectrometer 7=6501 monopole for partial pressures 7=10769
partial press, expanded sweep circuit giving step
sawtooth 7=10773

solid surfaces, method 7=15454 vacuum residual gas 7=10776

B in graphite, spark source spectrograph 7=8589

by nuclear reactions

moon, surface, instrument using α-rays 7=8913 n activation, dopant concn. in PbTe thermoelements 7=15060 n activation, dopant concn. in PbTe thermoelements 7 = 150 oxygen in metals determination using  $O^{18}(\gamma, p)N^{17}$  7 = 8597 review of 1963-6 developments 7 = 16670 B, by thermal neutron capture  $\gamma$ -ray 7 = 18341 F by  $F^{19}(n, \alpha)N^{18}$  and  $N^{16}\gamma$  rays 7 = 15457 by  $H^{23}$ , recycling in cyclotron 7 = 9739  $W^{184}(n, \gamma)W^{185m}$  in reactor, lack of utility without  $W^{184}$  enrichment 7 = 10277 directive.

radioactive

See also Radiochemistry. review of 1963-6 developments 7=16670 solutions at low levels, by  $\gamma$  spectra least squares analysis 7=5352 analysis  $^{\prime}$ =-3392 Cs<sup>137</sup> determination, small conc., by coprecipitation with  $(\mathrm{NH}_d)_3[\mathrm{P}(\mathrm{W}_3\mathrm{O}_1\mathrm{O}_1^4]$  7=2495 Sb<sup>128</sup> contamination in antimonal Pb 7=18340 T in  $\mathrm{H}_2\mathrm{O}$  at low levels 7=5353 Th, photonuclear method, in rocks 7=5351 U, photonuclear method, in rocks 7=5351 Xe<sup>133</sup> meas. in atmos. 7=15492

X-ray

See also X-ray examination of materials. alloys, solidus-liquidus region study by X-ray fluorescent analysis 7=10891 depth distribution in target obs. 7=15456 electron microanalysis, transport model for X-ray prod. and electron backscatt. 7=8594 electron microprobe symposium, Washington, 1964 7=11970

electron-probe microanalyser, specimen contamina-tion 7=5350

microdiffraction with scanning microanalysis 7=8596 multilayer films, thickness meas. by fluoresc. 7=14272 rare earths in silica-alumina catalysts 7=18339 review, fundamental developments and applications 7=5349 silicates, mass absorpt. correction in fluoresc anal. 7=11969

spectrometer performance rel. to electron probe geometry obs. 7=8595

for surface density meas., proton prod. 7=17383 for Al surface density meas., proton prod. 7=17383 for Cu surface density meas., proton prod. 7=17383 MgO-chrome refractories, grain-boundary reactions, obs, with electron probe. 7=11034
Mo, metallic impurities determination, ion exchange-X-ray
method 7=2493

for Yb surface density meas., proton prod. 7=17383 Zn-Cu sandwich target depth distribution obs. 7=15456 Chemical effects of radiations

See also Nuclear reactions/chemical effects; Photochemistry

formaldehyde and styrene copolymerization 7=11946

inorganic subs., high energy radn., conference Seattle, 1966 7=11961 petroleum fractions, radiolysis 7=15441 polymerization, velo. of in source rel. to post types 7=11951 tetrahydronaphthalene radiolysis mechanism 7=15450

KBrO<sub>3</sub>, thermal neutron capture, annealing of radiolytic and recoil products 7-2481 NO<sub>3</sub> form. in aqueous soln., by electron pulse radiolysis 7=15448

acoustic waves

No entries

ionizing radiations

adipic acid crystals X-ray prod. free radicals conc. var. at high press. 7=4125

alkane glasses,  $\gamma\text{-irrad.}$  , charge recomb. 7=2408 anthracene photo-oxide  $\rightarrow$  anthraquinone  $\rightarrow$  anthrone +

anthracene photo-oxide → anthraquinone → anthrone + anthraquinone, on X-irradiation or heating, defect mechanism 7-2437 autoionization lifetimes, statistics 7=13823 crystalline solid solns., transfer processes 7=2476 cyclohexane, proton transfer from ions to ethanol 7=5345 diacetone acrylamide polymerization in solid by γ-irradiation 7=11950

Chemical effects of radiations-contd ionizing radiations-contd

formic acid, γ-irradiated e.p. r. of frozen free radicals 7=8290

glasses, induced atomic Ag 7=2477 glutaric acid crystals X-ray prod. free radicals conc. var. at high press. 7=4125 glycine crystals X-ray prod. free radicals conc. var. at high press. 7=4125

at ringh press. i=4125ice,  $\gamma$ -irrad., isotope effects 7=8577LET tracks, theory 7=11962lacquer masks made by electron irrad. 7=4488methane,  $\alpha$ -radiolysis 7=8582

menane,  $\alpha$ -radiolysis 7=8582 methane, polymerization of solid 7=8581 n-hexadecane, solid radiolysis, postirrad. scavenging 7=11963 p-terphenyl soln., u.v. and  $\gamma$ -irrad., radical form. and energy transfer 7=15447 polyethylene crosslink formation, crystallization conditions effect 7=7302

polyethylene, free radicals 7=2478 polyethylene, kinetics of free radial formation 7=2479 polyethylene terephthalate, network formation 7=2480

polystyrene, γ-irrad, e.s.r. study of radical conc. and energy transfer 7=15449 stilbene solns., X- and γ-ray induced isomerization 7=8583 styrene, γ-induced ionic polymerization, pure liquid 7=11949

2-olefins, cis-trans isomerization 7=2475 2, 6-butylydroxytoluene, X-irradiated, radicals prod., e.s.r. obs. 7=8282 vinyl iodide radiolysis products due to  $\gamma$ -rays obs. 7=8584 HCl, irrad. gas, thermal H-atom reactions 7=5344

 $\rm KClO_4, e.s.r.$  of  $\rm ClO_2$  centre  $\rm 7{=}11704$   $\rm K_2SO_4$ ,  $\gamma{-}irrad.$  cryst., trapped  $\rm SO_4^-ions$   $\rm 7{=}895$   $\rm NH_3$  in wide-range radiolysis source  $\rm 7{=}8579$  $NH_3-H_2O$  systems at 77°K, e.s.r. study of  $\gamma$ 

radiolysis 7=8578  $Na_2S_2O_3$ ,  $\gamma$ -irrad.cryst., trapped  $S_2O_3$  ions 7=895  $SO_2$ , liquid, oxidation-reduction reactions 7=8580

Chemical equilibrium. See Chemical reactions. Chemical exchanges. See Exchanges, chemical. Chemical kinetics. See Reaction kinetics.

Chemical reactions See also Exchanges, chemical; Heat of formation; Heat of reaction; Oxidation; Photochemistry; Polymerization; Reaction kinetics.

alkali metals with org. halogens rel. to form of amorphous C  $\,$   $7\!=\!7298$ 

anthracene photo-oxide → anthraquinone → anthrone + anthraquinone, on X-irradiation or heating, defect mechanism 7=2437

aromatic-alkali-metal charge transfer complexes, activated adsorpt. of H 7=15432 bimolecular, kinetics in frozen solutions 7=2432 carbonates, decomposition by adiabatic compres-

sion 7=12424

detonation of explosives with inorganic powder admixtures 7=18334

ethanol, ion-mol. reactions, mass spectra 7=2442 ethylene consecutive ion-molecule reactions obs. 7=5324 ethylene, pyrolysis in shock waves 7=2443 explosive, initiation by gas detonation 7=12420

with fluorine, for flash lamps 7=3242

garnets, synthetic, high-press. decomp. gas mixture, reacting, velocity of sound, calc. 7=12439

gases, dissociating, thermal cond., correlation of data 7=17204 gases, lighting by a spark 7=9247

"hollow whiskers" from metals by reaction with ferro-, ferricvanide 7=14327 hydrocarbon-O<sub>2</sub> behind shock waves, electron recomb. 7=15431

hydrocarbons, chain reactions in autooxidation, obs. by chemiluminescence 7=15414

ion-molecule, exothermic 7=8537 ion-molecule, with negative ions, energy depend. 7=17032

ion-neutral, by photoionization mass spectrometer 7=10611 ionosphere, F-region, rate coeffs. 7=12081 laser-induced breakdown of organic vapours 7=2439

for lasers, conference, San Diego 1964 transactions 7=16148 liquids electrochemiluminescence for meas. of mass transfer 7=10785

measuring gas-solid kinetics, arc-image stagnation flow reactor for 2000-3000°K 7=2435 metal films on Si, microscopy by thickness "enlargement"

by polishing 7-17381
metal-metal systems, sessile-drop spreading
kinetics 7-10793

methane, ion-molecule reactions 7=2444
methanol, ion-mol. reactions, mass spectra 7=2442
molecular collisions, unidimensional, broken path
model 7=2428

Chemical reactions-contd

molecular rearrangement, model of harmonic oscillators 7=8529

negative ions, thermal-energy associativedetachment 7=2434

resin and Aerosil, rel. to mechanical props. of coatings prod. 7=17742 ring-chain equilibria, statistical mech. calc. 7=2424 second-order, isotropic turbulent mixing 7=4275 in solid phase rel. to imperfections obs. 7=18327

in solid phase rel. to imperfections obs. in solids, mechanisms meas. 7=18330  $\begin{array}{l} tetraethoxysilane + O \ in \ glow \ discharge \ for \ SiO_2 \ film \\ deposition \ \ 7{=}10969 \end{array}$ 

transition-state theory 7=11929

Ar\* charge-transfer reactions at near-thermal energies 7=10612

B, with W substrate 7=2438

B hydrides, synthesis and energetics 7=15418 C solid-state, high-temp. 7=8533

C, surface reactivity rel. to evolution of CO<sub>2</sub> from chemisorbed O<sub>2</sub> 7=8554
CO, negative ion-molecule reactions, high press. 7=8542

CO2, negative ion-molecule reactions, high press. 7=8542

CO<sub>3</sub>, prod. in r.f. discharge in CO<sub>2</sub> 7-8568
Cl + HI → HCl + I, vibrational population-inversion and stimulated emulsion obs. 7-12630
ClCO, atomic combination, triatomic molecules 7-15422
ClNO, atomic combination, triatomic molecules 7-15422

Co powders of binary phase preparation 7=18332  $Cr-N_2$  surface type, during nitride film growth 7=15416 Cu-Zn reactive diffusion, structural study 7=14485

Cu-Zn reactive diffusion, structural study 7=14485

Fe<sub>1-2</sub>O (wustite) reduction kinetics near equilibrium in H<sub>2</sub> + H<sub>2</sub>O, model test 7=11935

Fe<sub>2</sub>O<sub>3</sub> reduction to porous Fe rel. to diffusion of H<sub>2</sub>-H<sub>2</sub>O, 800°, 900°, 1000°C 7=15424

Ge, in etchants, chem. composition of surface films produced 7=1276

GeH with O chemiliants

GeH, with O, chemiluminescent glow 7=8536

H atom abstraction from isobutane by methylene 7=2470  $\rm H + \rm Br_2 \rightarrow \rm HBr + \rm Br$  , vibrational population-inversion and stimulated emulsion obs. 7=12630

 $\rm H + Cl_2 \rightarrow HC1 + Cl,$  vibrational population-inversion and stimulated emulsion obs. 7=12630

H2O, negative ion-molecule reactions, high press. He'-ion exothermic reactions with mols. 7=8537

In + Sb films, formation and props. electron diffraction obs. 7=5325

K-atoms, scatt. from oriented CH3I mols. 7=6747 N atoms with polystyrene, e.s.r. of free radicals 7=8539 NH2 ion-molecule reactions, energy depend. 7=17032

N=0 mixtures, chemionization 7=5540 N=0 mixtures, chemionization 7=5540 N=0  $\rightarrow$  NO'+e, in air behind strong shocks 7=4164 N $_2$ O $_4$  = 2NO $_2$  with Ar, effect of equilibrium on thermal diffusion 7=6984

NaCl colour centres,  $F \rightarrow C_1$  thermal transformation conditions 7=11216 Na<sub>2</sub>SO<sub>4</sub> formation on soln. of SO<sub>3</sub> in Na<sub>2</sub>O-SiO<sub>2</sub> melts 7=7038

Ne'-ion exothermic reactions with mols. 7=8537 Ni formate, hydrated, Ni formation on heating obs. 7=14 Ni-F surface reaction, mass-spectra meas. 7=2456 O atoms with polystyrene, e.s.r. of free radicals 7=8539

O isotopic exchange with CO, CO<sub>2</sub>, N<sub>2</sub>O, O<sub>2</sub> and COCl<sub>2</sub> obs. 7=8545

O+C2H2, chemiluminesc. of CH 7=11934

 $O + N_2$ , rate coeffs. at  $300^\circ K$  7=8543  $O' + O_2$ , rate coeffs. at  $300^\circ K$  7=8543 OH in molecule reactions, energy depend. <math>7=17032  $O_2$ , negative ion-molecule reactions, high press. 7=8542  $O_3$  chain decomp., OH catalyzed 7=11944  $O(^3P)$  atoms with diacetylene 7=5328

Pa fluorides, preparation, structure and i.r. spectra, in conference, Orsay (1965) 7=11074

in Comerence, Orsay (1905) 1=11014
Pa, preparation by Ba reduction of PaF<sub>4</sub>, and properties, in conference, Orsay (1965) 7=11071
Pa, preparation by fluoride reduction with Ca, and properties, in conference, Orsay (1965) 7=11011
Rb-graphite lamellar cpd. formation 7=7161

Si, reactivity of Cu-doped crystals 7=14508

SnO<sub>2</sub> film deposition by sputtering of Sn by O<sub>2</sub> 7=11938 Ta oxidation, oxide platelets origin and identity 7=5330

 ${
m U_3O_8}$  reduction to  ${
m UO_2}$  rel.to layer faults 7=2449 ZnSO $_4$  decomposition at 600°C, sulphides effects obs. 7=8549

Zn2SiO4 formation from ZnO + SiO2 by explosive shock 7=8548

Zr-F species, thermodynamic props. 7=8521

## Chemical structure

See also Bonds.

DNA-type molecules, helix-coil transition 7=10562 Mössbauer recent work review 7=17328 n.m.r. spectroscopic obs. of compounds, review 7=5346 pressure depend. of viscosity 7=14047 rubber vulcanizates, crosslinking and creep 7=1749 thiourea, refinement 7=7458

```
Chemical structure-contd
```

(BrF<sub>2</sub>)<sub>S</sub>SnF<sub>6</sub>, Mossbauer effect of Sn<sup>119</sup> obs. 7=16941 (BrF<sub>4</sub>)<sub>2</sub>SnF<sub>6</sub>, Mossbauer effect of Sn<sup>119</sup> obs. 7=16941 CN i.r. band, theory 7=10534 Cu ferrite mag. var. with O deficiency on heat treatment obs. 7=15172 Fe<sub>3</sub>(CO)<sub>12</sub>-CCl<sub>4</sub> inclusion compound formation 7=6660

 $K_4 Nb_6 O_{17}$  analysis 7=7331 Th(NO<sub>3</sub>)<sub>4</sub>, symmetry change on dehydration 7=5278

UO<sub>2</sub>(NO<sub>3</sub>)<sub>2</sub>, symmetry change on dehydration 7=5278

# Chemical technology

dispersion mixing, air-free, apparatus 7=10875 glass fining, kinetics and mechanisms, review 7=4496 high press. -high vacuum apparatus for synthesis and

separation 7=18322 optimalization of a system with distributed parameters 7=5321

organic semiconductors purification 7=7316 plasma generators for high temp. 7=8520 vacuum stopcock, steam jacketed 7=2423 Mg<sup>24</sup> preparation from Mg<sup>24</sup>O 7=377 Pa physico-chemistry, conference, Orsay, 1965 7=10069 Zn<sub>2</sub>SiO<sub>4</sub> formation from ZnO + SiO<sub>2</sub> by explosive shock 7=8548

Chemiluminescence. See Chemical reactions; Luminescence. Chemisorption. See Chemical reactions; Sorption. Cherenkov radiation

See also Counters/Cherenkov; Electrons/radiation. asymptotic theory 7=9872

beam passing through slit in solid 7=14632 charge spiraling in magnetoplasma calc. 7 cosmic rays in photomultipliers 7=3045 and plasma instability in electric h.f. field 7=10677 and plasma stream instability calc. 7=17146 submillimeter rad.from d.c.electron beam on dielectric 7=12971

Chirality. See Elementary particles; Field theory, quantum. Chlorine

atomic, octopole hyperfine interaction calc. 7=10406 atoms, Cl II, 3 c.w. laser lines, 0.4-0.5  $\mu$  7=5879 atoms, electron resonance spectra 7=6538 atoms, radiative recomb. in shock waves 7=16975 coherent scatt. length for free neutrons 7=9989 dissociation rate in shock waves 7=16976 in flame, negative ion formation 7=981 ionization and attachment coeffs. 7=10617 in light source gas incandescent tube 7=5914

in light source gas incandescent tube 7=5914 molecule dissociation by light, effect of critical region, recombination kinetics 7=13779 n.m.r. in DCl liquid, elec. field gradient at D obs. 7=10870 n.m.r. in MnCl<sub>2</sub>, 4H<sub>2</sub>O, antiferromag. obs. 7=2164 n.q.r. in HgCl<sub>2</sub> 7=2255 n.q.r. in NaClO<sub>3</sub> and KClO<sub>3</sub>, point charge approx. 7=10915 n.q.r. in 2,5-dichloronitrobenzene and 6-chloro-2-nitrotoluene, temp. var. obs. 7=15285 solid, molecular motion and intermolecular forces, nq.r. study 7=17322

study 7=17322

u.v. filtering props. meas. 7=13989

X-ray L<sub>2,3</sub> absorption spectrum of Cl<sup>-</sup> in KCl, NaCl obs. 7=15320

Cl2, photodissociation at liquid-gas equilib. 7=6736 Cl34m prod. in troposphere by cosmic rays, rain anal. 7=15542 Cl<sup>35</sup> n.m.r. in aqueous HCl soln. of Fe(III) 7=1177

Cl<sup>35</sup> in HgCl<sub>2</sub>, Zeeman effect of pure quadrupole resonance 7=2252

CI38 prod. in troposphere by cosmic rays, rain anal. 7=15542 Cl\*Cl\* plasma e. m. wave propagation calc. 7=6848

L absorption spectra and photoeffect quantum yield, obs.in KCl  $\,$  7=2315

Chlorine compounds

bonds in NaCl, CCl<sub>4</sub>, PbCl<sub>2</sub>, search for effect on Cl neutron 405 eV resonance Doppler broadening 7=16816 CICO formation in atomic combination reactions 7=15422

ClF<sub>3</sub> molecular vibr. generalized mean and Coriolis const. approx. at 300°K 7=10484

ClNF2, vibr. spectrum 7=4075

CINO formation in atomic combination reactions 7=15422 ClO2, absorption line profile in microwave spectrometer 7=3094

ClO<sub>2</sub> centre in irrad. KClO<sub>4</sub>, e.s.r. 7=11704 ClO<sub>2</sub>, paramag. relax, in soln. 7=7112 ClO<sub>4</sub> radical, trapped in irrad. KClO<sub>4</sub> 7=2191 HCl aqueous soln. of Fe(III), O<sup>17</sup> and Cl<sup>38</sup> n.m.r. 7=1177 HCl, dissociation rate 7=6739

HCl, irrad.gas, thermal H-atom reactions 7=5344 HCl spectrum,  $\nu_0 \rightarrow$  2,3 bands vibration-rotation analysis 7=10501

HCl in Ar polymerization, spectral obs. on freezing from -170° to -196°C 7=11952
HCl in CCl<sub>4</sub>, absorption and dielec. loss factor calc. 7=4376
HCl-HBr in Ar, polymerization, spectral obs. on freezing from -170° to -196°C 7=11952

```
SUBJECT INDEX
```

Chondrites. See Meteorites. Chromatic aberration. See Aberrations, optical. Chromatography

See also Adsorption; Chemical analysis/adsorption. See also Adsorption; Chemical and See also Adsorption; Chemical circuit for use with gas chromatograph, electrical circuit for use with gas chromatograph, substances containing radioactive tracer obs.

gas, sampling valve 7=2490 for inert gas discharge from nuclear reactor VVR-M chemical analysis 7=13656

for phase equilibria meas. at high press., using tracers 7=10888 vacant, zeroline as basis of continuous analysis 7=2489

with adsorbed fatty acid, contact angle hysteresis of liquids 7=10822

antiferro- and paramagnetic 7=11277
Auger electrons self-absorption in Mn<sup>54</sup> source 7=16749
deformation and cracking of foil 7=14703
diffusion in Cr-Fe (30-77%) at 1000°C 7=17580

diffusion in Ni, isotope effect obs., criticism 7=17586 e.s.r. in MgO 7=8308

electron spin resonance in CaF<sub>2</sub> 7=15250 film resistivity, effect of glow discharge treat-ment 7=14881

film, resistivity, influence of inert gas during deposition 7=14880

films, amorphous, prep. by low temp. condensation electron diffraction 7=14346 films condensed at 4.2°K, amorphous state obs. 7=14276

impurity pairs in ruby, structure and luminescence 7=15371 internal fields, hyperfine, from Zeeman effect of Sn<sup>119</sup> meas. 7=4443

ion, Cr<sup>3</sup>, e.s.r. in MgO, symmetry analysis 7=15221 ions, Cr<sup>3</sup>, in spinels, optical absorption 7=5253 ions, Cr<sup>3</sup>, in ZnAl<sub>2</sub>O<sub>4</sub>, ferromag. exchange coupling 7=5167

magnetic breakdown obs. in magnetoresistance 7=7852 magnetic structure rel, to plastic deformation obs. 7=15192
M diffusion in, stress induced, temp. var. obs. 7=17579
nitride film growth, kinetics, meas. by ellipsometry 7=15416
optical consts. of evaporated films 80-800 Å thick,
ellipsoidal particles model 7=5254

outer energy bands,  $K\beta_s$  emission and K-absorpt. edge 7=14822

paramagnetic relax, mechanism in rutile 7=2196

in ruby, meas. of conc., 4 methods compared 7=2484 in stars, excitation of atomic  $2^5 \text{F}^\circ$  levels in S stars 7=15676 X-ray Debye temp. 7=4647

Cr VI spectrum, 3pe3d-3p53d4s lines classification 7=10407

Cr<sub>2</sub> molecule, dissoc.energy 7=926 Cr<sup>+</sup> in ZnTe photoconductivity rel. to photo-induced e.p.r. 7=15220 Cr<sup>3+</sup> in Al<sub>2</sub>O<sub>3</sub> and MgO, diffusivity of excitation energy 7=2269

Cr3 in Al2O3, spin-lattice relax. calc. 7=2220

Cr³• in  $A_LO_3$ , spin-lattice relax, caic. '=2220 Cr³• e.s.r. in  $K_3(CoCr)(CN)_6$ , cross relax between  $V_2 \leftrightarrow -V_2$  lines obs. 7=11699 Cr³• e.s.r. in LiAl<sub>2</sub>O<sub>8</sub> obs. 7=2195 Cr³• e.s.r. in VO, at  $77^\circ K$  7=18190 Cr³• fluorescence in LiNbO<sub>3</sub> 7=2377 Cr³• luminescence in perovskites, temp. var.

obs. 7=2376

Cr<sup>3</sup>\*, mag. moment in octahedral ligand field 7=15113 Cr<sup>3</sup>\* in octahedral field, 3d<sup>3</sup> and 3d<sup>7</sup> configuration inner electron repulsion parameters 7=7202

Crs+, orientational calcs. rel. to oscillator strength 7=823

Cr<sup>3\*</sup> in phosphate glass, e.s.r. and optical absorpt. 7=15222 Cr<sup>3\*</sup> in presence of V<sup>3\*</sup> in Al, e.p.r. spectrum obs. 7=2194 Cr<sup>3\*</sup>, in ruby, absorpt. cross-sections 7=2276

 $\rm Cr^{3^{\circ}}$  in solids, energy transfer to Nds ions 7=15393  $\rm Cr^{52}$  in VOCl $_{\rm S}$  gas, nuclear reson.fluoresc. 7=10550 Cr-SiO<sub>2</sub>-Al layer structures breakdown elec. field 7=15024

Cr:W lattice mechanics, neutron scatt. obs. discrepancy with theory 7=14414

### Chromium compounds

alloys with Mo, W, V, Ru and Os, sp. hts. at 1.5° to 4.2°K

and antiferromag. 7=11120 alloys, specific heat, low temp., rel. to antiferro-magnetism 7=18146

trihalides, ferromag., magneto-optical props. 7=2294 Cr alloys, antiferromagnetism, neutron diffraction 7=5177 Cr chalcogenide spinels, ferromagnetic, exchange interactions 7=5151

Cr(III) complexes, luminesc. and ligand-field

strength 7=15377 Cr<sup>2+</sup> fluorides spectra in 1600-35000<sup>-1</sup> range 7=8382 Cr<sub>3</sub>As<sub>2</sub>, n. m. r. of Cr<sup>53</sup> and As<sup>75</sup>, internal mag. field meas. 7=8322

Cr<sub>3</sub>BC<sub>4</sub>, crystal structure eval. 7=11061 CrBr<sub>3</sub>, n.m.r. rel. to temp. dependence of magnetization near Curie point 7=2229 Cr7C3, electrical resistivity, neutron irradiated 7=7868

Cr(CO)<sub>6</sub>, vapour press. 7=14163

Chromium compounds contd

Cr-Co alloys, Cr rich, elec. resistivity rel. to temp. and magnetism 7=17871

Cr-Co, dilute alloy, mag. props. meas. 7=5178 Cr-Co (30 at. %) superplasticity and low temp. ductility 7=11278

Cr-Fe alloys (Cr-rich), mag. structure and temp. dependence 7=15193 Cr-Fe (30-77%), diffusion of Cr at 1000°C 7=17580

CrH<sub>0.84</sub> specific heat, electron, and  $\lambda$ -anomaly 7=11121 Cr-Mo, A15 structure 7=7226

CrN precipitation in steel 7=17362 Cr-Ni, dilute alloy, mag. props. meas. 7=5178

Cr2NiS4, neutron diffr. obs. of mag. and crystal

atomic struct. 7=11667 CrO<sub>2</sub>, i.r. spectra rel. to metallic electrical props. deduction 7=15321

CrO2, mag. eqn. of state near Curie point 7=18113

 ${\rm CrO}_2^{\circ}$  single crystal, elec. resistivity 7=11432  ${\rm Cr}_2{\rm O}_3$  antiferromagnetic domain switching obs.  ${\rm Cr}_2{\rm O}_3$ , Davydov splitting of  ${\rm ^2E}$  lines obs. 7=18229

Cr2O3, electrical conductivity, effect of sintering 7=11504  $Cr_2O_3$ , magnetoelec. effect studied by dielec. const. method 7=18037

 $Cr_2O_3$ , superparamag., mag. resonance 7=15201  $Cr_2O_3$ -BeO, elec. and mag. props., concn. depend. 7=14949 CrS<sub>1.17</sub> magnetic transition temps. to 6 kbar 7=15108 Cr-Si films, temp. coeffs. of resistance, and influence

of substrates 7=4901 Cr\*\*:SnO<sub>2</sub>, e.p.r. and optical spectra, heat treatment effects 7=18162

Cr-Y alloy, behaviour of  $N_2$  rel. to ductility 7=14704

Chromosphere. See Sun.

Chronographs. See Time measurement. Cinematography

See also Cameras.

#### No entries Circuits

See also Amplifiers; Counting circuits. accelerator starting pulse derivation for nanosec transit times 7=3405

analogue for quantum spinless particles 7=9776 apparatus for meas. Mössbauer spectra 7=4439  $\beta\text{-spectrometer}$  mag. field stabilizer using Hall effect 7=12986

bioelectric potentials meas. 7=5641

cathode follower with input capacitance neutralization for glass microelectrode meas, 7=2741

characteristic-function analyser for random phase of characteristic-function analyser for random pha quasisinusoidal signal 7=15992 for charging d. c. line pulsers 7=2982 chronograph, electronic 7=15843 coaxial cable transient characteristics at liq.  $N_2$ 

temp. 7=16008

commutator, 4-channel, for oscillograph 7=15997 control-pulse generator, vernier type 7=16019 cryogenic liquid level sensor 7=2949 cryostat controller for liquid nitrogen level 7=154

cryotron relaxation oscillator as thermometer for liquid He 7=15984

cryotron relaxation oscillator with var.freq. 7=1907

cryotrons, phase characteristics, direct determination 7=17931 crystal radiometer with f. m. output 7=2928 current pulse meas. with magnetic belts 7=16020

cyclotron trim-coil supplies computer control at
Berkeley 88 in. 7=12824
delay line, increasing square pulse delay time 7=16009
digital pulse generator for spin echo spectrometer 7=259

double pulse train generator, nanosec 7=16012 electromagnet stabilizer, d.c., multichannel, for synchrocyclotron 7=3410

electron microscope beam current meas, for thickness meas. 7=11028

electronics conference, 1966 7=5784 electronics, liquid state 7=5787

for electro-optical digital deflectors, using biased resonance 7=3227

for fast pulse signal averaging 7=2976

feedback, for gain stabilization of particle spectro-meter 7=16347 field effect transistor optimum noise conditions rel. to gate bias obs. 7=11540 film deposition, vacuum, thickness monitoring

circuit 7=7265

frequency divider with variable division factor 7=15993 for furnace on-off control using thermocouples conversion to proportional operation 7-9261 for use with gas chromatograph, substances containing radiactive tracer obs. 7-2496 gate circuits, linear 7-12498

generators of nsec. pulses, high voltage 7=16014 identification of system in presence of l.f. drift 7=2970

image converter power supply, regulated, with output voltage control 7=16248

```
Circuits-contd
```

integrated, radiation effects on semicond. components 7=5013

inverse-connected triodes for voltage meas., stabilization 7=2965

level controller for liquid N 7=9272

magnetic-field calibrator, for e.s.r. spectrometers 7=16127 Manley-Rowe power-freqn. eqns., thermodynamics 7=12383 metal-oxide-semiconductor transistors appl. 7=7996 molecular oscillators, mutual synchronization 7=9300 for n.m.r. meas.in solids, "boxcar" integrator for transients 7=2226

on-line automation of X-ray diffractometer 7=7395 optoelectronic system with optical feed-back 7=2973 oscillator circuit, calibration of quartz crystal used as

sensing device in film thickness meas. 7=17376 oscillator, marginal, swept wide-band f.m. 7=166 oscillator, pulsed injection synchronized locking

phenomena 7=2977
with p-n junction capacitance, nonlinear, forced oscillation
mode theory 7=5786

at particle accelerators, radiation effects 7=16391 particle spectrometer mag. field stabilizer using Hall effect 7=12986

phase detector with improved selectivity 7=9302 photodiodes appl. 7=2963

photomultiplier divider supplies for high amplification 7=9397

for pion focusing horn, Argonne 7=13016
preamplifier, recorder, displaying 3 decades on one linear
scale 7=9313

pulse generator for injection lasers 7=16183 pulse generator, nanosec.precise 7=16015 pulse generator, 100 kW, 40 nsec 7=16018

pulse generator, regulator transformer output 7=16010

pulse generator, transistorized 7=16013 pulse tube for nano-second appl., demountable 7=167

pulsed power supply, 2MJ, for hyperon mag. moment meas. 7=9740 pulser, nanosec, solid state, 5kV 7=2978

radiation detection, pulse counting or a.c. or d.c. conductivity with CdS crystals 7=12791 rallway system network, relaxation soln. 7=9314 random pulse generator 7=16016 receiver with automatic freq. scanning, solar flare effect recording 7=12266

resonant bridge, for detection of superconductivity 7=4932 scaler attachment, for time interval meas. 7=15995 scanning spectrophotometer 7=9591

scintillation counter statistics equivalent 7=9692 semiconductor current regulator for spectrographic arc 7=340

semiconductor Hall effect variable reactance element 7=9310 servo-controlled rheometer 7=7045

square-law, simple inexpensive 7=2971 for stabilization of h. f. oscillations 7=16021

step voltage generator, transistorized 7=16017

for superconductor pulsed current meas. of transition, shunt 7=17903

sweep and shutter generators for image convertors 7=16247 switch, superconducting 7=7920

thermistor temp. integrator, portable 7=9256 thin film conference, London, 1966 7=9311 for time interval meas. in picosec range 7=2759 timing relay, stable, with great time lags 7=15994

timing, using tunnel diodes, improvements 7=409 transistor separator stage output impedance 7=12497

tunnel diode monostable, dynamic theory 7=411 tunnel diode monostable, nomogram for design 7=165 tunnel diode, stability criterion 7=9312

variable air transformer for impedance matching in u. s.

velo. meas. 7=2913 voltage generator regulated by external controls 7=9303

for wave and disturbance propagation display on c.r.o. 7=2974

Wein bridge oscillator for cryostat temp. meas. 0. 1  $^{\circ}\text{K}$  to 20  $^{\circ}\text{K}$  7=9277

Al exploding foils for magnetic energy rapid transfer to inductor 7 = 193

BaTiO<sub>3</sub> PTC thermistors, props. and applications 7=17997 Cr masks for photoresistors prod. 7=164

He, solid, annealing procedure, linear power control 7=9298 for  $N_2$  liquid automatic transfer 7=12485

Clathrates. See Molecules; Organic compounds. Clay

bodies, u.s. dispersion 7=17296 layer structure factors 7=4575

plasticity theory of failure, book 7=7676
Na bentonite, adsorp, of cetyl dimethyl benzyl ammonium chloride, study by streaming current detector 7=17397
Cleavage. See Crystals/faces; Fracture.

Clebsch-Gordan coefficients. See Field theory, quantum; Nucleus/theory; Quantum theory.

Climatology. See Meteorology. Clock paradox. See Relativity

Clocks. See Time measurement. Cloud chambers

droplet growth and evaporation 7=7142

laser illumination 7=5967 low-energy track handling with a.c. field 7=5966 Wilson, process program for V° event 7=3386

Clouds

anisotropic nonconservative scattering of light 7=15775 anomalous cloud lines 7=8667 artificial ion clouds in upper atm., motion 7=15555 condensation, kinetics of initial stages 7=15512 condensation nuclei, activity rel. to size 7=15511 crystallisation due to ice crystal entering the supercooled droplet 7=15509

cumulus, water content, entrainment of ambient air obs. 7=12003

diffusion, latent heat effect calc. 7=8666 drop coalescence enhanced by elec. fields in equilib.

with turbulence 7=15510

droplet growth from giant salt nuclei in ascending air below cloud base 7=8657 droplets, charged, collision efficiency in electric fields 7=4322

electrification of ice sphere moving through clouds 7=8672 glaciation, drop-freezing/splintering hypothesis, test 7=8662

ice spread in cumulus clouds 7=8663

kinetic equation for microphysical processes 7=8665 light scattering by cloud layers 7=15513

noctilucent clouds, review 7=11994 noctilucent, model 7=15515 noctilucent, review 7=12047

radar obs. of phase struct. from polarization 7=8664 Clusius-Dickel columns. See Isotope separation.

No entries

creep, "linear" limit temp. dependence, single crystals, sintered and cast 7=4773

defects of cryst struct effect on magnetisation processes 7-8201 diffusion in  $\alpha$  and  $\delta$  iron 7-1511

divalent ions spin-lattice relax. in hydrated double nitrates calc. 7=8285

divalent ions spin-lattice relax. in hydrated LaZn double

nitrate and ZnSiF, 6H,O obs. 7-8284 domain size obs. in cold worked powder by X-ray diffrintegral breadth analysis 7=7556

electron emission microscope, image contrast 7=12543 epitaxial films 7=14330

ferrites, Co-bearing, quenching rel. to uniaxial anisotropy, 600-700°C 7=8231 ferromagnetic, field depend of nuclear relaxation of Co<sup>50</sup> 7=8321

ferromagnetic resonance temp. var. and rel. to domain struct. obs. 7=8265 films, condensed, structure rel. to mag. props. obs. 7=7280

films, ferromagnetic resonance 7=5189 films, oblique-incidence anisotropy 7=2113

films, vacuum-deposited, constitution in initial stages of formation 7=7277 Hall and Nernst-Ettingshausen effects, temperature

Hall and Nernst-Ettingshausen effects, temperature dependence 7=1831 hyperfine field on W or Nd recoiled into lattice 7=8167 ion, Co²\*, spectrum in spinels, calc. 7=11792 liquid, solubility of N<sub>2</sub> 7=7034 mag, behaviour in region of Curie point 7=8158 magnetic domain structure, temp. depend. in thin crystals 7=5150 magnetic domain structure of thin uniaxial crystals 7=5142 magnetic films, anisotropy calc., by Heisenberg traces method 7=15132

magnetic films, hysteresis loop recording on both sides 7=15133

magnetic props. of single crystals 7=15139

magnetization curve, effects of heat treatment and n irrad. 7=8159 n.m.r.in Co-Os dilute alloy, f.c.c. 7=15262

Nernst-Ettingshausen effect, temperature dependence 7=1831

neutron tradiated, hyperfine field at Co<sup>80</sup> formed obs. by y-anisotropy at 0.012 % 7=7177 optical densities of states 7=7798 oscillatory spin echo decay obs. of quadrupole splitting in h.c.p. Co 7=11717

oxidation mechanism, study with Au films as markers 7=2441

powders of binary phase preparation and struct. 7=18332 precipitate in Cu-Co(1%), particles size distribution function obs. 7=14212

radial distribution functions 7=11105

recrystallization, high purity and impure 7=11000 specific heat around Curie point obs. 7=7494

```
SUBJECT INDEX
Cobalt-contd
          spin-wave spectrum, anomaly 7=8114 sputtered films struct. obs. 7=7278
          3d-band, unoccupied part, struct., K-absorpt. 7=14832
          twin boundary energy rel to surface energy 880-1290°C 7=7604
          u. s. attenuations rel. to interact, of elastic and spin
                waves 7=15153
          X-ray K-absorption spectrum obs. of plasma 7=11756
          Co<sup>2+</sup> in CdSe, e.s.r. 7=2192
          Co<sup>2+</sup>, in MgO, diffusion along grain boundaries 7=4675
Co<sup>2+</sup> in octahedral field, 3d<sup>3</sup> and 3d<sup>7</sup> configuration inner
electron repulsion parameters 7=7202
          Co2+ in Cs3ZnCl5, weak exchange interaction in pairs e.s.r.
               obs. 7=2193
          Co59 n. m. r. dispersion and absorption signals rel. to
                current theory 7=8320
          Co<sup>59</sup> pure n.q.r. in Co complex cpds. 7=11724 Co<sup>50</sup> in Fe, n.m.r. of polarized nuclei 7=5205 in NiFe<sub>2</sub>O<sub>4</sub>, effect on resistivity 7=1946
Cobalt compounds
          Columax magnets, for nuclear mag. reson. spectro-
                meter 7=267
          Columax III and IV magnets, use in automatic warning system of train control 7=5807
           Permendur magnetic reversals, texture prod. by stress effect obs. 7=18126
          Co complex cpds., Co<sup>59</sup> pure n.q.r. 7=11724
Co ferrite, crystal anisotropy and anisotropic mag.
moment 7=2147
           Co ferrite, magnetic properties temp. dependence 7=5170 Co ferrite powders, temp. var. of mag. obs. 7=18138 Co ferrite single crystals, orientation by goniometric meas. 7=1300
           Co-Al, coercive forces temp.var. 7=18110
CoAl, reflectivity 7=11793
CoAs<sub>2</sub> crystal structure 7=7415
           Co-Au(25%) amorphous fibres prod. by quenching
                melt 7=17411
            Co-Au, films, kinetics of two stages in transform. 7=17388
            Co-Au, films, metastable evaporated, morphology 7=17389
            Co-Cl boracite, new transition temp. from Mössbauer
                 and optical meas. 7=17361
            CoCl<sub>2</sub> solution, structure and viscosity 7=14036
            CoCl2nH2O, Mössbauer spectrum, non-existence of Auger
           after effects 7=4441

CoCl<sub>2</sub>, 6H<sub>2</sub>O, hydrogen positions in crystal 7=4581

CoCl<sub>2</sub>, 6H<sub>2</sub>O, paramag, anisotropy 7=8107

Co-Cr alloys, intersecting stacking faults 7=14605
           CoCs<sub>3</sub>Br<sub>5</sub>, magnetic properties and spin-lattice
relaxation 7=18145
CoCs<sub>3</sub>Cl<sub>5</sub> internal field 7=7178
            CoCs3Cl5, magnetic properties and spin-lattice
                 relaxation 7=18145
            CoF<sub>2</sub> crystal growth in HF 7=7334
Co-Fe ferrite with re-entrant hysteresis loop 7=15171
            Coord - Feorge, inelastic scattering of neutrons, by
            spin waves 7=8157
34Co-35Fe-15Ni-7Al-4Cu-5Ti, ageing temp. rel. to phase
                 change 7=7224
            Co<sub>x</sub>Fe<sub>3-x</sub>O<sub>4</sub> ferrite, uniaxial anisotropy relax. on ionic migration, theory 7-15175

Co<sub>0-64</sub>Fe<sub>2-06</sub>O<sub>4</sub>, Hall and Nernst-Ettingshausen effects 7-5003
            Co<sub>0.7</sub>Fe<sub>2.3</sub>O<sub>4</sub>, powder, effect of thermomag. treatment on magnetization processes 7=15170
            Co<sup>57</sup><sub>1-x</sub>Fe Si, Mössbauer obs. 7=1215
CoMnSb, n.m.r. of Sb 7=5215
            Co-Mo, liquid, solubility of N<sub>2</sub> 7=7034
Co-Ni evaporated films. mag. perp. anisotropy 7=8178
Co-Ni magnetic props. of single crystals 7=15139
Co-Ni, stacking-fault energies meas. 7=17622
             Co-Ni-Cr, stacking-fault energies meas. 7=17622 CoNiCrFe alloys, age-hardening 7=1235 \text{Co}_{_{2}}\text{Ni}_{_{2}}\text{-}_{_{2}}\text{Wp}_{_{3}} ferroxplanas magnetostriction obs. 7=11660 CoO, antiferromagnetism, \Delta\text{E}-effect, pulsed mag.
                  field 7=11675
             CoO, electronic transport, single crystal 7=7799
             CoO, magnetostriction, single-ion contrib, from
                  e.p.r. 7=15164
             CoO<sub>x</sub>, Mössbauer spectrum, non-existence of Auger after
effects 7=4441
             CoO, upper limit of bandwidth 7=1755 CoO, vapour, mass spectra 7=7159 \beta-Co(OH)<sub>2</sub> antiferromagnetism <12.3 K 7=15191 \beta-Co(OH)<sub>2</sub>, metamagnetic 7=18152 Co-Os, dilute, n.m.r. of Co in f.c.c. phase 7=15262
             Co-Pt alloys, study of coercive force and micro-
structure 7=18112
              Co-Pt magnetism size effects obs. 7=18111
             Co-Pt, ordering at 500-700°C rel. to Curie temp.
reduction 7=8160
Co-W, temper hardening props. obs. 7=17695
```

Co<sub>2</sub>Co(O<sub>2</sub>/BO<sub>3</sub>), preparation and crystal structure 7=14376 Co<sub>2</sub>MnSn, n.m.r. of Sn 7=5215

```
Co<sub>2</sub>SiO<sub>4</sub>, antiferromag. props. at low temp. 7=11673
Co-Ti, liquid, solubility of N<sub>2</sub> 7=7034
Nb-Co alloy, air casting 7=17694
Co<sub>2</sub>Z, reluctance at 100-430°C 7=15169
Cochlea. See Ear.
Coherence. See Electromagnetic waves; Lasers; Light/coherence;
     Masers.
 Cohesive energy. See Bonds; Solids.
 Coincidence circuits. See Counting circuits.
 Cold working
              See also Plastic deformation; Slip; Work hardening.
          corundum, dislocation decoration obs. 7=11174
         corundum, dislocation decoration obs. '=111'4
Permalloy, and mag. domain wall movement, in 4-79 Mo
Permalloy foils 7=8209
polyethylene terephthalate, cold-drawing 7=14776
precipitation from cold-worked structures 7=14200
Zircalloy, and precipitation of oriented hydrides
obs. 7=4480
Ag, twinning obs. 7=11265
Ag-Sb(2, 4, 6 wt %), stacking faults X-ray obs. 7=4711
          Al, and d-irradiation radiation annealing and damage prod.
              obs. 7=14516
          Al, and d-irradiation recovery obs. 7=14517
           Al-Cu (96-4), cyclic strain, Bauschinger effect
              meas. 7=4764
          Al-Cu(96-4), cyclic strain, low cycle fatigue 7=4765
Au, and d-irradiation radiation annealing and damage prod.
obs. 7=14516
          Au, and d-irradiation recovery obs. 7=14517
Au-Pd alloy, equiatomic, short-range order meas. 7=10944
Co powder, domain size obs. by X-ray diffr. integral
breadth analysis 7=7556
          Cu-Co (3.23 wt.%) rolling and annealing, particle size effect obs. 7=4543
           Fe-Al-N recrystallization on cold rolling, textures, 500\text{--}700^{\circ}\text{C} 7\text{=-}4514
           FeCo-V, grain growth and recrystallization on
              annealing obs. 7=11033
           Mg, particle size, line shape analysis 7=17471
Ni, recovery stages obs. from elec. cond. 7=14756
           Ni-Th sheet, annealing behaviour rel. to preferred-
                orientation development 7=11313
           orientation development 7=11313
Pd-Co(25at.%), with annealing >700°C, elec. cond. var. rel.
to short range order obs. 7=17877
Pd-W(11.3at.%), with annealing >700°C, elec. cond. var.
rel. to short range order obs. 7=17877
Pt, and d-irradiation radiation annealing and damage prod.
               obs. 7=14516
           Pt, and d-irradiation recovery obs. 7=14517
           UO2 powder microstructure, milling effects obs. 7=4546
  Collections of physical data
                Only comprehensive works of reference are listed here
           elementary particles and resonant states 7=12874
           equivalent temperature tables at standard levels 7=18354
           γ-ray scintillation detector, absolute efficiencies,
                tables 7=9867
           radio sources, 628,0° to -20°, at Parkes 7=12186 solar spectrum wavelengths, 2935Å to 8770Å 7=15793 space vehicles launched in 1958-1965, table 7=8765
  Collision processes
                See also Atoms/electron scattering; Elementary particles; Field theory, quantum/interactions; Ionization; Nuclear forces; Nuclear reactions; Scattering,
                particles; and under the individual particles.
           atomic, long-range interaction, time-dependent
Hartree-Fock theory 7=16920
atomic spectra, broadening and shift 7=16907
           atomic systems, quantum and impact parameter method compared 7=840
            atoms excitation and ionization by electron
                collisions 7=4015
            atoms in gas lasers, effect on power spectrum calc. 7=9499
            in atoms resonance fluoresc., effect of impurity gas on
                polarization 7=16898
           atoms two-electron exchange, molecular term splitting asymptote 7=10608
            between atoms, inelastic, energy transfer and cross-
sections 7=4039
            coagulation by Brownian motion, kinetics 7=9093
            dipole, extended, min. moment required to bind a charged
                particle 7=6629
            dipole, min. dipole moment required to bind an
                 electron 7=6630
            effective cross-section of depolarising collisions from degree of polarisation meas. 7=10445
            electron-oxygen, ionization potential mass spectrometer
obs. 7=17033
energy transfer and collision frequencies 7=10754
             energy transfer and collision frequencies, ions 7=10755
            inert gases charge exchange double resonance calc. 7=10608
            ion-atom, electron capture or excitation calc. ~ 1 keV 7=6803
```

```
Collision processes-contd
```

ion-atom inelastic collisions, cross-section 7=13696 ion-atom triple, atomic to molecular ions transformation calc. 7=10609

ion cyclotron reson., collision-broadened spectra 7=17015 ion-molecule reactions meas, by tandem mass spectrometer 7=4132

ion-neutral cross-section meas., merging beams method 7=6757

ion trapping by tubular electron beams 7=10598 ions, negative, with charge transfer, energy dependence 7=10607

Maxwell molecules, mixtures 7=17193 molecular, nonreactive 7=10554

molecular rearrangement, model of harmonic oscillators 7=8529

molecular, unidimensional, broken path model 7=2428 molecules, excitation of vibrational degrees of freedom obs. 7=4131

molecules, nonstatistical energy-transfer 7=6749

molecules, resonant transfer of vibr. energy 7=10556 molecules, vibr. excitation 7=10557

 $\mu p$  total spin state determination by elastic scattering on H<sub>2</sub> and D<sub>2</sub> 7=13707  $\mu p, transfer$  rates to Xe, Ne, Ar, Kr 7=16925 multiple collision method, generalization 7=9137 p charge exchange with atoms calc. 7=6797 particle with harmonic oscillator, quantum mech. 7=6743

plasma clouds, rarified, nonlinear problem 7=13853 for plasma density meas., by molecular ion collisional dissociation 7=17077

in polyatomic gases kinetic theory 7=17194

population inversion by collisions of second kind with

foreign gas 7=13782 radiation damping of degenerate states, appl. to two-atom systems 7=4038

atom systems 7=4038 reactive linear collisions, quantum mech. 7=8526 reactive linear collisions, quantum mech. 7=8525 relaxation of oscillators in gas 7=6492 spectral line shape in gases 7=4057

spectral line snape in gases 7=305 textbook in advanced quantum theory for graduates 7=365 transition of electron to a continuous spectrum 7=10446 two-level model, cross-section calc., inelastic 7=841 unimolecular reaction theory, limited intramolecular energy exchange 7=16969-70

Ar, ion recomb., three-body, Gryzinski cross-sections 7=13839 Ar\*-Ar, characteristic energy 7=4040

Ar\*-Ar, ejected electron energy distrib. 7=6590 Ar\* +  $D_2$  7=6802

C + O atom interaction effective cross sections calc. 7=843 Ca,  $\lambda 6573$  line broadening and shift 7=16906 Cd-Hg atoms, rel. to sensitized fluorescence 7=6592

Cs, ion recomb., three-body, Gryzinski crosssections 7=13839

Cs vapour and proton beam, charge exchange 7=984
Cs-H<sub>2</sub>, excitation transfer and quenching obs. 7=10448  $Cs-N_2$ , excitation transfer and quenching obs. 7=10448  $D_2$  dissociation in Ar and  $N_2$  7=6801

B<sub>2</sub> dissociation if Ar and N<sub>2</sub> 12-5001 H atoms, elastic cross-sections 7=6596 H atoms on H<sub>2</sub> and inert gases, single e capture and loss for 2-50 keV H 7=10619 H atoms, spin-change 7-4042 H, charge exchange cross-section, high-energy 7=6807

H line emission quenching by collisional ionization 7=8710

H (2p) + H (1s)  $\rightarrow$  H (1s) + H(2p) 7=16921 H-Ar excited atoms, ArH prod. 7=6591 H-He, inelastic, exchange 7=6593 H with  $N_2$ ,  $O_2 \sim 1$  keV 7=16983

H in 7 gases, stripping cross-sections 7=982 H-Ar, ejected electron energy distrib. 7=6590 H-He, electron capture calc. 7=6804

H\*-He, electron capture or excitation calc ~ 1 keV 7=6803

H\*-He, electron capture into 2s state of H 7=844  $H_1^*+H_2$  and  $H_1^*+$  inert gas,p capture of e cross section obs. 7=936

 $\rm H_2^+$  dissociation in Li plasma, p prod., 20-50 keV  $\,$  7=10622  $\rm H_3^+$  dissociation in Li plasma, p prod., 20-50 keV  $\,$  7=10622

He-electron, elastic, rel. to asymmetrical angular scattering 7=6584

scattering t=0.004 in He, He-Ar, He-Ne luminescence prod. by  $\alpha$  7=4085 He-He interaction below 1.1 Å 7=10451 He(2°S) + He(2°S) reaction cross-section 7=845  $He(^3S_1) + 2He \rightarrow He_2(^3\Sigma_u) + He$ , rate constants obs. 7=13700

He+-He, electron-energy distribs. 7=6594

He\*+ + He and He++ + H, close collision resonant electron-

capture obs. 7=846

Hg atoms in 69P, state with foreign gases, depolarization and quenching obs. 7=10431

Hg isotopes, 2537Å component profile perturbation obs. 7=13701

Collision processes-contd

Hg-He atoms interaction potential calc. 7=10452 Hg-N<sub>2</sub>, Hg 78S, and 68D<sub>1</sub> levels extinction obs. 7=13702 Hg-Tl, Hg excitation in 63P<sub>1</sub> and 63P<sub>0</sub> states transfer, 800-900°C 7=6595

 ${
m Hg^{199,202}}$  6 $^3{
m P_1}$  level relax. by collision with rare gas atoms  $7{=}4043$ 

K vapour and proton beam, charge exchange 7=984 Li vapour and proton beam, charge exchange 7=984 N with  $N_2$ ,  $O_2 \simeq 1$  keV 7=16983

e-N<sub>2</sub>, ionization cross-section obs. 7=17030

 $N_2$  in  $O_2$ ,  $N_2$ ,  $A_7$ , 0. 6-4 keV, short range forces 7=16984  $N_2$ ; 1  $O_2$ ,  $N_2$ , 1 0,

Na-free electron, spin-exchange 7=6588
Na vapour and proton beam, charge exchange 7=984

Na vapour and proton beam, charge exchange 7=984 Na-Kr systems, interference phenomena 7=4044 Na-Xe systems, interference phenomena 7=4044 Ne'-He, electron-energy distribs. 7=6594 O-H atoms, spin change 7=4045 O with  $N_2$ ,  $O_2 \simeq 1$  keV 7=16983 O2 in  $O_2$ ,  $N_2$ , Ar,  $O_3 \simeq 1$  keV, short range forces 7=16984 Rb atoms, spin-exchange cross-section 7=13704 Rb<sup>87</sup>-Cs<sup>138</sup>, spin-exchange cross., optical pumping obs. at 78°C 7=10483

obs. at 78°C 7=10453

Rb<sup>87</sup>-Rb<sup>87</sup>, spin-exchange cross., optical pumping obs. at 78°C 7=10453

#### Colloids

See also Electrophoresis; Emulsions; Gels; Sols; Thixotropy.

adsorption of charged micelles, Gibbs eqn. 7=17260 adsorption of charged micelies, Gibbs eqn. 7=17260 in alkali halides, centres formation, defects role 7=7532 conference, Madison, USA, June 1966 7=17299 D-glycuronic acid complexes with W, Mo, U, optical rotation obs. 7=7126

deposition of particles on smooth solids 7=10878

drying in standing sound wave 7=4398 electroviscous effect, secondary in charged spherical colloid 7=10877

ferrosoferric oxide, polarized light scatt. for magnetic multipole field centre location 7=9345 illite, hydrophobic, u. s. prod. sedimentation obs. 7=7127 particle growth diffusion controlled, moving boundary 7=7130

polystyrene latex, sulfonated, isoionic dilution, viscosity meas. 7=10877 spherical colloid particle, electrophonetic mobility, calc., and expt. 7=4399

stability ratio, theoretical calc. 7=17300

Ag in AgCl, photoelectron emission rel.to luminescence obs. 7=2366

Au, dimension of particles, determ. by spectrophotometry 7=14136

Fe oxide over magnetic film with stripe domains, for

diffraction display or memory 7-9360
NaCl, formation and bleaching, divalent cation impurities effects 7-17635

on Ni-Fe magnetic film with stripe domains as diffraction grating 7=9615
Colorimeters. See Colorimetry.

### Colorimetry

See also Spectrochemical analysis; Spectrophotometry. Friele's 1965 approx. for colour metric coeffs., smoothed versions 7=9546 L/Y ratios in terms of CIE chromaticity coordinates,

data 7=16318

# Colour

See also Photography/colour.

characterisation by means of colour operators 7=9547 Magnus' green and related salts, origin 7=15347 metameric colours, Grassman's law 7=3203 moon surface contrasts obs. 7=8917

# Colour centres

alkali halide  $F_{\star}$  centres, review of recent obs. 7=1576 alkali halide F' centres theory 7=11496 alkali halides, effect of hydrostatic pressure 7=14618

alkali halides, F-centre prod., impurity inhibition, theory 7-4718 alkali halides F-centres g-factors, e.s.r. obs 7-11692 alkali halides, F<sub>2</sub> and F<sub>2</sub>' centers low-lying states calc. 7-17627

alkali halides, H'centre model 7=11196 alkali halides, photoelectric emission anisotropy with polarized light obs. 7=11606

polarized ngine obs. 12-18214 alkali halides, Raman first-order scatt. calc. 7=18214 electron-excess, polaron many-particle model 7=14617 F-aggregates quasicontinuum model rel. to M

band 7=17627

F-centres, thermal field ionization 7-4716
F, electron trapping rel. to normal modes of lattice 7-4717
glasses, borate, phosphate and borophosphate, rel. to
structure 7=1632

 $\alpha\text{-quartz}, \text{Ge}, \text{X-rayed}, \text{optical absorpt. and e.s.r.} \ 7\text{=}14630$  quartz, synthetic crystals, green and brown colours due to absorption by Fe ions  $\ 7\text{=}1642$ 

```
Colour centres-contd
Colour centres-contd
                                                                                                                                      MgO V_{\rm 1} band prod. on e and \gamma-irradiation obs. 7=17634
          radiational accumulation of F and M centres, statistical
                                                                                                                                      MoO<sub>3</sub> films, formation and bleaching 7=11787
         test 7=11195 AgCl:Ni, optical bleaching 7=7609 \alpha-Al<sub>2</sub>O<sub>3</sub>, bleaching, \gamma-irradiated, pressure deformed 7=11197 As borate glasses, gamma-induced, rel. to structure 7=4719 CaF<sub>2</sub>, electrical cond., dielec. loss and mag. obs. 7=4720
              test 7=11195
                                                                                                                                      N<sub>2</sub> aggregate centre, electronic structure 7=14619
Na disilicate glasses doped with Eu<sup>s*</sup>, competitive
trapping 7=7616
                                                                                                                                      Na silicate glasses, X-irradiated 7=7615
                                                                                                                                      NaBr, F-centre formation 7=1638
         CaF<sub>2</sub>, recentred count, defect ones and mag. obs. 1=4720

CaF<sub>2</sub> F-centre electrons potential energy curve 7=11198

CaF<sub>2</sub>, '1'radiated 7=14620

CaF<sub>2</sub>, 'Y:CaO, charge compensated O<sup>2</sup> obs. 7=11199

Cu<sub>2</sub>O, many-phonon capture cross-sections 7=4721
                                                                                                                                      NaCl, colloid formation and bleaching, divalent cation
                                                                                                                                       impurity effect 7=17635 NaCl, F \rightarrow C, transformation conditions 7=11216 NaCl, F-centre formation by \gamma-irrad. 7=7610
          H' centre formation 7=11196
                                                                                                                                       NaCl, F-centres, coagulation 7=14625
          K halides, enhanced growth of V bands by interfaces 7=11201
K halides, F-colorability decay 7=11200
K halides, mixed, A band of Tl centres 7=5311
                                                                                                                                       NaCl, F-centres, microscopic theory 7=14626
                                                                                                                                       NaCl, F-centres prod. by X-rays, mechanism 7=11217
                                                                                                                                       NaCl F centres Raman first-order spectrum
                                                                                                                                       nacl, 7-18214
NaCl, F' and M' traps obs. by photostimulated thermoluminescence 7-8485
NaCl, Raman scatt. by F centres calc. 7=8423
NaCl, shock waves' effect 7-14624
          KBr, effect of Sr on F- and M centre accumulation 7=11209
          KBr F-band u.s. modulation 7=11202
          KBr, F centre u. s. modulation 7=14621
          KBr, F' traps obs. by photostimulated thermoluminescence 7=8485
          KBr, photochem. prod. V bands 7=11204

KBr, U<sub>2</sub>-centre, effect of config. mixing on electronic structure 7=11203

KBr:Pb, F-centre conc. var. with Pb conc. 7=7545

KCl, Ag* doped, B-centres 7=7612

KCl, Ag and Tl doped, role of anion vacancies in form. of aggregate centres 7=11210
                                                                                                                                       NaCl, yield depend. on electron beam angle of
                                                                                                                                       incidence 7=14627 NaF, F_2- absorption 7=1640 NaF, F_3+, rel. to 5456Å line 7=1641 NaF, F_3+ centre from 5456 A line 7=4725
                                                                                                                                       NaF.U.X. and \gamma-ray prod. obs. 7=14628

NaF,zero-phonon lines 7=1635

NaFHF,\gamma-ray prod. F centres and imperfections obs.

by n. m. r. and e.s. r. 7=1639

NaI, F-centre formation 7=1638
          KCl, deformation effects on colorability by irradiation obs. 7=17631
          KCl, dielectric relax., thermoelec. and optical
absorption obs. 7=8008
KCl doped with Zn<sup>2</sup>*, Cd<sup>2</sup>* and Hg<sup>2</sup>*, absorption spectra
                                                                                                                                        NaI, V K, prod. on low-temp. irradiation 7=14629
                                                                                                                                       NaN<sub>3</sub>, γ-ray prod. F centres and imperfections obs. by n.m.r.and e.s.r. 7=1639
               obs. 7=11206
                                                                                                                                        NaOCN, \gamma-ray prod. F centres and imperfections obs.
          KCl, effect of plastic deform, on impurity centres 7=11205 KCl, effect of Sr on F- and M centre accumulation 7=11209 KCl, F-aggregate, optical formation 7=11208
                                                                                                                                            by n.m.r.and e.s.r. 7=1639
                                                                                                                              RbI, V<sub>K</sub>, prod. on low-temp. irradiation 7=14629
n-Si, e-irradiation prod., i. r. absorption obs. of irradiation temp. var. 7=14520
TiO<sub>2</sub> surface, due to adsorbed mols. 7=4726
Colour photography. See Photography/colour.
          KCl, F-aggregates formation, deformation and impurity effects obs. 7=1634
           KCl F-centers electron-nuclear double resonance
                obs. 7=8331
                                                                                                                             Colour vision

"best" signal, existence 7=9642

changes induced by chromaticity changes of background of

constant lightness 7=12746
           KCl, F-centres, ENDOR 7=2235
           KCl, F-centre excited states obs. by modulated optical absorption 7=7611
           KCl, F-centre formation by γ-irrad. 7=7610
                                                                                                                                        cone-rod photoelectric model 7=12747 fading out of coloured fields 7=9641
           KCl, F-centre, quadratic Stark effect meas. 7=4724
           KCl, F-centres, coagulation 7=14625
KCl, F-centres, production by X-irrad., temp.
depend. 7=4722
                                                                                                                                        L/Y ratios in terms of CIE chromaticity coordinates,
                                                                                                                                            data 7=16318
                                                                                                                                        metameric colours, Grassman's law 7=3203
normal trichomats discrimn., fluctuation theory 7=3306
            KCl, F centres, pulse photoconduction 7=8056
           KCl F centres Raman first-order spectrum calc. KCl, F-centres, thermal field ionization 7=4716
                                                                                                7=18214
                                                                                                                                        photopic mechanisms, interactions by mixing conditioning
                                                                                                                                            fields 7=9639
           KCl, F-M centre energy transfer mechanism 7=4723
KCl, F' traps obs. by photostimulated thermo-
luminescence 7=8485
                                                                                                                                         spectral discrimination, correction 7=16317
                                                                                                                              Columbium. See Niobium.
                                                                                                                               Coma. See Aberrations, optical.
            KCl, γ-irrad., dichroism in R-bands 7=11781
           KCl, irradiated, metastable F aggregates obs. 7=17628
KCl, irradiation prod. at 80°-300°K, defects
complementary to F obs. 7=14549
KCl, M-centre formation, thermodynamics 7=11212
                                                                                                                              Combustion
                                                                                                                                             See also Explosions; Flames; Heat of combustion; Reaction kinetics.
                                                                                                                                        condensed substances, ignition by hot gas 7=15972 diffuse, in laminar boundary layer, theory 7=15974 flames, role of electrons, elec. field effect data 7=2452 gas mixtures, effect of fuel and enclosure geometry 7=5333 graphite, irradiated in ameroid bomb calorimeter 7=9263 hydrocarbon and air mixtures, press. variation on ignition 7=5333
            KCl, M centres, Na and Li, data 7=11213
KCl, photochem. prod. V bands 7=11204
            KCl, Schottky and Frenkel disorder study 7=4680
            KCl, structure and transformation obs. 7=11211
            KCl, thermal bleaching kinetics, exoelectron
                 emission 7=11207
                                                                                                                                         powder, under action of pressure pulse, theory 7=15973
            KCl, \rm U_2-centre, effect of config. mixing on electronic structure 7=11203 KCl, X-ray prod. of \alpha and F centres at 4.2°K 7=7544
                                                                                                                                        pressure rise at combustion front in long casing, calc. 7=15975
            KCl:Ag, lifetime of excited state of F centres 7=17629
KCl H centre e.s.r. rel. to optical absorption obs. 7=17632
KCl:I:Pb, e.s.r. of ICIV<sub>k</sub>-centre 7=5198
KCl:Pb, Sr, F-centre conc. var. with Pb conc. 7=7545
                                                                                                                                          rockets, ionization with solid propellants obs. 7=8530
                                                                                                                                         H fuel injection into air supersonic flow, turbulent mixing
                                                                                                                                              and diffusion 7=10725
                                                                                                                               Comets
                                                                                                                                         antimatter nature possibility 7=12241
            KCl:Pb, V_K centres thermal preferential reorientation obs. 7=17630
                                                                                                                                         brightness, head dia. and tail length obs. 7=8945
                                                                                                                                         continuous spectra, interpretation 7=15780
             KCl R centre g tensor calc. 7=8295
KCl, Raman scatt. by F centres calc. 7=8423
                                                                                                                                         Halley, explosive phenomena, dynamical effect and nuclear rotation 7=8946
             KCl, SrCl<sub>2</sub>, dielectric relax., thermoelec. and optical absorption obs. 7=8008
KI, quenching after u.v. irrad. 7=8481
                                                                                                                                         heat diminution due to perihelion passage 7=15779
                                                                                                                                          Humason (1961e), 28 photographs 7=8948
                                                                                                                                         Rkeya-Seki (1965f), magnetic field 7=15783
Rkeya-Seki (1965f), NaD<sub>2</sub> line, polarization 7=15783
Rkeya-Seki (1965f) spectrum obs. 7=12236
interaction with solar wind, simulation with plasma and
             LiF F-aggregates spectra and luminescence obs. 7=17633
             LiF, interact. with dislocations
LiF, irrad., F<sub>3</sub>* centre 7=7614
                                                                  7=14591
             LiF, irradiated, I, E, M, Z centres 7=1636
LiF, M-centre below F band, level excitation obs. 7=7613
                                                                                                                                              CO<sub>2</sub> 7=6837
                                                                                                                                         Morehouse, structure movement in coma and tail 7=15782 orbits classification 7=5602
             LiF, n-irradiated, F-centres e.s.r. and absorption
                 obs. 7=11215
                                                                                                                                         orbits with long periods in interstellar and interplanetary
matter in general relativity 7=8944
             LiF, neutron prod., i.r. absorption bands obs. 7=11214
             LiF, three R type, electronic structure 7=14622
                                                                                                                                         positions, table 7=2712
surface brightness in head distribution 7=8947
              LiF, zero-phonon lines 7=1635
             MgF<sub>2</sub>, X-ray prod. F and M centres bleaching and e.s.r.
obs. 7=14623
                                                                                                                                          tail streamers in solar wind 7=15781
                                                                                                                                          thirty-eight, accurate positions and astrometric
             MgO F centers electron-nuclear double resonance
                                                                                                                                              descriptions 7=5583
              obs. 7=18184
MgO, F-centre evidence, ion bombarded 7=2325
                                                                                                                                          Tomita-Gerber-Honda (1964c) 7=12237
```

#### Compasses

No entries

Complimentarity. See Physics fundamentals; Quantum theory. Compressibility

See also High-pressure phenomena and effects. α-quartz, linear, X-ray diffr. obs. to 150 kbar 7=17732 crystals, and atoms Thomas-Fermi-Dirac

pressures 7=11230 effect on indentation of thin elastic layer by smooth rigid cylinder 7=12324

by equation of state, modified using sonic velocity meas. 7=17201

heterogeneous medium bulk modulus bounds on var. principle 7=9059

metals, thermodynamics of shock compression 7=1685 powders, by shocks, thermodynamics 7=12424 rubber like materials definition 7=9056

rubber like materials definition 7=9056
virial coefficients optimal recovery 7=10739
Ar, and X-ray lattice const. meas. 7=1418
CdTe, isothermal by X-ray diffr. 7=11059
Cr, antiferro- and paramagnetic 7=11277
Fe-Ni(30 wt.%), shock wave obs.to 40 kbar 7:=18117
H, solid (4.2-11.5°K) 7=14447
LiH, up to 20 kb 7=4788

MgO, var. of elastic constants with press. at 23° and -195. 8°C 7=4789

Ta, bulk modulus relation from room temp. to 500°C, theory and calc. 7=1741
U natural, compressive behaviour 7737

W, bulk modulus relation from room temp. to 500°C, theory and calc. 7=1741

virial coefficients optimal recovery 7=10739 Ar, rel. to liquid vapour press. 7=7146

CO2, virial coefficients optimal recovery 7=10739

alkali halides, molten, significant-struct. theory calc. 7=14032 aqueous electrolytes, adiabatic 7=1142 critical fluctuations, rel. to sound absorption 7=14081

electrolyte solns. in methanol, adiabatic 7=1143 lubricants, 500-2000 atm. 7=14050 Rao's rule basis 7=4346

Hao s rule oasts (=4340) statistical molecular thermodynamic treatment 7=17263 He II, rotating 7=5777 He<sup>4</sup>, high press. obs. 7=9282 He<sup>4</sup>, to 24.5 atm., 0.5=1.4° K 7=5750 Hg, penetration into aggregates of spheres at high pressure 7=10783

Compressive strength. See Mechanical strength/compressive.

asymptotic double-logarithmic form for large angle scatt. 7=9857

double, cross-section meas. 7=9859 electron binding effects 7=9883 electrons, intensity dependent freq. shift 7=6109

exact sum rules from low-energy theorems and unsubtracted dispersion relations 7=9972 γ-ray scatt. on bound K-electrons 7=3501

on hadrons, sum rules 7=16486

in intergalactic space, inverse, X-ray prod. rel. to microwave background 7=15623

internal, rel. continuous  $\gamma$ -spectrum accompanying internal conversion electrons 7=657

inverse, consequences for quasars 7=12189 inverse, in quasi-stellar sources 7=18454

inverse, Stokes parameters relativistic spinor

for mulation appl. 7=9530 non-Abelian, low-energy theorem 7=3629

with p, C-violation effects calc. 7=9898 on p, resonances effects calc., 600-750 MeV 7=13060 in quasars, inverse Compton loss for electrons 7=5576

in slab from nuclear explosion γ, e prod. velo. distrib. calc. 7=9864 small-angle, 17 MeV, meas. rel. to Klein-Nishina 7=3500 in stars, inverse spectrum from high energy electrons calc., rel. to flares 7=15650

virtual, contrib. to electron pair production cross-section obs. 7=9887

on N, sum rules from algebra of currents 7=12953 on N, sum rules for isovector amplitudes 7=12952

SiO<sub>2</sub> (quartz), variation with structure changes 7=1434

Computation. See Calculation.
Computer memories. See Calculating apparatus/digital computers; Magnetic devices; Magnetic films; Superconducting materials and devices.

Computers. See Calculating apparatus.

Concrete

cracking load calc. 7=4772

y-ray albedo, differential exposure, calc. 7=16496 diffusion of water 7=11139 neutron albedos for 0.5 eV-200 keV, doubly differential,

calc. 7=16622

neutron dose rates along ducts, Monte Carlo calc. 7=16623 refractory, neutron irradiation effects obs. 7=4738 thermal n differential ang. albedos 7=9991

#### Condensation

See also Drops; Fog.

acoustic-wave interaction with liquid-vapour interface 7=14143 air on liquid H cooled surface, 10<sup>-3</sup>-10 torr 7=7145

arr on inquid H cooled surface, 10 = 10 for alkali metals, 1-100 mm 7=14158 atmospheric nuclei, theory 7=8660 cap-shaped condensed phase, line-tension effect 7=1188

in capillaries, model calcs. 7=7143 cloud-chamber droplet growth 7=7142

condensing systems, irreducible cluster representa-tions 7=10897 diffusion controlled particle growth, moving boundary 7=7130

in excited gas, dipole-dipole interaction prod. 7=10736 in film thickness meas, by oscillating quartz crystal 7=7264

Frenkel theory, a contribution 7=10899

ice nucleation by amino-acid particles 7=4421 laminar film, analysis with many parameters 7=7144

monatomic liquids in theory of Born and Green 7=1197

nuclei distribution in free atmos. over European USSR 7=15487

solid state transitions, first-order, theory 7=17348 uniform convergence of thermodynamic functions 7=10898 vacancies on precipitate particles, with internal stresses 7=7215

Au, sticking coeff. on NaCl 7=7147

Cr films at 4.2%, amorphous electron diffr. obs. 7=14276 CsBr films, electron diffr. obs. 7=1274 CsCl films, electron diffr. obs. 7=1274 CsI films, electron diffr. obs. 7=1274

Fe film at 4.2 %, amorphous electron diffr. obs. 7=14276 He II, rotating 7=5760 He II, rotating 7=5777

Hg on C films, 190°-125°K 7=4415

in MgF2 film thickness meas. by oscillating quartz crystal 7=7264

in ZnS film thickness meas. by oscillating quartz crystal 7=7264

# Condensation of gases. See Liquefaction, gases.

Conduction, electrical

See also Conductivity, electrical; Contact resistance; Current, electrical; Photoconductivity; Resistance, electrical; Semiconductors; Skin effect; Superconductivity.

crystals, impurity band, rel. to random impurity distrib. 7=7838

electron scatt. by s-d exchange interaction, for general spin 7=11355

fluidized phase, direct heating by elec. current 7=7504 high pressure leads insulating seal paint, Fe oxides-Zapon 7=2748

hot carriers, path variable method 7=17748 hydrocarbons, unsaturated, liquid 7=4385 kinetics, stochastic interpretation 7=1820 leads for gas press. system to 10 Kbar at high temps. 7=15838

liquid dielectrics, and breakdown 7=4379 liquid metals e transport theory 7=17282-3

liquid metals e transport theory (=17002-5) liquid metals, matrix elements of pseudopotential 7=4381 metal films, discontinuous, field effect 7=11421 metal films, effect of surface scatt. of electrons 7=1825 Ohm's law in absorbing medium, reformulation 7=9322 phonon-electron system, weakly interacting, linear

response theory rel. to Boltzmann eqn. 7=14782 plasma, Ohm's law in multicomponent nonisothermal plasmas with temp. and press. gradients 7=13859 polyphenylether fluids, study by electron injection technique 7=4386

quantum transport in high mag. fields, review 7=17744 review of recent developments 7=9127 semiconductors added carriers ambipolar diffusion and

drift in mag. field tensors 7=17751

semiconductors, quantum theory with non-standard energy band 7=11493 solids, with heat, in mag. field, nonequilibrium thermo-dynamics appl. 7=4653

solids, Landau and Peierls criteria, rel. to quantum degeneracy 7=7835

degeneracy 7=7830 solids, logarithmic depend on impurity density 7=4894 solids, space-charge\_limited unipolar current differential step response calc. 7=1987 solids, space-charge-limited unipolar current with nonuniform distribution of traps 7=1988 theory of size effects 7=1824 transition metal-its oxide-metal junction tunnelling anomalies at zero-bias, exchange model, 7=18022

anomalies at zero-bias, exchange model 7=18022 transport phenomena in conductors in mag.fields 7=7751 tunnel current through trapezoidal potential barrier 7=1821 AgCl, thermal dissociation and tunnel effect currents

obs. 7=1948 Ar, drift velo. of electrons obs. in solid and liquid 7=11367

```
Conductivity, electrical-contd
         Au discontinuous films obs. 7=4900
Cs thermal plasma, influence of work function of cathode material on current 7=179
Cu phthalocyanine films, space charge limited current and electron mobility 7=7765
KCl, transient and steady state 7=5060
MgO-Al<sub>2</sub>O<sub>3</sub>-Fe<sub>2</sub>O<sub>3</sub> ferrites, X-ray spectrum obs. of mechanism 7=1997
NaCl, transient and steady state 7=5060
Se, amorphous, thermal dissociation and tunnel effect currents obs. 7=1948
Si<sub>3</sub>N<sub>4</sub>, hole injection and trapping in sputtered films
Conduction, electrical-contd
                                                                                                                                            liquids, electrolytic
                                                                                                                                                      See also Chemical analysis/electrochemical; Ion velocity/electrolytic.
                                                                                                                                                 alkali halides 7=4382 aqueous solns at high temp, and press. 7=14041
                                                                                                                                                 theory 7=10861-2
                                                                                                                                                 water, 1000°C, 100 kbar 7=14120 I<sub>2</sub> molten salt solns. 7=17285 KCl solutions freq. and conc. var. obs. 7=7109 LiI in p-dioxane-H<sub>2</sub>O mixtures 7=7110
                                                                                                                                                 Li<sub>2</sub>SO<sub>4</sub> with foreign cation impurities, 700 -950°C 7=8560
           \mathrm{Si}_3\mathrm{N}_4, hole injection and trapping in sputtered films obs. 7{=}18041
                                                                                                                                            solids
                                                                                                                                                 alloys, dilute, resistance min. for transition metal
UO<sub>2**</sub> hopping mechanism 7=7966
Zn films with Mn paramag. impurities, low temp.
tunnelling anomalies obs. 7=11446
Conduction, heat. See Heat conduction.
                                                                                                                                                       impurities 7=14875
                                                                                                                                                 blackness, calorimetric obs. 7=141
                                                                                                                                                 carbon black, rel. to bulk density 7=11430
                                                                                                                                                 carbon black, pressure dependence 7=11429 carboxylic aromatic acids, effect of H bonding 7=11525 carnauba wax, elec. field var., 64°-76°C 7=15041
Conduction bands. See Crystal electron states.
 Conduction electron scattering. See Crystal electron states.
                                                                                                                                                 containing polyethylene copolymers, \gamma ray effects obs. 7=5071 use to detect cyclotron resonance 7=14869 dialkali silicate glasses obs. 7=2343
Conductivity, electrical
                See also Resistance, electrical; Semiconducting
                materials; Semiconductors; Skin effect; Superconducting
           materials and devices; Superconductivity.
epitaxial layers, n-n*, p-p*, measurement 7=7931
                                                                                                                                                 earth, from annual geomag. var., calc. 7=11974
                                                                                                                                                 earth's mantle, geomag. var. obs. and silicates
           medium containing spherical and ellipsoidal inclusions 7=3001
                                                                                                                                                 theory 7=12211 electron-phonon systems, frequency variation 7=7836
           one-dimensional system of random δ-scatterers, freq. var.calc. 7=9325 temperature dependence, theory 7=9324
                                                                                                                                                 ferromagnetic transition anomalies rel. to earth's elec.
                                                                                                                                                       cond. 7=5147
           Ar-K plasma, partially ionized, calc. in mag. field 7=6842 CoO, single crystal 7=7799
                                                                                                                                                 films, aggregated metal, and microparticles 7=11420 films, resistive, vacuum and chemically deposited 7=7840
                                                                                                                                                 graphite, atomic displacement on e-irradiation obs. 7=7535 ice, bulk and surface 7=5057 incremental sheet resist. meas. into profiles of impurity conc. 7=17601 insulating materials, direct-current 7=18043 interband transitions effect theory 7=2015 manganin coil, to 7 kbar and 200°C, for press.
          CoO, single crystal 7=7799
Cr<sub>2</sub>O<sub>3</sub> sintered 7=11504
Cu films, rel. to thermoelectricity 7=7853
Cu, oxidized, dispersion in petrol 7=4397
Eu, effect of pressure 7=14885
NiO, single crystal 7=7799
n-PbTe films, increase with ion bombardment 7=11518
0.85PbTe + 0.15PbS, effect of pressure 7=14966
Si, surface, rel. to adsorbed vapors 7=15023
TiO<sub>2</sub>(rutile), Nb-doped 7=14971
                                                                                                                                                                     7=17874
                                                                                                                                                       meas.
                                                                                                                                                 metal films, influence of boundary scatt. on field effect 7=1826
           air, arc columns, interrupted, cond. decay 7=6788 air, in presence of impurity, applic. to arcs 7=13992 arc columns, interrupted, cond. decay 6=6788
                                                                                                                                                  metal wires, resistivity changes, indirect methods of
                                                                                                                                                       meas. 7=17867
                                                                                                                                                  metals, edge dislocations rel. to residual resistivity 7=1822
           atmosphere, lower, effect of radioactive fallout 7=15537
                                                                                                                                                  metals, ferromagnetic, anisotropy theory 7=7842
                                                                                                                                                  metals with mag.impurities, low temp. calc. with internal fields 7=17878
           and electromotive force, rel. to detonation of
                 dynamite 7=6794
                                                                                                                                                 metals, for point defects meas, by quenching, cryostat appl. 7=14509
           plasma, Ohm's law in multicomponent nonisothermal
plasmas with temp. and press. gradients 7=13859
plasma r.f. torch in H-mode obs. 7=10686
plasma, 3-120 kbar 7=17058
                                                                                                                                                  metals, point multiple defect effects calc. 7=7841
                                                                                                                                                  metals, residual resistivity mechanism 7=11422
                                                                                                                                                  metals, skin effect, anomalous, exact soln. of integral
           polar molecules, electron momentum transfer from
                                                                                                                                                        equations 7=4895
                 drift velocities 7=10746
                                                                                                                                                  Moon's interior, rel. to olivine obs. 7=12211 olivine obs., rel. to Moon's interior 7=12211
           upper almosphere, corrected eqns. 7=12057
CO<sub>2</sub>, electron drift velocity meas. at 293°K 7=6978
D<sub>2</sub>, electron drift and diffusion meas. at 293°K 7=10747
                                                                                                                                                  p-n junction in almost intrinsic semiconductor 7=14981
Permalloy films, ferromag. resonance obs. 7=7844
            Hg, supercritical at high press. 7=13993
                                                                                                                                                  phenanthrene 7-7971
photoconductors and semicond, meas, without contact
electrodes 7-15077
       liquids
           acids, light and heavy, dissolved in light or heavy
water 7=10864
antimonides, liquid, meas. 7=4388
                                                                                                                                                  photoconductors, surface, rel. to band bending and space charge calc. 7=8048
           benzene, reduction by intensive purification 7=10863
binary systems, effects of viscosity obs. 7=17281
cryogenic fluids obs. 7=7103
dielectric shell in electrolyte, m. h. d. phenomena of
motion obs. 7=234
                                                                                                                                                  polyethylene, voltage and temp. var. obs. polymers, anomalous behaviour 7=5066
                                                                                                                                                                                                                             7=15029
                                                                                                                                                  rare earth nitrides obs. at low temp. 7=18096 residual resist. in mag. field, Coulomb interaction
                                                                                                                                                        effect 7=9116
            hexane, γ-irradiated, recomb. effects 7=7107
                                                                                                                                                   semiconductor-insulator interface, surface states effects
            hexane, ionization current at high fields, meas. 7=10865
                                                                                                                                                  theory 7=7979
semiconductors, phonon heating, effect on elec.
cond. 7=14406
           ion-dipole solutions, molecular distribution functions,
    statistical theory 7=1166
            laminar steady flow in radial mag. field 7=231
                                                                                                                                                  semiconductors, quantum theory with non-standard
energy band 7=11493
semiconductors, resist., electron beam meas. 7=14943
            metals, e transport theory 7=17282-3
metals, resistivity, role of volume depend. 7=7102
             molten metals, correl. with sound velocity 7=1141
                                                                                                                                                  superconductor intermediate state, rel. to mixed
            n-hexane, production by \gamma, model 7=1170 seawater, 50-20000 c/s 7=7106
                                                                                                                                                        state 7=4924
                                                                                                                                                  superconductors, type II in mixed state, calc. 7=4927
tensor, diagram technique applied to systems with narrow
conduction bands 7=17865
            siloxane fluids, study by electron injection
technique 7=4387
             tellurides, liquid, meas. 7=4388
                                                                                                                                                  thin layers, resistivity during heavy-ion irrad. 7=1829
            tellurides, liquid, meas. 7=4388
Ar, drift velo. of electrons obs. 7=11367
Ar, electron drift velocity, atomic distortion effect 7=4383
Bi+BiBr<sub>3</sub> solutions, molten 7=14125
Bi+BiCl<sub>3</sub> solutions, molten 7=14125
FeO<sub>2</sub>-CaO slags 7=14119
Ga, undercooled, resistivity rel. to temp. 7=7105
Ga-In eutectic alloy, undercooled, resistivity rel. to
                                                                                                                                                   Ag clathrates, metallic 7=7847
                                                                                                                                                   Ag dislocations on deformation, anisotropy at liquid
                                                                                                                                                        He temps. obs. 7=11424
                                                                                                                                                   Ag, electron damage thresholds at low temps. obs 7=7628
                                                                                                                                                   Ag recovery, stage I, and correspondence with Cu 7=1828
                                                                                                                                                   Ag, rel. to solid solubility of rare-earth metals 7=4896
                                                                                                                                                   Ag-Kr dilute alloys, sp virtual bound states inter-
                  temp. 7=7105
                                                                                                                                                   pretation 7=11575
Ag-Pd alloy system 7=7781
             Hg-In alloys, under 6000 atm pressure 7=4384
             In-Sn alloys, correlation with structure 7=14121
            hill-sh anolys, correlation with structure 7=14121 LL<sub>2</sub>WO<sub>4</sub>, near melting point 7=8009 Na-NH<sub>3</sub> solns., high press. 7=14124 Sb+SbI<sub>3</sub>, solutions, molten 7=14125 SiO<sub>2</sub>-UO<sub>2</sub> molten system, 300^\circ-700°K meas. 7=17286 V<sub>2</sub>O<sub>5</sub>, molten 7=11524
                                                                                                                                                   Ag-Pd, conc. var., 0.1°-4.2°K 7=4897
                                                                                                                                                   Ag-Se dilute alloys, sp virtual bound states inter-
pretation 7=11575
Al alloy, (sintered with dispersed Al<sub>2</sub>O<sub>3</sub>), quenched-in
resistivity 7=14515
```

# Conductivity, electrical-contd

solids—contd
Al, d-irradiated, radiation annealing and damage prod., alloying, cold work and quenching effects obs. 7=14516 Al, electron beam effects above stage I obs. 7=7854 Al, Frenkel defects on neutron irradiation obs. 7=1565

Al, plastic deformation var. obs. 7=14878
Al, R<sub>273</sub>/R<sub>78</sub> ratio, rel. to impurity content and heat treatment 7=7848

Al, resistivity, contrib. of electron-phonon interact. 7=11364

Al sputtered films, rel. to struct. and surface texture 7=7272

Al, superconducting, microwave surface impedance, mag. field var. anomalies obs. 7=4941
Al surface, increase at microwaves by lowering temp., for linear accelerators 7=1832

Al, transition metal impurity effects on residual resistivity 7=4899

Al-Mn alloy, temperature coeff., effect of cooling rate during crystallisation 7=1313 Ar, drift velo. of electrons obs. 7=11367

Au, d-irradiated, radiation annealing and damage prod.

alloying, cold work and quenching effects obs. 7=14516 Au dislocations on deformation, anisotropy at liquid

He temps.obs. 7=11424 Au film, influence of charge effects 7=1838

Au, films, temperature variation 7=11425

Au-Co dilute alloys, low temp. obs. 7=1830

Au-Pd alloy, equiatomic, short-range order meas. 7=10944 Au-Re dilute alloys, low temp. obs. 7=1830

Au-Sn-Fe dilute alloys, low temp. obs. 7=1830

Au-Tc dilute alloys, low temp. obs. 7=1830

Ba, real, structure rel. to optical interband

transitions 7=8389

BaF<sub>2</sub> (50-800°C) 7=15015

BaTiO<sub>3</sub>, Gds doped, grown in molten KF, resistivity rel. to impurity conc. 7=11557

Be-Cr alloy, effect of ageing at 500-900°C 7=7851

Be, effect of ageing at 500-900°C 7=7851

Be, point defect electron scatt. prod., calc. 7=11426 BeO,  $800 -1250^{\circ}\text{G}$  7=7517

BeO, ionic 7=18036
Be-Zr alloy, effect of ageing at 500-900°C 7=7851 Bi, films, temp. and thickness depend. 7=4985 Bi, resistivity meas. rel. to III-IV and IV-V transitions 7=14206 Bi-Mn, dilute, meas. 7=7932

Bi<sub>1.75</sub>Sb<sub>0.25</sub>Te<sub>3</sub>, rel. to conc. of CuBr dopant 7=8044

CU<sub>3</sub>Au, rel. to order-disorder kinetics, to 21 kbar 7=17359
CaF<sub>2</sub>(50-800°C) 7=15015

CaF<sub>2</sub>, X-ray coloured and uncoloured 7=4720 CaF<sub>2</sub>: Y, charge carrier identify 7=5252 CaO-SiO<sub>2</sub> glasses, ionic conductivity 7=11547 Ca, R<sub>272</sub>/R<sub>17</sub> ratio, rel. to impurity content and heat treatment 7=7848

Ca<sub>2</sub>Sb<sub>2</sub>O<sub>8</sub>F, effect of ultraviolet radiations obs. 7=15016

CaTiO<sub>s</sub> crysts. 7=11502

Cd, Fermi surface topology change under press. 7=11431 CdS, rel. to phase equil. up to 50 kbar 7=14209

Co-Pt, anomalous temp, dependence rel. to ordering 7=8160 Cr films, resistivity, effect of glow discharge treatment 7=14881

Cr films, resistivity, influence of inert gas during deposition 7=14880

Cr-Co alloys, Cr rich, resistivity rel. to temp. and magnetism 7=17871

Tropic forms and the state of the state of the state of substrates 7=4901

Cr, S, neutron irradiated 7=7868
CsCl, α and β-phase 7=7541

Cs-Sb films in equil. with Cs vapour, temp. discontinuities 7=11505 Cs-Sb films obs. 7=8052

Cu dislocations on deformation, anistropy at liquid He temps. obs. 7=11424 Cu, electron beam effects above stage I obs. 7=7854

Cu phthalocyanine films, space charge limited current and electron mobility 7=7765 Cu, point multiple defect effects calc. 7=7841

Cu, resistivity recovery rel. to irradiation temp. obs. 7=14884

Cu surface, increase at microwaves by lowering temp., for linear accelerators 7=1832

Cu whiskers at 4.2°K rel. to e reflection at surface 7=17872 Dy,resistivity,temp.depend. 7=7856

Eu, real, structure rel. to optical interband transitions  $7{=}8389$   $\gamma{-}{\rm Fe}$ , electrotransport,  $906{-}1385^{\circ}{\rm C}$   $7{=}11434$  Fe films, adsorption of  ${\rm O_2}$  and  ${\rm H_2O}$  effects obs.  $7{=}14886$ 

Conductivity, electrical-contd

Fe, residual resistance ratio of pure Fe calc.from magnetoresistance with var.impurities 7=1833

Fe-Mn alloys, hydrostatic pressure effect 7=8254
Fe-Si, 3.34 wt.-%Si 7=8110
Ga films, electron scatt., temp. depend. 7=4902
Ga, r.f. size-effect line-shape 7=1781
GaAs, temperature var., and impurity levels of Ag and Au, 77°-770°K 7=1782

GaSb-GaTe solid solns. 7=1936 GaSb-Ga<sub>2</sub>Te<sub>3</sub> solid solns. 7=1936

n-Ge, carrier concentration, hot 7=4858 Ge, surface cond. of cleaved surfaces 7=1941 Ge, thermal coeff., time lag, diffusion analysis 7=11508  $\alpha-{\rm HgS},$  X-ray effect obs. 7=8055

HgTe, temperature dependence of intrinsic conductivity 7=17970
In film, influence of charge effects 7=1838

In, transition metal impurity effects on residual resistivity 7=4899 In<sub>2</sub>Se<sub>3</sub>, o-phase, temp. depend. 7=5001

K, resistivity in a pseudopotential scheme 7=17813 KBr:Pb, Pb conc. var. 7=7545

KCl, ionic, d. c. and a. c., rel. to meas. electrodes 7=5058 KCl, ionic, effect of gaseous impurities 7=1994 KCl:Pb, Sr, Pb and Sr conc. var. 7=7545 KH<sub>2</sub>PO<sub>4</sub>, heat treatment var. obs. 7=2006

KH<sub>2</sub>PO<sub>4</sub>, proton cond., for pure and doped 7=15035

KReO<sub>3</sub>, cubic 7=7443 LiF:Mn<sup>2</sup> 7=7546

 $\rm Li_2WO_4$  , near melting point 7=8009  $\rm M\tilde{b}_{0*8}N\tilde{b}_{0*2}Fe(0.2-2.3\%)$  , low temp. var. obs. 7=1835

 $Mn_xFe_{3-x}O_{4+\gamma}$ , activation energy meas. 7=11662 MnP, magnetic field var. rel. to ferromag.

ordering 7=17981

MnS, rel. to phase equil. up to 50 kbar 7=14209 Mo, irradiated with 2.5 MeV electrons 7=11156 Mo sputtered films on oxidized Si obs. 7=7279

Mo sputtered films on oxidized Si obs. 7=1279

MoO<sub>3</sub> films, meas. 7=11787

NaReO<sub>3</sub>, cubic 7=7443

Nb, e-irrad. at 20°K, resistivity recovery 7=1836

Nb tunnel junctions peak obs. 7=4875

Nb<sub>2</sub>O<sub>5</sub> films on Nb, electrolyte conductivity after heat treatment 7=15021

Ni, cold worked, recovery stages obs. 7=14756

Ni, electron effects recovery, impurity effects obs. 7=7862

Ni films 7=7863

Ni films, effect of adsorption and elec. fields 7=14887

Ni films, ferromag. resonance obs. 7=7844 Ni, plastic deformation var. obs. 7=14878

Ni, recovery of elec. resist. after plastic deform. 7=11437 Ni, vacuum deposited films, resistivity 7=14890

Ni-Cu, measurement in mag. field, low temp. 7=11438 41 NiO-3ZnO-1CoO-55Fe $_2$ O $_3$ (mol. %), sintering temp. effects 7=18140

Ni-P alloy electrode for BaTiO3, comp. and resist. 7=5017

Ni<sub>1-x</sub>Te, Hall coeff. and mag. props. rel. to temps. obs. 7=14964 Ni-Zn ferrites, rel. to X-ray spectrum 7=1997 Pb film, influence of charge effects 7=1838

Pb, quenching of surface supercond. by contiguous

Cu film 7=17918
Pd residual resistivity, e-irradiation var.,
1-3 MeV 7=14506

Pd-Co(25at.%), K-effect rel. to short range order obs. 7=17877

Pd-Er(0.5-6.6 at.%), 4-40°K, no anomalies 7=11439 Pt, current carrying, electrolytic effect 7=7866

Pt, current carrying, electrolytic effect 7=7866
Pt, d-irradiated, radiation annealing and damage prod., alloying, cold work and quenching effects obs. 7=14516
Pt, on e-irradiation ~9 °K, 1, 3-2. 1 MeV, Frenkel resistivity, rel. to Au 7=17598
Pt, on e-irradiation <10 °K, resistivity recovery 10 °-300 °K rel. to prequenching 7=17599
Pt, pure, resistivity below 11 °K 7=17878
Re films on oxidation, obs. 7=5329
Si, epitaxial films 7=4532
Si n-irradiation carrier removal energy var. obs. 7=17593
Si oxide layers on Si, elec. field and humidity effects Si oxide layers on Si, elec. field and humidity effects obs. 7=5009

oos. 7=5009
SiO<sub>2</sub> films, switching action 7=11535
SiO<sub>2</sub> thermally grown films 7=11519
Sn, asymptote rel. to mag, breakdown and Fermi surface 7=17879

Sn film, influence of charge effects 7=1838

Sn, transition metal impurity effects on residual resistivity 7=4899

Sn and Sn:Cd, and superconductivity obs. 7=1896 SnTe-InTe crystals 7=11578 Sr, high press, obs. rel. to Fermi surface calc. 7=17818 Sr-titanate, meas., 900-1300°C 7=14540 SrF<sub>2</sub> (50-800°C) 7=15015

Ta, 1000 to 2500°C 7=11441 Ta tunnel junctions peak obs. 7=4875

```
Conductivity, thermal-contd
Conductivity, electrical-contd
                                                                                                                                             liquids_contd
                                                                                                                                                  hydrocarbons, meas. rel. to temp. and pressure 7=14079
MHD plane jet, heat transfer 7=9420
rotating annulus, theory of axisymmetric thermal
convection 7=17264
     solids-contd
          Te, anisotropy at 4.2°K calc. 7=7766
           Te, doped with I 7=11522
          Te, doped with 1 7=11522 Te films, temperature effect in electric field 7=11442 Te, 77-530°K 7=11521 Te-Ta alloy 77-530°K 7=11521 Th-rare earth alloys, temp. var. obs. 7=14893 Th, temp. var. obs., pure 7=14893
                                                                                                                                                  semi-empirical rels.,temp.var. 7=14078
Hg,forced convection heat transfer,transverse mag.
field effect 7=10833
           ThO<sub>2</sub>, effect of O<sub>2</sub> press. 7=7965
ThO<sub>2</sub>-YO<sub>1.5</sub>, effect of O<sub>2</sub> press. 7
Ti films, Ar ion effects 7=1841
                                                                                                                                                  A<sup>111</sup>B<sup>VI</sup>-type semiconductors 7=1492
                                                                                                                                                  dielectrics at low temps., rel. to sound absorption
           Ti, resistance minimum due to dilute transition metal impurities 7=14875
TiC, neutron irradiated 7=7868
                                                                                                                                                       theory 7=11114
                                                                                                                                                  electron gas, undegenerated, in electron scatt. by optical phonons 7=11409 inert gas crystals, high temp. calc. 7=17572 interband transitions effect theory 7=2015
           TiO2, reduced and Li-doped, resistivity 7=4849
           Ti_2O_3, semicond to metal transition, mag. props. 7=5011 Ti_3O_5, semicond to metal transition, mag. props. 7=5011 Tl-Te system, metallic if Tl content greater than in
                                                                                                                                                   metal foils transient diffusivity meas. 7=1493
                                                                                                                                                   molecular crystals, corresp. states correl. 7=14458
                                                                                                                                                  noble gases, solid, and expansion, growth obs. 7=7332 phonon scattering by paramagnetic ions in magnetic
           Tl<sub>5</sub>Te<sub>3</sub> 7=1842 \alpha-U, resistivity 67-293°K 7=11443
           UP, effect of temp. 7=11081
V, temp. depend. anomaly, pressure effect 7=7869
                                                                                                                                                         field 7=4654
                                                                                                                                                   plastics, self-heating during cyclic deformation 7=11336
powders, compressed, for reactor pressure-tube insula-
tion obs. 7=10359
quartz specific heat × thermal cond. × density obs. for
           VO<sub>2</sub> powder, temp. var. meas. 7=7967
VO<sub>2</sub> whisker 7=11580
           \rm V_2O_5, cryst. and glassy 7=11524 W, deformed, lattice defects, low temp. resist. 7=14598
                                                                                                                                                         resistance thermometer substrates for shock
                                                                                                                                                         tubes 7=7500
                                                                                                                                                    sapphire, heat-pulse propag., temp. dependence 7=4658
           W, deformed, lattice defects, low temp. resist. 7=14599
           WO3-ReO3 cubic solid soln., new phase 7=7443
                                                                                                                                                   spin and phonon cond. for ferro-and antiferromag.
                                                                                                                                                   mats. 7=8140
thermal characteristic equation in crystal growth 7=17428
Ag, pure, at low temp. 7=4656
Ag-Mn dilute alloys, low temp. 7=4655
           Zn films with Mn paramag. impurities, low temp.
minimum obs. 7=11446
Zn films, vapour deposition effects obs. 7=7286
            Zn, transition metal impurity effects on residual
                                                                                                                                                   (Ag, Ph, Sb)Te<sub>2</sub> alloy systems, lattice cond. 7=4659 (Ag, Sn, Sb)Te<sub>2</sub> alloy systems, lattice cond. 7=4659 Ar 7=14316
            resistivity 7=4899
ZnO, powder, effect of vars. in conc. of atm.
constituents 7=14973
                                                                                                                                                    Bi, at liq. He temp. 7=14472
           ZnO, surface, effect of adsorbed O, and H 7=18282
Zr, deformed, low temp. recovery obs. 7=7533
                                                                                                                                                    Bi-Sb alloys, resistivity due to mass fluctuation
                                                                                                                                                         scatt. 7=1495
       measurement
                                                                                                                                                    \mathrm{Bi}_{1..75}\mathrm{Sb}_{0..25}\mathrm{Te}_3, rel. to conc. of CuBr dopant 7=8044 \mathrm{Bi}_2\mathrm{Te}_3, microsegregation impurities rel. to thermo-
           insulators, from torque on sample in rotating elec. field 7=1990
                                                                                                                                                    electric characteristics obs. 7=4986 Bi_2Te_3-Bi_2S_3, I doping effects rel. to surplus Bi 7=17571
            metal wires, resistivity changes, indirect methods 7=17867 metals, resist. 0 -900°C, and thermal resist. 7=7515 semiconductor circular wafers resistivity using 4 probes,
                                                                                                                                                    Bi<sub>2</sub>Te<sub>3</sub>, I doping effects rel. to surplus Bi 7=17571
                                                                                                                                                    Bi<sub>2</sub>Te<sub>3</sub>-Sb<sub>2</sub>Te<sub>3</sub>, I doping effects rel. to surplus Bi 7=17571
                  errors 7=11497
                                                                                                                                                   D<sub>2</sub> 1c<sub>3</sub> sto<sub>2</sub> rc<sub>3</sub>, toping trices trice defect 7=1496
Cd<sub>3</sub>As<sub>2</sub>, anomalous, rel. to lattice defect 7=1496
Cd<sub>3</sub>As<sub>2</sub>-Zn<sub>3</sub>As<sub>2</sub> alloys, anomalous, rel. to lattice
defect 7=1496
Cu, sintered, low temp. obs. 7=7505
            semiconductor surface cond. 7=1925
            semiconductors at microwaves, from TE<sub>01</sub>° mode reflectivity 7=17942 skin response apparatus 7=12269 wires resistivity, temp. control for -186° to +400°C 7=11419
                                                                                                                                                    Cu<sub>2</sub>(Sn, Ge)(Se, S)<sub>3</sub> alloy systems, lattice cond. 7=4659
                                                                                                                                                   Cu<sub>2</sub>(Sn, Ge)(Se, S<sub>b</sub> alloy systems, lattice cond. 7=4659 by anomaly, 2°-3°K 7=11131 Er in mag, field, magnon contribution obs. 7=11132 Fe alloys with high lattice components 7=1497 y-Fe, thermotransport, 906-1385°C 7=11434 GaSb: Zn, Te, 80-600°K, phonon scatt. 7=7506 GaSe, anisotropy, 90°-600°K 7=11133 n-Ge, thermal phonon transport 7=11369 In films on insulating substrates, thermal relaxation at 4°-300°K, obs. 7=1498
            Ni-Cu, resistance meas. in mag. fld, low-temp. 7=11438
  Conductivity, thermal
                  See also Heat conduction.
             fluids, model of thermal convection, periodic osc. 7=10831
             heat, rate of diffusion in a fixed medium, theorems 7=15918
             medium containing spherical and ellipsoidal
                  inclusions 7=3001
             plane problem for layer with complex boundary
conditions 7=2935
square array of cylindrical particles in medium,
approx. 7=12502
                                                                                                                                                     In, size effect in intermediate state 7=1877
                                                                                                                                                     n-InSb, liquid He temps. obs., rel. to localized spins 7=17979 K, 0.5^{\circ}-4^{\circ}K, lattice component in Pippard's theory of u.s.
             BaTiO<sub>3</sub>, near ferroelec. transition temp. 7=14471
                                                                                                                                                     absorption 7=14474
K-Cs(0-10%), 0.5°-4°K, lattice component in Pippard's
             InPb supercond. film in vortex state 7=11468
             S, melting point deduced, to 60 kbar 7=14247
                                                                                                                                                          theory of u.s. absorption 7=14474
                                                                                                                                                     La, electronic and lattice components, 80-480°K 7=7507
                                                                                                                                                     LaF _3 , single cryst. 7=2320 LaS, electronic and lattice components, 80–480°K 7=7507
             along saturation line, reduction effect 7=14144
dissociating gases, correlation of exptal. data 7=17204
in explosion calc. 7=12418
                                                                                                                                                     LaSe, electronic and lattice components, 80-480°K 7=7507
              in field, with rotational degrees of freedom 7=10733
                                                                                                                                                     LaTe, electronic and lattice components, 80-480°K 7=7507
                                                                                                                                                     Lio. _{2} Feb. _{3} Co. 14475 MgFe_{2}O_{4} 7=14475 MiFe_{2}O_{4} 7=14475 NiFe_{2}O_{4} 7=14475 Ni, Zn., Fe_{2}O_{4}(x = 0.4, 0.5, 0.7) 7=14475 Pb, size effect in intermediate state 7=1877
              in flow of sonic stream past body of revolution
              Navier-Stokes eqns. 7=13968
heat transfer, shock wave reflection calc. 7=1065
             inert, mixtures, calc. procedures compared at 29°,520°C 7=13983 plasma, in shock wave calc. in cylindrical symmetry 7=13869 polar, electric field effect 7=10751
                                                                                                                                                      PbO, yellow, 0-500°C 7=14476
PbTe, Lorenz number 7=17573
                                                                                                                                                      PbTe-PbSe, Lorenz number 7=17573
              semi-empirical rels., temp. var. 7=14078
stream, rapidly varying temps. meas. 7=1082
Ar, 1500-5000°K 7=1083
                                                                                                                                                      Pt, 300-1000°K 7=7508
                                                                                                                                                      S, phase diagram deduced, to 60 kbar 7=14247
                                                                                                                                                     Sb, lattice, down to 0.4°K 7=4660
Se, hexagonal, very pure 7=1500
              Ar-D<sub>2</sub> 7=6969
Ar-Kr mixtures 7=1085
                                                                                                                                                     Se, in softening region, amorphous 7=1499
               Ar-Kr-D<sub>2</sub> 7=6969
                                                                                                                                                      n-Si, thermal phonon transport 7=11369
              He-Ar mixtures 7=1085
He-Kr mixtures 7=1085
Kr,1500-5000°K 7=1083
                                                                                                                                                      Si<sub>2</sub>Te<sub>3</sub> 7=5010
                                                                                                                                                      Sm, poly. cryst., low temp. 7=11440
                                                                                                                                                      Sn, search for surface supercond induced by elec.
field 7=17880
SnTe 7=11578
               Kr-Ar-He mixtures 7=1085
Kr-D<sub>2</sub> 7=6969
Ne, 1500-5000°K 7=1083
                                                                                                                                                      U, Wiedemann-Franz ratio at 50°-800°C 7=11445

UO<sub>2-x</sub>, UO<sub>2</sub> and UO<sub>2-x</sub>, effect of irrad. 7=11134

W, 1500-3000°K 7=14477
          liquids
               along saturation line, reduction effect 7=14144
dielectrics, thermal breakdown rel. to high field
conduction 7=4373
                                                                                                                                                      YFe garnet, magnon-phonon scatt. calc...
                                                                                                                                                           0.5-20°K 7=11135
```

#### Conductivity, thermal-contd solids-contd

Zn, 0.12°-0.9°K, as thermal switch magnetic field effects 7=17574 ZnFe<sub>2</sub>O<sub>4</sub> 7=14475

#### measurement

apparatus for 1.2-300°K 7=1494 metal foils transient diffusivity 7=1493 metals, high-temp. wire method 7=14477 polymer films by transient heating 7=1472 semiconductor, cylindrical, in He bath, integral method 7=11130

#### Conferences

alkali halides, low temp. annealing by X-ray irrad., Seattle (1966) 7=11155

atmosphere, upper, atomic and molecular processes, symposium, Tokyo, 1965 7=12025

atmospheric chemistry, Visby, Sweden, 1965 7=11989 ceramic surfaces, London (1964) 7=10948 chemical lasers, San Diego 1964 transactions 7=16148

colloid, 40th symposium, Madison, USA, June 1966 7=17299 condensed state, Khar'kov, 1965 7=10796 cosmic rays, Apatity, 1964 7=10048 cosmic rays, London (1965) 7=3686

cosmic rays, ninth international, London 1965, proceedings, review 7=13127

cyclotrons, isochronous, Gatlinburg, 1966 7=9731 cryogenic engineering, Houston, USA, 1965 7=151 defect clusters, small, Harwell, 1966 7=14495 dislocations, Toulouse, 1966 7=14559 electron diffraction and crystal defects, Melbourne, 1965 7=1398

electron microprobe symposium, Washington, 1964 7=11970

elementary particles at high energy, Trieste, 1965, book series review 7=12882

elementary particles, Kyoto, 1965 7=9749 elementary particles, Oxford, 1965 7=16414

elementary particles, Oxford, 1965, conclusions on symmetry role 7=16451

ferroelectricity, fourth all-Union, Rostov, 1964 7=11552 film thickness méas., calibration of quartz crystal oscillator used as sensing device, Princetown (1965) 7=17376

film thickness meas., quartz oscillator and microbalance comparison, Princeton (1965) 7=17377 high energy physics, Dubna 1964, comments 7=6003 high-energy physics, Dubna, USSR, (1964) 7=3413 high energy physics in 1964 at Dubna, bubble chamber advances review 7=5985

high energy physics in 1964 at Dubna, neutrino experiment reports review 7=3515

high-energy physics in 1964 at Dubna, new instrumentation, comments 7=5954

high energy physics in 1964 at Dubna, particle beam separation advances review 7=5824

high-pressure props. of matter, Freudenstadt, W. Germany (1966) 7=12272

high-temperature reactors and Dragon project, London, 1966 7=16861

International Commission for Optics, seventh Congress, Paris 1966 7=3188

Paris 1966 7=3188
ISA, Part I, Measurement Standards Instrumentation, New York, 1966 7=12277
ISA, Part II, Phys. and Mech. Meas. Instrum. Division, New York, 1966 7=12277
low-temp. calorimeters, Otaniemi, Finland, 1966 7=15981
low-temperature physics, Minsk, 1964 7=12479
luminescence. Munich, 1965 7=11828 luminescence, Munich, 1965 7=11828

lunar international laboratory, Athens, 1965 7=18459 magnetics, Stuttgart, 1966 7=5138

microbalance for meas. of sputtering yields, Princeton (1965) 7=17636

nuclear spectroscopy instrumentation, Herceg-Novi 1965 7=376

nuclear struct. study with n, Antwerp 1965, accelerator based very intense n source papers 7=13093 nuclear struct, study with n, Antwerp 1965, (n, charged particle) and reverse reactions papers 7=13465 nuclear struct. study with n, Antwerp 1965, nuclear size and

strength functions papers summary 7=13204 nuclear struct. study with n, Antwerp 1965, optical model session review 7=13199

nuclear struct. study with n, Antwerp 1965, summary 7=13200 nuclear structure with neutrons, Antwerp, 1965 7=10070 phonons, general introduction to sixth Scottish Universities summer school in Physics 7=14417

phonons in perfect and imperfect lattices, Aberdeen, 1965 7=14403

pivot bearings in balances, Princeton (1965) 7=12284 protoactinium complex halides, preparation and properties, Orsay (1965) 7=11010

quantum electronics, Phoenix, USA, 1966 7-3116 quantum electronics, San Juan, 1965 7-12588 quantum fluids, Brighton, England, Aug. 65 7=157 Conferences-contd

quantum fluids, at Brighton in 1965, commentary of liquid He obs. 7=5771 quantum fluids at Brighton in 1965, summary of super-

conductivity obs. 7=4935 quantum fluids, at Brighton in 1965, summary of

theory 7=9281 quartz-crystal resonators, effect of added mass on resonance frequency, Princetown (1965) 7=11320

radiation-damaged inorganic crystals, ESR spectra, Seattle (1966) 7=11688

radiation effects on inorganic subs., Seattle, 1966 7=11961

radio and microwave frequency spectroscopy,

Bombay, 1964 7=16121 rotating fluid systems, La Jolla, California (1966) 7=1050

rotating stratified fluid 7=13960 semiconductor theory, Kishinev, 1964 7=11492 semiconductors, Kyoto, Japan, 1966 7=17932 solar-terrestrial physics, Japan, 1965 7=15573

thermoelectric specialists Washington, D. C., USA, 1966 7=5080

thermomolecular flow forces, Princeton (1965) 7-13969-71 thin films in electronic engineering, London, 1966 7-9311 ultrahigh-vacuum microbalance design, Princeton (1965) 7=12285

vacuum depositions at elevated temps., use of quartzcrystal microbalance for monitoring. Princeton (1965) 7=17378

vacuum micro balance, use in apparatus for meas, of magnetic susceptibilities of solids, Princeton (1965) 7=11616

vacuum microbalance quartz-crystal resonators, effect of hydrostatic press. 7=12287 vacuum microbalances, quartz-crystal, effects of gas

pressure, Princeton (1965) 7=12286

vacuum microbalance techniques, Princeton, 1965 7=10777 weak interactions at Argonne, 1965, summary 7=12924 weak interactions, Argonne, USA, 1965 7=471 yield and fracture, Oxford 1966 7=14656

CaO, produced in lime-burning, Cu X-irrad, effect on surface area, Seattle (1966) 7=11965
CdTe film formation, use of recording microbalance, Princeton (1965) 7=14275
KCl, y-irrad, dichroism in R-bands, Seattle (1966) 7=11781

 $\rm K_2PaF_7$  crystal structure, Orsay (1965) 7=11066 Pa adsorption by silicagel, Orsay (1965) 7=10884 Pa,  $\alpha$ -decay, Orsay (1965) 7=10202

Pa fluorides, preparation, structure and i.r. spectra, Orsay (1965) 7=11074

Pa fluoro complexes, spectra, Orsay (1965) 7=11796 Pa, physico-chemistry, Orsay, 1965 7=10069 Pa, prep. of very pure sources 7=13376

Pa, preparation and props., Orsay (1965) 7=11011 Pa, preparation and props., Orsay (1965) 7=11071

Pa prod. by Th irrad. with protons at 15 to 70 MeV, Orsay (1965) 7=10203
Pa<sup>234</sup> low energy excited levels, Orsay (1965) 7=10167

Pa-O system obs., Orsay (1965) 7=11073 Pa<sub>2</sub>O<sub>5</sub>, mixed oxides with alkali metal oxides, Orsay (1965) 7=11072

Pa<sub>2</sub>O<sub>5</sub>, X-ray absorption spectra, Orsay (1965) 7=11795 Confinement of plasma. See Plasma/confinement.

normal oxygen boiling temperature 7=9249 Contact angle. See Capillarity; Surface tension; Wetting. Contact potential

II-VI compounds obs. 7=15098 Al-Al<sub>2</sub>O<sub>3</sub>-SnTe and Al-Al<sub>2</sub>O<sub>3</sub>-GeTe tunnel junctions, electron barriers 7=17793

Cs-Sb films, p. d. with clean W in Cs vapour 7=11505 Sb to Ta, 4.2 K, to 25 kOe, Fermi level quantum oscills. obs. 7=7800

Contact resistance

Pt-Sn points, non-linearity at liquid He temps. obs. 7=14892

constriction resist, and real area of contact 7=7839 semiconductor-metal, meas. by breakdown method 7=7931 CdS, multilayer Ohmic contacts technique 7=11503

Continuous creation hypothesis. See Cosmology. Convection

air, electric a.c. field effect obs. 7=7071 analytic results in theory of thermal convection 7=9242

Bénard, between free bounding surfaces 7=2937 in casting, equiaxed grain struct, prod. by augmented natural convection 7=4410

concentrated solutions, diffusion temp. var. 7=7050 counter-gradient heat flux 7=8644 dielectric liquids, electroconvective heat transfer 7=7070

in evaporating layer, surface-tension-driven, effect of Coriolis force 7=7152

fluid layer heated from below, horizontal, temp. distrib. 7=7072 fluid layers, subcritical instability 7=9244 geophysical, dielectric liquids model 7=2513

```
Copper-contd
Convection-contd
       liquids, thermoslutal, obs. of overstable mode 7=14077 in m.h.d. elastico-viscous flow past porous flat plate
                                                                                                                dislocation detection in monocrystals 7=7581
                                                                                                                dislocation distribution near surface after
           calc. 7=12558
                                                                                                                    deformation 7=17611
                                                                                                                dislocation etching by potentiostatic electrolysis 7=11177 dislocation faulted loops on quenching and ageing, annealing obs. 7=1599
       measurement of heat loss from human 7=2742
        measurement of local coeffs. in forced case 7=15968
        moon 7=12207
       natural, in horizontal liquid layers 7=15970
oil, electric a.c. field effect obs. 7=7071
1-D model, periodic oscillations 7=10831
                                                                                                                dislocation, screw, energy and atomic configuration 7 = 1602 dislocation substructure, strain-cycled, effect of
                                                                                                                    temp. 7=14581
        particle with variable mass, relativistic dynamics 7=2824
                                                                                                                dislocation trapping of point defects, irradiation
       porous materials on heating from below, obs. and
numerical calc. 7=9246
propagation and wave form of vapour volumetric
concentration, boiling, oscillatory 7=1199
                                                                                                                    obs. 7=1533
                                                                                                                dislocations, conservative motion, jog concn.
                                                                                                                    effect 7=14583
                                                                                                                dislocations on deformation, elec. cond. anisotropy obs. 7=11424
       radiation interaction, single perturb problem 7=9241 spherical shells, convective instability 7=9245 steam, free flow under variable conditions, theory 7=6970 steel, heat transfer to moving strips, experiment and
                                                                                                                dislocations on growth from melt, origin not by vacancy precipitation 7=1600 dislocations origin in growth 7=7579
                                                                                                                dispersion in petrol, cond. elec. rel. to degree of oxidation 7=4397
           theory 7=14473
        thermal, in rotating liquid annulus 7=17264 CO<sub>2</sub>, near critical pt. 7=13984
                                                                                                                 displacement spikes 7=1540
        CO_2 near transposed critical point calc. 7=9243 H_2O evaporating layer heated from below obs. 7=10832 H_2O near transposed critical point calc. 7=9243
                                                                                                                 doubling effect in GaAs 7=7550
                                                                                                                ductile fracture, nucleation of voids and crack
                                                                                                                    growth 7=14705
        in {\rm SO_2} sorption into {\rm H_2O} and aqueous gels, monomolecular film effects obs. 7=10820
                                                                                                                 edge dislocation core structure computer calc. 7=1601
                                                                                                                 elastic consts. of second, third and fourth orders
Conversion electrons. See Beta-ray spectra/conversion electrons;
                                                                                                                     calc. 7=7698
     Gamma-rays/internal conversion.
                                                                                                                 elastic consts., 300°-800°K, u. s. pulse-echo obs. 7=1711
                                                                                                                 elastic and Grüneisen consts. calc. in continuum
            See also Joule-Thomson effect; Low-temperature
                                                                                                                     model 7=14713
            production; Magnetic cooling; Supercooling.
                                                                                                                 elastic moduli, theory 7=11259-60 elasto-plastic waves formation and structure 7=7697
        air, injection into incompressible air flow, film cooling obs. 7=10740 in m.h.d., from flat plate 7=12465 metals quenching, point defects meas, from elec. cond., cryostat appl. 7=14509
                                                                                                                 electrical breakdown of wire, m.h.d.instabilities
                                                                                                                     obs. 7=965
                                                                                                                 electrical cond., point multiple defect effects calc. 7=7841
                                                                                                                 electrical surface cond. increase at microwaves by lowering
        moon, eclipsed, nonuniform behaviour 7=8905-6
nuclear reactors, high temperature, He cooling
technology 7=16882
                                                                                                                 temp., for linear accelerators 7=1832 electromigration, reversal 7=14487 electron beam effects above stage I obs. 7=7854
        polar semiconductors electrons in elec. field,
                                                                                                                 electron beam penetration, Monte Carlo distrib. 7{=}7624 electron emission microscope, image contrast 7{=}12543
            theory 7=11363
        polymers, in X-ray diffr.camera 7=4538 substrates, for vacuum-deposited films 7=7267
                                                                                                                 electron emission, secondary, by 1-20 keV Ar and
                                                                                                                 Ar* 7=5118
electron energy loss spectra 7=7630
electron 4d and 3s bands, X-ray L<sub>III</sub> spectrum
obs. 7=14829
electron gas viscosity effect on u.s. absorption at low
         thermoelectric modules, distortion, holographic
        interferometry 7=11583
by Bi-Sb(5,10%), thermoelec. and elec. cond., 0-15 kOe,
temp. var. 7=11581
        Ge(Li) particle detectors by Joule-Thompson miniature cryostat 7=12792
He injection into incompressible air flow, film cooling obs. 7=10740
                                                                                                                     temps.calc. 7=14865
                                                                                                                 electron s-p and d bands interaction interpolation
                                                                                                                 including orthogonalization 7=14815
electron scatt., 1 MeV 7=3525
Copper
                                                                                                                  electron states interpolation scheme 7=7774
         acoustic attenuation for |001| longit, wave propag.
                                                                                                                  epitaxial dislocations on frozen drop, electron diffr.
         annealed and deformed, Borrmann topographic study of
                                                                                                                      obs. 7=1598
             dislocation config. 7=14579
                                                                                                                  epitaxial film growth of Ni to several monolayers on (111),
         annihilation radiation, ang. correl., precision
                                                                                                                      low energy electron diffr.obs. 7=1363
         meas. 7=11416
atomic spectrum specific isotope displacements
calc. 7=6546
                                                                                                                  epitaxial films on crystals 7=1356-7
                                                                                                                  epitaxy on Ag, electron diffr. satellites 7=1355
                                                                                                                  evaporation in H 7=1204
        β particles effect, 0.5 and 0.1 MeV, dose depth distrib. 7=17639
'black spot' defects, laser induced 7=7578
                                                                                                                  fatigue hardening, hysteresis stress var. 7=17700
                                                                                                                  Fermi surface, from de Haas-van Alphen data 7=4856
                                                                                                                  film, quenching of surface supercond of Pb 7=17918 films, electron scattering in, 1.5-16 keV 7=4734
         brittleness phenomena in {\rm O_2} free Cu by pore form. 7=7699
                                                                                                                  films, melting temp. meas. by quartz oscillator, rel. to
          characteristic X-ray prod. by H and He ions 7=8483
                                                                                                                      film thickness 7=17377
         cluster formation due to n irrad., effect of temp. 7=14501 cohesion theory 7=7172
                                                                                                                  films surface density meas, from proton prod.
X-rays 7=17383
films, thermoelectricity and resistivity 7=7853
         correlated atomic collisions during irradiation 7=14641
                                                                                                                  grain-boundary relaxation 7=14342 Grüneisen parameter, temp. var. calc.
         corrosion in vacuo, thermal, surface relief 7-8535 creep, "linear" limit temp. dependence, single crystals, sintered and cast 7-4773
                                                                                                                                                                        7 = 7503
                                                                                                                  hardness and yield point, ultrasonics effects 7=14714
heavy ion damage, vacancy cascades 7=14502
high-speed extrusion 7=14693
         creep obs. rel. to dislocation theory 7=11280 creep pore growth, impurity effects, 650-800°C 7=17699
                                                                                                                  hollow cathode discharge, spectral line excitation 7=10577
         creep strength at 800°C, plastic deformation at 4.2,300°K
effects 7=17728
                                                                                                                  hyperfine structure in ice 7=14184
                                                                                                                  internal friction, background, below 40 kc/s, meas. 7=11268
          critical shear stress, electron irrad. 7=7679
         crystal atomic struct., neutron diffr. time-of-flight obs. on powder 7=7405
                                                                                                                  interstitial calcs., comparison with Ni 7=14546
                                                                                                                  ions, influence on fast surface states of Ge 7=7809
          crystal faces, inert-gas ions scatt. by 7=4733
                                                                                                                  irradiated, recovery stages, interpretation 7=1563
         crystal imperfections atomistic calcs. 7=1526
                                                                                                                  K\beta_2 emission line 7=8384 L_{\rm HI} ionization cross-section for incident protons 7=6516
         crystal orientation preferred in sheet, u. s. velo. obs. 7=10990
                                                                                                                  lattice mechanics, Morse potential calc. .7=4620 magnetic susceptibility of pure sample, 6-300°K 7=5124
          crystals, thin single, plastic deformation 7=14708
          cyclotron resonance, calorimetric meas. 7=11414
                                                                                                                  magnetoacoustic u. s. polarization rotation and absorption
          cyclotron resonance relaxation time temp. var. obs. 7=7830
                                                                                                                       at 4.2°K 7=11115
          Debye-Waller factors 7=17545
deformation during cutting with wheel, spark cutter
or acid saw 7=14710
                                                                                                                   modulus defect, cold-worked, effect of quasi-elastic
                                                                                                                       deformations 7=17697
                                                                                                                   \mu-mesic atoms, \mu depolarization obs. with cosmic
          desorption of gases prod. by e beam, temp. var., 100-600 eV 7=14288
                                                                                                                  ray \mu 7=13406 n-irrad, crit. shear stress rel. to density of defect clusters 7=14712
          deuterons deposition and diffusion obs. 7=14638
          diffusion of Au at surface and grain-boundaries, obs. 7=1508
                                                                                                                  n-irrad, effect of defects on critical shear stress
```

diffusion in Fe, rel. to mag. transition obs. 7=1512

and plasticity 7=14711

Physics Abstracts 1967 - Part I (Jan.-June) n-irrad., strain rate changes rel. to flow stress and strengthening 7=1713 n-irrad., thermally activated glide processes 7=1714 n-irradiated, strengthening mechanism 7=1712 n. m. r. of Cues and Cues in Cu foils 7=8324 neutron-irradiated, annealing-induced softening of single cryst. 7=7681 neutron irradiation, dislocation loops 7=14582 optical consts., effect of precipitation and annealing 7=2295 annealing 7-2295
optical consts. of evaporated films 80-800 Å thick,
ellipsoidal particles model 7-5254
oxidation, Cu<sub>2</sub>O epitaxial growth obs. 7-1358
oxidation of films rel. to imperfections obs. 7-15423
phonon dispersion at 293 K 7-4619
plastic deformation rel. to pores formation during
thermal cycling 7-1716
plating on type II superconductor, removal of surface
sheath 7-1889 point defect agglomerations, black-white contrast 7=14500 point defect clusters, due to heavy particle irrad. 7=14518 point defects annihilation by dislocations, u. s. obs. 7=1537 proton channelling reduction by p irradiation obs. 7=1658 radiation-induced point defect clusters 7=7536 recrystallization, electrodeposited under cyclic stressing 7=11006 recrystallization, rolled at 77 and 20°K 7=14319 reflection of Cu and Ar ions, ang. and energy distrib. 7=11224 Rehbinder effect in lubricated cutting 7=14715 resistivity of dislocations, anisotropy 7=14882 resistivity  $R_{278}/R_{78}$  ratio, rel. to impurity content and heat treatment  $7{=}7848$ resistivity recovery rel. to irradiation temp. obs. 7=14884 secondary electron emission ang. var. due to Ar ions at 20-80 keV 7=11611
secondary electrons and ions from (100) plane due to
Ar ions at 4.5 keV 7=8079
sheets, Knight shift 7=2228 single crystals, high temp. flow stress 7=14707 sintered, thermal cond. and liquid flow obs. 7=7505 slip bands, direction under uniaxial tension, polycrystalline 7=4774 small defect clusters, diffraction contrast 7=14499 spectrum in ZnS, zero-phonon lines origin 7=18281 spin-density oscs.near Mn impurities, effect of mean
free path 7=1812 sputtered particles electron beam excited spectra obs. 7=1652 sputtering by Cs ions 7=17638 sputtering yields crossover in single crystals obs. 7=1659 stacking-fault dipoles, plastically deformed single crystals 7=7597 stacking fault energy from electron microscope diffr. contrast 7=11189 stacking fault energy X-ray diffr. meas. 7=17620 stacking faults, stabilization by Al 7=14608 strain-rate and deformation-rate relation, stage III 7=1715 strengthening, substructural, under high plastic strain obs. 7=4780 stress creep 7=7695 stresses, applied and residual meas. by u. s. 7=11296 surface-Ar or CO2 molecular beam collision, energy transfer and adsorption time 7=17401 surface diffusion coeffs. meas by coalescence of gas bubbles 7=17581 surface self-diffusion, S adsorption effect obs. 7=4668 thermo-e. m. f., influence of plastic deform. 7=15053 as transition metal 7=14168 vacancies, single and multiple 7=1554 vacancy clusters on  $\{111\}$  plane, atomistic calc. 7=14534 whiskers, diffusion of Zn 7=7518whiskers elec. cond. at 4.2°K rel. to e reflection at surface 7=17872 whiskers, plasticity 7=11279 whiskers, recovery after plastic deformation 7=14706 work function, spherical single crysts. 7=5108 X-ray absorption fine structure 7=8357
X-ray atomic scatt. factor obs. 7=14377
X-ray scatt. factors, electron band struct. calc. 7=14382
X-ray spectra, 13-22A 7=1741 X-ray tube anode, characteristic and bremsstrahlung ratio 7=12748 Cu-constantan thermocouple high press. var. of e. m. f., -196° to +89°C 7=15980 Cu, polycrystalline, irreversible amplitude dependence, plastically deformed 7=17701 Cu2+, e. p. r. in amorphous and polycryst. GeO<sub>2</sub> 7=2198  $Cu^{2*}$ , e.s.r. in NH<sub>4</sub>Br 7=15225  $Cu(\Pi)$  e.p.r. in aq. solns.of Cu(en) (H<sub>2</sub>O)<sub>4</sub>2\* 7=7114

Copper-contd Cu2+, e.s.r. in Sr trartrate 7=15226 Cu<sup>2</sup>, e.s.r. in ZnWO<sub>4</sub> 7=15227 Cu II spectrum obs. and calc., 861-1623Å 7=4006 Cu<sup>63</sup>, 85 in Cu<sub>2</sub>O, n. q. r. 350-4°K obs. 7=2254 Cu2+ in Zn(HCOO)2. 2H2O, e.s.r. spectrum 4.2-77°K obs. 7=2199 Cu<sup>63</sup>.85, h.f.s.of 3d<sup>10</sup>4p<sup>2</sup>P<sub>3/2</sub> terms 7=824 Cu-Pb superposed films, transition temps. 7=4916 Cu-Te couples diffusion, stress increase, phases 7=11140 Cu-W fibre composites, failure in repeated tension 7=1717 with Fe impurity atoms, mean square displacement 7=1570 on GaAs, Schottky contacts, electrodeposition 7=5035 in InSb. ionization energy and press. depend. 7=11371 in InSb, ionization energy and press. depend. 7=11371 with Ni electrodeposited, interfacial dislocations 7=1604 with Ni electrodeposited, interfacial dislocations 7=1004
on Pb, surface superconductivity suppression obs. 7=4961
S adsorption sites obs. 7=4492
with SiO<sub>2</sub> particles, determ, of number, size, spacing
and vol. fraction 7=7418
Zn diffusion, isotope effect and correlation factor,
894.5°, 946.4°C 7=17582 Copper alloys See also Copper compounds.

α-brass, deformation effect on coherence length, lattice distortions and stacking faults 7=1626
α-brass, electronic structure, disordered, approximate calc. 7=4843  $\alpha$ -brass, high-speed extrusion 7=14693α-brass, radiation-enchanced diffusion 7=4667 β-brass, with Al, vacancy-dislocation interacts. 7=14535 β-brass, antiphase domain boundaries, anomalous contrast 7=4715 β-brass, contrast effects due to elastic anisotropy 7=4704 β-brass, disordered, pair-correlation function, neutron critical scatt. obs. 7=14379
β-brass long range order temp. var. below transition temp., neutron critical scatt. obs. 7=14381
β-brass short range order 2°-25°C above transition, neutron critical scatt. obs. 7=14380
brass, dislocation locks, re-exam. of published micrograph 7=14585 brass, ductile fracture, nucleation of voids and crack growth 7=14705 brass, elasto-plastic waves formation and structure 7=7697 brass torsion fatigue, dislocation density obs. 7=4775 bronze with 5% Sn containing Ti, age-hardening 7=11281 constantan magnetism and specific heat obs. at low temps. 7=2080 fatigue-crack growth rel. to yi eld strength and stacking faults 7=14709 recrystallisation rel.to conc.of alloying additions 7=17433 Vergard's law deviations, elastic model 7=7372 Cu as transition metal 7=14168 Cu-Ag, films, kinetics of two stages in transform. 7=17388 Cu-Ag, films, metastable evaporated, morphology 7=17389 β-Cu Al containing Zn or Sn, pearlite growth kinetics obs. 7=10943 α-CuAl, diffuse background due to inhomogeneities 7=17467 Cu-Al, edge multipoles, effect on electron micrographs 7=14584 Cu<sub>99.4</sub>Al<sub>10.6</sub> Fermi surface, e\* annihilation obs. 7=14871 Cu-Al, n-irrad., interacts. between dislocations and loops 7=1603 Cu–Al (10%) plasticity dislocations obs. by electron microscopy 7=1583 Cu,Al  $\beta$  martensite stacking faults obs. 7=1625 Cu: Au lattice mechanics, neutron scatt. obs. discrepancy with theory 7=14414 CuAu, lattice modulations 7=1423 Cu-Au(99,93 at. %) oxidation, nucleation and growth of Cu oxide at 600°C 7=18333 Cu-Au, superlattice formation and lattice spacing changes rel. to composition 7=4582 CuAu II, order, X-ray obs. 7=17501 Cu<sub>3</sub>Au divacancies binding and migration energies calc. 7=11154 Cu<sub>2</sub>Au, order-disorder kinetics, to 21 kbar 7=17359 Cu<sub>2</sub>Au, vacancy clusters, electron microscope obs. 7=7542 Cu-Be (1.8 wt. %), tensile stress-strain relns. 7=17698 Cu-Cd-In-Te system, forbidden zone width in section 2CdTe-CuInTe<sub>2</sub> 7=11389 Cu-Co, coherent two-phase equilibrium 7=4461 Cu-Co(1%), Co precipitate particles size distribution function obs. 7=14212 Cu-Co (3.23 wt.%) annealing on cold rolling, particle size effect obs. 7=4543 Cu-Fe, cond. electrons, Nagaska bound state obs. 7=17759 Cu-Fe, whiskers, internal friction peak at 400-500°C 7=7696 Cu-Ga, massive phases in hypocutectoid 7=14214 Cu-Ga, massive transformation, cinematographic study 7=14213 Cu-Ga stacking fault energies in  $\alpha$  and  $\zeta$  phases 7=14607 Cu-Ge-Sn phase diagram obs. 7=4463 Cu-Mn, dilute, e.s.r. linewidth temp. dependence 7=18164 Cu-Mn, e.s.r. at X-band and mag. ordering, 2-295°K 7=18163

```
SUBJECT INDEX
S 68
 Copper alloys-contd
             Cu-Mn, electrical properties, rel. to thermal and mechanical treatments 7=11433
            mechanical treatments (=11435)

Cu-Mn, n.m.r. of Cu, quadrupole effects meas. 7=5206

Cu-Mn oxidation internal, Mn oxide particles
identification and morphology 7=11937

Cu-Mn, stacking-fault densities, by X-rays 7=4712
            Cu-Mn, stacking-fault densities, by X-rays 7=4712
Cu-Mn-Al phase equilibrium 7=14215
(Cu<sub>2</sub>MnAl)<sub>x</sub>-(Cu<sub>2</sub>Al)<sub>1-x</sub> irrad, and superparamag, props. 7=8161
Cu<sub>2</sub>MnSn, ferromag, mag, field strengths on Sn<sup>119</sup> 7=8162
Cu-Ni, Curie temp., hydrostatic pressure effects 7=18122
Cu-Ni, Fe determ. by conditional integral graphs 7=8593
Cu-Ni, piezoresistance of films obs. 7=14883
Cu-Ni, stacking-fault densities, by X-rays 7=4712
Cu. Dt thermodynamic props. Knudsen effusion obs.,
             Cu-Pt thermodynamic props., Knudsen effusion obs.,
             1542°-1673°K 7=10828
Cu-Si, cold rolled, effect of Fe content on
annealing 7=17702
             Cu-Sn electron probe microanalysis, resolution improvement by specimen current method 7-15455
             Cu<sub>6</sub>Sn<sub>5</sub>, liquid, partial structure factors by neutron
             diffr. 7=4327
Cu-Sn-As freezing reactions obs. 7=4464
            Cu-Sn-As solid state reactions obs. 7-4465

Cu<sub>2</sub>(Sn, Ge)(Se, S)<sub>3</sub> systems, lattice thermal cond. 7-4659

Cu-Te couples diffusion, stress increase, phases 7-11140

Cu-4°Ti, aged, deformation twinning 7-11193
             Cu-Zn-based ternary \beta-alloys martensite obs. 7=1 \beta'-CuZn, de Haas-van Alphen effect and Fermi surface 7=17805
Cu-Zn diffusion couple electron absorption anomaly
                   obs. 7=14486
             Cu-Zn electron probe microanalysis, resolution
             improvement by specimen current method 7=15455 \alpha-Cu-Zn (5-30%) electron band structure. calc. 7=14831 Cu-Zn reactive diffusion, structural study 7=14485
             Cu-Zn stacking fault energy X-ray diffr
                    meas. 7=17620
             CuZn, Zn diffusion isotope effect obs. 7=17582
Cu-Zn-Ga alloys, conc. dependance and tempering
behaviour at 300°C 7=7227
 Copper compounds
                    See also Copper alloys.
             anhydrous 8-hydroxyquinolinate, α-form, cryst.
struct. 7=17525
            struct. 7=17525
magnetic transitions and heat capacity meas. 7=18091
Cu acetate hydrate, mag. structure by p.m.r. 7=11719
Cu dichalcogenides, high-pressure synthesis, supercond. props. 7=4943
Cu ferrite mag. var. with O deficiency on heat treatment obs. 7=15172
              Cu oxidation on Cu, rel. to Cu imperfections obs. 7=15423
              CuAsS, As75 n. q. r. spectrum and freq. obs. 7=8343
             CuBe, electron emission, secondary, by 1-20 keV Ar
                    and Ar + 7≈5118
              CuBr, luminescence excited by laser source,
4.2°K obs. 7=11855
CuBr spin-orbit coupling errata 7=14796
              CuCl, elec. breakdown mechanism 7=5056
CuCl, luminescence, decay times of exciton
emission 7=11856
             CuCl, luminescence excited by laser absorption 7=11857
CuCl, luminescence two-photon excitation by laser at
low temps. obs. 7=11858
CuCl, photoconductivity spectrum, oscillatory
                    structure 7=2034
              CuCl spin-orbit coupling errata 7=14796
              CuCl, vib. structure of absorption spectrum at low
                    temp. 7=2296
             CuCl<sub>2</sub> solution, structure and viscosity 7=14036 CuCl<sub>2</sub>.2DMSO, e.s.r. 7=2197
             CuCl<sub>2</sub>2H<sub>2</sub>O, antiferromagnetic resonance, new
lines 7=2182
              CuCl<sub>2</sub>.2H<sub>2</sub>O, broadening of e.p.r. lines, influence of strong exchange interact. 7=11700
             CuCl<sub>2</sub>:R<sub>4</sub>O, n.m.r., study of antiferromagnetism 7=15203
CuCl<sub>2</sub>: 2H<sub>2</sub>O specific heat, 2-80°K 7=9262
CuCr<sub>2</sub>:Se<sub>4</sub>, n diffraction meas, of structure and mag.
props. 7=15135
CuCr<sub>2</sub>:Te<sub>4</sub>, n diffraction meas, of structure and mag.
props. 7=15135
CuF<sub>2</sub>:ZH<sub>2</sub>O, antiferromag. resonance linewidth 7=11687
CuF<sub>2</sub>: ZH<sub>2</sub>O, antiferromag. resonance linewidth 7=11687
               CuFeO2, Mossbauer effect study of mag. props. 7=11666
              CuFeO<sub>2.(0.-15)</sub>, scattered intensities rel.to O position 7=1422
CuFe<sub>2</sub>O<sub>4</sub>, Fe<sup>57</sup> hyperfine fields at A and B sites 7=2148
              CuI, effect of I on absorpt. lines 7=8385
CuI, emission spectrum 7=5255
              CuI, films, semiconducting, oxygen inhibited grain growth 7=1394
                CuI, spectrum 7=4077-8
              Cuesquare Spectrum E-X bands rotational consts. 7=16945
CuI spin-orbi: coupling errata 7=14796
```

CuLiCl<sub>3</sub>. 2H<sub>2</sub>O, n. m. r. study of antiferromagnetism 7=15203

```
Copper compounds-contd
          \mathrm{CuN_3} spectral absorption of HIMS out. Cu(NH<sub>3</sub>)<sub>6</sub>(\mathrm{Cl_4})<sub>2</sub>, proton contact shifts in liq. NH<sub>3</sub> 7-Cu(NH<sub>3</sub>)<sub>6</sub> (\mathrm{Cl_4})<sub>2</sub>, proton contact shifts in liq. NH<sub>3</sub> 7-14378
          Cu, Ni Cr<sub>2</sub>O<sub>4</sub> lattice tetragonality obs.
CuO, X-ray spectra, 13-22Å 7=11741
Cu<sub>2</sub>O, band structure 7=14830
          Cu2O, band structure from u.v. reflectivity
          meas. 7=18231
Cu<sub>2</sub>O crystals, exciton absorption lines shape 7=2297
Cu<sub>2</sub>O, Cu<sup>30,50</sup> n. q. r. 350-4°K obs. 7=2254
Cu<sub>2</sub>O, effect on internal polarization of (Zn, Cd)S 7=2043
          Cu<sub>2</sub>O epitaxial growth on Cu on oxidation obs. 7=1358
          Cu<sub>2</sub>O of epitaxy and dislocations 7=1357
          Cu<sub>2</sub>O exciton spectrum to 200 kG 7=18230
Cu<sub>2</sub>O Frenkel excitons theory 7=7816
Cu<sub>2</sub>O, high temp. Hall effect 7=14950
          Cu<sub>2</sub>O, high temp. photoconductivity
Cu<sub>2</sub>O, mag. susceptibility 7=2081
          Cu<sub>2</sub>O, many-phonon capture cross-sections 7=4721
Cu<sub>2</sub>O, n. q. r. 7=2253
          Cu<sub>2</sub>O single cryst. by melt 7=14320
Cu<sub>2</sub>O surface levels, field-effect and luminesc. field
effect 7=14849
          Cu<sub>2</sub>O, wavefunctions of Frenkel excitons 7=1804
          Cu<sub>2</sub>O, Wavetinctions of reliker excitons (=1604) Cu<sub>2</sub>O, X-ray spectra, 13-22Å 7=11741 Cu<sub>2</sub>O:Ag spectra, red continuous and yellow exciton series, 77°K 7=11760 Cu<sub>2</sub>OH<sub>2</sub>CO<sub>2</sub>, (malachite), cryst. struct. 7=7419 Cu<sub>2</sub>S, optical props. and band gap 7=11757
          CuSO<sub>4</sub>. 5H<sub>2</sub>O, proton resonance anomalous doublet
structure below 1°K 7=8323
          {\rm Cu_2Se-Bi_2Se_3}, phase diagram and thermoelec. props. .7{=}14216
          Cu-Sn, fluorescent glass, excited state absorption 7=15352
          \mathrm{Cu}_{2-x}\mathrm{Te-CdTe} heterojunctions in thin film solar cells 7{=}12512
          Cu<sub>2-x</sub> Te-CdTe solar cells 7=12511
CuTiF<sub>g</sub>. 4H<sub>2</sub>O, crystal structure, X-ray obs. 7=17502
Corbino effect. See Current, electrical.
 Coriolis forces. See Dynamics.
 Cornea. See Eye.
Corona, electric discharge
               See also Breakdown, electric.
          air, mass spectra 7=971
air point-to-plane, permanent current obs. 7=4154
          formation stage, anal. 7=10589
inlightning, e.l.f. emission 7=15531
wind-blown, current pulses 7=6784
Corona, solar. See Sun/corona.
Coronagraphs. See Sun/corona.
 Corpuscular streams. See Cosmic rays; Sun/radiation,
     corpuscular.
 Correspondence principle. See Quantum theory.
 Corrosion
          low cycle fatigue strength, effects of stress wave forms 7=17672
           plastics, stress cracking, fracture mech.
               approach 7=14777
           stress-corrosion cracking, role of yielding 7=17696
           Ag crystals and growth under hydrothermal conditions 7=7317
          Cu in vacuo, thermal, surface relief 7=8535 Ni-Fe alloys, rate meas. by polarization method 7=7728
 Cosmic dust. See Interplanetary matter; Interstellar matter;
      Meteorites.
 Cosmic noise. See Cosmic radiations, radiofrequency.
 Cosmic radiations, radiofrequency
           See also Radioastronomy; Sun/radiation, r.f. angular size of sources from scintillation obs. 7=8896
           anisotropic distrib. of quasars with large red-
                shift 7=15745
           auroral absorption, near geographic North Pole, 32 and 40 MHz 7=12055
           background ang. var. at microwaves rel. to perturbations in cosmology calc. 7=8778
           \eta Carinae, radio, X- and \gamma\text{-fluxes} calc. in synchrotron model 7=12168
           Carina nebulae, 1410 and 2650 Mc/s obs. 7=12167 catalogue of 628 sources, 0° to -20°, at Parkes 7=12186
           counting of quasars 7=15747
           Crab Nebula, small diameter components, 1422 Mc/s 7=15712
           Cygnus A, fine structure 7=5572
           Cygnus X, intense H \Pi region high-resolution radio obs. 7{=}18444
           extragalactic sources, in declination zone 0^{\circ} to -20^{\circ},
               identification 7=2685
           extragalactic sources polarization distribution at
                10.6 cm 7=8891
           extragalactic sources, 644, right ascensions and declinations 7=8889
           extragalactic sources, strong, in declin. zone
0 -20°, 43 identifications 7=8890
flux density of six sources at 4.08 Gc/s 7=2687
4C sources and blue stellar objects 7=15737
```

Cosmic radiations, radiofrequency—contd

```
Cosmic radiations, radiofrequency-contd
       Galactic centre emission decrease at meters
mechanism 7=15725
       galactic centre region, bright source 7=5559 Galactic HII regions continuum survey at 5 Gc/s 7=12173 Galactic HII regions 109 \alpha recombination at
            5009 Mc/s 7=12174
       galactic radio noise increase during total solar
           eclipse 7=2722
       Galactic sources _{7}>5 \times 10^{12} eV search 7=13140 galactic sources, occultation and reflection by sun 7=5561
        Galactic sources W51 and W44 maps at 430,
            195 Mc/s 7=15729
        galaxies, barred spiral, nuclei emission 7=12180
       galaxies and quasars, identification, review 7=2688
       galaxy clusters emission obs. at 21cm 7=5566
       Galaxy linear polarization survey at 1407 Mc/s 7=15726
generated by interstellar medium by feedback prod. in
electron or cosmic dust scatt. 7=12171
        gravitational red-shifts in quasi-stellar objects 7=15743
       HII regions 21-cm line obs. 7=18445
interplanetary scintillation, correl. at different
frequencies 7=8954
interplanetary scintillations and solar flares 7=15789
       interpretation, evolution of radio galaxies and quasi
            stellar sources 7=5573
       Jupiter, dm emission 7=8929
       Jupiter, dm emission, controlling factors 7=8930
Jupiter, 1.53 cm 7=8931
Jupiter, 1414 Mc/s, 28 nights data 7=8932
lifetimes of radio galaxies 7=2684
       lunar occultations, of 5 sources 7=5571
       MSH 21-23 lunar occulatation and provisional identification 7=5578
       Mercury, 1.53 cm 7=8931 moon, linear polarization meas., 6-21 cm 7=12218
        NGC 3109, 21 cm, and total mass of neutral H 7=8877
        non-thermal sources, 78 observed 7=5570
        North Polar Spur, discrete sources catalogue and
            supernova origin theory 7=15727
        over galactic disk, microwave spectrum 7=5560
       Parkes 0237-23 two absorption-line redshifts obs. 7=18458 planets, 6 cm meas. 7=8923
        planets, thermal emission 7=8940
       polarization meas. of distributed sources, optimum wave-
            length and spectral range 7=15829
       polarized components, linear, at wavelength of 3.75 cm obs. 7=15735
       QSS 3C 446, changes during 1966 outburst 7=2696
       quasar CTA 102, no var. >±5%, 611, 430, 195 Mc/s 7=12200
        quasar 0237-23 optical redshift and absorption
            spectrum 7=12198-9
        quasar red shifts, Doppler interpretations 7=8895
        quasar 3C345 Mg II optical var. mechanism 7=8898
        quasars, anti-collapse 7=15738
        quasars and birth of stellar associations 7=15748
       quasars colors rel. to red shifts 7=8894
quasars, colour indices and redshift, possible
correl. 7=2693
        quasars, correl. of colours with redshifts 7=2692
        quasars, density evolution hypothesis 7=18453
       quasars, four, optical scanner obs. 7=8897
       quasars and gravitational monopole radiation 7=8893
quasars, inverse Compton effect 7=12189
quasars, inverse Compton loss for electrons 7=5576
       quasars, large-scale clustering 7=15746 quasars luminosity fluctuations relativistic limits rel. to
       local ejection model 7=12190
quasars nature 7=5574
        quasars and negative mass 7=12356
        quasars optical absorption lines of equal wavelengths
            obs. 7=12192
        quasars optical spectra, 20 new obs. 7=12195
       quasars, position and red-shift correl. 7=15744 quasars proper motions search 7=5579
        quasars, quark model 7=2689
        quasars rel. to radio galaxies 7=12188
quasars, red-shift 7=2690
        quasars red shift mechanism 7=5577
        quasars, red or violet shifts without any source
            motion 7=2691
        quasars, review 7=15742
quasars search S of declination -45° 7=2694
quasars, 16 new obs. 7=12196
        quasars spectral shifts calc, in ejection from near
        galaxies model 7=5575
quasars 3C273,3C279,3C345 polarization var.at
8000 Mc/s 7=12197
        quasi-stellar objects and HZ 29, wavelengths of absorption features coincidences 7=15740
        quasi-stellar objects, restrictions on models 7=18451
quasi-stellar objects in universes with non-zero
cosmological constant 7=15741
quasi-stellar source 3C446, optical brightness variations
and polarization 7=5580
```

```
quasi-stellar sources, absolute magnitudes 7=12191
quasi-stellar sources, empirical props. 7=12194
quasi-stellar sources, evolution 7=5573
          quasi-stellar sources, inverse Compton effect 7=18454
quasi-stellar sources, model 7=18452
radio spurs in high galactic latitude, nebulosity 7=8867
Saturn, 1. 53 cm 7=8931
           scintillation of sources by interplanetary electron
               density var. 7=12246-7
           self-gravitating bodies magnetospheres 7=18440
           source CTA-102 optical spectrum 7=8899
          source counts galaxies collisions interpretation in var. cosmologies, rel. to max. red shift 7=18450 source identifications between declinations 0° and -20° 7=18449 sources, discrete, flux density meas. at 6 em wavelendth 7=2826
               length 7=2686
          sources, extragalactic, absolute radio luminosity rel. to surface brightness obs. 7=5569
          sources at 5 Gc/s, flux densities 7=8892
sources in fourth Cambridge catalogue, 38, 178, 617,
1417 Mc/s 7=15736
           sources scan or lunar-occultation Gaussian least-squares
          fit, computer programme 7=12268 sources, 20, flux densities at 13.1 Mc/s 7=12187
          sources, X-ray spectra obs. 7=15734
          spectrum of extraterrestrial source meas. 7=8989
          spurs in high galactic latitude, nebulosity 7=8867
supernova remnant W44, 8350 Mc/s obs. 7=8854
synchrotron, and variation of electron energy spectra rel.
to radio galaxies 7=8887
         3C 17 7=18456
3C191 quasar absorption spectrum interpretation 7=5581
          3C273 luminosity var. possible randomness 7=18457
3C 273, photoelectric obs. 7=2695
          3C 279 and 3C 446, rapid variability spectrophotometric
          obs. 7=15739
21 cm from extragalactic sources, galactic
          depolarization 7=12175
Venus, anomalous X-band signals, temperature
data 7=12235
         w80, galactic, hydrogen emission line 253α at 403.681 Mc/s obs. 7=18439 weak sources, Cambridge observations 7=8888 X-rays from radio galaxies 7=5563 HI, intergalactic, absorption obs. 7=5555
         He<sup>3</sup> II emission calc. 7=8868
OH 18 cm, theory of polarization 7=15723
Cosmic rays
         conference, Apatity. 1964 7=10048 conference, London (1965) 7=3686
          cut-offs during geomagnetic storms 7=15609
          evidence, expt., rel. to baryon passive state 7=585
Forbush effects and possibility of interaction of mag.
          bottles produced by solar flares 7=10068 galactic nuclei, 2 \le Z \le 26, abundances and energy
               spectra 7=2635
          measurement of differential spectra 7=13132
modulation data rel.to interplanetary field models 7=15788
          radioisotopes, short-lived, prod. in troposphere, rain anal. 7=15542
          resource letter CR-I 7=13128
          review of ninth international conference proceedings,
          London 1965 7=13127
soft corpuscular radiation, Luna-10 obs.
          solar, high energy, spectra, calc. 7=12261
source spectra and composition obs. 7=2626
     absorption
          cascade curves interpolation, computer program 7=10060 mono-directional point source in plane geometry 7=12956
         space vehicles, shielding against high-energy nucleons,
               review 7=18402
         water vapour, of nucleons, correction factor 7=10061
Al, rel. to Pb, of nuclear-active components,
up to 2 × 10<sup>12</sup> eV 7=10062
N-e cascade, computer program 7=10059
Pb, rel. to 11, feet and 15
          Pb, rel. to Al, of nuclear-active components,
up to 2 × 10<sup>12</sup> eV 7=10062
     apparatus
              See also Particle detectors.
          air Cherenkov counter, to distinguish p and \pi 7=10050
          counter telescope with improved statistics 7=13134
          for extensive air showers, proposal 7=13135
γ astronomy spark chamber 7=629
         ionization calorimeter for e.m. showers rel. to fluctuation in particle number at 1.1 × 10<sup>11</sup> eV 7=13165
          mag. spectrometer for meas, of mesons 7=3687
         mag. spectrometer for meas. of mesons 7=3087 muon telescope counter tube 7=10049 n monitor, n lifetime modes calc. 7=6276 neutrino spark chamber, electron shower meas. 7=6275 ν, liquid scintillation detector slab, large area 7=514 photomultiplier pulse height digitizing, amplitude to time converter 7=3689
         scintillation counter intensity meas. correction without
               stabilization 7=6273
```

```
Cosmic rays-contd
```

apparatus-contd scintillation counters of large size with one photo-

multiplier, geometry 7=13131 slicing emulsions study technique for heavy nuclei 7=10054

nuclei 7=10054 spark chamber shower efficiency with large "memory" 7=6274 spark chambers with wide gap appls. 7=12804 spectrometer for charge separation 7=3688 two-disc telescope counting rate calc. 7=13130

X-ray radiosonde for stratosphere 7=13133

composition

elemental abundances, low-energy, July 1964 obs. 7=2634 and extensive air showers obs., 1015-1018 eV 7=13148 γ-ray prod. in 1015 EAS in upper third of atmos. 7=635 ionizing accompaniment of nucleons ~ 170 BeV at

2000 m 7=13171 neutrinos, electronic and muonic, spectra at sea level calc. from var. decay sources 7=13173

neutrinos at high energy obs. review 7=13138 nuclei, heavy, in primary 7=3694 nuclei, multiply charged, from solar event 1961 7=5618 primaries ~ several hundred MeV/N to

10 BeV/N 7=13142

primaries  $> 3 \times 10^{15} - < 10^{17}$  eV extensive air showers with fixed  $\mu$  number obs. 7=13139 primary heavy nuclei (Z>15) increase with X-ray

bursts 7=12124

primary nuclei, satellite obs., rel. to solar activity 7=15625

quarks, attempted observation underground using

scintillator stack 7=9741 quarks, search for 7=3692 search for charges ½e and ½e 7=3691 and source spectra obs. 7=2626 from sun 7=15807

# alpha-particles

primary energy spectrum and geomag. cut-off near 41°N Mag. 7=13145

primary, heliocentric gradients, Mariner IV obs. 7=12122

#### from sun, spectrum and propagation 7=15807 deuterons

No entries

# electrons

auroral-zone, proton anticorrelations 7=8716 auroral-zone, from spectrum and ang. distrib. meas. 7=8713

energy spectrum and universal blackbody rad. at 3°K 7=8788

equilib. spectra with medium polarization 7=6279

flux and energy spectrum of secondaries in upper atmosphere 7=10063

Galactic, prod. and equilib, spectra 7=2633 in galaxy M82, relativistic electrons and γ and X-radiation 7=15733

leakage lifetime rel. to 3°K blackbody radiation
hypothesis 7=10051

lifetimes in galactic disc and halo 7=8787 ν-e resonance interaction, μ prod. calc. 7=12975

primaries ≥3 BeV upper limit rel. to similar p obs. 7=13141 primary flux above 4.7 BV, balloon obs. 7=630

primary in intergalactic space,  $e-\gamma$  cascades effects rel. to microwave emission  $7{=}15623$ 

production, low-energy, primary and secondary 7=5509 satellite obs., 1-10 keV 7=15624 satellites obs., 10-20 keV 7=12026 sign ratio and absolute flux 7=3695

# mesons

mag. spectrometer for meas. of mesons 7=3687  $\pi, {\rm air}$  Cherenkov counter, to distinguish from p  $\,7{=}10050\,$   $\pi, {\rm momentum}$  spectra in hundred BeV range  $\,7{=}3623\,$ 

π production of showers in thin plates,
0.1-20 BeV/c 7=13150
production in nucleon interactions, phenomenological interpretation 7=6419

variation, 27.3-day, obs. 7=638

bremsstrahlung and pair prod. losses calc. for soils and water,  $5\times 10^{10}-10^{14}~{\rm eV}~7{=}12992$ 

burst prod. at high energy under thick layers of matter, distribution asymptotes calc. 7=13168

charge ratio, rel. to  $\pi$  and K production, interpretation 7=3702

charge ratios, meas. 7=3701

in EAS, average characts, and irregularities 7=631

in EAS, new data 7=633

In extensive air showers, associated groups obs. 7=13158 intensity and ang. distrib. below 3000 m.w.e. obs. 7=16669 momenta in EAS 7=10058

momentum determ, with counter tube telescope 7=10049  $\mu$  interference radiation in periodic laminar medium obs. 7=13175

## Cosmic rays-contd

#### muons-contd

neutrinos prod. underground, ang. and energy var. 7=13174 calcs.

v-e resonance interaction prod. calc. 7=12975 polarization at 3860 m above sea level,

0.25, 2.5 BeV 7=13176 production in atmosphere, positive excess energy var.calc. 7=13177

production height in EAS rel. to geomag. deflection 7=636 production of n underground calc. 7=13170 radial distribution close to axis in EAS 7=16667 scattering in Pb 7=10230

at sea-level, in photon-electron cascade 7=3697 shower centres associated  $\mu\,\mathrm{groups}$  obs.  $7{=}13157$  spectrum in atmosphere rel.to primary spectrum at high energies 7=6277

spectrum calc. in zenith direction at sea level from atmospheric processes 7=3700

### neutrons

albedo, meas. 7=15572

altitude var., 2.5-10 MeV, < 10 keV, 1. 35-1. 65 eV 7=13192 atmosphere latitude variations, meas. at solar min. 7=8691

lifetime modes in monitor calc. 7=6276 production by  $\mu$  underground calc. 7=13170

27-day variations of anisotropy obs. on mountains 7=13182

# photons

 $\eta$  Carinae, radio, X- and  $\gamma\text{-fluxes}$  calc. in synchrotron model 7=12168

Crab nebula X-ray source size and position obs. 7=18438 Cygnus reported source search 7=12123

Cygnus X-ray sources spectra balloon obs., 20-130 keV 7=8785

equilib. spectra with medium polarization 7=6279 Galactic X-rays energy spectra, rockets obs. 7=18414 galactic X-rays, energy spectrum interpretation 7=2629 in galaxy M82, relativistic electrons and  $\boldsymbol{\gamma}$  and

X-radiation 7=15733 γ astronomy spark chamber 7=629

inverse Compton radiation, from relativistic electrons 7=5508

 $\mu$  interference radiation in periodic laminar medium

obs. 7=13175 primary  $_7>5\times10^{12}$  eV from Galactic radio sources search 7=13140

primary  $\gamma$  search 7=2728

primary  $\gamma \geqslant 3$  BeV upper limit rel. to similar p obs. 7 = 13141

obs. 7=13141
primary in intergalactic space, e-γ cascades effects rel.
to microwave emission 7=15623
primary, upper limits, 30 to 500 MeV 7=2628
primary X-ray bursts with heavy nuclei (Z≥15)
increase 7=12124
primary X-ray sources correlation with Galactic O
associations 7=12178

Sco X-1, polarization 7=18416

Sco XR-1,X-ray emission, nature of source 7=18415 Scorpius X-1 X-ray source, physical characteristics 7=8786

Scorpius X-1 X-ray source, 3-colour obs. 7=8855 shower equilibrium spectrum accuracy near primary e

energy 7=13162 spectrum in atmosphere rel. to primary spectrum at high energies 7=6277

synchrotron radiation, from relativistic electrons 7=5508 X-ray photons, density and energy in E.A.S., and in stratosphere 7=3696

X-ray radiosonde for stratosphere 7=13133 X-ray source Sco X-1, nearby old nova possibility 7=5507 X-ray sources at low galactic longitude, resolution 7=2630 X-ray sources, spectra 2-60 keV 7=3784

X-rays from Coma cluster of galaxies search, 1-10Å 7=8884

X-rays, isotropic component, balloon obs. 7=13144 X-rays from radio galaxies 7=5563

# protons

air Cherenkov counter, to distinguish from  $\pi$  7=10050 auroral-zone ang. distrib. and electron anticorrel. 7=8716 primary, heliocentric gradients, Mariner IV obs. 7=12122

production of showers in thin plates, 0.1-20 BeV/c 7=13150 solar, high energy, in interplanetary mag. field, propagent, 7=12249

sun, anisotropy and fluctuations, 0.6-100 MeV 7=2729 from sun, spectrum and propagation 7=15807 effects and interactions

See also Nuclear reactions due to/cosmic rays.

April 1965 event analysis 7=10052
cascade curves interpolation, computer program 7=10060 EAS, radio pulse mechanisms, coherence effects 7=10056 electrons, secondary, flux and energy spectrum in

upper atmosphere 7=10063 in emulsion, energy meas, at high energy 7=12808 Cosmic rays-contd

```
Physics Abstracts 1967 - Part I (Jan.-June)
Cosmic rays-contd
     effects and interactions-contd
          extensive air showers rel. to high energy nuclear
              interactions obs. 7=6400
          free-path of nuclear-active particles in air decrease
               with energy obs. 7=13169
          ionization in lower atmosphere, absolute meas. 7=6282
         ionization, sea-level, intensity meas. 7=6281 ionizing accompaniment of nucleons \sim 170 BeV at
              2000 m 7=13171
          matter traversed by nuclei in space, low-energy,
              obs. 7=2627
          \mu bremsstrahlung and pair prod. losses calc. for soils and water, 5 \times 1010 - 1014 eV \, 7=12992
         \mu interference radiation in periodic laminar medium obs. 7=13175 \mu \to \pi and K, from \mu charge ratio data 7=3702
          \mu production in atmosphere, positive excess energy
              var.calc. 7=13177
          \mu production by \nu underground, ang. and energy var.
              calcs. 7=13174
          N-e cascade, computer program 7=10059
         n producing, charged component ang. distrib. obs. 7=13181
          n production by \mu underground calc.
                                                                         7=13170
         neutrinos obs. underground 7=13137
neutron latitude variation in atmosph., meas. at
solar min. 7=8691
         solar min. t=8091 \nu_{\rm e}-e resonance interaction, \mu prod. calc. 7=12975 nuclear-active particles rel. to extensive air showers fluctuations 7=13149 P isotope production in atmosphere 7=637 photomultiplier dark current prod. 7=3045 propagation in random mag. field 7=5506 search for V_{\rm s} and 2V_{\rm s} charged particles 7=3690 "star" intensity anomalous var. with degree absorbed.
          "star" intensity anomalous var. with dense absorber thickness 7=13172
          techniques for energy range 1011 to 1013 eV, fireball
              model 7=3867
         Fe meteorites with low exposures 7=15785
Xe production, mass yield spectrum 7=3699
     jets. See Cosmic rays/showers and bursts.
     origin
          electrons, auroral-zone, from spectrum and ang-
distrib. meas. 7=8713
          electrons, low-energy, cosmic production 7=5509
          hysteresis obs.during solar cycle 7=10066
     primary
          acceleration in varying e.m. field calc. in relativistic
         case 7=15626
additional particles on decreasing solar activity, spectrum
obs. 7=13143
         \alpha energy spectrum and geomag, cut-off near 41°N mag. 7=13145 April 1965 event analysis 7=10052 composition and spectrum, ^\sim several hundred MeV/N to 10 BeV/N 7=13142
          \eta Carinae, radio, X- and \gamma-fluxes calc. in synchrotron model 7=12168
         composition and spectrum, < 3 \times 10^{15} -> 10^{17} eV, extensive air showers with fixed \mu number obs. 7=13139 Crab nebula X-ray source size and position obs. 7=18438 Cygnus, reported gamma-ray source search 7=12123
          Cygnus X-ray sources spectra balloon obs.,
20-130 keV 7=8785
              ≥3 BeV upper limit rel. to similar p obs. 7=13141
          electron energy spectrum and universal blackbody
rad. at 3°K 7=8788
electron flux above 4.7 BV, balloon obs. 7=630
          electron lifetimes in galactic disc and halo 7=8787
          electrons, low-energy, cosmic production 7=5509 electrons obs. by satellites, 10-20 keV 7=12026
          electrons and universal blackbody radiation 7 = 16662 energy spectrum estimation 7 = 3693
         energy spectrum estimation 7=3030
errors in energy meas, effects on reaction multiplicity
and inelasticity obs, 7=13387
and extensive air showers obs., 10<sup>15</sup>-10<sup>18</sup> eV 7=13148
flux and composition, low-energy, July 1964 obs. 7=2634
in Galactic disc, parallel anisotropy destruction rel. to
mean lifetime 7=13929
galactic, solar modulation and energy density 7=18413
Galactic X-rays energy spectra, rockets obs. 7=18414
          Galactic X-rays energy spectra, rockets obs. 7=18414 in galaxy M82, relativistic electrons and \gamma and X-radiation 7=15733
          γ astronomy spark chamber 7=629
          \gamma > 5 \times 10^{12} eV from Galactic radio sources search 7 = 13140
          γ-rays, upper limits, 30 to 500 MeV 7=2628
          γ search 7=2728
          \gamma \geqslant 3 BeV upper limit rel. to similar p obs. 7=13141 heavy nuclei (Z\geqslant15) increase with X-ray bursts 7=12124
          heliocentric gradients for p and He, Mariner IV
               obs. 7=12122
           intergalactic space e-\gamma cascades rel. to microwave
               emission 7=15623
```

magnetic monopole motion in earth's field calc. 7=13136

primary-contd meteor streams meas of intensity and spectrum, possibilities 7=13129 nuclei, heavy, composition and energy spectrum 7=3694 nuclei, satellite obs., rel. to solar activity 7=15625 nuclei of Z ≥ 10, energy spectrum during solar quiet time 7=10055 proton intensity meas, in magnetosphere 7=5401 quarks, search for 7=3692 Sagittarius A as continuous injector 7=8783 satellite obs. of electrons and ions, 1-10 keV 7=15624 Sco X-1, polarization 7=18416 Sco X-1, X-ray source, meas. of location 7=2631 Sco X-1, X-ray source, optical identification 7=2632 Sco XR-1, X-ray emission, nature of source 7=18415 Scorpius X-1 X-ray source, physical characteristics 7=8786 Scorpius X-1 X-ray source, 3-colour obs. 7=8855 slicing emulsions study technique for heavy nuclei 7=10054 solar, anisotropy in flares obs. 7=2727 solar, anisotropy in there sols. (=2121) solar, collimation by interplanetary mag, field obs. 7=2726 from solar flare of 29/9/61 7=15808 solar, of 21 and 22/9/1963, spectrum and diffusion 7=5617 spectrum at high energies rel. to  $\gamma$  and  $\mu$  spectra in atmosphere 7=6277 spectrum of power as solution of general covariant kinetic eqn. 7=2832 study by Luna-10 7=8782 from sun, impact zones for low solar activity 7=13178 from sun, spectra, composition and propagation 7=15807 X-ray source Sco X-1, nearby old nova possibility 7=5507 X-ray source size and position obs. 7=18438 X-ray sources correlation with Galactic O associations 7=12178 X-ray sources, spectra 2-60 keV 7=8784 X-rays from Coma cluster of galaxies search, 1-10Å 7=8884 X-rays, isotropic component, balloon obs. 7=13144 X-rays from radio galaxies 7=5563 He isotopic composition, energy dependence 7=10053 showers and bursts angular distrib. of secondaries in elementary prod. event asymmetry due to fluctuations calc. rel. to obs. 7=13151 anisotropy in azimuthal ang. distrib. of particles in jets prod. by neutral shower particles  $7{=}13147$ apparatus for extensive air showers, proposals 7=13135 background at microwaves rel. to e-y cascades in intergalactic space 7=15623 bursts from  $\mu$  at high energy under thick layers of matter, distribution asymptotes cale. 7=13168 cascade curves interpolation, computer program 7=10060 cascade eqn. matrix method soln. 7=13153 cascade theory fluctuations allowing for scatt. 7=13167 cascade theory inverse problem soln stability 7=13163 EAS, average characts of muon flux 7=631 EAS, characts, rel. to new assumption for m.f.p. of nuclear interactions 7=634 E.A.S., electron-photon cascade, new hypothesis for energy transfer by nucleons 7=6280 e.a.s., near-vertical at sea level, theor. anal. 7=3698 EAS, new data on muon component 7=633 EAS, production height of muons from geomag. deflection 7=636

EAS, radio pulse mechanisms, coherence effects 7=10056

EAS, radio pulses 7=16666

EAS, 10<sup>15</sup> eV, prod. of y-rays in upper third of atmos. 7=635

EAS transition in atmosphere 7=16664

E.A.S., X-ray photons, meas. in stratosphere 7=3696 e. m. cascade theory with ionization losses 7=13164
e. m., fluctuation in particle number at 1.1 × 10<sup>14</sup> eV rel.
to ionization calorimeter meas. 7=13165
electromagnetic cascade eqns. soln. 7=6278 in emulsion, energy meas. at high energy 7=12808 equilibrium spectra of e and  $\gamma$  with medium polarization 7=6279 extensive air, calc. of average var. with N-nucleus interaction model 7=13154 extensive air, calc. of low-inelasticity interaction contribution 7=13159 extensive air, fluctuations in development calc. in four models 7=13160 extensive air, fluctuations rel. to nuclear active particles 7=13149 extensive air, heavy penetrating particles space-time distribution calc. 7=16663 extensive air, µ momenta 7=10058 extensive air,  $\mu$  momenta 7=10058 extensive air, number-of-particles spectra shape change mechanisms,  $10^{15}$ - $10^{17}$  eV 7=13148 extensive air showers with fixed  $\mu$  number for obs. of primaries,  $<3\times10^{15}$ - $>10^{17}$  eV 7=13139 extensive air showers fluctuations obs. with fixed total number of charged particles and fixed total number of muons 7=13156

7=18453

```
Cosmic rays-contd
Cosmic rays-contd
                                                                                                                   variations-contd
    showers and bursts-contd
                                                                                                                       rigidity models, expt. evaluation 7=10065
        extensive air showers rel. to high energy nuclear interactions obs. 7=6400
                                                                                                                       secular in stratosphere, 1962-4 7=13191 shower cascade theory fluctuations allowing for
        extensive air showers max. rel. to altitude, rel. to
            models 7=13166
                                                                                                                        scatt. 7=13167
sidereal, meas. possibility from solar-diurnal effect
modulation 7=13190
        extensive air showers, theoret. calc. of parameters 7=16665
        fluctuations in cascade development calc. in leading nucleon model 7=13161
                                                                                                                        spectra of long and short term intensity var. 7=6284
                                                                                                                       stony meteorites obs. 7=13186 sudden increases and anisotropy not associated with sun,
        interaction characteristics giving large ionization
bursts 7=13152
                                                                                                                        planetary distribution and association obs. 7=13184
27-day, stratospheric obs. 7=13188
        intergalactic space e-\gamma cascades rel. to microwave emission 7=15623
                                                                                                                       27-day variations of anisotropy, neutron obs. on
mountains 7=13182
trajectories in geomag. field, higher harmonic effects
        intranuclear cascade theory, 1010-1012 eV 7=13386
        jets, mass of target isobar, four-momentum transfer
and inelasticity calc. 7=13146
measurement of electron showers in electron shower
                                                                                                                           calc. 7=3703
                                                                                                               Cosmogony. See Cosmology.
             meas. 7=6275
                                                                                                               Cosmology
                                                                                                                        See also Elements, origin.
angle meas. error due to gravitational scatt. of
light 7=8776
         \mu, centre, associated \mu groups obs. 7=13157 \mu in extensive air showers, associated groups obs. \mu, multiplicative effect in Pb-Fe absorber 7=16668
         muon interactions at high energy, anomalous,
                                                                                                                        anisotropic distrib. of quasars with large red-
shift 7=15745
        muon interactions at high energy, anomalous,
theory 7-6131
N-e cascade, computer program 7-10059
and N-nuclei interactions at high energy multiple
mechanism 7-13408
                                                                                                                        antimatter proposed search from H-like atoms radiation
                                                                                                                            in ambiplasma 7=18412
                                                                                                                        C-field models 7=5503
         optical and radio emission correlation at large zenith
                                                                                                                        charge asymmetry of hot universe 7=18407
            angles obs. 7=10057
                                                                                                                       charged gas with particle production, unsteady
motion 7=18411
         and p-N reactions in emulsion multiple meson prod. ang.
         distrib. at 20 GeV/c 7=16790
in photon-electron cascade, calc. of number of muons at
sea-level 7=3697
                                                                                                                        collapsing or expanding body, radiation frequ. shift 7=5505
                                                                                                                        Dirac's hypothesis of gravitation, and steady-state model 7=18406
         photon equilibrium spectrum accuracy near primary e
                                                                                                                        distortion effect, cosmological 7=15621
             energy 7=13162
                                                                                                                        evolution of universe and red-shift meas. 7=2620
        energy '=13102' radio pulses from showers, correl, between shower size and radio freq. 7=13155
Regge asymptotic behaviour 7=16480 spark chamber shower efficiency with large "memory" 7=6274
1011-1014 eV, characts of jets rel. to intermed
                                                                                                                        expanding, gravitational instability, Lifshits theory
                                                                                                                             reformulation 7=12119
                                                                                                                        Gödel's universe, generalization 7=5501
                                                                                                                        gravitational contraction to expansion change 7=5527
                                                                                                                        gravitational instability of universe 7=15622
                                                                                                                        gravitational radiation and the arrow of time 7=12120
             \pi - \pi interaction 7=632
                                                                                                                        pravitational red-shifts in quasi-stellar objects 7=15743
homogeneous dust-filled universes 7=2623
homogeneous models, arrow of time 7=2618
         in thin plates, \pi and p prod., 0.1-20 BeV/c 7=13150
     variations
         additional particles on decreasing solar activity, spectrum
                                                                                                                       isotropy of universe, primordial element formation and primordian mag. fields 7=18408

Jordan's gravitational theory 7=2617
linear field theory solutions 7=8777
             obs. 7=13143
         angular distrib. of charged n-producing component
             obs. 7=13181
         anisotropy in N-S direction 7=6283
                                                                                                                        metagalaxy, stable particles, a possible species 7=5504
         arctic and antarctic intensities obs. in stratosphere 7=13179
                                                                                                                         models and their observational validation 7=12117
         atmospheric effects, plastic scintillation monitors
                                                                                                                        and normal galaxies stellar types 7=8880 particle and antiparticle populations in universe 7=2624 perturbations rel to microwave background ang.
         recording 7=10064
daily, during quiet and active sun periods, profile and
fine structure 7=3704
                                                                                                                             var. 7=8778
         due to mutual earth-sun positions, anal.
during solar cycle, evolution of recurrent
variation 7=10067
                                                                                                                        quantization in space with torsion 7=3318 and quark abundance, restrictions 7=15620
                                                                                                                        quasars, density evolution hypothesis 7=1 quasars, inverse Compton effect 7=12189
         e.m. showers fluctuation in particle number at 1.1 × 10<sup>11</sup> eV rel.to ionization calorimeter meas. 7=13165 extensive air showers with altitude, max. 7=13166
                                                                                                                         quasars, relation between optical and radio
                                                                                                                             props. 7=12193
         extensive air showers fluctuations in development calc.
                                                                                                                         radio source counts galaxies collisions interpretation rel.
to max.red shift 7=18450
              in four models 7=13160
          extensive air showers fluctuations obs. with fixed total
         number of charged particles and fixed total number of muons 7=13156 flares rel. to geomag, sudden commencements 7=2601 fluctuations in cascade development calc. in leading nucleon model 7=13161
                                                                                                                         red shift, gravitational, route dependence 7=2829
                                                                                                                         relativity and space research 7=9082 scillating isotropic universe without singularity 7=12354
                                                                                                                         singularities, occurrence 7=2619
                                                                                                                         singularities of solns, of gravitational eqns. 7=2621 singulation, occurence criteria 7=12115
          Forbush decrease, rel. to geomag. storms 7=3705
                                                                                                                         steady-state universe, stationary spherically symmetric dust distribution 7=2622
          Forbush decreases associated with M-region mag. storms 7=6285
                                                                                                                          symmetry of time axis and solar obs. 7=12116
          Forbush effect and disturbances of interplanetary mag. field 7=15787
                                                                                                                         trouser models, nonexistence, by restrictions on
Riemannian spaces 7=12118
          Forbush effects rel. to solar flares, statistical analysis 7=13187
Forbush and secular, asymmetry, obs. 7=13183 galactic, solar modulation and energy density 7=
                                                                                                                         uniform anisotropic cosmological model with a mag. field 7=12114
                                                                                                                         universal blackbody rad. at 3°K, and cosmic-ray electron
spectrum 7=8788
universe models with uniform mag. field 7=15619
H abundance, effect of gravitation 7=2625
                                                                                7=18413
          and geomagnetic horizontal component 7=13189 hysteresis obs. during solar cycle 7=10066
          increases rel.to geomag. storms obs. 7=13185 meson, 27.3-day obs. 7=638
                                                                                                                 Cosmotron. See Particle accelerators/orbital.
                                                                                                                 Costa Ribeiro effect. See Dielectric phenomena; Phase
          meteorites meas. possibilities for up to 2 \times 10^9 \, \mathrm{yrs} \, 7 = 13129
                                                                                                                      transformations.
                                                                                                                 Cotton-Mouton effect. See Magneto-optical effects.

Cottrell atmosphere. See Crystal imperfections/dislocations.
          \mu production by \nu underground, ang. and energy var.
              calcs. 7=13174
                                                                                                                 Couette flow. See Flow; Hydrodynamics.
          n with altitude, 2.5-10 MeV, < 10 keV, 1.35-1.65 eV 7=13192 neutrinos, electronic and muonic, anisotropy at sea level calc. from var. decay sources 7=13173
                                                                                                                 Counters
                                                                                                                             See also Ionization chambers
                                                                                                                         aerosol, electric particle 7=14137 for \alpha emitters, absolute, review 7=6370
          neutrons in atmosph, and latitude, at solar min.
meas. 7=8691
          observing times, best, during sun-spot
minimum 7=2551
                                                                                                                         \beta-apparatus, with transistorized anticoincidence circuit 7=16528
                                                                                                                          channel electron multiplication, mechanism 7=218
          pri mary \alpha geomag. cut-off near 41°N Mag. primary nuclei rel. to solar activity, satellite obs. 7{=}15625
                                                                                                                         cosmic-ray two-disc telescope rate calc. 7=13130 for dispersion particles, Coulter, Calibration and coincidence correction 7=1181
```

```
Physics Abstracts 1967 - Part I (Jan.-June)
Counters - contd
                                                                                                                                                Counters-contd
          forward-backward, statistical behavior 7=9699
gas electron-collection, for reactor control 7=3985
modulation methods for low levels 7=408
          open, with quenching vapour above free liquid surface, for excelectrics 7=9698
          photodetector and unitary conditions from photon echo
                effect 7=12682
          photon, for optical communication receivers 7=16219
          pnoton, for optical communication receivers 7=16 quantum, using stimulated emission, antinormally ordered correlations 7=9542 source strength standardisation techniques, review 7=3827 thin-film, energy sensitive, for ultra-relativistic particles 7=407
     Cherenkov
          air type, for distinguishing p and \pi in cosmic
                rays 7=10050
          differential gas type 7=16359 variable threshold, with total internal reflection 7=3365
     crystal
          No entries
     Geiger
          activable cathodes, for fast neutron flux meas. 7=10023 for \beta activity of solns. meas. 7=3830 dead time var. rel. to temp. and ageing in self-quenching counters 7=3354
          gas-filled with quartz walls 7=16351
          resolving time rel. to ion mobility and temp. 7=16349 sample and window technique, review 7=384
          self-quenching, discharge propagation velocity 7=12783 in space vehicles, with matched ionization chamber,
          response to p, e, γ obs. 7=15618 telescope counter tube for momentum determ.
                of charged particles 7=10049
    vapour-filled, ion registering probability 7=12784 for X and y up to 1 MeV 7=16511 CO<sub>2</sub>, afterpulse analysis 7=16350 proportional
          design and applications 7=383
          Formvar window film casting on water 7=16352 \gamma-rays, low energy 7=16510
          high gain saturation obs. 7=385
          Hurst-type with digital equipment, for absolute dose of fast n obs. 7=3653
          for ions and atoms at keV 7=3055
         for ions and atoms at keV 7=3055
for n spectrometry in reactors using p recoil,
    1 keV-1 MeV 7=10368
X-rays, soft, advances in design 7=12113
Ar' response, 5-40 keV 7=3055
BF<sub>3</sub>-gas-filled, bare and moderated, detection efficiency
for neutrons 7=10026
BF<sub>3</sub>, sensitivity with paraffin moderation 7=10025
H' response, 1-40 keV 7=3055
N' response, 5-40 keV 7=3055
intillation
    scintillation
          \alpha\text{-disintegration} rate determination, liquid scintillation spectrometer 7=10172 calibration rel. to scattered \gamma 7=3831
          for charged particle identification, 20-100 MeV 7=391
          circuits, unit, compact 7=393
          for cosmic-ray intensity meas., correction without stabilization 7 = 6273
          for cosmic rays, large size with one photomultiplier, geometry 7=13131 crystals growth 7=3357
          design of thin large area counters 7= epoxide resin, water-soluble 7=16357 for \gamma meas, on plateau 7=3503
          γ scatt. buildup factors obs. 7=3833
          γ scatt, buildup factors rel. to discrimination
               obs. 7=3832
          hexafluorobenzene and its Cl derivatives for low n
sensitivity 7=3360
          sensitivity 7=3860
hodoscope for bubble chamber 7=5958
hodoscopes and digitized spark chambers, digital on-line
data handling 7=5957
impulse shape of fast pulses, method of meas. 7=12800
input tunnel diode monostable threshold and delay jitter
versus input rise time 7=3382
          versus input rise time (=5352) to detector, for mass spectrometer 7=16358

K identification by plastic scintillator pulse height correlation in range telescope, 175-300 MeV 7=13038 large-area hodoscope, recording of signal amplitudes and waveforms 7=418
          liquid, new Butyl-PBD scintillator 7=16355
          liquid slab, large area, for neutrino expts. 7=514
          liquid spectrometers review 7=6369
          merits, efficiency, materials, technique, review 7=387
multiple array, digital pulse height recording using
analog memory 7=419
          for n, deuterated organic crystals appl. 7-6238
for n, plastic Pilot B efficiency, 0. 2-3 MeV 7-13100
neutron camera, quantitative particle counting 7-12794
          for neutrons, plastic, 2.55 MeV 7=10018
```

```
scintillation-contd
    organic, in cyclohexane soln., lifetimes and quantum efficiencies of fluorescence 7=7089
     organic, decay times in response to \gamma-rays 7=390 organic liquids solvent-solute energy transfer 7=389
     organic, luminescence decay on α, γ, u.v. excitation obs. 7=15364
     organic scintillator solutes, problem of solubility 7=14110
    organic scintillators, energy transfer, fluorescence, decay laws 7=14107 organic, in 2-ethyl naphthalene, improved 7=16356 photocathode collection time probability, cylindrical
          geometry effect calc. 7=9691
     photomultiplier divider supplies for high
amplification 7=9397
    photomultiplier resolving time obs.by light pulse
generator 7=3361
photomultiplier spectrometer optimum operating
conditions 7=3362
     photomultipliers in fast counters 7=3363
   plastic, for β-radioactive gas samples 7=10174
plastic fission fragment detectors with large area and
fast response 7=6462
     plastic granule characteristics 7=18315
     plastic, halogen-containing 7=18316
     plastic monitors for cosmic rays recording, atmospheric
     effects 7=10064
plastic NE-102 energy loss rel. to light output obs.
          for p 7=13069
    plastic phosphor, for H³ radioactivity at
surfaces 7=13119
plastic, pile-up effects reduction circuit 7=12796
polystyrene plates prod. 7=3358
recent developments 7=3355
     resolving time, review of theories and obs. 7=3356
     slow-neutron detector, flat 7=16634
     spectrometer, competing nuclear reactions simultaneous
         obs. 7=397
     spectrum distortion due to pulse superposition 7=9693 stabilization of spectrometers 7=3364 statistics equivalent circuit 7=9692
    styrene-divinyl benzene copolymer with thermal stability to 110°C 7=3359
    time resolution 7=12786
     weak luminous flux detection, non-linearity of amplitude
          energy relation 7=388
    CdF<sub>2</sub>:Er, quantum counter action 7=11851
CsSb S-11 photocathodes, parameters 7=392
   For H3, glass vessels with roughened surface, for liquid scintillators 7=10173 for H9, glass vessels with roughened surface, for liquid scintillators 7=10173 for H9 gas at high press. 7=610 NaI, valley-to-peak ratios for zero thickness y sources 7=6117
    NaI(T1) cylinders photofractions, calc. rel. to obs. 7=9868 NaI—T1, output rel. to resolution obs.using \beta 7=3531
    NaI(T1), Am241 doped, scintillation response 7=627
semiconductor
    \alpha pulses direct recording circuit 7=5964 circuits for fast pulse pickoff 7=12795
    coaxial-drift intrinsic region formation, time var.
          calc. 7=12788
    collection time of detectors 7=5959
   collection time of detectors 7=5959
cryostat for cooling 7=398
dE/dx, checker board counter, with position
indication 7=396
fast circuits using semiconductor detectors 7=5961
fluctuations of energy-loss spectrum 7=394
for γ, Ge and Si responses calc. 7=3504
high energy appls. 7=3368
for n reactions, low background telescope 7=608
muclear spectroscopy instrumentation conference.
    nuclear spectroscopy instrumentation, conference,
Herceg-Novi, 1965 7=376
    P.I.N. detectors, resolving time in \gamma –\gamma coincidence
         expts. 7=502
    p-n junction resolution rel. to generation-recombination
         noise 7=12793
    parametric radiation detector preamplifier 7=414
    preamplifiers and amplifiers electronics 7=9683
   principles and amplifiers electronics \gamma=9683 principles and characteristics 7=16362 pulse amplitude, rel. to crystal thickness 7=12789 in radiation flux, behaviour 7=9696 resolution limitation for p, d, \alpha and \text{He}^4 ions 7=395
    review 7=9695
    review, particle spectrometers 7=9689
    for scattering chamber 7=13479 for spectrometers 7=3367
    for spectrometers, background information 7=3366
   satisfication of spectrometers 7=3364 surface-barrier, for \alpha-\gamma coincidence expt., prompt resolution curve obs. 7=3369 system for reaction studies 7=9697
   CdS crystals, pulse counting or a. c. or d. c. conductivity in radiation detection 7-12791 CdTe, n-p possibility for y-rays 7=505
    GaAs surface barrier diode spectrometer 7=399
```

```
S 74
```

Counters-contd semiconductor-contd

Ge, large-volume planar, prep. 7=401

Ge, "through conducting channel" formation 7=12790 Ge, Li coaxially drifted, improvement in

Ge, Li coaxially drifted, improvement in  $\gamma$ -resolution 7=506 Ge(Li), cooling by Joule-Thompson miniature cryostat 7=12792 Ge(Li) diode, encapsulated, for  $\gamma$ -rays 7=509 Ge(Li) drifted detectors appl. in conversion e and spectroscopy 7=3726

Ge Li-drifted diodes of large vol. for y spectroscopy 7=6118

scopy 7=6118
Ge, Li drifted, γ pulse shape distributions obs. 7=9866
Ge, Li drifted, large-vol., reduction of capacitance 7=400
Ge:Li drifted, prod. and γ resolutions obs. 7=16509
Ge, Li drifted, pulse shape distrib. from γ-rays 7=501
Ge, Li drifted, thin windows, for high enery p 7=600
Ge, Li-drifted, total-absorption for 60 MeV p 7=601
Ce(Li) capacity resolution for 0.1.10 MeV

Ge(Li), energy resolution for 0.1-10 MeV γ-rays 7=500

Ge:Li, Fano factor 7=12787 Ge(Li) y-ray detectors, temp. dependence of response 7=503

response '=>US Ge(Li), γ-ray detectors, double escape peak efficiency 7=504 Ge(Li) large,γ-ray spectrometers, characts. 7=507 Ge(Li) p-i-n, resolving time 7=6115 Ge(Li), in short time meas. 7=3370 Ge(Li) spectrometer with plastic anticoincidence mantle, for fuel element analysis 7=10367

Si detectors, surface barrier layer form. 7=1971

n-Si, high-resistivity, surface barrier, reverse current 7=405

Si, with internal multiplication, noise anal. 7=403

Si, n-type, high-resistivity 6=16363

Si, n-type, inversion level, production methods 7=16365

St, optical characts, and surface effects 7=16364 Si p-n junction resolution rel. to generation-recombination noise 7=12793 Si surface barrier, charge collection efficiency 7=3372

Si surface-barrier, with Li<sup>6</sup>F for fast-neutron spectrometer 7=16637

Si surface barrier neutron detectors 7=10028

Si surface barrier detectors for charge exchange neutrals and ions, 10-200 keV 7=6870

Si surface barrier, response times for  $\alpha$ -rays fission fragments and conversion electrons 7=402 Si, "through conducting channel" formation 7=12790

Si Li compensated n-i-p detectors, charge collection time

obs. 7=3371 Si(Li) drifted detectors appl. in conversion e and

γ spectroscopy 7=3726 Si, Li-drifted, redrift treatment 7=406

Si, Li-drifted, vacuum encapsulated detector telescope 7=404

Si(Li) large, γ-ray spectrometers, characts. 7=507

cosmic particle trajectories in mag.field 7=16354 divergent  $\alpha$  and n detection, multiwire 7=628accessories

See also Counting circuits. gate circuits, linear 7=12498 neutron irrad., pneumatic transfer device 7=13522

operation technique

See also Counting circuits.

No entries

statistical analysis

coincidence technique review 7=380

decay period of nuclear level in multichannel coincidence meas. 7=382

delayed coincidences time spectrum computer

analysis 7=381 differential counters dead time losses 7=16348 error curves for low sample-to-background count ratios 7=3353

fractional registry of spectra, reliability 7=379 logarithmic ratemeter using saturating diode-pump,

random fluctuations simple approx. scintillation, equivalent circuit 7=9692 7=16367 spectrometers stabilization, reference pulses

statistically efficient use 7=9690

CsI(TI)  $\gamma$  spectra processing up to 10 MeV 7=3511 Ge(Li), Monte Carlo calc. of intrinsic double-escape peak efficiency 7=504

## Counting circuits

amplitude to time converter with large dynamic range 7=3689

anticoincidence, transistorized, for  $\beta$ -counting apparatus 7=16528 coincidence circuits for nuclear pulse spectroscopy,

review 7=6365

coincidence, fast, time resolution calc. and meas. 7=420 coincidence scheme for nanosecond regimes, circuit diagram 7=9710

Counting circuits-contd

coincidence technique review .7=380 commutator, nanosecond 7=2975

Coulter, for particle size, anal. of data 7=7210

current integrator with automatic pulse height analyser

dead time correction 7=9707 current pulse meas, with magnetic belts 7=16020 for Jead time correction of losses, automatic 7=3384 diode function generator for charged particle

identification 7=413

discriminator with adjustable paralysis for fast-slow coincidence meas. 7=3383

discriminators, transistorized low level 7=9709 display lamp for counter logic 7=412

fast, using semiconductor detectors 7=5961 gate, 100 Mc/s 2 out of 3 7=2983

impulse shape of fast pulses, method of meas. 7=12800

input tunnel diode monostable threshold and delay jitter versus input rise time 7=3382

logarithmic amplitude pulse converter 7=3378

logarithmic ratemeter using saturating diode-pump, random fluctuations simple approx. 7=16367 memory, associative 7=16047

memory, intermediate, for multidimensional analyser 7=16372

modulation methods for low levels 7=408

multichannel analyser digital readout modification multichannel analyser with short dead time 7=3380 7 = 12799multichannel analysis, data acquisition system with digital

computer 7=16370 for multiple scintillation detector array, digital pulse

height recording 7=419 for  $(n,\gamma)$  angular correlation data accumulation prevention at high reaction rates 7=728

n-γ discriminator, effect of last dynode capacity obs. 7=13099 obs. 7=13099 phasing for 100 Mc/s, using transistor in avalanche region 7=3381

photocell, for log. dec. of torsional pendulum 7=2806 photon-counting statistics 7=16211

for photonuclear yield meas. 7=16772

for pile-up effects reduction with plastic scintillators and NaI(Tl) γ-spectrometers 7=12796 pulse counters, theory of errors 7=16369

pulse discriminator-splitter, use 7=16374 pulse freq. subtraction, ferrite-transistor device 7=2763

pulse height analyzer, input unit characts, 7=16371 pulse height analyser linearity testing 7=9708

pulse-height analyser type AI-128-1, transistorized multichannel 7=16373 pulse height spectra, analysis, computer programme 7=16765 pulse vernier chronotron 7=5965

pulse-amplitude analysers, multi-channel, techniques 7=417

pulse width adjuster with zero recovery time 7=9705 ratemeters, linear, response corrections comparison 7=9703 ratemeters, nonlinear, correction of response 7=9704 recording system for signals from scintillation counter

hodoscope 7=418 review of basic instrumentation and trends 7=3376 review of multichannel and multiparameter analyser systems 7=3379

for scintillation detector, compact electronic unit 7=393 for semiconductor counter α pulses direct recording 7=5964 for semiconductor detectors fast pulse pickoff 7=12795

spark chamber trigger using SI-controlled rectifier with matching circuit 7=16380 time-to-amplitude converter for meas, of nanosec. isomers 7=10105

time-to-amplitude converters pulse height compensator 7=3377

time-to-digital converter for nanosec range 7=2760 time gate, transistorized, for muon expts. 7 time and pulse fast selection device 7=5963

timing, using tunnel diodes, improvements 7=409 trigger pulse synchronization with specified h.f. voltage

phase 7=16375 trigger using transistor in avalanche regime 7=16011 trigger units, zero crossing, display of time response on oscilloscope 7=12499

tunnel diode monostable, dynamic theory 7=411 with tunnel diodes and transistors 7=16368 Ge(Li) detectors for  $\gamma$ -rays, instrumental requirements for high resolution 7=508

Cracks

brass, growth rel. to ductile fracture 7=14705 cleavage cracks nucleated by spark machining 7=17676

in compressed bodies, propag. 7=17679 concrete, cracking load calc. 7=4772 diamond, pressure, nature of deformation 7=1707 dielectrics, transparent, laser beam effect obs. 7=4760

dislocation, decomposition into polygonal walls of edge

dislocations, kinetics 7=7664

```
Physics Abstracts 1967 - Part I (Jan.-June)
Cracks contd
         dislocation-type, interaction between 7=4758-9
         during rolling, influence of edge shape 7=17675 in elastic half-space 7=12321
         elastic-plastic model for fracture criterion 7=17678
         elliptical, three-dimensional stress distribution for
         arbitrary load calc. 7=11254 extension in infinite body, nonuniform internal pressure,
              effect 7=7662
         exterior, stress distrib. with cyl. coaxial cavity 7=7663 fatigue, propag. under random loading 7=1696
         flat elliptical crack under shear stress 7=7665 high polymers, and tearing 7=7747
         ice, propag. rel. to cryst. orientation 7=7713
         interaction between parallel cracks, effect on
fracture 7=17677
Manson-Coffin fatigue relation 7=7660
         in metal, propag. in presence of liquid metal 7=7666
         metals, fatigue crack propagation 7=17673
         metals, fatigue, propagation 7=14686
in plates, effects of geometry and plate thickness on
stress distrib. 7=14687
polymethylmethacrylate, crack formation by laser
              pulses 7=14778
         propagation, microscopic obs. 7=17674
         propagation rates rel. to plastic strains 7=7661 quasi-static, propag. theory 7=14688
         spontaneous at high temp., rel. to inert gas in grain
boundary bubbles 7=11194
steel, brittle crack nucleation during twinning 7=14726
         steel, edge-crack, propagated by cyclic stress 7=17710
steel, mild, nucleation and growth of cleavage
microcracks 7=14725
         microcracks 7=14725
steel, stress-corrosion, propag. 7=7710
stress-corrosion, role of yielding 7=17696
theory, equilibrium, in thin layer 7=2818
yield and fracture conference, Oxford, 1966 7=14656
AgCl, propagation, embrittlement, double layer
mechanism 7=14690
         Cr foil, deformation 7=14703
Cu-base alloys, fatigue-crack growth rel. to yield strength and stacking faults 7=14709
Cu, growth rel. to ductile fracture 7=14705
         Fe, zone-refined, at grain boundaries, H charging prod. rel. to Petch relationship 7=11285
         Fe-Si (3%) single crystals, fracture with microcracks 7=4783
         KCl, shearing stress distrib., polarised light meas. 7-4792
LiF, shearing stress distrib., polarised light meas. 7-4792
         NaCl, dislocation-nucleated cleavage pattern 7=14754
         NaCl, shearing stress distrib., polarised light
meas. 7=4792
NaCl type crystals, shear-stress distrib. and dislocation
              processes at moving tips 7=14651
         NaF, shearing stress distrib., polarised light
meas. 7=4792
Pb bicrystals, fatigue 7=4801
         Si single crystals, formation obs. 7=1736
3% Si-Fe, polycrystalline, propag. of cracks through grain boundaries 7=11292
         \beta-Ti alloy, structure influence on resistance to crack propag. 7=11325
         UC/SiC dispersed fuels under irradiation obs. 7=6485
         W, fracture nucleation obs. 7=4810
         Zn, cleavage, initiation and fracture, theory 7=17737
Cranking model. See Nucleus/theory
```

Creation of electron pairs. See Electron pairs. See also Slip. biaxial strains meas. by moiré Method 7=14660 cavity growth mechanisms, vacancy condensations 7=17666

combined first and second stage eqns. tested 7=11330 creep-resistance test, long-time, evaluation 7=1691 dislocation dynamics model confirmation 7=7704 dislocation model, widely applicable 7=1692 fast temperature change apparatus for tests 7=17667 first-stage, equations, evaluation 7=7653 glass-reinforced plastics, theory of anisotropic creep 7=4818
grain boundary sliding, calc. of deformation
caused 7=14665
graphite, depend, on orientation of tensile axis 7=14701

indentation hardness comparison, of solids 7=11255 integranular cavitation,by electron micr. 7=4749
magnetic domain walls in films.review 7=8149
magnetic memory films, rel. to randomly oriented crystal
anisotropy 7=18130

Cryostats

for metal testing 7=11243 metals, memory theory application 7=14661 metals, theory for range 0.3 to 0.9T m 7=7654 moon 7=12207 plastic, glass-reinforced, at 20°C 7=4816

```
Creep-contd
             plastic plates, glass reinforced 7=14767
             polyethyleneterephthalate films, stesssed in tension 7=4814
             polyvinyl chloride, crystalline, limiting states 7=11352 review, crystalline bodies (mainly pure metals) 7=14663 review of data for eng. alloys and theories 7=14662
             rubber vulcanizates, and crosslinking 7=1749
steel, austenitic, stainless, up to 1000°C in
vacuum 7=17714
            steels, stainless, activation energies for polygonisation
steady creep and fracture in creep obs. 7=7709
velocity of elastic ball rolling on groove of elastic
body 7=14664
             Ag, effect of impurities on grain boundary sliding 7=7672
Ag, effect of O, rel, to grain boundary sliding and migration
and voids 7=7671
             Ag, O free, in vacua at 250,400 and 550°C 7=7670
Ag, pore growth, impurity effects 650-800°C 7=17699
Al, substructure, X-ray diffr. 7=14696
             Al, work hardening and recovery 7=4798
C, at extrusion temp., stress var. obs. in green
                   mixes 7=14700
             Co, temperature-dependence of "linear" limit 7=4773
Cu obs. rel. to dislocation theory 7=11280
Cu, pore growth, impurity effects, 650-800°C 7=17699
            Cu, strength at 800°C, plastic deformation at 4.2,
300°K effects 7-17728
Cu, stress creep 7-7695
             Cu, temperature-dependence of "linear" limit 7=4773 Fe, temperature-dependence of "linear" limit 7=4773 Fe-Si(3%), dislocation dynamics model 7=7704
             Ge, intrinsic and Ga doped, 450 -550°C 7=7712
             LiF, effect of u.s. radiation 7=11304
             LiF, stepped, dislocation mechanisms obs. 7=7716
            Lif, stepped, dislocation mechanisms obs. 7=7716
Mg-Li (12 at. %) prismatic, temp and stress var.
obs. 7=14743
Mg-Mn (0.55-1.5 wt.%) and denuded Mn-rich precipitate
zones 7=14742
MgO, creep of dense, polycrystalline 7=11306
NH<sub>3</sub>, solid (130-180 K) 7=14748
NaCl, dislocation motion obs. 7=7587
NaCl single crystals obs. 7=7719
Nb-Co alloy, air casting 7=17694
Ni allov, dilute cayity development 7=17720
             Ni alloy, dilute, cavity development 7=17729
Ni, first stage eqns. 7=7653
            NI, first stage eqns. 7=7653
Ni, preliminarily deformed, with Cr and Al additions 7=4797
Ni, recrystallization 7=1731
Ni, strength at 1000°C, plastic deformation at 4. 2,
300°K effects 7=17728
Ni, temperature-dependence of "linear" limit 7=4773
Ni, work hardening and recovery 7=4798
Ni, 4. 2°A, all allow effects of call departs 7=77000
            Ni. 4.2% Al alloy, effect of cold-drawing 7=7722
Ni-Cr alloys, 600°C 7=17730
Ni-Cr-Al, creep strength rel. to X-ray struct.
parameters 7=7724
            pharameters 7=1724
Pb, first stage eqns. 7=7653
ThO<sub>2</sub>, polycryst., rate for 1400° to 1800°C and for 4000,
7500 and 11000 psi 7=4806
W, arc-cast, first stage eqns. 7=7653
             W, combined first and second stage eqns. tested 7=11330 W, effect of grain size 7=7739
             Zn, creep-fatigue behaviour 7=17738
Zn-Ti alloys, rolled, 0.43 to 0.53 T<sub>x</sub>. 7=7741
Critical constants, thermal
             analytical fluid in critical region, shape of coexistence
                   curve 7=4402
            ethylene, self-diffusion near crit. pt. 7=13999
gas dense mixtures containing one or more quantum
gases, prediction 7=6966
            liquid self-diffusion near critical point 7=4339
liquids, viscosity coeffs, near critical state 7=14054
particle distrib. function near critical pt. 7=10889
polymer solutions, asymptotic methods 7=10815
             thermal cond., along saturation line, reduction
effect 7=14144
            enect 7=14144
Ar, structure in critical region 7=17248
He4, coexistence curve near crit. point 7=2956
Hg, supercritical gas at high press., density and elec. cond. 7=13993
Critical mixtures. See Solutions.
Critical opalescence. See Phase transformations; Solutions.
Crowdions. See Crystal imperfections/interstitials.
Cryopumping. See Vacuum pumps; Vacuum technique.
Cryoscopy. See Freezing; Low-temperature production; Low-temperature technique.
```

continuous flow for n.m.r. 7=16138 conversion for operation above normal boiling point of refrigerant 7=2951

cryogenic engineering, conference, Houston, USA, 1965 7=151 cryopump appl. 7-9275 for e.s.r. meas., 1.7° to 4.2°K 7-16125 for e.s.r. spectrometer RE' 1301, He 7-3100-1

```
Crvostats-contd
         e.s.r. of irradiated samples, variable temp. 7=12488
         for electron irrad. of metals at liquid He temps. 7=2948
         liquid He. study of high current leads 7=2952
         for metal point defects meas. by quenching, from elec.
         for optical absorption and luminescence studies 7=12486
         for proton targets, polarized 7=16610
for semiconductor radiation detector cooling 7=398
for spectrophotometer photomultiplier for luminescence
in i.r. 7=9588
         temperature meas. 0.1°K to 20°K, by Wein bridge oscillator 7=9277
         for wires resistivity meas. 7=11419
for Ge(Li) particle detectors cooling 7=12792
He, attachment for steady-state photoconductivity
meas. 7=18064
         He Dewar conversion for 4.1°-77°K 7=15982
using He³ heat of transition from He³-rich to He⁴-rich
solns. calc. 7=9276
Cryotrons. See Superconducting materials and devices.
Crystal chemistry
Ostwald ripening, mass transport analysis 7=4456
ZnS(Cu), rel. to luminous centres 7=11889
Crystal classes. See Crystallography; Crystal structure, atomic.
Crystal counters. See Counters, crystal.
Crystal electron states
             See also Colour centres.
         alkali halide phosphors with heavy metal ions, dynamical Jahn-Teller effect 7=5242
        alkali halides, optical absorption rel. to electronic polarization 7=5239
        alloy valence bands meas., soft X-ray spectro-
meter 7=11379
         alloys, anisotropy of electron scatt. relax. time rel. to thermopower phonon drag increase over metals 7=11572
         alloys, dilute, Kondo anomalous scatt. in Anderson model 7=17746
         alloys, energy gaps in disordered systems 7=7776
         alloys, Engel correl. with struct. 7=14165
        alloys, impurity-edge dislocation, electronic interaction theory 7=11161
         aluminosilicate catalyst, active centre study with i. r..
             spectra 7=8373
         anthracene, band gap from electroluminescence
meas. 7=11914
        anthracene, carrier generation and recomb. 7=11366
anthracene, linear response theory of electron
mobility 7=1757
         anthracene, photogeneration of charge carriers 7=7764
         anthracene, radiation induced hole traps,
        character, ranation induced note traps,
characts. 7=11385
anthracene, triplet-triplet annihilation at low-excitation
intensity 7=11911
atom-metal interactions, one-electron transition matrix
elements 7=14283
         avalanche multiplication, temp. depend. 7=4983
band calcs. using "muffin-tin" potential 7=14818
band shift effect, alloy theory description of transition
             metals 7=17786
         band structure, effect on paramagnetism stability 7=8106
band structures, and Bloch wave scatt, by impurities 7=1769
band theory methods, augmented-plane-wave and
Korringe-Kohn-Rostoker, relationship 7=1770
         band theory, narrow energy, from Heisenberg exchange
             Hamiltonian 7=17785
         Bloch electron in mag field, wave function 7=1754
Bloch electrons dielectric const. in crossed fields
calc. 7=7819
          α-brass, disordered, approximate calc. 7=4843
         charge carriers, interaction with h.f. phonons 7=17747
         collective interaction, spectral line broadening and energy transfer 7=2269
         conduction electron interaction with paramag.impurity through phonon field 7=4835
         conduction electron, localized spin interact., ground state energy 7=8247
          conduction electron scattering by impurities, spin-
              flip 7=11356
         conduction, scatt. by s-d exchange interaction, for
general spin 7=11355
configurations of d<sup>N</sup> electrons in crystal field 7=7200
         correlations of electrons in narrow energy bands 7=11382-3
         covalent crystals band structure, pseudopotential
             form factors 7=17781
         current density in strong mag. field, direct computation 7=7834
         deep impurity levels, charge transfer during elec.
              injection 7=11362
         density, in C_{2v}^1 - C_{2v}^{10} crystals 7=14846 diamond acceptors rel.to e.s.r. 7=18160
         diamond, band model with small empirical correction 7=17800
         diamond, energy bands 7=1780
diatomic chain, disordered, spectral density vanishing
              points 7=7770
```

```
Crystal electron states-contd
         9,10-diazaphenanthrene 7=7786
dielectrics Coulomb interactions, local-field
             corrections 7=14793
         electric conductivity, logarithmic depend. on impurity
             density 7=4894
         electron-phonon system, thermoelectricity, quantum and
         classical variation princs. 7=11573
elements in 2nd large period, X-ray emission
study 7=14819
         energy band nonparabolicity rel. to galvanomag. phenom. 7=17866
         energy spectra, associated weighted corepresentations 7=17779
         exchange-scattering problem without inadmissible complex
             poles 7=14787
         excitation-recombination statistics in semi-
             conductors 7=7762
         Fermi surfaces and band structure 7=17788
         ferromagnetic Hall effect with electron-phonon interactions 7=1827
         ferromagnetic, spin-depend. effective mass, Green's functions calc. 7=14810
         ferromagnetism band theory 7=8133 fractional parentage coefficients calc. 7=7200
         free carrier electro-magneto-optical effects theory 7=8367 graphite, band structure rel. to spin-orbit interacts. 7=7784
        graphite, carrier-carrier scatt. in Hall effect, theory 7=17870 helicon propagation, large wave number and almost transverse, calc. 7=7824 helicon resonances in flat metal boxes, local
             theory 7=14860
         helicon resonance in In boxes filled with
ferromagnetic 7-11410
helicon wave surface instability in multilayer structures,
             theory 7=7823
         helicon waves meas. using resonant cavity 7=17848
         helicon waves, nonlocal damping 7=17839
         helicon window below absorption edge 7=11407 high-pressure effects 7=14781
         hot carrier transport, path variable method 7=17748
hot-electron energy losses, rel. to acoustoelectric
effects 7=14785
        hot electrons energy losses semiclassical
theory 7=17863
hot electrons magnetoelec. in anisotropic
medium 7=14794
         hydrogen phthalocyanine, LCAO MO calc. 7=6720 imperfections and ions 7=14821
         impurity band conduction, rel. to random impurity
             distrib. 7=7838
         impurity band in one-dimensional model 7=11380
         impurity center, photothermal ionization 7=15064 impurity, localized, Anderson's model, Friedel sum rule 7=1752
         impurity, pseudopotential theory 7=1799
impurity states, strongly bound, variational approach 7=11162
         inert-gas solids, impurity 7=1800
        inert-gas solids, optical absorption rel. to electronic polarization 7=5239 insulated gate field effect transistors, hot electron effects 7=18028 insulating films, tunnelling, nonparabolic bands effect 7=5079 interaction of electrons with lattice vibr. at point defects 7=14784
         interband absorption, oscillation, inelastic scatt.
             effects 7=5234
         interband excitation contribution to electron absorption calc. 7 = 1644
         interband transitions effects on thermoelec., and thermal
         and elec. cond., theory 7=2015 ion-neutralization spectroscopy 7=2070
         ionization of impurity shallow traps in ionic crystals 7=4693
         Kondo effect, long-range spin polarization 7=4834
Kronig-Penney model, disordered, phase theory 7=11096
         Landau electrons, magneto-optics, intraband resonance
and tunneling 7=8362
Landau levels, linewidth of mixed optical transitions 7=8363
light scattering, by photons 7=5232
linear array of coupled spins, instability 7=8086
         linear chain model, aperiodic systems, coarse-grained quantities 7=11101
         linked cluster expansion for s-d interaction 7=7750
         magnetic breakdown model, exact solns. 7=17784
         magnetic space groups of electron in crystal 7=1750
         magnetic states of electrons, semiclassical
         theory 7=17783
many potential field calc. 7=7769
         metal bound state due to fluctuation perturbation 7=7753
         metal, change in energy spectrum of electron due to
             impurities 7=1753
```

metal film cond. electrons thermodynamics, surface effects 7=7805

metal films, conduction electrons effect on optical spectra 7=18200 metal films, oscillations of thermodynamic props. at low

temp. and high press. 7=7755

metal films, very thin, total absorption, rel. to energy levels 7=18199
metal surface optical harmonic generation, interband

contributions calc. 7=15288
metallic slab, collective electronic motion 7=14861

metals and alloys,  $K\beta_5$  emission and K-absorpt. edges 7=14822

metals, conc. of cond. electrons temp. var. 7=11354 metals conduction electron polarization calc. 7=7752 metals, cubic polyvalent, periodic lattice potential effects

metals, di- and trivalent, pseudopotential and second order perturbation theory 7=7773

metals, electron interaction rel. to virtual phonon exchange 7=7464

metals electron m.f.p., low temp. acoustic meas. 7=9205 metals, electronic props. anomalous pressure and concentration var. 7=1774

metals, Engel correl. with struct. 7=14165 metals exchange coupling calc. 7=7752

metals, force on moving dislocation of cond, electrons in mag.field calc. 7=11171 metals, hot electron-phonon interaction calc. 7=7754

metals, interband tunnel effect in mag. fields 7=14788

metals, localized spin ground-state energy shift due to s-d interaction 7=17743 metals magnetic impurities theory review 7=4831

metals, magnetic moments, localized, theory 7=1751 metals, magnetic, s-d exchange scattering contribution to electrical resistivity 7=7756

metals, positron annihilation, minimum energy 7=17858 metals, residual resistivity mechanism 7=11422 metals, scatt. of electron by impurity with spin calc. 7=11359

metals, spin waves, dispersion law, stability 7=5134 metals theory, pseudopotentials 7=7164 metals, Thomas-Fermi model, effective mass

approximation 7=7772

metals, transition and noble, partial sum rules 7=14816 metals, transition and noble, s-r and d bands interaction interpolation including orthogonalization 7=14815

metals valence bands meas., soft X-ray spectrometer 7=11379 minerals, semiconducting rel. to adsorption-chemical

properties 7=7777

mixed III-V alloys, energy gap variation rel. to composition 7=17780 molecular crystals, linear response theory of electron mobility 7=1757

monority (=1707)
monority carrier lifetime, non-ohmic contact and electron
beam obs. 7=7761
noble metals interpolation scheme 7=7774

nonellipsoidal nonparabolic band model calc. of Hall

coeff. 7=7927

nonparabolic bands, hot carrier distrib. function 7=17782 nuclear or ionic spins, indirect interaction 7=7821 off-centre impurity, elec. field effect in tunnelling approx. 7=14550

1-D crystal, electronic energy states 7=7771 one-dimensional lattice with impurities 7=14814

one-dimensional random lattice, spectrum shape 7=9090

one electron Schrödinger wave eqn., for electron dynamics with ext. elec. field 7=17745 optical properties obs. 7=2258 order, spatial variation near paramag. impurity 7=11381 oxides, powdered, bound state and lifetime of positron 7=1815

p-n junctions, hole-electron product 7=18002 perturbation expansion about atomic limit 7=11382-3 phonon cascade theory 7=11361

phonon drag, criticism of standard treatment 7=11360 phonon-electron interaction rel. to spectra 7=18201 phonons in perfect and imperfect lattices, conference,

Aberdeen, 1965 7=14403

photoconductors, band bending rel.to space charge and surface cond.calc. 7=8048 photoferromagnetic effect, in semiconductors 7=5135

phthalocyanine, thermally stimulated trap-emptying 7=11375 phthalocyanines, metal-free, and Pb, drift mobility 7=11374

plasmons, acoustic and optical, scatt. of laser light 7=15302 plasmons, phonons and magnons, coupling with light 7-15287 polar semiconductors in elec. field, energy exchange with lattice 7=7757

polar semiconductors, electron cooling in elec. field, theory 7=11363

Crystal electron states-contd

polar semiconductors, hot electron scatt., nonparabolic bands 7=4837

polystyrene, γ-irrad., radical conc. and energy transfer 7=15449

quantum transport in high mag. fields, review 7=17744 rare-earth metals, exchange integrals, calc. 7=14786

rare earth metals exchange interaction spin Hamiltonian 7=11358

relativistic terms in APW-method, new formulation 7=17789 s-d exchange interaction, bound state, higher-order

corrections 7=8246 scattering mechanism, indicated by Nernst-Ettingshausen effect 7=4832

scattering processes, selection rules 7=4833 semicond. anisotropic thermoelect. power, theory 7=2016 semiconductor, diamond-type, complex band struc-ture 7=1777

semiconductor dislocation line hole states, effective mass calc. 7=7778

semiconductor domain struct., multi-valley, large

currents 7=14812 semiconductor, effective mass of electrons and holes, meas. by laser emission 7=4853

semiconductor excess carriers life-time, photoconductive phaseshift of spreading resistance meas. 7=4839 semiconductor film, quantum energy spectrum 7=14783 semiconductor impurity band tails in high-density

limit, higher order corrections 7=14820 semiconductor impurity states, distrib. function 7=1771

semiconductor impurity states with narrow forbidden band, theory 7=7780 semiconductors acceptors ionization energy meas. from lasing 7=14791

superconductors, anisotropic, resonance and impurity scatt. 7=7887

semiconductors, band non-parabolicity effects on kinetics calc. 7=7928

semiconductors, band shift rel. to impurity electrostatic fields 7=1772

semiconductors, carrier interaction induced optical transitions 7=18193

semiconductors of chalcopyrite struct., energy bands 7=11386

semiconductors, degenerate, impurity band tails calc. 7=17790

semiconductors, degenerate, scatt. of electrons meas. from magnetoresistance in low fields 7=14795
semiconductors, doped, theory 7=7779
semiconductors, effect of strong elec. fields 7=14789
semiconductors, effective mass from far i.r.obs. 7=1776

semiconductors, electron-hole pair photoprod. and diffusion meas. 7=14792

semiconductors, electron-hole pair prod.on irradiation rel. to plasmons 7=17842

semiconductors electron-phonon interaction nonlinear theory 7=17749

semiconductors, energy gap temp. dependence 7=17791 semiconductors excess carriers diffusion lengths meas. by cathodoluminescence voltage var. 7=17753

semiconductors, force on moving dislocation of cond. electrons in mag. field calc. 7=11171 semiconductors, heavily doped, in elec. field 7=14813 semiconductors, heavily doped, forbidden band

width 7=14823

semiconductors, helicon-phonon interaction in multi-valley case 7-17840 semiconductors hot carriers distribution function calc. from Boltzmann's eqn. 7=11384-5

semiconductors, impurity levels electronic structure 7=4851 semiconductors, indirect exchange of donor and cond. electrons 7=4836

semiconductors, inelastic scatt. effects on non-Ohmic conduction 7=17934

semiconductors interband gaps and spin-orbit splittings electroreflectance obs. 7=18208 semiconductors, ionic, impact ionization theory 7=14790

semiconductors, low-mobility, non-stoichiometric, bandwidth 7=1755

semiconductors in mag.fields, strongly doped, density calc. 7=1775

semiconductors magneto-optics, band population effects calc. 7=18204

semiconductors, microwave transport parameters meas. 7=17943 semiconductors mobility, charged defect effect

theory 7=1922 semiconductors mobility, dislocation effect theory 7=1923

semiconductors, p-type, electron lifetime 1.5°-4.2°K, relato temp. and press. 7=4838 semiconductors of PbS-type recombination processes 7=17754

semiconductors plasma drift acoustic amplification, h. f. conductivity, carrier waves 7=4886

SUBJECT INDEX Crystal electron states-contd semiconductors, polar, electron mobility and distrib. 7=4852 semiconductors, polar, electron temp. var. by elec. semiconductors, polar, electrons mobility and temp. calc. 7=7759 superconductor, pure, effect of energy gap anisotropy 7=11459 semiconductors, Raman scatt. by carriers in Landau levels calc. 7=8359
semiconductors, recombination waves in finite sample 7=7924 semiconductors scattering processes, anal. for soln.
of Boltzmann eqn. 7=17750
semiconductors and semimetals, nonlinear magneto-optical effects 7=18205 semiconductors, shallow impurity states, theory 7=1794 semiconductors in strong mag. fields, quasi-supercond. transitions 7=17883 semi-insulator, injected carrier flow 7=17752 semimetallic film, quantum energy spectrum 7=14783 solar cell minority carrier lifetime meas. from decay const. 7=9333 stacking faults bound states theory 7=1621 superconducting type II films, density near upper critical fields obs. 7=4959 superconductors, interactions with molecules 7=17925 three-centre integrals over coords of two electrons 7=4063 transition metal borides, mag. props. residual resistivities rel.to structure 7=7802 transition metal d-electrons, mag. behaviour in alloys 7=8102 transition metals alloys, b.c.c. applicability of rigid model for 3d band 7=17821 transition metals, b.c.c., structure of conduction bands 7=7801 transition metals, interactions from supercond. obs. transition metals, phonon interactions, theory  $7{=}7767$ transition metals s-d interaction model Hamiltonian form 7=14817 traps in CdS-type crystals, pulse meas. 7=7763 triple reson. in ferromagn. conductor 7=14858 tunnel cathodes, hot electron energy loss mechanisms 7=11537 Wannier functions of lattice electron in uniform mag. field 7=7749 wave propagation through assemble of spheres, singleparticle eigenstate density 7=7016 X-ray absorpt. spectra, influence of band struct. 7=14811 Zener diodes, and breakdown voltage press. var.
mechanism 7=14994
Zener emission, multi-electron theory 7=7758
Ag\* dipole strengths in alkali halides, temp. depend. 7=10914
Ag electron gas viscosity effect on u.s. absorption at
low temps. calc. 7=14865 Ag halides, optical absorption rel. to electronic polarization 7=5239 AgBr, hole trapping and ionization of native acceptor centres 7=4840 AgBr, and photog. spectral sensitization by dyes 7=9631 AgBr single crysts., Herschel effect 7=9632 AgCl, amorphous, thermal dissociation and tunnel effect currents obs. 7=1948 Ag-Pd alloy system 7=7781 Al, concentration of cond. electrons temp. var., optical and X-ray obs. 7=11354
Al, effective mass, contrib. of electron-phonon interact. 7=11364 Al, effective masses from cyclotron resonance 7=7829 Al, electron-ion pseudopotentials 7=1778 Al, rel. to lattice mechanics and electrical props, Al, phonon and electron drag coefficients 7=7572 Al, in X-ray scatt. factors calc. 7=14382 Al-Al<sub>2</sub>O<sub>3</sub>-SnTe and Al-Al<sub>2</sub>O<sub>3</sub>-GeTe tunnel junctions, electron barriers 7=17793 AlN, rel. to laser induced photoconductivity obs. 7=15068 AIN, rel. to laser induced photoconductivity obs. 7=15  $\gamma$ -Al<sub>2</sub>O<sub>3</sub>, active centre study with i. r. spectra 7=8373 AIP, energy band structure 7=11387 AISb band struct., K. p calc. 7=17806 AISb, mixed scatt. calc. of electron mobility 7=17755 AISb:Te, mobility temp. var. calc. 7=1756 Ar, drift velo. of electrons obs. 7=11367 Ar calculate glaser, complex mobility 7=17756 As selenide, glassy, carrier mobility 7=17756

As s<sub>4</sub>S<sub>4</sub>, mobilities of electrons and holes obs. 7=11586

Au electron gas viscosity effect on u.s. absorption at low temps. calc. 7=14865 Au, hot electron-phonon interaction 7=7754 Au, interband transitions and optical absorpt. 7=11748 Au, rel. to slow electron absorption in films, energy and thickness var. 7=17864
B, forbidden-band width, determ. by "intrinsic thermometer" 7=14825 Ba, f.c.c., band struct. under press. calc. 7=17801 BaTiO<sub>3</sub> band struct. 7=14826

```
Be, point defect electron scatt., elec. cond. prod.
    calc. 7=11426
Bi, from cyclotron damping of magneto-plasma waves obs. 7=17854
Bi, from electrical props., size effects, 300°, 77°,
    4.2°K 7=17945
Bi, electron-hole recomb., below 20°K 7=4841
Bi, magnetoacoustic giant quantum absorption
obs. 7=17797

Bi, magnetoresistance oscillations due to electron inelastic scatt. by optical phonons 7=7934
Bi-0.1 at.% Sn valence band structure from galvano-
magnetic effects and magnetic susceptibility 7=14827
Bi, Shubnikov-de Haas effect, analysis 7=4855
Bi, and thermoelectricity mag. field var. 7=18057
Bi, tunneling obs. of band struct. 7=17798
Bi-Sb(5, 10%), carrier conc. and mobilities 7=11581
BiSb, tunneling obs. of band struct. 7=17798 Bi<sub>1-x</sub>Sb<sub>x</sub>(0 < x < 0.3), Shubnikov-de Haas obs.
 Bi:Sn, magnetoelectric obs. of electron and hole
bands 7=17796
Bi:Sn, magnetoresistance oscills. and Hall effect obs. 7=14828
Bi-Te helicon waves large quantum oscills obs. 7\!=\!17845 Bi:Te, quantum oscillations due to higher electron bands
    obs. 7=7783
Bi<sub>2</sub>Te<sub>a</sub>, inelastic carrier scattering 7=17772
C, pregraphitic, e.s.r. obs. of Pauli paramag. temp
var. 7=11694
 Ca, f.c.c., band struct. under press. calc.
CaTiO<sub>3</sub>. Pr. by thermolumines press. carc. 7=17801
CaTiO<sub>3</sub>. Pr. by thermoluminescence 7=2371
Cd<sub>4</sub>As<sub>2</sub>, magneto-optical obs., 300, 77, 4°K 7=17803
n-Cd<sub>4</sub>As<sub>2</sub>, Shubnikov-de Haas effect obs. 7=17946
Cd<sub>4</sub>Hg<sub>1</sub>. Te epitaxial films on BaF<sub>2</sub>, spectral obs. 7=2285
 CdO films at high electron degeneracy, props. 7=11755
 CdS band structure, OPW and pseudopotential
calc. 7=17804
CdS, edge emission, new acceptor at 152 meV
above VB 7=18292
 CdS electron-phonon interaction in strong elec. fields theory 7=17757
 theory 7=17757 CdS, and Hall mobility anisotropy and field var.
     theory 7=14794
 CdS holes, nonequilibrium lifetime and mobility 7=15075
 CdS, irradiation effects of \gamma and fast n on majority carrier
     mobility and recombination 7=2027
 CdS, rel. to laser induced photoconductivity obs. 7=15068
 CdS, n-type, cond. electron scatt mechanisms anal. 7=4842 CdS, in nonlinear theory of current saturation 7=14945
 CdS photoelectrons Hall mobility in high field, temp. var.
     obs. 7=18068
 CdS, Rayleigh waves interaction with conduction
      electrons 7=4771
 CdS, space-charge-limited current, and effect of
     light 7=8050
 CdS, supersonic electron-microwave interaction 7=15076
 CdS, temperature var. of carrier conc. and mobility 7 = 7973 CdS, traps pulse obs. 7 = 7763
 CdS-CdTe crysts., energy struct. 7=2288
 CdS:I bands gap uniaxial press. var., e. s. r. g value
      obs. 7=11388
 p-CdSb, magnetoelectric effects obs. 7=17951
 n-CdSnAs<sub>2</sub> carrier conc. and mobility obs. 7=17953
CdSnAs<sub>2</sub>, rel. to magnetoelectricity, 1.3 -450°K 7=7939
 CdSnAs2, optical obs. 7=2289
 CdTe, from \( \alpha\)-particle pulse height from surface barriers obs. \( 7=17758\)
 CdTe, shallow acceptor 7=1793
 {\tt 2CdTe-CuInTe}_2 section of Cu-Cd-In-Te system, forbidden zone width 7{=}11389
 Co, densities of states, optical 7=7798
 Co, 3d-band, unoccupied part, struct. 7=14832
CoO, electronic transport phenomena 7=7799
Cr, magnetic breakdown obs.in magnetoresistance 7=7852
 Cu alloys, Cu as transition metal 7=14168
Cu, annihilation radiation, ang. correl., precision
meas. 7=11416
 Cu electron gas viscosity effect on u.s. absorption at low temps. calc. 7=14865
 Cu, interpolation scheme 7=7774
 Cu phthalocyanine films, space charge limited current and electron mobility 7=7765
  Cu, s-p and d bands interaction interpolation including
      orthogonalization 7=14815
 Cu, as transition metal 7=14168
Cu, X-ray L<sub>III</sub> spectrum obs. of 4d and 3s bands 7=14829
Cu, in X-ray scatt. factors calc. 7=14382
CuBr spin-orbit coupling errata 7=14796
CuCl spin-orbit coupling errata 7=14796
 Cu-Fe alloys, Nagaska bound state obs. CuI spin-orbit coupling errata 7=14796 Cu<sub>2</sub>O, band structure 7=14830
 Cu<sub>2</sub>O, band structure from u.v. spectra 7=18231
```

Cu<sub>2</sub>O, many-phonon capture cross-sections 7=4721

Cu<sub>2</sub>S, band gap and optical props. 7=11757  $\alpha$ -Cu-Zn (5-30 %) calc. 7=14831

Fe, ferromagnetic, band structure, self-consistent

procedure 7=4857 Fe, 3d-band, unoccupied part, struct. 7=14832 Fe-Al alloys, electronic structure rel.to spin-wave stiffness 7=2116

 $\rm Fe_3C$ , electronic exchange and Mössbauer effect 7=14180  $\rm Fe_5C_2$ , electronic exchange and Mössbauer effect 7=14180

Fe<sub>3</sub>C<sub>1-x</sub>B<sub>x</sub>, electronic exchange and Mössbauer effect 7=14180
Fe-Cr(0.75-25.1 at.%), rel. to Hall coeffs., boiling He to room temp. 7=7859

Fe-Ga alloys, electronic structure rel.to spin-wave stiffness 7=2116

Fe-Ni alloy, effective charge of ions on  $1000-1400^{\circ}\text{C}$  obs. 7=1758

Fe-Pd dilute alloy, two-band model of temp. var. of Hall effect 7 = 17876

Ga films, electron scatt., temp. depend. 7=4902 Ga, magnetic breakdown of cyclotron-resonance orbits 7=14870

Ga,r.f. size-effect line-shape 7=1781 GaAs band struct., K. p calc. 7=17806

GaAs, band structure from reflectance meas. 7=8 n-GaAs carrier lifetimes temp. var. 7=1760 GaAs, conduction band bottom struct.obs. 7=7788

n--GaAs, conduction band and e scatt.anisotropy, magnetoelec.obs. <math display="inline">7=-17808

n-GaAs conduction band edge, temp. and doping var., reflection obs. 7=3392 n-GaAs deep centres obs. 7=1759

GaAs, diffusion lengths of excess carriers, cathodo-luminescence meas. 7=17824 GaAs, electron effective mass doping var., magneto-

optical obs. 7=17807

GaAs electron velo., short pulse obs. interpretation 7=11368

GaAs, energy bands for imaginary k vector 7=11391

GaAs excess carriers diffusion lengths meas.by cathodoluminescence voltage var. 7=17753 GaAs, impurity levels of Ag and Au, 77°-770°K 7=1782

GaAs, luminous emission near i.r., current oscillation due to electron-phonon coupling 7=2381

GaAs, Mn acceptors, photoexcitation and photo-ionization 7=17760 n-GaAs, negative differential mobility obs. 7=14798

n-GaAs with shallow donors electron conc. in cond.

n-GaAs with shallow donors electrons band calc. 7=11506
GaAs, transport of electrons rel. to travelling domains of high elec. field 7=17955
GaAs: Cu, acceptor energy levels 7=11862

GaAs<sub>1-x</sub>P<sub>x</sub> alloys, band structure from reflectance meas. 7=8393 GaAs:Se, free electron density 7=7787

p-GaAs: Zn donor-acceptor transitions in cathodoluminescence 7=18297
GaP band struct., K. p calc. 7=17806
GaP, band structure from reflectance meas. 7=8393

GaP, interband piezoabsorption, 80°K, 0-50 kg/mm<sup>2</sup> 7=18232

GaP, mixed scatt. calc. of electron mobility 7=17755 GaP, n-type epitaxial, carrier scatt. mechanisms 7=4844 GaP:N, isoelectronic traps 7=2389

GaS band structure tight binding calc. GaSb, conduction band meas. 7=7789

GaSb, n-type, effect of pressure on band structure 7=5125
GaSb, n-type, effect of pressure on band structure 7=5125
GaSb, S doped, donor level ass. with (100) conduction band 7=7790

GaSb, valence-conduction band transitions obs.by i.r. electroreflectance 7=2310

GaSe hand structure tight binding calc. 7=17809 GaSe, magneto-optical obs. 7=18234 GaSe, obs.from Hall effect and elec.cond. 7=7945

Ge amorphous films, optical obs. 7=18238

Ge, band model with small empirical correction 7=17800 n-Ge, carrier concentration, hot 7=4858

n-Ge, carrier scatt. anisotropy, depend. on impurity conc. 7=14800

Ge, carrier interaction induced optical transitions 7=18193 n-Ge deformation potentials piezobirefringence
obs. 7=8399

n-Ge electric domain movement 7=14955

Ge, electron-irradiated, photoconductivity obs. 7=2036 Ge electron momentum distribution by positron annihilation 7=4874

Ge electron scattering, anisotropy 7=17761 Ge electron scattering by dislocations 7=17762 Ge, excess light hole population 7=1938

Crystal electron states-contd

n-Ge, heavily doped, forbidden band with temp. var. 7=17810

Ge, helicon wave propag., meas. in n-type  $\,$  7=11413 n-Ge in high elec.fields, 78 , 290  $^{\circ}K$  7=7947

Ge hot carrier transport, path variable calc. at 77°K 7=17748

and domain movement 7=17965 p-Ge hot electrons Monte-Carlo calc. 7=17764 Ge magneto-piezo-reflection interband transitions obs. 7=18246

Ge hot electron recombination prod. of elec. instability

Ge monority carrier lifetime, non-ohmic contact and electron beam obs. 7=7761

Ge, optical absorption due to free holes, theory rel. to obs. 7=8398

Ge, pressure dependence of pseudopotential form factors 7=17811
n-Ge, recombination of electrons and donors at liquid He temp. calc. 7=14801
Ge, recombination kinetics from photocond. decay 7=7808

n-Ge, relaxation of hot electrons in elec. fields 7=17763

Ge, scattering of electrons by neutralised acceptors obs. from cyclotron resonance 7=17774
Ge, singly-charged donor impurity centres 7=7552

Ge(111) surface, light and heavy holes transport props. 7=4845

n-Ge, thermal phonon transport 7=11369 Ge, two-centre acceptor states, theory 7=14833-5

n-Ge, two-centre, and corrections to hopping

cond. 7=11377

Ge, ultrasonic attenuation by neutral donors, theory 7=1461 Ge, valence band structure, from optical absorption 7=14836

Ge, valence-conduction band transitions obs.by i.r. electroreflectance 7=2310 Ge:Au instability effects during carrier injection 7=7948

Ge:Li compensated, mobilities of electrons and holes at 77°K 7=14799

GeTe carrier scatt, mechanisms and mobilities 7=1761

GeTe, superconducting energy gap obs. 7=1875 GeTe, tunnelling obs. of band struct. 7=17798

Ge Zn acceptors, symmetry obs. from spectrum stress var. 7=17816 Hg, augmented-plane-wave relativistic calc. 7=7791

HgS, red, forbidden zone width temp. var., spectral

obs. 7=8405
n-HgTe, band structure from Shubnikov-de Haas
effect 7=11392
HgTe, effective mass, millimeter microwave
determination 7=7792

HgTe helicon waves obs.at room temp. 7=17848 n-HgTe, magnetoelectric obs. at low temps. 7=17971

HgTe-CdTe, band structure deformation pressure var. obs. 7=4859 (HgTe) $_{1^-x}$ -(CdTe) $_x$  (0  $\leq$  x  $\leq$  0.3) band struct. obs. 7=7793

HoSb, HoTe, positron annihilation 7=17860 In, concentration of cond. electrons and collision freq., optical obs. 7=11775

In cylinder, standing-wave helicon resonance 7=4888 In, internal fields of m = ±1 helicons 7=14867 InAs, Cd acceptor level, energy position 7=14838 n-InAs conduction band edge, temp. and doping var., reflection obs. 7=8392

InAs, effective masses and conduction band g-factor from magnetoabsorption obs. 7=17812

InAs epitaxial on GaAs, electron mobilities 7=17765

n-InAs, helicon propagation in quantum region, 35 Gc/s, 4.2 K 7=17847 n-InAs, inelastic electron-optical phonon scatt. rel. to magnetoresistance oscills. obs. 7=17977

in As, n-type, carrier lifetime of photoconductivity 7=11370  $In_2O_3$ , electron energy band structure 7=14837

InP band struct., K p calc. 7=17806 InP doped with Cu 7=15082 InP, mobility of electrons at low temp. 7=17973 InP, Raman scatt. by carriers in Landau levels

calc. 7=8359
InSb, conduction-band g-factor anisotropy 7=1783

Insb, conduction band g-factor energy var. from magneto-absorption obs. 7=17812 Insb, deep-lying levels 7=11393 p-Insb defects, rel. to photoconductivity and photo-Hall effect, 5-120°K 7=2038

InSb, effective mass of holes 7=1784

n-InSb, electron-hole pair generation rate, 27°, 77°, 145°K 7=17768
InSb electron scatt., mixed mechanism 7=17769
InSb, Ge and Au impurities, lifetime of excess charge carriers 7=14802

n-InSb, helicon propagation in quantum region, 35 Gc/s, 4.2 K 7=17847 InSb helicon waves obs. at room temp. 7=17848

InSb hole capture cross-section, temp. depend. 7=17770

```
Crystal electron states-contd
```

n-InSb, inelastic electron-optical phonon scatt, rel. to

magnetoresistance oscills.obs. 7=17977
InSb, ionization energies of Ag and Cu impurities 7=11371
InSb Landau levels computer calc. 7=7795

n-InSb, localized spin interpretation of elec. props., 4.2°-0.1°K 7=14963

n-InSb localized spins rel. to transport props. at liquid He temps. 7=17979

InSb. Lorentz field effects on carrier density obs. 7=17766 InSb magneto-piezo-reflection interband transitions

obs. 7=18246

InSb minority carriers transport coeffs. obs. 7=11373 p-InSb, mobility of electrons and light holes mass obs. 7=1763

InSb, optical obs. 7=1785 n-InSb, plasmon excitation in spin-flip rel. to nuclear mag. relaxation rate peak 7=18182

InSb, Raman scatt. by carriers in Landau levels calc. 7=8359 p-InSb recombination processes in p-type

material 7=17767
n-InSb, scattering of electrons meas. from magnetoresistance in low fields 7=14795

InSb scattering mechanisms at low temperatures 7=1762 InSb, and superconducting transition temp. var. with quenching press, and temp. 7=7902

InSb, thermal acceptor production 7=11372 InSb, valence band, spin-degeneracy splitting

meas. 7=4860

InSb valence bands deformation potentials from recombination radiation obs. 7=18300 InSb, valence-conduction band transitions obs. by i.r. electroreflectance 7=2310

(InSb), (InTe),, effective mass of electrons obs. 7=11394 K, electron-ion pseudopotentials 7=1778

K, rel. to lattice mechanics and electrical props.

K, resistivity in a pseudopotential scheme 7=17813 7=17814

KBr, electronic structure of  $\rm U_2$ -centre 7=11203 KCl, electronic structure of  $\rm U_2$ -centre 7=11203

KCl, rel. to energy distrib. of scatt. electrons 7=18039
KCl, self-consistent augmented plane wave calc. 7=14839
KF, from u. v. props. 7=8410
KI, energy band calc. by relativistic Green's function 7=11395

KI holes, thermal motion 7=1764 KI:TI, energy storage and luminesc. 7=2385 KMgCl<sub>3</sub>, Ni(II)-doped 7=8429 KTaO<sub>3</sub>-band struct. 7=14826 KTaO<sub>3</sub>-KNbO<sub>3</sub> mixture band struct. 7=14826

La, energy gap, electron-tunnelling meas. 7=4862 Li, tight-binding calc. of band struct. 7=7796 Mb<sub>0.8</sub>Nb<sub>0.2</sub>Fe(0.2-2.3%), scattering, magnetoresistance and resistivity obs. 7=1835

 ${
m Mg_2Si}$ , energy band distrib. 7=8419  ${
m Mg_2Sn}$ , energy band distrib. 7=8419  ${
m Mn(II)}$  salts, energy levels 7=8420

Mo, density of states, new calc. 7=11127  $\beta$ -Mo<sub>2</sub>C, ionization of C atom 7=7434

N-InSb, electron-phonon interaction at low temp. 7=17771 Na cylinder, standing-wave helicon resonance 7=4888 Na, electron-ion pseudopotentials 7=1778

Na helicon standing wave dispersion non-local effect obs. 7=17850 Na, rel. to lattice mechanics and electrical props. 7=17814

NaCl, on  $\beta$ -irradiation, accumulation rel. to radio-luminescence 7=11874

NaCl, rel. to energy distrib. of scatt. electrons 7=18039 NaCl:Ag in luminescence decay on X-irradiation at 40 kV 7=8487

NaCl, Urbach tails and reflection spectra 7=15342
NaI band structure 7=4865
NaI(TI), deep capture levels, effect on X-ray
luminescence 7=11876

Na\_WO<sub>3</sub> conduction band, W<sup>183</sup> n. m. r. transients obs., 1-4 K 7=7797

Nb, density of states, new calc. 7=11127 Nb, singularity in density at Fermi energy, tunneling obs. 7=4875

 $Nb_2O_5$  impurity band obs. in diodes 7=8519 Ni, densities of states, optical 7=7798

Ni, ferromagnetic, and magneto-optics and optics in i.r.calc. 7=5269
Ni, interpolation scheme 7=7774

Ni-V, electronic structure 7=1787 NiO, electronic transport phenomena 7=7799

Ni2+ in hexagonal RbNiF3, transitions 7=14840 Ni2+ in Sr<sub>2</sub>(NiW)O<sub>6</sub>, from optical and e.s.r. data 7=5183

Np3\* energy levels in LaBr<sub>3</sub> 7=11782
Pb, concentration of cond. electrons temp. var., optical and X-ray obs. 7=11354

Pb, electron-ion pseudopotentials 7=1778

Pb salts, energy band parameters, theoretical 7=4866

Crystal electron states-contd

Pb-Bi(5 at.%) superconducting films, density near upper critical fields obs. 7=4959

PbO, optical absortion obs. of energy gaps 7=15345 PbS, band structure from elec. and optical meas. 7=11397

PbS films, mean free path meas. 7=7956 PbSe, band gap temp. depend. meas. 7=4867

PbSe films carrier mobility rel. to growth conditions 7=1765

PbSe films, mean free path meas. 7=7956 PbTe, conduction band, nonparabolicity 7=4869 PbTe, energy band structure 7=17815

PbTe films carrier mobility rel. to growth conditions 7=1765

n-PbTe, helicon-phonon interaction calc. 7=17840

PbTe, inelastic carrier scattering 7=17772 PbTe layered structure helicon-drift current interaction obs. 7=14868

PbTe, n-type, transverse effective meas.rel.to carrier concn. 7=4891

PbTe, nonparabolicity of valence band 7=11398 PbTe, two-valence band model 7=11396

PbTe, valence band structure 7=4868 Pd, densities of states, optical 7=7798

Pd two-band model of temp. var. of Hall effect 7=17876

Sb, density of states and specific heat 7=11399 Sb, phonon-electron scatt, in thermal cond. down to 0.4°K 7=4660

Sb, rel. to ultrasound absorption 7=14451

SbSI, band structure rel. to double chain structure 7=11400 Se, amorphous, thermal dissociation and tunnel effect currents obs. 7=1948

Se carriers in vitreous state, impurity effects obs. 7=1766 Se, determination and effect of O2 content 7=4872

Si, band model with small empirical correction 7=17800

Si, carrier lifetime meas. device,phase method 7=17776 Si, carrier lifetime meas., high-resistivity samples 7=4 Si, defect electron mobility, temp. dependence 7=1767

Si deformation potentials piezobirefringence obs. 7=8399

Si, density effects on photoelectric emission energy distribution calc. 7=18084

Si, electron-hole pair creation energy, 6-77°K 7=4847

Si, electron-hole pair prod. on irradiation rel. to plasmons 7=17842

plasmons 7=17842

Si electron momentum distribution by positron annihilation 7=4874

Sl, electron scattering on acoustical phonons, anisotropy 7=14804

Sl, ENDOR of ionized impurity-pairs at 4.2 and 1.3°K 7=15280

Sl, energy band structure from ultrasoft X-ray spectra 7=11401

Si epitaxial film hole conc. obs. from Si-SiO<sub>2</sub> MOS capacitor voltage var. 7=17982

Si epitaxial films, carrier conc., 77 -450°K 7=7960

Si group III acceptors symmetry obs. from spectra stress var. 7=17816

Si holes photoemission into SiO<sub>2</sub> obs. 7=8076

Si holes photoemission into  ${\rm SiO_2}$  obs. 7=8076 Si, ionized impurity-pairs 7=14842

Si, ionized impurity pairs relaxation temp. var. calc. 7=14803

n-Si, lifetime and epitaxial film resistivity, electron irradiated 7=7963

Si minority carrier lifetime, n and γ effects obs. 7=1527 n-Si, minority carriers lifetime, effect of transition metal impurities 7=14807

Si, oscillations in current due to deep levels, localized nature obs. 7=1952

Si, P doped mobility and e.s.r. linewidth 7=14808

St, p-m-n diodes, recombination of excess carriers 7=17773
Si, pressure dependence of pseudopotential form factors 7=17811
Si, recombination at A-centres and P atoms 7=14806

Si, recombination at Cu-O complexes 7=14805 Si, recombination of electrons and donors at liquid He temp. calc. 7=14801

Si, scattering of electrons by neutralised acceptors obstrom cyclotron resonance 7=17774
Si, shallow donor, screened impurity potential 7=4873

Si, shallow P, As and Sb donor levels chemical shifts

calc. 7=17817 Si, singly-charged donor impurity centres 7=7552 n-Si, thermal phonon transport 7=11369

Si, two-centre acceptor states, theory 7=14833-5 n-Si, two-centre, and corrections to hopping cond. 7=11377

Si:Au, lifetime of excess carriers obs. 7=4846 Si:B, hole capture and scatt, electric fields effect 7=5006

p-Si:Bi, y-ray prod. obs. 7=7964 SiC, cubic, high electron mobility, and selection rules 7=11376

SiC, mobility of electrons limitations by scatt, in polytypes 7=17777

```
Crystal electron states-contd
```

SIC, mobility of electrons in polytypes obs. 7=17778 SiC, optical charge transfer, e.p. r. study 7=15086 SiO<sub>2</sub>, charge distribution on thermal growth obs. 7=1 SiO<sub>2</sub>, energy band structure from ultrasoft X-ray spectra 7=11401

SiO<sub>2</sub> film MOS structures 7=1345

Si:P, scattering of spin polarized electrons from spin

polarized impurities obs. 7=17775
Si S donors i.r. absorption stress var. obs. 7=18264
n-Si-SiO<sub>2</sub> interface, photoelectron emission
obs. 7=8077

Si<sub>2</sub>Te<sub>3</sub>, band gap 7=5010 Sn, band model with small empirical correction 7=17800 Sn coupled orbits rel. to magnetoresistance quantum oscills.obs. 7=7867

SnTe films prep., controlled carrier conc. 7=1271 SnTe, forbidden energy band 7=14843

SnTe, tunnelling obs. of band struct, 7=17798 p-SnTe nonellipsoidal nonparabolic band model calc. of Hall coeff. 7=7927

 $\rm Sr, f.c.c., band\ struct.under\ press.\,calc.\ 7=17801$   $\rm SrTiO_3$  conduction band obs. 7=17819

SrTiO<sub>3</sub>, photoelectric emission obs. 7=18085

Ta, singularity in density at Fermi energy, tunneling obs. 7=4875

β-Ta<sub>2</sub>O<sub>5</sub>, sputtered films, trapping 7=14844

Tb-Eu energy transfer 7=8497 Te, band structure from reflectivity meas. 7=5277 Te, scattering by ionized impurities, anisotropy at 4.2°K calc. 7=7766

Te, valence band surfaces of const. energy, Shubnikov—de Haas obs. 7=17820

Th, electronic structure from angular correlation of annihilation radiation 7=17861

TiC, rel. to elastic props. at 4, 2°-298°K 7=1744

TiO<sub>2</sub>, conductivity mechanism 7=14809

TiO2, effective mass 7=4876

TiO<sub>2</sub> film MOS structures 7=1345

TiO<sub>2</sub>, Li-doped, electron mobility and donor centres 7=4849 TiO<sub>6,85-1,207</sub> rel. to X-ray K spectra obs. 7=17323 Tl<sub>2</sub>Se. As<sub>2</sub>Te<sub>3</sub>, fluctuation levels, photoconductivity data 7=15087

U, electronic structure from angular correlation of annihilation radiation 7=17861 UC, rel. to elastic props. at 4.2°-298°K 7=1744

VO<sub>0.8-1.2</sub>, semiconductivity and mag.,temp.var. obs. 7=14972 V<sub>3</sub>Si, energy gap rel. to supercond. 7=7917

 $v_3$ -si type crysts., stability, low temp. 7=7221 ZnGeAs $_2$ , carrier scatt. and hole effective mass 7=17990 ZnO, effective electron mass, Faraday rotation

obs. 7=17822

ZnO:In free electrons optical props. obs. 7=8449 ZnS band struct., cubic and hexagonal, APW calc. 7=7803 ZnS, hexagonal, band structure 7=1792

ZnS, magneto-optical obs. of electron bands and effective masses 7=15357

ZnS-CdS, spectral obs. of composition var. 7=18279
ZnS(Cu, Cl), electron trapping rel. to i. r. induced light stimulation and e. p. r. 7=11378
ZnTe, shallow acceptor 7=1793
ZnTe:Al recombination processes 7=7768

ZnTe:Cr', photoconductivity and photo-induced e.s.r. rel. to energy levels 7=15220
Zr, density of states, new calc. 7=11127
ZrC, rel. to elastic props. at 4.2°-298°K 7=1744

alkali halides, electron energy loss data 7=7630 alkali halides, luminesc. of bound excitons 7=11869 alkali halides, luminescence 7=5287

anthracene, diffusion of excitons 7=1806 anthracene, rel. to excited singlet states and two-quantum absorption 7=15358

anthracene, exciton mechanism of luminescence quenching 7=15404

anthracene, false interpretation of spectrum 7-15359 anthracene, and photocarriers bulk generation by two-photon absorption 7-15088

anthracene, tetracene-doped, mean diffusion path 7=4881

bound-exciton optical spectra appl. to radiation damage 7-11150
diamond, N9 centre recombination radiation obs. 7-18287
dipole-dipole interaction, retarded, Frenkel lattice sum 7=1801

energy transport mechanism 7=17826 free, interaction with phonons, luminescence 7=5284 free motion and interactions with phonons 7=4883 Frenkel, theory for  $\mathrm{Cu_2O}$ -type crystals 7=7816i. r. absorption due to photoionization and intraband lattice scatt. 7=8350 imperfections and ions 7=14821

inert gas solids 7=1800

linear organic crysts., excitation energies 7=11621 metals, existence 7=17827

Crystal electron states-contd excitons-contd

molecular crystals, two-exciton optical absorption calc. 7=8355

molecular crystals, vibronic coupling 7=7813 motion of vibr. coupled exciton wave packet in one-dimens. cryst. 7=14852

naphthalene, diffusion of excitons 7=1806

organic crystals, energy transfer and band structure 7=11405

paradibromobenzene, structure of S-T transitions 7=1803 polypeptides (3 config.), theory of far u.v. spectrum 7=11826

positronium in ionic crystals as two quasi-particles bound in Coulomb field 7-17859 pseudopotential theory 7-1799 resonant Raman scattering 7-15301

semiconductors, anisotropic, coexistence of exciton and Landau levels 7=15290 semiconductors, bound to ionization impurities,

quantum theory 7=14854 semiconductors, degenerate, rel. to optical absorption calc. 7=15298

semiconductors, extremely anisotropic, bound and unbound, optical transitions 7=11735

semiconductors, role of excitons in recombination 7=14853 superconductors, rel. to number-phase fluctuations for two bands 7=7880

surface excitons, in molecular crystals 7=14855 tetracene, exciton diffusion length 7=2047 transition metal, superconductors, rel. to number-phase fluctuations for two bands 7=7880

triplet interaction and line-shape function 7=1802 Vanier-Mott, localised near charged centre 7=17828

Ag<sub>2</sub>O, spin-orbit splitting obs. in spectral absorption 7=17829
Ar, electron energy loss obs. 7=7814

CdI,, spectral reflectivity, 2.5-10 eV, 300°, 77°K 7=17830 CdS, exciton region electroabsorption meas. 7=8381

CdS, free motion and interactions with phonons 7=4883 CdS, interaction with phonons, theory 7=4882

in CdS lasing under electron bombardment 7=9525 CdSe, hot 7=7815

CdTe, absorption and diffusion from surface 7=11406 CuCl, annihilation, decay times of emission 7=11856 Cu<sub>2</sub>O crystals, absorption lines shape 7=2297

Cu2O, Frenkel, theory 7=7816

Cu<sub>2</sub>O, spectrum to 200 kG 7=18230

Cu2O, wavefunctions of Frenkel excitons 7=1804

Cu<sub>2</sub>O:Ag spectrum, 77°K 7=11760

GaAs:Cu, bound states, rel. to optical props. 7=17832 GaP, Auger recomb., bound to neutral donors, meas. 7=7817

GaP, bound to neutral donors, two-electron transitions in luminescence 7=11865
GaP, luminescence decay of excitons bound to isoelectronic traps obs. 7=18294

GaSe, magneto-optical obs. 7=18233
GaSe, magneto-optical obs. 7=18234
GaSe polytypes, rel. to interlayer interaction and space extension 7=17833

Ge, optical spectrum, effect of strain 7=14856 He, interaction energy by perturbation method

calc. 7=1805 Hgl<sub>2</sub>, annihilation, decay times of emission 7=11856 KBr, absorption peak, elec. field effect 7=5263 KBr, piezooptical experiments 7=7818

KCl, in Cl X-ray L<sub>2,3</sub> absorption spectrum obs. 7=15320 KI, decay processes, quenching after u.v. irrad. 7=8481 KI, and luminescence with u.v. excitation, a.c. electric field modulation obs. < 100 % 7=15390 KI, piezooptical experiments 7=7818

NaCl, in Cl X-ray  $\rm L_2$ , absorption spectrum obs. 7=15320 NaI, and  $\rm V_{\rm K}$  centres 7=14629 PbI<sub>2</sub>, annihilation, decay times of emission 7=11856

For  $_2$ , animination, decay times of emission 7=11856 PbL<sub>2</sub>, spectral reflectivity, 2.5-10 eV, 300°, 77°K 7=17830 RbI, and  $V_{\rm K}$  centres 7=14629 Si, Auger recomb., bound to neutral donors, meas. 7=7817

Si, molecule, expt. obs. 7=1807 SnO<sub>2</sub>, optical absorption spectrum 7=2345 ZnO:alkali metals, sharp lines from exciton complexes  $\sim$  1  $^{\circ}\mathrm{K}$  7=18280

ZnS, spectral obs. 7=15357 ZnS-CdS, spectral obs. 7=18279

ZnTe:O, luminescence decay of excitons bound to isoelectronic traps obs. 7=18294

Fermi level

graphite, borinated, rel. to specific heat at low temps. 7=7785 metals, nearly free electron, size effect, disproof 7=1773

methyl iodide, Fermi resonance 7=4863

p-n junction, high injection theories 7=18005 p-n junction, high injection theories 7=18006

semiconductor, degenerate, impurity band states Monte Carlo calc. 7=17792

Fermi level-contd

rel. to superconductivity 7=11449

II-VI cpds., acceptor action of alkali metals 7=4854

n-GaSb, rel. to magnetoelec. at 4.2°K 7=17961 InSb  $\gamma$ -irradiated at 77°K 7=7555 Pd, spin fluctuations, effective-mass corrections 7=1789 Sb, quantum oscillations obs. 7=7800

Fermi surface

β-brass type ordered alloys, and de Haas-van Alphen effect 7=17805

electrical resistivity and Fermi surface topology 7=11431 graphite, borinated, density rel. to specific heat at low temps. 7=7785

metals, cubic polyvalent, periodic lattice potential effects

necks near saddle pts., and spiral spin density stability 7=8106 review 7=17787

shape effect on Frölich's quasi-superconductive transition 7=17882 step rel. to e<sup>-</sup> + e<sup>+</sup> interaction obs. 7=1768

two-singular points due to s-d interaction 7=11357 Al, third zone press. var. to 7 kbar 7=7782 Al, from u.s. magnetoacoustic attenuation 7=4642

As, cyclotron resonance obs. at 1.4°K 7=17853
As, de Haas-van Alphen obs. 7=17795
As, de Haas-van Alphen obs., doping effects 7=17794
Au-Mn, long period stacking order, closed packed struct. 7=14824

Bi, magnetoacoustic geometric resonance obs., high ql 7=1779 Bi, nonelliptical parameters, from magnetoacoustic

atten. 7=4635

Bi-Se alloys, de Haas-van Alphen effect, rel. to Fermi surface 7=18089

Bi-Te alloys, de Haas-van Alphen effect, rel. to Fermi surface 7=18089

Bi-Zn alloys, de Haas-van Alphen effect, rel. to Fermi surface 7=18089

Cd, change of topology under pressure 7=11431 Cd, r.f. study 7=17802

Cu, from de Haas-van Alphen data 7=4856

Cu, rom de Haas-van Alphen data '7=4856 Cu, rel. to magnetoacoustic u. s. polarization rotation and absorption at 4.2°K 7=11115 Cu, X-ray L<sub>111</sub> spectrum obs. 7=14829 Cu<sub>88,4</sub>Al<sub>10:8</sub>, e\* annihilation obs. 7=14871 Fe<sub>2</sub>B(2-10%Mn) with interstitials, conduction electron polarization search 7=11390

FeCo(3% V) with interstitials, conduction electron polarization search 7=11390

Hg, from magnetoresistance obs., periodic orbits 7=17873 In, curvature from r.f. size effect 7=7794

In, effect of Cd on topology and supercond. transition temp. 7=11467
In, velocity of electrons and total area obs. 7=11775

InSb, p-type, like Ge p-type, data 7=7952 K, from r.f. size effect 7=4861

Na, de Haas-van Alphen effect 7=4864 Ni, de Haas-van Alphen obs. 7=1786 Ni, interpolation scheme 7=7774 Pb, press. var. obs. 7=14841

Re, and band structure, calc. 7=4870

Re, de Haas-van Alphen effect 7=1788 Rh, de Haas-van Alphen effect 7=4871 Ru, de Haas-van Alphen obs. 7=1790 Sh from u.s. magnatasawatia

Sb, from u.s. magnetoacoustic attenuation 7=4642

Sn, rel. to elec. and Hall cond. asymptotes 7=17879 Sn, from u.s. magnetoacoustic attenuation 7=4642

Sn, white, from de Haas-van Alphen effect 7=1791

p-SnTe, from Shubnikov-de Haas oscills., 4.2°, 1.3°K 7=17987

Sr, cellular calc. in f.c.c. state 7=17818 Tl, magnetoacoustic effect 7=14845

Zn de Haas-van Alphen oscillations, low-frequency, pressure dependence 7=4877

Alfvén wave velocity, across mag. field, effects of thermal motion of carriers 7=4887 collective excitations in photoelectric and secondary electron emission 7=8078

electron-hole pinch, instability in longit mag. fields 7=17838

electron scatt. excitation of losses 7=1818

electron, shielding of impurity charge, magnetic field effect calcs. 7=17844

ferrites, waves interaction with spin waves rel. to electron

gyrofreq. 7=18136 Gunn effect two-valley model calc. helicon wave instabilities 7=14859

hydromagnetic gradient wave 7=997 instabilities, review of post 1964 work 7=17835

interaction with charged-particle beam 7=14631 interaction with secondary electrons theory 7=2069 magneto-optical meas. 7=18203

Crystal electron states-contd

plasma-contd

magneto-plasma waves interaction in two-component plasma, theory 7=7825

metal particles, fine, resonance absorption theory 7=5228 metals, and antiferromagnetic resonance theory 7=11686 motion in non-resonant h.f. and mag. fields, rel. to

cluster trapping 7=3031 phonon-electron system, weakly interacting, linear response theory rel. to Boltzmann eqn. 7=14782

plasmons nonlinear interaction in hydrodynamic approx. 7=17843

semiconductor, instab. in crossed elec. and mag. fields 7=11411

semiconductor, low-mobility, wavelength rel. to carrier constant 7=11764

semiconductor, reflection in i.r. for surface conc. meas. 7=14847

semiconductors added carriers ambipolar diffusion and drift in mag. field tensors 7=17751

semiconductors, instability due to nonlinear cond. 7=17837 semiconductors, pinch effect, theory 7=14862

semiconductors, polar, coupling of magneto-plasma waves with optical phonons possibility 7=17841

semiconductors, resonance by reflection coeff.

variation 7=1810 superconducting barriers resonance 7=4917 Ag, radiation excited by photons 7=1811 Ag, reson. radiation excited by light 7=14864

Al, loss damping obs. by electron scatt. 7=4892 Al, surface plasmons, photon excitation 7=11412

Bi, cyclotron damping of magneto-plasma waves obs. 7=17854

Bi, damped Alfvén wave transmission at 4.2°K 7=7826 Bi magnetoplasma waves carrier insensitive mode

cyclotron damping obs. 7=7827

Co, X-ray K-absorption spectrum obs. 7=11756 GaAs, electron conc. rel. to reflection edge 7=14866 GaAs films, resonances obs. from i.r. transmission in mag. field 7=17846

GaAs, Gunn effect, stable domain propag. 7=4990 Ge:Au, instability due to nonlinear cond obs. 7=17837 Ge diode, p-i-n, instabilities obs. 7=14999

Ge, electron absorption, normal and abnormal 7=7832 Ge, n-type, magnetoplasma reson. 7=1813

InAs films, resonances obs. from i.r. transmission in mag.field 7=17846

InSb, electron-hole, generation of coherent radiation 7=16198

InSb, electron-hole pinch, instability in longit mag. fields 7=17838

InSb films, resonances obs. from i.r. transmission in mag.field 7=17846 n-InSb, magneto-plasma resonance prod.of microwave

phase shift 7=18247

InSb, spontaneous and coherent radiation in 14000 G at 10°K 7=3176

K, light excitation, resonance-freq.emission 7=17849 K, resonance absorption 7=18251

K, resonance absorption of light meas. 7=8406 Mo, characteristic energy loss, temp. dependence 7=1819

Nb, characteristic energy loss, temp. dependence 7=1819 Si, electron absorption, normal and abnormal 7=7832 Si, n-type, magnetoplasma reson. 7=1813 Si p-n junctions, temp. of microplasma 7=7828

Si, reflection in i.r. for surface conc. meas. 7=14847Ta, characteristic energy loss, temp. dependence 7=1819 W, characteristic energy loss, temp. dependence 7=1819 polarons

in colour centres, electron-excess, many-particle model 7=14617

Feynman approximation 7=1809

ionic slab, virtual modes and optical props. 7=2257 optical vibration modes in ionic crystal slab including

retardation in radiative region 7=1445 polaritons, Raman scattering 7=1808 polaritons rel. to optics and luminescence 7=17834

scattering by acoustical phonons 7=14857 semiconductors, rate of momentum loss to polar modes 7=1920

thermoelect.props.of small polaron 7=4884 InSb, and magneto-absorption anomalies obs. 7=18245 TiO2 polaron and effective masses 7=4876

ZnO:In effective mass 7=8449

deformed one-dimensional crystal calc. 7=11403 insulators, lifetimes from pulsed space-charge-lim. current meas. 7=4878

meas. by means of MOS structures 7=1796 metal films, and elec. cond. 7=1825

metals, hydrogenic wave functions of impurities calc. 7=17396

mixed crystals, 1-D ordered, electronic states by direct MO-LCAO method 7=1795 on (100) plane of sphalerite-type crystal 7=7804

β-brass, antiphase domain boundaries, anomalous

Crystal imperfections-contd

```
Physics Abstracts 1967 - Part I (Jan.-June)
  Crystal electron states-contd
      surface-contd
         photoconductivity relax,, excitation by weakly absorbed
             light 7=15066
          relaxation effects in semicond, insulator inter-
             faces 7=11545
         semiconductor, diamond-type, symmetry props. 7=1777
         in semiconductor-insulator interface impedance
             theory 7=7979
         semiconductor, meas. of conc. by i.r. plasma
reflection 7-14847
semiconductors, contribution to level
             density 7=14848
         semiconductors, charge mobility meas. 7=1925
semiconductors, distrib. of elec. active centres from
chemisorption data 7=7806
         semiconductors excess carrier distribution on illumination
             approx. 7=17823
        semiconductors, GaAs type, rel. to surface photo-
e.m.f. 7=11589
        semiconductors, rel. to small-signal photovoltage 7=11585 II-VI compounds 7=15098
         Al-SiO<sub>2</sub>-Si structures, surface charge after annealing
        under bias 7=5016

CdS, (0001) faces, field effect and photovoltaic 7=11402

CdS, field effect obs. 7=7807
        Cu whiskers e reflection rel. to elec. cond. at 4.2°K 7=17872
         Cu<sub>2</sub>O field effect and luminesc. field effect 7=14849
        GaAs, recombination velos., cathodoluminescence
            meas. 7=17824
        meas. 7=17824
GaAs, and surface photo-e. m. f. 7=11589
Ge, cleaved surfaces 7=1941
Ge electrodes, radical prod. 7=11954
Ge, generated in oxidation 7=14850
Ge, influence of Cu ions on fast states 7=7809
        Ge, recombination velo., etching effect obs. 7=7810
        InSb, A and B {111} surface, field effect meas. 7=7811
        n-InSb mobilities, Corbino magnetoresistance obs. 7=17972 InSb, relax, at high elec. field 7=1797
        In-Sb thin films, elect. cond., surface effects 7=11592 LaF<sub>3</sub>, and dielectric polarization obs. 7=1995
        Si, bombarded and annealed in high vac. 7=7812
        Si, on clean specimens 7=4879
       Si, interface with electrolyte 7=1798
        Si, measurement of conc. by i.r. plasma reflection 7=14847
       p-Si, oscillatory magneto-conductance obs. 7=17825
Si, photoconductivity in i.r. obs. 7=2042
        Si surface-inversion layers, effect on electron
       mobility 7=7998
Si-SiO<sub>2</sub>, interface states and disorder 7=14851
        \mathrm{Si}\text{-}\mathrm{Si}\mathrm{O}_{\!2} system, charge effect of Na and H \,7\text{=}4880\,
Crystal energy. See Bonds; Crystals; Solids/structure.
Crystal fields. See Crystals/internal fields.
Crystal imperfections
            See also Colour centres.
        alkali halide dipole centres, OH^- and F_A, review of recent
            obs.
                   7=1576
       alkali halide, halide impurities, X-ray induced
luminesc. 7=15372
alkali halides, rel. to colloid centres formation 7=7532
       alkali halides, divalent cation impurities,
           thermodynamics 7=14460
       alkali halides, effective force constants between sub-
           stitutional impurity and nearest neighbours 7=1453
       alkali halides with group I impurities, luminesc. 7=11869
       alkali halides, impurities, paraelectric, model
Hamiltonian 7=5054
       alkali halides, paraelectric impurities, strong-coupling
           theory 7=4695
       alkali halides, point defect configurations prod. at low temps. by X-irrad. 7=11155
       alkali halides, vacancies and monovalent cation impurities 7=4684
       alloys, impurity valency effect on hardening,
       theory 7=11171
alloys, with long-period stacking order, direct obs. of
      period 7-1414
alloys, resistance minimum due to dilute transition
metal impurities 7-14875
       anthracene photo-oxide → anthraquinone → anthrone +
          anthraquinone, on X-irradiation or heating, defect mechanism 7=2437
       anthracene, radiation induced hole traps, characts. 7=11365
       atomic, non-equilibrium meas. of conc. 7=1553
       austenite, stacking faults at (Fe, Cr) sigma phase 7=4466
     autunite, stacking faults at (re, Cr) sigma phase autunite, random layer structure prod. by grinding 7=1623 b.c. c. metals point defects energy and migration, computer calc. 7=1538 b.c.c. metals [310] planes stacking faults and twins 7=7602
```

bimolecular recovery processes, reaction order 7=1536

Bloch wave scatt. by impurities 7=1769

```
contrast 7=4715
    calcite, irrad., P impurity centres 7=7549
    camera for X-ray diffraction contrast topography 7=1535
    rel. to chemical reactions in solid phase obs. 7=18327 cluster probabilities for lattices with two
        impurities 7=1568
   clusters, invest by long wavelength n scatt. 7=14514 collective interaction and energy transfer 7=2269
    conduction electron interaction with paramag. impurity
   through phonon field 7=4835
conference, Melbourne, 1965 7=1398
crystallization pressure, thermodynamics of repulsion of foreign bodies 7=1308
   defect cluster frequencies, one-dim. formulae 7=14411
defect clusters, due to irrad. 7=14522
defect clusters, small, conference, Harwell, 1966 7=14495
   defect models, study by elec. methods 7=4690 defects and impurities rel. to luminescence 7=11839
   deformed h.c.p., X-ray diffr. integral breadth analysis 7=7556
   diamond, synthetic, B and Al doped, semiconducting 7=4987
   diamond, synthetic, X-ray spikes and metal inclusions obs. 7=17604
   diamonds, X-ray topographic obs. 7=1525
   diffraction dynamic theory for distorted crystals 7=1401
   disinclinations geometry, rel. to dislocations 7=1629
   dynamic diffraction theory for electrons and X-rays 7=1578
   rel. to dynamics of crystal lattice 7=11103 electron diffraction from unresolvable defects 7=1530
   electron microscopy of lens cavities and plate layers,
contrast theory 7=1380
   electron microscopy, planar interfaces fringe patterns
      theory 7=1618
  entropies of formation, high-temp. harmonic approx. 7=4679 eutectic alloys, effect on superconducting properties 7=1865
  extrinsic stacking fault energies from dislocation configurations 7=17618
  ferromag. single crysts., effect on magnetisation processes 7=8201
  53W-17Mo-30Re lattice distortion, field emission and ion projector obs. 7=17475
   formation, annealing, radiation damage and effects of
      defects 7=4678
  fringes of equal deformation in X-ray topographics 7=14558
  glycocoll sulphate, linear defects decorated by particles and
  ferroelectric domain boundaries 7=11180 grain boundaries, high-angle, structure model 7=4714
  grain boundary degeneration in mats. containing an inert
  gas 7=11194
graphite platelets stacking fault widths,
170°-890°K 7=1624
  graphite, pyrolytic, atomic displacement on e-irradiation obs. 7=7535
  growth rate, macroscopic obstacle, effect of contact 7=1310 high purity, ultramicroscopy at perpendicular illumination 7=1523
  impurities, distortion of vibr. bands 7=17537
  impurities, effects on electron absorption 7=4728
  impurities, interaction by way of phonon field 7=1569
  impurities optical absorption and dispersion conc. var.
     theory 7=11737
  impurities, spin-flip scattering of conduction
     electrons 7=11356
 impurities, substitutional, effect on diffusivity of b. c. c.
     solvent 7=11138
  impurities, substitutional, motional states 7=4694
 impurity band conduction, rel. to random impurity
     distrib. 7=7838
 impurity center, photothermal ionization 7=15064 impurity complexes, effect of diffusion on Mössbauer spectra 7=10919
 impurity conc., profiles from incremental sheet resist. meas. 7=17601
 impurity density, logarithmic rel. to elec. cond. 7=4894
 impurity, paramag., electron order variation nearby 7=11381
 impurity states, strongly bound, variational approach 7=11162
impurity, substitutional, phonon scatt. in b. c. c.
model 7=14412
inclusions in flux-grown, removal by temp.
gradient 7=4526
interaction between two similar point defects, in harmonic,
cubic lattice 7=14510
interaction with X-rays, anomalous transmission 7=4689 ion bombardment, theory of "supertails" 7=7625
ionization of impurity shallow traps in ionic
crystals 7=4693
kinks, lower bounds on energy of systems obs. 7=7562
lattice distortions, X-ray source-image distortion
    meas. 7=1579
lattice plane spacing and orientation local var. meas. by
    X-ray double-crystal topography 7=7608
```

Crystal imperfections - contd

stacking faults, energy meas. 7=14602

stacking faults in f.c.c. metals 7=7596

```
SUBJECT INDEX
S 84
Crystal imperfections - contd
        localised mode energy losses in large excursions
            calc. 7=7466
        magnetic and nonmagnetic, neutron spectroscopy,
            review 7=14422
        metal point defects meas. by quenching, from elec. cond.,
            cryostat appl. 7=14509
        metals, b. c. c., double-kink model for low temp.
            deformation 7=14616
        metals, b. c. c., rel. to origin of elastic limit 7=14653
        metals, dropping of solid particles through grain
            boundaries 7=14615
        metals, f. c. c., stacking fault energy from electron microscope diffr. contrast 7=11189 metals, h. c. p., stacking fault energy rel. to basal or prismatic slip preference 7=14669
        metals, interaction energy between two defects
        calc. 7=14496
metals, irrad., recovery stages in annealing 7=1563
        metals, magnetic moments, localized, theory 7=17 metals, 'normal', stacking fault energies 7=14604
         metals, paramag. impurities, singlet states 7=5129
        metals, point multiple defect effects on elec. cond.
            calc. 7=7841
        metals, propag. of stacking faults, energy and friction
stress 7=14603
        metals, scatt, of electron by impurity with spin calc. 7=11359
metals stacking fault tetrahedra growth and annealing 7=1620
         metals, techniques for meas, of defects intermed, between
             clusters and points 7=14513
         molecular solid free radicals 7=929
        noble metals, clusters due to irrad. and separation of vacancies from interstitials 7=14522
        off-centre impurity, elec. field effect in tunnelling approx. 7=14550
         one-dimensional lattice with impurities electron states 7=14814
         organic impurities effects on inorganic crystals, review 7=1311
         orientationally disordered crysts., translational vibr. 7=15330-31
        phonons in perfect and imperfect lattices, conference,
Aberdeen, 1965 7=14403
point defect clustering, kinetics, approx. soln. 7=14511
point defect clusters, energy calcs., review 7=14512
point defect-dislocation interactions, entropy
effects 7=1531
         point defects vibr. in lattices 7=14421 point, electronic states and spectra 7=14821
         point, interaction with dislocation dipoles, theory 7=1590 point, rel. to interaction of electrons with lattice
             vibr. 7=14784
          point, scattering of excitation, t matrix and phase
              shifts 7=17320
         polystyrene, isotactic, lattice distortion to X-ray line
broadening obs. 7=1396
quartz, due to n irrad., point defect clusters 7=14507
         quartz, Fe ions causing green and brown colours in
synthetic crystals 7=1642
         quartz, neutron irradiated, rel. to impurities
             obs. 7=1545
          radiation damage, bound-exciton optical spectra 7=11150
         and rare earth ions e.s.r. disymmetry prod. 7=11705 ruby, disk-grown for lasers, precipitates 7=17625 rutile, O-deficient, electron diffraction microscope obs.
              of foils 7=1529
          semiconductor impurity states, distrib. function 7=1771
          semiconductor impurity states with narrow forbidden
band, theory 7=7780
semiconductor shallow impurity centres e,s.r. 7=18157
          semiconductors, band shift rel. to impurity electrostatic
              fields 7=1772
          semiconductors, charge effects on mobility, Hall effect
         and magnetoresistance, theory 7=1922
semiconductors, electron mirror microscope for
meas. 7=1385
           semiconductors, thermodynamic limits for
               impurities 7=17342
          small defects, strain contrast images, optimum
              conditions 7=14497
          solid solns., double-kink model for low temp.
              deformation 7=14616
          solids, effect of surface voids on vel. of u.s. 7=14432
          stacking fault closest packed spheres model for f.c.c. -
              h.c.p. transformation 7=4454
          stacking-fault dipoles in f.c.c. metals 7=7597
          stacking fault energy X-ray diffr. meas. 7=17620
```

stacking fault nucleation, epitaxial films 7=17619 stacking fault precipitation, controlling conditions 7=10938

stacking fault propag. in work-hardened f.c.c. metals 7=7598

stacking faults bound states theory 7=1621

```
stacking faults, fine struct. of electron diffr.
   spots 7=11026
stacking faults, fine structure of electron diffr.
   spots 7=11025
stainless steel, loops or voids rel. to irrad.
temp. 7=14557
static, estimate of phonon scatt. 7=4611
steel, α-carbon, anisotropy of displaced atoms, n-irradiated 7=7537
steel, high-manganese, rel. to cleavage fracture 7=7707
steel, stainless, fatigued, stacking fault tetrahedra
meas. 7=17623
steel, stainless, stacking faults and thin twins,
   distinction 7=7600
structure, X-ray topography, Kossel-line scanning 7=11163
substitutional defects resonant modes theory discrepancy
   with neutron scatt. obs. 7=14414
substitutional impurity, dynamical motion within
   harmonic approximations 7=7554
surface, rel. to atomic beam specular reflection conditions rel. to defects 7=7255
theoretical model of defect production in electron-
irradiated diamond-type crystals 7=1544 topaz, e.s.r. of Fe3+ and defect centres 6=18168
transition metal chalcogenides order and
disorder 7=1437
trapping of point defects by dislocations, irradiation
   meas. 7=1533
II-VI compounds point imperfections obs. by e.s.r. 7=1534
II-VI cpds., acceptor action of alkali metals 7=4854 vibrations, spectral theory with difference eqns. 7=11097
voids in structure of identical spheres 7=7605
wurtzite, stacking faults geometry in growth 7=14614
Ag, effect of impurities on grain boundary sliding during creep 7=7672
Ag halides, interaction obs. 7=1564
Ag halides, ionic surface space charge 7=1524
Ag, stacking fault energy from electron microscope diffr.
   contrast 7=11189
Ag, stacking fault energy X-ray diffr. meas. 7=17620 Ag of various purities, stacking fault energy 7=7599
AgCl minority atomic defects obs. 7=1553
 Ag-In, stacking-fault energy rel. to composition 7=4710
Ag-In stacking fault energy X-ray diffrmeas. 7=17620
Ag-Mn alloys, stacking faults, X-ray determ. 7=11190
 Ag-Sb(2, 4, 6 wt %), cold work stacking faults X-ray obs. 7=4711
 Ag-Sn, stacking fault energy, dislocation node
    determ. 7=14606
Al bicrystals, slip band continuity across grain
boundaries 7=11187
Al, bombarded by Xe ions, sessile and prismatic
loops 7=14498
Al, d-irradiated, radiation annealing and damage prod.
    alloying, cold work and quenching effects obs. 7=14516
Al, d-irradiated, recovery, alloying, cold work and quenching effects obs. 7=14517
Al, defects induced by rolling at low temp.,
    recovery 7=4698
Al, and electron beam effects above stage I obs. 7=7854
Al, "kink pressure" and interaction energy obs. 7=7562
 Al, misalignment of blocks, deformed, by electron micro-
    scope and X-ray diffraction 7=4713
 Al, n-irradiated, rel. to stored energy, vol. and resistivity
    change 7=1550
 Al, quenched, nucleation and growth of voids 7=11152
 Al-rich Zn, strengthening due to spherical G.P. zones 7=7685-6
 Al, secondary defects, rel. to flow stress and hardening 7=14697
 Al, trapping of point defects by dislocations, irradiation
    obs. 7=1533
 Al, vacancy cluster voids prod.on quenching 7=1630
 Al, vacancy-impurity binding energy 7=1551
 Al, voids, heterogeneous nucleation, quenched 7=17626
 Al-Ag alloy, intersection of stacking faults 7=14605
 Au, d-irradiated, radiation annealing and damage prod.,
alloying, cold work and quenching effects obs. 7=14516
Au, d-irradiated, recovery, alloying, cold work and quenching
effects obs. 7=14517
 Au, fission fragment black spot damage energy var.
    obs. in films 7=17603
 Au, point defect clusters due to heavy particle
    irrad. 7=14518
 Au, radiation-induced point defect clusters 7=7536
 Au, stacking fault energy from electron microscope diffr.
contrast 7=11189
 Au, stacking fault tetrahedra 7=1554
 Au, stacking fault tetrahedra on quenching and ageing,
     annealing obs. 7=1599
```

#### Crystal imperfections - contd

Au, trapping of point defects by dislocations, irradiation obs. 7=1533

Au, vacancy cluster voids prod.on quenching 7=1630 Au-Mn,long period stacking order, closed packed struct. 7=14824

BN, e.p.r. of centres thermally and radiation produced 7=11693

BaF<sub>2</sub>, n. m. r. of point defects 7=8319
Ba(NO<sub>3</sub>)<sub>2</sub>, interaction of methyl blue impurity with growing faces 7=1315

BaTiO., OH as defect of perovskite lattice 7=4696

Bi, impurity distrib. of Ag 7=1509

Bi, Te, microsegregation impurities rel. to thermoelectric characteristics obs. 7=4986

CaO,  $\gamma$ -ray prod., e.s.r.obs. 7=1541

CaWO, impurity effects in thermoelec. and thermoluminescence, no rel. obs. 7=18059 CaWO<sub>4</sub>, point, Ho<sup>3</sup>\* e.s.r. disymmetry prod. 7=11705

Cd dilute alloys grain growth ghost boundaries obs. 7=7606
CdF<sub>2</sub>, Gd<sup>3</sup>\* impurity centre formation 7=14553

 $\mathrm{CdI}_2$  streaking and arcing rel. to stacking disorder during growth obs.  $7 \! = \! 17621$ CdS, elec. active, distrib. in surface region 7=11153

 $Cd(S_{0.8}\mathrm{-Se_{0.5}}),$  rel.to photoconductivity saturation prod. by laser  $7\mathrm{=}2033$ 

CdTe impurities obs. by n-irradiation changes in

elec. and optical props. 7=17602 CeO<sub>2</sub>, Er<sup>s+</sup> and Yb<sup>s+</sup> impurity centres 7=14552 Co-Cr alloy, intersection of stacking faults 7=14605 Co-Ni, stacking-fault energies meas. 7=17622

Co-NI-Cr, stacking-fault energies meas. 7-17622 Crs, in Al<sub>2</sub>O<sub>3</sub> and MgO, diffusivity of excitation energy 7-2269

CsCl, proton irrad., I<sup>130</sup> recoils, thermal annealing meas. 7=17644 Cu, atomistic calcs. 7=1526

Cu, 'black spot' defects due to laser irrad. 7=7578 Cu, defect cluster density rel. to critical shear stress 7=14712

Cu, displacement spikes 7=1540

Cu, and electron beam effects above stage I obs. 7=7854 Cu, Fe impurity atoms, mean square displacement 7=1570

Cu, heavy ion damage 7=14502 Cu, n-irrad., cluster formation rel. to irrad. temp. 7=14501

Cu, point defect agglomerations, black-white contrast 7=14500 Cu, point defect clusters due to heavy particle

irrad. 7=14518

Cu, point multiple defect effects on elec. cond. calc. 7=7841

Cu, proton prod., rel. to proton channelling reduction 7=1658

Cu, radiation-induced point defect clusters 7=7536 Cu, small defect clusters, diffraction contrast 7=14499 Cu, stacking fault energy from electron microscope diffr.

Cu, stacking fault energy from electron microscope diffraction contrast 7=11189
Cu, stacking fault energy X-ray diffr. meas. 7=17620
Cu, stacking faults, stabilization by Al 7=14608
Cu, trapping of point defects by dislocations, irradiation

obs. 7=1533  $\text{Cu}_3\text{Al}\ \beta$  martensite stacking faults obs. 7=1625

Cu-Fe alloys, cond. electrons, Nagaska bound state obs. 7=17759 Cu-Ga stacking fault energies in  $\alpha$  and  $\zeta$  phases 7=14607

CuI, effect of I on absorpt lines 7=8385 Cu-Mn, stacking-fault densities, by X-rays 7=4712 Cu-Ni, stacking-fault densities, by X-rays 7=4712 Cu<sub>1</sub>\_Vi<sub>2</sub>Cr<sub>2</sub>O<sub>4</sub> lattice tetragonality obs. 7=14 Cu<sup>2</sup>n stacking fault energy X-ray diffr. meas. 7=17620 Fe, defect clusters formed during post-irrad. 7=14378

heating 7=14503  $\alpha$ -Fe, displacement spikes 7=1540

Fe, doped, point defects prod. by n-irrad. 7=1539 Fe, rel. to plastic flow obs. 7=4777

 $\alpha$ -Fe point defects energy and migration, computer

calc. 7=1538

Fe, point, and plastic deformation recovery above room temp., mag. coercive field obs. 7=11284 Fe single crysts. strain rate sensitivity, effect of C 7=7701-2

α-Fe, C atoms clustering calc. 7=14554

Fe-Ni, martensite transformation, accommodation faulting 7=7601

GaAs, Cu-doubling effect 7=7550

GaAs growth inhomogeneities, elec. obs. 7=1328 in GaAs junctions 7=7976

GaAs, Mn acceptors, photoexcitation and photo-ionization 7=17760

GaAs, Mn-doped, effect of Zn diffusion 7=1515 GaP:N, isoelectronic traps 7=2389

Ge, Au and Sb doped, effect on elec. props. 7=11509

Crystal imperfections-contd

n-Ge, carrier scatt. anisotropy, depend. on impurity conc. 7=14800

Ge, doped with group III impurities, photocond. 7=15080 Ge, e and γ-irrad, study by elec. methods 7=4690 p-Ge e-irradiated at 4.5 MeV and 78 K, from elec. cond. and Hall effect var. 7=17967 Ge, electron-irradiated, photoconductivity obs. 7=2036

Ge epitaxial films on (111) CaF2, rel. to elec. props. obs. 7=17964

Ge films, ion prod. damage layer depth obs. by sputtering yield var. 7=1580

Ge, p-n junctions, distrib. of impurities 7=14985 Ge, peak form. due to electron irrad. 7=1631 Ge, plane, creases growth rel. to impurity content

and pulling 7=7607 Ge, point defects diffusion in thermal coeff, of

resistivity 7=11508

resistivity r=11005
Ge, radiative recombination, rel. to radiation
defects 7=18298
Ge, singly-charged donor impurity centres 7=7552
Ge, surface defect capture of non-equilibrium carriers
effect on photocond. obs. 7=8054

Ge, surfaces, photoelectric props. 7=17403

Ge, two-centre acceptor states, theory 7=14833-5

InSb γ-irradiated at 77°K, rate of formation rel. to dose 7=7555

p-InSb, and photoconductivity and photo-Hall effect,  $5-120^{\circ} \mathrm{K}$  7=2038

KBr, distrib. of KOH and KNO, impurities, obs. 7=17440 KBr, point defect configurations prod. at low temps. by X-irrad. 7=11155

KCl, diffusional permeability in single crystals 7=7520 KCl, divalent impurity distribution 7=14555

KCl, F-aggregates formation, deformation and impurity effects obs. 7=1634 KCl, impurity interactions 7=14556

KCl, irradiation temp. var., 80°-300°K 7=14549

KCl, OH impurities, single-particle and collective effects 7=5059

KClO<sub>4</sub>, irrad , e.s.r. of ClO<sub>2</sub> centre 7=11704 KI, diffusional permeability in single crystals 7=7520 LiF, defect clusters, type rel. to conditions of irrad. and annealing 7=14504

LiF, defect levels from thermoluminescence meas. 7=11870 LiF, divalent cationic impurities dissolution, precipitation and association 7=1571 LiF impurities 7=1637

LiF, neutron prod.,i.r. absorption bands obs. 7=11214  $\rm MgAl_2O_4, Verneuil$ -grown, stacking faults 7=4707  $\rm MgO, \gamma$ -ray prod.,e.s.r.obs. 7=1541

MgO, γ-ray prod., e.s.r. obs. 7=1541
MgO, impurities, paramagnetic, g-factors 7=2173
MgO, impurity distributions obs. 7=7551
MgO, kinking, high confining pressure 7=14744
MgO, n-irrad, cavity formation 7=14386
MgO, neutron prod., behaviour obs. 7=1542
MgO surface defects, e.p.r. study 7=7538
Mg<sub>S</sub>Sn<sup>118</sup>O<sub>4</sub>, neutron prod., due to recoiling Sn<sup>119m</sup>, Sn<sup>119m</sup>
Missbauer effect obs. 7=1577

Mn<sub>t</sub>Fe<sub>3-t</sub>O<sub>4</sub>, metal ions distribution obs. 7=1557 Mn-Zn ferrites, disaccommodation, lessening 7=7547 Mo, irradiated with 2.5 MeV electrons, resistivity

meas. 7=11156

Mo zone melted by electron beam obs. 7=14328

N impurity in diamond, e.s.r., Jahn-Teller distortion 7=15242

N<sub>2</sub> aggregate centre, electronic structure 7=14619 Na disilicate glasses doped with Eus\*, competitive trapping 7=7616

NaCl, point defects, Debye-Hückel potential 7=14519

NaCl, ultramicroscopic point defects, first-order Raman NaCl, ultramicroscopic point defects, first-order Kallan effect 7=8426
NaFHF, γ-ray prod. F centres and imperfections obs. by n. m. r. and e. s. r. 7=1639
NaN<sub>3</sub>, γ-ray prod. F centres and imperfections obs. by n. m. r. and e. s. r. 7=1639
NaOCN, γ-ray prod. F centres and imperfections obs. by n. m. r. and e. s. r. 7=1639

Nb substructure, growth effects obs. 7=11192

Nb,Sn, neutron prod., effect on supercond. current capacity obs. 7=1884 Ni alloys, f. c.c., stacking faults 7=14609

Ni, bombarded by Xe ions, sessile and prismatic loops 7=14498

in Ni electrical cond. recovery after electron irradiation obs. 7=7862

 $\mathrm{Ni}$ , with  $\mathrm{H_2}$  impurities, stacking fault energy  $\,$  7=14610 Ni, point defects recovery rel. to coercive field, -250° to 0°C 7=8200

Ni, stacking fault energy from electron microscope diffr. contrast 7=11189

```
Crystal imperfections—contd

Ni-Co(40,60,67%), stacking fault energy from electron microscope diffr.contrast 7=11189

Ni<sub>3</sub>Fe<sub>2</sub>,Mn<sub>2</sub>, neutron irradiated 7=14505

Ni<sub>3</sub>Mn, neutron irradiated 7=14505

NiO, doped with Li* or Cr<sup>3*</sup>, dielec. props. 7=8013

PbNO<sub>3</sub>, interaction of methyl blue impurity with growing faces 7=1315
                                                                                                                         Crystal imperfections-contd
                                                                                                                              dislocations contd
                                                                                                                                  Burgers vectors meas., use of Kikuchi maps for b. c. c. and h. c. p. crystals 7=17460 calcite, twinning, movement 7=14578
                                                                                                                                  coalescence energy of two in motion, of like sign 7=14573 conference, Toulouse, 1966 7=14559
                                                                                                                                  continuum theory, for single crysts. 7=17606
corundum, decoration, under annealing and stresses 7=11174
              faces 7=1315
         PbS, charged, concn. rel. to mech. props. 7=11315
Pd, on e-irradiation at 1-3 MeV, residual resistivity
                                                                                                                                  rel. to crack propag. rates and plastic strain 7=7661 cracks decomposition into polygonal walls of edge dislocations, kinetics 7=7664
               obs. 7=14506
          Pt, d-irradiated, radiation annealing and damage prod.
                                                                                                                                   cracks, interaction between 7=4758-9
               alloying, cold work and quenching effects obs. 7=14516
                                                                                                                                  damping for dispersion of elastic consts., velo.
var. 7=1675
          Pt, d-irradiated, recovery, alloying, cold work and quenching effects obs. 7=14517
                                                                                                                                  var. 7=1675
density and flow stress in Peierls-Nabarro
deformation 7=14659
           PuO<sub>2-x</sub>, defects, desnity meas. at high temp. 7=11157
         S, trapping and electron hopping transport, orthor-
hombic crystals 7=7957
Se, impurity effects in vitreous state on carrier
                                                                                                                                   dipole effects on n.m.r. line shape calc. 7=8313
                                                                                                                                   dipoles interaction with point defects, theory 7=1590
               obs. 7=1766
                                                                                                                                   dipoles and prismatic loops, theory and effect on mech.
           Si, A-centres and P atoms, effect on recomb. 7=14806
                                                                                                                                        props. 7=14564
          Si, A centers and P.e.s.r., effect of light 7=15247
Si, complex, annealing kinetics 7=1528
                                                                                                                                   discrete, stress distributions, work-hardening
                                                                                                                                        theory 7=14674
                                                                                                                                   dislocation movement and Burgers vector 7=14565 distorted, movement and Burgers vector 7=14565
          Si, complex defect annealing kinetics rel. to
conc. 7=17592
Si, Cu-doped 7=14508
Si donors, ion-implanted, penetration 7=1951
                                                                                                                                   dynamic props., calc. and effect of Cherenkov
                                                                                                                                        phonons 7=4701
                                                                                                                                   elastic centers of strain 7=7563
electron dark field microscopy in foils, Burgers vector
          Si, on double diffusion, line imperfections obs. 7=17616 n-Si, e-irradiation temp. var., i.r. absorption bands
               obs. 7=14520
                                                                                                                                        meas. 7=1582
                                                                                                                                    electron diffr. spots shape obs. 7=7567
           Si epitaxial film impurity distribution obs. from Si-SiO2
          Si epitaxial film impurity distribution obs. from Si-SiO<sub>2</sub>
MOS capacitor voltage var. 7=17982
Si, In impurity photoionization cross section 7=15085
Si, ionized impurity pairs, electronic states 7=14842
Si, "kink pressure" and interaction energy obs. 7=7562
Si, lattice plane spacing and orientation local var. meas. by
X-ray double-crystal topography 7=7608
Si, n- and p-, energy dependence of anisotropy of defect
production by electrons 7=1543
Si n-irradiation carrier removal energy var. obs. 7=1759
                                                                                                                                   electron microscope exam. of dynamics at
500 kV 7=14339
electron microscopy, review of contrast theory 7=1583
extended, and Schmid Law of resolved shear
stress 7=1587
                                                                                                                                    ferro- and antiferromag. mats., spin wave and phonon
                                                                                                                                        scatt. 7=8140
                                                                                                                                    ferromagnetic crysts., effect on magnetization
curves 7=15124
films on Cu crystals, electron diffraction obs. 7=1357
          Si, n-irradiation carrier removal energy var.obs. 7=17593
Si, neutron and γ effects on minority carrier life-
time 7=1527
                                                                                                                                    formation, structure and propagation theory 7=7557
                                                                                                                                    friction stress acting on moving dislocation 7=14568 geometry, rel. to disinclinations 7=1629 at grain boundaries, field ion microscopy contrast 7=7603
           Si, neutron irrad., atomic displacement number 7=4697
           Si, p-i-n structures, detection method 7=11530
           Si, peak form. due to electron irrad. 7=1631
                                                                                                                                    graphite, forest and small-angle boundaries 7=7575
           Si, shallow donor, screened impurity potential 7=4873
                                                                                                                                    helicoidal, equilib. shapes 7=14561
           Si, singly-charged donor impurity centres 7=7552
                                                                                                                                    and hot working dynamic recovery 7=17664 hydrocarbons, aromatic, etching 7=14589
           Si surfaces, line defects after thermal oxidation, rel. to p-n
           junctions 7=14611
Si, two-centre acceptor states, theory 7=14833-5
                                                                                                                                    interaction with vacancy clusters rel.to mech.
props. 7-14524
ionic crystals, structure, charge effects and interact.
with impurities 7-14566
           Si:O irradiated with fast n or 2 MeV e at -50°C,
O-defect complex i.r.absorption bands obs. 7=1574
           Sn, supercond, impurity effects on u. s. attenuation 7=11481 SrO, \gamma-ray prod., e.s.r.obs. 7=1541
                                                                                                                                    jogged screw, uniform velo. stress var.calc. 7=14570 locks, re-exam. of published micrograph 7=14585
            αTi-O interstice lattice stacking faults obs. 7=14612
           aT1-U interstice lattice stacking faults obs. 7=14612
TICI, with PbCl<sub>2</sub> impurity, rel. to thermoelec.
power 7=11579
U, fissionable impurities, micromaps techniques 7=7553
a-U, stacking faults 7=14613
UO<sub>2-12</sub>, neutron diffr. obs., 800°C 7=1546
U<sub>3</sub>O<sub>2</sub> layer faults rel. to reduction to UO<sub>2</sub> 7=2449
U, stacking faults and antinose boundaries 7=11101
                                                                                                                                    loops, climb kinetics, vacancy diffusion versus
                                                                                                                                         emission 7=14575
                                                                                                                                     loops, elastic strain energy for hexagons calc. 7=11165
                                                                                                                                    loops, elastic strain energy for polygons and ellipses
                                                                                                                                         calc. 7=11164
                                                                                                                                    loops, elliptical, elastic energies 7=1586
loops, interstitial, in n irrad.Cu 7=14582
metal, quenched f.c.c., loops nucleation and growth 7=4700
           \rm U_4O_9, stacking faults and antiphase boundaries 7=11191 W, displacement spikes 7=1540
            W point defects energy and migration, computer
                                                                                                                                     metal single crystals, surface emergence obs. 7=7561
                 calc. 7=1538
                                                                                                                                     metals, b.c.c., in slip and flow stress theory 7=11245
                                                                                                                                     metals, damping properties influence of dislocations, review 7 = 11262
            W surfaces, C impurity crystallisation, electron and ion
                 microscope examination 7=1575
                                                                                                                                     metals, edge, electron distribution calc. 7=1588
             ZnO, hole traps, influence on thermoluminescence 7=11885
                                                                                                                                    metals, hexagonal, rel. to interplanar spacing change 7=7595
            ZnO photosensitive donors prod. on u.v. irradiation, e.s.r.
                 obs. 7=15254
                                                                                                                                     metals, impurity insolubility and disloc. diffusion 7=17575
             Zn-Pb, internal friction rel. to grain boundary
            impurities 7=11331 ZnS, e.s.r. of ^2\mathrm{S}_{y2}-state divalent Ga, In and Tl 7=8292 ZnS, stacking fault and polytypism 7=17624
                                                                                                                                     metals, moving, force of cond. electrons in mag. field
calc. 7=11171
metals, and nuclear resonance frequency distrib. 7=5203
            ZnS, Cu, Al and Cl impurities, inclusion, radiochem. investig. 7=17600
                                                                                                                                     metals, residual resistivity rel. to edge dislocations
                                                                                                                                         calc. 7=1822
                                                                                                                                     metals, screw, thermally activated motion calc.for b.c.c. metals 7=11170 mica, X-ray obs. 7=7590
             Zr, deformed, low temp. recovery obs. in elec. cond. 7=7533
        dislocations
            alkali halides characts and mobility 7-17610
alkali halides, pinning centres annealing obs.from u.s.
absorption, 120°-180°K 7-1614
                                                                                                                                     mobility, Frenkel-Kontorova model 7=11167
                                                                                                                                     mobility, rel. to mech props of plastic deformation 7=11166 model for creep, widely applicable 7=1692 molecular crysts., and u. s. absorpt near m.p. 7=1466
             alloys, brittle fracture, influence on 7=7659
            alloys, edge, electronic interaction with impurities, theory 7=11161
                                                                                                                                     motion of, energy transport 7=14574
            alloys of L1<sub>2</sub> structure, along (110), and alloy hardening 7=14580
                                                                                                                                     movement through random array of obstacles in glide
                                                                                                                                     plane, theory 7=4699
multipoles, on two slip planes, formation and equilib.
config. 7=14562
non-conservative motion of straight dislocation
             alloys, locking, effect on fatigue 7=14682
            alloys, ordered, review 7=1665
anthracene, etching 7=1596
                                                                                                                                          line 7=7558
            bimetallic interface, screw, planar array, shear
modulus effect on stress distrib. 7=17605
                                                                                                                                      in non-uniform stress field, equilibrium and stability
             \beta-brass, contrast effects due to elastic anisotropy 7=4704 \beta-brass, with 4% Al, interacts. with vacancies 7=14535
                                                                                                                                          theory 7=1591
                                                                                                                                      one-dimensional model of kink 7=17608
                                                                                                                                      overshoot, dislocation dynamics 7=4748
             Burgers vector meas.by electron microscope goniometer 7=1384
                                                                                                                                      Peierls barrier analytic calc. in Frenkel-Kontorova
```

model 7=1589

```
Crystal imperfections—contd
```

dislocations contd

plasticity, continuum theory 7=17662 point defect-dislocation interactions 7=1531

polycrystals, pile-up strength, rel. to limiting grain

size 7=4755

polyethylene screw dislocations electron diffr.obs., rel. to slip and elastic consts. 7=1593

polymer platelets, screw dislocations thermal initiation

theory 7=1592 polymers, chain end prod., rel. to X-ray exam. 7=1594

prismatic loops, anomalous images in electron microscopy 7=14563

rare earth oxides of type R<sub>2</sub>O<sub>3</sub> 7=1615

rectilinear dislocations with jogs, equations of motion 7=7560

ribbons, image profiles in electron diffr., calc. and

obs. 7=1585 scattering of phonons, theories compared 7=1448 at screw, antiskeletal growth producing dendrites, obs. 7=1349

screw dislocation arrays in heterogeneous materials 7=14569

screw dislocation field ion image computer simulation 7=14571

screw dislocation pile-ups at inclusions, stress distrib. 7=7564

screw dislocations in anisotropic media, electron diffr. exam. rel. to slip and elastic consts. 7=1593

screw, distributions in finite slab 7=11172 screw, effect on internal friction calc. 7=7643

screw, stress distribution obs. 7=17607

semiconductor single crystals, surface emergence obs. 7=7561 semiconductors, distribution control device 7=4702

semiconductors, hole states, effective mass calc. 7=7778 semiconductors, and mobility, Hall effect and magneto-resistance, theory 7=1923 semiconductors, moving, force of cond. electrons in mag.

field calc. 7=11171

semiconductors, vels. rel. to transport props. 7=14567 slowing down by elastic wave scatt. on impurities 7=7568 stable configuration of parallel pair 7=7566 and stacking fault energy X-ray diffr. meas. 7=17620

steel, low C, heating rate var. of struct. 7=11178 steel, mild, in dynamic strain ageing 7=7708 steel, stainless, mechanism of thermally activated climb

obs. 7=7709 steels, 18% Ni maraging, and internal friction, 420°-612°C 7=11299

stress field of screw dislocation in and near lamellar inclusion, image calc. 7=7565

stress fields of tilt boundaries for cubic anisotropy 7=7559 in superconductors, effects 7=14900

surface emergence in single crystals obs. 7=7561

surface, in growth kinetics of deformation twins 7=4498 theories of age-hardening, review 7=17668

transport of matter across dislocations 7=14479 trapping of point defects by dislocations, irradiation meas. 7=1533

twins, friction and surface tension 7=14560 velocities in two-dimensional model 7=11168 visualization by condensation of microdrops 7=14572

wave velo. along 7=11169

X-ray diffraction meas., photographic 7=1584 X-ray topographic obs. 7=1525

Ag, deformed, electric cond. anisotropy at liquid He temps. obs. 7=11424

Ag, faulted loops on quenching and ageing, annealing obs. 7=1599

Ag films on Cu crystals, electron diffraction obs. 7=1357

Ag, pinning of dislocations by irrad. defects 7=17609  $\alpha$ -Ag-Sn alloys, stacking faults, X-ray diffraction meas. 7=1622 Al alloys, solute effects on loop formation obs. 7=1595

Al, cyclically strained, prismatic loop formation

mechanism 7=7569 Al, elastically deformed, rel. to u.s. absorption time var. 7=4632

Al, rel. to generation of u.s. 2nd and 3rd harmonics 7=4633 Al, interact. with interstitials, rel. to e-irrad.

hardening 7=14545 Al, loops, nucleation rel. to impurities 7=14576

Al, resistivity of dislocations, anisotropy 7=14882 Al, trapping of point defects by dislocations, irradiation obs. 7=1533

Al, phonon and electron drag coefficients 7=7572

Al, quenched-in, clustering after deformation, meas. 7=11151
Al, two-triangle loops, quenched from 600°C 7=7571

Al, X-ray topographic obs. 7=1525

Al-15% Ag, structures of the broad faces of γ-plates 7=11173 Al and Al-(0.5%) Ag quenched, climb sources obs. 7=7570

Crystal imperfections-contd

dislocations-contd

Al<sub>2</sub>O<sub>3</sub>, movement rel. to brittle fracture 7=1704

Au, annealing of vacancies obs.

Au, climb efficiency obs. 7=7573

Au, deformed, electric cond. anisotropy at liquid He temps. obs. 7=11424

Au, faulted loops on quenching and ageing, annealing obs. 7=1599

Au, pinning due to electron irrad., by modulus effects 7=4732

Au, trapping of point defects by dislocations, irradiation

obs. 7=1533 Be, climbing, rel. to deformation 7=14577

Be, effect of pressures up to 27 kbar 7=17691

BeO, etching obs. 7=7574

BeO, etching obs. 7=7574
Bi<sub>2</sub>Te<sub>3</sub>, interacting loops 7=4703
CaF<sub>2</sub>, cluster formation during sintering 7=7576
CaWO<sub>4</sub>, slip obs. by electron microscope 7=1597
Cd single crystal obs., by etch pitting 7=11176
Cd, tensile kinks microstructure obs. 7=11175
Cr, free, effect on yield and fracture 7=14720
CsI, kink formation, etching obs. 7=7577
Cu, annealed and deformed, Borrmann topographic study 7=14579 study 7=14579

Cu, conservative motion, jog concn. effect 7=14583

Cu, conservative motion, jog conch. effect (=14505)
Cu, rel. to creep obs. 7=11280
Cu, deformed, electric cond. anisotropy at liquid He temps. obs. 7=11424
Cu, detection in monocrystals 7=7581
Cu, distribution near surface after deformation 7=17611

Cu, edge, core structure computer calc. 7=1601 Cu, edge and screw, effect of, work hardening

stage I 7=14708 Cu, epitaxial, on frozen drop, electron diffr. obs. 7=1598 Cu, etching by potentiostatic electrolysis 7=11177

Cu, faulted loops on quenching and ageing, annealing obs. 7=1599

Cu films, rel. to oxidation obs. 7=15423 Cu grown from melt, origin not by vacancy precipitation 7=1600

Cu, Ni electrodeposited, interfacial 7=1604 Cu, origin in growth 7=7579

Cu point defects annihilation by dislocations, u. s.

obs. 7=1537 Cu, resistivity of dislocations, anisotropy 7=14882

Cu, screw, energy and atomic configuration 7=1602 Cu, strain-cycled, dislocation substructure, effect of temp. 7=14581

Cu, trapping of point defects by dislocations, irradiation obs. 7=1533

Cu-Al alloy, n-irrad., interacts with loops 7=1603 Cu-Al alloys, edge multipoles, effect on electron

micrographs 7=14584 Cu-Al(10%), rel. to plasticity, electron microscope obs. 7=1583

Cu<sub>2</sub>O films on Cu crystals, electron diffraction obs. 7=1357

Fe alloys, deformed, Burgess vectors 7=4705 Fe, b.c.c., edge dislocation struct. and Peierls barrier 7=7580

Fe, deformed, Burgess vectors 7=4705

Fe, density from deform. depend. of coercive field 7=8168
Fe, free, effect on yield and fracture 7=14720

 $\alpha ext{-Fe, interact. with H atoms } 7 ext{=}14586$ 

Fe, interaction with mag. domain walls obs. 7=11650

α-Fe, rel. to magnetic props. 7=8166
Fe, and plastic deformation recovery above room temp.
mag. coercive field obs. 7=11284

Fe, work hardening stages mean free paths 7=11283
Fe, rel. to yield by twinning, high press. var. obs. 7=7703

Fe, zone-refined, at grain boundaries, H charging prod. rel. to Petch relationship 7=11285
Fe-0.08 wt. %C, interaction of dislocations and precipitates 7=14587

precipitates 7=14587

Fe-Mn alloy, rel. to plastic flow 7=11288

Fe-3%Si, rel. to coercive force 7=5156

Fe-Si(3%), rel. to creep 7=7704

Fe-Si(3.5%), X-ray topographic obs. 7=1525

GaAs, crystal perfection by X-ray transmission 7=11179

GaP, single crysts., deformation 7=14588

Geogoling affect on formation 7=14588

Ge, cooling effect on formation 7=1605

Ge, deformed, obs. 7=1606

Ge, detection in monocrystals 7=7581

Ge, detection in monocrystals 7=7581
Ge, electron scattering by dislocations 7=17762
Ge, neutron prod., deformation effect obs. 7=7582
Ge, radiation defect stability 7=17612
Ge, type identification by etch pits 7=4706
Ge, and X-ray anomalous transmission 7=7428
KBr, velocity var. with shear stress obs. 7=1647

KCl, grown from soln. in  $\gamma$ -radiation field 7=11008 KCl at high temperature, internal friction due to motion 7=1726

```
Crystal imperfections - contd
   dislocations - contd
```

KCl, marginal, mobility var. on illumination rel. to hardness 7=4794 LiF, average slip distance during plastic deform. 7=14741

LiF, charge in pure and  $\gamma$ -irradiated LiF 7=7583 LiF, and creep, stepped 7=7716

LiF, y-irradiated, bunching stresses, photoelastic obs. 7=14592

LiF, interact. with colour centres 7=14591

LiF, marginal, mobility var. on illumination rel. to

hardness 7=4794 LiF, nucleation under third-harmonic vibr. 7=11181 LiF, scratched zones, motion of dislocations 7=7584

LiF, screw dislocation path in slip bands 7=14590

Mg, rel. to plasticity, electron microscope obs. 7=1583

MgAl<sub>2</sub>O<sub>4</sub>, Verneuil-grown 7=4707 and Mg-Li(12 at. %) prismatic creep temp. and stress var. obs. 7=14743

MgO, cleaved, surface structures 7=1608

MgO, deformed, dipoles 7=14593

MgO, explosively shocked, X-ray obs. 7 MgO, Ti and V doped, flow stress rel. to deformation 7=14745

Mo, mechanism in single cryst., up to 620°K 7=14597 NaCl, arrays charge obs. 7=1610

NaCl, cleavage effects on number obs. 7=1611

NaCl, density and u.s. attenuation rel. to deformation obs. 7=7585

NaCl, dislocation-nucleated cleavage pattern 7=14754 NaCl, dislocation structure of block boundaries 7=14349

NaCl, edge, passage through slip bands 7=11183 NaCl, elastic interaction with Ca-cation vacancy pair calc. 7=1612

NaCl, electric field prod. motion obs. 7=7588 NaCl, etch pit rotation on (001) surface 7=4708

NaCl, y-irrad., static pinning 7=11182 in NaCl growth of dendrites, electrolytic 7=7341

NaCl, marginal, mobility var. on illumination rel. to hardness 7=4794

NaCl, motion during creep obs. 7=7587 NaCl, motion of edge dislocations 7=14594

NaCl, moving single dislocations obs. 7=1609

NaCl, role in light scatt. 7=15339
NaCl struct., electrostatic charge 7=7586
NaCl type crystals, dislocation processes at moving crack
tips 7=14651

NaCl, X-ray irrad. effects 7=11309

NaF, network formation by electrolysis 7=11184 NaF, new edge, selective etch 7=14595 Nb, growth effects obs. 7=11192

Nb, growth effects obs. 7=1192
Nb, superconducting, torsion ang. var. obs. 7=11474
Ni, and cold working recovery elec. cond. obs. 7=14756
Ni, deformation prod., effects on magnetocrystalline anisotropy obs. 7=8202
Ni, stresses, 100°-600°C 7=17613
NiSO<sub>4</sub>6H<sub>2</sub>O, etch pits on cleavage faces 7=11185
Ru, two-leaved spirals obs. rel. to Burgers
vector 7=7589
Si, rel. to annealing polygonalization obs. 7=4803
Si, Au diffusion induced loops obs. 7=7591
Si, on diffusion of B and P. electron microscopy 7=1761

Si, on diffusion of B and P, electron microscopy 7=17614-5 Si, on diffusion of P, motion depth calc. 7=1619

Si, helical, and loops induced by Pt diffusion 7=7593

Si, localized diffusion prod. obs. 7=7592

Si, by P diffusion, profiles deviation 7=17589 n-Si, recombination obs. 7=1970

Si, relaxation from internal friction obs. at low

temp. 7=7732
Si, stress relaxation atom, by dislocation

motion 7=14758

Si, X-ray topography of deformation by drawing 7=11188 Si(3.2%)-Fe, dislocations formed by deformation 7=14596 Sr (NO<sub>3</sub>)<sub>2</sub>, etch pits on three faces 7=7594

SrTiO<sub>3</sub>, density rel. to cation self-diffusion 7=11145

Ta, deformed in tension 7=1740

Ta, mechanism in single cryst., up to 620°K 7=14597

Ta-O alloys, equilib. Cottrell atmosphere and discontinuous yield 7=11186

Ti alloys  $\alpha$ - and  $\beta$ -phase epitaxial boundaries obs. 7=1617

obs. '[=1617]
Ti, in slip mechanisms, 0° to >400°K 7=11324
W, deformed, low temp. elec. resist. 7=14599
W, deformed, low temps. elec. resist. 7=14598
W, n-irradiated, voids obs. by field ion
microscope 7=17617
Zn etch, orientation var. obs. 7=1616

Zr, loop form, when Kr ion irrad, and annealed 7=14600

Zr, loops, after Kr ion irradiation 6=4709

## interstitials

alkali halides split Clo calc. 7=1566

cluster calc. for f. c. c. lattice 7=11158

clustering, neutron irrad. metals, kinetic description 7=14543 condensed sheets in f. c. c. crysts., X-ray scatt. 7=7387

Crystal imperfections - contd

interstitials—contd effects on electron absorption 7=4728

graphite, clusters, nucleation rel. to B impurity 7=14551 graphite, irradiated, atomic configuration 7=4692

graphite, loops, isothermal annealing 7=4688
metals, f. c. c., e irradiated, production and recovery
of defects obs. 7=14544

metals, irradiation prod., annealing review 7=1532

in metals residual resistivity 7=11422

Permalloy mag. films, rel. to anisotropy prod. on mag. annealing 7=8214 transition metal chalcogenides order and

disorder 7=1437

Al, and electron beam effects above stage I obs. 7=7854 Al, electron and neutron irrad., crit. shear stress 7=7679 Al, Frenkel defects on neutron irradiation obs. 7=1565

Al, interaction with dislocations rel. to e-irrad. hardening 7=14545

Be, electron scatt. elec. cond. prod. calc. 7=11426 CdSe, rel. to self-diffusion of Se, mechanism 7=4666 Cu, and electron beam effects above stage I obs. 7=7854

Cu, electron irrad., crit. shear stress 7=7679 Cu, multiple, effect on elec. cond. calc. 7=7841

Cu and Ni, comparison of calcs. 7=14546

in Fe alloys, conduction electron polarization 7=11390  $\alpha$ -Fe, clusters, static props., computation 7=14536 Fe, effect on cross-slip 7=1722

Fe, hardening and embrittlement, effect of interstitial impurities 7=1719
Fe, loops on {111} or {100} plane, nucleation 7=14547

α-Fe, of N and C, and Snoek damping peats 7=11141 Fe-V-N, interaction with substituents, in internal friction 7=11291

P-Ge e-irradiated at 4.5 MeV and 78°K, from elec. cond. and Hall effect var. 7=17967
Ge, migration energy theory 7=11159
In, diffusion of Au and Ag 7=4674
InSb, formation by X-ray irradiation 7=14548
KCl, with colour centres, Frenkel disorder 7=4680

KCl, irradiation temp.var., 80°-300°K 7=14549 Li in Si, force constants 7=7475

Li\* in Si, freq. of localized modes of vib. 7=7476 Mo, rel. to brittleness, grain boundary relax. obs. 7=4791 NaCl, Cl°, Cl⁻ calcs. 7=1566

Nb with H atoms, relaxation due to diffusion 7=1521 Nb:N, H or O, and superconducting critical temp. obs. 7=1882

Ni cluster calc. 7=11158 Ni, and cold working recovery elec. cond. obs. 7=14756 Ni, deformation prod., effects on magnetocrystalline anisotropy obs. 7=8202 Ni, dumb-bell, relaxation obs. 7=1567

Pa-O system obs., and PaO<sub>2</sub>-ThO<sub>2</sub> solid solns with additional 0 interstitials 7=11073
Pt, on e-irradiation ~9°K, 1. 3-2. 1 MeV, Frenkel resistivity, rel. to Au 7=17598
Pt, on e-irradiation < 10°K, resistivity recovery

10°-300°K rel. to prequenching 7=17599 Pt, single, removal in stage III after n-irrad. 7=7548

n-Si, e-irradiation temp. var., i.r. absorption bands obs. 7=14520

Si, migration energy theory 7=11159

Ta with H atoms, relaxation due to diffusion 7=1521 ThO2, integranular voids and grain-boundary sliding of

deformed specimens, rel. to creep 7=4806 Ti<sub>6</sub>O, superlattice, by neutron and electron diffr. 7=11160
V, interstitial ordering meas. 7=4602
W, prod. by 13 MeV deuteron irrad. near 80°K 7=11328

 $ZrSiO_4$ ,  $\alpha$ -ray prod. from U impurities obs. 7=1545 vacancies

alloys, AB and  $B_3A$ , migration, Monte Carlo simulation  $7{=}4682$ 

in alloys, f.c.c., solute-enhanced diffusion theory 7=17577 in alloys, f.c.c., solute-enhanced diffusion theory  $^{\prime\prime}$ =17511 in austenite on strain-ageing, systematic study 7=4781 binary alloys, diffusion vacancy flux and Kirkendall shift, effect of vacancy jump correlations calc. 7=1503 in binary alloys phase transformations 7=14199  $\beta$ -brass, with 4% Al, interacts, with dislocations 7=14535 cluster calc. for f.c. c. lattice 7=11158 clustering, neutron irrad, metals, kinetic description 7=14543 clusters, aread by quenching interact, with dislocations rel.

clusters, prod. by quenching, interact, with dislocations rel. to mech. props. 7=14524 clusters, stability rel. to size and shape 7=14523 condensation on precipitate particles, with internal

stresses 7=7215 creep, cavity growth mechanisms 7=17666

in diamond lattice, localized energy states, model with dangling bonds 7=4686

diamond lattice, model with saturated bonds 7=4687 effect on lattice vibrations 7=7465 energy calc. in ionic crystals 7=1547

## Crystal imperfections-contd

vacancies-contd

graphite, atomic displacement threshold energy obs. 7=17596

graphite, clusters, long wavelength n scatt. curves 7=14532

graphite, lines, effect on kinetics of irrad. damage 7=7540 graphite, loops, isothermal annealing 7=4688 ionic compounds deviations from stoichiometry 7=1549

ionic, surface potential meas. 7=10950 localized vibrs. at vacant sites in cubic crysts. 7=14427 metals and alloys, review 7=1532

metals, concn. meas. technique at melting point 7=14521 metals, concs. near interfaces, with elec. or temp.

gradients 7=1555 metals, effects on concn. of temp. gradient 7=4681 metals, f. c. c., thermodynamic calc. of formation energy and vibr. entropy 7=4683 metals, formation energy 7=4453

metals, formation energy and conc. obs. from specific heat at high temps. 7=1548

metals, and recrystallization, high purity and impure 7=11000

Permalloy mag. films, rel. to anisotropy prod. on magannealing 7=8214
Ag, grain boundary diffusion rel. to creep pore growth impurity effects, 650-800°C 7=17699
Ag, single and multiple 7=1554
Al alloys, interaction with solute atoms obs. 7=1595

Al, concentration meas, at melting point 7=14521

Al, d-irradiated, radiation annealing and damage prod., alloying, cold work and quenching effects obs. 7=14516 Al, and electron beam effects above stage I obs. 7=7854

Al, formation energy and entropy obs.from thermal expansions 7=14527

Al, pits obs. at grain boundary-free surface intersections 7=7539

Al, quenched-in, clustering after deformation, meas. 7-11151
Al, quenched, nucleation of clusters 7-14528
Al, thermal diffusion of vacancies 7-17595
Al, voids prod. on quenching 7-1630

Al-0.18 at. % Ag, binding energy between vacancy and Be or Ti atom 7=17594
Al-4 wt. % Cu, deuteron irrad. effects 7=14525
Al-Ge(0.093, 0.44 at. %), binding energy and annealing obs. 7=1552

Al-Mg, concentration and binding energy 7=1 553 Al-Sn alloys, vacancy-tin binding 7=14526

Al-Sn alloys, vacancy-tin binding 7=14526
Al-4.01 at.%Zn alloy, solute-vacancy interact., rel. to ageing kinetics 7=1231
Al-4.4 at.% Zn, binding energy between vacancy and Be or Ti atom 7=17594
Ar, formation energy 7=1553
Ar, free energy, by two-body force approx. 7=4685
Au, annealing in presence of dislocations obs. 7=14530
Au, d-irradiated, radiation annealing and damage prod., alloying, cold work and quenching effects obs. 7=14516
Au folls. stacking fault tetrahedra. Au ion

Au foils, stacking fault tetrahedra, Au ion bombard. 7=14639
Au, quenched, nucleation of clusters 7=14528
Au, single and multiple 7=1554
Au, voids prod. on quenching 7=1630
Au-Cd(47.5, 49.0, 50.5 at.%), six jumps mechanism of Cd/Au diffusion ratio temps were 7=14484

diffusion ratio temp. var. 7=14484 Au-Zn  $\gamma$ , phase is not vacancy-defective 7=14529 Au-Zn-Cd  $\gamma$ , vacancy-defective alloys 7=14529

Be, electron scatt. elec. cond. prod. calc. 7=11426 Bi<sub>2</sub>Te<sub>3</sub>, disorder 7=14531 in Ca aluminate glasses, stress prod. obs. 7=11276

CaF<sub>2</sub>, NaF doped, rel. to dipole relax. 7=5055 Cd<sub>3</sub>As<sub>2</sub>, rel. to anomalous lattice-thermal cond.

Cd<sub>3</sub>As<sub>2</sub>-Zn<sub>3</sub>As<sub>2</sub> alloys, rel. to anomalous lattice-thermal cond. 7=1496

Cold. 7=1490 Cds, X-ray induced, annealing 7=14533 Co<sub>x</sub>Fe<sub>3-x</sub>O<sub>4</sub>, migration theory of mag. uniaxial anisotropy relax. 7=15175 Cr-Ni steel, irrad. at const. load 7=14728

CsCl, Schottky pair formation energy 7=7541 Cu, and electron beam effects above stage I obs. 7=7854

Cu, grain boundary diffusion rel. to creep pore growth impurity effects, 650-800°C 7=17699

Cu, heavy ion damage, vacancy cascades 7=14502 Cu, multiple, effect on elec. cond. calc. 7=7841 Cu, small clusters on {111} plane, atomic relax. 7=14534

Cu, O<sub>2</sub> free, brittleness phenomena 7=7699 Cu, single and multiple 7=1554 Cu, Au clusters, electron microscope obs. 7=7542

Cu<sub>3</sub>Au divacancies binding and migration energies

calc. 7=11154  $\alpha$ -Fe, clusters, static and kinetic props.

computations 7=14536 Fe-Ni alloys, retained by quenching rel. to diffusion, 70-110°C 7=1514

Fe-Ni, magnetic anneal and ordering enhanced by vacancies 7=15147

Crystal imperfections contd

vacancies-contd Fe-Ni, order increase 7=7543 GaAs:Se 7=7787

Ir, clusters, after n irrad. 7=14542 KBr:Pb, complexes dissociation by heat and X-rays 7=7545

KCl, Ag and Tl doped, anion and cation, role in form. of

aggregate centres 7=11210 KCl, with colour centres, Schottky disorder 7=4680 KCl, irradiation temp. var., 80°-300°K 7=14549

KCl:Pb, Sr, complexes dissociation by heat and X-rays 7=7545

KCl, X-ray prod. of  $\alpha$  and F centres at 4.2°K 7=7544 Kr, concn. meas., many-body force effects 7=17597 LiF:Mn<sup>2</sup>, elec. cond. obs. 7=7546

MgO, clusters, long wavelength n scatt. curves 7=14532 MgO, deformation prod. obs. 7=1556

 $\rm MgO-Mn_{_1}O$  solid solns., stoichiometry of Mn  $\,7{=}11144$   $\rm Mn_{_1}Fe_{3-_1}O_4$  metal vacancies on octahedral sites due to over-oxidation, obs.  $\,7{=}1557$ 

Mo, n-irrad., damage structure rel. to irrad. temp. 7=14537

NaCl, elastic interaction of Ca-cation pair with dislocations calc. 7=1612 NaCl, Mn<sup>2+</sup>-vacancy complex aggregation, e. s. r.

obs. 7=1559

NaMo bronze anion vacancies obs. 7=1558

Nb3Al, and superconductivity degradation on high temp. annealing 7=4956

Nb<sub>3</sub>Sn, and superconductivity degradation on high temp. annealing 7=4956

Ni, agglomerates enhancing crit. shear stress, annealing 7=14538

Ni cluster calc. 7=11158 Ni, and cold working recovery elec. cond. obs. 7=14756

Ni, deformation prod., effects on magnetocrystalline anisotropy obs. 7=8202

Ni, n-irrad., agglomerates, study of decay by critical

shear stress 7=1560
Ni, single and multiple 7=1554
β-NiAl, X-ray obs. of non-randomness 7=1561
Pb, zone-refined, gradients, by microhardness probe 7=4691
Pt, d-irradiated, radiation annealing and damage prod.

alloying, cold work and quenching effects obs. 7=14516 Pt, field-ion microscope obs. 7=1562

Si, divacancies, direct production calc. 7=14539

n-Si, e-irradiation temp.var., i.r. absorption bands

obs. 7=14520 Si irradiated with e and n, divacancies rel. to i.r. absorption 7=8435

p-Si:Bi, y-ray prod. obs. 7=7964 Sr-titanate, diffusion of oxygen vacancies 7=14541 Sr-titanate, formation of point defects 7=14540 TiN containing excess N 7=10909 Ti-O(40 at.%), ordering in foils, electron diffr. obs. 7=1436

W, clusters, after irrad. with n or fission fragments 7=14542

Y<sub>2</sub>O<sub>3</sub>, rel. to semiconducting props. 7=5012 Zn diffusion of Hg and Cd, basal and nonbasal vacancy mechanisms 7=17591

Crystal properties

alkali halides, lattice energy 7=4382 charged particle inelastic scatt., atomic scatt. potential reconstruction 7=7618

crystal dynamic interference, temp. dependence 7=11738 elastic, Voigt and Laval-Raman theories, acoustic expt. discrmination 7=14644

graphite, pyrolytic, review 7=1206 ionic crystals e.s. energy calc. 7=7169 rare-earth metals, exchange integrals, calc. 7=14786

transport coeffs. space-time symmetry restrictions, two theories compared 7=14164 wave function in approxs. in Rayleigh-Schrödinger perturbation theory 7=10474 CaF<sub>2</sub> (fluorite), artificial, growth and rare earth fluoride doping effects 7=1321

Crystal structure

See also Polymorphism.

alloys, Engel correl. with electronic configuration 7=14165 alloys, eutectic, dendrites, growth mechanism 7=1222 alloys, ordered, superlattices, review 7=1665 benzophenone, morphologic symmetry and growth 7=1317 equilibrium form phenomenological theory 7=7304

martensite, phenomenological theory, {hhl} habit 7=10994 metals, alloys, effect on fatigue 7=14682

metals, Engel correl. with electronic configuration 7-14165 oxazine dye growth forms 7=1347 oxides under neutron irradiation at 80°C 7=1661

polycaprolactam, high-density, supramolecular

structure 7=4550 polyethylene, high-density, supramolecular structure 7=4550

R4, four-dimensional space, classes of 227 7=17418

Fe alloys, and strengthening under high plastic strain

Crystal structure-contd

microstructure-contd

SUBJECT INDEX Crystal structure contd thiazine dye growth forms 7=1347 BaTiO<sub>3</sub> growth from BaCl<sub>2</sub> melt, obs. 7=1316 C, pregraphitic, rel to Pauli paramag temp. var. 7=11694 CdTe films, var. with non-stoichiometry obs. 7=7276 Cu<sub>1\_x</sub>Ni<sub>x</sub>Cr<sub>2</sub>O<sub>4</sub> lattice tetragonality obs. 7=14378 Ta, single crystals, substructure, obs. 7=17372 U nuclear fuel bars, helical crystallographic texture obs. 7=7735 V, distortion < 250°K, thermal expansion anisotropy obs. 7=14308 W single crystal, sub-structure, X-ray obs. 7=17372 Y-zirconate, nonexistence 7=11037 r-zirconate, nonexistence '7=11037'
ZnTe films, rel. to growth and stoichiometry obs. 7=10972
Zr<sub>0</sub>O and Zr<sub>3</sub>O in the Zr-O system 7=14191
[YCI(OH)<sub>2</sub>]<sub>n</sub>, monoclinic and orthorhombic forms,
interrelation 7=17520 microstructure See also X-ray examination of materials/microstructure. alloys, particle coarsening in spinodal decomp. 7=10939 Alnico, decomposition types obs. 7=7357 austenite, M<sub>23</sub>C<sub>6</sub> stringers 7=14220 bicrystal, general, mathematical characterization 7=17417 controlled eutectics 7=17309 diamond, natural type I, inclusions, and birefringence obs. 7=17466 dielectric coatings, effect of e.m. radiation, obs. 7=17465 electron beam amplitudes, transmitted and scatt. by planar interfaces 7=7352 electron microscope orientation determ. 7=14338 53W-17M0-30Re, field emission and ion projector obs. 7=17475 grain boundaries, high-angle, structure model 7=4714 Guinier-Preston zone size distribution effect on diffuse X-ray scatt.calc. 7=14337 halloysite crystallites, microdiffraction obs. 7=11030 and impurity redistribution during growth 7=1306 magnet alloys, struct. and precipitation process 7=4457 metals, dropping of solid particles through grain boundaries 7=14615 metals, rel. to extrusion 7=14693 polyethylene intercrystalline links obs. 7=1325-6 poly-γ-methyl-L-glutanate, β-form 7=11088 polypropylene isotactic films, crystal growth, spherulites microstruct.obs. 7=1342 polystyrene, isotactic, crystallite size rel. to X-ray line broadening obs. 7=1396 poly(vinyl alcohols), orientation behaviour 7=4551 scanning apparatus for counting, sizing and integration, review 7=7350 steel, κ- and α-phases, diffuse X-ray diffraction obs. 7=7360 steel, single crysts., deformation and recrystallization textures 7=11297 Vicalloy types Koerflex 300, 200 and 30 7=7361 Ag, grain-boundary relax. 7=14342
Al, grain-boundary relax. 7=14342
Al, misalignment of blocks, deformed, by electron microscope and X-ray diffraction 7=4713 Al sputtered films obs. 7=7272 Al, vacuum-deposited, mosaic structure electron diffraction obs. 7=1267 Al-Ag-Ge alloys, ageing rel. to Guinier-Preston zones obs. 7=1389 Al-Cu, Guinier-Preston I zones thermodynamic stability 7=1390 Al-Cu (2 at.%), Guinier-Preston II zones nucleation and growth 7=1391 AuCuII periodicity var., X-ray diffraction obs. 7=1420 Au<sub>3</sub>Cu, electron diffr. obs. of order rel. to antiphase domains 7=1393 Al-Cu-Ag, growth of  $\theta'$  and  $\gamma'$  phases in solid soln. decomposition 7=10940 Al-Cu-Ge alloys, ageing rel. to Guinier-Preston zones obs. 7=1389 η-Al<sub>2</sub>O<sub>3</sub>, rel. to preparation method 7=7409 Al<sub>2</sub>O<sub>3</sub>, Mo dispersion for inhibition of grain growth and recrystallization on sintering 7=7688 Al-Zn, Guinier-Preston zones, spherical, lattice directions 7=11029 BaTiO<sub>3</sub> barrier layers electron microscope obs. 7:
Be, surface, pressure effect up to 27 kbar 7=17691
C blacks, interlayer spacing, rel. to e.s.r. 7=15219
C graphitization, by spark discharge obs 7=17357
C-Mn steels, grain refined 7=17469 7 = 11031

Co-Pt alloys, rel. to coercive force 7=18112
Cr, films, amorphous prep. by low temp. condensation, electron diffraction 7=14346

α-CuAl, diffuse background due to inhomogeneities 7=17467

Fe alloys dendrite struct, and grain size of undercooled

Cu, and strengthening under high plastic strain obs. 7=4780

Cu, grain-boundary relax. 7=14342

melts obs. 7=11032

7=4780 obs. Fe, containing C or N, grain boundary segregation and cold-work peak 7=14736 Fe, fatigued under alternating loads 7=7700 Fe films, amorphous prep. by low temp. condensation, electron diffraction 7=14346 Fe grain boundaries, field-ion microscope study 7=14345 Fe, polycrystalline, on ductile deformation, particle size effects obs. 7=17468
Fe with 3 wt. %Si, secondary recryst. textures, effect of cold working 7=7324 Fe-Al, ordering, antiphase domain size 7=7229 Fe-Ni (33 wt.%) martensite, replica etching obs. in electron microscope 7=4544 Fe-Si(3%), grain growth rate during secondary recrystallisation rel. to grain size 7=17436  $\begin{array}{l} {\rm GaSb-GaV_3Sb_5~eutectic} \quad 7{=}14348 \\ {\rm GaSb-V_2Ga_5~eutectic} \quad 7{=}14348 \end{array}$ MgO-chrome refractories, grain-boundary reactions 7=11034 MgO, diffusion of Ni<sup>2\*</sup> and Co<sup>2\*</sup> along grain boundaries 7=4675 Mo morphology and texture of deposit from carbonyl decomposition 7=7364 Mo, single crystal, sub-structure, X-ray obs. 7=17372 Mo-C,f.c.c.phase, solid soln, in Mo 7=11036 Mo-Nb single crystals obs. 7=17721 Na silicate glasses, low-alkali, liquational nature  $\,7{=}4545\,$  NaCl, dislocation structure of block boundaries  $\,7{=}14349\,$ NaCl growth, microstep distrib. on faces  $\,7{=}17442$  Nb, foil rel. to superconductivity  $\,7{=}14930$ Ni alloys dendrite struct, and grain size of undercooled melts obs. 7=11032
Ni, grain-boundary relax. 7=14342
Ni-Al alloys, modulated structure during ageing 7=1246
Ni-Al(97.3-12.7), precipitate particles of γ'(Ni<sub>3</sub>Al) 7=4473 77Ni-20Cr-1Al-C-Mn-Si, on deformation and annealing, X-ray diffr. obs. 7=7365 Pb, grown from melt using seed crystal, dendritic structure 7=17449 Sc-Fe system, Laves phases obs. 7=11075 Si, Cu-doped 7=14508 Si As, by transmission electron micr. 7=14351 SiP, by transmission electron micr. 7=14351 SrTiO $_3$ , Fe clusters, Mössbauer obs. 7=17473Te:Sb, segregations rel. to elec. props. 7=17474 ThO2, intergranular voids and grain-boundary sliding of deformed specimens, rel. to creep 7=4806 TICl films, orientation 7=14278 UO<sub>2</sub>, columnar grain growth, effect of organic additions 7=11035
 UO<sub>2</sub> powder, milling effects obs. 7=4546  $\rm U_4O_9,$  antiphase boundaries and stacking faults  $\,$  7=11191 V, foils rel. to superconductivity  $\,$  7=14930  $\,$  $V_3{\rm Si},$  transmission electron microscopy low temp. 7=4547 W, boundaries observations 7=14352 W, morphology and texture of deposit from carbonyl decomposition 7=7364 W-C,f.c.c.phase, solid soln.in W 7=11037 Y-Gd, ordering 7=4548 Zn, surface pressure effect up to 27 kbar 7=17691 ZnTe epitaxial films on ionic substrates 7=4549 Zr-Nb, aged, and superconducting transition, obs. 7=11485Zr<sub>6</sub>O and Zr<sub>3</sub>O in the Zr-O system 7=14191 Crystal structure, atomic See also Crystal electron states; Crystals/lattice mechanics; Electron diffraction crystallography; Neutron diffraction crystallography; X-ray crystallography. binary solid solns.conc.var., departures from ideality 7=11041 centrosymmetric structures, statistical tests 7=4557 computational formulae for structural analysis using parameters of group symmetry 7=4554 crossed-lattice images, obs. by electron microscope with tilted illumination 7=17462 double point groups, tables of basis functions 7=11039 electron-density maps, presentation using computer 7=17485 foils, meas. of parameters at raised temps. 7=7384 full-group and sub-group methods 7=1397 γ-ray diffraction spectrometers 7=1413 hydrate crystals, p-p rel. to metal-0 distances n.m.r.obs. 7=17506 interplanar angles and back-reflection Laue data computer programme 7=14398

ionic compounds deviations from stoichiometry 7=1549 lattice constant systems and graph theory 7=4553

macroscopic lattice, normal modes of point symmetry

measurement by Mössbauer effect applic. 7=11045

types 7=4555

```
Physics Abstracts 1967 - Part I (Jan.-June)
Crystal structure, atomic-contd
Miller-Bravais indexing 7=7378
         monocrystal and polycrystal interferences,
recording 7=17488
orientation, meas. from Laue back-reflection, new
tech. 7=14309
papers statistical analysis 7=7367
          phase determ., symbolic addition method 7=7374
         platelet, 'transparency-striations' for two-beam electron diffraction 7=17461 program for standard projections of planes and directions in any system 7=14355
          scattering factor of (222) forbidden line calc. in
              diamond-type covalent solids 7=11057
          space group symmetry, consistency check in vector verification method 7=7379
          space groups irreducible representations third order invariants 7=7376
          structure invariants, strong equivalence 7=4552
          substance distribution among space groups 7=17476 surface, roughness transition temp, with soln. 7=10949 symmetry groups, nomenclature 7=7377 Er-Co system compounds 7=7228
          Ge, modified form under simultaneous pressure and
shear strain obs. 7=1238
Si, modified form under simultaneous pressure and
              shear strain obs. 7=1238
      elements
         diamond, scattering factor of (222) forbidden line calc. 7=11057
          Ag, electron diffr.gegenfeld filter obs. of films 7=1419
          Al, Debye-Waller factor temp. var. obs. 7=7469
          Al, electron diffraction in films obs. 7=1416
          Al, electron diffr.gegenfeld filter obs. of
              films 7=1419
          Al electron diffraction, temperature and wavelength
               var.obs. 7=1415
          Al, neutron diffr. time-of-flight obs. on powder 7=7405
          Al, thermal expansion of lattice rel. to macroscopic value
          for vacancy conc.temp.var.obs. 7=14527
Ar, X-ray lattice const.meas. 7=1418
          Au, electron diffraction in films obs. 7=1416
Au, electron diffr.gegenfeld filter obs. of
               films 7=1419
          C graphitization by spark discharge obs. 7=17357
          C, scattering factor of (222) forbidden line
               calc. 7=11057
          Co, radial distribution functions 7=11105
Cu, neutron diffr. time-of-flight obs. on powder 7=7405
Dy, rel. to mag. transitions 7=7420
\alpha-Fe, divergent beam X-ray diffr. obs. 7=7423
          \alpha\text{-Fe} lattice parameters, effect of binary transition element additions \,7\text{=-}17504
           Fe, lattice parameters of h. c. p. and b. c. c. phases to
          300 kbar 7=17503
Ge, atomic planes and positions 7=7425
Ge, scattering factor of (222) forbidden line calc. 7=11057
Hg, relativistic form factors 7=11064
L, to 60 kbar 7=17507
α-Mn, lattice parameters from 4-300 % obs. 7=14385
          Mo, single crystal, sub-structure, X-ray obs. 7=17372
Mo sputtered films on oxidized Si obs. 7=7279
Ne 7=14388
Ni, hexagonal phase 7=7243
           Pa obs., in conference, Orsay (1965) 7=11011
Pa obs., in conference, Orsay (1965) 7=11071
Pb, neutron diffr. time-of-flight obs. on powder 7=7405
           S_{\omega}, (insoluble) 7=17515
           Si, atomic scatt. factors, by pendellösung fringes 7 = 4561
           Si, with diffused B or P, lattice contraction due to elastic
                strain 7=11076
           Si, (III) extinction distances for electron diffr.rel.to two beam theory 7=1435
Si, lattice parameter obs. using double-diffraction
                effect 7=17516
           Si, neutron diffr. time-of-flight obs. on powder 7=7405
           Si, scattering factor of (222) forbidden line calc. 7=11057
           Sn, scattering factor of (222) forbidden line
                calc. 7=11057
            Ta, single crystals, substructure, obs. 7=17372
            β-U, minimum-residual refinement 7=7449
           V, interstitial ordering meas. 7=4602
           W single crystal, sub-structure, X-ray obs. 7=17372
W substrate, effect of interaction with thin B
deposit 7=2438
Y,h.c.p., interplanar angles and planar spacings 7=4604
            Zn, tensile cleavage, validity on Sohncke's law at -196°C 7=14312
           β-brass, disordered, pair-correction function, neutron critical scatt. obs 7=14379
β-brass long range order temp. var. below transition temp., neutron critical scatt. obs. 7=14381
```

Crystal structure, atomic-contd alloys—contd  $\beta$ -brass short range order 2°-25°C above transition, neutron critical scatt. obs. 7=14380 eutectic, effect on superconducting properties 7=1865 martensite, fracture crystallography 7=4782 rare-earth binary systems 7=4595 steels, ferritic, wavelength effect in X-ray obs. 7=11293 transition metals, b. c. c. applicability of rigid model for 3d band by specific heat 7=17821 Vergard's law deviations, elastic model 7=7372 Al-Ni, defect lattice, new type, obs. 7=4576 Al-Zn, quenched solid solns., lattice spacings 7=14373 AuCuII periodicity var., X-ray diffraction obs. 7=1420 Au-Mn, long period stacking order, closed packed struct. 7=14824 AuPd, films superlattice ordering obs. 7=14374 CdTe-AgInTe<sub>3</sub> obs. 7=11005 Cd-Te-CuGaTe<sub>2</sub> obs. 7=11005 Co-Pt, ordering at 500-700°C rel.to Curie temp. reduction 7=8160 Cr-Mo,A15 structure 7=7226 Cu, Vergard's law deviations, elastic model 7=7372 CuAu, lattice modulations 7=1423 Cu-Au, superlattice formation and lattice spacing changes rel. to composition 7=4582 CuAu II, order, X-ray obs. 7=17501 Fe-Al, lattice parameter rel. to ageing and Al content obs. 7=1236 (Fe, Mn)<sub>8</sub>C obs. 7=4583 (Fe, Mn)<sub>5</sub>C<sub>2</sub> obs. 7=4583 Fe-Ni-Cr-Ti-Al-Mo-W-B 7=7422 Fe-Si, 3.34 wt.-%Si, lattice parameters and phys. Fe-31, 3.34 wt.-%S1, lattice parameters and phys. props, 7-8110 Mg\_3Cd, ordering rel. to lattice parameter var. 7-12 Mn-Si, rejection of MnSi<sub>2</sub>, Mn,Si<sub>7</sub> proposed 7-15058 Nb-Zr(5.50 wt.%)-Ti(10-20 wt.%) 7-7437 Nb<sub>2</sub>Al-Nb<sub>3</sub>Sb obs. 7-7905 No<sub>3</sub>Al-No<sub>3</sub>Sb obs. 7=7905
Ni<sub>3</sub>Al with or without Ti, Cr or W, X-ray diffraction obs. 7=1431
Ni-Cr-Al, rel. to creep strength 7=7724
PbS-½TIBiS<sub>2</sub>, and phase diagram, obs. 700-1000°C 7=4599
Pd-Co(25at.%), short range order rel. to elec. cond.
K-effect obs. 7=17877
Pd<sub>3</sub>Mn<sub>2</sub>, %-phase, magnetic 7=2167 Pd-W(11, 3at. %), short range order rel. to elec. cond.

K-effect obs. 7=17877

Sc-Fe system, Laves phases obs. 7=11075

Ti-O(40 at. %), ordering in foils, electron diffr.

obs. 7=1436 W-N, electron diffr.obs. 7=1406 inorganic compounds ammonium Zn fluoride hydrate non-stoichiometry 7=1439 Beraunite, (hydrated iron phosphate) 7=14384 berbankite, X-ray obs. 7=17512 borates of dolomite structure 7=7410 bytownite (body-centred anorthite) 7=4574 clay minerals, layer struct, factors 7=4575 ferrierite (zeolite) 7=7407 hexafluorides, n.m.r. data 7=2233 hydrates, n. m. r. data 7=8316 kainosite 7=11058 metal oxides, non-stoichiometric 7=1615 oxides, Raman and i.r. spectra obs. 7=18260 piemontite 7=7406 protoactinium complex halides, in conference, Orsay (1965) 7=11010 rare-earth chlorides, XCl<sub>3</sub>. 6H<sub>2</sub>O 7=7442 rare earth germanides, struct, characts, 7=2084 rare earth oxides, rel. to Eus\* activated fluorescence 7=15379 rare-earth oxyselenides 7=4594 silicates, sphere, apophyllite, tremolite and scheelite, e.p.r. study 7=15252 spinel octahedral site clusters, config. probabs. 7=14354 transition metal chalcogenides order and disorder 7=1437 wurtzite B4 block inversion and shear 7=1417  $\beta\text{-}Ag_3AuSe_2$  7=7408  $\beta\text{-}Ag_3AuTe_2$  7=7408 AgBiTe2, electron diffr. obs. 7=14371-2 Al borides, higher, obs. 7=17494 Al C N compounds related by block inversion and shear 7=1417  $\eta\text{-Al}_2O_3,$  rel to preparation method 7=7409  $\text{As}_2O_5, \%_3\text{H}_2\text{O}$  7=4577  $\text{Au}_2\text{S}, \text{X-ray diffr.obs.}$  7=14375 Au<sub>2</sub>S, A=12y unit. 008. (=14375)BaAl<sub>2</sub>O<sub>2</sub>, single crystals 7=17495BaCo<sup>2</sup><sub>2</sub> + Fe<sup>2</sup><sub>2</sub> + Fe<sup>2</sup><sub>16</sub> + O<sub>27</sub>(Co<sub>2</sub>W), position Co<sup>2+</sup> ion, neutron diff. obs. 7=17496BaGe(Ge<sub>2</sub>O<sub>2</sub>) 7=11056BaS<sub>2</sub>O<sub>2</sub>. 2H<sub>2</sub>O 7=4578BeO, sintered, n prod. lattice expansion, 110°, 650°, 1100°C 7=11221 BiOCl, electron diffr. phase grating approx.test 7=1409

```
Crystal structure, atomic-contd
                 inorganic compounds—contd

Bi<sub>4</sub>Ti<sub>2</sub>O<sub>12</sub> symmetry obs. 7=15032

Ca fluorosilicate, niocalite 7=1432

α-CaB<sub>2</sub>O<sub>4</sub>, 4H<sub>2</sub>O struct. appl. of linear struct. factor
eqn. systems 7=4579
                                 eqn. systems (=45)9

CaB<sub>3</sub>O<sub>4</sub>(OH)<sub>3</sub>, H<sub>2</sub>O (colemanite), obs., rel. to

ferroelec. 7=7413

CaB<sub>72</sub>. 10H<sub>2</sub>O. 2(CH<sub>2</sub>)<sub>8</sub>N<sub>4</sub> complex 7=7411

CaF<sub>2</sub>, single-cryst. intensity project report 7=7382

CaFe<sub>4</sub>O<sub>7</sub> ferrites, with tri- or tetravalent ions 7=15168
                                   CaMoO<sub>4</sub>, orientation, X-ray obs. 7=10989 \beta-Ca<sub>2</sub>P<sub>2</sub>O<sub>7</sub> 7=7412
                                    CdI rhombohedral polytypes 7=17499
                                    CdMoO<sub>4</sub> 7=11060
                                   CdTe, at high press. for different phases 7=11059
                                 Cd(NO_3)_2, 4H_2O 7=4580

Ce_5Mg_{42} meas. 7=17500
                                 Ce<sub>5</sub>/Wg<sub>42</sub> meas. t=17000

Ce<sub>5</sub>/O<sub>20-2</sub>, string structure as series generator 7=1421

CoAs, T=7415

CoCl<sub>2</sub>. 6H<sub>2</sub>O, hydrogen positions 7=4581

Co<sub>2</sub>Co(O<sub>2</sub>/BO<sub>3</sub>) 7=14376
                                \begin{array}{c} \text{Co}_2\text{Co}(\text{O}_2/\text{BO}_3) \quad 7\text{=}14376 \\ \text{Cr}_2\text{BC}_4 \quad 7\text{=}11061 \\ \text{Cr}_2\text{NiS}_7, \text{neutron diffr.obs.} \quad 7\text{=}11667 \\ \text{Cs}_2\text{CeCl}_6 \quad 7\text{=}7416 \\ \text{CsCr}_5\text{O}_8 \quad 7\text{=}11062 \\ \text{CsPbBr}_3, \text{ white, obs.} \quad 7\text{=}7417 \\ \text{Cu dichalcogenides, high-pressure synthesized} \quad 7\text{=}4943 \\ \end{array}
                                CuFeO<sub>2+(0-15)</sub> scattered intensities rel.to O position 7=1422

Cu<sub>1-Ni</sub>, Cr<sub>2</sub>O<sub>4</sub> lattice tetragonality obs. 7=14378

Cu<sub>2</sub>(OH)<sub>2</sub>CO<sub>3</sub>, (malachite) 7=7419

CuTiF<sub>6</sub>, 4H<sub>2</sub>O, X-ray obs. 7=17502

Cu<sub>1</sub>OH<sub>2</sub>CO<sub>3</sub> (malachite) 7=17502
                              CuTIF<sub>8</sub>: 4H_2O_x x-ray obs. t=17002 DC1, solid 7=11063 FeCuO<sub>2</sub> obs. 7=14383 \alphaFe-FeAl<sub>2</sub>O<sub>4</sub> mixed crystal in activated ammonia catalysts 7=7421 \text{Fe}_{1.16}\text{Ga}_{0.89}\text{O}_3 7=7424 (Fe_Mn_-)TO<sub>3</sub> (T-rare earth or Y, 0 < x \le 1) obs. 7=14182 Fe<sub>3</sub>O<sub>4</sub>, Fe<sup>2+</sup>/Fe<sup>3+</sup> distrib., correl. form theory 7=7234
                                 GaFeO, new Corundum-structure high-pressure
                                 phases 7=14229
GaP films 7=10966
                                 β-GdOF:Eu, site symmetry and splitting of Eus+ emission
                            lines 7=18274

Ge-Cu, in retrograde decomp., X-ray interact. with defects 7=4689

GeSb<sub>2</sub>Te<sub>4</sub>, electron diffr. obs. 7=7429

Gd<sub>13</sub>Zn<sub>58</sub>, P6<sub>3</sub>mc 7=17505

HCl, solid 7=11063

HgTlS<sub>2</sub> obs. 7=11511

HoZn<sub>2</sub> 7=4584

In(Fe, Sc, Tl)O<sub>3</sub>, new Corundum-structure high-pressure phases 7=14229

In<sub>2</sub>O<sub>3</sub>, new Corundum-structure high-pressure phases 7=14229
                                                   lines 7=18274
                                                     phases 7=14229
                                   InSb, high-press.phases 7=1240
                                 In_2Se_3, \alpha and \beta-phases 7=4585 KBr, electronic struct. 7=7431
                                   KC1-KBr solid soln., lattice parameter 7=7432
                                   KH2PO4, lattice parameters, 25°-150°C, X-ray
                                                        meas. 7=17508
                                 meas. 7=17008

KH<sub>2</sub>PO<sub>4</sub>, n scatt., anisotropy and phase transition effects 7=18048

KMgCl<sub>3</sub> 7=8429

K<sub>2</sub>PaF<sub>7</sub>, conference, Orsay (1965) 7=11066
                                 KPaO<sub>3</sub> obs., in conference, Orsay (1903) 1-11000
KPaO<sub>3</sub> obs., in conference, Orsay (1965) 7-11072
KReO<sub>3</sub>, cubic 7-7443
La<sub>2</sub>Al<sub>1</sub>, (known as α-LaAl<sub>2</sub>) 7-17509
La<sub>2</sub>Mg<sub>3</sub>(NO<sub>3</sub>)<sub>2</sub>, 24H<sub>2</sub>O, orientation of H<sub>2</sub>O from n.m.r. 7-4586
                                    Li-hydrazimium sulphate 7=17510
                                 LiCr<sub>3</sub>O<sub>a</sub> 7=11065

LiFePO<sub>4</sub>, antiferromagnetic, by neutron diffr. 7=18149

LiIO<sub>3</sub> 7=4588

Li<sub>3</sub>N, n. m. r. data 7=2240
                                    LiPaO<sub>3</sub> obs., in conference, Orsay (1965) 7=11072
                                                                                  7=4587
                                    MgO, h00-systematic interactions, electron diffr. 7=7433
                                   MgO, n-irrad, lattice parameters rel. to annealing temp. 7=14386
                                 temp. 7=14388 MgO-Cr<sub>2</sub>O<sub>3</sub> (50-66 mol.%) spinels obs. 7=8417 Mg<sub>2</sub>P<sub>2</sub>O<sub>7</sub>, \alpha and \beta phases 7=11709 MnFe<sub>5</sub>O<sub>6</sub>, metal ion distribution from n. m. r., prep. from aqueous soln. 7=15178 Mn<sub>2</sub>P<sub>2</sub>O<sub>7</sub>, and (Mg<sub>1-x</sub>Mn<sub>x</sub>)<sub>2</sub>P<sub>2</sub>O<sub>7</sub> (0 \leq x \leq 0.04) \alpha-\beta phase transition specific heat obs. 7=14233
                                 Transition specific heat obs. 7=14233 Mg<sub>2</sub>P<sub>2</sub>O<sub>7</sub> and (Mg<sub>1-x</sub>Mn<sub>x</sub>)<sub>2</sub>P<sub>2</sub>O<sub>7</sub> (0\le x \le 0.04) \alpha-\beta phase transition specific heat obs. 7=14233 Mn<sup>2</sup><sub>1,-x</sub>,V<sup>2</sup><sub>2,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub>3,1-x</sub>,V<sup>2</sup><sub></sub>
                                    NH4 spherically symmetric ion, scatt. curve 7=4589
```

NH<sub>4</sub>Cl. (NH<sub>4</sub>)<sub>2</sub>S<sub>2</sub>O<sub>6</sub> 7=11068

```
Crystal structure, atomic-contd
            inorganic compounds—contd
(NH<sub>4</sub>)<sub>2</sub>[Cu(NH<sub>3</sub>)<sub>2</sub>Br<sub>4</sub>]-Cu(NH<sub>3</sub>)<sub>2</sub>Br<sub>2</sub> non-stoichiometry 7=1439
                        (NH<sub>4</sub>)<sub>2</sub> [Cu (NH<sub>3</sub>)<sub>2</sub>Br<sub>4</sub>]-Cu (NH<sub>3</sub>)<sub>2</sub>Br<sub>2</sub> non-solicinometry

NH<sub>4</sub>(CuTiF<sub>7</sub>, 4H<sub>2</sub>O, obs. 7=17511

NH<sub>4</sub>(OOH, H-bonding 7=14387

Na<sub>2</sub>B<sub>4</sub>O<sub>6</sub>(OH)<sub>2</sub>, 3H<sub>2</sub>O, kernite 7=11070

NaF (villiaumite), X-ray obs. of amplitudes 7=1430
                       NaF (villiaumite), X-ray obs. of amplitudes 7=1430 \rm Na_2O. SiO<sub>2</sub>. 6H<sub>2</sub>O, isostructural Na<sub>2</sub>O. GeO<sub>2</sub>. 6H<sub>2</sub>O 7=17513 \rm Na_2AO_3 obs., in conference, Orsay (1965) 7=11072 \rm Na_4P_2O_7. 10H<sub>2</sub>O 7=7436 \rm NaReO_3, cubic 7=7443 \rm Na_2SiO_3 7=1405 \rm Na_2SiO_4] 7=11069 \rm Nb oxides, electron diffr. obs. 7=1406 \rm Nb oxides, electron diffr. obs. 7=1406
                          NbO 7=4590
                        NDU 7=4590 Nb<sub>2</sub>O<sub>5</sub> with F<sup>-</sup> and OH<sup>-</sup> substituted for O<sup>2-</sup> 7=1572 Nb<sub>2</sub>O<sub>5</sub> with Ti<sup>4+</sup> or We<sup>4</sup> substituted for Nb<sup>5+</sup> 7=1573 Nb<sub>2</sub>O<sub>5</sub> -WO<sub>3</sub> system, rel. to phase equilibria 7=7242 Ni Debye-Waller factor calc. 7=7438
                        Ni-Co-Al-Ti-Cu-Fe alloy, in mag. optimal state 7=14390
NiO, lattice parameter, effect of Li additives 7=18151
                         Ni,SLi, stability of hexagonal phase 7=4474
NiSO<sub>4</sub>, 6D<sub>2</sub>O, neutron diffr. data 7=4591
(PO<sub>3</sub>)<sub>3</sub>M<sup>II</sup>K (M<sup>II</sup> = Co, Ni, Mg, Zn) rhombohedral
form 7=7439
                        Pa oxides, in conference, Orsay (1965) 7=11073
PaCl<sub>5</sub> 7=7440
                         Pa,F<sub>17</sub>, in conference, Orsay (1965) 7=11074
Pbl<sub>2</sub>, fission fragment damage, computer calcs. 7=4593
Pbl<sub>2</sub>, fission fragment damage, electron microscope
obs. 7=4592
                          Pb(OH)Br obs. 7=7441
                          PbPO<sub>3</sub>F, single crystal and powder data 7=14392
                        PbS, high press. obs. 7=18485
PbSe, high press, obs. 7=18485
PbTe, high press, obs. 7=18485
PbZrO<sub>3</sub>, 25<sup>5</sup>-236°C 7=7247
                         Pr<sub>n</sub>O<sub>2n-2</sub>, string structure as series generator 7=1421
                         \hat{n}_{1,7}\hat{G}e_{22} new type of superstructure, obs. 7=17514 S(CN)_2 7=7444 S_3O_9 7=7445
                       S_{0}N_{2} 1-1111

S_{3}O_{9} 7-7445

SbSI, ferroelectric 7-4596

Sc_{2}(WO_{4})_{3} 7-1433
                         SiC epitaxial film on Si substrate 7=1367
                       Sic, 4H, hexagonal 7=11077
SiO<sub>2</sub> (quartz) Compton scattering variation with structure changes 7=1434
Sm<sub>5</sub>Ge<sub>4</sub> 7=14394
Sn and Pb cpds. of rare earth elements, D8<sub>8</sub> phases 7=17517
                        phases I = 1311
Sn(Ta, Nb)<sub>2</sub>O<sub>7</sub>, X-ray obs. 7=17518
SrCr<sub>2</sub>O<sub>7</sub> 7=11078
Sr<sub>2</sub>CrO<sub>4</sub> 7=11079
Sr(MnO<sub>4</sub>)<sub>2</sub>, 3H<sub>2</sub>O 7=4597
                         Ta oxides, electron diffr.obs. 7=1406 Tb,Q_{3...2}, string structure as series generator 7=1421 Th,^{3}_{1}V_{4}, 7=4598 ThTi_{2}Q_{6} (brannerite) 7=7447
                          Ti,O, interstitial superlattice, obs. 7=11160
                          TIBr 7=11080
                          Tl-In alloy, b. c. c. phase rel. to supercond. 7=17908
TiN containing excess N 7=10909
                          Tl2O3, new Corundum-structure high-pressure
                        TI<sub>2</sub>O<sub>3</sub>, new Corundum-structure high-pressure phases 7=14229 U-oxides, X-ray study at high temp. 7=14397 UC<sub>2</sub>, high temp. 7=4601 U<sub>2</sub>C<sub>3</sub>, by neutron diffraction 7=7450 UCl<sub>5</sub> 7=14395 U<sub>2</sub>C<sub>3</sub>O<sub>5</sub>li<sub>6</sub> obs. 7=7451 UCoAl, of C22(Fe<sub>2</sub>P) type 7=14396 U<sub>2</sub>FeSi<sub>3</sub> 7=7250
                        U_2\text{FeS}i_3 7=7250 transfer transf
                          Y,BeO, meas. 7=17519

[YC1(OH)<sub>2</sub>]<sub>n</sub>, monoclinic and orthorhombic forms,
                                      interrelation 7=17520
                         YFeGa garnets, substitutional disorder 7=4603 \beta-YOF:Eu, site symmetry and splitting of Eu3* emission
                                      lines 7=18274
                           ZnFe<sub>2</sub>O<sub>4</sub>, superparamagnetism rel. to cation distrib.,
                          precipitated from aqueous soln. 7=18133 ZnO-B<sub>2</sub>O<sub>3</sub>, X-ray diffraction study 7=11083 ZnTe films, rel. to growth and stoichiometry obs. 7=10972 Zn<sub>2</sub>Te<sub>3</sub>O<sub>8</sub> obs. 7=1438 Zr<sub>4</sub>Si<sub>4</sub> 7=11084
```

Physics Abstracts 1967 - Part I (Jan.-June) Crystal structure, atomic—contd organic compounds anhydrous Cu 8-hydroxyquinolinate, α-form 7=17525 an-insidine, X-ray study 7=4605 β-DL-arabinose 7=17523 aromatic hydrocarbons, nonbonded potential parameters 7=7171 DPPH, grown from benzene soln., heat treatment effect 7=17530 1, 3-diamino-2, 4, 6-trinitrobenzene, form I 7=17524 10, 10'-dianthronyl 7=17526 dimethylaniline, polycrystalline, proton mag. reson. -190 to -1.5°C 7=5210 S, S-dimethyl-N-methylsulphonylsulphilimine 7=17528 formic acid, polymorphism 7=7455 furantetracarboxylic acid, Rb salt 7=17527 N-methyl-3, 5-dibromopyridone, bond lengths and angles obs. 7=11087 N,N'-diphenyl-115-diaminoanthraquinone 7=17521 N,N'-diphenyl-1, 8-diaminoanthraquinone 7=17522 normal paraffins, rotating molecules in high-temp. form 7=14399 nylon 4, a polymorph 7=14400 nylon 4, β and δ polymorphs 7=14401 oilseeds X-ray diffr. obs. 7=14401 oxalic acid dihydrate, effect of D substitution on bond lengths 7=7457 poly- $\gamma$ -methyl-L-glutanate, $\beta$ -form 7=11088 poly-p-xylylene modifications obs. 7=1253 polypropylene 7=1296 polypropylene, pressure-crystallized 7=4608 polyoxymethylene, thermal twisting motion obs. 7=4607 protoactinium complex halides, in conference, Orsay (1965) 7=11010 sorbital hexaacetate needles 7=4525 stilbene derivatives, X-ray analysis 7=17532 D, L-6-thioctic acid, twinned cryst. 7=17533 thiourea, photographic and counter obs. 7=17534 thiourea, refinement 7=7458 thiourea, refinement 7=7458

Br. Cof, phase transform obs. 7=17369

CCl<sub>4</sub>, rhombohedral modification 7=7454

C. Cl<sub>12</sub>, cage struct. 7=11085

Ci<sub>2</sub>Cl<sub>13</sub>Co<sub>3</sub>Cl, cage struct. 7=11085

CH<sub>2</sub>l<sub>24</sub>, from i. r. spectrum 7=2352

CH<sub>3</sub>NH<sub>3</sub>NiCl<sub>3</sub> 7=7456

Ce ethyl sulphate Debye-Waller factor 7=17565

CaBr<sub>2</sub>. 10H<sub>2</sub>O. 2(CH<sub>2</sub>)<sub>6</sub>N<sub>6</sub> complex 7=7411

Cl<sub>5</sub>C<sub>6</sub>F, phase transform. obs. 7=17369

Cu(HCO<sub>2</sub>)<sub>2</sub>. 4H<sub>2</sub>O, H positions 7=11086

Cu(II)-bis(2-imine 4-amine methylpentane) nitrate non-stoichiometry 7=1439

H. NH<sub>4</sub>(ClCH<sub>2</sub>COO)<sub>2</sub> obs. 7=8030

K purpurate, rel. to ion struct. 7=17531

(Me<sub>3</sub>SiNSiMe<sub>2</sub>)<sub>2</sub>, molec. motion obs. 7=2242

Ni biguanide chloride, X-ray study 7=4606

Ni-glyoxime 7=17529 Ni-glyoxime 7=17529 Crystal symmetry. See Crystallography; Crystal structure, Crystallites. See Crystal structure/microstructure. Crystallization See also Crystals/growth. ice nucleation by amino-acid particles 7=4421 metals, recrystallization, high purity and impure 7=11000 multicomponent chains, growth kinetics 7=8523 multicomponent chains, probability theory appl. 7=7311 nucleation theory, Onsager symmetry in diffusion eqn. 7=103 mucleation, vapour-solid, role of adsorption 7=7158

Permalloy 65N, magnetic properties on
recrystallization 7=5164
poly (n-octadecyl methacrylate), kinetics of monolayers
at air-water interface 7=1338 pressure, meas. based on trapping of foreign bodes 7=1309 pressure, thermodynamics of repulsion of foreign bodies 7=1308 propylene oxide polymers, kinetics 7=4517 steel, theory 7=7327 Ticonal X, controlled solidification 7=1194 C, from solns, at high press. 7=14317 Fe with 3 wt. %Si, secondary recryst, textures, effect of cold working 7=7324  $\rm KBr, distrib.$  of KOH and  $\rm KNO_3$  impurities, obs.  $7{=}17440$  KI in contact with biotite and muscovite  $\,7{=}1334$ 

LiO<sub>2</sub>:SiO<sub>2</sub> glasses, at high pressure 7=17441 N<sub>2</sub>H<sub>4</sub>. H<sub>2</sub>O, from supercooled mixtures 7=11009 Ni, recrystallization during creep 7=1731 Se spherulites, formation mechanism 7=4520  $SiO_2$ , kinetics at high pressure 7=11012  $\alpha$ -Zr, secondary recrystallization 7=14326 Crystallography

See also Electron diffraction crystallography; Neutron diffraction crystallography; X-ray crystallography. approximations for electron-density, minimization and Patterson functions 7=11048

Crystallography-contd associated weighted corepresentations 7=17779 bicrystal, general, mathematical characterization 7=17417 classification of symm, and antisymm, groups 7=11040 computer recording of three-dimensional struct. amplitudes with systematic absences 7=7381 4-axis hexagonal coordinate system, calcs. 7=7368 goniometer head base improvement 7=14364

grain boundary precipitation analysis 7=4455 groups containing only rotations and mirror anti-rotations 7=7371 h.c.p. crysts., indices of planes and directions 7=14353 molecular models, self-crystallizing 7=7303 Mössbauer effect applic.for atomic structures 7=11045 orientation of single crystals, ultrasonic method 7=17420 R4, four-dimensional space, classes of 227 7=17418 simultaneous diffraction with 3-circle diffractometer, geom. conditions 7=17487

space groups irreducible representations third order invariants 7=7376

structural analysis using principle of minimum potential energy 7=17416 substance distribution among space groups 7=17476

See also Liquid crystals. absorption spectra, singularity reversal in insulating crystal 7=5230

acoustic branches, meas. to third order 7=1456 alkali halides, calc. ht. of dilute solid soln. 7=7207 aromatic hydrocarbons, nonbonded potential parameters 7=7171

atom-atom collision "chains" in crystals 7=14634 bond ionicity in iono-covalent cpds. 7=7170 cubic, macroscopic theory, optical rotation and double

refr. 7=15305 cubic,temp.depend.of photoelasticity 7=7642 equivalent neighbour model, asymptotic behaviour 7=7167 Gaussian wave functions, potential energy integrals 7=7168

with long-range forces, equivalent neighbour model 7=7166

mixed molecular or ionic, three-body interaction integrals 7=4429

model of rigid disks at high density 7=9120 molecular, destruction of bonds by press. 7=1207 molecular motions, neutron scatt. determ. 7=4444 non-metallic, effect of H2 on surface 7=10973 rare-gas and similar crystals, stability rel. to 3-ion

interactions 7=4430
rare-gas, three-body exchange forces 7=14167
surface energy determ. from equilib. states 7=1255
KCI, relaxation of OH dipoles at low temp. 7=14185
electron states. See Crystal electron states.

etching

anthracene, dislocations 7=1596 hydrocarbons, aromatic, dislocations 7=14589 mechanism, d.c., review and theory 7=7310 Al, etch pits distrib. rel. to ultrasonic effect on perfection 7=7318

BeO, for dislocations obs. 7=7574 CdS, pointed crystals, field emission 7=15093

CsI, kink formation obs. 7=7577 Cu, dislocations, by potentiostatic electrolysis 7=11177

Fe, and plastic flow 7=4777 GaAs, jet etching for transmission electron

microscopy 7=14347Ge by  $H_2S$  vapour, obs 7=17427Ge, for Identification of dislocation type 7=4706Ge, surface recombination velo.var. 7=7810

Mg films, vacuum deposited, rel. to tensile strength obs. 7=1729

Mo-Nb single crystals obs. 7=17721 NaCl, cleaved(100) surface, obs. of loops and spirals 7=1613 NaCl, (001) surface, pit rotation 7=4708 NaF, new edge dislocations, selective etch 7=14595

NaF, p-irrad. 7=10997 Si, anomalous, on crystals grown in Ar by pulling method 7=1581

 $\rm Sr\,(NO_3)_2,$  dislocation pits on three faces 7=7594 Zn dislocations, orientation var.obs. 7=1616

excitons. See Crystal electron states/excitons.

faces cleaving apparatus, in vac. 7=7308

epitaxial growth of b.c.c. metals on cleavage faces of NaCl 7=7343 equilibrium form phenomenological theory 7=7304

growth rate, macroscopic obstacle, effect of contact 7=1310 Rochelle salt, supersaturation effect on growth rates 7=1336

surface structure 7=17424 Ba(NO<sub>3</sub>)<sub>2</sub>, growth interaction with methyl blue impurity 7=1315

CaCO<sub>3</sub> cleavage plane on electron charging, electron diffr. exam. 7=7309

Crystals-contd

```
Crystals-contd
     faces-contd
          Cu, inert-gas ions scatt. by 7=4733
Ge, surface cond. of cleaved surfaces 7=1941
I crystal growth vel. of (111)- and (001)- faces 7=7328
K alums, supersaturation effect on growth rates 7=1336
Mo, work functions obs. 7=2053
           \mathrm{NH_{3}} alums, supersaturation effect on growth rates 7=1336
            NaCl, struct. of cleavage surfaces around
           precipitates 7=17425
NiSO<sub>4</sub>. 6H_2O dislocation etch pits on cleavage faces 7=11185
           PbNO<sub>3</sub> growth interaction with methyl blue impurity 7=1315
           Ta, work functions obs. 7=2053
W,C impurity crystallisation, electron and ion microscope examination 7=1575
           W, Ge adsorption, electron emission 7=5111
W, work functions, Cs adsorption effects obs. 7=8066
      growth
                 See also Crystallization; Zone melting and refining.
            A^{\text{III}}B^{\text{V}} type, semiconducting, apparatus \,\,7{=}17430 alkali halides, activator distribution obs. \,\,7{=}4507
           alloys, eutectic, mechanism and structure 7=1222 Alnico bars, oriented, continuous casting 7=4509 Alnico magnets, oriented, segregation 7=4523 alums, from water in u. s. field 7=1344 anthracene, in photocond. cell. 7=8060 anthracene single preparation and execute 7=4244
           anthracene, in photocolitice 11 2000
anthracene single, preparation and growth 7=1314
antiskeletal, producing dendrites, obs. 7=1349
apparatus for meas. growth and dissolution due to temp.
fluctuations 7=7314
           benzophenone, morphologic symmetry 7=1317
betol, recovery phenomena during nucleation in super-
cooled liquid 7=1318
            carbonates, by chemical method, up to 50°C 7=1319 p-chlorobenzene on p-bromo- and p-iodobenzene 7=7326
            convection current detected during growth from
                  solution 7=10998
            corundum, gem-grade, industrial method 7=4508
            crystallization pressure, meas.based on trapping of
foreign bodies 7=1309
            crystallization pressure, thermodynamics of repulsion
            of foreign bodies 7=1308
DPPH, grown from benzene soln., heat treatment effect on crystal structure 7=17530
diamond, from high-press. solns. 7=14317
dibenzyl from melts, apparatus 7=1324
            doping with gas traces in continuous flow
                  systems 7=14313
            electron microscope exam., 500 kV 7=14339
epitaxial, of b.c.c. metals on cleavage faces of
NaCl 7=7343
            feed system 7=4506
            ferrites from liquid and vapour phase, magnetic
                  props. 7=1327
            films of N-VI compounds, review 7=10957
            flux-grown, in temp. gradient, for removal of inclusions 7=4526
           inclusions 7=4526
graphite, in Fe and Ni alloys, by electron micro. 7=14344
graphite preferential orientation, thermal expansion and
X-ray obs. 7=7322
graphite, from TaC soln. 7=14318
guanidine Al<sub>2</sub>(SO<sub>4</sub>)<sub>3</sub>, 6H<sub>2</sub>O synthesis, props. 7=1331
guanidine Cr<sub>2</sub>(SO<sub>4</sub>)<sub>3</sub>, 6H<sub>2</sub>O synthesis, props. 7=1331
homogeneous nucleation and luminescence prod. 7=8486
homopolymers, epitaxy on alkali halides 7=1359
hydrothermal mineral syntheses in new purchases. 7=7314
            hydrothermal mineral syntheses, in new autoclave 7=7312
            ice, dendrite growth rate from aq. soln. 7=1351 ice, dendrites 7=1350
            ice, rate at water-metal interfaces 7=1332
            ice, in supercooled water and aqueous solutions 7=1333 impurity redistribution and structure 7=1306 initial direction for platelet immersed in melt 7=7313
            macroscopic obstacle in contact with face, effect
                  on rate 7=1310
            measurement of rate rel. to slight supersaturation in
                  solns. 7=7315
            from melt, rate meas. 7=17431
from melts, effects of cooling rate 7=1313
            in metal solid solutions, new phases obs. 7=1305 metals epitaxy on NaCl, KCl 7=1353
            metals, nucleation when solidifying 7=10895
            metastable solid-liquid phase boundary
            occurrence 7=1187
mica synthesis and electrical props.obs. 7=2001
mica, and synthesis review 7=1346
naphthalene from melts, apparatus 7=1324
naphthalene, ortho-deuterated, for n scintillation spectro-
                   metry 7=6238
            noble gases, solid and thermal props. obs. 7=7332 in optical interference filters, rel. to stability 7=3239
            organic impurities effects on inorganic crystals, review 7=1311
```

organic, obs. in optical microscopy by multiple beam interference 7=12700

```
growth-contd
    oxazine dye forms 7=1347
    oxides, single crystal, by flux evaporation 7=10999 peritectic phases single crystals via dendrites 7=17446 piperine, recovery phenomena during nucleation in supercooled liquid 7=1318 poly-3, 3-bis (chloromethyl)-oxacyclobutane, from soln. obs. 7=1323
     polyethylene, high press, and high temp. 7=17414
     polyethylene, high press and high temp. 7=17415
polyethylene intercrystalline links obs. 7=1325-6
     polyethylene, and radiation induced crosslink
          formation 7=7302
     poly (n-octadecyl methacrylate), monolayers at air-water
           interface, kinetics 7=1338
    polypropylene, effect of basic aluminium dibenzoate
on supercooling 7=1341
polypropylene isotactic films, spherulites microstruct.
obs. 7=1342
    oos. (=1.342)
polypropylene isotactic molten droplets, nucleation
kinetics and supercooling obs. 7=1343
protoactinium complex halides, preparation and properties,
in conference, Orsay (1965) 7=11010
quartz, rel. to solubility in 5% NaCO, soln. 7=4521
rare earth sesquioxides, by Verneuil method 7=4519
     real crystal at low supersaturations, dislocation-free
     mechanism 7=17429
Rochelle salt, supersaturation effect on shape 7=1336
ruby, Czochralski method 7=7319
      ruby, disk-grown for lasers, precipitates 7=17625
     ruby, Verneuil method for optical quality 7-11001 sapphire, Verneuil method for optical quality 7-11001 scintillation crystals for scintillation counters 7-3357
      semiconductors, axial d.c. effect on impurity diffusion
          calc. 7=7335
      snow, sonde obs. 7=8629
     solid-liquid interface, stability under
      supercooling 7=14314
sorbitol hexaacetate, needles 7=4525
     stirred solution, effect of speed on formation 7=1307 surfaces, step motion 7=1312
     thermal characteristics relation, calc. Thermal and diffusion processes 7=1303 thermal and diffusion processes 7=1304 thiazine dye forms 7=1347
     tolane from melts, apparatus 7=1324
     vater-insoluble refractory crystals, synthesis 7=4511
Zircaloy-2 single crystals 7=11013
Ag-base alloys, effect of concentration of alloying additions on recrystallisation 7=17433
Ag, and corrosion under hydrothermal conditions 7=7317
     Ag, epitaxy on NaCl and KCl cleaved in vac., nuclei orientation 7=11019
Ag epitaxy on NaCl, orientation rel. to evaporation rate obs. 7=7345
      Ag, films on alkali halide cleavage planes 7=7344
      Ag. on NaCl 7=4528
      Ag surface, electrolytic, electron microscopic obs. 7=1257
      Al-base alloys, effect of concentration of alloying additions on recrystallisation 7=17433
Al, epitaxy on NaCl and KCl cleaved in vac., nuclei orientation 7=11019
      Al, films on alkali halide cleavage planes 7=7344
      Al garnets, hydrothermal synthesis data 7=17432
Al oxides, on oxidation of Al-2% Al<sub>2</sub>O<sub>3</sub> SAP-type
alloy 7=11933
      Al recrystallization, transient grain growth, heat treatment var. obs. 7=14341
     Al, single, of required shape, orientation and purity 7=11002
Al, ultrasonic effect on perfection, from melt 7=7318
Al-Cu (2 at.%), Guinier-Preston II zones nucleation and growth 7=1391
Al-4%Cu, single cryst. of chosen orientation 7=7321
      Al2O3, Mo dispersion for inhibition of grain growth and
              recrystallization on sintering 7=7688
      Al<sub>2</sub>SiO<sub>5</sub> by transport with fluorides 7=7320
      Al-Ti dendrites twinning obs. 7=4500
      Ar, large crysts. 7=14316
      Ar, large crysts. 1-1400
Au, epitaxy on KCl cleaved in vac., nuclei
orientation 7-11019
Au epitaxy on NaCl, initial stage obs. 7-1354
Au, films on alkali halide cleavage planes 7-7344
      BaAl<sub>2</sub>O<sub>4</sub> single crystals 7=17495
BaF<sub>2</sub>, pure, synthesis for growing optical mon-
crystals 7=1320
      Ba(NO<sub>3</sub>)<sub>2</sub> faces, interaction with methyl blue
impurity 7=1315
(Ba-Sr)TiO<sub>3</sub> solid soln. series 7=4510
      BaTiO<sub>3</sub> from BaCl<sub>2</sub> melt, structure obs. 7=1316
      BaTiO<sub>3</sub> containing controlled amounts of Nd 7=11003
Be films, vacuum-deposited, growth textures 7=14274
```

Physics Abstracts 1967 - Part I (Jan.-June) Crystals-contd growth-contd Be thin films 7=17385
Bi, predetermined growth and orientation 7=7337 Bi, recrystallization, u. v. photoelectron emission meas. 7=11608 Bi-Cd alloys, recrystallization, u. v. photoelectron emission meas. 7=11608 C films 7=17386 C limbs (=17500 C impurity on W surfaces, electron and ion microscope examination 7=1575 C thin films 7=17385 Ca tartrate .4H<sub>2</sub>O, by diffusion in SiO<sub>2</sub> gel 7=1322 CaCO<sub>3</sub>, by chemical method, up to 50°C 7=1319 CaF<sub>2</sub> (fluorite), artificial, properties and rare earth fluoride doping effects 7=1321 CaF<sub>2</sub>, pure, synthesis for growing optical mono-crystals 7=1320 CaOH 7=11004 CaWO<sub>4</sub> 7=4511 CaWO<sub>4</sub>:Nd, for laser 7=9526 Cd films, monocrystalline, properties rel. to substrates and conditions of deposition 7=10964 Cd, recrystallization, u. v. photoelectron emission meas. 7=11608 Cd, surface aggregates formation during cooling of drops obs. 7=4512 CdGeP<sub>2</sub> 7=7968 CdI, structure transformation, rhombohedral polytypes 7=17499 types 7=17499
Cdl<sub>2</sub>, stacking disorder rel. to streaking and arcing obs. 7=17621
CdMoO<sub>4</sub> 7=11060
CdS, and group II-VI compound crystals, vapour growth kinetics 7=14321
CdTe-AgInTe<sub>2</sub> 7=11005
CdTe-CuGaTe<sub>2</sub> 7=11005
CdWO<sub>4</sub> 7=4511
CeO<sub>4</sub> from Li<sub>2</sub>O<sub>2</sub>WO<sub>4</sub> solvent 7=7323 CeO<sub>2</sub> from Li<sub>2</sub>O. 2WO<sub>3</sub> solvent 7=7323 Co, epitaxial films 7=14330 Co, films, vacuum-deposited, constitution in initial stages of formation 7=7277 CoF<sub>2</sub> in HF 7=7334 CsBr films condensation, electron diffr.obs. 7=1274 CsCl films condensation, electron diffr.obs. 7=1274 CsI films condensation, electron diffr.obs. 7=1274 Cu-based alloys, effect of concentration of alloying additions on recrystallisation 7=17433 Cu, dislocations origin 7=7579 Cu, epitaxial dislocations on frozen drop, electron diffr. obs. 7=1598 Cu epitaxy on Ag, electron diffr.satellites 7=1355 Cu films, epitaxy on Cu 7=1356-7 Cu, from melt, dislocations origin not by vacancy precipitation 7=1600 Cu recrystallization, of electrodeposited under cyclic stressing 7=11006 Cu, recrystallization, rolled at 77 and 20°K 7=14319 Cu oxide in Au-Cu(1, 7 at. %) oxidation at 600°C 7=18333 Cu phthalocyanine, muscovite substrate cleavage steps effect on orientation 7=7346 β-CuAl containing Zn or Sn, pearlite growth kinetics obs. 7=10943 Cu-Co (3.23 wt.%) recrystallization on annealing on cold rolling, particle size effect obs. 7=4543 Cul films, semiconducting, oxygen-inhibited grain growth 7=1394 Cu,O epitaxy on Cu on oxidation obs. Cu<sub>2</sub>O single cryst. by melt 7=14320 Fe, armco, effect of deformation at subzero temps. on recrystallisation 7=17435

Fe, C effect on recrystallisation kinetics obs. 7=4513

Fe, epitaxial films 7=14330

Fe single crystal platelets 7=8170 Fe-alloys, high-purity, recrystallization 7=17434 Fe alloys undercooled melts dendrite struct.obs. 7=11032 Fe alloys undercooled ments dendrite struct. obs. 1-FeCo-V, cold worked, recrystallization on annealing obs. 7=11033 FeCuO<sub>2</sub>, pure 7=14322 Fe-Al-N recrystallization on cold rolling, textures, 500-700°C 7=4514 α-Fe<sub>2</sub>O<sub>3</sub>, fluxes 7=7325 Fe-Si Goss\_textured strip, 7-8185 α-re<sub>2</sub>O<sub>3</sub>, fluxes 1=1325 Fe-Si Goss-textured strip 7=8185 Fe-Si(3%), grain growth rate rel. to grain size 7=17436 Ga garnets, hydrothermal synthesis data 7=17432 GaAs, contact layers by vapour phase epitaxy, rel. to Gunn-effect oscillators 7=14331 GaAs diodes laser, by solution regrowth on (111) plane 7=14333 GaAs, epitaxial and disloc.-free 7=17450 GaAs epitaxial films on rocksalt by evaporation of elements 7=7348 GaAs, epitaxial, 'pyramid' formation 7=4530 GaAs, epitaxy, effect of doping 7=11017 GaAs epitaxy on GaAs and Ge 7=7347

Crystals-contd growth-contd GaAs, epitaxy on Ge by vapour phase transport 7=11015 GaAs epitaxy in holes in GaAs 7=11016 GaAs on Ge, oriented 7=14332 GaAs. on Ge, twinning and morphology 7=4501 GaAs, homoepitaxy rel. to quality 7=4529 GaAs, inhomogeneities, elec. obs. 7=1328 GaAs layers, rate in iodide process, obs. 7=1743 GaAs, oriented, vapour-liq-solid method 7=14323 GaAs, Si contamination from glassy carbon boat 7=14324 GaAs, rel. to transmission electron microscopy 7=14347 GaAs, vapour phase, for microwave diodes 7=4515 GaAs, vapour phase, for microwave diodes 7=4515
GaAs-Ge epitaxy 7=1966
Ga\_\_Te\_O<sub>3</sub>, fluxes 7=7325
GaP epitaxial p-n junctions from soln. obs. 7=1967
GaSb, p-n junctions pulled from melt 7=15385
GaSb, rel. to structure of residual acceptor
centres 7=11007 Ge amorphous films on Al, recrystallization prod. by laser obs. 7=17453 Ge dendrites pulling device 7=4527 Ge, dendritic, structure of 'perfect' crystals 7=7339 Ge, dislocations, effect of cooling conditions 7=1605 Ge, epitaxial films, apparatus and obs. 7=17452 Ge epitaxial films on GaAs by vacuum evaporation 7=1362 Ge, epitaxial on Ge cleaned by electron bombardment 7=1361 Ge films in electron microscope, diffraction scanning obs. 7=1275 Ge films, epitaxial, evaporation formation temps. 7=11018 Ge films, epitaxial, iodide sandwich method 7=17451 Ge pulling rel to plane defects creases growth 7=7607 Ge on Si 7=1329 Ge, single-crystal, on  $\alpha$ -Al,O, substrate 7=11020 Ge single crystal, apparatus and method 7=1330 Ge tubes 7=17438 Ge whiskers, obs. 7=17447 Hg condensation on C films, 190°-125°K 7=4415 HgTe-7nTe system methods 7=17439
I crystal growth vel. from vapour condensation 7=7328
InAs, pulling from melt, apparatus 7=7329
InAs<sub>1-8</sub>b<sub>4</sub>, Czochralski, for lasers 7=3175
InSb<sub>2</sub>, epitaxial, in vacuum 7=14334
Valume Superproduction of fice to school 7=1226 K alums, supersaturation effect on shape 7=1336 KAl alum rates in slightly supersaturated solns. 0bs. 7=7330 KCl from aq.solns.,in  $\gamma$ -radiation field 7=11008 KCl, divalent impurity distribution 7=14555 KCl, impurity interactions 7=14556 KC1 whiskers on KC1 single crystals obs. 7=17448 K<sub>4</sub>Nb<sub>6</sub>O<sub>17</sub> 7=7331 KTaO<sub>3</sub>-KNbO<sub>3</sub> mixed crystals 7=4516 LiF, impurities rel.to transparency in i.r.and u.v regions obs. 7=1335 MgAl<sub>2</sub>O<sub>4</sub>, Verneuil process, stacking defects 7=4707 MgO-Cr<sub>2</sub>O<sub>3</sub> (50-66 mol.%) spinels 7=8417 Mn oxides in Cu-Mn internal oxidation 7=11937 MnF<sub>2</sub> in HF 7=7334 Mo films,f.c.c. → b.c.c. transformation as thickness increases obs. 7=7285 Mo-C, solid soln, of f.c.c.phase in Mo by reduction of carbonyl 7=11036  $\mathrm{NH_3}$  alums, supersaturation effect on shape 7=1336 NaCl dendrites by electrolysis, dislocation formation obs. 7=7341 NaCl films, obs. using matching cleavage faces 7=1278
NaCl homogeneous nucleation and luminescace
prod. 7=8486 NaCl, microstep distrib. on faces 7=17442 NaClO<sub>s</sub>, convection current detected during growth from solution 7=10998 NaClO<sub>3</sub> rates in slightly supersaturated solns. obs. 7=7330 NaF, impurities rel.to transparency in i.r.and u.v. regions obs. 7=1335 Na2.2SiO2-SiO2 glass 7=14237 Nb, single, recrystallisation kinetics rel. to deformation obs. 7=17443 Ni, single, recrystallisation kinetics rel. to deformation obs. 7=17443 Nb, and substructure imperfections and dislocations, obs. 7=11192 Ni alloys undercooled melts dendrite struct.obs. 7=11032 Ni, epitaxial films 7=14330 Ni epitaxial films on (111) Cu to several monolayers, low energy electron diffr.obs. 7=1363 Ni, epitaxy on NaCl and KCl cleaved in vac., nuclei orientation 7-11019 Ni, on NaCl 7-4528 NiCrAl + Ni<sub>3</sub>Al recrystallization, effect of coherent Ni<sub>3</sub>Al particles 7=1337 Pa 7=11011

Pb, from melt using seed crystal, dendritic

structure 7=17449

```
S 96
```

SUBJECT INDEX Crystals\_contd growth—contd PbNO<sub>3</sub>, effect of thionin blue adsorption 7=1340 PbNO<sub>3</sub> faces, interaction with methyl blue impurity 7=1315 PbS epitaxial deposit on ZnS obs. 7=4535 PbSe films, oriented, rel. to carrier mobility 7=1765
PbTe films, oriented, rel. to carrier mobility 7=1765 Pd, epitaxy on NaCl and KCl cleaved in vac., nuclei orientation 7=11019 Pt on Au, pseudomorphic, obs. 7=17454 Pt, epitaxial, on Au, elastic strain in Pt nuclei 7=1364 Pu-Ga (1 wt.%), and critical strain for recrystallization 7=4518 Se amorphous films, by electron beam 7=17391 Si, axial d.c. effect on impurity diffusion calc. 7=7335 Si contour deposition, epitaxial, for semicond. devices 7=1365 Si, epitaxial, by mass transfer method 7=4533 Si epitaxial nucleation on Si, electron microscope C replica obs. 7=7349
Si film single crystals on BeO 7=7283
Si films single crystals on sapphire, deposition by pyrolytic decomposition of SiH<sub>4</sub>-H<sub>2</sub> 7=7282 Si on Ge 7=1329 Si, lattice plane spacing and orientation local var. meas. by X-ray double-crystal topography 7=7608 Si, low elec. resistivity 7=4532 Si, rheotaxial with Ge-Si alloys 7=1366 Si, on Si, early stages 7=4531 Si, single-crystal, on  $\alpha$ -Al<sub>2</sub>O<sub>3</sub> substrate 7=11020 Si, web crystals, dislocation free 7=4522 SiC epitaxial nucleation on Si obs. 7=1368 SiC, epitaxial on Si substrate, and structure 7=1367  $\alpha$ -SiC, high purity 7=17444 SiC, by thermal decomposition of methyldichlorosilane 7=17392 SiO<sub>2</sub>, charge distribution on thermal growth obs. 7=1954 SiO2 films, thermally and vapour grown, i.r. absorption 7=2337 SiO, films, vapour growth and electron states 7=1345 SiO, from glow discharge O reaction on tetraethoxysilane 7=10969 SiO<sub>2</sub>(76wt.%)-Al<sub>2</sub>O<sub>3</sub>(8wt.%)-Li<sub>2</sub>O(12wt.%)-K<sub>2</sub>O(4wt.%):CeO<sub>2</sub>, Ag glasses, u. v. effects 7=17445 Si<sub>2</sub>Te<sub>3</sub>, vapour transport 7=5010 Sn dendrites, controlled growth 7=14329 Sn from liquid, mag. fields and forces in e. m. crystallizer obs. 7=4524
Ta films,f.c.c.→b.c.c.transformation as thickness increases obs. 7=7285 ThO<sub>2</sub>, single crysts. in solar furnace 7=14325 Ti oxide crystals growth orientation 7=8546 TiO2, bulk, thinning by Ar ion bombardment 7=4534

TiO<sub>2</sub> films, vapour growth and electron states  $7{=}1345$   $\alpha{-}U$ , single crystal by strain-annealing  $7{=}11014$ UO2, epitaxial, on graphite 7=11021 V compounds of Cr<sub>2</sub>Si type, vapour diffusion films 7=17455 V on Si(111) substrates by H reduction of VCl<sub>2</sub> 7=11022 W filaments, single crystal, spark erosion fabrication 7=7336

W-C, solid soln. of f.c.c. phase in W by reduction of carbonyl 7=11036 YFe garnet: NiO 7=8272

 $Y_3Ni_xGe_xFe_{5-2x}O_{12}$  (x = 0.025, 0.13) 7=8272 Zn foils, single crystal, from melt 7=1348 In folis, single crystal, from met 7=1348
Tn, predetermined growth and orientation 7=7337
ZnGeP<sub>2</sub> 7=7968
ZnS, epitaxial deposit on ZnS obs. 7=4535
ZnS, dendritic ribbons, plates and needles obs. 7=7342
ZnSe doped with Ga or In 7=10814

ZnSiAs 7=7968

ZnTe doped with Ga or In 7=10814 ZnTe, epitaxial films on ionic substrates 7=4549 ZnTe films, rel. to crystal structure obs. 7=10972 imperfections. See Crystal imperfections. internal fields

alkali halide dipole centres, OH and FA, review of recent obs. 7=1576

alloys, dilute, origin of giant moments 7=14170 by angular correlation studies 7=14169 angular momentum transformation matrix elements 7=2798 channeled particles, energy spectrum, calc. 7=14635 covalency effects in trigonal distortion 7=7173 edingtonite, rel. to adsorbed H<sub>2</sub>O molecules rotation 7=10975 ethyl sulphate, splittings for Ce<sup>3+</sup> 7=1210 fd configurations in cubic fields 7=17341 ferrimagnets, molecular field calc.indeterminacy 7=18134 ferromagnetism band theory 7=8133 and Grüneisen const. calc. 7=4652 imperfections and ions theory 7=14821 ligand field splittings (10Dq), press. depend. 7=7185 metals edge dislocation electron distribution calc. 7=1588 metals, magnetic moments, localized, theory 7=1751

Crystals-contd

internal fields-contd metals mean inner potential calc. in statistical

theory 7=10912

Mossbauer h.f.s. prod. calc. 7=7195 nuclear multipole moments elec. field screening

calc. 7=10913

paramagnetic, Mossbauer spectra, Zeeman splitting 7=10920

parameter correl, from meas, of e.p.r., n.q.r. and quadrupole effects on n.m.r. 7=15211 potential consts. calc. in rutile-type crystals 7=7186

rare earth compounds calc. 7=7182

rare earth ions 4f" shells elec. field screening calc. 7=10913

rare earth paramag.cmpds. 7=18098 ruby,trigonal field,fel,to anal.of optical and microwave spectra 7=7175

ruby, trigonal field parameters, covalent contrib. 7=7176 semiconductors, band shift rel. to impurity electrostatic fields 7=1772

semiconductors, defect charge effects on mobility, Hall effect and magnetoresistance, theory 7=1922 semiconductors, dislocation charge effects on mobility,

Hall effect and magnetoresistance, theory 7=1923 spinels, Ni<sup>2\*</sup> and Co<sup>2\*</sup>, optical spectra calc. 7=11792 statistical theory, self-constant field method 7=17325 tetragonal, electrostatic interaction of dn system 7=1209 (3d)<sup>5</sup> ions covalency rel. to h.f.s., theory 7=10908 Ag halides, imperfection ionic surface space charge 7=1524 Ag+ dipole strengths in alkali halides, temp. depend. Al at Fe<sup>57</sup>, Mössbauer Zeeman spectrum temp. var. obs. 7=7174

Ar, interatomic potential parameters 7=7181 Au, channelling of I ions and  $\alpha$ -rays, energy spectra, calc. 7=14635

caic. 7=14030 BATiO<sub>3</sub>, powder, crystal field and spont. polarization 7=15030 CaF<sub>2</sub>: g-factor of Sm<sup>2s</sup> by mag. dichroism 7=11751 CaF<sub>2</sub>(1):Tb<sup>2s</sup>, cubic-field energy-level schemes of fluorescence 7=18289

CaF<sub>2</sub>:Sc<sup>2+</sup>, dynamic Jahn-Teller effect paramag. resonance obs. 7=11696

CdFe<sub>2</sub>O<sub>4</sub>, at octahedral sites, and Mössbauer splitting 7=17327
CdWO<sub>4</sub> at Cd, calc. 7=7187

Cm3+ in LaCl3, ground state splitting 7=2293 Co, with N or Nd nuclei in lattice, hyperfine field 7=8167

Co, with N or Nd nuclei in lattice, hyperfine field '4-81'
 Co, n-irradiated, hyperfine field at Co<sup>60</sup> formed obs. by γ-anisotropy at 0.012°K 7-7177
 Co<sup>2+</sup> in octahedral field, 3d<sup>3</sup> and 3d<sup>3</sup> configuration inner electron repulsion parameters 7-7202
 CoCs<sub>3</sub>Cl<sub>5</sub> 7-7178
 Co<sup>2</sup><sub>1</sub>Fe<sub>2</sub>Si, Mössbauer obs. 7-1215
 Cr. hyperfine from Zeeman effect of Solitoness 7-44

Cr, hyperfine, from Zeeman effect of Sn<sup>119</sup> meas. 7=4443 Cr<sup>3\*</sup> in octahedral field, 3d<sup>3</sup> and 3d<sup>7</sup> configuration inner electron repulsion parameters 7=7202

Cr3+ in phosphate glass 7=15222  ${\rm Cr_9As_2}$ , magnetic, from n.m.r. of  ${\rm Cr}^{ss}$  and  ${\rm As}^{75}$  7=8322  ${\rm CuFe_2O_4}$ ,  ${\rm Fe}^{57}$  hyperfine fields at A and B sites 7=2148  ${\rm Cu_2MnSn}$ , intrinsic mag. field strengths on  ${\rm Sn}^{119}$  7=8162

Cu<sub>2</sub>whish, intrinsic mag. field strengths on Sh<sup>119</sup> (=8162)
by gallate, calc. from paramag. props. 7=10910
Er<sup>8\*</sup> in LuGaG, expt. g factors 7=7179
Er<sup>8\*</sup> in YGaG, expt. g factors 7=7179
EuFe garnet, rare earth-iron exchange interacts. 7=15173
Fe, at Ag<sup>109m</sup>, from y anisotropy of oriented nuclei at
0.014° K 7=4438

Fe alloys, effective mag. field at impurities 7=15140
Fe, containing series III transition elements, rel. to mag. moment distrib. 7=10911
Fe(III) dithiocarbamate complexes 7=2234

Fe, hyperfine field at Xe133 nuclei 7=15143 Fe, magnetic field at Pb nuclei,  $\gamma - \gamma$  ang. correl.

Larmor precession obs. 7=11648 Fe, with N or Nd nuclei in lattice, hyperfine field 7=8167

<sup>57</sup>Fe<sup>3+</sup> covalency rel. to h.f. s., theory 7=10908

FeCu alloys, hyperfine fields at Cu and Fe nuclei, temp. depend. 7=4433
FeI<sub>2</sub>, mag., at Fe<sup>2\*</sup> ion, from Mössbauer data 7=4442

Fe-Mn alloys, hyperfine spectra from n.m.r. 7=4434 (Fe<sub>x</sub>Mn<sub>1-x</sub>)TO<sub>3</sub> (T=rare earth or Y, 0 < x ≤ 1), Mössbauer obs. of Néel temp. 7=14182
FePd alloys, hyperfine mag. field, temp. and cond. depend. 7=4436
FeS, (troilite), hyperfine field of Fe<sup>57</sup>, second order effects 7=18148

FeSn, Mössbauer obs. 7=8355 Fe<sub>3</sub>Sn, Mössbauer obs. 7=8355 Fe-V alloys, hyperfine spectra from n.m.r. ·7=4434 GaP:Co, rel. to elec. and optical props. 7=17959 In, of  $m = \pm 1$  helicons 7=14867

InBi, quadrupole coupling at In, by n.m.r. 7=15270 KCl, electric field, rel. to elastic deformation 7=14171 KClO<sub>3</sub> electric field gradient, point charge approx. 7=10915

Physics Abstracts 1967 - Part I (Jan.-June) Crystals-contd internal fields—contd

K<sub>2</sub>SnCl<sub>6</sub>, Mo<sup>5</sup> (4d<sup>1</sup>) h. f. s. and core polarization, e. s. r. obs. 7=10929 Kr, n.m.r. mag. field shift 7=2237 LaBr<sub>3</sub> 7=1221 LaBr<sub>3</sub>:Np<sup>3\*</sup> 7=11782 LaBr<sub>3</sub>:Nps (=11762 LaCl<sub>3</sub>, magnetic, h.f. s. of Ho<sup>3\*</sup> by Zeeman splitting 7=11774 (La<sub>1-x</sub>Sr<sub>2</sub>)MnO<sub>3</sub>, from n.m.r. of La<sup>139</sup>, Mn<sup>55</sup> 7=15271 Li ferrite, molecular field calc. indeterminacy 7=18134 Mn acetate tetrahydrate, from magnetic props. 7=18099 55Mn<sup>2+</sup> covalency rel. to h.f. s., theory 7=10908 Mn<sup>2</sup> in LiF 7=7546 Mn2\*:NaCl, hyperfine coupling, temp. depend. 7=14186 MnNi, from nuclear specific heat, 0. 3-4°K 7=17567 MnNi, from nuclear specific heat, 0.3-4°K 7=17567 ND<sub>4</sub>NO<sub>3</sub>, electric gradient at D, d.m.r. obs. 100°-403°K 7=14236 NaCl dislocation arrays charge obs. 7=1610 NaCl, electric field, rel. to elastic deformation 7=14171 NaClO3 electric field gradient, point charge approx. 7=10915 NaF, electric field, rel. to elastic deformation 7=14171 Nd<sup>3+</sup> in CaWO<sub>4</sub>, term symbols 7=7188 Nd<sup>3+</sup> in CaWO<sub>4</sub>, tetragonal field splitting calc. 7=4437 Nd<sup>3+</sup> spectrum, group theory analysis 7=10927 Ne, interatomic potential parameters 7=7181 Ne, interatomic potential parameters 7=7181
Ni, with N or Nd nuclei in lattice, hyperfine field 7=8167
PbMoO<sub>4</sub>, Nds\* Stark effect prod. theory 7=8428
Pr compounds calc. 7=7182
PrCl<sub>3</sub>, Pr<sup>3\*</sup> parameters rel. to wave functions
overlap 7=17326
SiO<sub>2</sub>, charge distribution on thermal growth obs. 7=1954
SrF SiO<sub>2</sub> dynamic Labor Tellon effect Sr<sub>2</sub>:Sc<sup>2+</sup>, dynamic Jahn-Teller effect paramag. resonance obs. 7=11696 TiO<sub>2</sub>, Cr relax. in ground manifold 7=2196 TlAl(SO<sub>4</sub>)<sub>2</sub>. 12H<sub>2</sub>O 7=2217 Tm compounds calc, 7=7182 Tm<sup>169</sup> magnetic hyperfine consts.obs. 7=13328 Tm<sup>2</sup>"CaF<sub>2</sub> ligand field splitting radial var., covalency effects calc. 7=7183 Tm2::SrF2, ligand field splitting radial var., covalency effects calc. 7=7183 UO<sub>2</sub>, calc. 7=7184 VO<sub>2</sub> electric field gradient at V<sup>51</sup>, n.m.r. obs. 7=18190 V<sub>s</sub>Si elec.gradient, phase transformation effects obs. 7=2246 Xe,n.m.r. mag. field shift obs. 7=2249 Xe<sup>129</sup>, n.m.r. mag. field shift obs. 7=2248 YAIG: Pr<sup>3\*</sup> 7=8431 YFe garnet, molecular field calc. indeterminacy 7=18134
Y-Fe<sub>2</sub>O<sub>3</sub>, hyperfine mag. field, at ferric ions, Mössbauer
data 7=4435
YGaG: Pr<sup>3\*</sup> 7=8431 YVO<sub>4</sub>:Nd, Stark splitting reduction 7=15356 Yb compounds calc. 7=7182 Yb<sub>2</sub>O<sub>3</sub>, electric gradient at C<sub>2</sub> site, Yb<sup>171</sup> Mössbauer effect obs. 7=10157 ZnFe<sub>2</sub>O<sub>4</sub>, at octahedral sites, and Mössbauer splitting 7=17327 ZnS:Mn<sup>2</sup>, from pressure effects on luminescence 7=5313 ZrO<sub>2</sub> with Cr and V, cryst. field studies 7=7189 lattice mechanics See also Mössbauer effect. AB \_1 type, ideal, dynamics rel. to 'standard' monatomic lattice 7=11091 acoustic waves, nonlinear propag., general formula 7=11112 alkali halide phosphors with heavy metal ions, dynamical Jahn-Teller effect 7=5242 alkali halides, effective force constants between substitutional impurity and nearest neighbours 7=1453

alloys, dilute random, vibrations theory 7=7467

atoms cut-off wave frequency 7=17535

azulene in naphthalene, electron-lattice interact. 7=17549 benzene, lattice energy 7=4432

through phonon field 7=4835

phase transition 7=8020

alloys thermopower phonon drag increase over metals due to anisotropy of electron scatt. relax, time 7=11572 anharmonic interactions in many-body theory 7=14420 atomic vib. amplitudes, relation with thermal expansion for cubic solids 7=1490

chain with glass-like disorder calc. 7=14304 Cherenkov phonons rel. to dislocation motion 7=4701

conduction electron interaction with paramag. impurity

defect cluster frequencies, one-dim. formulae 7=14411 diamond, rel. to exciton N9 centre recombination

radiation obs. 7=18287 diamond, localized energy states of a vacancy 7=4686

diatomic crystals with layered structures 7=14409 dielectrics, electron-phonon coupling rel. to ferroelectric

diamond, vacancy model with saturated bonds for localized energy states 7=4687

Crystals contd lattice mechanics contd diffraction diffuse streak patterns obs. with X-rays and electrons 7=1450 2,2 and 2,3 dimethyl butane, spin lattice relaxation, rotating frame 7=2219 dislocation velocities in two-dimensional model 7=11168 disordered isotopic binary lattices spectra computer calc. 7=17538 disordered one-dim. system, phase theory of freqn. spectrum 7=11096 disordered, spectral theory with difference eqns. 7=11097 dispersion curve theory for phonons 7=14418 distortion of vibr. bands by impurities 7=17537 "dressing" and scattering operators for three-phonon processes 7=15906 dual transformation in one-dim. system 7=11090 dynamics connected with isolated defects 7=11103 electron-phonon Hamiltonian, "unequal-time" decoupling 7=7460 electron-phonon system, thermoelectricity, quantum and classical variation princs. 7=11573 electron-phonon systems, frequency variation 7=7836 in electrons thermal diffuse scatt. from surface calc. at low energy 7=14415
exciton motion, interaction with phonons 7=5284 F-modes of vibration rel. to isotope effects in ferroelectrics 7=18046 ferromagnetics, spin wave amplification by phonon pumping 7=5185 gas atom energy transfer with one-dim. lattice 7=11099 general introduction to sixth Scottish Universities summer school in Physics 7=14417 h.f. phonons interaction with charge carriers 7=17747 harmonic lattice, rotational invariance conditions 7=4609 ice, and diffuse streak diffraction patterns interpretation 7=1454 impurity effects on interactions in two-dimensional disordered lattices 7=11094 infrared spectra with no imperfections 7=15291 interaction of longitudinal phonons 7=17550 interaction of vibr. with electrons at point defects 7=14784 invariant states with singular momentum spectrum existence 7=7459 ionic, long-wavelength phonons, pressure effect meas. 7=17539 ionic slab, virtual modes and optical props. 7=2257 Ising models, planar, dimer soln. 7=7204 lattice gas, first-order phase transition with nonnearest-neighbour interaction 7=5680 linear chain model, aperiodic systems, coarse-grained quantities 7=11101 linear coupled oscillators, time development of ensemble 7=11100 linear diatomic lattice, normal vibrations 7=11092 localised mode energy losses in large excursions calc. 7=7466 localized vibrs. at vacant sites in cubic crysts. 7=14427 metal carbonates, from absorption, 70-350 cm<sup>-1</sup> 7=5250 metal, phonons in model ferromagnetic 7=14410 metals calc., displaced ion effective charge in orthogonalized-plane-wave formalism 7=14413 metals, electron interaction rel to virtual phonon exchange 7=7464 metals, hot electron-phonon interaction calc. 7=7754 metals, theory of phonons, pseudopotential method and screening 7=14419 metals theory, pseudopotentials 7=7164 methane phases, neutron diffr. obs. 7=11110 microwave phonon prod. and detection by piezoelectric films 7=7480 microwave phonons, harmonic generation by rad. press. and phonon-phonon interact. 7=7468 in molecular beam thermal accommodation surfaces, single-phonon energy transfer theory 7=14263 molecular crystals, of excitons and phonons 7=7813molecules trapped in molecular cages, localized vibrations obs. 7=4614 momentum of localized running wave in 1-D crystal 7=1442 monatomic and diatomic chains calc. 7=11229 Mössbauer recent work review 7=17328 multiphoton spectrum vibrational structure 7=1444 n-dimensional harmonic lattices, special frequencies 7=11089 neutron scatt. meas. of phonons, high press. vessel for shift meas. 7=4615 neutron scatt.by phonons 7=14423 and neutron scattering, slow 7=1449 non-local elasto-statics, lattice theory 7=11228 off-centre impurity, elec. field effect in tunnelling approx. 7=14550 one-dimensional lattice with random impurities, freq.

spectra 7=4613

Crystals-contd lattice mechanics-contd

and optical absorption, chain with unequal mass atoms,

size effects theory 7=15294 optical absorption fundamental vibr. width in ionic crystals, temp. and freq. var. theory 7=2263 optical phonons in electron spin relax. 7=18158

optical phonons scatt. of electrons rel. to heat cond. of undegenerated electron gas 7=11409 optical vibration modes in ionic crystal slab including retardation in radiative region 7=1445

orientationally disordered crysts., translational vibr. 7=15330-31

paraelectric and paraelastic reson 7=17536 paramagnetic interaction, long-range, between ions, induced by phonons 7=18097

paramagnetic ion interacting with lattice phonons, Green functions application 7=7463

phonon-bath bottleneck effect on nuclear spin-lattice relax. calc. 7=8314 phonon cascade theory 7=11361 phonon distrib.electro-mechanical representation 7=4612

phonon distribution function, neutron scatt. meas. 7=14405 phonon-electron system, weakly interacting, linear

response theory rel. to Boltzmann eqn. 7=14782 phonon emission, stimulated, from inverted spin system to bottle necked lattice 7=14416

phonon field and interaction between impurities 7=1569 phonon "heating", in spin-lattice relaxation 7=14407 phonon scatt. from static lattice imperfections 7=4611 phonon scattering by paramagnetic ions, rel. to thermal conductivity 7=4654

phonon scattering from substit. impurity in b. c. c. model 7=14412

phonon spectra, meas. by coherent neutron scattering 7=14408

phonon spectrum of metals, calculation 7=14404 phonons coupling with light 7=15287 phonons in perfect and imperfect lattices, conference, Aberdeen, 1965 7=14403

point defects vibr. in lattices 7=14421 polar semiconductors in elec.field, electron energy exchange with lattice 7=7757

polaron scattering by acoustical phonons 74 4857 polyethylene, freq. distrib., neutron scatt. determ. 7=7479

polyethylene, vibrations 7=11111

quartz, phonon generation, propag., attenuation, 70 Gc/s, 4.2-33°K 7=4641

Raman scattering by phonons 7=15300 renormalization of phonon creation operators 7=5691 ruby, multiphonon radiationless transitions 7=8467 ruby, spin-lattice relax., effect of elastic

anisotropy 7=4618 S-matrix algebra for linear chain with impurities 7=11098

scattering of phonons by dislocations, theories compared 7=1448 semiconductors, amplification of lattice waves,

acoustoelectric 7=14936 and semiconductors dielectric function corrections at h.f. 7=18034

semiconductors electron-phonon interaction nonlinear theory 7=17749

semiconductors, helicon-phonon interaction in multi-valley case 7=17840

semiconductors, phonon heating, effect on elec. cond. 7=14406

semiconductors, polar, coupling of magneto-plasma waves with optical phonons possibility 7=17841 semiconductors, rate of momentum loss to polar modes 7=1920

shear and tensile deformation effects on mean freq, 7=1447 spectroscopy 7=15292

stimulated phonon generation from stim. Brillouin scatt. 7=15303

substitutional defects resonant modes theory discrepancy with neutron scatt.obs. 7=14414 superconducting tunnel diode, phonon quantum generation

and detection 7=14931

tensor-force matrix for monatomic cubic crysts. 7=7462 theory of interference effects in quantum transitions in a vibronic system 7=1443

thermal diffuse scatt. contribution to electron absorption at high energy calc. 7=1411

thermal expansion, with central 2-body interact. 7=1482 thermal scatt. contribution to electron absorption calc. 7=1644

three-phonon processes temp. var. 7=11095 torsional vibr. determ. from quadrupole relax. data 7=18192

transition metals, phonon-electron interactions, theory 7=7767

two-phonon Raman scatt. and i.r. absorption spectra interpretation 7=18201

Crystals-contd lattice mechanics-contd

urea and diffuse streak diffraction patterns interpretation 7=1454

vibrational spectrum, expansion at low frequencies 7=1446 vibrations, effect on dynamical diffraction of X-rays and electrons 7=11093

vibrations, effects of vacancies 7=7465

vibronic spectra in ionic crystals, review 7=11102 viscosity due to phonon scatt. in insulators, relevance to acoustic absorption 7=4610

X-ray scatt. meas. 7=14425
X-ray scatt. by phonons 7=14424
Ag, surface, low-energy electron Debye-Waller factor 7=4616

Ag, vibration spectrum, model rel. to cond. electrons 7=4617

Al, collective atomic motions by cold neutron scatt. obs. 7=17247

Al, and electron diffraction, temperature and wavelength var.obs. 7=1415

Al, rel. to electronic structure and electrical props. 7=17814

Al, electron-phonon interaction contrib. to effective mass, supercond. transition temp, resistivity 7=11364
Al, lattice dynamics from ion interaction calcs. 7=11108

Al, phonon and electron drag coefficients 7=7572

Al, Toya's model for polyvalent metals 7=17540

Al, X-ray diffr. temp. var. obs. 7=7469
Al<sub>2</sub>O<sub>3</sub>, Cr<sup>3</sup>\* spin-lattice relax. calc. 7=2220
Au, Debye-Waller factors 7=17545
Au, hot electron-phonon interaction 7=7754
Au, vibration spectrum, model rel. to cond. electrons 7=4617

Ba salts, hydrated cryst., proton spin-lattice relax. 7=8318 BaTiO<sub>3</sub>, diffraction diffuse streak patterns obs. with X-rays and electrons 7=1450

BaTiO, vibration rel. to ferroelectric transition, X-ray study 7=17541 Be, dispersion relations for phonons calc. 7=17542

Be phonon dispersion relations, pseudo potential calc. 7=7470

BeO, lattice vibrations 7=14426

Bi, magnetoresistance oscillations due to electron inelastic scatt.by optical phonons 7=7934

Bi-Pb-Ti alloy systems, dispersion curves for vibrations 7=17543 C chain freq. distribution calc. 7=1441 CaF<sub>2</sub>:Nd³\* single-phonon spin-lattice relax. mag. field

var.obs. 7=2221

CaWO4:Nd3+ single phonon spin-lattice relax. mag. field var obs. 7=2221

CdO, electron scatt. on lattice oscs. 7=7414

CdS, decay of phonons obs. after excitation 7=17544 CdS electron-phonon interaction in strong elec. fields theory  $7{=}17757$ 

in CdS lasing under electron bombardment 7=9525 CdS, in nonlinear theory of current saturation 7=14945 CdS phonon amplification rel. to current saturation and instabilities obs. 7=17949 CdS, phonon coupling in photocond, and edge

Cds, phonon coupling in photocona, and edge emission 7=11104
Cds, phonon-exciton interactions, momentum conservation 7=4883
Cds, phonon-exciton interaction theory 7=4882

CdS, Raman spectrum obs. 7=18277

CdS:Li, local mode absorption bands in i.r.obs. 7=18278

CdSe, phonon coupling in photocond, and edge emission 7=11104

CdSe, spectral transmission obs. 7=18277

 $CdSe_xS_{1^-x}$ , phonon coupling in photocond, and edge emission 7=11104

Ce ethyl sulphate thermodynamic props., effect of spin-h.f. phonon interaction 7=17565
Co, radial distribution functions, û² calc. 7=11105

Cr:W, neutron scatt. obs. discrepancy with theory 7=14414 Cs, lattice dynamics 7=11109 CsBr, freq. distrib. and Raman spectrum 7=7472

CsBr:In spectrum, vibration fine structures of A and C bands obs. 7=18248

Cu, Debye-Waller factors 7=17545 Cu, Morse potential calc. 7=4620

Cu, phonon dispersion 7=4619

Cu:Au, neutron scatt. obs. discrepancy with theory 7=14414

 $\mathrm{Cu_2O}, \mathrm{many}\text{-phonon capture cross-sections}$  7=4721  $\mathrm{Cu_2O}, \mathrm{spin\text{-}lattice\ relax.}$  7=2253

 $\alpha\text{-Fe}$  dispersion rels., inelastic n scatt.obs. 7=17546 GaAs, compensated Si-doped, of i.r.active localized vibrational modes 7=2302

p-GaAs, rel. to Hall and Nernst-Ettingshausen effects 7=17957

GaAs, three-phonon processes temp. var. 7=11095 GaAs: P local mode absorption bands,  $80^\circ$ ,  $290^\circ$ K 7=18243

:rystals\_contd

lattice mechanics-contd

GaAs  $P_{1,y}$ , i.r. reflection obs. 7=2304  $GaAs_x^2P_{1,x}$ , vibration spectra 7=4621 GaSb, behaviour of Fe<sup>57</sup> impurity atoms in

lattice 7=11106 GaSb:Zn, Te, phonon scatt. in thermal cond., 80-600°K 7=7506

GaSe acoustic phonons mean free path 7=11133 Ge, and diffuse streak diffraction patterns interpretation 7=1454

p-Ge, rel. to i.r. absorption temp. var. anomaly 7=18241 Ge, phonon-assisted tunneling current press. var. obs. 7=18012

in n-Ge recombination of electrons and donors at liquid He temps. calc. 7=14801

n-Ge, thermal phonon transport 7=11369

Ge, three-phonon processes temp.var. 7=11095 HgCl<sub>2</sub>, frequencies 7=2255 n-InAs, inelastic electron-optical phonon scatt.rel.to

magnetoresistance oscills.obs. 7=17977 InSb, behaviour of Fe<sup>57</sup> impurity atoms in

lattice 7=11106 n-InSb, inelastic electron-optical phonon scatt. rel. to magnetoresistance oscills. obs. 7=17977

n-InSb, spectral emission in far i.r.obs. 7=18242 InSb, three-phonon processes temp.var. 7=11095 InSb:Al local mode absorption bands, 80°, 290°K 7=18243 K, rel. to electronic structure and electrical

props. 7=17814 K, lattice dynamics from ion interaction calcs. 7=11108

K, phonon dispersion curves, pseudopotential analysis, 9°K 7=1451 K, in thermal cond. theory, 0.5°-4°K 7=14474

KBr, X-ray thermal diffuse scatt. obs., 20°C 7=14428 KCl, Brillouin light scatt. obs.  $\sim 3000 \mbox{\normalfont\AA}$  7=2316 KCl, and Raman scatt. by F centres calc. 7=8423 K-Cs(0-10%), in thermal cond. theory, 0.5°-4°K 7=14474KH2PO4, l.f. spectrum of low-temp. modification

calc. 7=4622 KH<sub>2</sub>PO<sub>4</sub> structures above Curie points, long-wave 7=7461  $m KH_2PO_4$ , translational normal vibrations 7=17547 KI, atomic displacements, temp. depend. 7=14429 KI, Brillouin light scatt. obs.  $\sim 3000\mbox{\AA}~7=2316$ 

 ${
m KNiF_3}, {
m phonon-induced}, {
m spin-dependent i.r.}$  absorption

band, temp. var. obs. 7=15336 Kr, many-body effects, from vacancy concn. meas. 7=17597 La, and thermal cond., 80-480°K 7=7507

La, and thermal cond., 80-480°K 7=750°C (La, Ce)<sub>2</sub>Mg<sub>3</sub>(NO<sub>3</sub>)<sub>12</sub>. 24H<sub>2</sub>O, dynamic polarization of p, effect of phonon bottleneck 7=14174 LaS, and thermal cond., 80-480°K 7=7507 LaTe, and thermal cond., 80-480°K 7=7507 LiTe, with remail cond.

LiF, spectral reflectivity oscillator analysis 7=2323 LiF, third-harmonic vibr., disloc. nucleation 7=11181 MgO, phonon dispersion relation rel. to inelastic n scatt. obs. 7=17548

MgO, phonon generation by e.s.r. of Fe2+, obs. 7=4623 MgO, spectral reflectivity oscillator analysis 7=2323 MnF<sub>2</sub>:Eu<sup>2+</sup>, resonant impurity mode 7=4624

Mo, phonon dispersion 7=11107

N-PbTe, helicon-phonon interaction calc. 7=17840 Na, rel. to electronic structure and electrical props. 7=17814

Na, lattice dynamics from ion interaction calcs. 7=11108 Na, optical absorption, phonon-aided 7=2328

NaCl, and Raman scatt. by F centres calc. 7=8423 NaCl, X-ray study 7=1452

NaF, neutron inelastic scatt. obs. 7=14430

NaNO2, vibr. spectrum, group theory, near ferroelec. transition point 7=11789

Nb, phonon dispersion 7=11107

Ne, and specific heat zero-point-energy effect

calc. 7=11122 Ni Debye-Waller factor calc. 7=7438

Ni, Debye-Waller factor calc. from phonon states 7=14389

Pb, lattice dynamics 7=11109

Pb, phonon freq. shifts under press., inelastic neutron meas. 7=7474

Rb, lattice dynamics 7=11109

RbCl, Brillouin light scatt. obs. ~ 3000Å 7=2316

RbI 7=14246

So, electron-phonon scatt, in thermal cond. down to 0.4 % 7=4660 Si, and diffuse streak diffraction patterns interpretation 7=1454

in Si recombination of electrons and donors at liquid He temps. calc. 7=14801

n-Si, thermal phonon transport 7=11369 Si, force constants of Li\* interstitials 7=7475 Si, freq. of localised modes of vib. of interstitial Li\* 7=7476

Crystals-contd

lattice mechanics-contd Si, three-phonon processes temp. var. 7=11095 SiO<sub>2</sub>, from reflectivity thickness var. in i.r. on Si 7=15351

Si 7=15351
Sn, and diffuse streak diffraction patterns interpretation 7=1454
Sn, phonon spectrum 7=4625
Sn, phonon spectrum calculation 7=14404
SrTiO<sub>3</sub>, light scatt, Brillouin and critical 300°-80°K 7=8441

300°-80°K 7=8441

Ta,phonon dispersion 7=11107

ThO<sub>2</sub>, and i.r. dielectric dispersion 7=5279
U hydrides, vibr. spectra by inelastic neutron scatt. 7=7478
UO<sub>2</sub>, and i.r. dielectric dispersion 7=5279
UO<sub>2</sub>, vibr. struct. in K<sub>4</sub>|UO<sub>2</sub>(CO<sub>3</sub>)<sub>2</sub>| 7=2347
V<sub>0.987</sub>Be<sub>0.033</sub> spectrum obs. 7=7477
V<sub>0.98</sub>Ni<sub>0.06</sub> spectrum obs. 7=7477
V<sub>0.98</sub>Ni<sub>0.06</sub> spectrum obs. 7=7477
Xe, and specific heat zero-point-energy effect calc. 7=11122

calc. 7=11122

Y hydrides, vibr.spectra by inelastic neutron scatt. 7=7478 YFe garnet, magnon-phonon scatt.calc.of thermal cond., 0.5-20°K 7=11135

Zn, mean-square atomic displacements 7=14431

ZnO, Raman spectrum obs. 7=18277 ZnSe, spectral obs. 7=18277 ZnSe:Li, local mode absorption bands in i.r.obs. 7=18278 ZnWO4, spin-lattice relax. of Rh(II) 7=8304

orientation

alloys, eutectic dendritic 7=1222 Alnico bars, continuous casting 7=4509

Alnico magnets 7=4523

in e.s.r. spectrometer 7=8275 electron microscope goniometer meas. 7=1384 ferromagnetic single crystal spheres meas. 7=2095

of ferromagnetic spheres 7=7305 in graphite growth, thermal expansion and X-ray obs. 7=7322

graphite, and Young's modulus, theory 7=4769 Kikuchi maps for b. c. c. and h. c. p. crystals use 7=17460 meas, from Laue back-reflection, new techn. 7=14309

metal f.c.c. crystals, using {111} slip traces on single surface 7=4497 and metal, reflection goniometer obs. 7=1297 metal sheet, rolled, preferred orientation texture obs. 7=1299

metallic crystallites, optical reflection obs., review 7=1298

polyethylene films, orientation functions and pole figures obs. rel. to optical props. 7=1301

poly(vinyl alcohols), stereoregular 7=4551 ultrasonic det. method for single crystals 7=17420 in wire drawing of f. c. c. metals, discussion 7=14672 and X-ray absorption coeff. of 1s-zone 7=2266

X-ray goniometer 7=17421

Ag epitaxial nuclei on KCl and NaCl cleaved in

vac. 7=11019
Ag epitaxy on NaCl, orientation rel. to evaporation rate obs. 7=7345

Al epitaxial nuclei on KCl and NaCl cleaved in vac. 7=11019

Al-4%Cu, growing with chosen orientation 7=7321 Au, and channelling of He3 ions in polycrystalline foil obs. 7=1658

Au epitaxial nuclei on KCl cleaved in vac. 7=11019 Au evaporated films 7=7274

Ba ferrite, sintering var. obs. CaMoO<sub>4</sub>, X-ray obs. 7=10989

CdS films, rel. to elec. cond. obs. 7=7275 Co ferrite, single, goniometric meas. 7=1300

Cu phthalocyanine in epitaxial growth, muscovite substrate cleavage steps effect 7=7346

Cu sheet, preferred, u. s. velo. obs. 7=10990

Fe, and work hardening 7=11283 GaAs, epitaxy, effect of doping 7=11017 GaAs, growth on Ge 7=14332

GaAs, growth, vapour-liq-solid method 7=14323 InSb, epitaxial growth in vacuum 7=14334 InSb, and recombination radiation stress var. obs. 7=18300 Mn ferrite, single, goniometric meas. 7=1300

Mo sputtered films on oxidized Si obs. 7=7279 Mo zone melted by electron beam obs. 7=14328

No. 2016 Indexed by electron beam ones. (=14328)
Ni, ears obs. after deep-drawings 7=1302
Ni epitaxial nuclei on KCl and NaCl cleaved in vac 7=11019
Ni-Th sheet, preferred, rel. to cold-rolling and annealing behaviour 7=11313

Pd epitaxial nuclei on KCl and NaCl cleaved in vac. 7=11019

Si film single crystals rel. to BeO substrate 7=7283 SiP/Si precipitate-matrix relationship 7=14351 W, anisotropy of reluctance in high effective fields 7=15111 W, and proportional limit stresses obs. 7=7740

```
S 100 SUBJECT INDEX
Crystals-contd
      polarons. See Crystal electron states/polarons.
      twinning
          b.c.c. metals {310} planes 7=7602 calcite, twin dislocations and lamellae, movement 7=14578
          deformation, growth kinetics, rel. to surface
          dislocations 7=4498 friction and surface forces in dislocations 7=14560
          graphite, on deformation 7=1627 laws deriv. 7=10991
          martensite, {hhl} habit 7=10994
martensites, rel. to temperatures 7=7306-7
          methanical, nucleation rel. to slip 7=17422
metals, f. c. c., b. c. c., h. c. p., selection rules rel. to
electron diffr. patterns 7=14369
metals, 'normal', energies 7=14604
metals, position from double electron diffraction 7=14370
           pearlite, shock-loaded 7=10993
           pearlite, snock-loaded 1=10933
Permalloy films, annealing effects, by electron diffr. 7=14350
quartz amethyst, X-ray topographic obs. 7=1525
steel, brittle crack nucleation during twinning 7=14726
           steel, stainless, thin twins and stacking faults, distinction 7=7600
           Ag, (2111) films, electron diffr. contrast from boundaries 7=4499
Al-Ti, in dendritic growth obs. 7=4500
Bi rate of layer growth stress var obs. 7=4500
           Bi, rate of layer growth stress var.obs. 7=10992
Co, boundary energy rel. to surface energy,
880-1290°C 7=7604
            Cu films, rel. to oxidation obs. 7=15423
           Cu-4%-Ti alloy, aged, deformation twins 7=11193 \alpha-Fe, change to slip, -185° to 20°C 7=11286 \alpha-Fe, deformation twin kinked at 120° obs. 7=14731
            Fe, (Ferrovac), deformation at 4.2°K 7=11287
Fe, on impact, screw twin head velo.,
-196° to +123°C 7=14727
            Fe, and yield, high press. var. obs. 7=7703
            Fe-3%Si, polycryst., nucleation of mechanical
twins 7=10995
GaAs, on Ge, epitaxial films 7=4501
           InS obs. 7=10996
In-T1 alloy, plastic deformation 7=14740
Mo<sub>2</sub>C, rel. to microhardness anisotropy 7=7718
Pt, boundary energy rel. to surface energy,
920-1560°C 7=7604
            Se, in amorphous films crystallization by electron beam 7=17391
            V-Fe alloy, deformation twins 7=1628
             Zn bicrystals, nucleation on deformation 7=14311
             Zn, stress+induced boundary movement rate 7=17423
       whiskers
            dendrites produced in antiskeletal growth, obs. 7=1349
```

growth rel. to electrotransport 7=7338 "hollow whiskers" from metals by reaction with ferro-ferricyanide 7=14327 strength, meas., and reinforcement review 7=4756 Au in Cu, grain boundary diffusion 7=1508

Cu, diffusion of Zn 7=7518

Cu, electrical cond. at 4.2°K rel. to e reflection at surface 7=17872 Cu, plasticity 7=11279

Cu-Fe, internal friction peak at 400-500°C 7=7696

Fe magnetic domains obs. 7=8169 Ge, growth obs. 7=17447 Ge, growth by selective epitaxial growth 7=7340

KCl, growth on KCl single crystals obs 7=17448 LiF, strength, < 1µ thick 7=1728 NaCl, microhardness 7=14751

 $\mathrm{Sb_2S_s}$  , dielectric permittivity, 9-16.5 Gc/s  $\,$  7=8014 on W, needle-like, in Ar  $\,$  7=1352 Curie temperature. See Ferroelectric materials; Ferroelectric phenomena; Magnetic properties of substances.

Curie-Weiss law. See Magnetic properties of substances/ paramagnetic; Paramagnetism. Curium

Cm3+ in LaCl3, spectra 7=2293

## Curium compounds

# No entries Current, electrical

See also Conduction, electrical. a.c. heated filaments temp. fluctuations calc. 7=9326 Alnico magnets for hysteresis motor 7-9327 d. c. transformer based on thermoelec. effects 7-2989 density in strong mag. field, direct computation 7-7834 distribution in m. h. d. channel, modelling using Bi 7=16090 electrometer holder with built in negative feedback

capacitor 7=9309 electron microscope beam current meas, for thickness meas. 7=11028

Current, electrical-contd

fluidized phase, direct heating by elec. current 7=7504 heating of homogeneous medium by spherical

electrode 7=15978

magnetron pulse current check using transformer 7=9393 induced by moving charges in electronic devices calc. 7=214

non-uniform, instability criterion 7=7833 Ohm's lab. notebooks as example of scientific method 7=12275

produced by a generating voltmeter theory 7=9306 quasistatic charge system, dissipative, elec. forces 7=5789

railway system network, relaxation soln. 7=9314 superconducting bolometric modulator 7=16005 switch, gas-discharge 7=2987

switches strength for multiple vacuum disc type 7=13817 CdS, space-charge-limited current, effect of impurities 7=17950

Curvature measurement. See Mechanical measurement. Cyanogen  $(C_2N_2)$ . See Carbon compounds. Cyclotron resonance

Azbel-Kaner line shapes, tipping effects 7=17851 charge radiation on spiraling in magnetoplasma calc. 7=17067

detection from changes in elec.cond. 7=14869 electron beam instability, quasilinear theory 7 helicon resonance in In boxes filled with ferromagnetic 7=11410

ionized gases, collision-broadened spectra 7=17015 instability, non-convective 7=1044 metals, Doppler shift, u. s. meas. 7=4889 metals, Doppler shift, u. s. meas. 7=4889 metals, exact soln. of integral equations 7=4895 metals, in inclined mag. field, arbitrary angle 7=17852 plasma, e.s. excitation theory with electrode 7=13917 plasma electron beam-cyclotron instability obs. 7=17 plasma electron cyclotron echoes, collision mechanism for prod. 7=6854

for plasma heating, Faraday shielded Stix coils 7=4186 plasma, of ions, with hot electrons, obs. 7=17134 plasma mirror device electron-cyclotron heating calc. 7=17097

plasma, radial density and temp. profiles 7=17079 and plasma stream instability calc. 7=17146 in semiconductors, thermoelectric 7=1814 synchrotron, and variation of electron energy spectra rel. to radio galaxies 7=887 Al carriers, and effective masses 7=7829

Ar plasma, microwave maintained, 2nd harmonic generation 7=10597

As, and Fermi surface, 1.4 % 7=17853 Bi, damping of magneto-plasma waves obs. 7=178 Bi magnetoplasma waves carrier insensitive mode

cyclotron damping obs. 7=7827 Cu, Azbel'-Kaner, calorimetric meas. 7=11414

Cu, rel.to magnetoacoustic u.s. polarization rotation and absorption at 4.2°K 7=11115 Cu, relaxation time temp.var.obs. 7=7830 Ga, magnetic breakdown of orbits 7=14870

GaAs films, with plasma, magneto-optical obs. Ge, classical, freq. dependent linewidth 7=11415 Ge, far i.r. laser excited 7=4890

Ge, line width in quantum limit obs. 7=17855
Ge, scattering of electrons by neutralised acceptors
obs. 7=17774
Hg, rel. to crystal electron states calc. 7=7791

InAs films, with plasma, magneto-optical obs. 7=17846 Insb films, with plasma, magneto-optical obs. 7=17846
InSb, valence band, spin-degeneracy splitting meas. 7=4860
PbTe, n-type, rel. to carrier concn. 7=4891
Si, line width in quantum limit obs. 7=17855

Si, scattering of electrons by neutralised acceptors obs. 7=17774

Te, 730-940µ 7=17856

Cyclotrons. See Particle accelerators/orbital, cyclotrons. Czochralski method. See Crystals, growth.

D-layer. See Ionosphere/D-region.

DNA. See Proteins.

DPPH (diphenylpicrylhydrazyl). See Free radicals; Organic compounds. Damping

See also Internal friction. beam, clamped, finite-transform soln. 7=12395 effect on stability of a time-delayed system 7=9147 joints, gas-pumping theory 7=9150 liquid oscillations, viscous, in cylindrical vessel 7=17239 measurement at const. amplitude, continuous 7=14648 metals, influence of dislocations, review 7=11262 plasma waves 7=13922 strings, stretched, nonlinear resonance 7=12394 α-Fe, Snoek peaks 7=11141

Deformation-contd

Dark space. See Discharges, electric. Data tables. See Collections of physical data; Tables, mathematical. Dating. See Earth/age; Radioactive dating. Daughter. See Nucleus; Radioactivity. Dawn chorus. See Atmospherics; Ionosphere. Dayglow. See Airglow. Debye-Hückel theory. See Conductivity, electrical/liquids, electrolytic; Electrochemistry; Solutions. Debye-Scherrer cameras. See Cameras; X-ray crystallography/ apparatus. Debye temperature. See Specific heat. Debye-Waller factors. See Electron diffraction crystallography; X-ray crystallography. Decay periods. See Hyperons/decay observations; Mesons/decay observations; Pions/decay; Radioactivity/decay neriods. Decay schemes. See Hyperons/decay observations; Mesons/decay observations; Pions/decay; Radioactivity/decay schemes. Decomposition. See Dissociation. Decomposition, thermal. See Chemical reactions. Decoration techniques. See Crystal imperfections/dislocations; Crystals/etching.

Defects. See Crystal imperfections. Deformation See also Bending; Elastic deformation; Plastic alkali halides, rel. to elec. relax. and polarization 7=15014  $\alpha$ -brass, effect on coherence length and stacking faults 7=1626 contact area and elec. resist. 7=7839 creep, due to grain boundary sliding, calc. 7=14665 creep, due to grain boundary sliding, calc. 7=14665 crystals, shear and tensile, phonon mean freq. var. 7=1447 diamond, pressure cracks, nature of deformation 7=1707 electrical, thermal and magnetic constitutive eqns. 7=5783 fibre, doubly refracting and twisted, optics calc. 7=9623 fibre, doubly retracting and twisted, option of glass reinforced plastics, effect of reinforcing elements 7=4821 graphite, twinning 7=1627 inelastic orthotropic plates, buckling 7=5665 inelastic orthotropic plates, buckling 7=5665 linear theory, best possible error bounds 7=2814 measurement, low temp. attachment 7=1690 metal sheet deform. by underwater spark discharge 7=11261 metals, b. c. c., double-kink model for low temps. 7=14616 metals, cavitation effect on curves obs. 7=1689 metals, cavitation effect on curves obs. 7=1689 metals, shear modulus var. on microdeformation 7=4745 nuclear fuel canning materials, vacuum hot stage straining microscopes 7=6486 one-dimensional crystal, surface states, calc. 7=11403 Peierls-Nabarro dislocation density and flow stress 7=14659 plane-wave analysis, elastic-plastic theory 7=17660 plastics, eyclic, anal. of self-heating 7=1736 plastics, rel. to elasticity theory 7=7746 plastics, rel. to elasticity theory 7=7746
plate, finite rectangular, method of solution 7=5663
polymer fibre twist, optical meas. 7=9623
polymers, rel. to brittleness temp. 7=4830
polymers, effects of small vibrs. 7=17740
polymers, oriented crystallizing, and structure
changes 7=14657 polyisoprene rubber hydrochloride films, two dimensional, rel to supramolecular structure 7=4822 of polytetrafluoroethylene, when filled with S-1 colloidal graphite 7=11347 solid solns., double-kink model for low temps. 7=14616 steel, effect on coherence length and stacking faults 7=1626 steel, single crysts., deformation and recrystallization textures 7=11297 theory of tensile test 7=11246 trans-critical deform, energy of thin elastic shell 7=12325 viscoelastic, large, thermodynamics 7=9124 wire drawing of f. c. c. metals, orientation changes 7=14672 yield criterion, generating function 7=1687  $\alpha$ -AgCd alloys, strain values from X-ray linebreadths 7=4542 Al-4%Cu, effect on precipitation of O' and O 7=4458 Al-Mg alloy, tensile 7=1703 Be, by climbing of dislocation loops 7=14577 Ca aluminate glasses, defects prod. obs. 7=11276 CaWO<sub>4</sub>:Nd<sup>3+</sup>, by compression, effect on paramag. res. 7=11712 Cd single crystal, dislocations obs., by etch pitting 7=11176 Cr foil, cracking 7=14703 Cu, dislocation substructure, effect of temp. 7=14581 Cu, during cutting with wheel, spark cutter or acid saw 7=14710 Cu, laser-induced, black spot defects 7=7578 Cu, recrystallization, rolled at 77 and 20°K 7=14319 Cu-4%Ti, aged, twinning 7=11193 \alpha-Fe, containing H, interact. with dislocations 7=14586

Fe, (Ferrovac), twinning at 4.2°K 7=11287

 $\alpha$ -Fe, twin kinked at 120° obs. 7=14731 GaP, single crysts., dislocation struct. 7=14588 Ge, dislocations obs. 7=1606 KCl, and F-aggregates formation obs. 7=1634 MgO, Ti and V doped, rel. to flow stress of dislocations 7=14745 MgO, vacancy prod. obs. 7=1556 N-Cr-Co base alloy 7=1733 NaCl, rel. to dislocation density and u.s. attenuation obs. 7=7585 Nb, effect on recrystallisation kinetics, single crystal 7=17443
Nb, effect on superconducting props. 7=11471 Nb, superconducting, dislocation density and hysteresis, torsion ang. var. obs. 7=11474 Ni, effect on recrystallisation kinetics, single crystal 7=17443
77Ni-20Cr-1Al-C-Mn-Si, X-ray diffraction obs.
Ta, in tension, dislocation arrangements 7=1740 V, effect on superconducting props. 7=11471 Zn, twins, nucleation in bicrystals 7=14311 de Haas-van Alphen effect See also Diamagnetism; Magnetic properties/ diamagnetic. β-brass type ordered alloys, and Fermi surface 7=17805 graphite, spin-orbit interactions 7=7784 metals effect of paramagnetic additions 7=15107 type II superconductors, in critical temp. 7=7893 Al, and Fermi surface third zone press. var. to 7 kbar 7=7782 As, rel. to Fermi surface 7=17795 As, Fermi surface obs., doping effects 7=17794
Bi-Se alloys, rel. to Fermi surface 7=18089
Bi-Te alloys, rel. to Fermi surface 7=18089
Bi-Zn alloys, rel. to Fermi surface 7=18089
Hg, rel. to crystal electron states calc. 7=7791 Na, Fermi surface 7=4864 Ni, ferromagnetic 7=1786 Re, high field rel. to Fermi surface 7=1788 Rh, Fermi surface 7=4871 Ru, meas. 7=1790 Sn, Fermi surface obs. 7=1791 Zn, low-frequency, pressure dependence 7=4877 Zn, tow-rrequency, pressure dependence 7=4t Zn in pulsed magnetic fields 7=11619 Delay lines, ultrasonic. See Acoustics; Ultrasonics. Delbrück scattering. See Photons/scattering. Demagnetization. See Magnetization process. Dember effect. See Photoelectromagnetic effects. Demonstrations. See Teaching/demonstrations. Dendrites. See Crystallization; Crystals/growth. Densitometry derivative densitometer, self-modulating 7=9596 microdensitometry of photographic images, degradation elimination 7=3294 photographic emulsion relief technique for small-area intensity comparisons 7=1584 Density CO<sub>2</sub>, fluctuations, near crit. point, obs. with He-Ne laser 7=14046 KBr crystals, effect of KOH and KNO<sub>3</sub> impurities, obs. 7=17440 UP, effect of temp. on densification 7=11081 gases Ar-H<sub>2</sub>, volume change on mixing, up to 100 atm. 7=10709-10 Ar-N<sub>2</sub>, volume change on mixing, up to 100 atm. 7=10709-10 CO<sub>2</sub>, fluctuations above critical temp. obs. by n scatt. 7=10708 H<sub>2</sub> and D<sub>2</sub>, shock-heated, change on vibr. relax. 7=6751 Hg, supercritical at high press. 7=13993 N2-H2, volume change on mixing, up to 100 atm. 7=10709-10 alcohols, rel. to chemical constitution 7=17265 benzene, deuterated, gravity effect near critical point 7=14009 benzene, gravity effect near critical point 7=14009 critical fluctuations, rel. to sound absorption 7=14081 CO<sub>2</sub>, fluctuations near critical temp.obs.by n scatt. 7=10708 H<sub>2</sub>, para, liquid/vapour and freezing liquid 7=17308 He concentrated isotope solns normal component density obs. 7=9278 He, jump at II-I phase transformation with rotation 7=5760 HeII, rotating, increase near λ point mechanism 7=9289 HeII, T4 law for density of normal component 7=15908 He4, to 24.5 atm., 0.5-1.4°K 7=5750 solids carbon black, bulk density, effect on resistivity 7=11430 dialkali silicate glasses obs. 7=2343
glasses, var. on annealing and compression obs. 7=11770
metallic monolayers on Pt, packing density of
atoms 7=14294
quartz, neutron prod. expansion calc. 7=7733

Deuterons

```
SUBJECT INDEX
Density-contd
     solids-contd
         quartz, specific heat \times thermal cond. \times density obs. for
             resistance thermometer substrates for shock tubes 7=7500
        rare earth-Fe intermetallic compounds obs. 7=8100 relation with melting temp. 7=14148

Al, Frenkel defects on neutron irradiation obs. 7=1565

Ar Lorentz-Lorenz function 7=11747
        Ar Lorentz-Lorenz function 7=11747
BeO, sintered, n prod, expansion, 110°, 650°, 1100°C 7=11221
Fe, high press, obs. 7=18485
Fe, in thin films 7=14719
Ge amorphous films obs. 7=17966
LiF, neutron effects obs. 7=11215
TIN containing excess N 7=10909
         PuO<sub>2-x</sub>, measurement at high temp. 7=11157
         Si_2 Te_3^{-x} 7 = 5010
Density measurement
         difference between liq. and vapour in coexistence 7=7141
         electrolyte solns., magnetic total immersion hydrometer 7=4308
          surfaces from X-rays prod. by protons 7=17383
         Al surfaces, from X-rays prod. by protons 7=17383
Cu surfaces, from X-rays prod. by protons 7=17383
          Yb surfaces, from X-rays prod. by protons 7=17383
Desorption. See Sorption.
 Detonation
         See also Explosions; Shock waves chemical reaction mechanism, inorganic powder
         admixtures 7=18334
explosive gas, transition 7=5335
          gas, initiation of condensed explosives 7=12420
         gas, multifront detonation wave, structure 7=12420
gaseous and liquid explosives, similarity 7=12425
in gaseos, volo, meas, of front by cm Doppler effect 7=6960
ionized gas prod. by dynamite, electromotive force and
elec. conductivity 7=6794
          liquid explosives, turbulence obs. in reaction zone 7=14016
          microwave obs. of reaction fronts 7=12416
          nitromethane, shock initiation 7=12419
          nitropropane II with HNO3, propag. vel. rel. to initial
          temp.obs. 7=9179
propane-O<sub>2</sub>-N<sub>2</sub> mixtures, limiting conditions for
stability 7=2453
          RDX plastic-bonded explosive, plane shock
initiation 7=11234
reactive flow, one-dim., transverse waves theory 7=4278
          smoothness of front in fluid, light reflection meas. 7=15941
           spherical volumes of gas mixtures 7=12421
           velocity partial derivatives rel. to initial state 7=12417
           waves, coupling between spinning detonation osc. behind
                wave 7=2893
           H-O-Ar mixtures, initiation behind reflected shock
                waves 7=10726
           OH, wave front structure, spinning 7=1074
  Deuterium
           adsorption on solid CO2, 20.4 K 7=14291
           d.m.r. in ND<sub>4</sub>NO<sub>3</sub>, phase transforms, and elec, field gradient at D obs., 100-403 K 7=14236 diffusion in Au, Ni, Cu obs. 7=14638 discharge in pinch device, dense plasma focus formation phenomena 7=4218
           gas, electron drift and diffusion meas. at 293°K 7=10747 gas, shock-heated, density change on vibr. relax. 7=6751 µd total spin state determination by elastic scattering on
           H<sub>2</sub> and D<sub>2</sub> 7=13707
n.m.r. in CD<sub>4</sub>, 1.4-73°K 7=5207
n.m.r. in DCl liquid, elec. field gradient at D
                obs. 7=10870
           neutron slowing-down 7=13086
plasma, kilovolt, production and diagnostics 7=13842
            plasma, radial implosion in \theta pinch 7=13901
            solid-liquid transition, quantum effect in theory 7=10893
           tracer in atmospheric H<sub>2</sub> 7=18360
tracer in atmospheric H<sub>2</sub> from thermonuclear
explosions 7=18359
            in universe, abundance from primordial fireball calc. 7=5502
            D-, polarized, charge exchange prod. 7=17025
            D*, channelling in Au 7=11220
            D'ions in Au films, channelling, critical angles,
                 1-17 keV 7=14640
            D* source, r. f., ion current proportionality to plasma density and longitudinal mag. field obs. 7=16084 D<sub>2</sub>, stimulated emission spectra 7=12631
            D2, vibrational-rotational motion, effect on elec. and
            mag. props. 7=4083

D_2^+, collision-induced dissoc. in Ar and N_2 7=6801
            D, energy of vibration levels 7=6657
            in D_2-Ar mixture, induced i.r. absorption 7=6656 in D_2-He mixture, induced i.r. absorption 7=6656
```

in D2-N mixture, induced i.r. absorption 7=6656

Deuterium compounds. See Hydrogen compounds.

```
See also Cosmic rays/deuterons; Nuclear reactions
          due to/deuterons.
   angular distrib.from Li6(C12, d)O16* 7=13624
    energy loss in anthracene, terphenyl and plastic scintillator 7=7637
    energy spectrum from H(n, d)y at 14.4 MeV 7=13075
    form factors, e.m., relativistic calc. 7=10042
Larmor frequency rel. to K<sup>41</sup>, and K<sup>41</sup> magnetic
moment 7=16681
    \begin{array}{l} measurement > 20 \; keV \; using \; T(d,n) He^4 \; \; 7{=}16389 \\ moment, electric quadrupole, calc. \; \; 7{=}620 \end{array}
    optical potential in adiabatic approx. obs. 7=10286
    pseudoscalar meson theory, N-quantum approx. for
    bound states 7=3441 semiconductor counter appl. at 10 GeV in p-d scatt. 7=3368
    sententiator counter appr. at 10 GeV in p-d scatt. source, polarized, producing current of 1\mu\Lambda 7=3680 spectra from P^{31}(\alpha,d_{0.1})S^{33} obs. 7=13618 tensor, in \alpha-d elastic scatt. 7=10045 tensor forces and soft core 7=10043 theory in p-p collisions 7=595
    wave function, convenient analytic form 7=3669
     wave function, 3-D 7=13110
Cu<sup>63,65</sup>(d, d'), spectra 7=10301
     \rm D_g dark structure in solar prominences obs. 7=2733 \rm Sb^{121,123}(d,d') reactions, spectra 7=10304
effects
     Al, radiation annealing and damage prod., alloying, cold
     work and quenching effects obs. 7-14516
Al recovery, alloying, cold work and quenching effects
obs. 7-14517
     Al-4 wt. %Cu 7=14525
     Au, deposition and diffusion obs. 7=14638
Au, radiation annealing and damage prod., alloying, cold
work and quenching effects obs. 7=14516
     Au recovery alloying, cold work and quenching effects
          obs. 7=14517
     Cu, deposition and diffusion obs. 7=14638
NbZr, supercond., peak effect 7=7907
      Ni, deposition and diffusion obs. 7=14638
     Pt, radiation annealing and damage prod., alloying, cold work and quenching effects obs. 7=14516
     Pt recovery, alloying, cold work and quenching effects obs. 7=14517
      W, 13 MeV near 80°K, on internal friction and
           modulus 7=11328
interactions
     d + \alpha, continuous energy spectra of protons 7=16655 d-d, charge symm.rel. to virtual excited \alpha states 7=6264 D-D and D-T, neutron yield obs. 7=622
     D\left(d,n\right)He^{3} at E_{d}=50 keV for n beams with accurate collimation prod. \ 7{=}10018
     D(p, \gamma)He<sup>3</sup>, capture cross-section, effect of D compt. in He<sup>3</sup> 7=16659 d(n, \gamma)H<sup>3</sup> 7=3675 d(p, \gamma)He<sup>3</sup> 7=3675
     d(p, \gamma) new 1=3013

d(p, n)2p at 135 MeV 7=596

d + p \rightarrow 2p + n, 46 MeV, correl. spectra 7=3672
     d + p, 215 MeV meas., asymmetry of n 7=3674 exchange currents proposed test 7=3670
      \gamma+d, vector meson or \pi^{\circ} prod., peripheral calc. at high
           energies 7=9860
      K-d, total cross-sections, obs. of new resonances 7=13035 l_1+d\to N+N+l_2 selection rules 7=3671
      1, + d \rightarrow N + N + N + \frac{1}{2} selection rules \frac{1=5011}{1=3074} n + d \rightarrow n + n + p, proton spectrum, exact three-body theory \frac{7=3676}{1=3074} v + d \rightarrow p + p + e<sup>7</sup>, 4-20 MeV calc. \frac{7=6263}{1=3074}
      nucleus field, disintegration amplitude 7=10044
       p+d\rightarrow He^3+2\pi pion spectrum 7=16553
      p+d \rightarrow He<sup>3</sup>+2\pi pion spectrum 7=16553

p+d \rightarrow He<sup>3</sup>+2\pi, singularity conditions 7=16446

pd \rightarrow \pi \pipN rel. to isospin weights and SU<sub>12L</sub> 7=9986

\pi-d, radiative absorption calc. 7=3552

\pi + d at 4.5 GeV/c rel. to f° resonance decay 7=6142
      t + d, n prod. energy spread corr. to Mg25 level widths calc. from Si28(n, \alpha) 7=13258
      weak-binding comparison of two normalization conditions ^7=16654 ^{12}(d, n)He<sup>3</sup> at E<sub>d</sub> = 350 keV, n polarization cloud chamber obs. ^7=3647
       H^2(n, \gamma), parity non-conservation search 7=13112
       H<sup>2</sup>(p, pn)H, n-p coincidence spectra and mechanism
obs. 7-13111
H<sup>3</sup>(d, n)He<sup>4</sup>, 14 MeV n associated particle counting
meas. 7-3677
  T(d,n){\rm He^4}, for d meas. > 20 keV 7=16389 T(d,n){\rm He^4}, low energy 7=13117 photodisintegration
       \pi + N + N_3^* production, sum rule 7=3672
  polarization
       in e-d elastic scattering, for n form factors
            meas. 7=10046
       in p-d elastic scattering at 155 MeV obs. 7=3639
       in p-d inelastic scatt. at 155 MeV obs. 7=3640
       source, polarized, producing current of 1\mu A 7=3680
       tensor, from p-d elastic scatt. meas. 7=3679
```

Deuterons-contd

polarization-contd

 ${
m Li^6(d,\alpha)H^4}, {
m vector\ analyser\ resolution\ for\ polarized\ deuterons\ 0.7-2.2\ MeV\ 7=16832}$ 

scattering

See also Protons and antiprotons/scattering, protondeuteron.

 $\alpha$ -d, tensor polarization, elastic 7=10045

d +  $\alpha$ , continuous energy spectra of  $\alpha$  7=16655

d- $\alpha$ , phase shift analysis 7=13114 d- $\alpha$ , tensor polarization obs. 7=13113 d-t, coupled-channel Schrödinger-equation model 7=3646 deformation in presence of target nucleus, adiabatic

approx. calc. 7=10286

deuteron-antiproton scattering 7=16611 deuteron-nucleus, optical potential 7=16829 elastic and inelastic, 15.8 MeV 7=753

e-d elastic, d polarization for n form factors meas.  $7{=}10046$  e-d,  $\pi$  production calc., inelastic  $7{=}3551$ 

e-d,  $\theta = 180^{\circ}$  cross-section meas. up to 370 MeV 7=16522  $\gamma$ +d calc. with  $\eta$  exchange at high energies 7=9860 inelastic, population of rotational levels 7=669

by mesons, analyticity of amplitudes at low energy 7=16548 n-d, doublets and quartet lengths 7=13078 n-d, elastic,  $\rm E_n=5.5-12~MeV~7=13081$ 

n-d, inelastic, for 14 MeV n, benzene as detector and

scatt. in time-of-flight obs. 7=13082 n-d, lengths obs. 7=13080

n-u, lengths obs. 7=13080
n-d, polarization obs., elastic 7=13079
n-d with slow n, three particle calc. of quartet and doublet scatt. lengths 7=13083
n-d, zero-energy, three-body formalism with tensor forces 7=9987

nuclei, disintegration amplitude 7=10044 nuclei, 16, at 52 MeV; elastic, rel. to optical model 7=6443 N-d, elastic, phase shift analysis 7=13057 optical-model analysis with and without spin-orbit potential 7=10285

p-d, differential cross-sections rel. to incident energy, elastic, 2-10 GeV 7=6221

p-d, elastic, polarization and cross section at

155 MeV obs. 7=3639 p-d, inelastic, polarization and cross section at 155 MeV 7=3640

p-d, polarization, 3 to 10 MeV  $\,$  7=16602  $\,$   $\pi$ -d, elastic, relativistic impulse approx. 7=3562 and stripping reaction, exact solution of three body

and stripping reaction, exact solution of three body problem calc. 7=10284

Arss(d, p)Arss, energy levels obs. 7=16711

Bro(d, p)Brrs, knock-out process, DWBA calc. 7=13581

Bes, elastic and inelastic, 14 MeV, 10°-80° 7=13581

Crom C, at 420 MeV, calc. 7=16831

Crom C, at 420 MeV, calc. 7=16811

Crom C, at 420 MeV, alc. 7=16811

D, polarized beam, ang. distrib. 7=621

on D, polarized beam, ang. distrib. 7-021
D, polarized p, 10-20 MeV, obs. 7=16603
Ge<sup>70,72</sup>, rel. to low-lying states 7=1328
La<sup>139</sup>(d, p), La<sup>140</sup>, Q value, levels obs. 7=13311
Mg<sup>28</sup>(d, py)Mg<sup>27</sup>, low-lying levels obs. 7=10128
N<sup>14</sup>, elastic and inelastic, 14 MeV, 10° -80° 7=13581
O<sup>16</sup>, elastic and inelastic, 14 MeV, 10°-80° 7=13581

Sb<sup>121</sup>.123(d, d'), levels structure obs. 7=686 Sm<sup>148</sup>.150,152,154, angular distrib. 7=754 Development, photographic. See Photographic process/

development. Diamagnetic resonance. See Cyclotron resonance.

Diamagnetism See also Cyclotron resonance; de Haas-van Alphen effect; Magnetic properties/diamagnetic.

D plasma, diving radial implosions, meas. 7=13901

Diamonds

birefringence, causes 7=18221 bremsstrahlung and pair production, 1-40 GeV 7=12969 cracks, pressure, nature of deformation 7=1707 crystal imperfections, X-ray topographic obs. 7=1525 e.s.r.rel.to acceptors, 108°-370°K, 4.2°K 7=18160

electron band model with small empirical correction 7=17800 energy bands 7=1780

friction, sliding on diamond, clean surfaces in high vacuum 7=4767

frictional anisotropy, crystallographic direction depend. 7=4768

i.r. absorption, elec.-field induced, analysis 7=5249 infrared spectra of diamond coat 7=15314

lattice, vacancy model with saturated bonds 7=4687

luminescence from Al acceptors, stress effects, 0.30-0.37 eV 7=18288 luminescence, exciton N9 center recombination radiation obs. 7=18287

N centres in, endor 7=5211
phonograph needles, use as pivot bearings in balances, in conference, Princeton (1965) 7=12284

recombination radiation, by electron excitation 7=5291

Diamonds-contd

scattering factor of (222) forbidden line calc. 7=11057 semiconducting, synthetic, electrical transport

meas. 7=4987 semiconductivity prod. by Li and B ions at 40 keV 7=7935 stress fields of tilt boundaries 7=7559

synthetic, X-ray spikes and metal inclusions obs. 7=17604

type I, inclusions, birefringence and structure obs. 7=: vacancy in lattice, model with dangling bonds 7=4686 Zeeman effect of acceptors in semicond. state, 77°, 5°K, to 200 kG 7=18220

N, e.s.r., Jahn-Teller distortion, reorientation 7=15242 Dichroism. See Pleochroism.

Dielectric devices

capacitor, ferroelectric, describing function 7=11569 capacitor, precision micrometer 7=9301

diodes, a. c. response, effect of traps distrib. in energy 7=1974

diodes, space-charge noise suppression 7=11570 ferroelectric switching with negligible transit

time 7=11568 fuses for capacitor banks 7=16023

M-I-M thin film elements, dielec, layer thickness effect on capacitance 7=2014

MIS capacitors breakdown transients due to avalanche 7=15047

plasma probe, resonance, compared to double probe 7=13893
space-charge-limited, diodes, thermal noise 7=18018

transducer, magnetostrictive, frequency response obs. 7=2902

transition metal-its oxide-metal junction tunneling anomalies at zero-bias, exchange model 7=18022

tunnel junctions inelastic electron-molecule interaction theory 7=18024

tunnelling through films, nonparabolic energy bands effect 7=5079

tunnelling meas, at low-impedance at room temp., metal

film resistance effects theory 7=14934
Al-Al<sub>2</sub>O<sub>3</sub>-plasma capacitor relaxation obs. 7=15046
Al<sub>2</sub>O<sub>3</sub>-metal contacts, negative resistance 7=2013
Pb-Te oxide films by reactive sputtering on glass 7=11571

SiO<sub>2</sub> films formed by reactive sputtering on glass 7=11571 Ta-Ta<sub>2</sub>O<sub>5</sub>-Au diodes electron transfer obs. 7=8040

Dielectric loss. See Dielectric phenomena; Dielectric properties of substances.

Dielectric measurement

capacitor, precision micrometer 7=9301 dilute solns, of polar substances at microwaves, errors 7=7097

effect of apparent negative impedences 7=5785 films, thin 7=15011

liquids, cavity 7=4368 liquids const., by direct meas. of freq. 7=10854 liquids, high-constant, cell 7=7096

liquids, loss meas., radiofrequency 7=1160

mm wave Michelson interferometer 7=9443

Maxwells capacitance bridge vibrating reed switch 7=12495 for mineral grains separation by dielectric const. 7=2746

needle test equipment 7=8004 photoconductors, new method 7=12496

polar dielectrics noise emission spectrum analysis 7=12500

powders const. 7=15025

Dielectric phenomena

See also Electric strength.

in absorbing medium, reformulation of const. 7=9322 acceleration e.m. discontinuities growth in hyperelastic dielectric in mag.field 7=201

antiferromagnets, interaction between spin waves and carriers 7=18144

breakdown in solids, avalanche theories 7=5051 cavity concept 7=9316 convection in liquids, geophysical model 7=2513

films, very thin, anomalous absorption 7=2264

instability for charged particles crossing junction of two dielectrics 7=3074

insulators, equiv. d.c. sputtering yields 7=17637 interaction energy of dielectric in e. s. field, calcs. 7=9318

losses, representation by complex coeffs. 7=15042 mixtures, permittivity, theory 7=12501

nonlinear media, polarizations due to e.m. fields 7=9365 nonlinear polarization due to two e.m. waves  $\,7{=}18035\,$  non-local classical theory  $\,7{=}169\,$ 

paraelectric resonance 7=17536 polar dielectrics noise emission spectrum analysis 7=12500

polar solid, dielec. const. dispersion 7=5052 quartz, relaxation 7=18042

reactor and linear accelerator induced effects 7=15012

Dielectric properties of substances-contd

liquids and solutions-contd

```
Dielectric phenomena - contd
       relaxation in gases rel. to microwave absorpt. of
Cytherean atm. 7=15776
       relaxation in liquid, effect of hindered internal
           rotation 7=14116
       rotation (=1410
saturation, calc. of static cons. from rapid ion crystal
model, appl. to NaCl 7=18033
semiconductor-dielectric contact space-charge
           layer 7=14935
       space charge, capacitative effect 7=8000
       space-charge-limited currents 7=1989
spheres, polydispersions, optical scattering cross-
sections 7=1179
       surface lifetimes, from pulsed space-charge-lim. current
meas. 7=4878
       theory of dielectric tensor in relaxation time
           approx. 7=7999
       tunnelling through films, nonparabolic energy bands
effect 7=5079
       two-dimensional artificial dielectrics, theory and
           experimental results 7=9320
   ferroelectric. See Ferroelectric phenomena.
Dielectric properties of substances
           See also Electric strength.
       alkali halides, deformed, relax. and polarization 7=15014
       alkali halides, impurities, paraelectric, model
           Hamiltonian 7=5054
       alums, piezo-optical constants 7=11742 cell for meas. of high-const. liqs. 7=7096
       layer on M-I-M type thin film elements, effects on
  capacitance 7=2014
       medium containing spherical and ellipsoidal inclusions 7=3001
       plasma, two-temperature, analysis of dielectric const. 7=4242
       xylene substitutes in benzene, relaxation times ~ 3cm 7=10860
       CdS, space-charge-limited current, and effect of
       light 7=8050
KCl, rel. to energy distrib. of scatt. electrons 7=18039
       KCl:KOH, electric resonance of rotating dipoles 7=1992 \rm K_4 Nb_6 O_{17} obs. 7=7331
       NaCl, rel. to energy distrib. of scatt. electrons 7=18039
NaCl, interfacial polarization, single crystal 7=1999
NaClO<sub>3</sub>, constant at microwave freqs. 7=18040
       S, trapping and electron hopping transport, orthor-
hombic crystals 7=7957
        Ta2O5 anodic layers, dispersive processes 7=5064
       VO<sub>2</sub>, from i.r. props above and below transition temp. 7=11811
       inert gases 7=10748
inhibitors for carbon deposition 7=6763
       polarization master equation 7=853
        H<sub>2</sub> 7=10748
N<sub>2</sub> 7=10748
    liquids and solutions
       air, ~9000 Mc/s obs. 7=10857
alcohol solns.in water, effect of u.s. field 7=4378
        alkali halides solubility, rel. to dielec. const. of
            solvent 7=10811
        benzenes, substituted, microwave 7=10858
       binary mixtures, effect of u.s. field 7=4378
        carbon tetrachloride, loss at far i.r.freq. 7=10859
       in cavity, dielec. consts., meas. 7=4368 chloronaphthalene, 3.14 cm absorpt. 7=7099
        complex constants interferometric obs. 7=4374
        constant, 2 to 3, determ. by direct meas. of frequency 7=10854
        cryogenic, dielec. const. and dissipation factor 7=4370
        cyclohexanes, substituted, microwave 7=10858
α-α-dibromo-p-nitrotoluene, and diluted in benzene, relax.
~3cm, 20°C 7=14117
        2,4-dichloroaniline, and diluted in benzene, relax.
~3cm, 20°C 7-14117
        2, 4-dichlorotoluene, and diluted in benzene, relax.
             ~ 3cm, 20°C 7=14117
        dielectric constants meas.from free millimetre
wave refl. 7=10855
        dilute solns.of polar substances at microwaves, meas.
errors 7=7097
        electric strength, conduction and breakdown 7=4379 electroconvective heat transfer 7=7070
        electrolytes aqueous 7=4369
ethyl ether in benzene, effect of u.s. field 7=4378
        halo-benzenes, substituted, 3.14 cm absorpt. 7=7099
        haloethanes in cyclohexane soln., relax. 7=7100 layers, breakdown theory 7=4372
        luminescence under high elec. stress 7=4363
        mixtures of two polar components 7=1161
        organic, relaxation, microwave const. and loss
meas. 7=7098
        nsec breakdown time, carrier mobility insulating
            qualities, meas and obs. 7=1163
```

```
polar, complex constant calc. by librating molecule
method 7=17279
    polar, polarization relaxation in macroscopic specimen
   polar, polarization relaxation in macroscopic specimen rel. to microscopic decay function 7=17280 polymer solns., mol. wt. distrib. curve calc. 7=10817 thermal breakdown, onset rel. to high field conduction 7=4373 water, constant and relaxation times obs. 7=1162
    water, refractive index, complex, 2, 5-25 \mu meas. 7=14097 water, temp. depend. -5° to +25°C 7=7101
    H, concn. depend., effect of He addition 7=14070
    HCl in CCl<sub>4</sub>, absorption and dielec. loss factor calc. 7=4376
    He3, dynamic polarization, by optical pumping of
        gas 7=15985
    KNO3, constant and absorption obs.
    N, at 2.3 mm, refractive index 7=1164
    NaNO<sub>3</sub>, constant and absorption obs. 7=1165
    Sr(NO<sub>3</sub>)<sub>2</sub>, constant and absorption obs. 7=1165
solids
    adhesive tapes of silicone-rubber 7=6234
    alkali halide constant rel. to interatomic forces 7=1991
    alkali halides, 4.2°K to room temp. 7=2000
    alkali halides, ionic charge and thermal expansion 7=1485
    and alusite, at 10^{11} c/s, anisotropy 7=5063 anilines, substituted, powders loss and const. at
        3 cm 7=15027
    anthracene, photodepolarization, time depend. 7=5068 Bloch electrons dielectric const. in crossed fields
        calc. 7=7819
    carnauba wax magneto-electrets, charge decay meas. 7=8034
    ceramics, transient effect of nuclear radiation 7 = 5053 collagen 7 = 2002
    constant rel.to interatomic forces 7=1991
Coulomb interactions, local-field corrections 7=14793
desoxyribonucleic acid fibres, dielect. behaviour at
    radiofreq. 7=8018
diamond, polarizability per unit cell 7=5249
    electric field effect on const. calc. 7=15013 films, vacuum-deposited, galvanic effects obs. 7=8001
    5-chlorosalicylideneaniline, anomalous discharge
currents 7=8017
gelatin 7=2002
    gelasm 7-2002
glass cathodes in electrostatic beam separators 7=424
ice, constant and relax. times obs. 7=1162
ice, at cryogenic temps., dissipation factor 7=4370
    ice, impure, dispersion at low freq. and low temp.
         obs. 7=18038
     ice, potential diff. rel. to doping, meas. 7=5086
    ice VII and VIII 7=8007
     with initial polarization, decay of charge placed on
surface 7=5050
     metal, static RPA ladder corrections calc. 7=1816
     mica, synthetic, obs. 7=2001
     for mineral grains separation in elec. fields 7=2746
     Mylar film, insulating, charge penetration 7=5049
     organic insulators, charge trap model 7=5069
     paper used in capacitors 7=11551
     paper, impregnated, two models 7=5072
    paraffin wax, irradiated, oxidation, cross-linking and
degradation obs. 7=2004
perovskites, far i.r. dispersion 7=2281
     perovskites, paraelec., electro-opt. effects theory 7=5238
     phenanthrene, polarization 7=7971
     plastics, transient effect of nuclear radiation 7=5053
     polychlorotrifluorethylene with molecular weights
500-1300,—70° to +200°C, 30 c/s-3 Mc/s 7=15028
     polyethylene, charge trap model 7=5069
     polymers, dielec. dispersion at 4-300°K 7=5067
     polymers, \gamma-transition obs. and interpretation 7=8002
     polymers loss peaks at low temps. obs. 7=15026
polymers, relaxation, molec. theory 7=6760
     polytetrafluoroethylene, charge trap model 7=5069
     quartz, at 1011 c/s, anisotropy 7=5063
     radiation reflection by dielec. coatings, effect on micro-
     structure, obs. 7=17465
ruby, synthetic, at 10<sup>11</sup> c/s, anisotropy 7=5063
semiconductors at h.f., one-phonon collision corrections
with dynamic screening 7=18034
semiconductors, rel. to reflectance coeffs. 7=1810
    semiconductors, rel. to reflectance coeffs. 7=1810
shear viscosity of crystal, correlation function evaluated
by double-time Green functions 7=17658
superconducting metal difference from normal state
in weak coupling limit 7=11461
tert-butyl chloride, mm wave 7=9443
tridymite, anisotropy 7=5061
triglycine sulphate, dielectric relaxation 7=15040
Alarm supercond turnellier trial to 12-15040
     Al-In supercond tunnelling junctions 7=4972
Al-Sn supercond tunnelling junctions 7=4972
Ar Lorentz-Lorenz function 7=11747
```

BaTiO3, pressure and temp. dependence 7=5076

BaTiO<sub>3</sub>-Ba(Fe<sub>1/2</sub>Ta<sub>1/2</sub>)O<sub>3</sub> system 7=15031

## Dielectric properties of substances-contd solids-contd

lids—contd
BaTiO<sub>3</sub>-BaSnO<sub>3</sub> system 7=15031
CaF<sub>2</sub>, NaF doped, dipole relax. 7=5055
CaF<sub>2</sub>, X-ray coloured and uncoloured 7=4720
CaF<sub>2</sub>; Y, loss peaks in kc/s range 7=5252
CdO films 7=11755
Cr<sub>2</sub>O<sub>3</sub>, const. for study of magnetoelec. effect 7=18037
FeO<sub>x</sub>-P<sub>2</sub>O<sub>5</sub> (45 mole%) glasses, temp. and freq. var. obs. 7=8005
Csc (writes) induced polarization transient

obs. 7=8005
FeS<sub>2</sub> (pyrites), induced polarization, transient processes 7=2466
Ge, intrinsic, complex constant obs. 7=8006
Ge, permittivity, calculation 7=14954
HBr, h. f. dispersion 7=15017
HI, h.f. dispersion 7=15017
KBr, 4, 2'-300'K 7=1998

KC1, cond. d. c. and a. c., rel. to meas. electrodes 7=5058

KCl, loss tangents in 40-1000 Mc/s below 4.2°K 7=11791

KCl, OH impurities, single-particle and collective effects 7=5059

KCl, paraelectric resonance transitions of OH-, microwave saturation 7=11548

KCl, space charge effect in breakdown 7=8056 KCl:SrCl<sub>2</sub> coloured additively, relaxation, thermoelec. and optical absorption obs. 7=8008

and optical absorption obs. 7=8008
KF monocryst., from u. v. props. 7=8410
KH<sub>2</sub>PO<sub>4</sub>, proton cond., for pure and doped 7=15035
KNO<sub>3</sub> powders const. at 10 cm, compactness var. 7=15018
LaF<sub>3</sub> polarization obs. 7=1995

LaF, solid cryst. 7-2320
LiF, breakdown, on electron bombardment 7=11560
LiF:Mg, pre-irradiation annealing effects on loss 7=2388
LiF:Mg\*, MgLi dipole conc., relax. and orientation energy obs. 7=1996

Li(N<sub>2</sub>H<sub>5</sub>)SO<sub>4</sub> thermal expansion 7=11129 LiNbO<sub>3</sub>, 20°-200°C 7=15043

MnSe<sub>2</sub>, ion charging 7=8010
MoO<sub>3</sub> films, low-freq. meas. 7=11787
NH<sub>3</sub>H<sub>2</sub>PO<sub>4</sub>, antiferroelec. phase transition, studied by i.r. absorption 7=8033

NaCl crystals from melt, unhydrolysed, losses 7=15020 NaCl, 4.2°-300°K 7=1998

NaCl, loss tangents in 40-1000 Mc/s below 4. 2°K 7=11791

NaCl, loss tangents in 40-1000 Mc/s below 4.2 K. 7=11/91
NaCl saturation, calc. of static const. from rigid ion
crystal model 7=18033
Nb<sub>2</sub>O<sub>5</sub> films on Nb, rel. to effect of heat treatment 7=15021
NiO, pure and doped with Li<sup>\*</sup> or Cr<sup>3\*</sup> 7=8013
Pb zironate-titanate ceramics obs. 7=8026
PbI<sub>2</sub>, with adsorbed H<sub>2</sub>O vapour 7=7291
Pb-Te oxide films by reactive sputtering on
glass 7=11571
PbZrO<sub>3</sub>, antiferroelectric-ferroelectric transition, X-ray
obs. 7=7247
Story Relaxificition single crystals. 7=15022

S, dark polarization, single crystals 7=15022 Sb<sub>2</sub>S<sub>3</sub>, 9-16.5 Gc/s 7=8014

Su<sub>2</sub>S<sub>3</sub>, 9-10.3 GC/s 7=8014 Se rectifiers, capacity meas. 7=15001 Si, space-charge-limited current 7=17984 Sl<sub>2</sub>N<sub>4</sub>, hole injection and trapping in sputtered films obs. 7=18041

obs. 7=18041
SiO<sub>2</sub> films formed by reactive sputtering on glass 7=11571
STIO<sub>3</sub> pressure and temp. dependence 7=5076
ThO<sub>2</sub>, i.r. dispersion 7=5279
UO<sub>3</sub>, constant, var. with porosity 7=8015
UO<sub>2</sub>, i.r. dispersion 7=5279

UO<sub>2</sub>, 1. r. dispersion 7=5279
 Zn<sub>1</sub> Hg<sub>1,x</sub>Te, freq. var., 77-300°K 7=15025
 α-ZnS, resonance method obs. 7=8016
 solids, ferroelectric. See Ferroelectric materials.
 Dielectric relaxation. See Dielectric phenomena; Dielectric properties of substances.
 Dielectric strength. See Electric strength.
 Differential analysars. See Calculating a managers.

Differential analysers. See Calculating apparatus.

Differential equations

approximate solutions, new criterion 7=2793 deterministic nonperiodic flow 7=6941 elliptic, optimal control 7=15850 Laplace, conjugate solns., method 7=15849 macroscopic transport eqns., generalized 2nd-order 7=101 Navier-Stokes eqns. exact solns. class 7=10694

Navier—Stokes eqns. exact soins. Class 1=10094
nonlinear, with extra nonlinear term, periodic
soins. 7=17107
oscillations of non-linear systems, quasi-periodic, point
transformation method 7=106
partial, assoc. with Appell's hypergeom. funct. 7=12292

Proca-type system, partial, transformation 7=9016 second order nonlinear, quadrature soln. 7=9017 Stefan type single phase problem, existence of soln. 7=16 Diffraction

diffraction of multimode surface wave by right-angled wedge 7=15858

wedge 7=15858
elastic waves, by smooth convex cylinder 7=111
elastic waves by wedge, no friction 7=15928
elastic waves, Youngs formulation 7=5712
Huygens principle for elastic media 7=12408

by periodically uneven surface, of wave through inhomogeneous layer 7=23

Talbot fringes 7=9585

acoustic waves

contiguous liquid and elastic wedges 7=2909 deep-water transmission paths near Cyprus 7=15468 as laser frequency shifter 7=9486 simulation of e.m. knife-edge diffraction 7=12574 spark-produced pulses appl. 7=12441

acoustic waves, ultrasonic

anisotropic materials loss calc. 7=4627

electromagnetic waves

of angular spectrum by phase-changing screen 7=9441 at aperture, partial polarization in three theories 7=9435 by array of parallel conductors in dielec. slab 7=9440 by dielectric parabolic cylinder, exact solution 7=16109 dielectric rectangular wedge, for plane waves, theory 7=5851

half-plane impedance in anisotropic plasma 7=9438 knife-edge, acoustic simulation 7=12574 in layered inhomogeneous media 7=16119 and lense near focus field distrib. 7=16108 by metal cylinder, at jump in dielectric const. of coating 7=9445

coating 7=9445

Newman boundary conditions 7=9436
plane circularly polarized, Poynting vector flux curves
characteristics 7=9439
plane, on dielectric wedge 7=249
of plane waves on double grating 7=250
plane wave, by grid of rectangular plates 7=3083
slit in interface, E and H polarization 7=9437
by slit and slot, planar 7=3084
Sommerfeld, rel. to bidimensional body thickness 7=9165
Sommerfeld, representation 7=248
Sommerfeld, vector potential linked with solution
derivation 7=247
Soret zone plate, simulation by coaxial apertures 7=347

Soret zone plate, simulation by coaxial apertures 7=347 theory, constant evaluation 7=3082

electrons. See Electron diffraction. light

alphammeric characters 7=16287 back-reflected energy distrib. from aggregate of particles 7=14193 Bragg, for acoustic beam visualization 7=12442

criterion for image quality in automatic design 7=9552

filters, space freq.double diffr., for resemblance of forms meas. 7=12693

Fraunhofer pattern of plane screen with random distrib.
of identical apertures 7=9616

Fresnel lens images, zero order diffracted light removal 7=5918 Fresnel, by slits in semitransparent films 7=3268

hologram diffraction grating 7=352

hologram, properties and applications 7=16295 holograms, microwave, reconstructions of visible images from reduced-scale replicas 7=12733

holographic reconstruction without granulation 7=12732 holographic system ray tracing 7=3282

holography 7=12727 holography "hand-held" 7=12728

holography, in meas.freq.response of photographic emulsions 7=12738

holography, nonparaxial imagery, magnification and aberrations 7=12731

holography, polarization 7=12729 image of single bar in presence of off-axis aberrations 7=348

and indeterminacy 7=3312

and indeterminacy (=-512)
Kirchhoff's theory, consistent formulation 7=9614
laser, holography, resolution limit, rel. to speckled
diffr.pattern 7=5920
in lens calculations, residual error 7=3214

particle size-frequency analyser 7=4392

phase holograms, reconstruction of transparent and refracting objects 7=3289 photographic dodger for reproduction of patterns 7=4569

use for plotting characteristic curve of photo-emulsion 7=3295

emulsion 7=3295 by polygonal cylinders, scattering cross-sections 7=12718 quartz, by u. s. waves 7=11804 semitransparent half plane, Cornu spiral appl., computer programme 7=3267 at sine stratified dielectric grating, plane wave 7=3269 Soret zone plate, simulation by coaxial apertures 7=347 u. s. standing waves, Fourier series for intensity 7=16285

by ultrasonic standing waves, simplification of equations 7=16286

```
Diffraction-contd
                                                                                                                     Diffusion in gases-contd
                                                                                                                               isotope separation, Hg mass-diffusion column as working
     light-contd
         white light reconstruction of colour images,
                                                                                                                                    fluid 7=849
                                                                                                                               jets, in flow establishment region 7=13996
kinetic theory, rarefied 7=4302
and metal evaporation rate, cluster formation
effects 7=17318
             holographic 7=353
         for wire dia. meas. using laser 7=5652
         zone plate theory based on holography 7=16288
     neutrons. See Neutron diffraction.
                                                                                                                               nonlinear eqn. near critical region 7=14065
plasma across mag. field, elec. fields obs. 7=13855
plasma in mag. field, of electrons and ions, review of
     X-rays. See X-ray diffraction.
Diffraction by acoustic waves. See Acoustic waves/effects;
Diffraction/light.
                                                                                                                                    obs. 7=6835
Diffraction gratings
                                                                                                                               plasma Q-device, cross-field obs. 7=13863
polyatomic, pure and mixed, rel. to thermal cond.,
theory 7=4292
         concave grating, efficiency meas. 7=3270
        concave gratings, efficiency in range 150 Å to 1000 Å 7=3271
        1000 A 7=3271
double of thin bands, of plane waves 7=250
echelettes in the far i.r. 7=16290
Fabry-Perot etalon, composite, for transparent inhomogeneities study 7=16291
holographic 7=352
holographic system ray tracing 7=3282
                                                                                                                               from probe, into spark discharge zone 7=6783
                                                                                                                               quadrupolar, effects 7=10752
                                                                                                                               self-diffusion in bounded medium, n.m.r. study 7=7513
                                                                                                                               thoron and radioactive daughters, meas. in lower layers of Earth's atmosphere 7=15546
                                                                                                                                turbulent diffusion in stirred vessels 7=13977
         incremental shaft resolver using plastic radial
                                                                                                                                Ar-He mixtures, baroeffect, soln. by kinetic
              gratings 7=12283
                                                                                                                                   theory 7=1092
                                                                                                                                Ar-Kr system 7=6980
          magnetic film with stripe domains and Fe oxide colloid
         overlayer, display or memory 7=9360
metallic, for plane wave 7=16289
Monk-Gillieson mount for plane gratings 7=3272
                                                                                                                                Cl atoms at critical point 7=13779
                                                                                                                               CO<sub>2</sub>, correl. length and mass transfer near crit.
point 7=14066
CO<sub>2</sub>, electron drift velocity meas, at 293°K 7=6978
         polyethylene replica far i.r. transmission filter gratings
                                                                                                                                14CO<sub>2</sub>, tracer diffusivities through ternary
mixtures 7=10758
         prod. 7=9567
semi-infinite, of isotropic scatterers, scatt.function 7=5852
sine stratified dielectric 7=3269
                                                                                                                                CO<sub>2</sub>-Ar system, binary diffusivities 7=10758
CO<sub>2</sub>-N<sub>2</sub> system, binary diffusivities 7=10758
         for telescope for stars spectra 7=5529
Ni-Fe magnetic film with stripe domains and mag.
colloid overlayer 7=9615
                                                                                                                                H<sub>2</sub>-D<sub>2</sub> mixtures, baroeffect, soln. by kinetic theory 7=1092
                                                                                                                                H<sub>2</sub>-SF<sub>6</sub> mixtures, baroeffect, soln. by kinetic theory 7=1092
Diffrimoscopy. See Diffraction/light; Optical images.
Diffusion
              See also Neutrons and antineutrons/diffusion; for diffusion of matter, see Diffusion in gases; Diffusion in liquids; Diffusion in solids.
                                                                                                                                in He afterglow flow obs. 7=16995
He metastable, self-diffusion effective cross section
temp.var. 7=996
          Boltzmann eqn. with cut-off rel. to transients 7=9996
                                                                                                                                He-Ar separation, electron beam study 7=4283
He-Kr system 7=6980
         charges in mag. field with moving random inhomogeneities 7=9370 impurities along surfaces 7=14264
                                                                                                                                He-N2 mixtures, baroeffect, soln. by kinetic
                                                                                                                                    theory 7=1092
                                                                                                                                K plasma Q-device, cross-field obs. 7=13863
Kr-diethyl ether, interdiffusion coeff. 7=6982
Kr, isotopic 7=6981
          mass, rate of diffusion in a fixed medium, theorems 7=15918
         multi-layered active medium, linear interaction 7=11136
Onsager symmetry in diffusion eqn, of nucleation
theory 7=103
                                                                                                                                Kr-SO2, interdiffusion coeff. 7=6982
         particle growth diffusion controlled, moving
boundary 7=7130
path probability method for co-operative systems 7=88
                                                                                                                                Kr<sup>85</sup>-SO<sub>2</sub>-Kr 7=6983
Kr-Xe system 7=6980
                                                                                                                                N_2-H_2 mixture, coeff. rel. to temp. and concen-
         of quanta from inhomogeneous medium of finite optical thickness 7=12723
                                                                                                                                    tration 7=4303
                                                                                                                                NH<sub>3</sub>, self-diffusion 7=1093
         radiation in resonance medium of two-level molecules 7=9145 separation cascade transformation theory 7=104
                                                                                                                                \rm N_2O-CO_2 flow, diffusion-viscosity coupling theory 7=10717 \rm Ne-CO_2 mixtures, binary diffusion coeff. 7=17215 \rm OH_4, self-diffusion 7=4304
                                                                                                                                Rn, and radioactive daughters, meas. in lower layers of
Earth's atmosphere 7=15546
          as statistical path, Feynman's quantum mechanics
          appl. 7=2866
turbulent, mixing-length argument, generalization 7=6946
                                                                                                                                SF<sub>6</sub>, correl. length and mass transfer near crit.
point 7=14066
      acoustic waves
              See also Scattering/acoustic waves
                                                                                                                            thermal
          No entries
                                                                                                                                diphenylamine-(He or N), study with i.r. absorption
     electromagnetic waves
                                                                                                                                     spectra 7=6985
              See also Scattering/electromagnetic waves.
                                                                                                                                 flame, laminar, in Oseen flow 7=10756
                                                                                                                                form factors in model of Buckingham exp.-6 7=4301 methane, isotopic, column transport coeffs. 7=13998 phthalimide-(He or N), study with i.r. absorption spectra 7=6985
          No entries
          See also Reflectivity; Scattering/light.
laser beam, speckled diffr.pattern, theory 7=5902
radiant transfer through specular tubes 7=12699
reflection from one-dimensional 3-level atomic
medium 7=12791
                                                                                                                                plasma, in stochastic fields, theory 7=4187
Stefan-Maxwell eqn., generalized 7=1091
vapour-gas, study with i.r. absorption spectra 7=6985
 Diffusion in gases
                                                                                                                                H2, binary mixtures of isotopes 7=6979
          See also Flow/gases.
adsorption sticking time and surface mobility effects on
                                                                                                                                He-H2 interaction, potential model 7=16982
                                                                                                                       NH<sub>3</sub> 7=1093
N<sub>2</sub>O<sub>4</sub> = 2NO<sub>2</sub> with Ar, effect of equilibrium 7=6984
Diffusion in liquids
              meas. 7=6954
          aerosol particles, diffusiophoresis 7=10881
application to linearized Couette flow problem 7=17181
                                                                                                                                See also Flow/liquids.
benzene, self-diffusion, n. m. r. meas. up to crit. point 7=7057
          arc, across mag. field, electron and ion
                                                                                                                                bimolecular reactions, many-particle theory 7=15415
binary solutions, theory 7=7051-2
binary system near critical point, theory 7=7132
               transport 7=13819
          atmosphere, circulation and effect on movement of tracers 7=15500
          atmosphere, simulating large scale mixing 7=13997 atmosphere, turbulent diffusion in model 7=8642
                                                                                                                                diffusivities, modified, Wilke-Chang eqns. 7=17261 ethane, activation energies 7=1137
          baroeffect, soln. by kinetic theory 7=1092 binary system near critical point, theory 7=7132
                                                                                                                                 flow to moving drop, non-stationary at low Reynolds
                                                                                                                                     number 7=1099
          clouds, latent heat effect calc. 7-8666
coefficients determn. from viscosity meas., effect of
Chapman-Enskog approx. 7-6977
                                                                                                                                 gases, mechanism from concn. depend. meas. 7=14069
                                                                                                                                glycerol, study through Mössbauer absorpt. and Rayleigh scatt. 7=4341
          ethylene, self-diffusion near crit. pt. 7=13999
in field, with rotational degrees of freedom 7=10733
inert gas mixtures, effect on u.s. attenuation 7=17206
                                                                                                                                isothermal, in binary system, nondamping soln. 7=14068 metals, rel. to melting 7=1191 metals, self-diffusion, small-fluctuation theory 7=4340
          interaction between diffusion and viscous flow in mixtures
                                                                                                                                 methane, effect of Ar and CF4 addition, concn.
          of rarefied gases 7=10717
interdiffusion across porous media 7=10757
ion chambers, plane parallel, diffusion losses effect
on saturation curve 7=12785
                                                                                                                                     depend. 7=14070
                                                                                                                                 methane, in propanol, -30°-120°C 7=14073
                                                                                                                                 multi-layered active medium, linear interaction 7=11136
                                                                                                                                 nonlinear eqn. near critical region 7=14065
phenol-water, Brownian motion at critical point of liquid-
liquid equilibrium obs. 7=7059
```

Physics Abstracts 1967 - Part I (Jan.-June) Diffusion in liquids-contd self-diffusion in bounded medium, n.m.r. study 7=7513 self-diffusion, rel. to liq. struct. 7=1112
self-diffusion near critical point 7=4339
self-diffusion in simple liquids 7=17262
solutions near critical point, thermodynamic
theory 7=14064 sphere of finite initial radius controlled by mass diffusion, eqns. for dissolution or growth 7=14067 suspended particles, filter-blocking, simplied model 7=14133 water, self-diffusion, n. m. r. meas. up to crit. point 7=7057 AgNO<sub>3</sub>-TlNO<sub>3</sub> fused system 7=14118 Ar, diff. of H<sub>2</sub>, and freq. of vib. 7=7056 in Bi, by impurity atoms, temp. depend. meas. 7=14072 Cl atoms at critical point 7=13779 CO<sub>2</sub>, correl. length and mass transfer near crit. point 7=14066 Cd, impurity atoms 7=14071 Ga, diffusion of impurity atoms 7=10824
Ga, ion mobility mechanism 7=10868
H, effect of He addition, conc.. depend. 7
H<sub>2</sub> in liquid N, conc.. depend. meas. 7=1
H<sub>2</sub>O, self, neutron scatt. obs. 7=10825 7=14069 He in liquid H, concn. depend. meas. 7=14069 In, ion mobility mechanism 7=10868 NaCl solution H<sub>2</sub>O self-diffusion, neutron scatt. obs. 7=10825 Na<sub>2</sub>O-SiO<sub>2</sub>-Fe<sub>2</sub>O<sub>3</sub> melts, interdiffusion of Fe<sub>2</sub>O<sub>3</sub> and SiO<sub>2</sub> 7=10826 Ne, diff. of H<sub>2</sub>, and freq. of vib. 7=7056 OH<sub>4</sub>, self-diffusion 7=4304 in Pb, by impurity atoms, temp. depend. meas. 7=14072 Pb, ion mobility mechanism  $\,7=10868$  Rb ions, in RbNO<sub>3</sub>, electromigration isotope effect  $\,7=7060$ SF, correl. length and mass transfer near crit. point 7=14066 in SO<sub>2</sub> sorption into H<sub>2</sub>O and aqueous gels, monomolecular film effects obs. 7=10820 SiO2 gel, for Ca tartrate. 4H2O growth 7=1322 Sn, diffusion of impurity atoms 7=10824 Sn, ion mobility mechanism 7=10868 Sn-Pb, self, obs. 7=7061 Sn-Sb, self, obs. 7=7061 Sn-Zn, self, obs. 7=7061 TI-S semiconducting alloy meas. 7=14074 thermal electrolytes in  $\rm H_2O$  and  $\rm D_2O$   $\,7{=}10823$  flow-cell construction and calibration  $\,7{=}7053$ flow cell phenomenological eqns. soln. isotopes, in pure liquids, theory 7=7055 solutions, conc., convective, temp. var. 7=7050 thermosolutal convection, obs. of overstable mode 7=14077 Ga, isotope separation meas. 7=7058 K, isotope separation meas. 7=7058 Rb, isotope separation meas. 7=7058 Diffusion in solids See also Permeability, mechanical. alloys, AB and B<sub>3</sub>A, vacancy migr., Monte Carlo simulation 7=4682 alloys, f.c.c., solute-enhanced, vacancy jump theory 7=17577 alloys, spinodal decomp. and particle coarsening 7=10939 b. c. c. metals, anomalous; self-diffusion 7=14789 binary alloys, vacancy flux and Kirkendall shift, effect of vacancy jump correlations calc. 7=1503 binary metal solid soln., thermally-induced 7=14480 binary system near critical point, theory 7=7132  $\alpha\text{-brass,radiation-enchanced}$  7=4667 concrete, of water 7=11139 crystals, atoms in steps, growth mechanism 7=1312 crystals growing into melts 7=1303 dilute alloys of f.c.c, metals, of solvent and solute 7=14483 effect on Mössbauer spectra of impurity complexes 7=10919 flow of ionic polycryst. aggregates, diffusion-viscous 7=14671 free energy of interdiffusion 7=11137 graphite, of gases, permeability measuring apparatus 7=4665 graphite, pyrolytic, of metals, autoradiographic obs. 7=1510
of inert gases, on ion bombardment, theory 7=1505
Ising model, time-dependent, self-diffusion constants
near critical point calc. 7=1502 isotope mass effects on jump freqs. 7=7512 and jogged screw dislocations uniform velo. stress var. calc. 7=14570 Kirkendall effect, partial diffusion coeff. determ. 7=7510 layer growth in binary system 7=7511 material transport in solid state reactions 7=14481 measurement of self-diffusion by  $\alpha$ -spectrometry 7=1506 metal foils transient thermal diffusivity meas. 7=1493 metal-metal reacting systems, rel. to sessile-drop spreading kinetics 7=10793 metal-nitrogen solid solutions, degassing kinetics, theory 7=10978

metals, application of theory to anelasticity 7=17655

Diffusion in solids-contd metals, of Ag<sup>110m</sup>, along dislocations, for surface emergence obs. by autoradiography 7=7561
metals, formulae for activation energy for diffusion and pre-exponential factor 7=17576
metals, impurity insolubility and disloc. diffusion 7=17575 metals, interdiffusion, free energy 7=11137 metals, mechanism and phenomenological relations 7=7516 metals, 0 -900°C and electrical resistivity 7=7515 movement of solid particles in solid 7=14478 multi-layered active medium, linear interaction 7=11136 Ostwald ripening, mass transport analysis 7=4456 p-n junction diffusion voltage meas. by scanning electron microscope 7=14980 plastic pipes, of O<sub>2</sub> 7=1522 polymer membranes, permeability to dissolved oxygen 7=1504 self-diffusion in bounded medium, n.m.r. study 7=7513 semiconductor impurities during growth, d. c. effect calc. 7=7335 semiconductor impurities, electron mirror microscope for meas. 7=1385 semiconductors, of Ag<sup>110m</sup>, along dislocations, for surface emergence obs. by autoradiography 7=7561 semiconductors excess carriers diffusion lengths meas by cathodoluminescence voltage var. 7=17753 semiconductors, influence of an internal field 7=14482 semiconductors, influence of an internal field 7=14482 solvent diffusivity in dilute b.c.c. binary alloy 7=11138 and spark discharge zone components entry 7=6783 spin-echo decay, in bounded region 7=7514 stainless steels, of tritium, 80°C 7=1513 transport of matter across dislocations 7=14479 tritium diff. from neutron irrad. 7=7521 II-VI compounds, interstitial mechanism 7=4666 Ag, in InAs 7=17584Ag, of Pb, effect of  $\alpha$ -bombardment 7=1507Ag vacancies grain boundary diffusion rel. to creep pore growth impurity effects, 650-800°C 7=17699 Ag-Cd couple electron absorption anomaly obs. 7=14486 Ag, of Zn<sup>65,69</sup>, correlation factor, 697<sup>-</sup>952°C 7=17578 Ag-Zn(0-4at.°s), of Ag, 747°, 880°C 7=17578 Al, of Co<sup>57</sup>, Fe<sup>57</sup>, Mössbauer Zeeman spectrum temp. var. obs. 7=7174 Al, thermal diffusion of vacancies 7=17595 Al<sub>2</sub>O<sub>3</sub>, inert gas bombarded, low temp. obs. 7=4663 Ar, self-diffusion 7=14316 Au, of D, obs. 7=14638 Au, interstitial mobility, rel. to Au and Ar ion bombard. 7=14639 Au, surface self-diffusion, scratch-flattening analyses 7=4664 Au-Al diffusion couples, phases and bond failure 7=14698 Au-Au (11) Au-Cd (47.5, 49.0, 50.5 at.%), Cd/Au ratio temp. var., six vacancy jumps mechanism 7=14484

BeO, of Be cations, 800-1795°C 7=7517

Bi, distribution coeff. of Ag, grown by normal freezing 7=1509 C, and high-temperature reactivity 7=8533 Co2+, in MgO, along grain boundaries 7=4675 Cr, of N, stress induced, temp. var. obs. 7=17579 Cr-Fe (30-77%), of Cr, 1000°C 7=17580 Cu, of Au, surface and grain-boundary 7=1508 Cu, of D, obs. 7=14638 Cu, electromigration, reversal 7=14487 Cu, surface diffusion coeffs. meas. by coalescence of gas bubbles 7=17581 Cu surface self-diffusion, S adsorption effect obs. 7=4668 Cu vacancies grain boundary diffusion rel. to creep pore growth impurity effects, 650-800°C 7=17699 Cu whiskers diffusion of Zn 7=7518 Cu, of Zn, isotope effect and correlation factor
894. 5°, 946. 4°C 7=17582
Cu-Te couples, stress increase, phases 7=11140
Cu-Zn couple electron absorption anomaly obs. Cu-Zn reactive diffusion, structural study 7=14485 CuZn, of Zn, isotope effect obs. 7=17582 Fe, Armco, of molten U, U-Fe(34, 77 at. %), 740-1300°C 7=4673 Fe, b.c. c., of O, 1450°C calc. 7=4672 Fe, of Cu, rel. to mag, transition obs. 7=1512 Fe,  $\alpha$  - and  $\delta$ -, self diffusion, and of Co 7=1511  $\alpha$ -Fe, electrotransport of C and N 7=4669 Fe and Fe alloys, electrotransport of C and N 7=4670 Fe, of Mo 7=4872 Fe, porous, from reduction of  $\mathrm{Fe_2O_3}$ , of  $\mathrm{H_2-H_2O}$ , 800°, 900°, 1000°C 7=15424 FeMo alloy, of Mo 7=4872 α-Fe, of N and C, Snoek peats 7=11141
Fe-Ni alloys, rel. to vacancies retained by quenching, 70-110°C 7=1514 GaAs, diffusion of Zn 7=14488 GaAs excess carriers diffusion lengths meas. by cathodoluminescence voltage var. 7=17753 GaAs, of Zn, effect on Mn doping 7=1515

```
Diffusion in solids -contd
```

GaP p-n junctions diffusion length obs. by scanning electron heam 7=1970

Ge. of As, for resistance thermometer for low temps. 7=155 Ge, Sb<sup>124</sup> diffusion, effect of specific radioactivity 7=14490

Ge, of Sb, from vapour phase 7=11142 Ge, self-diffusion along dislocations 7=14489

H<sub>2</sub> in metals, precise determ. 7=17588 In, of Au and Ag, interstitial 7=4674

InAs, diffusion of Cd 7=11143

InSb, of Li, temp. dependence 7=7519

KCl, permeability of defects in single crystals 7=7520

KCl-KBr in electric field 7=1516

KI, permeability of defects in single crystals 7=7520

LaF<sub>3</sub>, diffusion of F 7=14491

Li in semiconductor coaxial-drift intrinsic region formation, time var. calc. 7=12788

Mg, of Be 7=7522

Mg-Mn (0.55-1.5 wt. %) creep deformation 7=14742

MgO, of Be 7=1517 MgO, of Ca 7=1518

MgO-Mn\_O, interdiffusion and stoichiometry of Mn 7=11144

NF<sub>3</sub> 7=5208 Na, of Au, 29°C 7=7523

Na electromigration and thermal transport obs.,

Soret heat of transport 7=17585

Na, self-diffusion and isotope effect 7=1519 Nb, of H, interstitial, relaxation effect 7=1521

Ni, of Cr, isotope effect obs., criticism 7=17586

NI, of Cr, isotope effect obs., criticism 7=17586
NI, of D, obs. 7=14638
NI, of H<sub>2</sub> 7=17588
NI, of H<sub>2</sub>, isotope effects 7=17587
in Ni-Co ferrite, of ions during heat treatment 7=8237
NiO films short-circuit diffusion paths rel. to oxidation thickening obs. 7=15428

Ni-Ti, of Ni at 929-1228°C, radioactive tracer obs. 7=7524 Ni-V alloy, of H<sub>2</sub> 7=17588

Ni<sup>2</sup>\*, in MgO, along grain boundaries 7=4675 Pb-Tl system, self-diffusion and Kirkendall effect at high press. 7=14492

Se self-diffusion in CdSe, mechanism 7=4666

Si, Au coated, surface barrier layer form. by O<sub>2</sub> diffusion 7=1971

Si, of Au, dislocations loops prod. obs. 7=7591

Si, of B, for resistance thermometer for low temps. 7=155

Si, of B or P, lattice contraction due to elastic strain 7=11076 Si, diffusion and electrotransport of In and Ag 7=14493

Si, dislocations prod. by B and P, electron microscopy 7=17614-15
Si, distrib. of P, autoradiographic method 7=7526
Si impurities during growth, d.c. effect calc. 7=7335
Si, line imperfections prod. by double diffusion obs. 7=17616
Si, localized, dislocations prod. obs. 7=7592
Si, of P 7=7525

Si, of P, profiles deviation, dislocation induced 7=17589 Si, of P, slip generation conditions and depth of dislocation motion calc. 7=1619

Si p-n junctions diffusion length obs. by scanning electron beam 7=1970

Si, of Pt, rel. to helical dislocations and loops

Si, of Pt, rel. to helical dislocations and loops induced 7=7593
Si transistors, double-diffused, base dopant impurities abnormal diffusion mechanisms 7=1978
n-SiC, of B and Al 7=1520
SiC:Al, N diffusion, 2000-2550°C 7=4676
Sn, of Sn and Zn 7=7527
Sn-Zn alloys, of Sn and Zn 7=7528
Sn-Zn of Sn and Zn 7=7527
Sn-Zn of Sn and Zn 7=7527
Sn-Zn of Sn and Zn 7=7527

SrTiO<sub>3</sub>, cation self-diffusion, dislocation depend. 7=11145

Ta, of H, coeff. rel. to temp. 7=17590
Ta, of H, interstitial, relaxation effect 7=1521
TaC, diffusion of C 7=14494
TaC and Ta<sub>2</sub>C, C diffusion 7=7529

Th, of C, N and O, prod. by d.c. obs. 7=4677 TiNb, anodizing meas. 7=7530 U-Zr,  $\gamma$ -phase, thermodynamics 7=7492

UO<sub>2</sub>, electrodiffusion of O<sub>2</sub>, 900-1000°C 7=11146 UO<sub>2</sub>, fission gas release and bubble movement 7=10361 UO<sub>2</sub> self-diffusion coeffs., by  $\alpha$ -spectrometry 7=1506

UO<sub>2</sub>-CeO<sub>2</sub>, thermal 7=11147 UO<sub>2</sub>, of Xe<sup>133</sup> obs. 7=7531

W, surface diffusion of K, effect of elec.field 7=1291

Zn, of Hg, anisotropy and temp. var. obs., rel. to Cd diffusion, vacancy mechanisms 7=17591

Zr, b. c. c., anomalous behaviour 7=11148 Zr, of O and N, heat of transport 7=11149

Diffusion columns. See Diffusion in gases/thermal; Isotope separation.

Diffusion pumps. See Vacuum pumps.

Digital computers. See Calculating apparatus/digital computers. Dilatometers. See Length measurement; Volume measurement. Dimensions

See also Units.

No entries

Dimers. See Molecules; Polymers.

Dineutrons. See Neutrons.

Diodes. See Electron tubes; Plasma devices; Rectifiers; Semiconducting devices/diodes and/tunnel diodes.

Dipole moments. See Molecules/moments; Nucleus/electric

moment; Nucleus/magnetic moment.

Diquarks. See Elementary particles.

Dirac electron theory. See Electron theory.

Dirac equation. See Quantum theory/wave equations.

Discharge tubes, See Electron tubes; Gas-discharge tubes; Ion sources; Particle accelerators; X-ray tubes.

Discharges, electric See also Arcs, electric; Breakdown, electric; Corona, electric discharge; Plasma; Sparks, electric, air, flowing, obs. 7=6764

air, laser-induced, quasi-stationary and afterglow stages 7=13811 air, spectrum, time variation 7=944

air, streamer-spark transition, cathode field emission 7=13815 air, waveform asymmetry with identical metal electrodes

50 c/s,1 mm press. 7=10576 anode erosion in heavy-current discharge in

vacuum 7=950

vacuum 1-30 in aqueous solutions with high electrical conductivity, pulsed 7=1167 characteristic curves electronic differentiation 7=953 charged particle conc., rel. to parameters of electrodes 7=10595

5-chlorosalicylideneaniline crysts., anomalous currents 7=8017

coaxial source, current and mag.field distrib.

crossed-field, self-maintained, current calc. 7=6762 for determ. of As, superstoichiometric, in GaAs 7=8592 for determ. of Sb, superstoichiometric, in InSb 7=8592 deuterium in pinch device, dense plasma focus formation phenomena 7=4218

disturbance current due to acoustic wave 7=10573 electric arcs, application of thermal similarity theory 7=17005 electrodeless, ring, spectra obs. 7=10579

focus, dense plasma, development obs. 7=4150

GM counters, discharge propagation velocity 7=12783 gases, breakdown, streamer and electron avalanche theories, book 7=963

gases, inhibitors for carbon deposition 7=6763

hollow cathode, elec. field strength and electron energy distrib. 7=4143 homopolar, current density distribution

investigation 7=1046

inert gases, filamentary, effect of acceleration 7=6777 inert gases at medium pressures, contracted columns 7=16992

inert gas hollow cathode discharge plasma deionization obs. 7=6769

ionized gaseous filament explosion, light emission obs. 7=4149

laser effect obs. in luminescent hollow-cathode discharge 7=16160 metal sheet deform. by underwater spark discharge 7=11261

metals electron emission calc. 7=949 micro-discharges, neg. secondary ions 7=10570 needle test equipment 7=8004

organic insulators, dendritic erosion mechanism 7=8003 oscillating electron, plasma decay obs. 7=10574 oscillating, nonlinear theory of plasma instability 7=6915

oscillating, turbulent diffusion of plasma 7=995

Penning, ang. and energy distrib. of incident ions, high voltage 7=14001

Penning, positive ion kinetics 7=945

Penning, potential distribution meas. 7=946 Penning, triggering by Ni<sup>63</sup> 7=1095 Penning-type, turbulent diffusion 7=4138

plasma, gun, coaxial, pulsed, current distribution along electrodes 7=6923

plasmas as light sources for optical pumping 7=17072 point discharges from multiple points in irregular config. 7=967

positive column, l.p., acoustic wave damping 7=10580 positive column in mag. field at low press.,

transition 7=6773 positive column, plasma resonance near electron

cyclotron harmonic freqn. 7=4141 positive column, radial density profile with longitudinal magnetic field 7=16993

positive column, turbulence in large longit. mag. field 7=16994

probe measurements 7=954

probe noise at intermediate and h.f. theory 7=10575 pulse, high-speed spectrometer for study of

contours 7=9589 pulsed, breaking supersonic plasma jet as light source 7=9601

```
Discharges, electric—contd
pulsed, influence of supersonic torch interaction on spectro-
scopic characts. 7=10571
             pulsed, with localized channel, spectral characts. 7=6761
             pulsed, spectroscopic obs. of axis-symmetric plasma
                   layer 7=10572
             runaway electrons linear accelerator, interaction with mag-
fields, X-ray prod. 7=16398
spark chamber mechanism with wide gap 7=5986
             spark gap, predischarge currents at mixed voltages 7=10588
             spark, 32 000A, optical investigations 7=13816
             stability of flexible wire in longitudinal mag.
                   field 7=955
             striations velocity obs. 7=4140
theory, static, of column at intermediate
pressures 7=16990
             thermo-field emission, effect of ion fields 7=8068 toroidal, plasma diffusion 7=947 transient, plasma, temp. rel. to space and time 7=6831
             two-point discharger, starting voltages 7=968 in vacuum, review 7=9727
             in water, channel broadening rel. to pressure and energy of
             pulse obs. 7=4371
Ar negative molecular ions, existence in Faraday space 7=6766
              Ar plasma, microwave maintained, at cyclotron resonance,
2nd harmonic generation 7=10597
             Ar-H laser spectral line shapes obs. 7=16163 C<sub>2</sub> vibrational relaxation in excited d^3\pi_g state obs. 7=6643
             Cu, hollow cathode, atom level population and spectra 7=10577
             H negative molecular ions, existence in Faraday space 7=6766
             H, photoabsorption studies 7=17009
H plasma prod. by laser, electron recombination
obs. 7=6767
              H intense source from reflex discharge 7=12550
             H2 up to a pressure of 19000 Torr, oscillographic
                   studies 7=10585
              He, hollow cathode, radial shock wave obs. 7=957
             He, metastable atom, self-diffusion effective cross
section temp, var. 7=996
He positive column in strong magnetic field 7=6775
              He, pulsed channel at high pressures, oscillograph
                   obs. 7=958
              He-N, N extreme u.v. absorption obs. 7=4008
He-Ne hollow cathode, Ne excited levels concs.
                   obs. 7=10578
              He-Ne, laser action by optical pumping 7=3140
              He-Ne laser discharge modulation noise theory 7=16170
Hg, drift instability rel. to ion waves dispersion
relation 7=6914
              Hg, ion plasma oscillation intensity enhancement due to
              bunched electrons 7=17008
Hg at low press., excitation of UHF spectrum 7=6899
Hg-Ar, d. c., electrode atomization 7=6768
              Kr negative molecular ions, existence in Faraday space 7=6766
              N_2^2 up to 9000 Torr, oscillographic studies 7{=}10584 N_2(C^3\pi{-}B^3\pi) bands intensity time var. 7{=}6770
             ^{2} ^{2} ^{2} ^{4} ^{3} ^{3} ^{2} ^{2} transition freq. shifts due to press. and current obs. ^{7} ^{2} ^{13} ^{79}5 ^{18} ^{18} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19} ^{19}
              O negative molecular ions, existence in Faraday
                    space 7=6766
              Xe, electrodeless, ring, spectra obs. 7=10579
              Xe, partially ionized, e.m. wave amplification 7=16991
              afterglow decay by free-fall diffusion 7=6774
              afterglow, gas temp. from standing acoustic waves 7=13800
              anomalous, energy spectrum of positive ions incident on cathode 7 = 6772
              cathode = 6112
cold-cathode, with elec. field along cathode 7=4144
diffusion theory with Druyvesteyn distrib. 7=16998
hollow cathode, beam-plasma instability 7=959
inert gases and metal vapour mixture, components
transverse separation 7=4142
               Joshi effect in mini-ozonizers in extremely faint light
                    obs. 7=948
              for microwave detection, in plasma 7=12567
               plasma low electron density meas, using microwaves and
                    two 4-wave plates 7=6874
              positive column critical mag. field for helical oscills.
meas. from light emission 7=13799
positive column, ionization waves 7=13798
in ring cathode, high frequency, pressure var. obs. 7-
in skew mag. field, influence on parameters 7=960
                                                                                                                            7=13796
```

voltage rel. to interelectrode distance 7=13797
Ar, abnormal, impedance rel. to transit time of positive ions obs. 7=10582

```
Discharges, electric-contd
      glows-contd
          Ar, continuum radiation from positive column 7=961
          Ar positive column moving striations obs. 7=13802
          Ar positive column moving striations obs. 7=13802
Ar positive column moving striations theory 7=13801
Ar.reflex discharge using brush cathodes 7=13803
Ar-H<sub>2</sub>O, transition to high-voltage arc 7=17007
Cr films, effect on resistivity 7=14881
H<sub>2</sub>-D<sub>2</sub> exchange reactions 7=6771
           H2O, dissociation free radicals prod. of luminescence
                 on ZnO 7=11884
          He afterglow flow metastable obs. 7=16995
He early afterglow spectrum obs. 7=4145
          He, negative, ion distrib. 7=4146
He plasma decay 7=6868
          He positive column transition from moving striation to helical oscillation in mag. field obs. 7=13804 He<sup>*,2*</sup> recombination in He afterglow obs. 7=6776
          He-Ne plasma decay process time dependence 7=6869 Hg, afterglow decay by free-fall diffusion 7=6774
           Hg-Ar, pulsed, spatial inhomogeneities obs. 7=4147
           Hg-H<sub>2</sub>, negative, Hg emission obs. 7=16996
          I, positive columns at low pressure obs. 7=13805
N afterglow plasma, radiation temp. obs. 7=962
          N afterglow plasma, radiation temp. obs. 7=962 N low pressure, positive column charge carriers 7=16997 N<sub>2</sub>, afterglow, rel. to recomb. rate meas. 7=6740 N<sub>3</sub>-H<sub>2</sub>O, transition to high-voltage arcs 7=17007 NF<sub>3</sub>-Ar h. f. afterglow, NF a<sup>1</sup>\Delta-X<sup>3</sup>\Sigma-0-0 band obs. 7=1051 Ne diffusion theory with Druyvesteyn distrib. 7=16998 Ne, energy distrib. function of electrons 7=16999 Ne plasma decay process time dependence 7=6869 NeAAr thuse spectral projec characteristics. 7=13806
          Ne-Ar, tubes, spectral-noise characteristics 7=13806 O in He-O<sub>2</sub>, He-O<sub>2</sub>-N<sub>2</sub>, afterglow studies 7=8543 O_2-H<sub>2</sub>O, transition to high-voltage arc 7=17007
           for SiO<sub>2</sub> deposition, O reaction on tetraethoxysilane 7=10969
      high-frequency
           anomalous plasma transport obs. 7=13792
          drift-dissipative instability 7=4139
h.f. induction, in chamber with water-cooled metal walls
obs. 7=951
           moving striation in plasma, without external d.c.elec. field 7=10581
           PIG discharge, plasma oscill. modes 7=13912 in ring cathode, pressure var. obs. 7=13796 Ar, u. h.f., plasma parameters 7=956
           CdCl, spectral emission, B<sup>2</sup>∑-X<sup>2</sup>∑ vibr. bands
                 obs. 7=10492
           H plasma elec. fluctuations in mag.field obs. 7=17127
He light source plasma at 2.45 Gc/s for photoionization
meas. by mass spectrometer 7=17014
           He, microwave, near plasma resonance 7=13793
           He, v. h. f., density and energy of electrons 7=13794 NF<sub>3</sub>-Ar h. f. afterglow, NF a^1\Delta-X^3\Sigma^- 0-0 band obs. 7=10512
           OH radicals in discharges through H2O and H2O2
                vap. 7=16978
           Zn and Hg mixed vapours, luminesc. 7=835
Disintegration. See Beta-decay theory; Nuclear decay theory;
      Radioactivity.
Disintegration energies. See Radioactivity.
Dislocations. See Crystal imperfections/dislocations.
Disperse systems
                 See also Aerosols; Colloids; Emulsions; Foams; Powders; Sols; Suspensions.
           clay bodies, u.s dispersion 7=17296
           Coulter counter calibration for particles \sim 1\mu in
                 dia. 7=4393
           Coulter particle counter, calibration and coincidence
                 correction 7=1181
          dielectric spheres, polydispersion, optical scattering cross-sections 7=1179 dispersion-hardened crystals work hardening, secondary slip theory 7=7658
           drops, breakage and coalescence in two-phase system 7=10874
          mixing, high-speed, air-free, apparatus 7=10875
Mössbauer effect, effect of Brownian motion 7=14131
particle size distribution meas. by light scatt., angle
range 7=7125
           particle size-frequency analyser 7=4392
          particle size meas, by mean scattering cross-
sections 7=1180
          solid volume percentage below detectable size 7=14134 ultrasonic propagation 7=9198
AgBr-gelatin, adsorption of cationic surfactants 7=10885
Al<sub>2</sub>O<sub>3</sub>, Mo dispersion addition for strengthening 7=7688
           Au in collodion-amyl acetate matrix, X-ray peak shift
on cooling obs. 7=1705
            CaTiO3, electroviscosity 7=17295
           Cu, oxidized, in petrol, conductivity elec. rel. to degree of oxidation 7=4397

Fe in Hg-In(13%) superconductor, hysteresis obs. 7=1876
           γ-Fe<sub>2</sub>O<sub>3</sub> particles in lacquer on plastic film, orientation prod, by mag, field 7=15150 SiO<sub>2</sub>, electroviscosity 7=17295
```

```
Dispersion, acoustic energy density calc. 7=2897
                                                                                                                       Doppler effect-contd
                                                                                                                                for gas detonation front velo. meas. using cm 7=6960
                                                                                                                                light wave frequency shifting method 7=313
         oleic acid aerosol in N<sub>2</sub> obs. 7=10880
at superconducting transition, transverse 7=1854
                                                                                                                                linewidths, electronic determ. for Fabry-Pérot interfero-
meters 7=16256
                                                                                                                                metals cyclotron resonance, u. s. meas. 7=4889 quasars, rel. to relativistic theory 7=5577 radar for air-track velo. meas. 7=12288
         CO2-He mixtures, vibrational relaxation 7=16493
         measurement in mag. field on circularly polarized
                                                                                                                                ruby laser shift by Kerr cell travelling wave line 7=5908
             u.s. 7=4889
         superconductors, electron resonance effects, theory 7=7767
                                                                                                                                semiconductor piezoelectric moving domain interaction with elastic waves or i.r.calc. 7=15307
         Cd acetate solns., 1-29 Mc/s 7=4350
Cu acetate solns., 1-29 Mc/s 7=4350
Zn acetate solns., 1-29 Mc/s 7=4350
                                                                                                                                in Th neutron resonant capture, rods with non-uniform temp. distribs. obs. 7=798
                                                                                                                                 in ThO2 neutron resonant capture, rods with non-uniform
Dispersion, optical
             See also Optical constants; Refractive index/light.
                                                                                                                                     temp.distribs.obs. 7=798
         borate glasses ratios, rel. to silicate 7=11772
                                                                                                                                      See also Radiation monitoring; Radioactivity measure-
         cubic crystals, spatial, rel. to light propagation 7=11725
                                                                                                                                 ment; X-ray measurement. chemical, for \gamma-rays, by luminescence of quinine sulphate soln. 7=17278
         between F and C lines, comp. of trigonometric expression
with Rayleigh's 7=9554
for holograms on surface white-light viewing by dispersion
                                                                                                                                 of 14 MeV neutron generator 7=16616
γ, with glasses of Na-Ni and Li-Ni 7=3374
              compensation 7=12730
          impurities, conc. var. theory 7=11737
                                                                                                                                 γ-rays from symmetrical source, dose rate and flux 7=6367
         ionic crystals with layer structures, interference
              methods 7=5226
                                                                                                                                 γ-radiation attenuation, growth factor B calc. 7=6113 glass, review, using optical density var. 7=3374 hexane, γ-irradiated, elec. cond. effects 7=7107
         phosphate glasses ratios, rel. to silicate 7=11772 polypeptides in soln., optical rotation, rel. to \beta-form 7=4358 quartz, characts. of linear electro-optical effect 7=11805 \alpha-quartz, effect of pressure 7=11806 semiconductors, interband, single-photon and two-photon processes calc. 7=11736
                                                                                                                                 ion 7=9700
                                                                                                                                 ionization chambers for buildup factor 7=9702
n, with glasses of Na-Ni and Li-Ni 7=3374
n, spherical dose equivalent detector 7=3648
         spectrometers, single and double-pass 7=3252 CO, fundamental band 7=6650
                                                                                                                                 near particle accelerators 7=16391 in nuclear reactors, review 7=10366
          CdS, temperature and press. var. obs. 7=2287
         CdS CdSe<sub>1-x</sub> system, rel. to prep. method 7=11754
Fe<sup>si</sup>, near Mössbauer absorption lines 7=8390
GaP, 80-290°K 7=15324
NO, in fundamental vibr.-rot. band 7=6682
                                                                                                                                 nucleon reactions, secondary nucleon prod., cross-sections,
                                                                                                                                 empirical formulae 7=16782
plastic, halogen-containing 7=18316
quality factor meas. by balanced tissue equivalent
ionization chamber 7=9701
thermoluminescent 7=3375
 Dispersion relations
         See also Field theory, quantum; S-matrix theory, application of N/D method 7=3487 approach to current algebras 7=16475 covariant formulation of higher symm. groups 7=3485 derivations with generalized phase shifts 7=9847 in field theory, method of proof 7=3486 generalized functions, theory 7=15844
                                                                                                                                  Co^{60} \gamma-ray dose distribution, polymer films obs. 7=498
                                                                                                                                 FeSO<sub>4</sub>. TH<sub>2</sub>O, calibration by ionometric and calorimetric methods 7=16366
Rn, mean total conc. meas. 7=10200
                                                                                                                        Double refraction
                                                                                                                                       See also Electromagnetic wave propagation; Optical
          inversion, exact method, involving transcendental analytic
                                                                                                                                       constants; Optical rotation; Polarized light
          functions 7=2786
K*p forward scatt. 7=569
K*p, theory compared with expt. 7=6182
                                                                                                                                  for backward wave oscillation in i.r. 7=3154
                                                                                                                                  birefringence, induced by high intensity light
                                                                                                                                      beam 7=9624
           Lamb shift calc. 7=3994
                                                                                                                                  birefringent lossless networks, synthesis with equal-
                                                                                                                                  length crystals and compensators 7=12698
birefringent multilayers, e.m. wave propag. 7=9566
          Lee model with one-boson, calcs. without eigenvalue
                eqns. 7=12942
                                                                                                                                  crystals, anisotropic polarizability of molecules 7=865 diamond, causes 7=18221
           N/D eqns., separable soln. 7=9845
          particles with identical quantum numbers 7=9842
                                                                                                                                  mamona, causes 7=18221
y by quadrupolarized nuclei 7=6402
macroscopic theory, cubic crystals 7=15305
modulator, photoelastic 7=312
nematic liquid crystals 7=4353
oriented systems, effect on light scatt. 7=2270
           π-p scattering, small angle; verification 7=9924
           pion photoproduction, 3-3 partial wave ampl.,
                resoln. 7=9900
          sum rules and SU(3) symmetry 7=3489 techniques in field theory, book 7=12943
                                                                                                                                  polyethylene films, rel. to orientation functions and pole figures obs. 7=1301 triglycine sulphate, var. on ferroelectric phase transition 7=5282
           in weak interaction theory, unsubtracted, for form
                factors 7=16458
 Dispersions. See Disperse systems.
 Displacement measurement. See Length measurement; Strain
                                                                                                                                  twisted fibre optics calc. 7=9623 CdSnAs_2, 3-20\mu 7=2289 n-Ge, pure and degenerate, high stress 7=2308
      gauges
  Dissociation
                See also Heat of dissociation; Ionization; Molecules/
                                                                                                                                   KDP, rel. to second harmonic generation 7=2317
LiNbO<sub>3</sub>, far i.r. birefringence 7=8414
                dissociation.
           azides and nitrates, yields from N<sup>14</sup>(n, p)C<sup>14</sup> 7=2482 in flow, linearized Rayleigh problem 7=10719 gas, heat fluxes in flow near stagnation pt. 7=13981 gases, thermal cond., correlation of exptal. data 7=17204
                                                                                                                               electric. See Electro-optical effects.
                                                                                                                                   chain macromolecules 7=13786 macromolecule solns theory 7=7078 polymer solns, oscillatory 7=4354
           sulphates, inorganic, review 7=18324
           CaOH, thermal decomposition 7=11004
He<sup>2*</sup>, destruction in trap by charge transfer
processes 7=4171
                                                                                                                                   viscous liquid stream, meas., allowance for distortion in
cylindrical apparatus 7=10779
                                                                                                                               magnetic. See Magneto-optical effects.
            N_2, due to electron collisions 7=4172
                                                                                                                               mechanical
            NaN3, effect of size and orientation 7=2445
                                                                                                                                        See also Photoelasticity.
            TlN3, effect of size and orientation 7=2445
                                                                                                                                   poly-(dimethylsiloxane) networks 7=2356
       electrolytic
                                                                                                                                   quartz surface, polished, optical layer
determination 7=14259
                See also Ions, electrolytic
  water, 1000°C, 100 kbar 7=14120 Dissolution. See Solubility; Solutions.
                                                                                                                                   viscous liquid stream, meas., allowance for distortion in
cylindrical apparatus 7=10779
   Distillation
                                                                                                                                   n-Ge, free carrier rel. to shear deformation
potentials 7=8399
LiF retarder, for elliptical polarization of vac.u.v. 7=3275
                See also Isotope separation.
            isobaric binary vapour-liquid equilib. data treatment 7=17312
                                                                                                                                   Si, free carrier, rel. to shear deformation potentials 7=8399
  Domains. See Ferroelectric phenomena; Magnetization state; Superconductivity.

Domains, antiphase. See Alloys; Crystal structure/microstructure; Solids/structure.

Doping. See Semiconducting materials; Semiconductors.
                                                                                                                          ZnSe, induced birefringence due to stress, near intrinsic
absorption edge 7=11815
Double resonance. See Nuclear magnetic resonance and relaxation;
                                                                                                                               Paramagnetic resonance and relaxation.
   Doppler effect
                                                                                                                          Drops
            amplitude modulated signals, shift of modulation
                                                                                                                                   aerodynamic breakup behind shock waves, high-speed
                                                                                                                                        photography 7=1100
```

for astronomical tangential velo. meas. 7=8793 fissile nuclei, calc.from unresolved energy region 7=782

Dynamometers

Dysprosium

No entries

See also Force measurement.

crystal structure rel. to mag. transitions 7=7420 electrical resistivity, temp. depend. 7=7856 Hall effect anisotropy, 4.2 to 350°K 7=7855

magnetic transition temperatures to 6 kbar 7=15109

```
Physics Abstracts 1967 - Part I (Jan.-June)
Drops-contd
        benzene, in water-glycerine mixtures, formation and drop
            volumes 7=14031
        boiling, leidenfrast, data and model 7=7151
        breakage and coalescence in two-phase system 7=10874 cloud-chamber droplet growth and evaporation 7=7142
        in clouds, charged, collision efficiency in electric
                      7=4322
        diffusion flow, non-stationary, at low Reynolds
number 7=1099
        evaporation kinetics in radiation calc. 7=17315 formation in liquid-liquid systems, rel. to drop
             volumes 7=14031
        growth from giant salt nuclei in ascending air below cloud base 7=8657 impact sampler for wind tunnel dispersion meas. 7=17240 liquid atomisation by ultrasonics 7=7013 liquid systems, sphere of finite initial radius controlled by mass diffusion, eqns. for dissolution or
            growth 7=14067
        locally joined drop, controlled formation 7=14059
        Marangoni instability on formation, Schlieren
demonstration 7=7012
         metal-metal reacting systems sessile-drop spreading
            kinetics 7=10793
        metallic liquid, oscillation in mag. field 7=3062-3
        one fluid in another, motion, rel. to surf. tension and
            temp. 7=14028
        oscillation, saddle-point normal modes, with uniform elec. charge 7=17241
        polypropylene isotactic molten droplets, nucleation
        kinetics and supercooling obs. 7=1343
shape of liquid drops moving in liquids 7=7014
        spheroidal, vaporization on film boiling, theory and expt. 7=10900
        exp. i=10900 water, disintegration, in elec. field 7=4323 H<sub>2</sub>O light scatt, glory, Mie theory calc. 7=3273 H<sub>2</sub>O, surface waves obs. 7=4319
Drying
colloids in standing sound wave 7=4398 concrete 7=11139

'Ductility. See Plastic flow; Plasticity.
Dusts. See Aerosols; Powders.
             See also Ballistics; Kinematics; Rotating bodies;
        Vibrations. central force field, equations of perturbed motion,
        integrability 7=34
D'Alembert's forces rel. to Einstein's principle of
            equivalence 7=61
         demonstration of conservation of a real velo. with central forces 7=2804
        field of force generating spiral motions 7=9050 fields of force producing motion on family of
             spirals 7=36
         of flexible cylinders, immersed in a flowing fluid 7=6933-4
         Galilean invariance of laws, teaching demonstration 7=12304
         heavy rigid body in Newtonian force field, general solution,
             single-valuedness 7=37
         Lagrangian systems, parametric form 7=12306
Laplace theorem generalization 7=9041
laws of motion 7=32
         laws of motion 7-32
laws of motion for variable mass systems 7-31
Newton's law form 7-30
nonlinear response formal theory 7-12307
orbit theory with ellipsoidal coords., no exact
soln. 7-9051
periodic orbits in 3-dimens, 3-body problem 7-2638
         plane motion of extensible elastica, variational
             theory 7=47
         quasi-periodic solns.for 3-body problem 7=2639
         Rayleigh function and dissipative systems 7=15864
         regularized eqns. of motion of restricted problem 7=2636-7
         relativistic constitutive eqns. for continuum 7=9073
         relativistic equations of motion with forces depending on
             particle velocity 7=65
          relativistic, inhomog. Lorentz group, unique canonical
              represent. 7=2822
         rigid body, equations, solutions 7=33
solid body about fixed point, first integrals of equation of
motion 7=38
         stability concepts 7=9042
stability of continuous systems, Movchan's
theorems 7=35
          symmetries for harmonic oscillator in two
              dimensions 7=12308
        transitions between elliptic coplanar orbits of a var. mass in central Newtonian field 7-9054
         transitions from hyperbolic orbit in central Newtonian
              force field 7=9053
          vector integrals 7=2803
viscoelastic cylindrical shells response to moving loads
calc. 7=2821
```

wave, nonlinear, theory 7=13925 Welch central force apparatus modifications 7=42

```
hagnetic transition temperatures to 6 kpar 7=15109 specific heat, 3 to 25°K 7=1476 thermal cond. anomaly, 2°.3°K 7=11131 Dy3°, e.s.r. in LaCl<sub>3</sub> 7=15229 Dy3° pairs in rare-earth ethyl sulphates, e.p.r. 7=18165
Dy<sup>3</sup>* in Na rare-earth tungstates, energy transfer with Sm<sup>3</sup>*, Eu<sup>3</sup>* and Tb<sup>3</sup>* 7=2391

Dysprosium compounds
        proslum compounds

Dy gallate crystal field calc. from paramag. props. 7=10910

Dy Algarnet, {}^{6}H_{152} \rightarrow {}^{6}F_{3/2}, {}^{6}F_{5/2} absorpt. spectrum 7=11758 Dy Al garnet, non-polar interactions 7=2082

Dv Al<sub>2</sub> magnetic props.obs. 7=8018

Dy{}^{2}+CaF_{2}, h.f. paramag. resonance 7=15228

Dy F<sub>3</sub> reacted with Ho, high temp. equilib., mass spectra 7=10375
E-layer. See Ionosphere/E-region.
ENDOR (electron nuclear double resonance). See Nuclear
     magnetic resonance and relaxation; Paramagnetic resonance
     and relaxation.
Ear
              See also Hearing
        binaural interaction review 7=5734 cochlea, summating potential, origin 7=12450
         cortical response in man rel. to loudness 7=2920 critical bands and residue 7=5733
         efferent inhibition of auditory-nerve response in
             cats 7=12458
         guinea-pig cochlea, membrane resistance in endolymphatic
             walls 7=12460
         impact model for excitation and fatigue 7=9219 rats, behavioural and Pinna-reflex thresholds obs. 7=9231
         stapedial-footplate displacements during sound
transmission 7=12451
         time-frequency analysis 7=9220
Earphones. See Acoustic transducers.
        albedo, method of estimating, for dayglow meas. 7=2548 astenosphere, dynamic coefficient of viscosity 7=8612
         conductivity, elec., from annual geomag. var., calc. core-mantle boundary, SH-wave reflection 7=5356
                                                                                           7-11974
          distance from moon, time variance 7=8903
          dust cloud surrounding, review 7=8927
          dust cloud surrounding, solar corpuscular radiation effects 7=8724
          internal structure 7=8926
         mass and radius rel. to sun and moon 7=8904
point source, aperiodic, of waves propag. 7=12402
point source of dilational waves propag. 7=12401
          radiance, 2100-2700 cm<sup>-1</sup>, balloon obs. 7=18366
          radiation emerging from atm., balloon meas. 7=18379
          radioactive dating 7=8925
Th in natural waters, n activation anal. 7=11981
     age
               See also Radioactive dating.
          No entries
      composition
          from gravimetric and seismometric data 7=2503
          outgassing 7=8605
rare earth abundances in anorthosite and mangerite
               obs. 7=15463
          rocks, i.r. spectral emission meas. 7=5360
          Rocks, wave attenuation and internal friction as function of freq. 7=11973
          seismic body waves, investigation of upper mantle 7=2502
Ar degassing 7=8604
He degassing 7=8604
          Pu<sup>244</sup> in gadolinite rel. to decay props. 7=13378
      electricity
          calculation of cond.from geomag.cyclic var. 7=5358
conductivity chart and non-conductive layer thickness from
geomag.D<sub>at</sub> var. 7=5357
          conductivity of mantle, geomag. var. obs. and silicates theory 7=12211
          D-region elec.fields, heating of electrons 7=2582
diurnal var.of telluric currents near mag.
equator 7=18346
           and ferromagnetic transition anomalies in elec-
cond. 7=5147
          fields at surface near oscillating line current 7=2504
           and magnetic storms sudden commencement, local
               effects 7=5481
           magnetotelluric method for spherical conductor,
               theory 7=15461
```

```
Earth-contd
Earth-contd
                                                                                                              magnetic field, variations—contd
ionospheric E-region horizontal drifts, effect 7=2583
   electricity-contd
        micropulsations due to elec. trains,
0.0012-0.12 c/s 7=8613
model, adiabatic outer-zone particle motion 7=8723
                                                                                                                  Kp anomalies, rel. to thermospheric energetics 7=15473
                                                                                                                  K_p, rel. to lunar and solar period 7=2602 K_p rel. to lunar and solar periods 7=12102
       positive charges from Earth, maintenance of pot, gradient 7=18347
                                                                                                                  low-latitude disturbance daily variation, asymm. ring currents model 7=5480 lunar modulation of activity, 1884-1931 and 1932-1959 7=5476
        convection in mantle, review of theory 7=8603
geothermal grad. effect on props. of rock-forming
compounds 7=7641
                                                                                                                  and mantle elec. cond. 7=12211
micropulsations rel. to interplanetary field and
geomagnetic tail 7=8762
        radiation scattering through atmospheric layers
                    7=2511
                                                                                                                  micropulsations near equator, Pc 3, 4, analysis 7=8761 micropulsations near geomag. poles, propagation, 0.2-5 c/s 7=15613
           obs.
    magnetic field
        activity rel. to variations in f_0E and f_0F_2\ 7{=}2586 anomaly of F2 layer 7{=}5466
        calculation of components in induction system with dipole excitation 7=5474
                                                                                                                   micropulsations, power spectra 7=15612
                                                                                                                  micropulsations, rel. to X-ray microbursts in auroral substorm 7=12053
        confinement, energy principles theory 7=12522
                                                                                                                   due to magnetospheric motion 7=5400
         correlation with energetic electrons on IMP 1
                                                                                                                   observing times, best, during sun-spot minimum 7=2551
            satellite 7=2654
         dipole model, nonsymm. inflation by ionized gas 7=5806 "dynamo" problem calculations 7=2596
                                                                                                                   Pc1 micropulsation, propag. from high to low
                                                                                                                   Pc1 micropulsation, propag. from high to low latitudes 7=2590 Pc-1 micropulsations, during solar eclipse 7=2600 Pc1 parameters, space-time var., IQSY obs. 7=12104 Pc1(0.2-5 c/s) emissions, hydromagnetic, expt. 7=87-
        effect on ferromagnetic particles in liquid 7=14132
geomagnetic activity rel.to fluctuations of red
spots 7=18383
        geomagnetic activity, indices, March-April 1966 7=2599
geomagnetic tail, electron spatial distrib. meas. 7=12037
                                                                                                                   Pc 1 polarization at conjugate stations 7=5485
                                                                                                                   pc 5 periods, acccompanying sudden impulses, changes
        H<sub>500</sub> geopotential field space-time correlation function calc. 7=12099
                                                                                                                       due to magnetosphere deform. 7=15606
         interaction with solar corpuscular stream 7=2543
        in ionosphere, effect on atmospherics reflection and
geographic asymmetries < 10 kHz 7=18372
ionosphere, longitudinal drift effects 7=2578
         in magnetosphere, components in solar-ecliptic coordinate system calc. 7=12045
         magnetosphere interaction with solar wind 7=12043
         magnetosphere, interchange between closed region and
             open tail 7=8751
         magnetosphere model, plasma intrusion obs. 7=17156
         magnetosphere ring current mag. field calc.
             series 7=9350
         magnetosphere shape, effect of solar wind 7=12046
         magnetospheric currents and N-S asymmetry of
                 7=2560
         model, adiabatic outer-zone particle motion 7=8723
        monopole motion 7=13136
and moon eclipsed brightness 7=8907
paleomagnetic inversions and origin of geomag.
field 7=5492
         polar, rel. to variation in magnetospheric config. 7=15559 rel. to suggested sporadic E layer formation 7=12080
         solar corpuscular streams, geophys. effectiveness 7=12105
         solar wind interaction 7=8700
         solar wind interaction theories 7=8699
         spin oscillator meas. 7=16136
steady-state, in transition region between magnetosphere
              and bow shock 7=15558
         tail, correl. with trapped electrons 7=8722
          westward drift of equatorial component of mag.
                                                                                                                rotation
             dipole 7=15601
      magnetic field, variations
              See also Magnetic storms.
          activity, max., two quasi-circular zones 7=12100
                                                                                                            Earthquakes. See Seismology.
          and atmospheric He escape var. 7=8690 rel.to auroral radio absorpt. 7=2558
         bay disturbances, and associated f_{\rm min} increases \,7{=}15605 bays vertical component at Sakhalin \,7{=}5483 biennial obs. \,7{=}2598
                                                                                                            Ebullition. See Boiling
                                                                                                            Echelons. See Diffraction gratings.
                                                                                                            Echo
          \mathbf{C}_{_{1}} and \mathbf{K}_{_{\mathbf{P}}} power spectra, subsid. peaks near 27 day periods 7=5477
          and conductivity chart and non-conductive layer thickness 7=5357
                                                                                                            Eclipses. See Moon; Sun/eclipses.
          cyclic, and elec. cond. calc. 7=5358
                                                                                                            Eddy-currents
          disturbances at mid latitudes, local elec.current
prod. 7=5489
          disturbances rel. to very low freq. emission 7=12101
          disturbances, transverse, at 1100 km, meas. in auroral
              region 7=8763
         effect of active solar regions 7=18398
equatorial new type rel. to electrojet fluctuations 7=5479
and ferromagnetic transition anomalies 7=5147
fluctuations, wind-induced 7=12072
geomagnetic bays, occurrence rel. to solar cycle
variation 7=15608
                                                                                                                Luminescence/solids, organic.
                                                                                                            Education. See Teaching.
                                                                                                            Einsteinium
           geomagnetic disturbance rel. to plasma wind and solar
                                                                                                                    No entries
              activity 7=8756
                                                                                                            Elastic constants
           Herzenberg dynamo, non-steady-state 7=15602
          horizontal component rel. to cosmic ray var. 7=13189 hydromagnetic emissions, theory 7=8749
          hydromagnetic oscillations, irregular, characteristics obs. 7=8758
          rel.to interplanetary mag. sector structure 7=15786 and ionosphere \rm F_2 layer disturbances 7=5491
           ionospheric dynamo current systems analysis 7=12071
```

and particle injections into polar zone, two types 7=8719 pearl pulsations polarization var.obs. 7=5484 perturbation, spectral composition analysis and threedimensional representation 7=8759 polar disturbances, due to flare, Feb. 9-12, 1958 7=15610 polar geomagnetic disturbances and auroral belt dynamics 7=15563 polar geomagnetic disturbances, charged particles 7=12103 pulsations accompanying storm sudden commencements and sudden impulses  $7{=}8760$ rapid activity at conjugate stations at very low latitudes obs. 7=5486 rapid, equatorial obs. 7=5487 rapid, equatorial obs. review 7=5488 record of obs. at Agincourt mag. observatory, 1964 7=2597 reversal behaviour obs. 7=15603 SD variation at Huancayo 7=15611 secular 7=8750 rel. to solar activity 7=18474 rel. to solar activity 7=18475-6 solar corpuscular streams, geophys. effectiveness 7=12106 solar eclipse effect at equator 7=5490 solar flare, crotchet effects detection in geomag. storms using also ionosphere effects 7=15614 solar flare effect 7=8747 solar wind effects 7=12046 space spectrum in N Eurasia 7=5475 spectrum for periods > 40 days, obs. and theories 7=5478 sporadic-E layers, temperate zone 7=2585 theory and ring current 7=12054 rel. to sun and moon 7=8904 viscosity of core effects 7=2497 Earth satellites. See Satellites, artificial. Eberhard effect. See Photographic materials. See also Architectural acoustics; Reverberation; Sound ranging, perception of timbre variation in addition of signal with its echo 7=136 Gerromagnetic metal films, damping 7=7843 and magnetic domain wall motion in films 7=2107-8 CdSb, thermoelectric 7=15052 for Si photoconductivity decay meas., contactless 7=18071 Edge emission. See Luminescence/solids, inorganic; Education. See Flow/gases.

Eightfusion. See Flow/gases.

Eightfold way. See Elementary particles; Field theory, quantum.

Einstein-de Haas effect. See Gyromagnetic effect. ic constants

See also Compressibility; Stress/strain relations.
alkali halides, NaCl type, calc. 7=7674
alkali halides, third-order, theory 7=7638
alkali metals, elastic moduli, theory 7=11259-60
anisotropic media, rel. to electron diffr. exam. of screw dislocations 7=1593
b.c.c. metals, anomalous 7=14689

Elastic constants - contd corundum, synthetic, 0 to 900°K 7=7690 corundum, variation with temp. 7=17685 crystals, third-order, rel. to thermal u.s. attenuation 7=4626 cubic symmetry, adiabatic, isothermal and intermed. press. derivatives 7=17651 epoxy coatings, relation between wear resistance, internal stresses and modulus of elasticity 7=4813 fibre composites, from constituent props., calc. 7=17650 fibre reinforced composite materials 7=7640 friction plastics, dynamic Young's modulus by ultrasound 7=4744 glasses, chemically strengthened 7=11301 graphite, rel. to porosity and orientation, theory 7=4769 heterogeneous medium bulk modulus bounds on var. principle 7=9059 inhomogeneous systems, bounds of overall moduli 7=1666 isothermal rel. to mixed third order 7=17648 liquids, shear, meas. by resonance 7=6999 measurement of third order by u.s. pulse distortion, theory 7=17654 measurement of Young and shear moduli in torsional vibration, 5-30 c/s 7=1669 metals shear modulus, microdeformation var. 7=4745 monatomic and diatomic chains calc., dynamic 7=11229 noble metals, elastic moduli, theory 7=11259-60 oxides, bulk modulus at very high temp., estimate 7=7641 plastics, glass-reinforced, static and dynamic. effect of material thickness 7=14768 polycrystals with tetragonal symmetry, variational calc. 7=1668
polyethylene, rel. to electron diffr. exam. of screw dislocations 7=1593 polyethylene, time depend of Poisson's ratio 7=11346 polymers fibres, stress effects, acoustic obs. 7=11113 polymers, thermoplastic, correl. with Brinell hardness number 7=11342 quartz-crystal resonators, effect of added mass on resonance frequency 7-11320 quartz, photocond. effect 7-14759 rubber, dynamic Young's modulus by ultrasound 7=4744 ruby, anisotropy, rel. to spin-lattice relax. 7=4618 silica, fused, rel. to temp. 7=11231 silicates, bulk modulus at very high temp., estimate 7=7641 soil, cohesive, from stress relaxation using one-sided Fourier transform 7=1738-9 steel, third-order, u. s. velo. under stress obs. 7 = 11298symmetry of mixed third-order consts. 7=17649 thermoplastics, static moduli, -25 to  $+100^{\circ}\text{C}$  7=17647third-order, theory for diamond-like crystals 7=1667 24 cubic crystals, adiabatic and isothermal press derivatives 7=17652 vacuum microbalance quartz-crystal resonators, press. derivatives of effective elastic moduli 7=12287 vacuum microbalances, elastic moduli of quartz-crystal, rel to gas pressure effects 7=12286 Young's interpretation of his modulus rel. to molecular size estimate 7=13721
Ag, second and fourth orders calc. in continuum model 7=14713 Ag, second, third and fourth orders calc. 7=7698 Ag, 300°-800°K, u.s. pulse-echo obs. 7=1711 AgAl single crystals 7=11266
AgAl single crystals 7=11266
AgCl, effect of pressure up to 20 kbars 7=14691
Al alloys, high temp. yield point phenomenon mechanism obs. 7=17687 Al alloys, third-order, u. s. velo. under stress obs. 7=11298 Al, second, third and fourth orders calc. 7=7698 Al-Cu alloy, yielding phemonen at above 350°C 7=17686 Al-Mg alloy, yielding phenomen at above 350°C 7=17660
Al-Mg alloy, yielding phenomenon at above 350°C 7=17686
Au, anisotropy obs.from X-ray peak shifts on cooling
particles in collodion-amyl acetate matrix 7=1705
Au, modulus after electron irrad. 7=4732
Au, second and fourth orders calc. in continuum
model 7=14713 Au, 300°-800°K, u. s. pulse-echo obs. 7=1711 B<sub>2</sub>O<sub>3</sub>, vitreous, h.f. moduli 7=4766 BaTiO<sub>3</sub>, above and near Curie point obs. 7=7691 Ca<sub>2</sub>Sr propionate, ferroelec. 7=2010 Cds, nonlinearity, acoustic-waveform distortion 7=14444
Cu, modulus defect, cold-worked, effect of quasi-elastic
deformations 7=17697 Cu, polycrystalline, irreversible amplitude dependence, plastically deformed 7=17701 dependence, plastically deformed 7=17701 Cu, second and fourth orders calc. in continuum model 7=14713 Cu, second, third and fourth orders calc. 7=7698 Cu, 300°-800°K, u. s. pulse-echo obs. 7=1711 GaAs, third order 7=4786 H, solid (4. 2-11. 5°K), Poisson's ratio 7=14447 I, 1 -373°K, 5-10 Mc/s 7=7731

Elastic constants - contd KBr, Young's defect modulus, time and amp.
depend. 7=11303
KCl, Brillouin light scatt. obs., 8-15 kMc/s 7=2316
KCl, third-order, u.s. obs. 7=14753
KCl, Young's defect modulus, time and amp. depend. 7=11303 KI, Brillouin light scatt. obs., 8-15 kMc/s 7=2316 KMnF<sub>s</sub>, behaviour near transition of puckering 7=7715 LiNbO3, 20°-200°C 7=15043 Mg, third-order, u. s. velo. under stress obs. 7=11298 MgAg, temp. coeff. and anisotropy 7=17718 MgCu<sub>2</sub>, temp. coeff. and anisotropy 7=17718 MgO, var. with press. at 23° and -195. 8°C 7=4789 Mo, third-order, u. s. velo. under stress obs. 7=11298 Na, thermal contribs. 7=17723 NaCl, third order, u. s. obs. 7=14753 NaF 7=1730 NaF 7=1730

Nb, stiffness coeffs., temp. dependence 7=7721

Nb<sub>3</sub>Sn, anomalous low temp. var. 555 Mc/s 7=17558

Nb-Ta, rel. to alloying effect on bond strength 7=4795

Nb-Ti, rel. to alloying effect on bond strength 7=4795

Nb-V, rel. to alloying effect on bond strength 7=4795

Nb-V, rel. to alloying effect on bond strength 7=4795

Nb-V alloys, non-temp. depend., decomp. β-phase 7=4796

Ni, second, third and fourth orders calc. 7=7698

Ni Young's modulus, 100°-600°C 7=17613

Ni-Cu, elastic and shear modulisten dependence 7, 4800 Ni-Cu, elastic and shear moduli temp. dependence 7=4800 NiTi,  $-180^\circ$  to  $+600^\circ$ C,  $\sim$  kc/s 7=11312 Pb-Tl(1-17%), u. s. pulse echo obs. 7=1734RbCl, Brillouin light scatt. obs., 8-15 kMc/s 7=2316 RbH<sub>2</sub>PO<sub>4</sub>, temp. var. obs., rel. to ferroelec. 7=7730 RbI, 20-500°C, anisotropy 7=14757 RbI, Young's defect modulus, time and amp. depend. 7=11303 Se, hexagonal rel. to glassy states obs. 7=1735 Se, hexagonal rel. to glassy states obs. 7=1735 Sn, surface tension calc. of solid 7=11322 5SrTiO<sub>3</sub>, 3La<sub>2/3</sub>TiO<sub>3</sub>, anomaly, below 100°C 7=11323 TIBr, calculation 7=11080 UC, behaviour at 4, 2<sup>2</sup>-298°K, rel. to electronic structure 7=1744 UO<sub>2</sub>, temp. dependence 7=11327 W, change in dynamic Young's modulus on 13 MeV deuteron irrad. near 80°K 7=11328 W, third-order, u. s. velo. under stress obs. 7=11298  $\alpha$ -ZnS, resonance method obs. 7=8016 ZrC 7=7742 measurement liquids, bulk modulus, apparatus 7=6998 metals to 3000°K, u.s. method 7=1670 polymer melts, elasticity 7=1132 polyoxymethylene, irrad. and unirrad., -30 to 150°C 7=4824 by strain gauge freezing in gas and liquid 7=14645 Cd by ultrasonic pulse-echo from 300°-575°K, rel. to specific heat 7=1709 Pb-TI, single cryst., u. s. pulse-echo 7=11317 Pd-Ag alloys, u. s. meas. 7=1465 Pd-Rh alloys, u. s. meas. 7=1465 TiC at 4.2°-298°K, by pulsed ultrasonic phase comparison 7=1744 Zn, by thermal diffuse X-ray scatt. 7=4811 ZrC at 4.2°-298°K, by pulsed ultrasonic phase comparison 7=1744 Elastic deformation deformation
See also Bending; Stress/strain relations; Torsion.
See also Bending; Stress/strain relations; Torsion.  $\beta\text{-brass,anisotropy,electron contrast effects}$  7 convex shell, critical stress condition 7=14658 crystals, Voigt and Laval-Raman theories, acoustic expt. discrimination 7=14644 fibre strengthening, elasto-plastic theory 7=4754 indentation of infinite hollow cylinder for axisymmetric punch of finite length 7=53 indented strips and slabs, normal and shearing contact stresses calc. 7=52 metals, shear modulus var. on microdeformation 7=4745 plane motion of extensible elastica, variational theory 7=47
polydimethylsiloxane in decalin, during
vulcanization 7=7744 polyisoprene rubber hydrochloride films, two-dimensional deformation, rel. to supramolecular structure 7=4822 sector plate, finite deform. 7=15872 stiffness of spinning disc clamped at centre 7=9063 thin-walled tube, small elastic-plastic deformation 7=9064 Al, ultrasonic absorption time var.rel.to
imperfections 7=4632
Cu, modulus defect, cold-worked, effect of quasi-elastic
deformations 7=17697 NaCl, rel. to internal electric field 7=14171 NaCl, rel. to internal electric field 7=14171 NaF, rel. to internal electric field 7=14171 Ti, distribution 7=1742 Elastic fatigue brass, by torsion, dislocation density obs. 7=4779 Manson-Coffin relation for crack growth 7=7660

Elastic fatigue-contd polymers, fatigue fracture under reversed strain cycling 7=14775 polyvinyl chloride, plasticised, as result of cyclic stress 7=11353 rubber, cut-growth characts, and fatigue life 7=14779 steel, high-strain fatigue behaviour, effect of irradiation 7=17708 steel, stainless, stacking fault tetrahedra meas. 7=17623 steel wire, testing device 7=11295 steels, thermal fatigue under transient cross-section temp. gradients obs. 7=14716 testing, multiple specimen method 7=11253 Al, in vacuo, in reverse bending 7=1699 Al-Cu (96-4), cyclic strain, low cycle fatigue 7=4765 Al-Mg-Cr alloy, humidity and endurance 7=17684 Cu-base alloys, crack growth rel. to yield strength and stacking faults 7=14709 Cu hardening, hysteresis stress var. 7=17700 cu nargening, nysteresis stress var. 7=17700
Fe, under alternating loads, X-ray diffr. meas. 7=7700
Fe-0.08 wt. %C, interaction of dislocations and precipitates 7=14587
Pb bicrystals, crack formation 7=4801 Zn, creep-fatigue behaviour 7=17738 Elastic limit See also Slip.
ceramics, yield, physical basis 7=14679 inhomogeneous tubes buckling for axial thrust calc. from energy eqn. 7=9065 low-carbon, yield and flow 7=14722 steel, mild, relation between yield and fatigue fracture 7=14717 steels, dynamic yield stress, strain-rate sensitivity 7=14721 steels, strain-rate sensitivity of dynamic yield stress 7=14721 yield, role in stress-corrosion cracking 7=17696 Al, yield stress after quenching and ageing 7=4763 Cr, yield and fracture, effect of free dislocations 7=14720 Cu, effect of ultrasonics on yield point 7=14714 Cu-W fibre composites, failure in repeated tension 7=1717 Fe twinning yield, high press.var.obs. 7=7703 Fe, yield and fracture, effect of free dislocations 7=14720 Fe, yield point, quenched from  $\alpha$ -range 7=14733 Fe, yield stress, effects of orientation and C 7=1718 Fe, zone-refined, Petch relationship, H charging effect obs. 7=11285 Nb, yield rel. to oxygen content 7=17725 Ni<sub>s</sub>Mn solid soln., yield point, temp. depend. 7=7725 Ta, yield point, rel. to anal. of strain aging 7=14761 Ti textured sheets and its h.c.p. alloys 7=14762 W, proportional stresses for \( 100 \rangle \) and \( 110 \rangle \) orientations obs. 7=7740 Elastic losses. See Internal friction. Elastic relaxation See also Creep. Koster relaxation peak, mechanism 7=11232 losses, representation by complex coeffs. 7=15042 oriented solids, anisotropic theory 7=1677 polyethylene single crystals,  $\alpha$  and  $\gamma$ , -190° to 133°C 7=1746 Snoek damping in sheets meas by Kê pendulum mcdification 7=17661 Snoek peak, relaxation strength 7=7648
soil, cohesive, complex modulus using one-sided Fourier
transform 7=1738-9
Cd.stress relax. 7=17693 Cu whiskers, recovery after plastic deformation 7=14706 Mo, plastically deformed, damping maxima 7=14747Nb, plastically deformed, damping maxima 7=14747 Ni interstitial dumb-bells obs. 7=1567 Si, stress relaxation, by dislocation motion 7=14758 Elastic waves See also Acoustic waves; Seismic waves. absorption theory 7=2883 acceleration e.m. discontinuities growth in hyperelastic dielectric in mag. field 7=201 acceleration wave propagation and growth in elastic perfect conductor in mag. field 7=202 along dislocations, velo. 7=11169 anisotropic 7=5713 in bars, infinite, noncircular cross-section 7=12405 beams, elastic, visco-plastic, propagation and reflection 7=9167-8 crystal impurity scatt. prod. of dislocation slowing down 7=7568 crystals, Voigt and Laval-Raman theories, acoustic expt. discrimination 7=14644 in cubic crystals, shear 7=1679 diffraction of plane transverse waves by sphere, short wave asymptote 7=12406

diffraction by smooth convex cylinder 7=111 diffraction by wedge, no friction 7=15928

diffraction, Young's formulation 7=5712

Elastic waves—contd dyamic stress/strain relations, meas. by Hopkinson bar expt. 7=7646 elastohydrodynamic wave propag. in compressible media 7=13954 excited at boundary of plane-parallel film 7=7647 ferromagnetic transition anomalies rel. to seismic waves 7=5147 flexural wave propagation along beam with periodic point loading 7=2880 in hollow rods, axially symmetric, calc. 7=2881 hollow rods, for imaginary and complex propagation consts. 7=15927 Huygens principle, various formulations 7=12408 in magnetoelasticity, surface, transverse 7=9339 in magnetostriction spark chamber wires, pulse propagation obs. 7=12803 monatomic and diatomic chains calc. 7=11229 point source, aperiodic, in layer overlying semi-infinite solid 7=12402 point source in layer overlying semi-infinite solid with reference to diffracted waves 7=12401 propagation of elastic-plastic in bar of finite length 7=11235 propagation, thermodynamics, materials with memory 7=15930 quartz, generation and detection, coherent, 114 000 Mc/s 7=12410 in quartz, low attenuation at 0.3 Gc/s and 4.2°K 7=7734 quartz, propag, along free surface 7=17731 Rayleigh waves and resonance phenomena 7=110 reciprocity theorem for wave equations of thermomagneto-elasticity 7=5714 in rectangular bars, one-dimensional theories construction 7 = 9155semiconductor piezoelectric moving domain double-Doppler effect interaction with elastic waves or i.r. calc. 7=15307 shear-wave polarization transformers for microwaves 7=12436 soil dynamics, plane elastic-plastic waves 7=2501 in solids, nonlinear interaction 7=14649 from spherical surface with time-dependent radius, propagation calc. 7=2882 surface, in b.c.c. lattices 7=11236 surface, excitation, on piezoelectric materials 7=15929 surface, note on derivation 7=9166 surface waves along plane boundary of solid 7=17659 surface waves in multi-layered elastic medium 7=12404 thermoelastic waves, propag. 7=9172 viscoelastic cylinder, linear stress waves 7=9170 viscoelastic medium, wave interaction with elasticshell 7=12403 viscoelastic pulses, h.f., finite acceleration, theory 7=12409
viscoelastic rod of linear Maxwell material calc. 7=9169
Al, phonon and electron drag coefficients 7=7572 CdS, Rayleigh u.s. interaction with conduction electrons 7=4771 in Cu sheet, u. s. velo. obs. of preferred orientation 7=10990 I velocity, 1 -373  $^\circ$ K, 5-10 Mc/s 7=7731 LiF, h. f. attenuation 7=17716 Lir, n.1. attenuation 7=17170 LiNbO<sub>3</sub> absorption at 500 Mc/s, 4.2°-300°K 7=17715 in LiNbO<sub>3</sub>, attenuation 7=1464 LiTaO<sub>3</sub> absorption at 500 Mc/s, 4.2°-300°K 7=17715 YFe garnet magnetoelastic waves polarization reversal by optical contact bonding of YAl garnet 7=12407 Elasticity See also Compressibility; Mechanical strength; Stresses, internal; Thermoelasticity; Viscoelasticity. acceleration e. m. discontinuities growth in hyperelastic dielectric in mag. field 7=201 celluloid, photoplastic method for plane elasto-plastic problems 7=4812 compliance of mechanical contacts 7=9146 composite elastic media, basic eqns. 7=5664 conservation principles for defects in elastic continuum 7=12320 constitutive eqns. for mixture of nonlinear elastic solids 7=46 contact problems for thin elastic layer 7=15871 crack, equilibrium, in thin layer 7=2818 crack, exterior, stress distrib. with cyl. coaxial cavity 7=7663 creep velocity of elastic ball rolling on groove of elastic body 7=14664 crystals, macroscopic and microscopic theory rel. 7=7638 direct curves, nonlinear theory 7=9057 displacement potential representation 7=15867 displacements in half-space, by sudden force 7=15865 divinyl rubbers, effect of crystalline phase 7=11351 finite elastodynamics 7=15866

finite-strain, plane-wave analysis 7=17660

flow of fluid in elastic solid 7=1059

```
Physics Abstracts 1967 - Part I (Jan.-June)
  Elasticity contd free vibrs. of this shell, analysis 7=15869
                                                                                                                                                                             Electric fields-contd
               half-space weaked by crack 7=12321
               indentation of thin elastic layer by smooth rigid cylinder,
                     compressibility effects 7=12324
               inorganic glasses and high polymers, comparison 7=11335
               isoprene rubbers, effect of crystalline phase 7=11351
               linear theory, best possible error bounds 7=2814
membrane solns., stability, in nonlinear theory, plates
and shells 7=15870
               meter-bar elongation hanging under gravity calc. 7=12322
                                                                                                                                                                                                 forces 7=5789
               on multiply-connected domains, plane, reflection method appl. 7=9058
               appl. 1=3000
non-local elasto-statics, lattice theory 7=11228
plane motion of extensible elastica, variational theory 7=47
plastics, theory applicability to mechanical props. 7=7746
               plate, flat, elastic-plastic analysis, with rigid circular inclusion 7=55
                                                                                                                                                                                    effects
              inclusion 7=55
polymers, high, and inorg, glasses, comparison 7=11335
polystyrene, γ-irradiated, obs. 7=18054
quarter space, normal loads 7=9060
quarter space, tangential loads 7=9061
rocks, explosions, effects on elastic field 7=18344
semi-infinite strip, theory 7=15873
shell theory, nonlinear 7=9062
special functions of operators in theory of elastohereditary media 7=5667
sphere, dynamical contact problems 7=51
stability, of bodies under body and pressure forces 7=21
                                                                                                                                                                                          air convection obs. 7=7071
                                                                                                                                                                                         air-glass 30 µ beads suspension flow heat transfer and particle transport obs. 7=10873 along cold cathode, effect on glow discharge 7=4144 carnauba wax elec. cond., 64°-76°C 7=15041 electrolyte-Hg systems, acoustic spectra of electrolyte excited to mech. vibs. by a. c. field 7=7073 flames, speed enhancement meas. 7=2452
               stability, of bodies under body and pressure forces 7=2816
stress-strain behaviour of plastic-elastic model with
variable slider under sinusoidal stress 7=54
              variable sinder under sindsoldal stress (=54
stresses in piecewise homogeneous medium 7=2815
thin plates asymptotes 7=12326
thin plates, asymptotic dynamic theory 7=49
three-dimensional axisymmetric problem solution 7=48
trans-critical deform energy of thin elastic shell 7=12325
                                                                                                                                                                                         for mineral grains separation by dielectric const. off-centre impurity in tunnelling approx. 7=14550 oil convection obs. 7=7071 organic ions, dissoc. temp. depend. 7=16974 organic ions, unimolec. decomp. 7=16973
               vibrations, coupled-mode analysis 7=9171
               wedge having finite cut, first fundamental problem solution 7=50
              \mathrm{Nb_3Al}, supercond., softening on cooling 7=17915 \mathrm{Nb_3Ca}, supercond. softening on cooling 7=17915 \mathrm{Nb_3Sn}, supercond., softening on cooling 7=17915
                                                                                                                                                                                               fields 7=13861
               Si, strain due to B or P diffusion, and lattice contraction 7=11076
              \begin{array}{l} V_{\rm s} Ga, \, {\rm supercond., \, softening \, on \, cooling \, \, 7{=}17915} \\ V_{\rm s} Si, \, {\rm supercond., \, rel. \, to \, \, lattice \, \, instabilities \, \, 7{=}17916} \\ V_{\rm s} Si, \, {\rm supercond., \, softening \, on \, cooling \, \, \, 7{=}17915} \end{array}
                                                                                                                                                                                                lattice 7=7757
              See also Compressibility/liquids.
polyethylene melt, relax. time 7=1132
rheology of viscoelastic Maxwell liquids subject to large
elastic deformations 7=4309
                                                                                                                                                                                        radial, on instability of plasma '7=6918' semiconductors crystal growth, axial d.c. effect on impurity diffusion calc. 7=7335 solids dielec. const. var. calc. 7=15013 spectrometer for i.r., r.f. interference effects obs. 7=3251 thermoionic "patchy" emitter calc. 7=8070 water drops, disintegration 7=4323
Elastomers. See Rubber.
Elastoplasticity. See Plasticity.
 Elastoresistance. See Piezoresistance.
 Electrets
              See also Electrostatics.
carnauba wax elec.cond., field var., 64°-76°C 7=15041
              carnauba wax magneto-electrets, charge decay
                    meas. 7=8034
              microphones with foil electrets 7=12435
                                                                                                                                                                                               obs. 7=17947
             mylar film, charge decay 7=5050
paraffin wax, radioelectrets, effect of temp. and
u.v. light 7=8035
polyethylene, y-irradiated, obs. 7=18054
polymers, depolarization currents 7=2009
                                                                                                                                                                                         GaAs drift velo, calc. 7=14797
              polymers, rel. to structure 7=2008
             polymethylmethacrylate, charge generation by
compression 7=5078
wax, charge decay 7=5050
CdS, depolarization kinetics of photoelectrets 7=15070
                                                                                                                                                                                       n-InAs magnetoresistance of surface layers, Corbino, 4.2°, 68°, 77°K 7=17972

InSb surfaces, relax, phenom. 7=1797

n-InSe electrical cond. to 4 × 10° V/cm, 140-300°K 7=7953

KC1-KBr interdiffusion 7=1516
Electric breakdown. See Breakdown, electric.
Electric charge
                    See also Space charge.
              pre-amplifier, noise meas. 7=416
                                                                                                                                                                                      KCI-Apr interditusion (=1516)
KI luminescence with u.v. excitation, modulation obs. in a.c. <100°K 7=15390
Na, diffusion obs. 7=17585
NaCl dislocation motion obs. 7=7588
Ni films, effect on electrical props. 7=14887
SbSI, ferroelec., movement of interphase boundary 7=11564
Si crystal growth, axial d.c. effect on impurity diffusion calc. 7=7335
Si oxide layers on Si electrond logs term 7=5000
              renormalization in quantum field theory 7=5942-3
              spherical particles, r≈m.f.p. of ions in air 7=5788
              universe asymmetry in hot stage 7=18407
              in K-Cs liquid cells, mixing change calc. 7=14044 in K-Rb liquid cells, mixing change calc. 7=14044 NaCl dislocations obs. 7=7588
```

NaCl struct., dislocations, charged 7=7586 in Na-Cs liquid, mixing change theory 7=14043 in Na-K liquid, mixing change theory 7=14043

in Na-Rh liquid, mixing change theory 7=14043 and Ni films magnetization 7=11655 in Rb-Cs liquid cells, mixing change calc. 7=1455 in SiO<sub>2</sub> on thermal growth obs. 7=14970 in SiO<sub>2</sub> on thermal growth obs. 7=1954 cn SiO<sub>2</sub> Si system effect of Na and H. 7=4890 7=14044

on SiO<sub>2</sub>-Si system, effect of Na and H 7=4880 Electric discharges. See Discharges, electric.

Electric fields

See also Electromagnetic fields.
axially symmetric, scalar potential calc. rel. to
electrode shape 7-9344

in DCl liquid, gradient at D, n. m. r. obs. 7=10870 in electroluminescent cells, distribution theory rel. to brightness 7=11924

in homopolar, meas with double probe 7=2986 instability for charged particles crossing junction of two dielectrics 7=3074

in m. h. d. channel, distrib. with var. cond. calc. 7=9412 near metal, earth's gravity prod., calc. 7=9323 quasistatic charge system, dissipative, elec.

Van de Graaf pressurized generators uniformity increase, electrodes 7=9723 variation near electrode, ref. to atmospheric elec. 7=2529

in GaAs, distribution 7=4993

He II film, flowing, chem. potential profile meas. 7=2957

air-glass  $30\mu$  beads suspension flow heat transfer and

gas-solid suspension flow heat transfer and particle transport obs. 7=10873

gases with rotational degrees of freedom, kinetic theory 7=10733

interaction energy of dielectric in e.s.field, calcs. 7=9318 ionosphere, heating of D-region electrons 7=2582

p-n junctions relaxation at high polarization 7=5022 piezoelectric ceramics, for electron microscope ultra-micromanipulator 7=7355

plasma nonlinear freq. generation by d. c. plus two a. c.

for plasma flow cut-off 7=13944 polar gases thermal cond. and viscosity 7=19751

polar liquids, alignment of mols. 7=1172 polar semicond., cooling electrons theory 7=11363 polar semiconductors, electron energy exchange with

polyethylene film lifetime, ionization intensity var. 7 = 18044 polyethylene,  $\gamma$ -irradiated, electrification obs. 7 = 18054 polystyrene,  $\gamma$ -irradiated, electrification obs. 7 = 18054 radial, on instability of plasma 7 = 6918

CaTiO<sub>3</sub> dispersions electroviscosity 7=17295

CdS, current oscillations damping in high fields

CdS meas., thin large-area filaments preparation 7=8999 CdS, surface electron states obs. 7=7807

GaAs, space charge stable layers calc. 7=1932

Gd<sup>3</sup>\* e.s.r. in SrTiO<sub>3</sub>, obs. 7=15232 n-Ge electrical cond. anisotropy prod., 78, 290°K 7=7947

Ge piezoresistance at 77°K 7=1937

n-Ge, relaxation of hot electrons 7=17763 H' capture of e in H calc. 7=10623

Si oxide layers on Si elec. cond., long term 7=5009 Si spin-lattice relax. of donor electrons, at 1.3°K 7=18178 Si-Au photoconductivity on surface in i.r., 100°-130°K 7=11599

Si:B, hole capture and scatt. 7=5006 SiO<sub>2</sub> dispersions electroviscosity 7=17295

Sn, surface supercond. search 7=17880

Te films, conductivity, temperature effect 7=11442 W, surface diffusion of K 7=1291

Electric strength See also Breakdown, electric.

No entries

Electrical conduction. See Conduction, electrical; Conductivity, electrical. Electrical current. See Current, electrical. Electrical measurement Entries describing measurement methods for specific

electrical quantities and effects may also be found listed under the various headings for the subjects concerned. current produced by a generating voltmeter theory 7=9306

d. c. low potential using quadrant electrometer 7=2964 electrometer holder with built in negative feedback capacitor 7=9309

electron microscope beam current meas, for thickness

meas. 7=11028 electronic components, irrad., failure probability 7=2988 fast current pulses in kA range 7=2967

in homopolar, distrib. of elec. fields. 7=2986

identification of system in presence of 1.f. drift 7=2970

integrator for recording potentiometer 7=2966 magnetron pulse current check using transformer 7=9393 microtron resonator, peak voltage meas. 7=9736

millivoltmeter, for average peak and effective values 7=16002

millivoltmeter, for contact resistances, low currents and voltages 7=16003 oscilloscope system, for recording distrib. laws for random quantities 7=15996

phase detector with improved selectivity 7=9302 photodiode circuits 7=2963 potentiometer for chem. potential of liq. He II

film 7=2957 potentiometer recording quotient of continuous and variable voltage 7=9305 Q's up to 1000 7=9299

recorder, multi-channel, fast-scanning, for thermocouples 7=5743

resistance, high ratio comparison, instrument 7=9308 resistance, low, a.c. bridge 7=2968 teraohmmeter-picoammeter 7=16004 voltage, absolute electrostatic methods 7=163 voltage, high ratio comparison, instrument 7=9308 voltmeter, for a. c. and d. c. 7=16000 voltmeter, e. s., balance, for 1-74.5 kV 7=9304 voltmeter, slide-back diode 7=15999

voltmeters, vacuum-tube, checking apparatus 7=16001

Electrical properties of substances

See also individual properties, e. g. Conductivity, electrical; Dielectric properties of substances, etc. alkali halides, paraelectric impurities, strong-coupling

theory 7=4695 alkali metals, liquid, at high-temps obs. 7=1139 constitutive eqns. for deformed isotropic materials 7=5783 electronic components, irrad., failure probability 7=2988 high press. In shock waves 7=17319

hydrocarbons, liq., ion mobility rel. to viscosity and temp. 7=7108

Rayleigh-Schrödinger perturbation theory calc. 7=10474 semiconductors, resist., electron beam meas. 7=14943

 $A^{T}B^{T}IC_{2}^{\ \ \gamma J}$  type cpds thermoelectric power in solid and liquid state  $\ 7{=}8043$ 

Al alloys, age hardening, at room temp. after quenching, resist.changes 7=7850

Al, from ion interaction calcs. 7=11108 Al, fibre wire, heat resistance 7=1700

Al, rel. to lattice mechanics and electronic

structure 7=17814

K, rel. to lattice mechanics and electronic structure 7=17814

Ar liquid, electron drift velocity at low electric field strength obs. 7=1169

Cs, elect. resistivity 7=11109

Cu-Mn, effect of heat and mechanical treatment 7=11433 He gas cavity formation by exchange forces rel to orthopositronium lifetime 7=17211 Hg vapour, saturated, to 600 bars and 1200°C 7=6974

K, from ion interaction calcs. 7=11108

Kr liquid, electron drift velocity at low electric field strength obs. 7=1169
Mg-Sn molten alloys, at. distrib. and sp. elect.

resist. 7=7023

resist. 7=7023
Na, from ion interaction calcs. 7=11108
Na, rel. to lattice mechanics and electronic structure 7=17814
Pb, elect. resistivity 7=11109
Rb, elect. resistivity 7=11109
Ta and Ta cpd.films, sputtering effects 7=1270
TaCopsi obs. 7=1839
Tical units. See Little

Electrical units. See Units.

Electricity

linear induction motors, theory 7=5792 linear MHD machine, longit. edge effect, theory 7=5841 magnetoelasticity equations, integration and Cauchy's problem 7=9426

direct conversion

fuel cells, buffer electrolytes 7=12503

Electricity-contd

direct conversion-contd

gasdynamical flows in channels, hodograph transformation for vortical vel. distrib. calc. 7=228

high-temp., with ceramic electrolyte 7=172 MGD conical flow, in axial mag. field, rel. to Hall effect 7=5794

m. h. d. channel current density distrib. with Hall effect 7=16024

m.h.d.currents, one-dimensional 7=227

m.h.d.generator with arbitrarily connected electrodes, elec.parameters 7=12504

m. h. d. generator, Hall, quasi-one-dimensional flow 7=2992 m. h. d. generator at large Hall numbers, ion slip and deviation of electron temp. effect 7=2991 m. h. d. generator, potential distrib. between electrodes 7=174

m.h.d.generators crises 7=175 m.h.d.generators, d.c.effect of cold electrode boundary layers 7=9329

m.h.d. generators, segmented electrode losses with nonequilibrium ionization 7=5796

m. h. d. liquid metal induction generator, expt. and theory 7=16025

m. h.d., low conductivity approach using auxiliary ionization in closed cycles 7=16026

m. h. d. relaxation coeffs. in plane induction machines 7=177 magnetogasdynamic converter efficiency obs. 7=173

magnetogasdynamic generator thermal cycle efficiency 7=176

methanol-air fuel cells as long-life energy source 7=170 methyl methacrylate as thermal trap, verification of

theory 7=9334 plasma m. h. d. Na-K seeding syringe 7=17159 protection of photocells, predetermination of selective surfaces 7=12506

solar cell transient response and minority carrier life-time theory 7-9333 solar cells, irradiation effects, review 7-12514

solar cells, review 7=9331

solar cells, or satellites, low energy proton damage, partially shielded 7=3000 solar cells in space applications 7=12510 solar cells, thin film 7=12513

solar collectors, light distribution at focal point

meas. 7=2997 solar energy concentrator, hexagonal reflecting film

membrane 7=2999

solar energy, Spanish work 7=181 solar power unit, mirror-type, energy characteristic, orientation effect 7=2998

solar thermoelectric generator, optimum efficiency calc. 7=2995

thermionic, Ba with Cs vapour appl. 7=9330 thermionic converter, extinguished-mode operation 7=16027

thermionic converter, plasma, spectroscopic investigation 7=12505

thermionic Cs vapour convertors, low voltage arc mode 7=16028

thermionic diode in Hg self-sustained discharge plasma, mag. field effect obs. 7=5797

thermionic, efficiency calcs. 7=180 thermocouple testers 7=16034

thermoelectric, conference Washington, D. C., USA 1966 7=5080

thermoelectric devices, naval, degradation 7=16029 thermoelectric generators, fabrication by arc-plasma spraying 7=15061

thermoelectric generators, high-performance, materials 7=16030

thermoelectric generators, radioisotope powered,

performance 7=16033 CdS solar cell, model 7=12507 CdS solar cells, thin film polycrystalline 7=12509 CdS thin film solar cell, review 7=12508

CdTe photocells, mechanism of photovoltaic effect 7=11601

Cs converter, effect of interelectrode gap size 7=2994 Cs plasma diode, influence of work function of cathode material on current 7=179

Cs plasma generator, use of photoionization 7=17022 Cs thermionic converter with addition of noble gases 7=2993

Cu<sub>2-x</sub> Te-CdTe heterojunctions in thin film solar cells 7=12512 Cu<sub>2-x</sub> Te-CdTe solar cells 7=12511

GaAs solar cells, silicone coating for reflection and emissivity var. 7=11763

GaAs solar cells spectra and temp. curves 7=9332 GaAs-GaP solar cells spectra and temp. curves 7=9332 GaAsP solar cell, efficiency at high light intensities 7=182

 $H_2-O_2$  fuel cells, gases mixing obs. 7=171

#### Electricity-contd

direct conversion-contd

He-Cs plasma, in optimum MHD generator 7=178 KBr concentration cells, e.m.f. rel. to freezing point

abnormalities of ammonium salts 7=8562 annormatities of ammontum saits 1-3002 NH<sub>4</sub>Br concentration cells, e.m.f. rel. to freezing point abnormalities of ammonium saits 7-8562 PbTe-SiGe segmenting for thermoelec. efficiency 7-16031

PbTe-Si-Ge segmented thermoelements, prep. 7=16032 Si p-n junction photovoltaic converters prod. by P ion bombardment of p-Si at ~ 30 keV 7=5798

Si photocells, effect of impurities 7=2996

Si photocells, effect of impurities 7=2996
Si solar cell, annealing of proton rad. damage 7=16035
Si solar cell, photovoltaic e.m.f., laser illum. 7=12515
Si solar cells, nonuniform proton damage 7=12516
Si solar cells spectra and temp. curves 7=9332
SiGe-PbTe segmenting for thermoelec. efficiency 7=16031

Electroacoustic transducers. See Acoustic transducers. Electrocataphoresis. See Electrophoresis.

#### Electrochemistry

See also Chemical analysis/electrochemical; Electrolysis; Electrolytic deposition buffer electrolytes for fuel cells 7=12503

electrodeposition cell for radioactive isotopes 7=16743 electrolyte-semiconductor interface, electroreflectance, i.r. 7=2275

electrolyte solutions of medium concentration, statistical theory 7=18336 intermediates in electrodic reactions 7=8558

liquids luminescence for meas, of mass transfer 7=10785 metals, transfer polarization with d.c. for geophysical prospecting 7=15464 semiconductors, electrolyte meas, of electroreflectance 7=18206 viscosity, strong electrolytes, theory 7=15436

Cd solutions in CdCl2, activities and molar volumes

FeS<sub>2</sub> (pyrites), induced polarization, transient processes 7=2466

Hg-solution interface, adsorption-desorption processes 7=2465

KBr concentration cells, e.m.f. rel. to freezing point abnormalities of ammonium salts 7=8562 NH<sub>4</sub>Br concentration cells, e.m.f. rel. to freezing point

abnormalities of ammonium salts 7=8562
Pt, current-carrying wires, effect of superimposed electrolytic current 7=7866

PuN thermodynamic properties from e.m.f. meas. 7=2447

Th phosphides, Gibbs free energy of formation from e.m.f.meas. 7=2448

#### electrodes

adions, calc. of potentials and fields 7=15438 anodic oxide films, electroluminesc. 7=2396 nonuniform field electrodes, equiv. cct. study 7=11953 temperature coefficients of electric tension of individual

electrodes 7=18337
Cd, standard electrode potential in molten alkali nitrates 7=2467

Ge, surface states prod. by radicals 7=11954 Hg, metallic powder formation, potentials 7=15439 Hg, standard electrode potential in molten alkali nitrates 7=2467

NaF, dislocation network formation 7=11184 Tl, standard electrode potential in molten alkali nitrates 7=2467

Electro-deposition. See Electrolytic deposition. Electrodes. See Cathodes; Electrochemistry/electrodes. Electrodynamics

See also Eddy-currents; Quantum electrodynamics. acceleration e.m. discontinuities growth in hyperelastic dielectric in mag.field 7=201

acceleration of superconducting solenoid to hypervelocities proposal 7=15837

acceleration wave propagation and growth in elastic perfect conductor in mag.field 7=202

air-glass 30 µ beads suspension flow in elec. field, particle transport obs. 7=10873 Born-Infeld, nonlinear, scatt. of two plane e. m. waves 7=3085

charged particle in e. s. field, trajectory plotting with electrolytic tank and analogue computer 7=9373 charged particle motion in mag. and elect. fields 7=16052 charged particle motion in toroidal mag.field calc. 7=10663 charged particle propagation in random mag. field 7=5506 charged particles acceleration by e.m. field 7=9367 classical, Lagrangian formulation 7=12527 classical motion of charged particle in monochromatic plane wave 7=5821 classical particle with a dipole moment, theory 7=12528

cloud droplets, collision efficiency in electric fields 7=4322 current in flexible wire loop in mag. field, normal

modes 7=3058 cusp biconical field, orbits 7=3032 dual transformation generation through fields 7=9671 Electrodynamics-contd

electron injection into e.m. trap obs. 7=6892 electron in time-varying elec. field, wave-mechanical description 7=6124

electrostatic charged particle energy analyzer, characts. 7=9374

exploding loop partial analysis 7=9180 fluids, Rayleigh-Taylor instability, continuum feedback control 7=12531

gas-solid suspension flow in elec. field, particle transport obs. 7=10873 Lorentz force expression remarks 7=200

magnetic moment and longit. invariant, field geom. effects 7=3030

magnetic moment, second order, in axisymm. static field 7=3029 magnetic var.dipole interaction with elec.charge 7=12529

motion in field of travelling e.m. wave 7=203

motion of massless charged particle according to

Einstein's theory 7–2837 motion of multipole in relativity theory calc. 7=2838 motion in non-resonant h. f. and mag. fields 7=3031 moving media 7=16050

moving media, appl. of classical e. m. field egns. 7=9406 multiple scattering of charges in mag. field with moving random inhomogeneities 7=9370 new law as consequence of 'Laplace' force 7=12526

non-relativistic charged particles in field of two travelling waves 7=12530

in nonstationary axially symmetric mag.field, approx. 7=204 particles, charged, motion in acute-angular trap 7=9371

particles, charged, motion in acute-angular trap 7=957 particles with spin, Dirac and classical theories, correspondence 7=6008 photon refraction, mutual photon density effect 7=3528 in plasma coaxial accelerator, motion of single charge calc. 7=6924

quasistatic magnetic field, adiabatic motion analysis 7=9369 radiating charged point particle, relativistic eqn. of motion 7=5820

ring of particles in time dependent e.m. field, model 7=430

rotational discontinuties of nonlinear medium 7=9372 SI systems, use 7=199

spin-1/2, in external e.m. fields, classical eqns. of motion 7=5819 superconductors intermediate state 7=7884

super-permeable fluids, linear 7=16088

symmetry processes, historical note 7=16051 Electroendosmosis. See Electrophoresis.

Electrojet. See Atmosphere/upper; Atmospheric electricity; Ionosphere. Electrokinetic effects

See also Electrophoresis. electrolyte-Hg systems, acoustic spectra of electrolyte excited to mech. vibs. by a. c. field 7=7073 quartz, in Na\*, Cl- and dodecylammonium chloride solns. 7=2464

# Electroluminescence

anodic oxide films, polarization effects 7=2396 anthracene, rel. to band gap 7=11914 anthracene, simultaneous double-injection 7=11913 cells field distribution and brightness theory 7=11924 diode, epitaxial hemispherical 7=18320 glass, thread-like crysts. formation, for screens 7=11771 h.f. in A<sup>II</sup>B<sup>V</sup>,A<sup>III</sup>B<sup>V</sup> type semiconductors 7=11838 liquids electrochemiluminescence for meas. of mass transfer 7=10785

paper layers electrons resonance radiation obs. 7=12981 polarization field effect 7=15365

semiconducting p-n junction deep levels in carrier diffusion region, recombination 7=2417 rel. to semiconductor lasers 7=16178

semiconductor surface e.m. waves excitation 7=15367 semiconductors e.m. wave excitation by electron

beam 7=15366 solids, obs. of lifetimes rel. to initial brightness 7=11837 unipolar voltage pulse prod., mechanism 7=2364 Al(EL-510) phosphor, 10-2-10s c/s 7=11846

ARLE-310/ pinosphor, to "Act by Sciences" (AI<sub>1</sub>Ca<sub>1-x</sub>)As diodes of graded energy gap, obs. 7=2415 BaS-Cu, 10-2-10<sup>3</sup> c/s 7=11846 CdS, double injection effects 7=2374 p-CdS near hole injecting anode obs.from Franz-Keldysh

CdTe, p-n junctions 7=15375

CdTe p-n junctions, injection mechanism and recombination kinetics obs. 7=2416 GaAs diodes, aging effects 7=11863 GaAs, at high frequencies 7=5299

GaAs, in fight requestors 1-255 GaAs, injection, maximum energy yield 7=11878 GaAs lasers, rel. to angle between p-n junction and mirrors of resonator 7=12664 GaAs MIS structures, a. c. minority carrier

injection 7=15384

GaAs, near i.r. emission rel. to current oscillation due to electron-phonon coupling 7=2381

Electromagnetic fields-contd

Electroluminescence—contd GaAs, p-n junc., 300°K 7=5298 GaP epitaxial p-n junctions obs. 7=1967 GaP, injection, maximum energy yield 7=11878 GaP p-n junctions electroluminescence obs. 7=2418 GaP:Si p-n junctions with forward bias, ~ 1.96 eV, 77°K 7=18293 GaSb, recombination radiation of p-n junctions obs. 7=8480 GaSe, at high frequencies 7=5299 GaSe, single crysts. 7=8478 GaSe, square pulse excited 7=8479 Nb-Nb2O5-Au diodes, hole and electron injection and impurity band obs. 7=8519
Si p'-p-n' diodes, avalanche radiation 7=2421
SiC diodes obs. 7=2422
SiC diodes pulse duration obs. 7=3243 SiC, injection, maximum energy yield 7=11878 Sic, injection, maximum energy yield 7=11878
Sic, radiative recombination in p-n junction spacecharge layer 7=8492
Ta<sub>2</sub>O<sub>5</sub>, and photoresponse obs. 7=8495
TiO<sub>2</sub>, and photoresponse obs. 7=8495
(Zn, Cd)S/Mn, light wave prod. by Gudden-Pohl
effect 7=11903 ZnS, striated, and photoelectroluminescence rel. to heat and u. v. treatment 7=11888
ZnS, thin films, d. c. 7=5312 ZnS, rel. to electron emission 7=8502 ZnS, as recomb. controlled by elec.field 7=2403 ZnS:Cu, blue and green centres 7=15401
ZnS(Cu) cells, brightness-wave meas. under u.v. irrad. 7=11893
ZnS:Cu crysts., low-field 7=11899
ZnS:Cu decay, for various excitations 7=5319 ZnS:Cu, decay, for various excitations 7=319
ZnS:Cu, depend. on freq. and field strength 7=11890
ZnS, Cu doped, a. c. 7=11896
ZnS:Cu, effect of cryst. dimens. on yield 7=11897
ZnS:Cu, individual particles 7=2404
ZnS-Cu, 10<sup>2</sup>-10<sup>3</sup> c/s 7=11846
ZnS:Cu, Al phosphor, internal, time depend. 7=11901
ZnS/CuCl crystal, i.r. sensitivity 7=11898 ZnS:Cu, Fe, Co and Ni effects mechanisms 7=8501 ZnS(Cu, Mn), a. c. elec. field effect on thermoluminescence 7=11895 ZnS:Cu:Mn:Cl films, transients under d.c. obs. 7=15400 ZnTe, undoped, at 293  $^{\circ}\mathrm{K}$  7=15403 ZrO2 films obtained by anodic oxidation 7=8503 Electrolysis See also Conductivity, electrical/liquids, electrolytic; Dissociation/electrolytic; Electrochemistry; Electrolytic deposition; Ion velocity/electrolytic. alloys, cathodic polarization appls. in nuclear industry 7=8563 aqueous solution, dielectric constants 7=4369 for charged particle in e.s.field trajectory plotting with analogue computer and tank 7=9373 hygrometer 7=10705 in hygrometer, Goldsmith-Cox, accuracy and calibration at 10-6 atm. 7=10707 metals, cathodic polarization appls. in nuclear industry 7=8563 separation in capillary tubes, preparation method 7=8565 tank for plasma confinement mag. field design 7=4226LiF, p-irradiated, negative electrolytic breakdown figure obs. 7=15019

NaCl, dendrites, growth, dislocation formation obs. 7=7341

Ti alloys foils electropolishing for electron microscope exam. 7=10971 Ti foils electropolishing for electron microscope exam. 7=10971 Electrolytes, theory. See Electrochemistry; Solutions. Electrolytic conductivity. See Conductivity, electrical/liquids, electrolytic Electrolytic deposition film form. on Ge anodes in alkaline electrolytes 7=8564 Pa, on metals, rel. to preparation of weightless sources for  $\alpha$  spectrography 7=10203 Electrolytic tanks. See Calculating apparatus/analogue apparatus. Electromagnetic fields accelerating charge, from Coulomb's law, Newton's third law and special relativity 7=3025
average forces and energy 7=5642
charged particle motion in mag. and elect. fields 7=16052
correlation functions, from photon counting and
coincidence meas. 7=12683
correlation tensors of intensities, propagation 7=9361
dipole over anisotropic half-space 7=3091
integral law, stationary 7=194 Lagrangian density, pseudoscalar, for first group of eqns. 7=9366
linear momentum of quasistatic fields 7=195 maes., rel. to anti-correl. effects in quantum optics 7=16212

Maxwell eqns., time-dependent, direct integration 7=3024 molecules tensor props. in intense static fields 7=16927 moving simple media, time-dependent Green's function 7=12562

```
nonlinear media, elec. and mag. polarizations
              induction 7=9365
         pulse of charge moving in highly conducting circular
              pipe 7=196
         quantized, coherence props. description 7=12676 quantization, covariant method 7=5945
         radiation, reln. between energy lost and that spreading
              through space 7=9086
         Rainich problem for complex scalar e.m. field 7=9363
         rotational discontinuities in nonlinear medium 7=9372
         series expansions for high freq. rot. symm. e. m. fields 7=9362
skin effect of time-periodic fields 7=5791
and spinor, unified theory 7=12363
Electromagnetic oscillations
              See also Magnetohydrodynamics; Masers; Plasma/
              oscillations.
         absorbing medium dielectric const. and Ohm's law
         reformulation 7=9322
average forces and energy 7=5842
        average forces and energy 7=5842
cavity, for e.s.r. investigations 7=16128
coherent states, Glauber's method 7=3071
detection at liquid He temps. by Pt-Sn point contact
resistance nonlinearity 7=14892
e.s.r. meas, cavity for X-band and 77°K to avoid N<sub>2</sub>
bubbling noise 7=2184
ferrimagnetic low temp. devices 7=8446
flat helix harmonic interaction with electron beam
calc. 7=5845
         'flat-roof' resonator, modes, phase shifts and losses 7=3075
          Gunn-effect diagram 7=4982
          Gunn effect, non-uniform motion of high field
               domains 7=14995
         klystrons, c.w., generating video freq. oscills. 7=16106
laser beams and resonators, review 7=3126
laser resonators, multilayer PbO/cryolite dielec.
mirrors 7=9488
         magnetoelasticity equations, integration and Cauchy's problem 7=9426 open resonators using plane mirrors 7=242 periodic delay line interaction with electron beam
               calc. 7=5844
          r.f. cavity resonator 7=9429
          resonance parametric interaction theory 7=9531 resonant condenser with total internal reflection,
               radiation 7=12563
          resonator theories 7=5847
          resonator walls instability due to ponderomotive forces
               of e.m. field 7=16102
          resonators, freq. spread of oscill. due to interaction with atom 7=9490
          in resonators, open, coupled 7=243 resonators, open, radiation fluxes and normal oscillations 7=12565
          slow-wave structure excitation by electron bunches
               calc. 7=5846
          stabilization, h.f. by electronic counter system 7=16021 travelling-wave coaxial strophotron obs. 7=12566
         trochoidal beam travelling wave tubes, pulsed mag.field appl. possibility 7=12569 tunnel diode, simultaneous 1.f. relaxation and microwave modes 7=11536 GaAs, domain and circuit props. effects 7=7943
          GaAs, Gunn effect oscills, and amplification,
                review 7=9427
          Ni ferrite, fine-grain, for microwave applications at high power 7=241
           Ni-Zn ferrite mm appls. 7=8239
          Si diode reversed, for mm detection 7=15002
           Si, Ni-doped, impact ionization microwave limiter 7=3076
 Electromagnetic radiation. See Electromagnetic waves; Gamma-
 rays, Light; Radiation; X-rays.

Electromagnetic wave propagation

See also Absorption; Diffraction, etc.; Plasma/
electromagnetic wave propagation.

acoustic polarization transformers for micro-
               waves 7=12436
           amplitude modulated signals, Doppler shift of modulation
freq. 7=9430
atmospherics in Earth-ionosphere waveguide 7=12016
           beam,in gyrotropic media 7=9431
dielectric, two waves, nonlinear polarization 7=18035
           energy-transport velocity, in isotropic nondispersive media 7=16107
          evanescent wave propag, and resurgence, e.m. theory 7=3079 ferrites, interaction with spin waves rel. to electron
           gyrofreq. 7=18136
gravitational deflexion 7=75
           infinite plane wave, in turbulent and inhomogeneous
```

atmos. 7=12008

interaction with electron beams, non-rectilinear 7=3078 ionized media, longit., at v. l.f. 7=3093 layered inhomogeneous media, errata 7=12571

lens field distribn. near focus, diffr. theory 7=16108

Electromagnetic wave propagation-contd

```
Physics Abstracts 1967 - Part I (Jan.-June)
Electromagnetic wave propagation — contd
in magnetoionic media, the 'infinity catastrophe' 7=255
      microwave obs. of detonation and shock wave
         fronts 7=12416
      moving simple media, time-dependent Green's
         function 7=12562
      from moving sources, radiation 7=245
      multilayer film, reciprocity of transmission factor,
      thermodynamic proof 7=9433 optically nonuniform media, partial waves and successive approximations 7=16272
      packets in transparent nonlinear dispersive
          medium 7=9432
      periodically varying medium 7=246
      phenomenlogical equations, optically active
      medium 7=15305
polaritons 7=17834
Poynting vector flux curves for passage past reflecting
         half-plane, met normally by polarized wave 7=12572
      radiant transfer through specular tubes 7=12699
      radio in medium with permittivity varying bilinearly
         with distance 7=9456
      semiconductors, microwave second harmonic generation
      at low temps. 7=15327
solid two-component plasma, interaction theory 7=7825
      spatial amplification and non-transmission criteria,
         double Laplace transform, appl. 7=5848
      thermal and radio emissivity contrasts 7=15466
     through anisotropic slab, between isotropic media 7=3080 through birefringent multilayers 7=9566
     transmission through circular apertures, approximation
     formula 7=9434

Bi, damped Alfvén wave transmission at 4.2°K 7=7826
     Bi magnetoplasma waves carrier insensitive mode
         cyclotron damping obs. 7=7827
      CaF2: Y, anelastic and dielectric loss in kc/s
         range 7=5252
     CdS transmission under acoustoelec. amplification conditions, 35 Gc/s 7=18226
     FeNi-SiO<sub>2</sub>-FeNiCo repeated layers, transmission theory
microwave 7=15146
      Fe-Y ferrite, non-stationary retarded re-emission
         during parametric regeneration 7=9472
     Ge, n-type, microwave cond., hot electron conditions 7=18239
In superconducting films, microwave transmission
         obs. 7=4965
     n-InSb, phase shift at microwaves due to magneto-
         plasma resonance 7=18247
     Si metal-oxide-semiconductor field effect structure,
     surface origin of 1/f noise 7=5008
Sn superconducting films, microwave transmission
         obs. 7=4965
     YFe garnet axially magnetized rod delay mode
        obs. 7=15355
  atmosphere
     auroral radar echo, wavelength depend. meas. 7=5409
     clouds and precipitation phase struct. obs. by
     polarization on reflection 7=8664
decimeter absorption obs. 7=15535
     dipole antennas, at earth's surface, quasi-static
        fields 7=5863
     earth-ionosphere guide, propag. const., 8-16000\,\mathrm{kc/s}
        obs. 7=8679
     earth-ionosphere waveguide, l.f. calc. 7=5864
     horizon sensors, tracking, stability criteria 7=8677
     laser wave propag. 7=5382
     lightning corona currents, e.l.f. emission 7=15531
     long waves boundary value problem computer soln. 7=12583
     at magnetosphere boundary, r.f. wave intensity 7=12034
    noise, crossing-rate distribution 7=2530 optical transmission research 7=3218 pulses associated with EAS 7=16666
    purses associated with EAS 7=20000
radar echo patterns, statistical props. 7=8676
spherical, in turbulent medium, log-amplitude covariance
and phase-structure function 7=18368
     theory of differential absorption equation 7=8717
    transparency at submillimeter wavelength 7=15534 tropopause detected by radar 7=15536 troposcatter path, angle-of-arrival meas. 7=8678
    troposphere, radio refractive index, variation with
height 7=15533
    tropospheric radio link, study with lab. model 7=2533
    tropospheric trans-horizon propag., review 7=2532
VLF chorus, sudden decrease of intensity 7=12056
v.l.f. emission, 1.5-3 kc/s, at conjugate points 7=12018
    v.l.f. hiss in auroral zone, satellite study 7=12089
    v.l.f. propagation over long paths 7=12019
    v.l.f. transmission loss obs. from atmospherics 7=15582
    O2 absorption at cm and dm obs. 7=8680
 ionosphere
    abnormal long distance variability by back-scatt.
obs. 7=2573
    above standard MUF, transmission loss meas. 7=8737
    absorption meas. by meteor signals 7=2572
```

```
ionosphere—contd
absorption var.with solar activity and zenith distance,
2.6 Mc/s 7=5426
    acoustic waves from ground-level explosion,
        h.f. radio meas. 7=2576
    amplification of disturbances 7=8734
    anomalous cosmic noise absorption in magnetic storms in Feb. 1964 7=5415
    in artificial ionized cloud in inhomogeneous atmosphere, ray trajectories 7=5432
    atmospherics reflection ≤ 10 kHz, earth's mag.field effects 7=18372
    aurora ionization struct. radar obs., mag. field var.
        effects 7=5408
    backscattering echoes, modes, by transmission curve method 7=5429
    D region plasma calc. 7=6848
    density of plasma meas, by reflected phase 7=5446
    diffraction in layered inhomogeneous media 7=16119
    diffraction patterns at ground obs. 7=5433
    drifts meas, by spaced receivers, interpretation 7=5449
    E, propagation and signal strength 7=12078
   E reflections fading obs. 7=5454
e.m. induction of current 7=5436
    earth-ionosphere cavity resonances, diurnal variation 7=12068
   variation 7=12008
earth-ionosphere waveguide, l.f. calc. 7=5864
earth-ionosphere waveguide, possible excessive
mode conversion 7=2575
electron content obs. 7=5418
    F irregularities at night, satellite radio obs. 7=5462
    F-layer, electron conc. inhomogeneities, theory 7=12070
    F-region, field-aligned echoes, sunset peak, amplification
        model 7=12085
    F2 layer, reflections, rapid phase fluctuations,
       meas. 7=12092
   foF2 daily var. rel. to solar cycle 7=5471
   f_0F2 equatorial activity obs. at solar minimum 7=5469 f_0F2 normal daily var. scatt. rel. to solar cycle 7=5472
   Δf<sub>0</sub>F<sub>2</sub> statistical distribution 7=5465
   forward scatter meas., rel. to precipitated electrons 7=8731 group path and phase path relation 7=5422 high latitude absorption freq. var. 7=5427
   long-distance propagation of ultrashort waves due to scatt. 7=5428
   long-distance, two freqs. interaction appl. 7=10646
   long waves boundary value problem computer soln. 7=12583 longitudinal, at very low freqs. 7=3093 magnetic storm sudden commencement effects on f_0F_2 and h'F_2 obs. 7=5468 measurement of absorption, by vertical sounding with var.
       freq. 7=5447
  numerical prediction of index ¢ 7=15587
optical path of gyrolectric echoes var. 7=5430
orientation of aerial rel. to intensity of magnetoionic
      components theory 7=5450
   PCA events, importance of solar \alpha-parts 7=15583 PCA, rel. to solar flares 7=15584
   polar cap absorption, initial phase anal. 7=5435
   polar cap absorption as predictor of geomag.
       storms 7=8752
   radiowave fluctuations, correl., affected by ionization
   gradients 7=12065
radio waves absorption and virtual height, calc. 7=15585
  reflection of radio waves from stratified perturbed ionospheric profiles 7=8738 refraction irregularities from satellites 7=8741 refraction of 20-40 Mc/s waves from satellite, meas.
       apparatus 7=5443
 apparatus (=5476) satellite radio signals, polarization variation 7=2574 scattering meas, apparatus improvement 7=5448 scintillation of satellites, latitude effects obs. 7=5423 scintillation of satellites obs. 7=5424
  scintillation of synchronous satellite, 136 Mc/s 7=5425
  secular movement of zone of auroral blackout 7=15568
  SiD's, rel. to time variations in solar X-rays 7=1556i
sporadic-E, diurnal variation at high latitudes, rel. to
geomag. activity 7=12077
 sporadic E<sub>s</sub>, effect on 1.22 Mc/s absorption 7=18393
sporadic E equatorial irregularities h.f. obs. 7=5453
  sporadic E, incoherent backscatter obs. 7=8744
 sporadic E rel. to receiver sensitivity and transmitter power obs. 7=5452
 sporadic E reflections stability rel. to solar activity 7=5455
 activity (==0=00)
spread-F effects on WWV signal quality 7=12086
spread-F, equatorial, and F-layer height 7=5461
spread F, topside and bottomside, behaviour at equatorial
latitudes 7=5460
 super-low freq., thro' planar layers of magneto-active plasma 7=15580
 synodic periods in time series f min at South Pole 7=5434
 theory of differential absorption equation 7=8717
```

topside, conjugate ducting, Explorer XX obs. 7=12067

Electromagnetic wave propagation-contd ionosphere-contd

topside ionograms obs. of electron densities at Alouette II satellite 7=12098

2-mode echoes in topside, oblique, obs. 7=12066 v.h.f. signals from satellite, fading, regular 7=15592 v.l.f. transmission loss obs. from atmospherics 7=15582 whistler mode dispersion theory 7=16120 whistler mode,1.f.,calc. 7=13874 whistler, same radioelectric, reception at two points 7=5431

guided waves

backward waves in plasma-filled waveguide 7=9451 cavity, bimodal, coupling between modes 7=3087 cavity modes decoupling 7=3088 cylindrical, anisotropic circular dielectric rod 7=252 dispersion formula for waveguides 7=12580 earth-ionosphere waveguide, l.f. calc. 7=5864 earth-ionosphere waveguide, possible excessive mode conversion 7=2575 exosphere, theory 7=5865

gas-filled hollow cylinders, attenuation and phase characts. 7=9450 interrupted dielectransmission line 7=3090

by layers of lossy compressible plasma 7=5856 light, in bent waveguide, mech. anal. 7=3236 liquids, narrow optical waveguides 7=1146 microwave cavity, plasma-filled solution of eigen-frequencies 7=254

multimode surface waves for plane structures, phemomenological theory 7=16111 periodic delay line interaction with electron beam calc. 7=5844

plasma waveguides, electron density distrib. 7=13872 quantum tunnelling analogue obs. 7=12576 resistive films in rectangular waveguide 7=12581

sectorial horns 7=5855 shortening of front by ferrite calc. 7=12570

superconducting, for electron accelerators 7=3406 surface wave on plane impedance in plasma with negative impedance 7=12577

theory, transient, in dispersive medium 7=12579 through plasma layer in waveguide, theory 7=5857 v.h.f. const. for guide containing plasma in dielectric tube 7=5858

wave and ray approaches of beam waveguides function, mathematic outlines 7=251

waveguide, beam, gyro-plasma-filled, modes 7=9452 waveguide, circular, semi-infinite, mag. dipole movement 7=12578

waveguide coupler, tunable multimode 7=16112 waveguide with glide reflection symmetry 7=3089 waveguide, iris, as deflecting r.f. separator system 7=16114

waveguide, iris, waves with complex propag. constants, dispersion equation 7=16113 waveguide modes, transverse, propag. in stratified magnetoplasma 7=6847

waveguide, plasma, reflection coeffs., meas. 7=253 whistlers, in exosphere 7=2546

Electromagnetic waves
See also Diffraction; Reflection, etc.; Light/electromagnetic theory.

atoms levels shift and splitting prod. calc. 7=6523 detection in glow-discharge plasma of microwaves 7=12567 electronics conference, 1966 7=5784

energy dissipation through quantized coupling to lossy cavity 7=5933

excitation by electron bombardment of semi-conductors 7=15366

excitation of surface waves in semiconductors 7=15367 Faraday rotation at microwaves, small angles meas. 7=2969

in general relativity, rel. to Huyghen's principle 7=15893 gravitational red shift ang. anisotropy at microwaves search 7=9083

measuring phase var., polarization effects 7=3077 microwaves, for determ. electron density distrib. in plasma 7=1023

oscillator, self-excited, effect of external force 7=16103 pulse response of backward two-wave systems calc. 7=16101

quantum characterization criterion for classical field 7=3317

radiation pressure, general formula 7=9032 radiation sources, classical vs quantum. exptl. characterization 7=16209

radio pulses from cosmic-ray air showers 7=13155 receiver, mm., based on InSb photoconductivity 7=16104 receiver for plasma scatt. meas. at 4 mm 7=10656 ruby, microwave mixing of travelling wave 7=5244 stationary fields, for small frequencies 7=3073 torque from circularly polarized radiation, microwave demonstration 7 = 9428

travelling-wave amplifier, using semicond. carrier drift 7=5843

Electromagnetic waves-contd

velocity in quantum electrodynamics 7=5946 n-InSb for submm radiometer 7=12463 Ni ferrite, fine-grain, for microwave applications at high power 7=241

radiators

aerial with plasma sheath 7=3092

aerials in ionosphere, impedance 7=5437 antenna between plasma layers, impedance 7=258

antenna, biconical, thin, terminal admittance in isotropic compressible plasma 7-16117 antenna props. of optical heterodyne receivers 7-3197 antenna radiation, new theory rel. to uniaxial media 7-256 antennas, directive, reducing side lobes 7=5861 antennas in magneto-ionic media, radiation

resistance 7=257 axial pattern crosscorrelation meas. using radio-star

sources 7=8990 charge passing through anisotropically conducting plane calc. 7=12582

charge spiraling in magnetoplasma, Cherenkov and

cyclotron radiation calc. 7=17067 charged particles crossing junction of two dielectrics 7=3074

Cherenkov submillimeter rad.from d.c.electron beam

on dielectric 7=12971 dielectric rod aerials, gain and effective area 7=3090 dipole antennas, at earth's surface, quasi-static fields 7=5863

dipole over anisotropic half-space, e. m. fields 7=3091 electric dipole, in plasma half-space, impedance 7=5859 electric or magnetic dipoles, radiation from ring sources 7=12568

electron beam near open resonator, for mm 7=12564 electron beam Smith-Purcell, by leaky space-charge waves 7=16115

fluids, charged and coherent, dynamic and e.m. radiation 7=5860

magnetic dipole, uniform motion along waveguide, radiation field 7=12578

magnetic line, on plasma sheathed cylindrically capped wedge 7 = 1003

in magnetoionic media, the 'infinity catastrophe' 7=255 in magnetoplasma, thermal rad. fields, parameters 7=17065

moving electric dipole, detailed anal. 7=16118 in plasma, cylindrical antenna admittance 7=16118 in plasma, electric dipole radiation cylindrical waves calc. 7=6863

plasma, inhomogeneous, thermal bremsstrahlung obs. 7=6861

in plasma, mag. line source on conducting plane 7=17066

in plasma, sheath effects 7=9455 point oscillator in medium with variable dielec. constant 7=9453

reactance meas. of dipole antenna in ionosphere 7=8740 resonant condenser with total internal reflection 7=12563 scattering antenna, in conducting half space, current distrib. 7 = 5862

slot covered with anisotropic plasma, radiation conductance 7=9454

Fe-Y ferrite, non-stationary regarded re-emission during parametric regeneration 7=9472

Electromagnetism

See also Electrodynamics; Quantum electrodynamics. acceleration e.m. discontinuities growth in hyperelastic dielectric in mag. field 7=201 acceleration wave propagation and growth in elastic perfect conductor in mag. field 7=202 constitutive eqns. for deformed isotropic materials 7=5783

current density vectors, electric and magnetic 7=9364 current distribution, plane, with Hall effect, analogical determination 7=198

current distribution, plane, in presence of Hall effect, description by conjugated potentials 7=197 dipole layer potential 7=5818

e.m. potential generalization 7=16049

fields at earth surface near oscillating line current 7=2504 Henry, Joseph, teaching rel. to research 7=9001

Huygens principle, Kottler version derivation 7=9425 induction in rotating sphere 7=3028 magnetic field lines motion 7=9368

magnetic field produced by current distribution 7=3027 magnetic field relaxation in hollow elliptic cylinder

calc. 7=5801

Maxwell's field equations, and constitutive eqns. 7=5817 oscillating mag. dipole in semi-infinite conducting medium 7=9346

Poynting vector significance in static fields 7=12524 relativistic constitutive eqns. for interactions with matter 7=9074

relaxation time of mag. field in hollow elliptic cylinder calc. 7=3026 vector field eqns. 7=12525

Electromagnets. See Magnets. Electromechanical effects. See Electrostriction; Piezoelectricity.

Electrometers. See Electrical measurement. Electromotive force

gases, accompanied with detonation of dynamite 7=6794 Electron affinity. See Atoms; Ionization; Molecules; Solids. Electron annihilation. See Electron pairs/annihilation. Electron avalanches. See Breakdown, electric. Electron beams

See also Electron optics; Particle accelerators. analyzer, appl. to study of electron gun 7=9381 backscatter of mono-energetic electrons, theory 7=9385 beam-plasma system parametric amplification 7=4265 bunched, velo. spread computer calc. 7=16059 Cherenkov coupling to beam-plasma amplifier 7=239-40 coherence in microscope obs. 7=1378 current density distribution across, 680 MeV 7=9384 current density meas. in cross-section 7=9383 cyclotron instability, quasilinear theory 7=9380 drifting, space charge waves, nonlinear theory 7 7-16057 drifting, spatial charge waves and convection current 7=16058

electron beam extraction from alternating gradient synchrotron INS 7=16408

electrostatic stability of gyrating stream 7=13939 energy spread rel.to current 7=209 gas discharge injection into resonator 7=952 instability of motion of separated beams in mag. field 7=12536

interaction of non-rectilinear beams with e.m. waves 7=3078

ion trapping by tubular beam for collision experiment 7=10598

irradiation of gases with 10-100 keV electrons 7=10750 linear accelerator, 100-500 kV, interaction with mag.fields, X-ray prod. 7=16398 linear accelerator, photon monochromatic beam prod.,

proposal 7=6110

magnetron injection guns, minimum noise figure 7=16061 measurement of current density distrib., apparatus 7=9382

metal atoms impact ionization functions, meas. 7=17012 metal irrad., cryostat for liquid He temp. 7=2948 monochromator design 7=16060 moving coaxially with atomic beam, polarised ions production 7=16083

multivelocity, small signal energy conservation theorem 7=16056

new two-gun apparatus, for secondary emission meas. 7=5117

penetration into matter, first and second moments of depth and transverse distrib. 7=7624

plasma gun for high peak currents 7=3038 plasma source directivity 7=5825 in plasma, two-beam instability, onset 7=10679 plasma waves 7=13915 polarized, prod. by low-energy scattering 7=3037 potential distribution meas. 7=210 probes for meas. potential in electron tubes 7=217 pulsed, intense, produced by laser light on solid 7=222 radial focusing, by transaxial alternating mag. field 7=9389 ribbon, in circular motion, transmission enhancement methods 7=12541 scattering and instabilities obs. 7=12535

Smith-Purcell radiation, by leaky space-charge waves 7=16115

from synchrotron INS, extraction 7=16408 two-beam instability in plasma, turbulent regime 7=13938 In bombarded, charact. energy losses, compared with

Al 7=4893 LaB<sub>6</sub> cathode for guns 7=208 absorption. See Electrons/absorption. effects

See also Beta-rays/effects. air, emission spectrum prod., 13 keV, rel. to 37 keV p and aurora 7=10508

air, luminescence spectrum for 50 keV e 7=6676 alkali and alkali earth metal foils in ultra-high vacuum, electron energy losses 7=4729

aromatic amine molecules ionization potentials obs. 7=6822 benzene and six derivatives temporary negative ion resonances in excitation obs. 7=6823

Cherenkov radiation of beam through slit in solid 7=14632

Cherenkov submillimeter rad.from d.c.beam on dielectric 7=12971

crystal plasma losses excitation 7=1818

defect production in diamond-type crystals, theoretical model 7=1544 diamond, recomb. radiation 7=5291

electromagnetic wave excitation in semi-conductors 7=15366 ferrites magnetostatic oscillations increase

7=15206 for film deposition, modular source 7=1266 flat helix, harmonic interaction calc. 7=5845 fracture exam. by probe 7=17670

Electron beams-contd effects-contd

gas ionization in waveguide, plasma density

distrib. 7=4159 gases, collision theory for intermediate and high densities 7=10606

graphite, atomic displacement threshold energy obs. 7=17596 graphite, pyrolytic, atomic displacement obs. 7=7535

interaction with solid-state plasma 7=14631 lacquer masks made by electron irrad. 7=4488

laser solids pumping 7=9512 linear accelerator, as X-ray sources, appls. 7=16398 liquid metals evaporation for wetting prod. 7=10792 metal, oblique incidence, optical transition

radiation 7=11836 metals, f. c. c., production and recovery of interstitial defects obs. 7=14544

metals, gas desorption prod., temp. var. 100-600 eV 7=14288 for metals zone refining, for high melting points 7=4503

micromachining technique 7=5647 p-n junction diffusion voltage meas. by scanning 7=14980  $\pi$  small angle flux from thick Be target at 166 eV 7=16775 penetration of solids, comparison of e and e periodic delay line, interaction calc. 7=5844 7=1655 plasma-beam interaction, oscillations 7=17141 plasma-cold beam interaction theory 7=989

plasma-coid beam interaction theory 7=989
plasma column, prod. of axially-symmetric oscs. 7=4228
plasma cyclotron instability prod. obs. 7=17136
plasma instability prod., coherent deceleration of beam
rel. to interference pattern obs. 7=17143
poly (methyl methacrylate), mol. wts. 7=1252
powder evaporation source 7=10906
quartz u.s. surface wave amplification calc. 7=7489

ruby, optical emission in R lines 7=15370 semiconductors, elec. resist., electron beam meas. 7=14943

semiconductors excess carriers diffusion lengths meas. by cathodoluminescence voltage var. 7=17753 semiconductors, voltage induced 7=7929 slow-wave structure excitation by bunches calc. 7=5846 solar cells, review 7=12514

sputtered particles excited spectra meas. 7=1652 stainless steel, gas desorption prod., temp. var., 100-600 eV 7=14288

Stanford accelerator, particle yields at 2° and 3° on Be 7=16397

Stanford accelerator, secondary particle yields at 0° 7=16396 stimulated Raman scatt., theory 7=9477

surface probe mass spectrometry 7=1286 zone refining apparatus 7=4502

 $A_sB$  alloys, disordering, anisotropic  $\ 7{=}14202$  Ag, damage thresholds at low temps. obs.  $\ 7{=}7628$ Ag foils, emission of bremsstrahlung and transition radiation 7=16515
Ag, ionization in K-shell, 0. 10-1 MeV 7=8085

Ag, optical emission, rel. to energy and film thickness 7=8465

Ag recovery, stage I, and correspondence with Cu 7=1828 AgBr, struct. changes 7=14340 Al above stage I obs. 7=7854

Al, critical shear stress, dispersed interstitial atoms 7=7679

Al, hardening, interstitial-dislocation interact. 7=14545 Au films, transition radiation obs. 7=12980

Au, ionization in K-shell, 0. 20-2 MeV 7=8085 Au, low-energy, photon prod., effect of adsorbed gas 7=8469

Au, modulus effects and disloc. pinning 7=4732

Au, optical emission, rel. to energy and film thickness 7=8465

CO<sub>2</sub>, luminescence spectrum for 50 keV e 7=6676 COS\*, emission spectra 7=6654

CaCO<sub>s</sub> cleavage plane on electron charging, electron diffr. exam. 7=7309

CdS, cathodoluminescence 7=5292

CdS laser prod., transition mechanism 7=9525 CdS laser pumping 7=12657 CdS, light emission 7=5293

CdSe, fluorescence band and annealing 7=15374
Cs atoms ionization, initial energy var. obs. 7=10438
CsI:Tl luminescence decay times and scintillation processes obs. 7=8474

Cu above stage I obs. 7=7854

Cu, critical shear stress, dispersed interstitial atoms 7=7679

Cu, gas desorption prod., temp. var., 100-600 eV 7=14288 Cu, resistivity recovery rel. to irradiation temp. obs. 7=14884

Cu sputtered particles excited spectra obs. 7=1652 α-Fe divergent beam X-ray diffr. obs. of lattice parameter 7=7423

```
S 122 SUBJECT INDEX
Electron beams-contd
     effects contd
           GaAs excess carriers diffusion lengths meas by
                cathodoluminescence voltage var. 7=17753
           GaAs, luminescence, prod., for carrier excess diffusion and surface recombination meas. 7=17824
GaAs photoluminescence obs. 7=18235
           p-GaAs:Zn, cathodoluminescence prod., donor-acceptor
                transitions 7=18297
           GaAs:Zn luminescence, obs. 7=2382
GaP, recomb. radiation 7=5258
           GaP As<sub>1-x</sub>, laser emission 7=3171
Ge, disorder regions production, review 7=7633
           Ge, disorder regions production, review 7=7633
Ge, doped with O<sub>2</sub>, on photocond. spectra 7=11590
p-Ge, electrical cond. and Hall effect var. obs. 7=17967
Ge films crystal growth in electron microscope,
diffraction scanning obs. 7=1275
Ge, formation of peaks 7=1631
Ge, n-type, induced voltage 7=7929
Ge, photoconductivity rel. to defect levels obs. 7=2036
InSb, excitation of laser action 7=16203
Katoms ionization, initial energy var. obs. 7=10438
            K atoms ionization, initial energy var. obs. 7=10438
            LaF, optical transmission, of films 7=15337 LiF, dielectric breakdown 7=11560 MgO, V_1 band prod. obs. 7=17634
            Mo, 2.5 MeV, resistivity meas. 7=11156
            Mo zone melting, purity, perfection and orientation obs. 7=14328
            N_2 emission spectrum prod., 0.1-20 keV, rel. to 37 keV p and aurora 7=10508 N_2, luminescence spectrum for 50 keV e 7=6676
            N_2 - O_2, luminescence spectrum for 50 keV e 7=6676
            NaCl colouring yield depend on angle of incidence 7=14627
Ni, electrical cond. recovery, impurity effects obs. 7=7862
            Ni foils, weakly deformed, annealing in electron
microscope 7=11226
            O<sub>2</sub>, emission spectrum prod., 13 keV, rel. to 37 keV p and aurora 7=10508
            O2, luminescence spectrum for 50 keV e 7=6676
             Pt, interstitials prod. < 10°K, resistivity recovery 10°-300°K rel. to prequenching 7=17599
            Pt, point defects prod. ~9°K, 1, 3-2, 1 MeV, resistivity increase, rel. to Au 7-17598
Rb atoms ionization, initial energy var. obs. 7=10438
            Se amorphous films, crystallization prod. 7=17391 n-Si, defect prod. temp. var., i. r. absorption bands
                  obs. 7=14520
             Si, defect production, energy dependence of
             anisotropy 7=1543
Si, formation of peaks 7=1631
             Si, Hall effect probes, radiation stability 7=17999 Si, n-type, annealing 7=14968
             St, spectral i.r. absorption bands rel. to
divacancies 7=8435
n-SiC:N,e.s.r. 7=2215
Si:O,O-defect complex i.r. absorption bands obs. 7=1574
             Sh., ionization in K-shell, 0. 20-2 MeV 7=8085
Te, excitation of laser action 7=16203
W-Ba cathodes sealing by welding 7=2065
Zn, effect on plastic deformation 7=14764
              ZnS, u.v. laser emission 7=305
         ionization. See Electrons/ionization.
   Electron capture. See Ions/recombination; Radioactivity/
    electron capture.
Electron diffraction
              atoms, electron correl. effects 7=6575
   Fresnel fringes in image of object edge 7=16070 gases, molec. theory 7=861 molecules, barrier heights determ. 7=6608 quantum theory fact and fiction 7=9644 scanning apparatus, modified detection arrangement 7=9390 Electron diffraction crystal structure atomic.
              See also Crystal structure, atomic. absorption, effects of point defects 7=4728
              absorption at high energy, theory diffuse scatt, and weak beam contributions calc. 7=1411
               atomic structure factor obs.at low energies 7=1261
               n-beam structural analysis 7=1407
               Bragg scatt., effect on diffuse scatt. 7=7401
               conference, Melbourne, 1965 7=1398
               cyclic method of structure analysis 7=1410
               diffuse scatt., Bragg scatt. effect theory 7=1371
               dynamic intensities calc. and meas. 7=1408
               dynamic theory for distorted crystals, with
X-rays 7=1401
dynamic theory, with X-rays 7=1400
              dynamical, effect of lattice vibrations 7=11093
dynamical theory many-ray approx. 7=14366
ferritin protein lattice imaging obs. 7=1440
inelastic scatt. theory for fast electrons 7=1645
low-energy, multiple-scatt. theory of
intensities 7=4572
low-energy obs. 7=1262
multiple for feel scientifies 7=4500
```

multiple, for foil orientation 7=4600

phase grating approx. for thin single crystals 7=1409

```
Electron diffraction crystallography-contd
        photographic dodger for reproduction of diffraction patterns 7=4569
        picene single-crystal calibrator for fine-beam or
        selected-area diffr. 7=17459
relativistic dynamics theory 7=11055
review of recent Russian work 7=1406
        short range order meas.in films 7=1412
        small-angle, cross-sections, validity of Born approx. 7=836 temperature var., dynamical, two-beam approx. 7=7402
        two beam dynamical theory, test on extinction distance in Si 7=1435
        Ag, Debye-Waller factor, surface, low-energy 7=4616
        Ag films, gegenfeld filter obs. 7=1419
Al, absorption and extinction, 100-500 kV 7=1427
        Hg, relativistic form factors 7=11064
MgO, absorption and extinction, 100-500 kV 7=1427
         MgO, anomalous absorption obs. 7=1428
MgO cubes covered with 3Å C layer, multiple reflection
         near grazing obs. 7=1425
MgO, diffuse inelastic scatt.obs. 7=142
Ni, Debye-Waller factor calc. 7=14389
         ZnS, low-energy obs. of cleaved (110) surfaces 7=1262
 Electron diffraction examination of materials
         adsorption, by grazing incidence reflection at high energy 7=1287
         amplitudes of beams, transmitted and scatt. by planar
             interfaces 7=7352
         antiferromagnets, contrast theory 7=2096
         coherence of beam effect on contrast obs. 7=1378
         crystal imperfections, dynamic theory 7=1578 crystal imperfections, unresolvable 7=1530
         diffuse scatt., Bragg scatt.effect theory 7=1371 dislocation effects on spot shape obs. 7=7567
         dislocation ribbons, image profiles, calc. and obs. 7=1585
         equal-thickness fringes intensity distribution 7=1376
         ferromagnets, contrast theory 7=2096 films on Cu crystals, epitaxy and dislocations 7=1357
         films, thin alloys, interpretation of diffr. patterns 7=10962
         films, vapour-deposited, island struct. obs. from small angle rings 7=17382 fine struct. of spots due to imperfections in thin
             foils 7=11025
          fine struct of spots due to stacking faults 7=11026
         halloysite crystallites, microdiffraction obs. 7=11030 high voltage effects rel.to specimen thickness 7=1382
          ice lattice vibrations, diffuse streak patterns inter-
              pretation 6=1454
          lattice vibrations, from diffuse streak patterns 7=1450
          low-energy obs. 7=1262
          metals, liquid, monatomic 7=1110
metals, position of twins from double diffraction 7=14370
          metals, selection rules for twinning 7=14369
          microscope with automatic data logging and energy loss meas. 7=1375
          order-disorder transformations in ternary compounds 7=1406
          Permalloy films, annealing effects on multiplicity 7=14350
          picene single-crystal calibrator for fine-beam or
          selected-area diffr. 7=17459
polyethylene screw dislocations, rel. to slip and elastic consts. 7=1593
          relativistic dynamics theory 7=11055 rutile, O-deficient, crystal imperfection structure of foils
          obs.in microscope 7=1529 scanning apparatus 7=1373
          scanning films with energy loss filtering,
              apparatus 7=1374
          scanning high voltage camera with energy analyser 7=1372
          screw dislocations in anisotropic media, rel. to slip and elastic consts. 7=1593
          etastic consts. 7=1993
single-crystal films, prep. method 7=14271
small defects, strain contrast images, optimum
conditions 7=14497
superconducting alloys, microscopy 7=1377
tridymite, elec. anisotropy 7=5061
urea lattice vibrations, diffuse streak patterns inter-
               pretation 6=1454
           Ag films on Cu crystals, epitaxy and dislocations 7=1357
           Ag, {111} films, contrast from twin boundaries 7=4499 AgBiTe<sub>2</sub> crystal atomic struct. 7=14371-2
           Al equal-thickness fringes velocity analysis 7=1376
           Au<sub>3</sub>Cu order, rel. to antiphase domains 7=1393
```

```
Electron diffraction examination of materials-contd
          AuPd, films super lattice ordering obs. 7=14374
BF, gas, B-B bond distance 7=6641
BaTiO<sub>3</sub> lattice vibrations, from diffuse streak
                patterns 7=1450
           Be, thin film, amorphous state, 4. 2°K 7=7359
Bi, film, amorphous state, 4. 2°K 7=7358
CO adsorption on W (100) surface 7=10981
           CdO, electron scatt. on lattice oscs. 7=7414
           Cr films condensed at 4.2°K, amorphous state
                 obs. 7=14276
           CsBr films condensation 7=1274
CsCl films condensation 7=1274
CsCl, phase transformation, \alpha-\beta 7=7225
           CsI films condensation 7=1274
           Cu epitaxial dislocations on frozen drop 7=1598
           Cu epitaxy on Ag, satellites 7=1355
Cu<sub>x</sub>Al \( \textit{\gamma} \) martensite stacking faults 7=1625
Cu<sub>2</sub>O films on Cu crystals, epitaxy and dislocations 7=1357
Fe films condensed at 4.2°K, amorphous state
                 obs. 7=14276
          Ga, film, amorphous state, 4.2°K 7=7358
GaAs junction laser, scanning 7=12663
Ge films crystal growth in electron microscope, scanning obs. 7=1275
Ge lattice vibrations, diffuse streak patterns inter-
                 pretation 7=1454
           GeSb<sub>2</sub>Te<sub>4</sub> crystal atomic struct. 7=7429
           In + Sb films, formation and props. obs. 7=5325
           MgO, h00-systematic interactions 7=7433
           Mn films 7=1277
Mo films f.c.c. →b.c.c. transformation as thickness increases in growth obs. 7=7285
            N<sub>2</sub> adsorption on W(100) surface 7=10982
            NaCl(100) surface 7=1259
Nb(110) surface,low-energy diffr. 7=7260
Ni, adsorption of O on (110) surface, by grazing incidence
            Na, assorption of O on (110) surface, by grazing incides reflection at high energy 7=1287
Ni epitaxial films on (111) Cu, to several monolayers, low energy obs. 7=1363
Pb-12% Bi, thin film, amorphous state, 4.2°K 7=7359
            Pt single crystal surfaces low energy obs., temp. var., 340 eV Ar ion effects 7=1260
           Si lattice vibrations, diffuse streak patterns inter-
pretation 7=1454
            Si, nearest neighbour electron scatt. 7=7446
           Si, nearest neighbour electron scalt. 1=1446
SiO<sub>2</sub> films, structure 7=17394
Sn lattice vibrations, diffuse streak patterns interpretation 7=1454
Ta films f.c.c. ->b.c.c. transformation as thickness increases in growth obs. 7=7285
TiCl<sub>4</sub>, molec. struct. by gas diffr. 7=6701
Ti-O (40 at.%) ordering in foils 7=1436
CTi-O interstice lattice stacking faults obs. 7=146
            \alpha {\rm Ti\text{-}O} interstice lattice stacking faults obs. 7=14612 TlCl films, orientation 7=14278 TlSe amorphous films 7=7299
            UO<sub>2**</sub>, evaporating, multiple, of gross lattice
bendings 7=4600
VCl<sub>4</sub>, molec. struct. by gas diffr. 7=6701
            W, adsorption of O and CO on (110) surface, low energy obs. 7=1288
            W(100), chemisorpt.of H, by low-energy diffr. 7=2462
ZnS, lcw-energy obs.of cleaved (110) surfaces 7=1262
 Electron emission
            See also Fluctuations/electrical; Photoelectricity. cold compensated flux from plate 7=10672
            exo. electron, point counter with quenching vapour above free liquid surface 7=9698 intermetallic tribo-electron phenomenon 7=18080 and Langmuir sheath heat flow 7=17048 metals in Cs vapour obs. 7=2063
             metals in electric discharge calc.
             from metals, general theory 7=2056
             oxide cathodes, correl. with conc. of excess alkaline earth metal 7=15094
             solids, kinetic ejection 7=18077
thermo-field emission, effect of ion fields 7=8068
woven and knitted mesh, high reliability 7=2061
Al-Al<sub>2</sub>O<sub>3</sub> structure, tunnel emission 7=2057
Au films, coherent scattering 7=2058
             Ge, ground surfaces 7=5110
             Ir-La alloys 7=15091
             Ir in Li vapour obs., rel.to adsorption 7=8063 Ir-Th alloys 7=15090
             KCl, during thermal bleaching, meas. 7=11207
              Na-covered Ge, work function, effect of surface
struct. 7=11602
              Os-La alloys 7=15091
             Os-Th alloys 7=15090
Pt-La alloys 7=15091
             Pt-Th alloys 7=15090
Re-Th alloys 7=15090
```

Si, ground surfaces 7=5110

ZnS, rel. to electroluminescence 7=8502

Si p-n junctions prod. by ion implantation, obs. 7=2059

```
Electron emission-contd
      field emission
           air discharge, in streamer-spark transition 7=13815 through atoms adsorbed on metal surface 7=15092 energy exchanges present 7=8069
          microscopy, molecular beam source for emitter
substrate vapor deposition 7=17463
Al, sandwich type cathodes, characts., rel. to dielec.
thickness 7=2060
            CdS, etched pointed single crystals 7=15093
           Cs on W, rel. to adsorption 7=14298
           Cs-W system, Cs adsorption 7=4491
           Gs, adsorbed on W crystal faces 7=5111
W, with adsorbed K 7=14300
W; clean or Zr-O coated, energy exchanges 7=8069
W faces, Cs adsorption effects obs. 7=8066
W-La system 7=5109
           W, Li sorption effect obs. 7=7295
      photoelectric
            alkali antimonides, in total reflection, anomalous vector
                 effect 7=5114
            alkali halides, coloured, anisotropy with polarized light obs. 7=11606
            alkali halides, X-ray photoeffect, electron range 7=15099
           bulk cathodes, X-ray-induced emission 7=15097
escape probability across surface of photosensitive
material 7=2066
           and γ-ray absorption calc. 7=12958
gases, photoelectron kinetic energy, by spherical
analyser 7=10599
           analyser 7=10599
high-speed photodetectors for visible and near i.r.
region 7=5910
laser excited, photoelectron statistics 7=5113
metals into SiO<sub>2</sub> obs. 7=2067
metals, for vacuum u.v. intensity meas. 7=3201
non-one-electron effects 7=18210
photocathodes, processing, spectral response
monitoring 7=9395
photocathodes, translucent and opaque, analysis 7=3200
photomultipliers, noise due to non-thermionic emission
<10.3 c/s, meas. 7=3043
                  <10<sup>-3</sup> c/s, meas. 7=3043
            plasma-electron collective excitations evidence 7=8078 semiconductors, laser-generated emission 7=15295
             spectroscopy resolving power 7=16931
            statistical distribution of photoelectrons, dead-time
corrections 7=8074
II-VI compounds obs. 7=15098
             Ag, non-classical, dependence on polarization of laser beam 7=11604
             AgCl colloidal Ag trapping centres, rel. to luminescence
                  obs. 7=2366
            \rm Al-Al_2O_3 -Au film system 7=11607 Ar, double Auger effect, electron energy spectrum 7=4033 Au, films, vectorial 7=2026
            Au, yield below 1000Å, meas. by photoionization of H 7=8075
            Bi, due to u. v., during recrystallization 7=11608
Bi-Cd alloys, due to u. v., during recrystallization 7=11608
Cd, due to u. v., during recrystallization 7=11608
Cs-Sb films in equil. with Cs vapour, temp.
discontinuities 7=11505
Cs-Sb films obs. 7=8052
            Cs-Sb layer, ratio of polarization yield rel. to angle of incidence 7=2068
             CsSb, S-11 photocathodes, parameters 7=392
             Cu, spherical single crysts., work function 7=5108
             Fe, K shell two electrons, 0.3-1.3 MeV calc. 7=68 K, spectral extension on deposition in Ar 7=11609
             Kr, thin film, relative quantum yield 7=5115
            LiF, 60-120 eV, K edge fluctuations 7=8413
Ni, yield below 1000Å, meas. by photoionization
of H 7=8075
             Po, K shell two electrons, 0.3-1.3 MeV calc. 7=6574
             Si, electron states density effects on energy distribution
                  calc. 7=18084
             Si holes into SiO_2 obs. 7=8076 n-Si into SiO_2 obs. 7=8077 Sn, K shell two electrons, 0.3-1.3 MeV calc. 7=6574
             SrTiO<sub>3</sub>, rel. to electron states 7=18085
Te, near fundamental absorption 7=5277
             Te-Rb photocathode, sensitivity and spectral characts. 7=15100
              U, K shell two electrons, 0.3-1.3 MeV calc. 7=6574
             Xe, thin film, relative quantum yield 7=5115
        secondary
             ceramics 7=2072
             energy spectra obs.in microscope 7=2071
             energy spectra oos, in microscope 7=2071
field cathodes, with thin insulator films 7=11610
graphite, depend, of ion-electron emission coeff, on angle
of incidence 7=18086
interaction with solid plasma theory 7=2069
ion-neutralization spectroscopy for state densities 7=2070
measurement, new double electron gun app. 7=5117
multiplication in image intensifier dynode structures 7=220
                   tures 7=220
```

```
SUBJECT INDEX
                                                                                                           Electron lenses-contd
Electron emission-contd
                                                                                                               electrostatic-contd
   secondary - contd
plasma-electron collective excitations evidence 7=8078
                                                                                                                   round and quadrupole system, aberration coeffs,
                                                                                                                       transform 7=9386
        6 metals, depend, of ion-electron emission coeff, on angle
        of incidence 7=18086
surface charge effects in diodes 7=12544
                                                                                                               magnetic
                                                                                                                   aberration correction using type II superconductors 7=16064
                                                                                                                   bell-shaped field, theory 7=16053
cylinder, cardinal elements 7=12539
       and surface charge, low energy electron diffr.
           obs. 7=1261
                                                                                                                   magnetron, with loop-forming cathode 7=212
        in surface ion neutralization, screening 7=5116
       Al, by Ar and Ar*, 1-20 keV meas. 7=5118
Be, by Ar and Ar*, 1-20 keV meas. 7=5118
Cu, angular var. from Ar ions at 20-80 keV 7=11611
Cu, by Ar and Ar*, 1-20 keV meas. 7=5118
Cu (100) plane due to Ar ions at 4.5 keV, ang. and
                                                                                                                   multipolar, permanent magnet, adjustable
                                                                                                                       convergence 7=9379
                                                                                                                   spherical aberration constant, graphical determn. 7=3040 superconducting cylinders, hollow, for use with He cooling stage 7=16071
       Cu (100) piane due to Ar ions at 4.5 keV, ang. and energy distribs. 7=8079

CuBe, by Ar and Ar*, 1-20 keV meas. 7=5118

KBr, ion-bombardment-induced emission 7=15101

KCl, ion-bombardment-induced emission 7=15101
                                                                                                                   transformation of transverse oscillations 7=9388
                                                                                                           Electron microscope examination of materials
                                                                                                                   Alnico, decomposition types obs. 7=7357
                                                                                                                   anomalous images from spherical precipitates and dislocation loops 7=14563
        Pt, maximum escape depth, energy var. obs. 7=11612
                                                                                                                   in biology, optical diffr. for one-sided image prod. 7=18479
β-brass, antiphase domain boundaries, anomalous contrast 7=4715
β-brass, contrast effects due to elastic anisotropy 7=4704
   thermionic
           See also Cathodes.
        alkaline earth metals, on W, Ir and Rh 7=5107 electric field effect on "patchy" emitter calc. 7=8070
        energy converter, Ba with Cs vapour appl. 7=9330
                                                                                                                   creep, intergranular cavitation, mechanism 7=4749
        metal cathode, with pulsed heating of emitting
                                                                                                                    crossed-lattice images, tilted illumination method 7=17462
        surface 7=18081
oxide cathodes, methane effects obs. 7=8072
transition metals and their compounds 7=5105
                                                                                                                    crystal platelet, 'transparency-striations' for two-beam
diffraction 7=17461
devitrified glass powder compacts 7=14194
        Ge, noise 1/f spectrum upper turnover freq.obs. 7=2064
                                                                                                                   dislocation locks, re-examination of published micrograph 7=14585
        from Si surfaces, review 7=11605
W-25Re, in vac. and Cs vapour 7=15096
                                                                                                                    dislocation loops in n irrad, Cu 7=14582
Electron energy states. See Crystal electron states.
                                                                                                                    electron absorption coefficient meas, from filtered and
Electron gas
            See also Metals/theory, Plasma; Solids/theory; Superconductivity.
                                                                                                                   unfiltered microscope images 7=14636 foils, thin, size distribution and density of
        bilinear electromagnetic response in many-body pertur-
                                                                                                                        precipitates 7=1388
                                                                                                                    graphite, pyrolytic, adsorbed Kr 7=17400 graphite scanning techniques 7=14344 metallurgy, 500 kV 7=14339 metals, f. c. c., stacking fault energy from diffr. contrast 7=11189
        bation theory 7=93
book, linked cluster theory 7=15910
        Coulomb interaction, effect on residual resist. in mag. field 7=9116
        in crystals, solution of Boltzmann eqn. 7=4885
        degenerate, dielectric function with steady magnetic
                                                                                                                    orientation determ. of single cryst. specimen 7=14338
                                                                                                                    p-n junction diffusion voltage meas. by scanning 7=14980
Permalloy films, domain growth by Lorentz
micr. 7=11653
            field 7=2860
        dielectric constant, static, calc. 7=1816
        drift vel. of electrons in plasma, effect of mag.
                                                                                                                    polymer surface 7=11027
rutile, O-deficient, crystal imperfection structure of foils
obs. by diffraction 7=1529
            field 7=10636
        e-e+ exchange energy and e+ effective mass 7=11408
        e-e exchange energy and e energitive mass 7=11 electromagnetic wave scatt. by finite objects in compressible electron gas 7=9449 in foil, surface effects 7=14863 homogeneous, kinetic eqn. to all orders in plasma parameter 7=17043 homogeneous, virial theorem 7=17836 kinetic theory for quantum plasma and radiation is
                                                                                                                    shadow casting, metals vacuum evaporation 7=1386
                                                                                                                    semiconductor devices, second breakdown, scanning micro-
                                                                                                                        scope study 7=5042
                                                                                                                    steel, Ni-Cr-Mo, austenite grain size obs. 7=17470
                                                                                                                    steel, stainless, thin twins and stacking faults, distinction 7=7600
        kinetic theory for quantum plasma and radiation in
external mag. field 7=9118
Landau damping in anisotropic electron plasma 7=6894
nonlinear response theory 7=7820
                                                                                                                    ultramicromanipulator using piezoelectric ceramics in
                                                                                                                         e.s.fields 7=7355
                                                                                                                     Ag, stacking fault energy from diffr.contrast 7=11189
        plasma, e.m. wave refl. at boundary 7=1011 plasma, electron density distrib., determ. by
             microwaves 7=1023
         plasma Harris instabilities at zero freq. 7=4250
         quasibound, natural freqn. deriv. from expt. 7=4232
        in semiconducting films, density of states and chemical potential calc. 7=7822
         in solids, shielding of impurity charge, magnetic
             field effect calcs. 7=17844
         specific heat of relativistic degenerate electron gas
                                                                                                                         obs. 7=17357
             calc.
                     7=9117
        thermodynamic potential corrections in compensating field 7=5698
         undegenerated, heat conductivity in electron scatt.
         by optical phonons 7=11409
in Ag, viscosity effect on u.s. absorption at low
temps. calc. 7=14865
         in Au, viscosity effect on u.s. absorption at low temps. calc. 7=14865
         in Cu, effect of m.f.p.on spin-density oscs.in vicinity of Mn impurities 7=1812
        in Cu, viscosity effect on u.s. absorption at low temps. calc. 7=14865
 Electron guns. See Electron beams.
 Electron lenses
         See also Electron microscopes; Electron optics. limited, non-circular, Gaussian dioptrics 7=12539
         model field, when quadrupole field superposed on
```

rotationally symmetric field 7=16063

cylindrical, aberrations, comparison with earlier results 7=12540

four quadrupoles analogous to axially symmetric

for electron-sheet beam in symmetric planar

beam transmission 7=12541

structure 7=9387

lens 7=3039

azimuthally periodic, focusing to enhance electron ribbon

electrostatic

AgBr, effect of electron irrad, obs. 7=14340
Ag=Cd diffusion couple absorption anomaly obs. 7=1
Al, absorption and extinction, 100=500 kV 7=1427
Al equal-thickness fringes velocity analysis 7=1376
Al, film, oxidation, 400=600°C 7=15417
Au, Fourier images of lattice obs. 7=14343 7=14486 Au, Fourier images of lattice obs. 1-1903 Au, stacking fault energy from diffr. contrast 7=11189 BaTiO<sub>3</sub>, single-cryst films, ferroelec. 7=5077 C graphitization by spark discharge, energy var. C, porous, from PVC decomposition 7=17344 CaWO4 slip dislocations 7=1597 Cu oxidation on Cu, rel. to Cu imperfections obs. 7=15423 Cu, small defect clusters, black-white contrast 7=14499 Cu, stacking fault energy from diffr. contrast 7=11189
Cu-Al alloys, micrographs, effect of edge dislocation multipoles 7=14584
Cu-Al(10%) dislocations, rel. to plasticity 7=1583
Cu<sub>3</sub>Au vacancy clusters 7=7542 Cu-Co(1%), Co precipitate particles size distribution function 7=14212
Cu-Zn diffusion couple absorption anomaly obs. 7=14486
Fe, mag. domain wall interaction with defects 7=11650 Fe, mag. domain wall interaction with defects 7-11:
Fe slip in work-hardening 7-11283
Fe-Ni (33 wt.%) martensite replica etching 7-4544
Fe-SiO<sub>2</sub>-Ni films, coupled walls 7-2117
GaAs, prepared by jet etching 7-14347
Ge, atomic planes and positions 7-7425
Ge films, crystal growth, diffraction scanning obs. 7-1275 Mg dislocations, rel. to plasticity 7=1583 MgO, absorption and extinction, 100-500 kV 7=1427 Ni foils annealing in electron microscope 7=11226 Ni, stacking fault energy from diffr. contrast 7=11189 Ni-Co(40, 60, 67%), stacking fault energy from diffr. contrast 7=11189 PbI<sub>2</sub>, for fission fragment damage 7=4592

Electron microscope examination of materials-contd Si epitaxial nucleation on Si, by C replica 7=7349 Ti alloy foils preparation by electropolishing 7=10971 Ti foils preparation by electropolishing 7=10971 Ti, preparation 7=7448 V<sub>3</sub>Si, in transmission, at low temp. 7=4547 W single crystal, C impurity crystallization on surfaces 7=1575

Electron microscopes

with annular objective apertures and corrected spherical aberration 7=16067

coherence of beam obs. 7=1378

diffraction, with automatic data logging and energy loss meas. 7=1375 emission microscope, image contrast 7=12543

emission, Schlieren optical imaging of the electrical micro-field 7=9391 energy analyser using magnetic asymmetric cylindrical lense 7=213

energy analysing microscope 7=4539

field emission 7=1575

500 kV, main features 7=16069

with magnetic objective with rotationally symmetric fields, centring 7=16068

and Mollenstedt velo.analyser combined 7=1379 phase contrast theory 7=16065

point resolution, test by two micrograph method 7=16072 resolution improvement review 7=5826 review, January 1964-January 1966 7=5827 with superconducting lenses, high-resolution 7=211 ultramicromanipulator using piezoelectric ceramics in e.s. fields 7=7355

with zone-plate correction, images of coherently illuminated atoms 7=16073

Electron microscopy
See also Crystal structure, atomic.
aerosol sampler, e.s. 7=17303

coherence of beam effect on contrast obs. 7=1378 crystal imperfections, high voltage 7=1382 crystal planar interfaces fringe patterns theory 7=1618

crystals with lens cavities and plate layers, contrast theory 7=1380

development in Holland 7=16066 dislocations, contrast theory review 7=1583

dislocations and precipitates in foils, dark field  $\,7{=}1582$  equal-thickness fringes intensity distribution  $\,7{=}1376$ 

field, molecular beam source for emitter substrate vapor deposition 7=17463 goniometer precision measurements of diffraction effects 7=1384

high voltage effects on diffraction 7=1382 image and diffraction pattern, simultaneous obs. 7=12542 image of an object edge, Fresnel diffraction fringes 7=16070 image recording in microscope 7=16074

Kikuchi maps for b. c. c. and h. c. p. crystals 7=17460 metals by transmission, thinning of specimens, automatic 7=1387

microbeam probe data, computer programme system for anal. 7=7400 microprobe investigation of identical area, technique 7=7354

optical system for intensifying image, contrast, applic. 7 = 358replicating selected areas 7=4540

resolution, point and line, contrast limitation, rel. to illumination angle 7=1383

scanning electron microscope obs. of Si diode depletion layer, widening 7=7987-8 scattering of electrons by residual gas rel. to image intensity 7=7353

semiconductor surfaces, mirror 7=1385 single atom image contrast and shape, zone plate effects,

calc. 7=1381 spherical second-phase particles, determ. of size and number from extraction replicas 7=7418 superconducting alloys, diffraction 7=1377

thickness meas., beam current meas.circuit 7=11028 by transmission, at low temp. 7=4547

visualization of potential relief of p-n junctions 7=14988 C mass scatt.cross-section analytical expression 7=1395

He liquid cooling stage, and supercond cylinders as mag. lenses 7=16071

MgO, polycrystalline, thinning technique 7=17472 Si dislocations prod. by diffusion of B and P 7=17614-15 Ti alloy foils preparation by electropolishing 7=10971 Ti foils preparation by electropolishing 7=10971

Electron multipliers. See Electron tubes; Photomultipliers. Electron multiplier phototubes. See Photomultipliers.

Electron nuclear double resonance (ENDOR). See Nuclear magnetic resonance and relaxation; Paramagnetic resonance and relaxation.

Electron optics

See also Beta-ray spectrometers; Electron lenses; Ion optics; Particle optics. aberration coeffs. of quadrupoles and electrostatic round lenses 7=9386

Electron optics-contd

geometrical electron optics research 1930-1950 7=12537 image and diffraction pattern, simultaneous obs. 7=12542 injection into e.m.trap obs. 7=6892

magnetic deflection, dynamic focusing 7=12538

magnetic lenses, spherical aberration const., graphical determn. 7=3040 micromachining technique 7=5647 phase contrast theory 7=16065

resolving limit of electrostatic analyser 7=528

systems with annular apertures and corrected spherical aberration 7=16067 systems with correction of third-order aberrations, design 7=16062

Electron pairs

See also Positronium.

colliding-beam reactions theory 7=12988 annihilation

C nonconservation, search 7=16532

 $e^+ + e^- \rightarrow \nu + \bar{\nu} + \gamma$ ,  $\gamma$ -ray energy and angular spectra 7 = 16533

e\* two-quantum annihilation rel. to step at Fermi surface obs. 7=1768

internal pairs formation rel. to y-ray transition multipolarity obs. 7=658

in ionic crystals, anomalies, positronium as exciton

mechanism 7=17859
metal, two-photon annihilation of positron and dielectric constant calc. 7=1816 metals, positron annihilation, minimum energy 7=17858

metals, positron lifetimes 7=17857 for photon monochromatic beam prod. in accelerator, proposal 7=6110 and positronium review 7=530 in stars, radiative corrections calc. 7=8810

Cu, ang. correl. of radiation, precision meas. 7=11416

Cu, ang. corret. of radiation, precision meas. 1=11410
Cu<sub>88.4</sub>Al<sub>10.8</sub>, Fermi surface obs. 7=14871
Fe and Fe-Al alloys, annealed and plastically deformed, spectra obs. 7=1817
Nb, annealed and plastically deformed, spectra obs. 7=1817

Ni, anisotropic spin polarization, from annihilation quanta 7=18123

Ta, annealed and plastically deformed, spectra obs. 7=1817
Th, angular correlation rel. to electronic structure 7=17861
U, angular correlation rel. to electronic structure 7=17861
W meson prod. calc. 7=6194

cross-section,  $\rho^{\circ}$  photoproduction contrib. obs. 7=9887 diamond, 1-40 GeV 7=12969

differential cross section dip obs. 7=16454  $\gamma$  + C  $\rightarrow$  e\* + e^ + C, as test of validity of quantum electrodynamics at small distances 7=13393

in intergalactic space, γ-absorption prod. rel. to microwave background 7=15623

internal, meas.prod., from  $(p,\gamma)$  7=13261 by  $\mu$ , calc. for soils and water,  $5\times 10^{10}-10^{14}$  eV 7=12992 in nuclear reactions due to pions, wide angle pairs prod. mechanism 7=748

photons, from e, 600-2000 MeV meas. 7=16776 in  $\pi$  N, wide angle pairs prod. mechanism 7=748 in  $\pi N$ , wide angle pairs prod theory 7=16555  $\pi^*$ -nucleus interactions, 830 MeV/c 7=13573 quantum theoretical meas., effect 7=9645 supernova explosion as result, dynamics 7=15684 wide angle, hard photon radiative correction 7=16531 wide-angle, radiative corrections 7=6128

Electron paramagnetic resonance. See Paramagnetic resonance and relaxation.

**Electron phonon interactions.** See Crystal electron states; Crystals/lattice mechanics.

Electron probe analysis. See Chemical analysis/X-ray.
Electron resonance. See Cyclotron resonance; Paramagnetic resonance and relaxation.

Electron spin resonance. See Paramagnetic resonance and relaxation

Electron states in solids. See Crystal electron states. Electron structure of solids (crystallography). See Crystal structure, atomic.

Electron structure of solids (energy structure). See Crystal electron states.

Electron theory

See also Quantum electrodynamics. classical, appl. of relativistic transform. laws 7=5671 classical motion of an extended charged particle 7=9877 classical, relativistic thermodynamic transformations 7=15877

Dirac classical particle, theory 7=12977 Dirac and classical theories, correspondence 7=6008 Dirac equation, solvable vector and scalar potentials 7=516

Dirac fields symmetry transformation 7=3518 Dirac matrix algebra 6-dimensional form 7=515 Dirac's eqn. in Riemann space 7=15879 energy-momentum tensor 7=9876 intense-field electrodynamics Green's function 7=6125

```
Electron theory-conta
          inversion problem on scatt, data for systems of Dirac equations of order 2n 7=6078
          photon refraction, mutual photon density effect 7=3528 spectrum in many potential field calc. 7=7769
          spinning, derivation of Schrödinger-Pauli equn. from rigid-
sphere model 7=6123
          time change calc. when subject to radiation loss 7=2823 in time-varying elec. field, wave-mechanical description 7=6124
           wave function in Coulomb field in Farri-Sommerfeld-Maue
approx. 7-9878
zero bare mass in quantum electrodynamics, Bethe-Salpeter
equation and Goldstone theorem 7=16336
Electron theory of metals. See Crystal electron states; Metals/
Electron traps. See Crystal electron states.
Electron tubes
          See also X-ray tubes.
channel electron multiplication, mechanism 7=218
diode, space-charge-lim., high-pressure, potential
distrib. 7=12545
          diodes, space charge limited, thermal noise 7=216 diodes, two-stream flow stability theory 7=215 electrometer holder with built in negative feedback capacitor 7=9309
           gun, Th dispenser cathode 7=12546 induced current due to moving charges calc. 7=214
           inverse-connected triodes for voltage meas.,
                stabilization 7=2965
           klystron e.s.r. spectrometer local oscillator, a.f.c. 7=261
          klystrons, c.w., generating video freq. oscills. 7=16106 magnetron gauge with hot cathode 7=4306 magnetron injection guns, minimum noise figure 7=16061 magnetron lens with loop-forming cathode 7=212 magnetron, oscillation of space charge 7=9394 magnetron pulse current check using transformer 7=9393 magnetrons with solid anode, use as magnetometer 7=16039
            multipliers in mass spectrometers, signal-to-noise ratio
                improvement 7=810
            multipliers, as r.f. amplifiers 7=2972
            with oxide cathodes, methane effects on thermoemission
                 obs. 7=8072
           photocathodes, processing, spectral response
monitoring 7=9395
           planar microwave triode as preamplifier for n.m.r.
spectrometer 7=16139
probes for meas.potential in electron streams 7=217
            semiconductor cathodes residual gases short period
                 obs. 7=5112
            statistical evaluation of comparative quality 7=3041
            surface charge effects in diodes 7=12544
            thermionic converter, extinguished+mode
                 operation 7=16027
           thermionic diode in Hg self-sustained discharge plasma,
mag. field effect obs. 7=5797
thermionic diode, volt-ampere characts. 7=9392
           thermionic diode, voit-ampère characts. 1=932
thermionic multi-grid, transit time effects of dynamic
input capacity 7=3042
travelling-wave coaxial strophotron obs. 7=12566
trochoidal beam travelling wave tubes, pulsed mag. field
appl. possibility 7=12569
           Cs-filled thermionic diode for meas, photoionization of Cs<sub>2</sub> 7=6800
            LaB<sub>6</sub> cathode for guns 7=208
 Electrons
                  This heading includes both negative and positive
                  electrons when the differences between them are of no
                  special significance. See also Beta-rays; Cosmic rays/electrons; Crystal electron states: Fluctuations/
                  electrical; Nuclear reactions due to/electrons; Photo-
electricity; Plasma; Positronium; Positrons; Space
            alkali and alkali earth metal foils in ultra-high vacuum,
                 electron energy losses 7=4729
            capture by polar molecules calc. 7=10605
            capture by superconductors, change in transition temp. 7=4939
           charged coherent fluid representation 7=517 detection arrangements, for diffr. scanning apparatus 7=9390 e*-e colliding-beam reactions theory 7=12988 e/m experiment with a.c. heating of filament advantages over d.c. 7=12978 e-N, inelastic, model for particle prod. 7=9881 e*- p -> e*- N**, yNN** form factor obs. 7=13109 e*\tilde\text{v} direct weak interaction, astrophysical evidence 7=8811 elastic collisions in heavy particle gases 7=10754 energy analyser, electrostatic, resolving limit 7=528 energy distrib. cylindrical spectrometer meas. 7=16530 energy distribution function in positive column of Ne discharge 7=16999 equilib. spectra with medium polarization 7=6279
            charged coherent fluid representation 7=517
             equilib. spectra with medium polarization 7=6279
```

from  $\gamma$  scattering on slab from nuclear explosion, velodistrib. calc.  $~7{=}9864$ 

```
Electrons - contd
        in gases, transport time-of-flight data unfolding 7=9003 injection into e.m. trap obs. 7=6892
         interaction of spin and gravitational fields 7=518
        interaction of spin and gravitational fields 7=518 low-energy in atmos, meas on IMP 2 7=2545 in magnetosphere, effect of dynamo-elec. field on distrib. 7=15570 mass, by maximizing \beta-decays of mesons 7=3521 mass shift in intense photon field, proposed test 7=3520 mobility to diffusion coeff. ratio for inert gases 7=10613
         \nu_e -e resonance interaction in cosmic rays, \mu^- prod.
         calc. 7=12975
p + e, \pi^{\pm} prod. obs.
                                          7=6404
         π production amplitudes, partially conserved axial-
vector current restrictions 7=9899
paired, estimate of correlation energy 7=3519
         in plasma, free, cooling obs. 7=13852
         reflection from 17 solid elements and 7 alloys, rel. to
              positron 7=11218
         spectra target thickness var. 7=520
spin discovery 7=12979
         teaching at Berkeley laboratory 7=9875
transverse e.m. mass shift search 7=9880
Van de Graaf source, 3 MeV, 5 A, 1-100 nsec pulses 7=16392
    absorption
              See also Beta-rays/absorption.
         alkali halides, comparison with optical data 7=7630
         coefficient meas, from filtered and unfiltered microscope images 7 = 14636
         crystals, effects of point defects 7=4728
         crystals, thermal scatt. and interband excitation contributions calc. 7=1644 dielectrics penetration, 0.59-1.185 MeV 7=7621
         hot electrons energy losses semiclassical theory 7\!=\!17863 monoenergetic, formula, for transmission also 7\!=\!524
        penetration in benzene, water and toluene, compared with positrons 7=16526 relativistic, ionization loss in CsI, Ne and Ar-methane mixture 7=3529 solids, comparison of e<sup>-</sup> and e<sup>+</sup> 7=1655
         thermal diffuse scatt.and weak beam contributions at high energy calc. 7\!=\!1411
         thin foils, energy analysing electron microscope 7=4539
         Ag, comparison with optical data 7=7630
Ag films, 30-50 keV, temp. depend. 7=11418
         Ag-Cd diffusion couple anomaly obs. 7=14486
Al, anomalous, convergent beam diffr. obs. 7=1428
Al, energy-loss spectra 7=528
          Al, and extinction, 100-500 kV 7=1427
         Al films, 30-50 keV, temp. depend. 7=11418
Al, high voltage obs. 7=1382
Al, inelastic scatt. effects and temp. var.obs. 7=1653
          Ar, energy-loss spectra 7=528
          Ar solid, excitons obs. from energy loss 7=7814
Au, comparison with optical data 7=7630
          Au films, energy and thickness var. obs. for slow e 7=17864
         Au films, 30-50 keV, temp. depend. 7=11418
Au, impurity effects obs. 7=14873
Be anisotropy effects at 28.4 keV 7=7631
Cu, comparison with optical data 7=7630
          Cu-Zn diffusion couple anomaly obs. 7=14486
          Ge single crystal, normal and abnormal absorption 7=7832
          MgO, anomalous, convergent beam diffr.obs. 7=1428
         MgO, and extinction, 100-500 kV 7=1427
MgO, high voltage obs. 7=1382
Sb anisotropy effects at 28.4 keV 7=7631
Si single crystal, normal and abnormal absorption 7=7832
      ionization
          atoms excitation and ionization by electron
              collisions 7=4015
      radiation
               See also Bremsstrahlung; Cherenkov radiation;
               Electrodynamics.
          Cherenkov, from beam-plasma amplifier 7=239-40
          circularly polarized \gamma-rays from longit, polarized
              electrons 7=3502
          inverse Compton effect consequences for quasars 7=12189
          of neutrinos, and its astrophysical significance 7=16519 plasma, partially ionized, anomalous cyclotron emission,
          higher harmonics 7=4206
in quasars, inverse Compton loss 7=5576
          relativistic eqn. of motion 7=5820
          relativistic eqn. of motion 7=16521
          resonance, in paper layered medium 7=12981
scattering, ultrarelativistic bremsstrahlung 7=513
stimulated transitions with relativistic electrons in inhomo-
          generous mag. field, harmonics var. calc. 7=9471
synchrotron radiation, 15-300 keV, for
4.0-6.3 GeV electrons 7=521
          transition radiation, optical, for oblique incidence on metal 7=11836
          in Au films, transition, obs. 7=12980
```

Physics Abstracts 1967 - Part I (Jan.-June) scattering See also Atoms 'electron scattering; Beta-rays/ scattering atoms and molecules, resonances 7=806 in beam obs. 7=12535 bremsstrahlung prod. at high energy calc. 7=9869 bremsstrahlung prod. on nuclei, polarization effects rel. to nucleus mag. moment 7=6410
cluster model test, high-energy 7=640
Compton, binding effects 7=9883
Compton, high-intensity, freqn. shift theory 7=3524
Compton, intensity dependent freq. shift 7=6109
conductors in magnetic fields 7=7751 in crystal, induced bremsstrahlung effect in relativistic region 7=9470 crystal plasma losses excitation 7=1818 crystals, elastic energy losses 7=14872 crystals, inelastic theory for fast electrons 7=1645 crystals, effects of point defects 7=4728 d-e elastic, d polarization for n form factors
meas. 7=10046
diffuse, effect of Bragg scattering 7=7401
diffuse, Bragg scatt. effect theory 7=1371
e-d, elastic, rel. to determn. of n form factors 7=602 e-d,  $\pi$  production calc., inelastic 7=3551 e-d,  $\theta$  = 180° cross-section meas, up to 370 MeV 7=16522 e-e, 1 MeV, energy distrib. 7=3525 e\*-e<sup>-</sup> 180° scatt, at 200, 500 MeV, quantum electrodynamics test 7=6127 e-hadron, inelastic, e.m. transition form factors 7=6126 e-hadron, inelastic, e.m. transition form factors 7=612 e-He, modified optical-potential approach 7=6585 e+p → e+h+π\*, inelastic, radiative corrections 7=9885 electron beams, back-scatter theory 7=9385 electron-electron, complex space theory 7=16523 fast, inelastic on nuclei, polarization effects 7=6411 by γ, incoherent, at 662 keV, K electrons of Pb, Ta, Sm, Sn, 7=10415 Sn 7=10415 gases, theory for intermediate and high densities 7=10606 inelastic, radiative corrections 7=9885 inelastic at 200 MeV rel. to He³ virtual states search 7=16658 inversion problem on scatt. data for systems of Dirac equations of order 2n 7=6078 by laser beam, non-linear 7=12613 by laser beam, stimulated Compton scatt. 7=16524 light beam of high intensity with radiation reaction 7=3499 light nuclei, elastic and inelastic mag. scatt. 7=6412 with matter, elastic and inelastic mag. scatt. 7=6412 with matter, elastic obs. 7=519 microprobe investigation of identical area as microscope, technique 7=7354 monopole excitation corrections, elastic 7=3873 multiple, e^-e^- differences 7=12989 multiple, Moliere theory, higher approx. 7=12982 by  $\bar{\nu}_e$  at low energies, meas. proposal 7=3517 on  $\nu$  radiative corrections calc. 7=8810 nuclei, elastic phase shift, exact analytical formula 7=10227 nuclei, giant collective multipole states excitation 7=10102 by nuclei, high-energy, multipole interactions 7=13400 nuclei, mag. moment effect on bremsstrahlung from longitudinally polarized electrons calc. 7=10226 by optical phonons, heat conductivity of electron gas 7=11409 π production amplitudes functional equations 7=544 photons, mutual refraction, photon density effect 7=3528 plasma, electron-electron, effect on bremsstrahlung 7=4208 polar molecules, capture mechanism invalidity 7=10605 polar molecules, electron momentum transfer from drift velocities 7=10746 quasi-elastic, from complex nucleus, simple formula 7=3874 radiative corrections estimation in terms of inelastic form factors 7=523 in semiconductors, degenerate, meas.from magnetoresistance in low fields 7=14795 resistance in low fields 7=14/95
single-particle potentials and wave functions in the 1p and
2s-id shells 7=16673
solid surface, thermal diffuse, calc. at low
energy 7=14415
spin-flip scattering, Kondo effect, long-range spin
polarization 7=4834
but and Has inalestic relate neutron form factors 7=3527 polarization 7=4654 by t and He<sup>3</sup>, inelastic, rel. to neutron form factors 7=3527 transport theory, below 10 MeV, review 7=16525 ultrarelativistic, bremsstrahlung 7=513 vector meson emission in nuclear Coulomb fields 7=9879 Ag, 1 MeV, energy distrib. 7=3525 Al, 1 MeV, energy distrib. 7=3525 Al, plasma volume loss damping obs. 7=4892 Al, screened, elastic, of e<sup>-</sup> and e<sup>+</sup>, calc. 7=6413 Al<sup>27</sup>, mag. and electric, elastic, 80-200 MeV 7=13203 Ar-Cs discharge plasma obs. 7=6841

in Ar-K plasma, effective cross-section 7=10638

Electrons-contd scattering-contd auering—conto Au films, coherent 7=2058 in Au films, 1.5-16 keV 7=4734 B<sup>10,11</sup>(e, e), Coulomb form factors obs. 7=731 Be, 0. 2-0.8 keV inelastic reflection 7=17640 Be point defects, elec. cond. prod. calc. 7=11426 C films cross., 60, 80 keV 7=7632 C, mass cross-section analytical expression 7=1395 C, screened, elastic, of e and e, calc. 7=6413 C12, dispersion corrections calc. 7=3877 C12, excitation of giant-resonance, surface-phonon states 7=10229
C<sup>12</sup>, 100-200 MeV electrons, study of charge distrib. 7=13403
CO<sub>2</sub> gas, drift velocity meas. at 293°K 7=6978
Cs plasma discharge plasma obs. 7=6841
in Cu films, 1.5-16 keV 7=4734
Cu, 1 MeV, energy distrib. 7=3525
Cu, screened, elastic, of e<sup>-</sup> and e<sup>+</sup>, calc. 7=6413
D<sub>2</sub> gas, drift and diffusion meas. at 293°K 7=10747
in Ga films temp. depend. 7=4902 states 7=10229 by H<sub>2</sub>, calc. of two <sup>2</sup>D resonances 7=4166 H<sub>2</sub>, inelastic, resonances 7=881 H<sub>2</sub>, vib. excitation and dissociative attachment 7=4167 He -Cs discharge plasma obs. 7=6841 in He-K plasma, effective cross-section 7=10638 n-InSb, electron-phonon interaction at low temp. 7=17771 in n-InSb, meas. from magnetoresistance in low fields 7=14795 n-InSb, inelastic light scatt.from Landau-level 7=11777 n-InSb, inelastic light scatt. from Landau-level 7=11 KCl, from [100] faces, energy distribs. 7=18039 Li<sup>6</sup>, fast, cluster model calc. of form factors 7=3876 Mg<sup>24</sup>, giant resonance obs. 7=16708 Mg<sup>24,26</sup>, 7-15 MeV levels, inelastic scatt. 7=6414 MgO, diffuse inelastic scatt. obs. 7=1426 N<sub>2</sub>, and bremsstrahlung, calc. 7=12968  $\rm N_2$  low-energy resonances and formation of  $\rm N_2^-$  7=4093  $\rm N_2$  , spectrum, allowed transitions 7=4092 NaCl, from [100] faces, energy distribs. 7=18039 O<sup>16</sup>, dispersion corrections calc. 7-3877 O<sup>16</sup>, for giant collective multipole states excitation 7=10102 O<sup>18</sup>, inelastic rel. to even parity levels 7=3878 Pb, 0. 2-0.8 keV inelastic reflection 7=17640 Pb, screened, elastic, of e and e, calc. 7=6413 Si, nearest-neighbour 7=7446 Sn, screened, elastic, of e and e, calc. 7=6413 U, screened, elastic, of e and e, calc. 7=6413 scattering, electron-proton elastic, up to  $q^2=245F^{-2}$ , calc. of mag. form factors 7=9886 p bombardment by 20 GeV electrons, diffractive  $\pi$  prod. 7=13003 radiation corrections 7=3526 radiative corrections 7=9884 for squared momentum transfers, 10 to 10% F<sup>-2</sup> small angle cross-sections 7=522 Electro-optical effects ro-optical effects

See also Electroluminescence; Optical constants.

absorption in crossed elec. and mag. fields 7=18023

alums, piezo-optical constants 7=11742

anthracene, optical activation of filled traps 7=18283 atomic spectra, shift ground state in intense field, semiclassical dispersion theory 7=3993 dielectric crystals refractive index field var., linear and quadratic 7=18207 digital deflector circuits using biased resonance 7=3227 digital light deflectors 7=3228 diamond, i.r. absorption, elec.-field induced 7=5249 free carrier electro-magneto-optical effects theory 7=8367 hydrogenic atoms, Kerr absorption line, theory 7=3997 in laser Q spoiler for wavelength selection 7=9500 light modulators, rel. to laser communications 7=3195 linear, in cubic crystals, theory 7=8368 multi-layer films, optical scattering 7=3281 optical modulator based on Michelson's interferometer 7=9541 optoelectronic system with optical feedback 7=2973 perovskites, paraelec., ionic displacements theory 7=5238 piezoelectric crystals, meas. of linear and quadratic terms independently 7=2274 Pockels effect in Zn-blende-type crystals 7=5237 quartz, linear, dispersion characts. 7=11805 ruby laser Doppler shift by Kerr cell traveling wave line 7=5908 semiconductor-electrolyte interface, electroreflectance, i.r. 7=2275 semiconductors, electrolyte meas.of electro-reflectance 7=18206 semiconductors electroreflectance spectra obs.of electron states 7=18208 states 7-10200
seniconductor junctions Franz-Keldysh effect, differential photocurrent meas. 7-18236
semiconductor piezoelectric moving domain double-Doppler effect interaction with elastic waves or i.r. calc. 7=15307

Elementary particles

Electrostriction

See also Piezoelectricity.

in light beam trapping, Ginzburg-Landau eqns. 7=5903

S 128 SUBJECT INDEX Electro-optical effects-contd semiconductors electroreflectance measurements, electrolyte method in i.r. 7=5236 solids absorption in crossed fields calc. 7=7819 triglycine selenate, ion distortion effects 7=18284 triglycine sulphate, ion distortion effects 7=18284 triglycine sulphate, spontaneous, obs. 7=5282 ADP, light modulation indices at 7GHz, meas. 7=15338 BaTiO<sub>3</sub>, electro-reflection meas., 2.3 to 5 eV 7=18218 BaTiO<sub>3</sub>, prisms, laser beam deflection expts. 7=3280 Bi<sub>12</sub>GeO<sub>20</sub> 7=5248 triglycine selenate, ion distortion effects 7=18284 CS<sub>a</sub> travelling-wave Kerr cells for light modulation 7=5907 p-CdS near hole injecting anode obs.from Franz-Keldysh effect 7=18069 CdS, possible exciton explanation 7=15319 GaAs, Franz-Keldysh effect in p-n junction, differential photocurrent obs. 7=18236 GaAs, i.r. modulator, 10  $\mu$  and above 7=5256 GaAs modulators for i.r. region 7=9539 GaAs p-n junctions i.r. absorption induced by elec.field obs. 7=15323 GaAs, refractive index change in elec. field 7=11765 Ge, Franz-Keldysh effect in p-n junction, differential photocurrent obs. 7=18236 Ge, oscillations in absorption near direct edge, 300°-14°K,  $5 \times 10^{4} - 5 \times 10^{4} \text{V/cm}$  7=18240 H, atomic, absorption of Lyman-alpha radiation in elec. KD\*P in Ar ion laser Q spoiler for wavelength selection 7=9500 KH<sub>2</sub>PO<sub>4</sub>, generation of sum freqs, of ruby and Nd<sup>3</sup>\*glass lasers 7=12651 KH<sub>2</sub>PO<sub>4</sub> modulator, effect of piezoelec.resonances 7=15044 LiNbO<sub>3</sub>, as optical parametric oscillator, 7300-19300A 7=3177 for LiNbO<sub>3</sub> second harmonic generation modulation 7=18253 NH<sub>4</sub>, H<sub>2</sub>PO<sub>4</sub> modulator, effect of piezoelec. resonances 7=15044 OH in KBr, vibr. absorpt., elec.-field modulation 7=5270 OH' in KBr, vibr. absorpt., elec. -field modulation 7=5270
Se, electroabsorption at optical absorption edge 7=8434
Se, electroreflectance spectrum 7=8433
Si electroreflectance spectrum 7=2335
Si, Franz-Keldysh effect, 95°K 7=15349
Si, Franz-Keldysh effect in p-n junction, differential photocurrent obs. 7=18236
SrTiO<sub>3</sub> aleth [001] field calc. 7=18267
TiO<sub>2</sub>, rel. to dichroic nature at absorption edge obs. 7=11808
ZnS, anomalous, polarity-dependent 7=8447
ZnS, i.r. modulator 7=5256 ZnTe, anomalous, polarity-dependent 7=8447 Electrophoresis cell for particle velocity determn. 7=2990 spherical colloid particle, mobility, calc., and expt. 7=4399 Au in Na organic sulphates solns. obs. 7=7290 Au in pyridinium bromide solns. obs. 7=7290 α-Fe, electrotransport of C and N 7=4669 Fe and Fe alloys, electrotransport of C and N 7=4670 LaB<sub>9</sub>, coating ionization gauge cathodes 7=4305 for PbZrO<sub>3</sub> antiferroelectric films prod. 7=10967 Electrophotography. See Photography. Electrophotoluminescence. See Electroluminescence. Electropolishing. See Surface texture. Electroproduction. See Beta-rays/effects; Electrons; Nuclear reactions/due to electrons. Electrostatic generators. See High voltage production; Particle accelerators/linear. Electrostatic lenses. See Electron lenses/electrostatic; Ion optics Electrostatics See also Electrets; Electric charge; Electric fields. capacity problems, classical, resolution by digital computer 7=9315 conducting or dielectric sphere, effect of multipole of degree n 7=9321 conducting sphere at zero potential, axial and diametral multipole effect 7=168 Coulomb potential, screened, bipolar expansion, addition theorem 7=2782 drop, uniformly charged, saddle-point normal modes 7=17241 effect of axial diametral multipole of order n on dielectric sphere 7=2984 electrohydrostatics of free liquid surface 7=9317 interaction energy of dielectric in e.s. field, calcs. 7=9318 ionic crystals e.s. energy calc. 7=7169 lines of force display 7=2985 oscillations in bounded dielectrics, semiconductors and plasma 7=9319 spherical particles, charged by ions 7=5788 voltmeter, e.s., balance, for 1-74.5 kV 7=9304

See also Baryons; Field theory, quantum; Leptons; Nucleons and antinucleons; Nucleus; Particle detectors; Particle range; Quantum theory; Scattering particles; Strange particles; and individual particles, e.g. Electrons; Mesons. analogue circuit for spinless particles 7=9776 annihilation at rest, Stark mixing of orbital states soln. 7=9797 asymptotic creation and annihilation operators 7=6037 atomistics reconciliation with divisibility of space and time 7=16416 axial currents algebra approx. saturation 7=12905 axial vector-current partial conservation and chiral representation mixing 7=6050
Bargmann-Wigner spin-2 functions representation 7=9767 Barginain-wigner spin-2 functions representation Bethe-Salpeter equation, bootstrap solutions 7=489 β-decay radiation corrections, current algebra calc. 7=12894 book series for Trieste 1965 seminar, high energy 7=12882 bootstrapped currents T-invariance 7=12907 bound state, propagator and vertex function in Green's function formalism 7=6042 bound states for central potential, counting 7=16461 bound states, interaction representation 7=16439 bound states and Regge poles from modified Wronskian relations 7=6100 bound states of relativistic two-body Hamiltonian,
Bethe-Salpeter equations 7=16447
C-violation in e.m. interacts., magnetic monopole and
two photon theories 7=470
C,P,T non-invariances 7=16456 C,P,T non-invariances (=10430 central anol peripheric interactions, high-energy 7=9789 charge-and hypercharge-exchange reaction, double-octet Regge-pole model 7=16438 charge V<sub>3</sub>e and V<sub>3</sub>e, search in cosmic rays 7=3691 charged particle motion in mag. and elect. fields 7=16052 charged, quantum electrodynamics nonlinear effects in vacuo possible obs. 7=12875 chiral algebra approx. saturation consistency with expt. 7=6252 commutants of certain operator algebras on Fock space 7=3440 complex ang. momentum states 7=6030 compound, Green function in scalar field model 7=6041 conference on high energy physics, Dubna 1964, comments 7=6003 conference, Kyoto, 1965 7=9749 conference, Oxford, 1965 7=16414 coupling constants from chiral SU(3) × SU(3) current algebra 7=6067 coupling consts. in exact and broken  $SU(6)_w$ , sum rules  $7{=}6060$ current algebras in renormalizable interaction quark model 7=16435  $D_5$  group classification 7=441 data on particles and resonant states 7=12874 data tables, including resonances 7=6004 decay, quantum theory 7=12893 decay rates, photonic, and nuclear-Coulomb-field coherent production processes 7=9762 decay, selection rule of G<sub>2</sub> U-spin state obs. 7=3415 decay to three particles, kinematics 7=483 decay three-photon systems, forbidden configurations 7=6027 decay into 3 photons of spin 0 and 1 particles calc. 7=12897 degeneracy, accidental 7=12271 degeneracy problem in SU(3) 7=6018 dilatations significance at high energy 7=6033
Dirac classical particle, theory 7=12977
Dirac, sum rule for mag. moment 7=3631
dispersion sum rules in SU(3) framework 7=3489 e.m.form factors, for arbitrary spin 7=451 e.m. mass differences, quark model 7=9757 e.m. mass differences, and superconvergent dispersion relations 7=9761 e.m. mass splittings, self-consistent bootstrap model 7=16593 e.m. properties of strong interacting particles 7=6061 8-D orthogonal group O(8) and internal symmetry 7=12888 electromagnetic interaction experiments review 7=16594 energy-momentum tensor with spin 1/2 7=9876 enveloping algebras of noncompact groups 7=9022 equation of motion from unified approach 7=3416 Feynman-Gell-Mann generalized eqn. infinite dimensional solns. 7=9768 Feynman graphs, relevancy of singularities of associated functions 7=12780 in field theory description and scattering matrix 7=6010 field theory symmetry-breaking nontrivial solutions construction 7=437 form factors, algebra of current commutators 7=6079 form factors, rel. to algebra of current densities and dispersion relns. 7=3434

#### Elementary particles - contd

form factors at finite momenta 7=3433 four-body system, eigenvalue upper and lower bounds 7=16660

four-fermion, nonleptonic,  $\Delta S=1$  interactions and SU(3) symmetry 7=9798

four-particle amplitude in terms of the two-particle

one 7=6055 fractionally charged, search by mag.levitation electrometer, preliminary results 7=3414

fundamental length, microcausality analysis 7=12881 gravitational force on charged particles meas.using low-temp.techniques 7=525

group theory, supermultiplet structure due to Q<sub>x</sub> 7=16425 groups, Galilei rel. to internal symmetry, for non-relativistic particles 7=6015 hadrons classification by noncompact groups 7=442

hadrons classification rel. to  $SU_0$  saturation 7=16427 hadrons, composite models, and high-energy scatt. 7=9836 hadrons, consequences of an approx. C, invariance 7=468 hadrons decay with  $\Delta Q = 0$ ,  $\Delta S = 1$ , current commutation rules appl. 7=6247

hadrons, diffraction, as shadow of inelastic collisions 7=9826

hadrons, high-energy bremsstrahlung 7=16516 hadrons leptonic decay rel. to two-angle theory obs. 7=588

hadrons leptonic and photonic decay modes, effective coupling constant obs. 7=16642

hadrons, phenomenological Lagrangian, in relativistic SU(6) 7=3450

hadrons, photon scattering, sum rules, quark model 7=16485 hadrons, photon scattering, sum rules, Regge model 7=16486 hadrons as Regge recurrences, algebraic structure

rel.to symm.schemes 7-12947 hadrons, SU<sub>s</sub>, symm.breakdown rel.to baryon-lepton corresp. 7-6023 hadrons, strong and e.m.interactions, S-matrix theory, T-invariance 7-3454

T-invariance 7=3434 hadrons, strong interactions, universality and regularities of deviation 7=12918 hadrons, tensor forces, in SU(6)<sub>W</sub> 7=3424 hadrons, triplet models, saturation 7=3425

Hamiltonian for free particle, arbitrary spin and meas, spin-matrix polynomial development 7=9756 heavy magnetic monopoles, search 7-435 higher symmetry groups, covariant formulation using dispersion relns. 7-3485

hypercharge conservation and Shmushkevich principle 7=9800 interaction with matter, review 7=6005

interactions for arb. spin, general nondynam. formalism, rotation invariance 7=6051

internal polarization and relativistic states 7=9747 internal polarization and relativistic  $U_{\nu}(2)\times U_{\nu}(2)$  7=9746 internal symmetries, rel. to Poincaré invariance 7=6020

internal symmetries, possible dynamical origin, and maximal groups 7=3448 intrinsic mass formula consequences 7=6024 isospin of self-conjugate bosons, locality 7=16433 isovector form factor from sum rule 7=6031

L-excitation scheme model, δ- production test 7=9947 Lee model, relativistic, N-O sector, Schrödinger eqn. 7=9778

Lee model with several V, N- $\theta$  sector soln. 7=12879 Lee model (V- $\theta$  sector), Lehmann-Symanzik-Zimmermann formalism solution 7=457

Lee model,  $V\theta$ - $N\theta\theta$  sector, soln. of Schrödinger eqn. 7=6039

lepton-baryon symmetry rel. to S<sub>4</sub> invariance group of four fundamental fields 7=3421 leptonic decay rel. to Cabibbo weak current theory 7=3430

leptonic decay selection rules tests review 7=12895 Lie algebra for classification, physical representations 7=440

Lie algebra, expansion of TO(p,q) to O(p+1,q) or O(p,q+1) and vice versa 7=9021
Lippmann-Schwinger, quasiparticles and eigenvalues 7=12883

local current algebra at infinite momentum, representation 7=3435

magnetic moment sum rules from current densities commutation relns. 7=3431

magnetic monopole motion in earth's field calc. 7=13136 magnetic monopoles Dirac theory 7=16422

many-body like structure in strong interaction picture 7=9745

many-particle systems, non-compact intrinsic symm. groups 7=6017

mass of composite particle rel. to masses of its constituents 7=12892

mass formulae and current algebra 7=446 mass formulae in inhomogeneous SU(6,6) 7=3428 mass formulae of U(3,3) 7=6022

mass gap and violation of discrete symmetries 7=9769

Elementary particles - contd

mass splitting in spin-unitary spin higher symmetry schemes 7=12891

massless, covariant wave eqns. 7=9773 massless, rel. to Fock representation 7=3418 mass-splitting, intrinsic, in de Sitter world 7=447

Minkowski space, gauge properties 7=3420 missing SU(3) multiplets and SU(6), selection rules 7=9750 mixing scheme for chiral and collinear algebras 7=12900

models test using current algebra 7=16411 multichannel rearrangement collisions, formal

theory 7=9781
multiple production, statistical theory, microcanonical
distribution 7=9793
non-leptonic decays 7=16429
nonlinear field theory with action principle, particle like
solns. existence 7=9027

for nuclear structure studies 7=10071 one-graviton exchange interaction 7=460

one-particle states, poles of vertex function and orthogonalization 7=16434

optical potential for high-energy physics, theory and appl. 7=16464
PCAC hypothesis appl. 7=12999

PCAC and vector meson dominance, current algebra reln. 7=6190

pair production of resonances, factorization of amplitudes 7=12910

partial amplitudes of inelastic processes, threshold behaviour 7=9792

particle and antiparticle populations in universe 7=2624 peripheral interactions, absorption and scatt. effect 7=3447 perturbation theory Heisenberg two-particle matrix element singularity 7=6036

Poincaré group irreducible representations tensor products reduction 7=6007

polarization phenomena for spin-1/2 and spin-1 7=9824 production of heavy particle pairs 7=16444

production of low-spin particles in strong interactions,

constraints on statistical tensor 7-465 production 6-point amplitude asymptotes in perturbation theory for scalar particles in  $\lambda e^3$  topology 7-6052 production of three particles near threshold, review 7-12915

 $Q_k \neq 0$ , possible existence 7=6070

quark abundance restrictions on cosmological models 7=15620

quark-antiquark-meson interactions and SU(6) symmetry 7=9782

quark-antiquark meson model, relativistic kinematics 7=6133

quark charges, 144, commutators, meson states  $\,$  7=9890 quark commutators and e.m. couplings  $\,$  7=3540  $\,$ quark composites, multiple field relations 7=438 quark currents covariance and equal-time commutators 7=6044

quark fields permutation symmetry 7=9748 quark forces, saturation in zero-triality states possible

mechanisms 7=448 quark model of baryon resonances 7=10033 quark model calc. of NN $\pi$ , N\*N $\pi$  and  $\rho\pi\pi$  vertices 7=619

quark model decay rates for spin 2 mesons 7=9944 quark model, e.m. mass splittings, implications 7=9760 quark model, high-energy scattering 7=12935

quark model, meson-meson scatt, and Adler sum rule 7=9893

quark model, nonrelativistic 7=12887 quark model for quasars 7=2689

quark model, scattering lengths 7=16467

quark models, meson and baryon Regge trajectories 7=3437 quark state in stars possibility 7=12150 quark statistics, rel. to baryon form factors 7=3619

'quark' transition detec. in u. v. solar spectrum 7=8966 quarks, attempted observation underground using scintillator stack 7=9741

quarks, binding forces between fundamental triplet 7=9751

quarks, bound, magnetic moment 7=16430 quarks, detection through astronomical obs.,

possibility 7=16413 quarks, fractional or integral charges 7=6032 quarks, free absence in nature, rel. to 'string' of mag. dipoles 7=12884 quarks, matrix representation 12 in the group algebra of

SU(6,6) 7=3449

quarks and maximons, largest possible masses 7=6025 quarks, rel. to meson-nucleon reactions 7=6138 quarks, search for in cosmic rays 7=3692

quarks, search in far u.v. solar spectrum 7=5611

quarks, searching possibility by radio astronomical techniques 7=16412 quarks, terrestrial, search by mag. levitation electrometer, preliminary results 7=3414

quartet scheme 7=16428

```
Elementary particles—contd V_3 and V_3 charged, cosmic-ray search 7=3690
Elementary particles-contd
         quasi-particle 'triples' as exact solns.for a Lee-type
                                                                                                                                       three-body unitarity and Khuri-Treiman amplitudes 7=9780
              mode 7=3436
         R(11) group, weak-interaction predictions 7=3459
         rare decay modes, by algebra of currents 7=9763
                                                                                                                                        three-particle equations, spurious solutions 7=16440
         reactions with arb. spin, general nondynamical
                                                                                                                                        three-particle states and complex angular momen-
                                                                                                                                            tum 7=16436
               formalism 7=16442
                                                                                                                                        three particles, renormalization in quantum field theory
          Regge pole model, spin independence of total cross-
                                                                                                                                             model 7=16421
               sections 7=9852
         Reggeization, vanishing of proper vertex functions condition 7=9849
                                                                                                                                        thermodynamic equilibrium of creation and annihilation
                                                                                                                                             system 7=10339
                                                                                                                                       time-reversal invariance, crossing relations, for helicity amplitudes 7=9795
Tomonaga theory of fields history 7=16417 trion model with additional force field 7=439
          relativistic system, bound states 7=455
         relativistic system, bound states 7=455
relativistic wave eqns. for particles with internal struct.
and mass spectrum 7=16420
renormalization theory and non-conservation 7=16419
resonances, dynamical relations 7=3426
resonances, quark model review 7=16449
Ruijgrok-Van Hove model, spontaneous generation of
                                                                                                                                         two models in general reliability for spin particles 7=9766
                                                                                                                                        U(3) minimal group for integral charge and hyper-
                                                                                                                                             charge 7=3442
                                                                                                                                        \rm U\,(6,6) tower, representations and couplings \,7{=}6021 unified wave equation \,7{=}3417
                symmetries 7=6104
         symmetries 7=6104
S-matrix theory recent developments 7=16473
S-matrix unitarity in broken SL(6) 7=3479

ΔS=1 axial-vector current, Cabibbo angle and renormalization 7=9752
scalar field, spherically symmetrical solutions 7=16339
scalers, biquadratic SU(3), reordering 7=6006
Schrödinger second quantization 7=9743
self-energy, non-local theory appl. 7=6040
space time structure of theory 7=6009
spatial current components commutators, unitary-
                                                                                                                                        universality principles with 1 and 2 dominance 7=16587 unstable, classification with its propagator 7=6014 unstable, decay, time depend. low 7=6026 unstable particles energy-momentum conservation rel. to real components of four-momentum 7=12908
                                                                                                                                        vector current components of four-momentum 7=12 vector current components, SU, algebra 7=9764 vertex symmetry and reciprocal bootstrap 7=9841 W-spin selection rules 7=3427
           spatial current components commutators, unitary-
                                                                                                                                         weak amplitudes, current algebra and non-Regge
                                                                                                                                         behaviour 7=9853
weak interactions and C, P, T non-invariances 7=16456
weak interactions conference at Argonne, 1965,
               antisymmetric q-number terms addition 7=454
           special unitary groups, theory 7=9025
          special unitary groups, theory 7=9025
spin density matrix, nonnegativity 7=9765
spin-density-matrix, positivity conditions and Eberhard-
Good theorem 7=6029
with spin, Dirac and classical theories,
correspondence 7=6008
spin extensions for G<sub>2</sub> and Sp(6)-trion model 7=12889
spin of free relativistic particle, completely in
Hilbert space 7=12898
spin-½, in external e.m. fields, classical cons. of
                                                                                                                                              summary 7=12924
                                                                                                                                         zero rest mass, position operator and localization 7=9772
                                                                                                                                    interactions. See Field theory, quantum interactions; Nuclear
reactions. Entries on interactions involving named
                                                                                                                                              particles are listed under the particles concerned, e.g.
                                                                                                                                              Mesons/interactions; Cosmic rays/effects and inter-
           spin-1/2, in external e.m. fields, classical eqns. of motion 7=5819
                                                                                                                               Elements
                                                                                                                                         galactic cosmic-ray nuclei, 2 < Z < 26, abundances and energy spectra \ 7{=}2635
           spin ½, polarization phenomena elementary description 7=13058
                                                                                                                                         primordial formation, primordial mag. field and isotropy of universe 7=18408
           spin and interaction symmetries 7=9788
           spin perturbation theory, appl. of group generators of
boson or fermion operators 7=3439
with spin, relativistic motion in weak gravitational
field 7=12358
                                                                                                                                         X-ray attenuation-coeffs., meas. 7=15299
                                                                                                                                     origin
                                                                                                                                         See also Cosmology; Thermonuclear reactions. rel. to abundances, review 7=12121
           spin and statistics, S-matrix theory 7-486
spin 3/2 rotation group, enveloping algebra
resolution 7-12877
spin 2 fields, Lagrangian formalism 7-9770
                                                                                                                                         heavy, rel. to neutron prod. in stars 7=5528
                                                                                                                                         radioactive dating of heavy elements 7=8925 in stars, in neutron reactions 7=18429 stars s-process termination 7=18410
           spontaneously broken symmetries and current conservation 7=9779
                                                                                                                                         synthesis of, in expanding universe and imploding
                                                                                                                                         exploding supermassive stars 7=18409
D abundance from primordial fireball calc. 7=5502
           Stanford accelerator, yields at 0° 7=16396
Stanford accelerator, yields at 2° and 3°on Be 7=16397
                                                                                                                                         He3,4 abundances from primordial fireball calc. 7=5502
            storage rings 7=9729
                                                                                                                                     relative abundances
            strong decay rates and SU<sub>3</sub> 7=449
strong interactions at high energy, review 7=16448
                                                                                                                                         in carbon stars, Li-Ca ratio 7=15661
intergalactic, heavy elements detection from absorption
in distance sources spectra 7=8878
rel. to origin, review 7=12121
and thermonuclear synthesis by multiple n capture
calcs. 7=12140
            strongly interacting, internal rel. to external symmetries 7=9803
           S<sub>3</sub> invariant three fermion fields theory 7=16424 SU<sub>a</sub> crossing matrices and bootstrapping 7=6105
                                                                                                                                         D from primordial fireball calc. 7=5502
            SU(n), branching diagram for special unitary group 7=2779
                                                                                                                                         He<sup>3</sup> approx. 7=8868
            SU(2) static model saturation, dynamical
                                                                                                                                         He<sup>3,4</sup> from primordial fireball calc. 7=5502
                 symmetries 7=16596
                                                                                                                                         He<sup>4</sup> in stars, low abundance rel. to degenerate electron neutrinos 7=18409
            SU(3), eightfold-way formalism and 10- and 27-
           plots 7=6019
SU(3) representation occurrence, bound and multiplicity 7=21
SU(3)⊗ SU(3), generalized nonet represent. 7=3422
SU(3) and SU(6) 7=12890
                                                                                                                                         Li in β Hydri, δ Eri and other stars 7=15642
Li/Be in F dwarfs and K giants obs. 7=5530
Li/Ca ratio in early M-stars obs. 7=12143
                                                                                                                                         Sb in meteorites 7=2713
            SU(4) and SU(6) algebras, hadronic weak current
realizations 7=16459
                                                                                                                                Emission spectra. See Luminescence; Spectra; X-ray spectra
                                                                                                                                     emission.
            SU(6) algebra and commutators of electric dipoles at
                                                                                                                                Emissivity
                 infinite momentum 7=16432
                                                                                                                                          air, shocked, 65-13000°K 7=6972
                                                                                                                                         ark, snocked, 65-13000 K (=6972 alkali halide films on metals, for transverse optical resonance meas. 7=18250 cavities, thermal, numerical anal. 7=138 coated wires, total hemispherical 7=137
             SU(6) group representations, calc. of quantum
numbers 7=9753
            SU(12)>SO(3)>SU(2)-symmetry mass formulae 7=9759 SU_3 \times SU_3 rel.to SU_8 7=443 sum rules from algebra of current densities 7=445
                                                                                                                                          cylindrical and conical cavities, total normal emissivity 7=12476
             sum rules based on causality 7=16431 supercharged, and neutrino expt. 7=16455
                                                                                                                                          galaxies, optical, for same type 7=15732
             symmetries, external and internal, group theorem 7=444
                                                                                                                                          measurement, solar furnace appl. at 0.65 \mu 7=9250 measurement for solids at high temp., spectral 7=1501
             symmetries, review 7=16426
                                                                                                                                          optical materials spectra in i.r. for props. meas. 7=11732 solids, thermal, reduced coordinate presentation 7=4661
             symmetrization postulate for identical particles,
                  theoretical basis 7=436
             symmetry breaking interaction potential 7=9785
                                                                                                                                          Al extrusions, pyrometer for continuous meas. 7=9235 \rm Al_2O_3 ceramic, 1200-1600°K 7=11745
             symmetry role, conclusions from conference in 1965 at
Oxford 7=16451
                                                                                                                                          Bi, melting point solid and liquid obs. 7{=}14147 CO_2, spectral, of 15\mu\text{-band} at high temp. 7{=}10489
             teaching expt.using bubble chamber 7=3390
                                                                                                                                          GaAs, increase by silicone coating 7=11763
GaAs wafers,100°-700°C 7=146
Ge wafers,100°-700°C 7=146
             teaching literature 7=9742
             theory based on source concept 7=9744
             theory fundamentals present problems 7=16418 thermodynamics, hidden, relativistic transformation 7=15876
```

Emissivity-contd

 ${
m H_2O}$  vapour, hot, total emissivity, high pressure limit 7=1086

H2O vapour, nitrogen-broadened and self-broadened, total emissivity at 600°K-3000°K and optical depths from

0.1 to 10 000 cm atm. 7=13734
KBr films on metals in far i.r., transverse optical resonance obs. 7=18250
MgO ceramic, 1200-1600 K 7=11745

Pb, melting point solid and liquid obs. 7=14147 Si wafers, 100°-700°C 7=146

Ta, 1000 to 2500°C 7=11441
Th0, ceramic, 1200-1600°K 7=11745
Ti optical emissivity, 1100°K to m.p. 7=8444

ZrO<sub>2</sub> ceramic, 1200-1600°K 7=11745

Emulsions

See also Colloids.

high-internal-phase-ratio, geometry 7=17304 Emulsions, nuclear. See Nuclear track emulsions.

Emulsions, photographic. See Nuclear track emulsions; Photographic materials.

Energy bands. See Crystal electron states; Metals/theory;

Semiconducting materials; Semiconductors.

Energy gaps. See Crystal electron states; Semiconducting materials; Semiconducting materials and devices; Superconductivity.

Energy levels. See Atoms/structure; Molecules; Nucleus/

energy levels; Spectra.

Enthalpy. See Thermodynamic properties. Enthalpy measurement. See Calorimetry.

Entropy

See also Thermodynamics.

anharmonic lattices, canonical, rel. to equilibrium 7=17563 crystal defect formation, high-temp. harmonic approx. 7=4679

liquids, calc., statistical molecular thermodynamic treatment 7=17263

logical proof of law criticisms 7=15912 in low temp.physics, book 7=85 microscopic interpretation 7=9095 plasma, passage of electron beam entropy 7=17038 strongly coupled gas, thermodynamic 7=10743 teaching demonstration 7=9094

properties of substances

adsorbed large atoms, configurational 7=1282
gases, maximization for Grad's-type eqns. derivation
and relaxation theory 7=17203
gray atmosphere 7=15919
liquid-vapour systems calc. from surface tension 7=4412
metals, f. c. c., of vacancies, calc. 7=4683
plasma, rel. to stability 7=10674
polyethylene configurational 7=10564

polyethylene, configurational 7=10564

superconducting hysteretic states obs. 7=17926 toluene, quasielastic light scatt. spectrum by entropy

fluct. 7=4352 universe, hot 7=18407

universe, not t=1000 Ar, solid, vacancy formation, two-body force approx. 7=4685 BeCl<sub>2</sub>(g) and Be<sub>2</sub>Cl<sub>4</sub>(g) 7=18331 H<sub>2</sub>S, and free energy calc. 7=17205 H<sub>2</sub>Se, and free energy calc. 7=17205 NiSiF<sub>8</sub>. 6H<sub>2</sub>O, 0.35°-4.2°K, in mag. field 7=11123

V superconducting hysteretic states obs. 7=17926

Epitaxy. See Crystals/faces; Crystals/growth; Films/solid. Equations

See also Differential equations; Integral equations. characteristic values by Bubnov-Galerkin method, appl. to flow stability theory 7=12299 difference, in theory of spectra 7=11097 dispersive nonlinear, numerical computation 7=24 integration of the property of the prop inverse secular eqns., multiplicity of solns. 7=901 linear simultaneous, relaxation soln. 7=9314 Maxwell, time-dependent, direct integration 7=3024 nonlinear evolution of disturbances 7=9019 non-linear systems, iterative method 7=15848 nuclear cascade, matrix method soln. 7=13153 one-channel scattering, integral, soln. 7=488 phase interface, general balance eqn. 7=17307 Rayleigh's frequency eqn., normalized numerical solns. 7=15924

 $\begin{array}{ll} {\tt Stefan-Maxwell\ diffusion\ eqn., generalized\ 7=1091}\\ {\tt water\ wave\ problem\ \ 7=14023} \end{array}$ 

Equations of state
See also Thermodynamics.

analytical fluid in critical region, shape of coexistence

curve 7=4402 fluids,5th virial coeff.,theory 7=6927 heat,boundary-value problem 7=15911 high press. in shock waves 7=17319

measurement at very high pressure using light-gas gun 7=1672

monatomic elements 7=1078 packing of hard spheres in spherical cell 7=96

rigid-disk fluid 7=10688

Equations of state-contd

shock wave meas. 7=2861 virial coefficients optimal recovery from compressibility data 7=10739

H<sub>o</sub>O in critical region 7=7131

gases

excited, dipole-dipole interaction effects 7=10736 fourth virial coeff. for square-well potential 7=4290 kinetic eqn. leading in equilib. to Van der Waals eqn. of state 7=17197

molecular quadrupole moments determ. from 2nd virial coeffs. 7=10753 monatomic elements 7=1078

multipolar gases with spherical-shell central

potential 7=10737

plasma, warm inhomog., adiabatic eqn. 7=6827 quantum gas, second and third virial coeff. from two-

particle scatt. 7=9098
second virial coefficient prediction for mixtures from principle of corresponding states 7=1079
sonic velocity meas, use in determ, of compressibility factors 7=17201

third virial coeff., appl. of Faddeev techniques 7=6964 virial coefficients optimal recovery from compressibility data 7=10739 Ar, 0°C isotherm 7=13979

Ar, 0°C isotherm 7=13913 CO<sub>2</sub>, virial coefficients optimal recovery from compressibility data 7=10739 CrO<sub>2</sub>, magnetic, near Curie point 7=18113 H<sub>2</sub>O in critical region 7=7131

He4, third virial coeff. for Lennard-Jones (6-9) potential 7=13783

Kr-He phase separation calc. 7=10738 Xe-He phase separation theory 7=10738

liquids

benzene, simple and deuterated, gravity effect near critical point 7=14009 freon-22 and dibutylphthalate solution 7=1108

macromolecular solution, "soft-dumbell" soln. of Fokker-Planck eqn. 7=1106
H, normal and para 7=1107
H<sub>2</sub>O in critical region 7=7131

solids

alkali metals, Hugoniot, calc. 7=14459 ankali metais, Hugoniot, caic. '=14459 and atoms Thomas-Fermi-Dirac pressures 7=11230 elasticity, rubber-like 7=9056 phase transformation P-T diagrams at high press. rel. to periodic system 7=17350

ren. to periodic system 7=17530 relating vol. of solid with melting temp. 7=14148 from shock wave experiments 7=1682 Cds, P-T equilibrium, up to 50 kbar and 700°C 7=14209 MnS, P-T equilibrium, up to 50 kbar and 700°C 7=14209 NaCl, numerical tables 7=14468

Ni, magnetic, near Curie point 7=18113

Erhium

in fluorophosphate glass, laser oscillation obs. 7=3165 ions, Er<sup>3</sup>·, in CdF<sub>2</sub> and CaF<sub>2</sub>, spin-lattice relaxation processes 7=5196 ions, Er<sup>3</sup>·, in Π-VI cpds., e.p.r., host crystal effects 7=5195

paramagnetism and magnetostriction, 90°-300°K, to 150 kOe 7=11623

thermal cond. in mag. field, magnon contribution obs. 7=11132

Ers, energy levels in LaBr<sub>3</sub> 7=1221 Ers, impurity centres in CeO<sub>2</sub> 7=14552 Er<sup>167</sup>, nuclear quadrupole moment 7=7203

Er<sup>2\*</sup> in silicate glasses, coupled, two photon addition 7=2378
Er<sup>2\*</sup> spectrum in Y<sub>2</sub>O<sub>3</sub> conc. var. obs. 7=11761
Er<sup>58</sup> X-ray L-emission spectrum, new diagram lines obs. 7=11762

obs. 7=11762
Er³· in CaF₂, e.p.r. and spin-lattice relax. 7=11701
Er³· in LuGaG, expt. g factors, explanation 7=7179
Er³· in MgO, e.p.r. 7=7203
Er³· in YGaG, expt. g factors, explanation 7=7179
Eu³· in YVO, \*D₁ and \*D₂ levels 7=8387
Er-Co phase diagrams 7=7228

Erbium compounds

Ers\*, fluorescent glass, excited state absorption 7=15352 Er<sup>3</sup>: glass laser, characts. 7=3152 ErCl<sub>3</sub>, magneto-optical rotation spectra meas. 7=11740 ErF<sub>3</sub> reacted with Ho, high temp. equilib., mass

spectra 7=10375

ErFeO3, mag. ordered, Mössbauer effect of Er168, spinrelax. 7=14178

Er\*:LaF $_{\rm s}$ , fluorescence rel. to radiative and nonradiative decay 7=15395 Er $_{\rm c}O_{\rm s}$ . Ho\*:, energy transfer and c.w. laser action 7=5896

Ergodic theorem. See Statistical mechanics.

Errors. See Measurement/errors; Random processes.

Esaki diodes. See Semiconducting devices/tunnel diodes. Esaki effect. See Semiconducting devices/p-n junctions. Etalons. See Interferometers.

Etching. See Crystals/etching.

Ether drift. See Relativity/special; Velocity/light. Ettingshausen effect. See Magnetothermal effects. Europium

energy transfer with Tb at 4.2°K 7=8497 ions Eu<sup>\*\*</sup> in KI, paramag. reson. 7=18166 ions Eu<sup>-1</sup> in KI, paramag. resoit. — 10100 ion, Eu<sup>2+</sup>, e.s.r. in KTaO<sub>3</sub>, spin Hamiltonian parameters 7=5197 ions, in various A<sup>IIB</sup>VO<sub>4</sub> phosphors 7=5296 Néel point and resistivity, effect of pressure 7=14885 optical interband transitions from elec. cond. 7=8389 Eu2\* in MnF<sub>2</sub>, resonant impurity mode and Mössbauer effect 7=4624

 $\mathrm{Eu^{3^+}}$ -activated oxides, photoluminesc. efficiency 7=2380  $\mathrm{Eu^{3^+}}$ , fluoresc. in rocksalt lattice 7=5294

Eus\*, fluoresc.in tungstates and molybdates, energy transfer 7=2379 Eus\*, fluorescence in metal oxides 7=5297

Eu<sup>3</sup>\* in Na rare-earth tungstates, energy transfer with Sm<sup>3</sup>\*, Tb<sup>3</sup>\* and Dy<sup>3</sup>\* 7=2391

Eu3+, sensitizing luminesc. by organic dyes 7=4366 Eu151 ground state, relativistic quadrupole and dipole interactions constants A and B obs. 7=16909 T<sub>2</sub>O<sub>3</sub>:Tb:Eu, Tb<sup>+3</sup> energy transfer to Eu<sup>+3</sup> centres

obs. 7=18310

# Europium compounds

chelate solns., luminesc. in intense pulsed excitation 7=17276

europium orthotantalate, luminescence 7=11859 magnetic transit.temp.and isomer shift rel.to covalency 7=15137

Eu activated molybate phosphors, exctiation and emission 7=11852

Eu chalcogenides optical absorption and ferromagnetic

Eu chalcogenides optical absorption and ferromagnetic exchange 7=8388 Eu(II) binary compounds, e.s.r. 7=2200 Eu<sup>3</sup>· chelates, fluoresc., internal energy transfer 7=1158 EuAl<sub>4</sub>, magnetic and e.s.r. props., 1.  $4-300^{\circ}\mathrm{K}$  7=15194 Eu<sub>3</sub>Al<sub>2</sub>O<sub>8</sub>, low-temperature ferromagnetism 7=15136 Eu<sup>2</sup>·BaF<sub>2</sub>, electron and nuclear spin-lattice relax. 7=15264 EuCl<sub>3</sub>, in soln., fluoresc. quenching 7=1159 EuCl<sub>2</sub> spectrum, solutions absorption obs., stability 7=10844 Eu<sub>2</sub>Cr<sub>2</sub>O<sub>8</sub>, low-temperature ferromagnetism 7=15136 EuDy<sub>2</sub>O<sub>4</sub>, low-temperature ferromagnetism 7=15136 EuFe garnet, rare earth-iron exchange interacts. 7=15173

EuFe garnet, rare earth-iron exchange interacts, 7=15173 EuGd2O4, low-temperature ferromagnetism 7=15136

Eu:GdOF, site symmetry and splitting of Eu<sup>s\*</sup> emission lines 7=18274

Eu(NO<sub>3</sub>)<sub>3</sub> in soln., fluoresc. quenching 7=1159 EuO ferromagnetism temp. var.obs. 7=8163 EuO, magnetization curves, 4. 2, 20. 4 and 82 K 7=15138 Eu<sub>3</sub>O<sub>4</sub>, low-temperature ferromagnetism 7=15136 EuS, Curie temp. to 4 kbar 7=18114 EuS specific heat in mag. field at low temp. obs. 7=7495

EuSc<sub>2</sub>O<sub>4</sub>, low-temperature ferromagnetism 7=15136 EuSe, magnetic transitions 7=2083

Eu(Se, S) and Eu(Se, Te) mixed crysts., mag. behaviour 7=18092

EuYGa garnet, laser excitation of Raman spectrum 7=2298 Eu:YOF, site symmetry and splitting of Eus $^{+}$  emission lines  $7{=}18274$ 

#### Evaporation

See also Vaporization.
alkali metals, 1-100 mm 7=14158
alloys, field evaporation 7=2073
camphor balls, in acoustic field, mass transfer 7=15916
compounds, in heated Mo honeycombed block in

vacuo 7=4418

droplets in cloud chamber 7=7142 drops, kinetics in radiation calc. 7=17315 filament with automatic cut-off 7=14162

film prod., thickness checking 7=10959 films meas. 7=7266

flash, u. s. particle feeder 7=10954 ion field emission theory 7=2074

for liquid metals wetting prod. by electron beam heating 7=10792 metals, cluster formation effects 7=17318

metals, for shadow casting 7=1386 metals from W and oxygenated W, lifetimes, 1250°-1750°K 7=1200 optical films, control of thickness using rotary

polarization channelled spectrum 7=5917 powders, electron bombardment source 7=10906 pure liquid drops, rates and wet bulb temps. 7=4417 raindrops, in vertical descent 7=8658

of solids, due to focused laser radiation 7=13870 surface-tension-driven convection, effect of Coriolis force 7=7152

Ag epitaxy on NaCl, orientation rel. to evaporation rate obs. 7=7345

Ag/mica and Ag/NaCl films, growth rel. to sputtered films obs. 7=1272

Al, crucible type of source 7=7154

Evaporation - contd

Al, BN source 7=4419 Au, films orientation 7=7274 B, evap. coeff. 7=10904

BaF<sub>2</sub> 7=1203

Bi and Bi2, enthalpies 7=7155

Co-Au, films, metastable solid solns., vapour quenching 7=17389 CdS, in heated Mo honeycombed block in vacuo 7=4418

Cu, in H 7=1204

Cu-Ag, films, metastable solid solns., vapour

quenching 7=17389 Ge, for epitaxial film growth on GaAs 7=1362

Ge films, effect on epitaxial deposition structure 7=1360  $\rm H_2O,$  convection from layer heated from below obs. 7=10832 Pb-Sn, and films composition 7=7281

PbTe and Pbo.sSno.5Te thermoelements, rates 7=15059

Pt, field, surface species obs. at temps. up to 1200°C 7=14161

UC thermionic cathodes obs. 7=18083 UC-ZrC thermionic cathodes obs. 7=18083 W deposition from W mesh heater above 2450°K 7=4422

ZrC thermionic cathodes obs. 7=18083

Evershed effect. See Sunspots. Examination of materials. See Electron diffraction examination of materials; Electron microscope examination of materials; Neutron diffraction examination of materials; X-ray examination of materials.

#### Exchanges, chemical

See also Isotope exchanges.
analogy with relaxation 7=263
effects in microwave spectroscopy 7=10544
Cr(III) acetylacetonate transfer annealing 7=8522
H atom-mol. exchange at energies above

H atom-mol. exchange at energies above threshold 7=8585 ReO<sub>4</sub>, exchange of O with H<sub>2</sub>O 7=15437 Excimers. See Molecules/excitation. Excitation. See Atoms/excitation; Molecules/excitation; Nuclear excitation; Vibrations/excitation. Excitons. See Crystal electron states/excitons. Excitons, molecular. See Molecules; Polymers.

Exoelectron emission. See Electron emission.

Exosphere. See Atmosphere/upper. exp-6 potential. See Kinetic theory; Molecules/intermolecular mechanics.

Expanding universe. See Cosmology.
Expansion, thermal. See Thermal expansion. Explosions

See also Detonation; Shock waves. on ceramics, shock wave effects obs. 7=7212 cylindrically symmetric implosion prod. 7=119 effect on matter, shock compression of powders 7=12424 in gas with thermal cond. calc. 7=12418 impact initiation, by free-flying plate 7=12422 initiation of condensed explosives by gas detonation 7=12420

ionized gaseous filament, light emission obs. 7=4149 light source, uniform, using "Christmas tree tinsel" 7=327 line charges fired under water, energy spectra,

calc. 7=15942 liquid filaments by elec. current, for high temp. prod. 7=15943

loop electromechanical system partial analysis 7=9180 motion of products behind detonation wavefront 7=15938Nichrome wires underwater, scaling to TNT 7=9181 propagation, low-velocity, in solids from a hot-spot 7=15940

in rarefied atmospheres 7=2894

reactive impulse of a gas at high impact velocity 7=13973 in rocks, effects on elastic field 7=18344 seismic waves for cavern in elastic-plastic medium calc. 7=8607

seismology, least squares computer program 7=8611 in a sphere, energy losses, calc. 7=15939 TNT underwater scaling from Nichrome wires 7=9181

thermal, critical parameters in Poisson-Boltzmann eqn. 7=5334

equ. 7=3534
underwater, strong "throw-out", modelling 7=2892
wire during current burst 7=10905
wires, in air and vacuum 7=9182
Al foils, for magnetic energy rapid transfer to
inductor 7=193

Li wires, for electron affinity obs. 7=6812 on ZnO + SiO $_2$ , Zn $_2$ SiO $_4$  formation 7=8548

γ scattering on slab, e prod. velo. distrib. calc. 7=9864 high altitude, fragments γ radiation, satellite obs. 7=12022 thermonuclear, n multiple capture starting from U<sup>238</sup> for prod. nuclei up to A = 257 7=13566

thermonuclear, synthesis by multiple n capture calcs. 7=12140 Si<sup>32</sup>, bomb-produced, evidence 7=10220

Extensive air showers. See Cosmic rays/showers and bursts. Extensometers. See Strain gauges; Thermal expansion.

Extra-terrestrial radiation. See Cosmic radiations, radiofrequency; Sun/radiation.

See also Vision.

corneal surface analysis from photokeratoscopic data 7=3297

electrical response to wavelength changes obs. in humans 7=3299

electroretinogram during dark-adaptation, spectral sensitivity 7=3298

psychophysical responses to homochromatic stimuli of equal brightness but unequal luminance 7=16310 retina, effect of orientation on modulation sensitivity for interference fringes 7=16309

schematic, optical system, computer ray tracing 7=360

F-centres. See Colour centres. F-layer. See Ionosphere/F-region.

Faculae. See Sun. Fallout

See also Atmosphere/radioactivity; Nuclear reactions; Radioactivity

aerosol distribution over oceans; lat. exchange in tropical zone 7=15539

in air, monitor for long lived  $\beta$  activity 7=2535 composition of particles from first Chinese test 7=8682 May 14, 1965 explosion, global circulation of nuclear matter 7=8681

neutron transport calc.for protection design 7=16629 nuclear explosions, meteorological study of course 7=15540 particles activities obs. 7=18373 radioactive, effect upon elec. cond. of lower atm. 7=15537 shielding experiment in real field, analysis 7=16499 stratosphere, of radioactive debris 7=15538 study with Ge:Li counter of fresh samples 7=8684 wind in equatorial stratosphere, non-repeating

wind in equatorial stratosphere, non-repeating variations, appl. 7=15505  $I_2$  vapour, snow and rain wash-out coefficients  $I_3$  Mn, radioactive isotope in atmosphere 7=11995  $I_3$  Ru, radioactive isotope in atmosphere  $I_3$ =11995  $I_3$ 

Faraday effect. See Magneto-optical effects. Fatigue. See Elastic fatigue.

Fermi gas. See Fermions.

Fermi level. See Crystal electron states/Fermi level. Fermi surface. See Crystal electron states/Fermi surface.

Fermion systems. See Fermions. Fermions

See also Elementary particles; Quantum theory/many-

particle systems. field two-point-functions functional calc. 7=5941 four-fermion interaction, chiral, strong coupling theory 7=6056

four-fermion interactions, and e.m. mass differences of baryons 7=6255

general relativity in five dimensions 7=9777 liquid effects in superfluid phase 7=5767 liquid, normal, quasiparticle-ensemble theory 7=12381 liquids, superfluidity, review 7=5761 neutral, with anomalous mag. moment, motion in elec. field 7=6035

one-dimensional interacting system levels 7=9115 parity tests and ambiguities in interactions 7=3444 quantum fluids, conference, Brighton, England, Aug. 65 7=157

resonances, direct channel interference of Regge  $\rho$  exchange 7=6253

scattering by identical particles, couple-equations method 7=485

system, attractive, convergence of many-body perturbation series calc. 7=2858 system density of states calc. degeneracy

removal 7=13211 system, Green function eqns. including two-particle

correlations 7=5697
system, Green's function eqns. of motion, linked cluster

theorem 7=2859

system, hydrodynamic eqns. and elementary excitation 7=9113

system, interacting mixture with bosons, finite-temp. theory 7=9114 system, Landau theory, nonequil., Green's function

method 7=9135

system, renormalization and statistical mechanics 7=5691 system, scattering model, using new disp. relns. and sum rules 7=9847

system, soluble, Bogolyubov-type transformations, validity 7=12382

systems, boson description 7=92 systems, one-dim. model, boson operators, rel. to neutrino theory of light 7=5696 systems, positron dependent Landau susceptibility 7=12517

three-fermion system, p-wave formalism 7=3620 unitarity and causality 7=6096

No entries

Ferrimagnetic resonance

See also Ferromagnetic resonance. magnetostatic oscillations increase by electron beam

calc. 7=15206 spin oscillation instability threshold 7=15208 YFe garnet axially magnetized rod microwave delay

mode obs. 7=15355  $Y_3Ni_2Ge_xFe_{5-2x}O_{12}(x=0.025,0.13),9100 \text{ Mc/s},-185^{\circ}\text{ to}$   $+100^{\frac{5}{3}}C$  7=8272

Ferrimagnetism

See also Ferromagnetism.

No entries

Ferrites

See also Magnetic properties of substances. alternators, use of ferrite magnets 7=3011 anisotropic Curie temperatures 7=15167 anisotropy temp.var.obs. 7=8134 crystallization from liquid and vapour phase, magnetic props. 7=1327

domain wall mobility meas. 7=8229

e.m. beam propag. 7=9431 e.m. wavefront shortening prod. calc. 7=12570

e.m. waverront snortening prod. caic. 7=12570 s-electron charge, spin density and magnetic moment of Fe at different sites 7=8232 ferromagnetic resonance line width obs. 7=8264 ferroxplanas magnetostriction obs. 7=11660 frequency doubler 7=2176

magnetic after effect, thermodynamic theory 7=11641 magnetics, conference Stuttgart, 1966 7=5138 magnetization, coupled oscillations in cubic single crystals 7=18139

magnetoelastic interactions, review 7=8227 magnetoelastic waves in ferrites, parametric

amplification 7=14436 magnetostatic oscillations increase by electron beam calc. 7=15206

magnetostriction, saturation, -140° + 160°C 7=8143 magnets in duoplasmatron ion source, high current 7=magnets, pulse, with open magnetic circuits 7=16043 mechanisms of susceptibility separation by grain size var. 7=8228

Perminvar, hysteresis shape var., domain wall motion model 7=8238

pulse magnet at high magnetizing currents and high external field 7=16044 Q's up to 1000 7=9299

specific surface area determ. by Kr adsorpt. 7=14262 spin oscillation instability threshold 7=15208 spinel octahedral site clusters, config. probabs. 7=14354 spinels, thermal conductivity, 300-1000% range 7=14475 video tape recorder head, Barkhausen noise 7=9359 waves, e. m. and spin, interaction rel. to electron gyrofreq. 7=18136

Ba ferrite magnets, appls. in elect. machines 7=3012 Ba ferrite magnets, use in automatic warning system of train control 7=5807

Ba ferrite magnets, effect of Fe<sub>2</sub>O<sub>3</sub> quality 7=5169 Ba, powders, temp. var. of mag. obs. 7=18138  $BaCo_x^2+Fe_{2-x}^2+Fe_{3e}^2+O_{27}(Co_xW),$  position of  $Co^{2+}$  ion in structure, obs.  $7{=}17496$ 

BaO-MeO-Fe2O2 hexagonal systems, props. and appls. 7=8230

Be ferrite magnets in mag. separator 7=3018 Bi<sub>3-2x</sub>Ca<sub>2x</sub>Fe<sub>5-x</sub>V<sub>x</sub>O<sub>12</sub>, ferrimag. resonance and anisotropy 7-15207 BiFeO<sub>3</sub>, phase transitions, 20°-850°C 7=10947

Ca ferrites, i.r. spectra, in various dispersing media 7=15316

CaFe<sub>4</sub>O<sub>7</sub>, with tri- or tetravalent ions, mag. props. 7=15168

4CaO. Al<sub>2</sub>O<sub>3</sub>, Fe<sub>2</sub>O<sub>3</sub>, elec. field gradient 7=18137 Co-bearing, quenching rel. to uniaxial anisotropy, 600-700°C 7=8231

Co ferrite, anisotropic mag. moment 7=2147 Co, magnetic properties temp. dependence 7=5170 Co, powders, temp. var. of mag. obs. 7=18138 Co-Fe, with re-entrant hysteresis loop 7=15171

Co<sub>0.94</sub>Fe<sub>2.00</sub>O<sub>4</sub>, Hall and Nernst-Ettingshausen effects 7=5003

Co<sub>0.9</sub>Fe<sub>2.9</sub>O<sub>4</sub>, powder, effect of thermomag. treatment on magnetization processes 7=15170

Co<sub>x</sub>Fe<sub>3-x</sub>O<sub>4</sub> unaxial anisotropy relax. on ionic migration, theory 7=15175 Co<sub>x</sub>Ni<sub>2-x</sub>W<sub>Ba</sub> ferroxplanas magnetostriction obs. 7=11660 Co<sub>2</sub>Z<sub>1</sub> reluctance at 100-430°C 7=15169

Cu, magnetism var. with O deficiency on heat treatment obs. 7=15172

CuFeO<sub>2+(0--15)</sub> scattered intensities rel.to O position 7=1422

EuFe garnet, rare earth-iron exchange interacts, 7=15173 Fe<sub>3-x</sub>Ga<sub>2</sub>O<sub>4</sub>, neutron diffr. study 7=11661 Fe<sub>2</sub>O<sub>3</sub>, CaO, mag. props. obs. 7=15174 Fe<sub>2</sub>O<sub>3</sub>. CaO, Mössbauer effect and neutron diffraction study 7=223

S 134 SUBJECT INDEX Ferrites-contd Fe-Y, e.m. signals non-stationary retarded re-emission during parametric regeneration 7=9472 Gd, YFe garnet e.m. absorption at room temp., 77°K, 4. 2°K, 4. 2 Gc/s 7=8446 Li-alumina substituted, for u. h.f. 7=15177 Li-Al<sub>2</sub>O<sub>3</sub> for microwave devices 7=15176 Lu garnet hysteresis, 78°-273°K 7=2155 Mg-Mn, coupled magnetization oscillations 7=18139 MgMn ferrite, relaxation processes, effect of Mn3+ Mg-Mn, ferromag. resonance, influence of domain structure 7=11682 Mg\_Mn\_1,3., $Fe_{1.7}O_{4.7}$ , spin-wave relax., effect of mag. disorder 7=11683 MgO-Al\_2O\_3-Fe\_2O\_3, electrical cond. mechanism, X-ray obs. 7=1997 Mn<sub>0.74</sub>Fe<sub>2.26</sub>O<sub>4</sub>, Hall and Nernst-Ettingshausen effects 7=5003 MnFe<sub>2</sub>O<sub>4</sub>, metal ion distribution from n.m.r., prep. from aqueous soln. 7=15178
Mn-Zn, disaccomodation, lessening 7=7547 Mn-Zn ferrites, low loss, high initial permeab. at 1 Mc/s 7=15182 MnZn, interaction with O2 atmosphere obs. during sintering 7=7213 MnZn, permeability-temp. curve third peak obs. 7=8236 Ni, anomalous shock prod. demag. obs. 7=2152 Ni, fine-grain, for microwave applications at high power 7=241  $Ni_1$ -Cd  $Fe_2O_4(x=0.1-0.8)$ , temp. depend. 7=5171 Ni-Co, magnetocrystallographic anisotropy, ion diffusion 7=8237 NiCo, thermomagnetic treatment 7=15184 Ni<sub>0.69</sub>Fe<sub>2.31</sub>O<sub>4</sub>, Hall and Nernst-Ettingshausen effects 7=5003 41NiO-3ZnO-1CoO-55Fe<sub>2</sub>O<sub>3</sub>(mol.%), sintering temp. effects on saturation mag. 7=18140 Ni-Zn, Co-bearing, internal demagnetization factor 7=5172 Ni-Zn, coercive force, initial permeability and saturation magnetization 7=5173 Ni-Zn, with high saturation magnetization rel. to mm waves 7=15185 Ni-Zn, low-loss with high saturation, mm appls. 'Ni-Zn, X-ray spectrum rel. to elec. cond. 7=1997 NiZnCr ferrites, ferromag. reson., effect of Co<sup>2</sup> admixture 7=5188 Sm orthoferrite mag. curves around reorientation temp. obs. 7=8240 Sr, demagnetization calc. in ellipsoidal grains model 7=11663 Sr ferrite magnets 7=5174
Sr ferrite magnet d. c. motor 7=3017 YFe garnet axially magnetized rod microwave delay mode obs. 7=15355 YFe garnet e.m. absorption at room temp., 77°K, 4.2°K, 4.2 Gc/s 7=8446
YFe garnet, echo pulses, nonlinear effect 7=18142 YIG, magnetic props., influence of tetrahedral Ni<sup>2+</sup> 7=8243 YFe garnet, magnetoelastic pulses, time lag 7=14453 YFe garnet, microwave energy absorption 7=2179 YFe garnet, mode segregation from spin-wave manifold 7=11684 YFe garnet, Si doped, magnetostriction constants 7=2154 YFe garnet, spin-wave instability in parallel pumping 7=2179
YFe garnets, V subst., initial permeability, temp. depend. 7=5175

YFe garnet, anisotropic absorption of ultrasound 7=14452

YFeGa garnets, substitutional disorder 7=4603  $Y_3 Fe_5 - xGa_xO_{12}$  garnet, Faraday effect, effect of Fe  $\rightarrow$  Ga substitution 7=18275

Ferroacoustic resonance. See Crystals/lattice mechanics; Ferromagnetic resonance.

Ferroelectric devices. See Dielectric devices.

Ferroelectric materials

ADP, u. s. waves, secondary harmonic obs. by optical diffraction 7=11112

for capacitance thermometer for rotator, above Curie temp. 7=2944

conference, fourth all-Union, Rostov, 1964 7=11552 crystal long wave vibr. above Curie points 7=7461 glycocoll sulphate, linear defects decorated by particles

and domain boundaries 7=11180 guanidine Al<sub>2</sub>(SO<sub>4</sub>)<sub>3</sub>, 6H<sub>2</sub>O synthesis, growth and props. 7=1331 guanidine Cr<sub>2</sub>(SO<sub>4</sub>)<sub>3</sub>, 6H<sub>2</sub>O synthesis, growth and props. 7=1331

ice, cubic, Curie point  $\simeq -80^{\circ}$ C 7=15033 linewidth meas., shape of sample 7=15204 magnetization eqns, in transverse varying mag. field 7=8136

Ferroelectric materials-contd

perovskites, far i.r. dispersion 7=2281

phase transition molecular mechanism, isomorphous with triglycine sulphate crystals 7=8032 pseudoferroelectrics, superconductivity, electron-phonon theory 7=4911

Rochelle salt, compression effect on dielec. parameters 7=11566

Rochelle salt, dielectric const. at 9 3 Gc/s, minimum at Curie temp. 7-18045 triglycine compounds phase transition molecular mechanism 7-8032

triglycine selenate optical rotation temp. var. due to ion distortion 7-18284 triglycine selenate, thermal rot. of optical

indicatrix 7=11822

triglycine sulphate, deuterated, transition study by deuteron n.m.r. 7=15039

triglycine sulphate, dielectric relaxation 7=15040 triglycine sulphate, ferroelec. transition under pressure 7=15038

triglycine sulphate optical rotation temp.var.due to ion distortion 7=18284

triglycine sulphate, p.m.r. meas. 7=15269

triglycine sulphate, spontaneous electro-optical effect obs. 7=5282

triglycine sulphate, thermal rot. of optical indicatrix 7=11822

triglycinefluorberyllate phase transformation

obs. 7=8031 (Ba-Sr)TiO<sub>3</sub> series grown from fluoride melts 7=4510(Ba, SrTiO<sub>3</sub>) solution, In<sub>2</sub>O<sub>3</sub> doping to improve RC time constant 7=11558

BiSBr, band gaps by optical absorption obs.,  $80^{\circ}$ - $310^{\circ}$ K 7=11801

Bi<sub>4</sub>Ti<sub>3</sub>O<sub>12</sub>, polarization threshold field 7=18047 Bi<sub>4</sub>Ti<sub>3</sub>O<sub>12</sub>, spontaneous polarization and switching obs. 7=15032

obs.  $^7$ =15032  $CaB_3O_4$  (OH) $_3$ .  $H_2O$  (colemanite), atomic structure basis obs.  $^7$ =7413  $Ca_2Sr$  propionate, piezoelec, and elastic consts. temp. dependence  $^7$ =2010

H. NH<sub>4</sub>(ClCH<sub>2</sub> COO)<sub>2</sub> < -145°C 7=8030 KD<sub>2</sub>PO<sub>4</sub> complex dielec, permeability,  $5 \times 10^8$ -3.  $9 \times 10^{10}$  c/s 7=8024

KD2PO4, phase transition study of deuteron n.m.r. 7-15039

K<sub>4</sub>Fe(CN)<sub>6</sub>. 3H<sub>2</sub>O, irreversible ferroelectric transition 7=15034

KH2AsO4, proton exchange between slater configurations near a paramag.centre 7=15234

KH<sub>2</sub>PO<sub>4</sub>, anisotropy and phase transition effects in n scatt. 7=18048

 $\mathrm{KH_{2}PO_{4}}$  electrical cond., heat treatment var. obs. 7=2006

KH<sub>2</sub>PO<sub>4</sub>, lattice parameter, 25°-150°C, X-ray meas. 7=17508 KH<sub>2</sub>PO<sub>4</sub>, phase transition, proton collective motion, tunnelling model 7=8023

KH<sub>2</sub>PO<sub>4</sub>, translational normal vibrations 7=17547

Kn<sub>2</sub>PO<sub>4</sub>, translational normal violations = 17347 KIO<sub>3</sub>, fundamental optical absorption near phase transitions 7=15343 KNO<sub>3</sub>, as order-disorder phenom. 7=18049 KTaO<sub>3</sub>, band structure and optical field effects 7=14826 KTaO<sub>3</sub>, 'soft' mode from far i.r. reflectivity meas. 7=18249 KTaO<sub>3</sub>-KNbO<sub>3</sub> mixture, band structure and optical field effects 7=14826

Li hydrogen selenite, thermal rot. of optical indicatrix 7=11822

 $\begin{array}{ll} {\rm LiH_3(SeO_{2})_2, transition\ to\ paraelec.\ under\ pressure\ 7=11559} \\ {\rm Li(N_H_3)SO_4,\ i.r.\ spectrum\ 7=18252} \\ {\rm LiNbO_3,\ for\ high-temperature\ piezoelectric\ transducer\ 7=2011} \end{array}$ 

 ${\rm Li\,NbO_3}$ , temp. dependence of optical props. 7=2324

LiTAO3, temp. dependence of optical props. 7=2324 LiTaO3, temp. dependence of optical props. 7=2324 (NIt<sub>4</sub>)<sub>2</sub>Cd<sub>2</sub> (SO<sub>4</sub>)<sub>3</sub>, proton spin-lattice relax. 7=8334 NH<sub>4</sub>H<sub>2</sub>PO<sub>4</sub>, antiferroelec, phase transition, studied by i.r. absorption 7=8033 (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>, first-order transition 7=15036 (NH) SO<sub>2</sub> and (NH) SO<sub>3</sub> and (NH) SO<sub>4</sub> and report transition 7=15

(MH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>, 11rst-order transition 7=15276 (MH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub> and (ND<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>, n.m.r. near transition 7=15276 NaH<sub>3</sub>(SeO<sub>3</sub>)<sub>2</sub>, proton distrib. meas. 7=18187 NaH<sub>3</sub>(SeO<sub>3</sub>)<sub>2</sub>, two distinct ferroelectric phases 7=11561 NaNO<sub>2</sub>, Curie point, to 40 kbar 7=1244 NaNO<sub>2</sub>, fundamental optical absorption near phase

transitions 7=15343

NaNO<sub>2</sub>, and plasticity critical stress temp. var. 7=14752 NaNO<sub>2</sub>, Raman spectrum 7=2329

NaNO2, Raman spectrum and phase transition 7=2330 NaNO2, transition point, Raman spectrum obs. 7=11789

NaNO<sub>3</sub>, inter-dipolar interact. 7=11562 Pb zironate-titanate ceramics 7=8026

Pb<sub>0.98</sub>Nb<sub>0.02</sub>(Zr<sub>0.85</sub>Ti<sub>0.35</sub>)<sub>0.98</sub>O<sub>3</sub>, polarity effects of high stress 7=11563

# Ferroelectric materials-contd

PbZrO3 antiferroelectric films prod. by electrophoresis 7=10967

PbZrO<sub>3</sub>, antiferroelec., microscopic free energy function 7=18053

PbZrO<sub>3</sub>-BiFeO<sub>3</sub> obs. 7=18050 RbH<sub>2</sub>PO<sub>4</sub>, rel. to elastic consts.temp.var.obs. 7=7730 SbSBr, band gaps by optical absorption obs., 80°-310°K 7=11801

SbSI, band gaps by optical absorption obs., 80°-310′K 7=11801 SbSI, crystal structure and phase transition 7=4596

SbSI, dielectric const. change due to illumination 7=18051

SbSI, ferroelectric-paraelectric phase transformation in single crystal, optical observation 7=8027

SbSI, phase boundary movement in elec. field and temp. grad. 7=11564

grad. 7=11504 SDSI phase transition, forbidden band width var. with temp. and press. 7=8432 SbSI, pyroelectric current peaks near Curie point 7=8029 SbSI, space charge drifting patterns under d. c. bias obs. 7=15037

SoSI, stripe pattern index 110 volts due to negative resistance 7=8028 SnTe, from phonon dispersion relations 7=2007 SnTe-GeTe alloys, from phonon dispersion relations 7=2007

YMnO<sub>3</sub>, polarization reversal 7=18052 YMnO<sub>3</sub>, reversal of polarization under weak const. field 7=11565

#### barium titanate

after-effect currents obs 7=11555 band structure and optical field effects 7=14826 barrier layers electron microscope obs. 7=11031

ceramics, mechanisms of properties in electric field 7=8021 elastic props. above and near Curie point obs. 7=7691

electroreflectance 7=18219

electro-reflection meas., 2.3 to 5 eV 7=18218

films, single-cryst., electron microscope exam. 7=5077 lattice vibration rel. to ferroelectric transition, X-ray study 7=17541

near transition temp., thermal conductivity 7=14471 piezoelectricity of surface layer of cubic crystals 7=8037 powder, internal field and spont. polarization 7=15030 pressure and temp. dependence of dielectric properties 7=5076

semiconducting props. 7=17944
shell model of interionic interactions 7=11556
switching resonance in crystallites, 180° domain
boundary, model 7=5075
BaTiO<sub>3</sub>-Ta<sub>2</sub>O<sub>5</sub> humidity effect on polarization
obs. 7=8022

## Ferroelectric phenomena

antiferroelectrics, microscopic free energy function 7=18053

autostabilization rel. to temp., improved anal. 7=2005 conference, fourth all-Union, Rostov, 1964 7=11552

Devonshire-Slater model, quantum generalization, Perovskite-type 7=11553

electron-phonon coupling rel. to ferroelectric phase transition 7=8020

free energy of displacive ferroelectrics 7=5073 isotope effects, theory based on F-modes of lattice vibration 7=18046

microscopic model, tunnelling and collective excitations 7=5074

subkinds, complexity and ferro-ferroelec. phase transforms 7=11554 switching with negligible transit time 7=11568 transformations, collective excitations 7=7129

# Ferromagnetic relaxation

No entries

#### Ferromagnetic resonance

See also Ferrimagnetic resonance.

coherent amplification of spin waves by charged beam, nonlinear effects 7=11681 damped 311 and 311 modes calc. 7=8269 dielectrics, forbidden 7=2227 ferrite, as frequency doubler 7=2176 ferrite, line width obs. 7=8264 ferrites, cubic, influence of domain structure 7=11682 films, mode saturation for oblique polarization 7=5186

magnetoelectric effects for meas, mag, and magneto-elec. 7=7844 metals, linewidth, effect of conduction electrons 7=2175

methods of obs., and theory 7=15203 Permalloy films, magnetoelectric effects rel. to mag. and magnetoelec. 7=7844

Permalloy films, tension effect obs. 7=8216 polycrystalline spin-wave theory rel. to tilting obs., erratum 7=2174 short relax.times obs. 7=12584

spin wave excitation effects on half-width obs. 7=8270 wall effect, theory 7=2181  $\mathrm{Bi}_{3-2x}\mathrm{Ca}_{2x}\mathrm{Fe}_{5-x}\mathrm{V}_x\mathrm{O}_{12}$ , line width 7=15207

Ferromagnetic resonance—contd

 $\begin{array}{l} \text{Bi}_{0.5}\text{Ca}_{2.5}\text{Fe}_{8.78}\text{V}_{1.25}\text{O}_{12}, 495-9250 \text{ Mc/s}, \\ 4.2-530^{\circ}\text{K} & 7=5187 \\ \text{Ca}_{8}\text{V}_{1.5}\text{Fe}_{8^{+}5}\text{O}_{12}, \\ \text{linewidth temp.var.} & 7=2177 \\ \text{Co films} & 7=5189 \end{array}$ 

Co, temperature var. and rel. to domain struct.

co, temperature var. and ref. to domain sobs. 7=8265
Fe films 7=5189
Fe films 7=15205
Fe single crystal platelets obs. 7=8170
α-Fe, thin platelets 7=8266
Fe-Ni films 7=15205
Fe-Ni films obs. 7=18155

GdFe garnet, rel. to spin-wave spectrum 7=8268 Mg-Mn ferrites, influence of domain structure 7=11682 Mg, Mn,  $_{3-y}$ Fe,  $_{7}$ O $_{4\pm y}$ , spin-wave relax., effect of mag. disorder 7=11683 Ni films 7=15205

Ni films, magnetoelectric effects rel. to mag. and magnetoelec. 7=7844

magnetoelec. 1=1644 Ni linewidth, 300 to 4 K 7=5190 Ni-Fe(18%) films, pinning obs. 7=2178 NiZnCr ferrites, effect of Co\* admixture 7=5188 Tb³::YFe garnet, spin-magnon relax. 7=5191 YFe garnet, mode segregation from spin-wave manifold 7=11684

manuolo (==1004 YFe garnet:NiO, 9100 Mc/s, -185° to +100°C 7=8272 YFe garnet, spin-wave instability in parallel pumping 7=2179 Y<sub>2</sub>Fe<sub>6</sub>O<sub>12</sub>-Ca<sub>2</sub>Fe<sub>3</sub>, V<sub>1</sub>, 6O<sub>12</sub>-"Bi<sub>3</sub>Fe<sub>6</sub>O<sub>12</sub>",linewidth 7=2180 Yb-Fe garnet, Móssbauer study 7=11685

Zn<sub>2</sub>Ba<sub>2</sub>Fe<sub>12</sub>O<sub>22</sub> anisotropy 7=8273

Ferromagnetics. See Magnetic properties of substances/ ferromagnetic.

# Ferromagnetism

See also Antiferromagnetism; Ferrimagnetism; Ferromagnetic relaxation; Ferromagnetic resonance; Magnetic properties/ferromagnetic; Magnetization process; Magnetization state.

acoustic and spin wave Doppler and adiabatic time domain conversion 7-4631

anisotropy, rel. to Shubnikov point groups and first-order phase transition 7=5144

band theory local props. of mag. 7=8133 Brown's linear eans, for long prism 7=8125 conduction electron, spin-depend, effective mass, Green's functions calc. 7=14810

critical mag. scatt. of neutrons, theory 7=11634 distant-neighbour interactions. BPW approx. 7=8 f.c.c.lattice, (109/120°) Bloch wall 7=8132 fine particles, anhysteretic process, thermal fluct. 7=8120 effect 7=11639

fluctuations of properties, rel. to neutron

scattering 7=18102 flux penetration computer calc. with var. permeability and hysteresis 7=9351

Green's function method application 7=18135

Green's functions, decoupling of 7=8123 Heisenberg exchange Hamiltonian from narrow energy band theory 7=17785 Heisenberg model, classical, high-temp. suscept. 7=4643

Heisenberg model high-temp susceptibility 7=8113 Heisenberg model, one or two-dim, absence 7=4445 Heisenberg model, simple anisotropic, critical behaviour 7=15120

Heisenberg model, 2-D, possibility of phase transition 7=5132

Heisenberg, spin impurity states, variational treatment 7=8121 Heisenberg, statistical perturbation appl. 7=5692

helicon resonance in In boxes filled with ferromagnetic 7=11410

ion pairs coupled by exchange interaction, theory 7=8244
Ising chain with soin impurity 7=8116
Ising model, relax. near phase-transition 7=8141

Ising model in two dimensions, Toeplitz determinants and spin correlations 7=2090 Ising models, planar, dimer soln. 7=7204

Ising systems of spin one, phase transitions 7=15115 Kondo effect anomalies, self-consistent theory for general spin 7=11355 magnetic after effect, thermodynamic theory 7=11641

magnetic arei enect, the modynamic theory in 1915. magnetic reversals, mechanism 7=15121 magnetics, conference Stuttgart, 1966 7=5138 magnetization, asymmetric reversal cycles 7=15122

magnetoelastic waves, e.m. excitation 7=8263

magnon life in itinerant electron model, errata 7=5137 magnon scatt. of polarized neutrons 7=18120

magnion stati. or polarized neutrons 7-16120 model with three magnetic sublattices, thermal variations of moments 7-8145 n.m.r., origin 7-15258 narrow-band model for intra-atomic exchange 7-2091

neutron spectroscopy, review 7=14422 nonmagnetic impurity, moment deviation and neutron scatt, 7=2092

Ferromagnetism-contd ordering in 1- and 2-D systems 7=11629 permeability, complex, eddy-current limited 7=5141 phonons in model metal 7=14410 resistivity, effect of longit, fluctuations in magnetization 7=11423 semiconductors, photoferromagnetic effect, cond. electron coupling 7=5135 sphere, theory of electron-nuclear magneto-static modes 7=18181 spherical model order corrections rel. to alloy theory 7=8124 spin deviation probabilities 7=18101 spin wave theory, and magnetization 7=8226 spinel B-site lattices, molec. field theory 7=5184 spinel B-site lattices, molec. field theory 7=5184 spontaneous mag. concept for idealized models 7=8117 statistical model for dilute ferromagnet 7=11630 sublattice magnetization, temp. depend., ½ power law 7=8092 transition anomalies rel. to geophysics 7=5147 two-sublattice crystal, with impurities 7=15116 uniaxial magnets, asymptotic solns, for domain structures 7=8131 Fe thermoelectric power magnon drag effect obs. 7=18060 spin-wave theory alloys, with supercond., possibility rel. to impurity spins 7=11452 amplification by phonon pumping, conditions 7=5185 and antiferromag. kinematic interactions at low-temp. 7=5131 coherent amplification of spin waves by charged beam, nonlinear effects 7=11681 equivalent neighbour model, asymptotic behaviour 7=7167 equivalent neighbour model for long-range forces 7=7166 excitations, low-temp., anal. as single complex one or number of real ones 7=8115 fluctuation driven spin waves above ferromag. Curie pt. 7=11631 Green function decoupling procedure 7=12290 Heisenberg ferromagnet, pair-product model 7=11636 Heisenberg magnet, renormalized spin waves 7=15118 Heisenberg magnet, second-order Green's-function theory 7=15119 Heisenberg model with staggered fields, exact soln. 7=11633

Heisenberg spin systems irreversibility, high temp. 7=8118-19 impurity spins, thermal behaviour 7=11643 Ising-like model, interfacial sturucture, microscopic approach 7=18105 linear mag.chain, anisotropic 7=2089 'longitudinal' branch, existence 7=5136 mapping of spin Hamiltonians 7=11632 metals, dispersion law, stability 7=5134 neutron scatt, investigation of spin waves 7=8127 nonlinear oscillations of magnetic moment density 7=15117 spin-echo decay, for spins diffusing in a bounded region 7=7514 surface spin waves at (001) surface of cubic lattice 7=18100 theory, based on exchange interactions 7=8122 triple reson. in ferromag. conductor 7=14858 Co<sub>0.91</sub>-Fe<sub>0.09</sub>, inelastic scattering of neutrons 7=8157 Ferromagnets. See Magnetic properties of substances/ ferromagnetic. Feynman diagrams. See Field theory, quantum/interactions. Fibre optics. See Optical systems. aluminoborosilicate glass, mechanical strength under tension with torsion, rel. to anisotropy 7=7687 ceramic, as optical reflectance standard 7=11759 corundum rod guides in prod. 7=4508 doubly refracting and twisted, optics calc. 7=9623 in Fabry-Pérot interferometer fringe splitter 7=9597 fibre strengthening, elastosplastic theory. 7=4759

aluminoborosilicate glass, mechanical strength under tension with torsion, rel. to anisotropy 7=7687 ceramic, as optical reflectance standard 7=11759 corundum rod guides in prod. 7=4508 doubly refracting and twisted, optics calc. 7=9623 in Fabry-Perot interferometer fringe splitter 7=9597 fibre strengthening, elasto-plastic theory 7=4754 heat transfer during dry spinning 7=1491 optical interferometry appls. 7=9609 polymer, acoustic velo., stress effects obs. 7=11113 polymer, twist, optical meas. 7=9623 refractory glass 7=17346 reinforced materials, elastic props. 7=7640 rubber, microfibrillar textures 7=7301 stresses in plane-fibrous medium with polar net 7=9055 vibroscope transducer for transverse freq. 7=9149 viscoelastic fibre-reinforced materials, composite cylinder macroscopic model 7=14647 X-ray diffraction photos., precession method 7=4451 Al wire heat resistance 7=1700 B, pyrolytically prod., properties 7=14198 B, structure of W borides 7=14356 Ca silicate fibre polytypes nomenclature 7=17347 Co-Au(25at.%) in amorphous state prod. by quenching melt 7=17411

Physics Abstracts 1967 - Part I (Jan.-June) Fibres-contd GaSb-GaV<sub>3</sub>Sb<sub>5</sub> eutectic 7=14348 GaSb-V<sub>2</sub>Ga<sub>5</sub> eutectic 7=14348 Zn films, vapour deposited 7=7286 Field emission. See Electron emission/field emission.
Field emission microscopes. See Electron microscopes; Ion microscopes. Field theory, classical
See also Electromagnetism; Gravitation; Relativity. canonical first-order eqns. derivation 7=2784 capacity problems resolution by digital computer 7=9315 Coulomb potential, screened, bipolar expansion, addition theorem 7=2782 electron-photon refraction, mutual, density effects 7=3528 Jost-Lehmann-Dyson formula and integral representations of analytical functions 7=9029 Laplace equations, conjugate solns., method 7=15849 magnetic monopole system 7=3002 magnetic monopole system 1-3002 moving electric dipole radiator, detailed anal. 7=16116 nonlinear with action principle, particle like solns. existence 7=9027 nonlinear, localized periodic solns. nonexistence 7=9028 optical coherence semiclassical treatments 7=309 quantization 7=15883 quasi-analytic functionals 7=371 symmetries, reciprocal reln. to conservation laws, variational theory 7=2783 vector fields 7=12525 Field theory, quantum See also Dispersion relations; Elementary particles; Physics fundamentals; Quantum theory. algebraic, broken symmetries and automorphisms 7=12767 angular momentum theory graphical methods 7=5950 anomalous thresholds as limits of complex singularities 7=12768 application to atomic and molec. systems 7=6497 atomistics reconciliation with divisibility of space and time 7=16416 axial currents algebra approx. saturation 7=12905 axiant currents algebra approx. saturation 1=12303 axiomatic, analyticity 7=16337 axiomatic approach, equations 7=9678 axiomatic theory of S-matrix 7=9679 baryon mass differences in broken unitary symmetry model 7=587 Bethe-Salpeter eqn., causal Green's function, properties 7=12902 Bethe-Salpeter equation, spectral representations appl. 7=9775 book 7=5924 ### mp bootstrap model 7=582 bound states and Regge poles from modified Wronskian relations 7=6100 broken symmetries and Goldstone theorem, review 7=16423 CP invariance, anal. in  $K^{\pm} \rightarrow 3\pi$  decays 7=3591 CP violation models and their experimental implications 7=16335 representations, test function spaces 7=5937 charge-current commutator, contradicted by ρ-meson dominance 7=581 charge renormalization, elec. and mag. 7=5942-3 composite, necessary condition, rigorous proof 7=3419 Coulomb wave functions, expansion in powers of energy 7=9774 covariance algebras structure of theory 7=9664 cross-sections in terms of local observables 7=12936 current algebra saturation of eqns., with higher baryonic resonances 7=13107 current algebras in renormalizable interaction quark model 7=16435 current commutation relations 7=3443 current commutation relations consistency 7=6049 current correlation functions, Lorentz covariance rel.to gauge invariance 7=3326 current dependence on fields they generate 7=6047 Cutkosky rules for free two-particle propagator
analytic structure 7=9876
degeneracy, accidental 7=12271
degeneracy problem in SU(3) 7=6018
derivative coupling model, N-quantum solution 7=3323 determination by current operator? 7=12777
Dirac fields symmetry transformation 7=3518
Dirac 4-spinors, underlying spaces, anal. within vector Clifford algebra 7=3334

degeneracy problem in SU(3) 7=6018
derivative coupling model, N-quantum solution 7=3323
determination by current operator? 7=12777
Dirac fields symmetry transformation 7=3518
Dirac 4-spinors, underlying spaces, anal. within vector
Clifford algebra 7=3334
Dirac matrix algebra 6-dimensional form 7=515
dispersion relations, subtractions 7=16474
divergence conditions and sum rules 7=6034
divergencies, possible removal by space-time quantization
and momentum space curvature 7=5936
domain of the total Hamiltonian and free
Hamiltonian 7=5939
dynamical formation at infinite momentum 7=3341
energy dependent complex potentials and bound
states 7=9821

```
Field theory, quantum—contd equal time commutation relations and sum rules 7=9796
         equation of spinor field derived from the
              Lagrangian 7=9663
         Fermi field, local, absence of interaction due to good
              i.r. behaviour 7=12769
          Feynman diagrams, single-loop, discontinuities of Riemann
         sheet, with four, five and six vortices 7=2770
Feynman integrals with spin, high-energy behaviour 7=3545
         Fierz's relns, complete set in 6-D form 7=9677 finite groups ray representations 7=9020
         Fock representation, rel. to massless particles 7=3418 form factor decay, derivation by local field theory 7=3432 four-particle amplitude in terms of the two-particle one 7=6055
          Galilean, and ghostless Lee model 7=12878
          general principles of local theory 7=9680
         general principles of local theory (=5000)
generalized gauge group invariant system canonical
theory 7=16329
generalized quantization 7=5684
          Goldstone models, symmetry breakdown 7=16332 group theory connection with Regge poles 7=6099
         group theory connection with Regge poles 7=6099
harmonic-oscillator wave functions, coefficients of
transformations 7=9681
Heisenberg "quasi-local" operators rel. to
renormalization 7=9662
higher spin, Tung's theory 7=3327
Hilbert space, extension, appl. to inexact symmetries 7=6016
          interaction of spin and gravitational fields 7=518 invariance group struct.for linear theories 7=16331 invariance group, structure 7=12771 invariance principles, role in natural philosophy 7=3335 isovector-vector non-Abelian field, Compton effect 7=3629
           Jost-Lehmann-Dyson formula and integral representations
               of analytical functions 7=9029
          Lagrangian for nonlinear spinor and scalar fields 7=16340 leading Landau curve of single-loop scatt, diagram, with internal diagonal line 7=3464
           Lee model, V\theta-N\theta\theta sector, soln. of Schrödinger eqn. 7=6039
          Lie algebra for class of elementary parts, physical representations 7=440
Lie algebra of spin 3/2 rotation group, enveloping algebra resolution 7=12877
           Lie algebras, semi-simple, inhomogenizations 7=11 linear, cosmological solutions 7=8777
           Lippmann-Schwinger, quasiparticles and eigenvalues 7=12883
            local currents integrals restriction 7=12904
           local field eqns., existence of solns., anal. 7=3333
           locality and isospin of self-conjugate bosons 7=16433
Lorentz equivalence and unitary symmetry in vector
Clifford algebra 7=3325
            magnetic charged, spin 0 or 1 7=3328
            magnetic monopoles, singular string, rel. to absence of free quarks in nature 7=12884
            many-particle systems, range of forces and broken symm. 7=5690
            mass gap and violation of discrete symmetries 7=9769
           mass gap and violation of discrete symmetries 7=6 mechanics, complex ang. momentum states 7=6000 mixing scheme for chiral and collinear algebras 7=12900 models of single particle states 7=12866 moving branches in j-plane 7=12944 N-quantum approx.for operator solns, in static models 7=3451
            and non-compact symmetry groups and unitary
S-matrix 7=12940
            non-dynamical formalism and tests of time reversal
invariance 7=9668
non-Hermitean operator, anal. props. of resolvents and
completeness 7=3340
            non-Hilbert-space formulation 7=9661
nonlinear local, without divergencies 7=16330
non-local; fundamental length 7=12766
            nonlinear with action principle, particle like solns.
                  existence 7=9027
             nonlinear, localized periodic solns. nonexistence 7=9028
            nonlinear spinor, with Hermitean field operators 7=6012
             nonlocal separable potential, theory 7=9839
             nonrenormalizable theories in Bethe-Salpeter
                 framework 7=5938
             O(4) invariant potentials, theory and appl. to short-range
                  example 7=9647
             one-particle states, poles of vertex function and orthogonalization 7=16434
             O' Raifeartaigh's theorem, proofs 7=9755 operator averaging, combinatorial method 7=3343
             operator expectation value averaging 7=3342
             operator field, commuting and translation-
invariant 7=5935
             operators, self-adjointness, and quasi-analytic
                  functionals 7=372
             optical potential for high-energy physics, theory and
                   appl. 7=16464
```

```
Field theory, quantum—contd ordering theorems 7=3330 PCAVC for \Delta S=1 currents 7=3602
         partial-wave amplitudes, threshold behaviour 7=9806
         particles with identical quantum numbers 7=9842
         particles of zero rest mass, position operator and
             localization 7-9772
         Perey effect and analytic props, of wave function 7=16760
        photon field, \alpha^3 terms in renormalization const. Z_3(\alpha) 7=490 Poincaré group, irreducible unitary representations 7=18-19
         Poincaré invariance rel. to internal symm. 7=6020
         at point, as operator in nested Hilbert space 7=12779
         potential scatt. analytic props. book 7=9822
        presymmetry 7=16333
propagators, tensor and spinor 7=5934
        quantization generalization 7=16328 quasi-analytic functionals 7=371
         random fields in quantum theory 7=2846
         real time quantities, nonequil., variational
         approach 7=9126 reducible, with one-parameter symm. group 7=3324
         relativistic, arbitrary dynamical variables manifestly
         covariant description 7=9665 relativistic, bound states, N-quantum approx. 7=3441
         relativistic, development 7=12770
         relativistic double pole field, space of states 7=9667 relativistic, charges as integrals of densities 7=3329 relativistic field theories quantization, new
             principles 7=3332
         relativistic system, bound states 7=455 renormalization function {\rm Z_3(s)} integral representation consequences 7=6103
         renormalization with operations directly on propagators 7=16338
         rotationally symmetric models, Green's
functions 7=9658
Ruijgrok-Van Hove model, spontaneous generation of
symmetries 7=6104
         S-matrix for arbitrary spins 7=6094
         S-operator, strong unitarity condition rel to Bogolyubov causality 7=6038
          ΔS=1 axial-vector current, Cabibbo angle and renormalization 7=9752
          scalar field, spherically symmetrical solutions 7=16339
scattering matrix and description of particles 7=6010
          scattering theory, variational bounds 7=12931
          Schödinger eqn. Hamiltonian resolvent kernal and
              scatt. operator analytic continuation 7=12927
          Schrödinger second quantization 7=9743
          Schwinger functions rel. to classical limit of quantum
              statistical mechanics 7=5685
          space time structure 7=6009
           spin density matrix, nonnegativity 7=9765
spin 2, Lagrangian formalism 7=9770
spontaneous symmetry breaking in soluble models 7=6013
           spontaneously broken symmetries and current
conservation 7=9779
SU(n) Clebsch-Gordan coefficients 7=12903
           SU(2), static model, saturation, dynamical
               symmetries 7=16596
          SU_8 Clebsch-Gordan coeffs for 35(\!\!\times\!\!)35 product 7{=}9659 SU(6), conserved tensor currents and relativistic
               structure 7=9754
          SU(6) group representations, calc. of quantum
numbers 7=9753
SU(6)-like results using sum rules without
saturation 7=3438
           symmetry-breaking nontrivial solutions construction 7-437
T-invariance, test in compound nuclear reactions 7-3863
           T violation effects, enhancement in reactions 7=3336
           textbook for graduates 7=365
three-particle model, renormalization 7=16421
           time-reversal test in K_{\mu\nu\gamma} decay 7=3586
           transformation props., and wave functions 7=9666 triangle graphs, spin effects 7=6054 trilinear commutation relations, algebraic aspects 7=3331
           two-body processes, kinemat. anal., appl. of transversity
                amplitudes 7=9837
           two models in general reliability for spin particles 7=9766 vector meson theories with conserved current, degeneracy of physical vacuum 7=575
           vertex renormalization constant, vanishing 7=453
           wave-equation, covariant with respect to n-dimensional real unimodular group 7=373
Yang-Mills field redundant variables separation 7=12880
Zachariasen model Heisenberg eqns. and
                axiomatics 7=5949
            zeros of amplitude near t=0 rel. to slope of diffraction
               peak 7=6045
            U(3, 3), 'oscillator-like' representations and mass
                formulae 7=6022
       electromagnetic field. See Quantum electrodynamics.
```

#### Field theory, quantum-contd interactions

See also Elementary particles; Nuclear reactions. See also Elementary particles; Nuclear reactions. Entries on interactions involving named particles are listed under the particles concerned. anomalous singularities 7 = 16446 asymptote at high energies for scalar four-point diagram for  $e\phi^3$  interaction for spin  $\frac{1}{2}$  7 = 12920

axial vector current components, equal time commutator 7=9810 axial vector-current partial conservation and chiral representation mixing 7=6050 baryon-baryon-meson coupling constants in broken SU(3) 7=12912

baryon number changing currents 7=12909

Bethe-Salpeter equation and role of central interactions 7=9790 bosons, G-parity doublet, e.m. 7=12885 bound systems, strong, dynamics 7=534

C-nonconservation of local trilinear type, review 7=16453 CP-noninvariant e.m. vertices, isotopic invariance 7=3455 C.P.T non-invariances 7=16456

charge exchange and quasi-elastic scatt.rel.to multiple meson prod. at high energy 7-16443 creation and annihilation, asymptotic operators 7-6037

current algebra sum rules rel. to dynamical assumptions 7=12906

current algebras in broken SU<sub>3</sub>, testing 7=9784 direct, high energy limit 7=462 e.m. of compound W\*boson 7=3608 electromagnetic, form factors and multipoles 7=6064

electromagnetic interactions, review 7=6062 electromagnetic, S-matrix theory 7=12772 Feynman diagrams, complex singularities 7=3339

Feynman diagrams, complex singularities ==5359
Feynman graphs, relevancy of singularities of associated functions 7=12780
Feynmann path integrals, boundary conditions 7=12781
forward and backward peaks at high energies 7=6046

Fubini sum rule, and analyticity in ang. momentum plane 7=9905 Goldstone's theorem and partially conserved

currents 7=458 gravitational and strong interaction 7=15879

Green function for compound particle in scalar field model 7=6041

of hadrons, C parity violating, Bernstein, Feynberg and Lee hypothesis rel. to supercharge 7=6053 hadrons, e.m., S-matrix theory, T-invariance 7=3454

hadrons, e.m., 5-matrix discorptions, isobar model, practical formulation 7=9787 isospin conservation and polarization effects 7=3445

isovector current conservation and e.m. amplitudes 7=16462

long-range potentials, nonrelativistic approx., validity 7=9786 magnetic moment sum rules from current densities commutation relns. 7=3431

meson-baryon coupling constants in current-current model 7=16542

minimal currents and commutation relations 7=9805 multichannel rearrangement collisions, formal theory 7=9781 octet enhancement 7=3456

pair production of resonances, factorization of amplitudes 7=12910

partial amplitudes of inelastic processes, threshold behaviour 7=9792

particle production at high energy, total crosssections 7=16445

particles at high energies, inelastic 7=3446

processes in field of plane e.m. waves and in constant field 7=6063

production of particles, diffr. scatt. effects unlikelihood 7=12911

Regge asymptotic behaviour 7=16480 relativistic theory book 7=16437

SU(3) inequalities at high energies 7=16558 SU(4) symmetry and N-N scatt. 7=3628 scatt. phase shift in stochastic fields 7=477

strangeness violating vector currents non-renormalization theorem 7=6048

sum rules for baryon resonance widths 7=10034 sum rules, new family, from current commutation relations 7=459

superconvergence relations in presence of Regge cuts 7=16479

symmetry breaking, disperse approach 7=9783

T invariance test from  $\Lambda$  polarization in  $\Sigma^\circ \to \Lambda^\circ + e^+ + e^-$  7=13106 three particle, "complete experiment" 7=10214

three-particle final states, overlapping resonances 7=9937 three particles, production near threshold, review 7=12915 Treiman-Yang criterion for particles with spin 7=12913

Treiman-Yang test and triangular graphs 7=16441 triangle graph discontinuities rel. to internal mass 7=9794

Field theory, quantum-contd

interactions-contd

unitarity relation in impact parameter representation 7=16463

tation (=10403)
two-particle, SU (6) appl. as relativistic generalization of SU(6) 7=12914
U(3) (3) U(3) algebras, saturation at infinite and finite momentum transfer 7=6209

unstable particle, classification with its propagator 7=6014 interactions, strong

approximate symmetries 7=16450

baryon-meson, Lorentz covariant chiral U(6) × U(6) scheme 7=16541

bound states of relativistic two-body Hamiltonian, Bethe-Salpeter equations 7=16447

C, invariance, approx., of physical hadrons, effects 7=468

consistency conditions and unsubtracted dispersion relations 7=466

cross-section, vanishing at infinite energies 7=464 denial of SU(3) symmetry, no similarity between strange λ quark and p and n quarks 7=12919

dispersion techniques, properties and behaviour of particles obs. 7=12943

elementary particles internal rel. to external symmetries 7=9803

and elementary particles many-body like structure 7=9745

four-fermion interaction, chiral, strong coupling theory 7=6056

four-pion coupling constant and SU6 algebra of Gell-Mann 7=463

group theory, supermultiplet structure due to  $Q_{\kappa}$  7=16425 hadrons, diffraction, as shadow of inelastic collisions 7=9826

hadrons, phenomenological Lagrangian, in relativistic SU(6) 7=3450

SU(6) 7=3450 hadrons, S-matrix theory, T-invariance 7=3454 hadrons, triplet models, saturation 7=3425 hadrons, universality and regulatities of deviation 7=12918

deviation T=12318 high energy, review 7=16448 hypercharge conservation and Shmushkevich principle 7=9800 internal symmetries, possible dynamical origin 7=3448

low-energy theorems and internal symmetries, simultaneous use 7=9669 meson-baryon interaction Hamiltonian observing permutation symmetry 7=467

N-quantum approx. for operator solns. in static models 7=3451

N/D effective-range theory with SU(3) symmetric shortrange forces 7=9843 parity conservation 7=9799

production of low-spin particles, constraints on statistical tensor 7=465

and quarks, dynamical theory 7=12917 quark model, scattering lengths 7=16467 Regge trajectories, high energies 7=6098

resonances, quark model review 7=16449 S-matrix, bootstrap model, Mandelstam iteration 7=3453 scattering, strip approx., by Mandelstam approx. 7=3570

scattering, strip approx., by Mandelstam approx. 7=35
semileptonic, rel. to neutrino meas. at high
energy 7=12921
SU(3) symmetry model, basic ideas 7=12916
SU(4) model 7=6059
SU<sub>4</sub> symmetry 7=6058
SU(6,6) theory through a matrix representation of the
group algebra 7=3449

with super-strong square-well potential between basic particles 7=16452

symmetry role, conclusions from elementary particles conference in 1965 at Oxford 7=16451 three-particle, relativistic linear integral eqns. 7=3476

U(N, N) algebras, "oscillator-like" representations 7=9801 U(2, 2) algebra, "oscillator-like", "spin-basis" construction 7=9802 vertex in SL(6, C) 7=6057

Yukawa coupling consts., higher-symm. interrelns. 7=9804 NNπ, N\*Nπ and ρππ vertices, quark model calc. 7=619

W boson, quadratic strong interaction 7=6131

interactions, weak
and axial-vector, coupling constant renormalization 7=12925

axial-vector current consisting of pseudoscalar octet 7=6068

axial-vector vertex low energy theorem 7=6069 baryons and leptons, decay selection rules 7=9967 Boson gas, weakly coupled, condensate turbulence 7=15909

bosonic leptons, influence 7=16517

bosons, two types 7=16460 C-violating e.m., W-spin constraints 7=469 CP-odd, isotopic spin 7=3458 CP violation models and their experimental implications 7=16335

rield theory, quantum-contd interactions, weak—contd Cabibbo, tests in leptonic decay 7=3430 chiral charge and nucleon-field commutation rel. to sum rule generation 7=591 conference at Argonne, 1965, summary 7=12924 conference, Argonne, USA, 1965 7=471 coupling constants from chiral SU(3) × SU(3) current algebra 7=6067 e.m.form factor and propagator normalization 7=452 Feinberg-Pais theory contact terms 7=6066 four-fermion interaction, chiral, strong coupling theory 7=6056 rel. to gravitational collapse 7=8779 hadrons, rel. to substructure, in pole model of nonleptonic hyperon decays 7=13105 high-energy physics conference, Dubna, USSR, (1964) 7=3413 higher order corrections 7=12926 intermediate boson theory 7=16457 lepton neutral currents 7=6121 leptons, geometrical interpretation possibility 7=6120 model, renormalizable 7=474 n axial-vector to vector coupling consts. renormalization 7=12922 non-leptonic decays 7=16429 nonleptonic, RP invariance, rel. to SU(6) 7=6303 nonleptonic strangeness conserving, isospin structure 7=3457 nonleptonic, and SU(3) 7=12923 and \(\nu\) high energy interactions meas, at accelerators 7=12973 octet enhancement 7=3456 one-graviton exchange, elementary particles 7=460 one-meson propagator at space-like momenta 7=3452 possible existence of Q<sub>k</sub> ≠ particles 7=6070 R(11) group, predictions of currents 7=3459 review 7=6065 review 7=6003
review of present status 7=16456
semileptonic, rel. to neutrino meas. at high
energy 7=12921
SU(3) breaking effect on Cabibbo cycles 7=473 in SU(6) symmetry theory, intermediate boson scheme 7=3460 supercharged particles 7=16455 and time axis reversal universe 7=16334 unitary symmetry triplet representation appl. 7=3442 with unsubtracted dispersion relations for form factors 7=16458 K, CP violation, review 7=16577 and  $K_1 - K_2$  regeneration 7=13034 meson field See also Mesons; Nuclear forces. Bethe-Salpeter eqn., bounds, Padé approximants 7=6084 current algebra, consistency of approach 7=12899 ghost scalar meson, rel. to sign of p-n mass diff. 7=3630 one-meson exchange, tensor forces, in SU(6), 7=3424 one-meson pole theory at 7 GeV, testing 7=9910 one-meson propagator at space-like momenta 7=3452 particle mixing for arb. spin 7=3541  $\phi-\omega$  mixing without symmetry breaking 7=9955 pion static theory sum rules for axial-vector current renormalization 7=16549 pseudoscalar, N-quantum approx. for bound states 7=3441 renormalization with operations directly on propagators 7=16338 vector, algebra of tensor charges appls. 7=13041 vector meson-baryon, strong and e.m. vertices 7=3609 Yukawa coupling consts., higher-symm. interrelns. 7=9804 Yukawa potential, nonrelativistic approx., validity 7=9786 quantization See also Quantum theory/quantization. space-time possessing a discrete structure 7=12765 air film cooling prod. on injection into incompressible air flow obs. 7 = 10740magnetic properties 7=5122 thickness meas., calibration of quartz crystal oscillator

used as sensing device 7=17376

thickness meas., quartz oscillator and microbalance comparison 7=17377 thin, optics, generalized principle of reversibility 7=342 vacuum depositions at elevated temps., use of quartz crystal microbalance for monitoring 7=17378 He film cooling prod. on injection into incompressible air flow obs. 7=10740

See also Adsorbed layers; Contact angle; Helium/liquid; Superfluidity; Surface tension.
boundary layer, m.h.d., formation and breaking on solid
body obs. 7=235

long waves on flow down inclined plane 7=7006 monomolecular, effect on SO<sub>2</sub> sorption into H<sub>2</sub>O and aqueous gels 7=10820 non-Newtonian, flowing down inclined plane, stability 7=17242

Films\_contd

liquid-contd soap between coaxial rings, dynamic 7=7015 soap, reflectometric thickness meas. theory 7=1111 stability of dry patches formed flowing over heated surfaces 7=1101 waves, wind-generated 7=1102

He3-He4 solutions, flow velocity of films 7=15986 solid

See also Magnetic films; Optical films; Thickness measurement.  $A^{\text{II}}B^{\text{VI}}, A^{\text{IV}}B^{\text{VI}}, \text{single crystal chalcogenide, photoelectric}$ 

props. and structure 7=18066

alkali halides on metals, emission for transverse optical resonance meas. 7-18250
alkaline earth metals, on W, Ir and Rh, electron emission and adsorption 7=5107

alloy resistors, ageing mechanisms obs. 7=7870 alumina-silica, low temp. deposition 7=4484

anodic oxide, electroluminesc. 7=2396 butyl methacrylate and methacrylic acid copolymer,

film struct. 7=14258
compounds, vacuum evaporation source using heated Mo
honeycombed block 7=4418

counters, energy sensitive, for ultra-relativistic particles 7=407

Debye-Waller factor, substrate effect 7=14268 Debye-Waller factor for Mössbauer effect,

anisotropy 7=1264 density meas, from X-rays prod. by protons 7=17383 deposition by ionized fast atoms 7=10810

deposition, modular electron beam source 7=1266

deposition techniques, review 7=14269

dielectric characteristics, measurement 7=15011 dielectric, very thin, on metals, anomalous absorption 7=2264

absorption 7=2204
dislocations and precipitates, electron dark field microscopy in foils 7=1582
electron diffr. meas. of short range order 7=1412
electron diffr. patterns interpretation, thin, alloys 7=10962 electron diffraction scanning with energy loss filtering, apparatus 7=1374

electron energy quantization effect, method of obs. 7=14783

electron microscope exam., 500 kV 7=14339 in electronic engineering, conference, London, 1966 7=9311 element films 50 to 50 000Å, thickness meas. by X-ray fluoresc. anal. 7=10961

epoxy coatings, relation between wear resistance, internal stresses and modulus of elasticity 7=4813 ethane, photolysis 7=8574 evaporated, detection of internal strain by

holography 7=14654

evaporation filament with automatic cut-off 7=14162 flash evaporation prod., u. s. particle feeder 7=10954 Formvar, casting on water 7=16352

galvanic effect, dielectric and vacuum-deposited 7=8001 glass on SiO<sub>2</sub> thickness meas by near i.r. interference 7=4485

Hall meas., electrode config. 7=17996 heavy elements, passage of light atoms or ions, theory 7=4046

high vacuum systems for thin film deposition 7=14008

i.r.transmission meas. method 7-17406 insulating, space charges 7-5049

island struct. on initial vapour deposition obs. from electron diffr, inner rings 7=17382 lacquer masks made by electron irrad. 7=4488 light scatt. by films with nonrandom orientation fluctuations, theory 7=2271

light scattering, diffuse as measure of surface roughness 7=1254 measurement of evaporation and deposition rates, sticking

probability and press. 7=7266

mechanical and thermomech.props., instrument for meas. 7=11227

metal, discontinuous, elec. conduction, field

effect 7=11421 metal foils thermal transient diffusivity meas. 7=1493

metal foils thickness uniformity meas. by  $\alpha$  absorption and spectrum degradation 7=12281

metal, influence of boundary scatt. on field effect and cond. 7=1826

metal-insulator-metal sandwiches, photocurrent effects 7=5088

metal, optical absorption and emission spectra 7=18200 metal, very thin, total absorption, rel. to energy levels 7=18199

metals, electrical resistance temp. var. 7=1823metals, electron thermodynamic props, oscillations at low temp, and high press. 7=7755

metals, evap., i.r. spectra of adsorbed CO 7=17406 metals, microscopy on Si by thickness "enlargement" by polishing 7=17381 metals, surface scatt. of electrons and elec. cond. 7=1825

```
S 140 SUBJECT INDEX
Films-contd
    solid-contd
        and microparticles, electrical conductivity 7=11420
        mounting without substrates by edges 7=17380
       multiplayer, thickness meas by X-rays 7=14272
multiple deposition apparatus 7=1265
nitride on Cr, kinetics meas by ellipsometry 7=15416
       optical consts., calc. method 7=8348 optimum number of elements on substrate plates,
            evaluation 7=7269
        oxide, microwave discharge deposition at low temp. 7=10970
        Permalloy, condensed, structure rel. to mag. props. obs. 7=7280
        Permalloy, magnetoelasticity, struct. var. obs. 7=7727
        Permalloy, magnetoresistance effect thickness
var. 7-18131
Permalloy, mechanical properties 7-4778
Permalloy, oblique-incidence anisotropy, temp.
            dependence 7=2136
        phase and order transformations during and after
deposition 7=1263
piezoelectric, for microwave phonon prod. and
detection 7=7480
        plastic, mech. props., testing machine 7=4757 polyamide, photostability 7=4743 polyethylene, elect. cond. voltage and temp. var. obs. 7=15029
        polyethylene, elec. field lifetime, ionization intensity var. 7-18044. 'poly (ethylene terephthalate), light scatt.rel.to structure 7-1295
        polyethyleneterephthalate, stressed in tension,
            creep 7=4814
        polyethylene, space charge effects in elec. break-
        down 7=5070
polyisoprene rubber hydrochloride, two dimensional
        deformation, rel. to supramolecular structure 7=4822 polymer, for Co^{60} \gamma-ray dose distribution obs. 7=498
        polymer, obs. of light scatt. patterns with polychromatic
divergent light source 7=1294
         polymers, brittleness temp. by temp. dependence of strain
             in uniaxial tension 7=4830
        poly (n-octadecyl methacrylate), monolayers at air-water
             interface, crystallization kinetics 7=1338
         polypropylene, isotactic, crystal growth microstruct.
             obs. 7=1342
         polypropylene, light scatt.rel.to structure 7=1295
         polyvinyl acetate latex, light scatt. obs. 7=2361
         powder evaporation source 7=10906
         precipitates, size distribution and density, electron
         microscope exam. 7=1388
predetermination of selective surfaces, protection of
photocells 7=12506
         reflection and transmission factors rel. to \nu and \chi indices
             calc. 7=2259
         resin coatings on Aerosil mechanical props., molecular
         interaction effects obs. 7=17742
resistive films in rectangular waveguide 7=12581
         resistive, vacuum and chemically deposited 7=7840
         resistivity meas. by breakdown method, epitaxial layers 7=7931
         rough, optical reflection for thickness and r.m.s.
         roughness meas. 7=17373
rutile, O-deficient, crystal imperfection structure of foils
obs. by electron diffraction microscope 7=1529
semiconducting, electron gas density of states and
chemical potential calc. 7=7822
         semiconducting, prep. by cold plasma condensation 7=10955 semiconducting, thin 7=10963
         semiconductors, optical anisotropy obs. for prod. with
             oblique incidence of molecular beam 7=18209
         semiconductor, probe meas. solution 7=1926
semitransparent, Fresnel diffraction by slits 7=3268
         Snoek damping in sheets meas, by Kê pendulum modification 7=17661
         stacking fault nucleation, epitaxial 7=17619 strength of multilayered vacuum condensates 7=14677
         substrate cooling, during deposition 7=7267
          superconducting critical fields calc. 7=4923
          superconducting, pulsed critical currents 7=4915
          superconducting, quantized vortices theory 7=4922
         superconducting, thermodynamic properties 7=14461
          superconducting type II, density of states near upper
             critical fields obs. 7=4959
         superconductivity in semiconductors, non-
degenerate 7=1853
         superconductors of type II, critical fields calc, 7=17894 superposed superconductors critical mag, field and transition temp. obs. 7=1852 thermal radiation 7=7509
          thickness checking during evaporation 7=10959
```

thickness distribution, deposited by evaporation 7=7270

```
Films-contd
     solid-contd
          thickness meas., Am^{241} \alpha source, dual method, semicond.
                 detector gauge 7=9007
           thickness meas, by \beta-ray back-scattering 7=17374
          thickness meas. by \beta-ray back-scattering 7 = 17374 thickness meas. during deposition in vacuum 7 = 17375 thickness meas. by electron probe analysis 7 = 10960 thickness meas., by multiple interference, effect of Ag condensation coeff. 7 = 10958 thickness meas. by oscillating quartz crystal, condensation effects obs. 7 = 7264 thickness meas, with quartz crystal microbalance 7 = 7263 thickness meas, with quartz crystal microbalance 7 = 7263
           thickness monitor using fibre optics 7=4483 thickness monitoring circuit during deposition 7=7265
           thin single-cryst., prep. method 7=14271
           II-VI compounds, activation and recrystallization,
review 7=10957
           vacuum foil window, bakeable 7=1096
           vaporization prod. from two substances in given ratio 7=17379
           variable composition films representing complete alloy
                 systems, preparation 7=7268
            viscoplastic structures, design, successive approx.
method 7=11241
            Ag on alkali halide cleavage planes 7=7344
            Ag, electron diffr. gegenfeld filter obs. 7=1419
Ag epitaxy on NaCl, orientation rel. to evaporation
rate obs. 7=7345
           rate obs. 7=1345
Ag, melting temp. by quartz oscillator, rel. to film thickness 7=17377
Ag/mica and Ag/NaCl, growth of evaporated rel. to sputtered films obs. 7=1272
Ag, 1111 films, contrast from twin boundaries 7=4499
Ag, optical radiation prod. by 60 keV electrons 7=8465
            Ag, precipitation, annealing, and optical consts. 7=2295
            Ag on Pyrex-glass, mobility to 400°C in vacuum at 3 \times 10^{-8}
           Ag on Fylex-glass, indohnly to voce in vacuum at the torr and in O<sub>2</sub> at 680 torr 7=14273

Ag, resistivity during heavy-ion irrad. 7=1829

Ag on SiO, evaporation and deposition rates, sticking probability and press. obs. 7=7266

Ag, sputtered onto NaCl 7=4528
           Ag, 30-50 keV electron absorpt. 7=11418
AgCl sheets prod. for bakeable vacuum seals 7=14005
           Ag on Cu crystals, electron diffraction obs. of epitaxy and dislocations 7=1357
            Al on alkali halide cleavage planes 7=7344
Al, C ion beams charge distrib. at 8 MeV 7=12553
            Al, density, meas, from X-rays prod. by protons 7=17383
            Al, electron diffr. gegenfeld filter obs. 7=1419
            Al, electron diffraction obs. 7=1416
            Al, exploding, for magnetic energy rapid transfer to inductor 7=193
            Al foils thickness uniformity meas, by \alpha absorption and
            spectrum degradation 7=12281
Al magnetically imploded in theta pinch, magnetic flux compression 7=3007
            Al, optical consts., 2400-1200Å, rel. to Drudes'
            theory 7=15311
Al, optical transmission and absorption data,
           Al, optical transmission and absorption data, 1-6500Å 7-8371
Al, oxidation, 400-600°C, electron microscope obs. 7=15417
Al sputtering, methods, growth and struct, obs. 7=7272
Al, superconducting, energy gap anisotropy, tunnelling obs.~1.2°K 7=11466
Al, thin, Au ball bonds, rel. to bond failure 7=14698
             Al, 30-50 keV electron absorpt. 7=11418
            Al, vacuum-deposited, mosaic. 1=1116
Al, vacuum-deposited, mosaic structure electron
diffraction obs. 7=1267
Al, very thin, on SiO<sub>22</sub> rel. to electrical failure 7=14698
Al, X-ray diffraction study of substructure 7=7271
Al-Al<sub>2</sub>O<sub>3</sub>-Te-Au<sub>4</sub>. r. photoconductivity modulated
tunnelling 7=5103
             AlSb, preparation and semiconducting props. 7=11500
            Also, preparation and semiconducting props. 7=11500
Au, adhesion to oxide substrates, O effect 7=1273
Au on alkali halide cleavage planes 7=7344
Au, channelling of He<sup>3</sup> ions in polycrystalline foil
obs. 7=1658
Au, discontinuous, elec. cond. mechanism obs. 7=4900
             Au, electron absorption, energy and thickness var. obs. for slow e 7=17864
             Au, electron diffr.gegenfeld filter obs. 7=1419
             Au, electron diffraction obs. 7=1416
Au, electron scattering in, 1.5-16 keV 7=4734
Au, electrons transition radiation obs. 7=12980
            Au, evaporated, orientation 7=7274
Au, electron scattering, coherent 7=2058
             Au, fission fragment black spot damage energy var.
obs.in films 7=17603
             Au, as marker in study of oxidation mechanism of
                  metals 7=2441
             Au, monocrystalline, preparation without substrate 7=7273
             Au, observation on thinned rocksalt 7=17384
Au, optical radiation prod. by 60 keV electrons 7=8465
              Au, photoeffect, vectorial 7=2026
```

Au, photoelectric yield var. with thickness obs. 7=5090

```
Films-contd
  solid contd
```

Au, precipitation, annealing, and optical consts. 7=2295 Au, quantum absorpt. of light 7=11748 Au, sticking coeff. on NaCl 7=7147

Au, temperature var. of resistivity 7=11425 Au, 30-50 keV electron absorpt. 7=11418 AuPd<sub>3</sub>, superlattice ordering obs. 7=14374

AuPd<sub>3</sub>, superlattice ordering obs. 7=14374
B, amorphous, i.r. absorption, no peaks obs. with high purity 7=18217
B, evap., adsorpt. of diatomic gases 7=10974
B, self-supporting, prod. 7=3350
Ba, optical consts. of evaporated films, 1500-3000Å 7=5246

Ba-Sr titanate: La thermistors, positive temp. coeff., preparation and props. 7=7972

BaTiO<sub>a</sub>, single-cryst., electron microscope exam. 7=5077 Be, thin, manufacture 7=17385

Be, vacuum-deposited growth textures 7=14274

Bi, electrical props., size effects, 300°, 77°, 4.2°K 7=17945 Bi, Hall coeff., temp. and thickness depend. 7=4985 Bi, quantum size effects 7=4985

Bi, quantum size region, magnetoresistance rel. to thickness 7=14879

Bi, resistivity, temp. and thickness depend. 7=4985 C,C ion beams charge distrib. at 8 MeV 7=12553

C, electrons mass scatt. cross., 60, 80 keV 7=7632

C, growth of crystals 7=17386 C, optical props. in i.r. region obs. 7=8376

C, thin, manufacture 7=17385 CO, far i.r. spectra 7=8421

CO2, i.r. spectra at nonnormal incidence 7=8377

CO<sub>2</sub>, i.r. spectra at nonnormal incidence '=83''(
Cd<sub>2</sub>Hg<sub>1-x</sub>Te epitaxy on BaF<sub>2</sub>, spectra obs. 7=2285
CdO films, optical fundamental absorpt, and dielect.
consts. 7=11755
CdS, crystal orientation rel. to elec. cond. obs. 7=7275
CdS, luminesc, yield at 77'K 7=2375
CdS, monocrystalline, properties rel. to substrates and
conditions of deposition 7=10964
CdS, optical props. term depend 7=18227

CdS, optical props., temp. depend. 7=18227

CdS-sintered, photoconductivity rel. to In, Ga, In+Cl and Ga+Cl doping 7=5092

CdS transducers, shear mode, 100-600 Mc/s 7=5718 CdS, vacuum evaporation source using heated Mo honey-combed block 7=4418

 $\mathrm{CdS}_{\mathrm{x}}$ ,  $\mathrm{CdSe}_{1-\mathrm{x}}$ , structure obs.  $7{=}17387$   $\mathrm{CdSe}$ , electroabsorption  $7{=}8380$   $\mathrm{CdTe}$ , crystal struct.var.with Lon-stoichiometry obs. 7=7276

CdTe on hot quartz and Mo, by coevaporation of Cd and Te use of recording microbalance in rate determ. 7=14275 CdTe, preparation by gas transport 7=10965

CdTe, spectral distrib. of photo-e.m.f. 7=5094

Co, condensed, structure rel. to mag. props. obs. 7=7280 Co, epitaxial 7=14330

Co, sputtered, struct. obs. 7=7278

Co, vacuum-deposited, constitution in initial stages of formation 7=7277

Co-Au, evaporated, metastable, kinetics of transform. 7=17388

Co-Au, metastable evaporated, morphology 7=17389 Cr, amorphous, prep. by low temp. condensation electron diffraction 7=14346

Cr condensed at 4.2°K, amorphous state electron diffr. obs. 7=14276

Cr evaporated, ellipsoidal particles model of optical consts. 7=5254

Cr, resistivity, effect of glow discharge treatment 7=14881

Cr, resistivity, influence of inert gas during deposition 7=14880

Cr-Si films, temp. coeffs. of resistance, and influence of substrates 7=4901

CsBr condensation, electron diffr.obs. 7=1274 CsCl condensation, electron diffr.obs. 7=1274 CsI condensation, electron diffr.obs. 7=1274 Cs-Sb, photoconductivity and photoelec. emission obs. 7=8052

Cs-Sb, thickness rel.to original Sb film, meas. 7=1268 on Cu crystals, electron diffraction obs.of epitaxy and dislocations 7=1357

Cu, density, meas. from X-rays prod. by protons 7=17383 Cu, electron scattering in, 1.5-16 keV 7=4734 Cu epitaxy on Cu crystals 7=1356-7

Cu evaporated, ellipsoidal particles model of optical consts. 7=5254

Cu, melting temp. by quartz oscillator rel to film thickness 7=17377

Cu, oxidation rel. to imperfections obs. 7=15423 Cu oxide, growth and nucleation in Au-Cu(1, 7 at. %) oxidation at 600°C 7-18333
Cu phthalocyanine, space charge limited current and electron mobility 7=7765

Cu, precipitation, annealing, and optical consts. 7=2295 Cu sheet preferred orientation, u. s. velo. obs. 7=10990

Films\_contd

solid-contd

Cu, thermoelectricity and resistivity 7=7853 Cu-Ag, evaporated, metastable, kinetics of

transform. 7=17388

Cu-Ag, metastable evaporated, morphology 7=17389 Cu-Co(1%), Co precipitate particles size distribution function obs. 7=14212

function obs. 7=14212 CuI, semiconducting, oxygen inhibited grain growth 7=1394

growth 7=1394
CuN<sub>3</sub>, spectral absorption obs. 7=8386
Cu-Ni, piezoresistance obs. 7=14883
Cu<sub>2</sub>O on Cu crystals, electron diffraction obs. of epitaxy and dislocations 7=1357
Cu<sub>2-x</sub> Te-CdTe solar cells 7=12511
Fe, amorphous, prep. by low temp. condensation electron diffraction 7=14346 Fe condensed at 4.2°K, amorphous state electron diffr.

obs. 7=14276 Fe, condensed structure rel. to mag. props. obs. 7=7280 Fe, density, rel. to vacuum conditions 7=14719

Fe, electrical cond., adsorption of O2 and H2O effects obs. 7=14886

Fe, epitaxial 7=14330

Fe, mechanical properties 7=4778

Fe, mounting without substrates by edges 7=17380 Fe, Hall effect obs. 7=11435

Fe<sub>3</sub>O<sub>4</sub>-B<sub>2</sub>O<sub>3</sub>, deposition struct, mag. and spectra obs. 7=8234

Ga, electron scatt. in, temp. depend. 7=4902 Ga, superconductivity, high-T<sub>c</sub> phases 7=14915

GaAs, contact layers by vapour phase epitaxy, rel. to Gunn-effect oscillators 7=14331

GaAs crystal layers, growth rate in iodide process, obs. 7=17437

GaAs, epitaxial on rocksalt, by evaporation of elements 7=7348

GaAs, on Ge epitaxy by vapour phase transport 7=11015 GaAs, plasma resonances obs. from i.r. transmission in mag. field 7=17846
GaAs, pyrometry, 100°-700°C 7=146

GaP, homogeneous, prep. GaP, structure 7=10966 7=17390

GaP-GaAs solid solns., homogeneous, prep. 7=17390 GaS,homogeneous, prep. 7=17390 GaSb, homogeneous, prep. 7=17390

Ge, amorphous, electron states optical obs. 7=18238 Ge, amorphous, optical, elec. and photocond. props.

7=17966 obs. Ge anodes film form. in alkaline electrolytes 7=8564

Ge, crystal growth in electron microscope, diffraction scanning obs. 7=1275

Ge, epitaxial deposition structure rel. sputtering and evaporation 7=1360

Ge, epitaxial, evaporation formation temps. 7=11018 Ge, epitaxial growth, apparatus and obs. Ge, epitaxial growth on GaAs by vacuum evaporation 7=1362 7 = 17452

Ge, epitaxial growth, iodide sandwich method 7=17451 Ge epitaxy on (111) CaF<sub>2</sub>, defects rel. to Hall props. obs. 7=17964

Ge, etching by I vapour in electric field, obs. 7=17426 Ge, ion prod.damage layer depth obs. by sputtering yield var. 7=1580

Ge, optical effects, anomalous interference 7=2312 Ge, piezoresistive elements 7=14958

Ge, polycrystalline, amorphisation by Ar ions obs. 7=17366 Ge, pyrometery, 100-700°C 7=146

Ge, recrystallization prod. by laser of amorphous films on Al obs. 7=17453 Ge substrate, chem.composition prod.in various etchants 7=1276

HgTe, preparation and surface structure obs. 7=1269 In on insulating substrates, thermal relaxation at 4°-300°K, obs. 7=1498

In, optical reflection and transmission obs. 7=11776 In, supercond., critical mag.fields 7=7901

In, superconducting, energy gap anisotropy, tunnelling obs. ~1.2°K 7=1466
In, superconducting, interaction with Permalloy mag. film domain wall obs. 7=14916

In, superconducting, microwave transmission and reflection obs. 7=4965
InAs, epitaxial on GaAs, electron mobilities 7=17765
InAs, plasma resonances obs. from i.r. transmission in mag. field 7=17846

In-Bi, superconducting, penetration depths size effects obs. 7=4963
In + Sb, formation and props. by electron diffraction obs. 7=5325

InSb, plasma resonances obs. from i.r. transmission in mag. field 7=17846

KBr on metals, emission in far i.r., transverse optical resonance obs. 7=18250

SUBJECT INDEX Films-contd solid-contd solid\_contd lid-contd

LaF<sub>3</sub>, optical transmission, e-irradiation var.,
2200-9000Å 7=15337

Mg, vacuum deposited, tensile strength rel. to etching or
annealing at 100-300°C 7=1729

MgF<sub>2</sub> on glass, thickness meas, by oscillating quartz crystal condensation effects obs. 7=7264

Mn, electron diffraction exam. 7=1277 SnO<sub>2</sub>, deposition by reactive sputtering of Sn by O<sub>2</sub> 7=11938 SnTe prép., controlled carrier conc. 7=1271 Ta<sub>1</sub>f.c.c. → b.c.c. transformation as thickness increases in growth obs. 7=7285 Ta<sub>2</sub>, oxidized at 350-550°C, internal stresses 7=7736 β-Ta<sub>2</sub>O<sub>5</sub>, sputtered, trapping 7=14844 β-1a<sub>2</sub>O<sub>5</sub>, sputtered, trapping 7=14844
 Ta and Ta cpds, deposition, effect of sputtering on elec. characts. 7=1270
 Te, conductivity, electrical, temperature effect in electric field 7=11442
 Ti alloys foils electropolishing for electron microscope exam. 7=10971 Mo evaporated films, adsorption of Kr and Xe 7=17407 Mo,f.c.c. → b.c.c. transformation as thickness increases in growth obs. 7=7285 N<sub>2</sub>, far i.r. spectra 7=8421 NaCl, growth obs. using matching cleavage faces 7=1278 Nb,  $\rm H_2$  sorption at 77°K and 293°K 7=4494 Nb, oxidized at 400 and 425°C, internal stresses 7=7736 Ti electrical resistance, Ar ion effects 7=1841 Ti foils electropolishing for electron microscope Nb, superconductivity rel. to microstructure in foils 7=14930 exam. 7=10971 Ti-O(40 at.%) ordering, electron diffr.obs. 7=1436 Nb<sub>2</sub>O<sub>5</sub>, negative differential resistance due to microheating obs. 7=7954Nb<sub>2</sub>O<sub>5</sub> on Nb, effect of heat treatment, exam. by dielec. meas. 7=15021Tl, superconducting transition temps., surface charge effects obs. 7=1902 TIC1.structure, electron diffr. study 7=14278 TISe, amorphous, electron diffr. exam. 7=7299 U, structure obs. 7=17395  $\mathrm{Nb}_3\mathrm{Sn}$ , deposition of  $1-4\mu$  layer on  $7{=}15836$  Ni, C ion beams charge distrib. at 8 MeV  $7{=}12553$ U, Structure obs. 1=1705 V compounds of Cr<sub>5</sub>Si type prod. by vapour diffusion 7=17455 V, superconductivity rel. to microstructure in foils 7=14930 Ni. condensed, structure rel. to mag. props. obs. 7=7280 Ni, electrical cond. 7=7863 Ni, electrodeposited on Cu, interfacial dislocations 7=1604 W evaporated films, adsorption of Kr and Xe 7=17407 W, f.c.c., prod. by sputtering, f.c.c. ~700°C 7=14279 Ni, epitaxial 7=14330 Ni epitaxy on (111) Cu to several monolayers, low energy electron diffr.obs. 7=1363 W, Heter, prod. by spattering, Heter 100 to 12-12-15
Yb, density, meas. from X-rays prod. by protons 7=17383
Zn, growth of foils, single crystal, from melt 7=1348
Zn with Mn paramagnetic impurities, low temp. elec.
cond. anomalies obs. 7=11446
Zn, vapour deposition effects on grain size and elec. cond. Ni, mechanical properties 7=4778 Ni, mounting without substrates by edges 7=17380 Ni, sputtered onto NaCl 7=4528 Ni, vacuum deposited, elec. resistivity 7=14890 obs. 7=7286 Ni-Fe, glass substrate temp. meas. and control 7=1279 Ni-Fe, prep. and mag. props. 7=2133 ZnO acoustic transducers for microwaves 7=12433 ZnO noncrystalline, sputtering prod. 7=1281 ZnS, acoustic transducer, longitudinal wave, for up to NiO, short-circuit diffusion paths rel. to oxidation thickening obs. 7=15428 600°C 7=5720 Pb, superconducting, energy gap anisotropy, tunnelling ZnS on glass, thickness meas, by oscillating quartz crystal, condensation effects obs. 7=7264 obs. ~1.2°K 7=11466
Pb-Bi(5at.%), superconducting density of states near upper critical fields obs. 7=4959 ZnS:Cu:Mn:Cl, electroluminescence transients under d.c.obs. 7=15400 Pb-Cu, electrical props. at low temps. 7=14891 Thre, crystal structure rel. to growth and stoichiometry obs. 7=10972 PbO, photoconductivity in tetragonal and orthorhombic forms obs. 7=2040
PbO, texture 7=4486 ZnTe, epitaxial, on ionic substrates 7=4549 PbS, for optical consts. meas., 1-5 eV 7=15346 PbSe, carrier mobility rel. to growth conditions 7=1765 Pb-Sn, composition rel. to evaporation time 7=7281 PbTe, carrier mobility rel. to growth conditions 7=1765 suspended particles, filter-blocking, simplied model 7=14133 Filters, electrical. See Circuits. Filters, optical See also Absorption/light; Optical films. Pb-Te oxide, by reactive sputtering on glass 7=11571
Pb-Tl(4.3-13.5 at.%) superconducting films, tunnelling to Al supercond. films in mag. field obs. 7=4977
PbZrO<sub>3</sub> antiferroelectric films prod. by electrophoresis 7=10967 alkali halide vapour, u.v. meas. 7=13989 coloured glass, for isolating Hg lines 7=9569 equivalent layers in multilayers, theory 7=3241 Fabry-Perot interference, ang. var. of transmission 7=3238 phoresis 7=10967
Re, oxidation obs. 7=5329
Se, amorphous, crystallization by electron beam 7=17391
Si, Au coated, surface barrier layer form. 7=1971
Si, epitaxial, carrier conc. and Hall mobility,
77 -450°K 7=7960
Si, epitaxial, impurity distribution obs. from Si-SiO<sub>2</sub>
MOS capacitor voltage var. 7=17982
Si epitaxial nucleation on Si, electron microscope C
replica obs. 7=7349 frustrated total reflection 7=16243 hologram, for weak decorrelated signals 7=16210 interference, amplitude of Edser-Butler bands 7=3237 interference, stability obs., rel. to crystal growth 7=3239 interference, for study of SiO beam 7=6758 in microscopes, rel. to obs. and meas. of thin phase objects 7=12700 multilayer interference, with narrow stop bands 7=16242 multilayer, iterated, reflectivity and phase replica obs. 7=7349 envelopes 7=9565 Si oxides, i.r. transmission spectra 7=8437 Si, pyrometry, 100°-700°C 7=146 photographic processing in situ 7=16304 polyethylene replica far i.r.transmission gratings prod. 7=9567 Si single crystals growth on BeO 7=7283 Si single crystals on sapphire, deposition by pyrolytic decomposition of SiH<sub>4</sub>-H<sub>2</sub> 7=7282
Si sputtered on quartz, elec. cond. rel. to granular struct. obs. 7=7284 polymethyl siloxane resin host, for 2000-3000 Å 7=9568 space fre.double diffr.for resemblance of forms
 meas. 7=12693

spatial carrier-frequency filters use 7=3240 Al films data, 1-6500Å 7=8371

Cl<sub>2</sub>, u.v. meas. 7=13989 GaAs, for i.r. 7=5913

UO2++-glass, saturable action rel. to lasers 7=3121 Finlay-Freundlich red-shift hypothesis. See Astronomical

spectra; Cosmology; Gravitation; Relativity. Fireball model. See Cosmic rays: Elementary particles; Field

theory, quantum/interactions; Nuclear reactions. Fission. See Nuclear fission.

atomic spectrometry, emission and absorption, flame temp. effect 7=818 boundary conditions of reaction integral, effects 7=2451 for corundum rods polishing 7=4508 electrical potential distrib. in presence of negative ion layers, between two electrodes 7=15977

hydrocarbon, reaction zone, chemi-ionization and excitation 7=5332 laminar diffusion, in Oseen flow 7=10756

laminar propag. with conductive losses 7=2938 lighting by a spark 7=9247 mass spectrometry of ions by time-of-flight 7=2486 negative ion formation study by Hall effect 7=978 noise emitted from spark-ignited bubbles of gas 7=2916

Films-contd

obs, 7=7284

on Si wafers, X-ray topography, strain effects 7=4487

SiC, epitaxial on Si, growth and structure 7=1367

SiC growth by thermal decomposition of methyldichlorosilane 7=17392

SiN, reactively sputtered, prep. and props. 7=17393

Si<sub>3</sub>N<sub>4</sub>, hole injection and trapping obs, sputtered 7=18041

SiO<sub>2</sub> deposition from glow discharge O reaction on tetratherest in the structure of the stru

ethoxysilane 7=10969 SiO<sub>2</sub>, props., and elec.determ. of imperfections 7=1280

SiO<sub>2</sub>, props., and electrotring on glass 7=11571 SiO<sub>2</sub>, by reactive sputtering on glass 7=11571 SiO<sub>2</sub> on Si, reflectivity in i.r., thickness var. 7=15351 SiO<sub>2</sub> on Si, surface charge, effect of H and Na 7=14970

SiO<sub>2</sub>, structure, electron diffraction study 7=17394 SiO<sub>2</sub>, thermally grown, electronic cond. 7=11519 SiO<sub>2</sub>, thermally grown, switching action 7=11535  $\mathrm{SiO}_{2}$ , thermally and vapour grown, i.r. absorption 7=2337

Sn, supercond., mag. props. 7=11482 Sn, superconducting, energy gap anisotropy, tunnelling obs. ~1.2°K 7=11466

Sn, superconducting, microwave transmission and reflection obs. 7=4965

Sn-Bi, superconducting, penetration depths size effects obs. 7=4963

Flow-contd

Physics Abstracts 1967 - Part I (Jan.-June) Flames-contd oxyacetylene, C<sub>2</sub> Swan emission 7=875 probe technique 7=8550 propagation along infinite pipe, theory 7=2939 speed enhancement by elec.field, rel.to role of electrons 7=2452 thermal explosion theory, critical parameters in Poisson-Boltzmann eqn. 7=5334 turbulence, photoelectric obs. 7=15976 C vapour, spectra 7=874 Cl, negative ion formation 7=981 H<sub>a</sub> arcjet plume, spectroscopic obs. rel. to exhaust 7=15430 HF, temperature obs. by band spectrum 7=143 Rb, absorption photometry, removal of foreign bodies influence 7=10417 S, rarefied, e.p.r. 7=2454
Flares, solar. See Sun/flares.
Flash photolysis. See Photochemistry.
Flicker noise. See Electron tubes; Fluctuations/electrical. Floating zone refining. See Zone melting and refining. Flocculation. See Sedimentation. See also Diffusion; Jets; Plastic flow; Turbulence; Viscosity. binary mixture, Couette 7=10696 boundary-layer eqns., integration past point of vanishing skin friction 7=1053 boundary layer on moving surface, hydrodynamic stability 7=1057 boundary-layer, temperature -vorticity analogy 7=6940 bubbles, spherical, motion through Maxwell liquids 7=10794 in conduit expansion, press. field, Bernoulli sum, momentum and energy relations 7=17170 convective motion in rotating stratified fluid 7=13960 convective, periodic oscs. in 1-D model 7=10831 Couette, plane-parallel, small perturbation theory 7=1055 Couette shear transients from sudden change in blowing current calc. 7=13959 deterministic nonperiodic, differential eqns. 7=6941 dynamic stability problems, finite difference approximations 7-15497
Ekman boundary flow, instability 7-6939 in elastic solid, of fluid 7-1059 Ellis fluid generalized Courtte flow soln. fluid, charged, relativistic, heat transfer 7=12468 fluid instability, due to viscosity stratification 7=13961 fluid layers, subcritical convective instability 7=9244 fluid motion involving free surfaces 7=17176 fluids, compressible, exact integral of equations 7=17171 fluids, round flexible cylinder, effect on cylinder dynamics 7=6933-4 free, turbulent, mechanism of entrainment 7=6945 generation of a secondary stationary or periodic flow with loss of stability 7=1056 heat transfer from turbulent separated flows, to wall, Stanton rel. to Reynolds nos. 7=9238 Helmholtz, stability in unstable atmosphere 7=17173 incompressible, thermal boundary layer and heat transfer on flat plate 7=12464 intermittent turbulent, mathematical model 7=1064 laminar boundary layer with arb, mass distribution 7=6937 laminar Ekman boundary layer, instability 7=6938 laminar, at pipe entrance, transition zone 7=13957 laminar pipe flow, weak swirl effects 7=13958 mass exchange between gas stream and liquid 7=1060 Navier-Stokes eqns.exact solns.class 7=10694 Navier-Stokes solutions in n dimensions 7=10693 non -Newtonian fluid, between concentric relatively oscillating cylinders 7=1054 non-Newtonian fluids, boundary layer equations 7=4267 non-stationary one-dimensional flows, parametric representation 7=4268 Oseen, past a finite flat plate 7=4272 partially ionized medium, in plane channel, friction and heat flux 7=16091 plane, hydrodynamics eqn. numerical soln. 7=6929 Poiseuille with elastic boundaries, stability calc. 7=13956 Poiseuille, stability theory, Bubnov-Galerkin calc. of characteristic values appl. 7=12299
in porous elastic materials of fluid 7=1059
in porous materials, with solid precipitation, calc. 7=6932 in porous media, planar movements 7=13955 Rayleigh, stability with incompressible, viscous fluid 7=17174 reactive, one-dim., transverse waves theory 7=4278 Reynold's equations under unsteady conditions rel. to micrometeorology 7=8623 rotating fluid, stability between two free boundaries 7=6950 second order incompressible fluid in tubes, with fluctuations 7=10700 shear viscous, past two dim. cavity, outer-inner streamline 7=4271

shock discontinuities numerical cale, using artificial heat conduction 7=12414 stability non-linear theory 7=6942 stagnation point in second-order fluid, heat transfer 7=10695 step-induced separation of turbulent boundary layer in incompressible flow obs. 7=10702 Stokes translation of particles along axis of infinitely long circular cylinder 7=14049 supersonic at m. h. d. channel entrance, linearized 7=3070 through porous media, statistical approach 7=4270 Tietjens function evaluation in stability calc. 7=17167 topology, ideal fluid 7=17172 turbulent channel, stability. Malkuss theory applic. 7=13963 turbulent, near compliant surface, radiation props. 7=9190 turbulent, invariant integrals 7=13962 turbulent shear, Reynolds stress maintenance mechanism 7=10701 vapour-liquid mixture, adiabatic, slip effect and friction in tubes 7=6955 viscoelastic fluids constitutive eqns. for transients, Deborah number 7=6930 viscous, between two co-axial, rotating, porous cylinders 7=1058
viscous, class of solns. for 2-D stationary flows 7=4269 viscous fluid past sphere in cyl. tube, periodic motions 7=10699 viscous fluid due to rotating spherical caps 7=6931 viscous incompressible fluid between unsteadily rotating discs 7=10697 viscous, past circular cylinder, unsteady, numerical study 7=10698 wake behind cone, transition at low Reynolds numbers 7=17188 obs. gases See also Acoustic streaming; Aerodynamics; Anemometers; Supersonic flow acoustic, weakly radiative, induced by radiation from stationary wall 7=17208 air-glass  $30\,\mu$  beads suspension in elec. field, heat transfer and particle transport obs. 7=10873 air, incompressible, film cooling by injection of He and air obs. 7=10740 air, visualization using electron beam afterglow 7=10713 Boltzmann Bhatnagar-Gross-Krook eqn ,unsteady, discrete ordinate method 7=17180 boundary-layer, numerical soln. 7=6936 convective in rotating annulus, effect of shear and change of aspect ratio 7=10718

Couette, linearized problem, integral-diffusion method 7=17181 dissociating boundary-layer flows, near equilib. 7=6956 dissociating gas, heat fluxes near stagnation pt. 7=13981 dissociating, linearized Rayleigh problem 7=10719dusty gas with oscillating infinite flat plate 7=4282 fission product deposition theory 7=785free molecule, Markov chain theory 7=6953 grid turbulence at large Reynolds numbers 7=1069 hypersonic, past a wedge, influence of Hall effect 7=12559 hypersonic, separation of Newtonian shock layers 7=10728 impact at high velocity on a wall, reactive impulse 7=13973 interaction between diffusion and viscous flow in mixtures of rarefied gases 7=10717 jet diffusion in establishment region 7=13996 low-speed, past cores 7=13976 molecular, in transient regime, Fick eqn. validity 7=6954 Navier-Stokes eqns, discontinuous forms, boundary value problems 7=17183 problems 7=17183
Navier-Stokes eqns. in sonic stream past body of revolution with viscosity and heat cond. 7=13968 nonequilibrium gas, equations of motion 7=13972 nonisentropic, two-dimensional, rel. to m. h. d. 7=94 non-steady, adjacent to regions of rest 7=17179
Oseen, laminar diffusion flame 7=10756 plane, of radiating gas, 2-D 7=17184 over plane wall, with sinusoidal temp. distrib. 7=10712 plasma, cut-off by elec. field 7=13944 in porous media, FORTRAN programme 7=10711 radiating gas near plate with finite plate Mach number 7=17185 rarefied channel flows for 3 molecular models 7=17182 relativistic gas dynamics of potential movements 7=10721 self-similar motion under relaxation conditions 7=10722 in shock tubes, low-pressure, test time and particle paths 7=15932 shock waves structure in gas 7=12412 slip flow in annulus 7=1068 supersonic, maximum drag 7=1072 surface flow of adsorbed gases and vapours 7=14281

Flow-contd

liquids-contd

SUBJECT INDEX Flow-contd gases-contd suspension with solid in elec. field, heat transfer and particle transport obs. 7=10873 temperature meas. rapidly varying 7=1082 theory, containing solid or liquid particles 7=1183 thermal creep in rarefied gas, kinetic theory 7=4291 thermomolecular flow forces, between 0.1 and 100 torr in conference, Princeton (1965) 7=13969-71 thermomolecular forces above 0.1 torr, rel. to microbalances 7=13971 thermomolecular, rel. to microbalances, in conference, Princeton (1965) 7=13970 turbulence effect on laminar skin friction 7=15969 unsteady with small entropy gradients 7=10720 valves, regulating, capillary-type 7=4281 velocity and collision line-width obs. using laser source 7=13974 with vibrational relaxation, breakdown of characteristics solns. 7=10723 viscous, in fluence of mag. field 7=13995 viscous, in nose region of blunt body in hypersonic flow 7=6958 wake behind cone, transition at low Reynolds numbers obs. 7=17188 water, air-entraining, aspects of similarity 7=14030 wave propag. rel. to coeff. of viscosity 7=10724Ar molecular flow meas., through high-vacuum components 7=13975 in Cu, sintered, obs. 7=7505 H<sub>2</sub>O wind-induced in closed channels, velocity and shear stress profiles 7=18348

H<sub>2</sub>S + S in porous materials, with S precipitation, calc. 7=6932 He afterglow metastable obs. 7=16995 He-Ar diffusive separation, electron beam study 7=4283 He-Ne laser with flow mixing obs. 7=12635 in  $N_2$ , visualization using electron beam afterglow 7=10713  $N_2$ O-CO<sub>2</sub>, diffusion-viscosity coupling theory 7=10717 liquids See also Acoustic streaming; Double refraction/flow; Hydrodynamics; Superfluidity.

between torsionally oscillating disc and stationary porous disc, viscous flow 7=10782

boundary-layer, numerical soln. 7=6936 bubbles, large, rising, wakes behind 7=14029 chain macromol. soln., orientation 7=13786 conducting, in radial mag. field, laminar steady flow 7=231 Couette, numerical study of Taylor stability 7=4311 Couette-type, through porous surfaces, with variable viscosity 7=7002 detonating explosives, turbulence obs. in reaction zone 7=14016 diffusion, nonstationary to moving drop at low Reynolds number 7=1099 down inclined plane, gravitational instability 7=4312 falling sphere in viscous liquid flow pattern obs. 7=17231 film down inclined plane, long waves 7=7006 layer, horizontal, heated from below, pattern obs. 7=7072 macromolecular solution, "soft dumbell" soln. of Fokker-Planck eqn. 7=1106 rokker-Flanck eqn. 7=1106
measurement of mass transfer by electro chemiluminescence 7=10785
non-Newtonian film, down inclined plane,
stability 7=17242
past curved obstacle, parallel-wall cavitational
flow 7=17237 plane motion from rest due to action of surface tension 7=4321 polyacrylic acid, conc. aqueous solns. 7=10780 polymer solns., Couette, stability meas. 7=4310 polymer solns., dilute, turbulent props. 7=14015 polymer solutions, through porous disks as function of solute 7=10784 rotating annulus, theory of axisymmetric thermal convection 7=17264 solution with intermediate type of bond, by Onsager method 7=14038 Stokes', drag on cylinder between parallel walls 7=17233 switches, glass, fail-safe 7=14013thermosolutal convection, obs. of overstable mode 7=14077 tides, structure in sea 7=8622 unsteady percolation, 3-dimens., numerical solution 7=17234 velocity meas. in 0-5 cm/sec range using pH indicator 7=10786 indicator '=10/86' viscoelastic capillary flow, pressure loss due to elastic energy 7=1130 viscoelastic liquids in pipes with cores 7=14012 viscous, between parallel plates, superposed pulsation 7=10778 viscous, near critical point, theory 7=14010 H<sub>2</sub>, rate meas. by n.m.r. technique 7=7001

H<sub>2</sub>O flask with unequal holes calc. 7=10790 H<sub>2</sub>O, switches, glass, fail-safe 7=14013 H<sub>2</sub>O, visualization techniques review 7=10781 He superfluid, Josephson eqn., phase slippage and vortex lines 7=5765 Hg, penetration into aggregates of spheres at high pressure 7=10783

Flow birefringence. See Double refraction/flow. Flowmeters See also Anemometers. cryogenic, true-mass, for liquid  $O_2$ ,  $H_2$ ,  $N_2$  7=14014 electromagnetic, d.c. with extended electrodes 7=17235 flow-sensitive failure warning switch 7=4314 gas, for <10-6 g/sec 7=10714 liquid, electrochemiluminescence meas. of mass transfer 7=10785 plasma, rotating Langmuir probes use 7=6880 thermal, axial conduction effects 7=1061 time consts. meas. of turbine-type 7=10716 turbine for low rates 7=10715 for NaCl solution density current, Bagnold's meter modification 7=10787 Fluctuations See also Brownian movement; Random processes. cross and auto spectra of reactor fluctuations 7=13640 ensemble dependence, appl. to machine calc. 7=9087 in excitation function, effect of data errors on anal. 7=2797 fluctuation-dissipative ratio, non-equilib. systems with spatial dispersion 7=9088 heterophase fluctuations, physical-cluster distrib. 7=7133 of magnetization, longit, effect on resistivity of ferromag. metals 7=11423 Manley-Rowe power-freqn. eqns., thermodynamics 7=12383 photometry light source, compensation 7=9544 in plasma of model stellarator 7=17155 pressure and tangential tensions in fluids 7=13953 thermal, of gravitational-wave detector 7=9084 undersea sound signals, freq. correl. 7=5366 He-Ne laser discharge modulation noise theory 7=16170 electrical dielectric diodes, space-charge noise suppression 7=11570 diodes, space charge limited, thermal 7=216 electron multipliers in mass spectrometers, signal-to-noise ratio improvement 7=810 field effect transistor optimum noise conditions rel. to netd effect transistor optimum noise conditions rel. to gate bias obs. 7=11540 gas discharge probe noise at intermediate and h.f. theory 7=10575 laser noise, gas and solid state, quantum theory 7=5889 noise limiter, freq.-selective, using n. m. r., 30 MHz 7=16006 photocurrent noise in semiconductors, recording apparatus 7=18063 photomultipliers, mag. defocusing reduction obs. 7=12547 photomultipliers, noise due to non-thermionic emission <10-3 c/s, meas. 7=3043
photomultipliers, noise factor meas. 7=16076
photomultipliers, noise ratings 7=16075
polar dielectrics noise emission spectrum
analysis 7=12500 in pre-amplifier of charge, meas. 7=416 semiconductor devices, thermal transients, practical calc. 7=1959 semiconductor diodes, space-charge-limited, h. f. thermal noise 7=5032 semiconductor, space-charge noise suppression 7=4984 superconductor, thermodynamic fluct., evidence 7=14912 transistors, MOS field-effect, h. f. thermal noise anal. 7=1979 Ge filament 1/f spectrum upper turnover freq.obs. 7=2064 Ge p-n junctions with reverse bias obs. 7=18011 H plasma h.f. discharge in mag. field obs. 7=17127 He-Ne laser discharge current, rel. to noise and modulation 7=16171 Ne-Ar glow-discharge tubes 7=13806 Sl, double-base diode, noise meas. 7=11533 Si double-injection diode suppression, 10 kc/s-10 Mc/s 7=15003 Si metal-oxide-semiconductor field effect structures, 1/f surface origin 7=5008

TiO<sub>2</sub>, reduced, generation recombination noise 7=1955

Fluid flow. See Flow.

Fluid mechanics. See Hydrodynamics. Fluidized powders. See Flow; Fluids; Powders. Fluids See also Gases; Liquids. analytical fluid in critical region, shape of coexistence curve  $7{=}4402$ binary mixture, Couette flow 7=10896 charged and coherent, dynamic and e.m. radiation 7=5860

classical, functional formalism props. appl. to theory 7=13947

## Fluids-contd

Classical, Percus-Yevick, hypernetted chain and
Born-Green equations 7=10687
compressible, conducting, stability in mag. field 7=6949

compressible, equations, exact general integral 7=17171
concentration fluctuations in turbulent diffusion 7=13965
conducting, effects of transverse mag. field and spanwise
elec. field on boundary layer 7=12556

convective motion in rotating stratified fluid 7=13960 current-carrying, hydromag, wake round nonconducting sphere 7=16100 cyclohexane derivatives, conformation, effect of extreme

shear 7=10535

dense mixtures, distrib. functions for Rice-Allnatt model 7=13948 dense, van der Waals theory of transport 7=1047

dielectric theory, cavity concept 7=9316
flow, laminar, at pipe entrance, transition zone 7=13957
flow, laminar, in a pipe, weak swirl effects 7=13958
flow, turbulent channel, stability, Malkus's theory
applic. 7=13963

fluidized phase, direct heating by elec. current 7=7504 hard convex-body, scaled-particle calc. 7=10689 Herival-Lin spatial variational principle, alternate forms 7=17166

ideal, topology of steady flows 7=17172 incompressible, flow past curved obstacle 7=17237 instability, due to viscosity stratification 7=13961 layers, subcritical convective instability 7=9244 multicomponent, nonequilib. statistical mech. 7=1048

non-associated, velocity of sound, temp. depend. 7=10836 non-Newtonian, boundary layer equations 7=4267 non-Newtonian flow, between concentric relatively oscillating cylinders 7=1054

particle distrib. function near critical pt. 7=10889 Pitzer's acentric factor, relation with Morse potential 7=10691

in porous media, planar movements 7=13955 quantum, ground-state density matrices 7=2855 Rayleigh-Taylor instability, self-gravitational 7=8790 relativistic, matter tensor from Marx's variational principle 7=9078

rigid-disk, eqn. of state 7=10688 rotating stability between two freq. boundaries 7=6950 rotating, subject to horizontal temp. gradient, vertical stability obs. 7=15496

self-diffusion in simple fluids 7=17262 spherical shells, convective instability 7=9245 superfluids, fluctuations near  $T_{\lambda}$ , macroscopic phase and amplitude 7=12491

thermodynamic properties, Monte Carlo calc. 7=13949 turbulent boundary layer, irrotational fluctuations 7=13967

turbulent, motion of suspended particles 7=1063 viscoelastic, constitutive eqns. for transients, Deborah number 7=6930

theory, 5th virial coeff. 7=6927

Ne, quantum radial distrib. function, WKB approx. 7=10690 Fluorescence. See Luminescence.

Fluorescent screens. See Luminscent devices.

Fluorimetry. See Chemical analysis. Fluorine

> atoms, electron resonance spectra 7=6538 atoms, prod. and reaction in solids 7=11958 chemical analysis by  $F^{19}(n,\alpha)N^{16}$  and  $N^{16}\gamma$  rays 7=15457 in flash lamps 7=3242

ion, F $_2$ , emission bands, 4500–8500 Å  $\,$  7=6658 molecule, F $_2$ , emission bands, 4500–8500Å  $\,$  7=6658

n.m.r.in paramagnetic spinels 7=15267 n.m.r.in UF<sub>4</sub>, 78-400°K, 500-4000G, rel.to susceptibility 7=15268

nuclear orientation in LiF with paramagnetic V  $_{\rm K}$  centres, dynamic polarization enhancement at 80°K 7=10917 reaction with Ni surface 7=2456

F<sup>19</sup> n. m. r. in tysonite structure crystals 7=8326

Fig. in. in. LaF<sub>3</sub>, mag. screening anisotropy obs. 7=8328
Fig. in CaF<sub>2</sub>, mag. induced by oscillating field 7=2231
Fig. in CaF<sub>2</sub>, n.m.r., line shape problem 7=15265
Fig. in CaF<sub>2</sub>: (Tb<sup>3</sup>\*, Tm<sup>3</sup>\*, Sm<sup>3</sup>\*) n.m.r. 28-300°K obs. 7=2232
F<sub>2</sub>: ions in KHF<sub>2</sub>, e.s.r. 7=18167

Fluorine compounds
hexafluorides, n,m,r, in cryst. 7=2233
FOH, molec.geometry, MO calc. 7=6659
F<sub>2</sub>O, molec.geometry, MO calc. 7=6659 HF, determ. of predissoc. from rot. 7=6609 HF in inert-gas lattices, vibr.-rot. spectra 7=5260 HF $_2$  in soln..n.m.r. chem. shift 7=17293 [He(H $_2$ O) $_6$ ]SiF $_6$ , vibration spectra 7=8460

## Foams

See also Bubbles.

silica melts, foam stability 7=14062 Focused collision sequences. See Sputtering. Focusons. See Crystals/lattice mechanics; Sputtering.

aersol distrib. 7=8669 propagation of turbulent heated jet from point heat

Fokker-Planck equation. See Transport processes. Foldy-Wouthuysen transformation. See Field theory, quantum. Forbush decreases. See Cosmic rays/variations.

Force. See Dynamics.

Force constants. See Molecules/vibration.

Force measurement

stress-strain apparatus for plastics meas, at high strain rates 7=765

Fortran. See Calculating apparatus/digital computer programmes

Fountain effect. See Helium liquid; Superfluidity. 4π counters. See Counters.

Fourier analysis

See also X-ray crystallography/calculation methods. in seismology, faster by use of recent algorithm 7=8610 series derivation from integral 7=2785 transforms appl. in unfolding data 7=9003

Fourier series. See Series; Transformations, mathematical.

Fourier-transform spectroscopy. See Fourier analysis; Spectroscopy.

Fractionation. See Distillation.

## Fracture

See also Mechanical strength. alloys, brittle fracture, influence of grain size and dispersed particles 7=7659

aluminoborosilicate glass fibres under tension with torsion, rel. to anisotropy 7=7687 asphaltic bitumens, rel. to their rheology 7=14766

brass, ductile, nucleation of voids and crack growth 7=14705

in brittle bodies, self-stressed 7=14680 brittle-ductile transition, effect of triaxial stress systems 7=14683

brittle-ductile transition press. and temp. var. theory 7=14685

ceramics, meas. using vacuum furnace 7=1710 ceramics, physical basis 7=14679 clay failure, plasticity theory book 7=7676 conference, Oxford, 1966 7=14656 criterion, elastic-plastic crack model 7=17678 ductile, decohesion in initiation 7=11250
effect of interaction between parallel cracks 7=17677
electron probe exam 7=17670
failure theory, "pinch effect" for compressed
cylinder 7=14681

glass, zones on surfaces, shape and size 7=1737

glasses, laser-induced, dynamics 7=4730 glasses, laser induced, rel. to stimulated Brillouin scattering 7=15329 graphite 7=14702

high polymers, and tensile strength obs. 7=7747 laser irradiation effects 7=17671

laser prod.in transparent media, continuum thermo-elastic model 7=1695

Lorentzian curve, peak location on graph 7=12300 martensite, crystallography 7=4782 metals, welded, brittle 7=1694

polymer, treated as instability in deformation 7=14773 polymers, brittle, characts. rel. to crazing 7=14774

polymers, fatigue, under reversed strain cycling 7=14775

polymers, study by e.s.r. 7=14772 polymers, theory, 'microscopical' and 'continuum' 7=14770

polymethylmethacrylate, brittle, characts. rel. to crazing 7=14774

reforming processes effects on time to fracture calc. 7=17669

rubber, and fatigue behaviour 7=14780 sliding process as inducing mech. 7=14678 steel, cleavage, effect of pre-strain and strain-ageing 7=11294

steel, effect of notch depth 7=17707 steel, high-manganese, effect of pre-strain and strain-ageing on cleavage fracture 7=7707

steel, mild, fatigue type, relation with yield 7=14717 steel, mild, low-stress, appl. of fracture mechanics 7=14724

steel, notch brittleness at -196°C 7=17705 surface observations, interpretation 7=11249

thoria crystals, and slip, room-temp. -900°C 7=4805 Al, fatigue transition pressure, temp. depend. 7=11271 Al<sub>2</sub>O<sub>3</sub>, brittle, rel. to dislocation movement 7=1704

A<sub>2</sub>O<sub>3</sub>, effect of adsorption 7=14265
BeO, sintered, n prod., 110°, 650°, 1100°C 7=11221
CaCO<sub>3</sub> cleavage plane on electron charging, electron diffr. exam. 7=7309
Cr.effect of free dislocations 7=14720

Cu, ductile, nucleation of voids and crack growth 7=14705 Cu rehbinder effect in lubricated cutting 7=14715

Free radicals-contd

Fracture-contd Fe-base solid-solution alloys 7=14723 Fe brittle fracture, effect of 5-10% Co 7=14732 α-Fe cleavage under tension with torsion, 10°K 7=4776 Fe, effect of free dislocations 7=14720 Fe-Si(3%) single crystals with microcracks 7=4783 Ge, compared with glass 7=1725 Mo, effect of low pressures 7=14746  $\mathrm{NH_{3}}$  crystals, microscopic obs. of surfaces 7 = 11307NaCl, cleavage effects on dislocation number obs. 7=1611 NaCl cleaved matching faces for film growth obs. 7=1278 NaCl, effect of Cd additions 7=17724 Ni-Cr alloys, 600°C 7=17730 Si, compared with glass 7=1725  $\alpha\text{-U, Petch's relation applicability }7\text{=}1743$ W, rupture, cleavage fracture and crack nucleation meas. 7=4810 Zn, and cleavage crack initiation, theory 7=17737 α-Zr, grain size depend. 7=11332 Francium No entries Franck-Condon factors. See Spectra. Franck-Read sources. See Crystal imperfections/dislocations. Fraunhofer lines. See Astronomical spectra; Spectra; Sun/ spectra Free radicals adipic acid crystals, X-ray prod., high press. var. of conc. 7=4125 antiferromagnetic linear chains, pseudospin approach 7=2156 benzyl, in discharge, lifetime and oscill. strengths 7=6741 bromoacetic acid,  $\gamma$ -irrad.cryst., e.s.r. 7=15217 Coppinger's struct. and orientation in liq.cryst. 7=931 carbazyl, paramagnetism 7=11627 DPPH, semiconductivity and photocond. of solid obs. 7=7970 e.s.r.resonant frequency displacement in weak mag. fields 7=930 e.s.r. spectra, evaluation method 7=10551 e.s.r.spectrometer for short-lived species 7=3098 ethane, photolysis 7=8575 formic acid,  $\gamma$ -irradiated e.p. r. of frozen free radicals 7=8290 galvinoxyl, semiconductivity and photocond. of solid obs. 7=7970 glutaric acid crystals, X-ray prod., high press. var. of conc. 7=4125 glycine crystals, X-ray prod., high press. var. of conc. 7=4125 conc. 7=4125

HNF spectral absorption obs. 7=4084

HNF, vibr. and electron spectra 7=11958

hydrazyl, paramagnetism 7=11627

in malonic acid, X-irradiated at 77°K, e.s.r. 7=4126

methyl, in irrad. cryst. Na acetate trihydrate 7=11707

methyl, substituted, geometry 7=14307

microwave spectrometer, of special suitability 7=3095

in molecular solids, crystal defect model 7=929

organic containing N-O, semiconductivity obs. 7=17992

in organic solns. rel. to energy transfer from higher in organic solns, rel. to energy transfer from higher excited states of solvents 7=14106 Overhauser effect in solns. 7=1175 planar, tetrahedral and bridged, distinguishing 7=14307 polyelectrolytes, hydration, free OH groups by i.r. spectr. 7=7084 polyethylene, irrad. 7=2478 polyethylene, irrad., kinetics 7=2479 poly(methylmethacrylate), u.v. irrad. 7=8576 pyridine, irrad., e.s.r. 7=924 recombination luminesc., mechanism 7=11883 sulphate, thiosulphate and related ions, MO energy levels 7=894-5 in solutions, Heisenberg spin exchange 7=7111 in solutions, nuclear relax and molec motions 7=14128 tetracyanoethylene anion, e.s.r. spectra 7=10551 thiyl, photodissoc.in cysteine HCl cryst. 7=16979 tris(pentafluorophenyl) methyl, e.s.r. 7=4127 2, 6-butylhydroxytoluene on X-irradiation, e.s.r. obs. 7=8282 in C<sub>3</sub>O<sub>2</sub> flash photolysis, spectral obs. 7=8566 ClO, dipole moment, from electron reson. spectrum 7=4076 ClO<sub>4</sub>, trapped in irrad. KClO<sub>4</sub>, e.s.r. 7=2191 CN lasers, submm emission mechanism 7=3136 Fe(CN<sub>5</sub>)NO<sup>3</sup>, e.s.r. 7=6723 Fe(CN)<sub>5</sub>NOH<sup>2</sup>, e.s.r. 7=6723 in Ge electrodes surface states prod. 7=11954  $NaD_3(SeO_3)_2$ ,  $\gamma$ -irradiated, e. s. r. 7=2207  $NaH_3(SeO_3)_2$ ,  $\gamma$ , irradiated, e. s. r. 7=2207 NCN, from flash photolysis of CNNs in N matrix 7=2472  ${
m NH_2},$  in decomp. of  ${
m N_2H_4}$  by H atoms 7=8538 OH detect. in flash photolysis 7=15444  $\mathrm{PH_2}$  spectrum, rotational analysis of 000-020 band  $7{=}13748$ S, chain ends and radicals, MO theory 7=6742

 ${\rm SO_4}^-$  and  ${\rm S_2O_3}^-$  trapped in crysts. 7=895 Se, chain ends and radicals, MO theory 7=6742 on ZnO, luminescence prod. obs. 7=11884 Freezing See also Melting; Supercooling.
ammonium salts, freezing point abnormalities, rel. to
e.m.f. of NH<sub>4</sub>Br and KBr concentration cells 7=8562
binary alloys, dilute, size of cellular interface struct 7=14157 granular struct in casting, equiaxed prod. by augmented natural convection 7=4410 ice, crystal size distribution in turbulent flow 7=14153 ice nucleation, activity of AgI 7=14154 ice nucleation by amino acids 7=7140 ice, nucleation, two-dimensional 7=14156 initial direction for platelet immersed in melt 7=7313 metals, effect of low frequency vibration on nucleation 7=10895 models, comparison and inconsistencies 7=4409 nucleation theory, Onsager symmetry in diffusion eqn. 7=103 one-dimensional, semi-infinite medium with var. thermal props. 7=7139 polypropylene, effect of basic aluminium dibenzoate on supercooling 7=1341 with strain gauge, of gases and liquids, for elastic consts. and thermal expansion meas. 7=14645 Ticonal X, controlled solidification 7=1194 water, supercooled, basal plane kinetics, impurity effects 7=14155 Au, radiation meas. of freezing point 7=10896 Bi grown by normal freezing, distribution coeff. of Ag 7=1509 Cu, epitaxial dislocations on drop, electron diffr. obs. 7=1598 Cu-Sn-As, reactions obs. 7=4464  $\rm H_2, para, density-temp. formula~7=17308$  HBr in Ar from  $-170^{\circ}$  to  $-196^{\circ}\rm C, polymerization$  spectra obs. 7=11952 HCl in Ar from -170° to -196°C, polymerization spectra obs. 7=11952
HCl-HBr in Ar from -170° to -196°C, polymerization spectra obs. 7=11952 P, supercooled liq. 7=1193 Pu-Ce-Co obs. 7=14244 Se-Te system obs. 7=7134 Frenkel defects. See Crystal imperfections/interstitials. Frequency. See Time measurement. Friction See also Internal friction diamond, anisotropy, crystallographic direction depend. 7=4768 diamond, on diamond, clean surfaces in high vacuum 7=4767 coefficient, m. h. d. flow in rectangular tube, roughness effect obs. 7=236 dry, vanishing sliding motions 7=40 flow, laminar, at pipe entrance, transition zone 7=13957 frictionless bearing for balloon 7=18351 in Lagrange's eqn. 7=9047 m.h.d. pivoted slider bearing with convex pad surface, theory 7=11257 non-linear in Lagrange motion 7=15864 polytetrafluoroethylene, rel. to surface texture 7=4829 sapphire, anisotropy, crystallographic direction depend. 7=4768 sapphire, on sapphire, clean surfaces in high vacuum 7=4767 surfaces with discrete roughness obs. 7=12466 survey of work during last decade 7=7667 twinning dislocations 7=14560 vacuum, ultrahigh, meas. apparatus 7=7668 and vortex lattices stability 7=9286
HeII between rotating cylinders obs. 7=9295
and HeII vortex lattices stability 7=9286
KCl, self, X-ray effects 7=7714 MgO, anisotropy, crystallographic direction depend. 7=4768 MgO, on MgO, clean surfaces in high vacuum 7=4767 Frictional electricity. See Electric charge; Electrostatics. Fuel cells. See Electricity/direct conversion. Fugacity. See Diffusion in gases; Kinetic theory/gases. Functions correlation functions, decoupling procedures 7=15861 functional formalism props., appl. to theory of fluids 7=13947 Gaussian, in statistical and quantum mechanics calcs. 7=15899 generalized functions and dispersion relations 7=15844 Green's, of linear differential operator, variation 7=2792 Helmhotz's solid harmonics, addition theorem 7=2782 Patterson function, internally weighted modified 7=11046 Voigt, maths props, computational methods calc. 7=12303

Fundamental concepts. See Physics fundamentals. Fundamental constants. See Constants.

Fundamental particles. See Elementary particles.

Furnaces. See Heating. Furry theorem. See Quantum electrodynamics. Fusion. See Heat of fusion; Melting; Nuclear fusion.

g-factor. See Elementary particles; Gyromagnetic ratio; Nucleus: Spectra.

## Gadolinium

ion, Gd<sup>3</sup>, e.s.r. in KTaO<sub>3</sub>, spin Hamiltonian parameters 7=5197 parameters 7=5197 paramagnetic resonance transmission 7=2202 specific heat, 3 to 25°K 7=1476 Gd<sup>3</sup>· e.p.r. in BaMoO<sub>4</sub> 7=15231 Gd<sup>3</sup>·, e.p.r. in Tl<sub>2</sub>SeAs<sub>2</sub>Se<sub>3</sub> glass 7=11703 Gd<sup>3</sup>· e.s.r. in STTiO<sub>3</sub>, elec. field var. obs. 7=15 Gd<sup>3</sup>· impurity centres in CdF<sub>2</sub> 7=14553 Gd<sup>3</sup>· impurity centres in CdF<sub>2</sub> 7=14766

Gd3+, optical spectra in SrF2 and BaF2 7=11766 Gadolinium compounds Gd ferrite garnet, domain struct, var. at Néel temp. obs. 7=18141 Gd(III) binary compounds, e.s.r. 7=2200 GdAlO<sub>3</sub>, energy transfer from Cr<sup>3+</sup> to Nd<sup>3+</sup> ions 7=15393 Gd3\*:CeO2, e.s.r. and cubic crystal splitting 7=11702 GdFe garnet, spin-wave spectrum 7=8268 Gd3\*:MeF<sub>2</sub>, (Me = Ba, Sr, Ca), multiple optical spectra 7=15325 GdN ferromagnetism temp.var.obs. 7=8163 Gd(NO<sub>3</sub>)<sub>3</sub>, 6½ H<sub>2</sub>O<sub>4</sub>, i.r. absorption obs. 7-2322 β-GdOF:Eu, Eu<sup>3\*</sup> emission line splitting rel. to site symmetry 7=18274 Gd<sub>2</sub>O<sub>3</sub>, Gd<sup>187</sup> Mössbauer effect 7=10926 Gd-Pr specific heat hyperfine coupling obs., rel. to Pr 7=1477 GdX2, intermetallic Laves-phase cpds., Gd hyperfine field 7=11706 Gd-YFe garnet e.m. absorption at room temp.,  $77^{\circ}$ K, 4.2°K, 4.2 Gc/s 7=8446

Gd<sub>13</sub>Zn<sub>58</sub>, cryst. structure 7=17505

### Galaxies

See also Nebulae. barred, obs. of nuclei 7=12181 barred spiral, nuclei, r.f. emission det. 7=12180 bright, rectangular coordinates on Palomar Sky Survey chart 7=18447 cluster stabilization by ionized gas 7=18448 clusters, area of sky covered, statistical anal. 7=2683 clusters, characteristic distances 7=12185 clusters, photograph, unsuccessful attempt 7 = 15621collapsing, high-vel. star formation rel. to bulge in disk 7=15632 collisions interpretation of radio source counts in var.cosmologies, rel.to max red shift 7=18450 Coma cluster, X-ray emission 7=5567 dwarf, luminosity classifications 7=8883 elliptical, photometry 7=2682 elliptical of Virgo cluster, distrib. of intensity 7=2681 formation, in expanding universe, and grav. instability 7=12119 irregular, flatness obs. 7=8882 low-dispersion spectra, Schmidt telescope 7=12129 M81 loop as stellar formation unrelated to explosion 7=8886 M82, relativistic electrons and  $\gamma$  and X-radiation 7=15733 Magellanic clouds, Shapley's researches 7=8879 mass distribution 7=2647

NGC 3109, total mass of neutral H, radio obs. 7=8877 normal, stellar types and evolution, rel. to cosmology 7=8880 nuclei contraction with stellar collisions and evaporation, luminosity time var. calc. 7=12179

optical emissivity for same type 7=15732 pre-galaxy, fragmentation 7=5564 quasar red shifts, Doppler interpretations 7=8895 quasars, red-shift 7=2690

quasi-stellar source 3C446, optical brightness variations and polarization 7=5580

radio emission from clusters obs. at 21cm 7=5566 radio, evolution 7=5573

radio rel. to quasars 7=12188
radio, synchrotron radiation and variation of electron
energy spectra 7=8887
radio type, lifetimes 7=2684

rotating disks, non-axisymmetric response 7=5558 rotating rapidly, equilibrium calc. 7=8881 rotation curve of NGC 3310 7=12183

rotation curve of NGC 4736 7=12182

Sculptor-type systems in Virgo cluster, distrib. 7=12184 Seyfert NGC 1068 strong i. r. radiation obs. 7=8885

spiral, halo regions, upper limit to new neutral H density 7=8876 spiral, mass-luminosity relation 7=2680

stellar non-circular velocities in disk, effect of inter-stellar material 7=18446

3C9 spectral absorption obs. 7=18455

Galaxies - contd

Virgo cluster mass-luminosity ratios from virial theorem 7=15730

X-rays from Coma cluster search, 1-10Å 7=8884

X-rays from radio galaxies 7=5563 young, detection possibility 7=15731

Hα emission in irregular type II galaxies search 7=5565

the Galaxy

Carina nebula, 1410 and 2650 Mc/s obs. centre region, bright radio source 7=5559 cosmic-ray electron lifetimes in disc and halo 7=8787 cosmic ray gas in disc, parallel anisotropy destruction rel. to mean lifetime 7=13929 depolarization of 21 cm radiation from extragalactic

sources 7=12175

Galactic plane, ionized gas distrib. 7=8871 galactic radiation, absorption by ionized H in plane of the Galaxy 7=2672 H II regions 7=5562

HII regions continuum survey at 5 Gc/s 7=12173 H $\Pi$  regions 109  $\alpha$  recombination at 5009 Mc/s 7=12174 luminosity, at 12.8 µ 7=5562

Magellanic clouds, Shapley's researches 7=8879 magnetic field models, Faraday rot.var.calc. 7=15724 mass, between 1.5 and 4-6 units of 1011 solar masses 7=12177

mass distrib., rel. to stars' third integral of

motion 7=15632 mass model, orbits of globular clusters and high-velocity stars 7=2676

mass model, Sun's orbit 7=2677 mass models of galactic system, comments 7=2678 mass models of galactic system, reply to comments 7=2679 metagalactic clouds deceleration mechanism 7=555?

metal-to-hydrogen ratios 7=2675 microwave spectrum 7=5560 Milky Way field in Scorpius 7=15728

optical spiral-like structure, Wolf-Rayet star data 7=5514 radio emission decrease from centre at meters mechanism 7=15725

radio emission linear polarization survey at 1407 Mc/s 7=15726

radio sources, occultation and reflection by sun 7=5561 S. A. 193 section, colours of nine cepheids 7=8645 spectral class F, density rel. to distance from sun 7=8830

stellar non-circular velocities in disk, effect of inter-stellar material 7=18446 X-rays energy spectra, rockets obs. 7=18414 O associations correlation with X-ray sources 7=12178

Gallium

atomic octopole hyperfine interaction calc. 7=10406 cyclotron-resonance orbits, magnetic breakdown 7=14870 e.s.r. of  $^2\mathrm{S}_{1/2}$ -state, divalent centres in ZnS 7=8292 film, amorphous state, electron diffr. exam., 4. 2°K 7=7358 ion mobility, mechanism in the liquid 7=10868 K spectra, temperature melting of hyperfine

structure 7=2301 liquid, diffusion of impurity atoms 7=10824 liquid, isotope thermal diffusion meas. 7=7058

liquid, n. m. r. Knight shift and relax. temp. var. obs. 7=10871 liquid, sound velocity 7=1141 r.f. size-effect line shape 7=1781

solid, radial distrib. function 7=10931 solubility of ZnSe and ZnTe 7=10814 superconducting,  $\alpha$  and  $\beta$ -phase transition, hysteresis effects 7=7899

superconducting transition and critical field obs. 7=1874 superconductivity, strong-coupling, high-T<sub>e</sub> phases 7=14915

supercooled, cavitation nucleation obs. 7=17310 ultrasonic attenuation, var. with freq., amplitude and plastic deformation obs. 7=14446

undercooled, elec. resistivity rel. to temp. 7=7105

X-ray spectrum K-absorption K-anisotropy in single crystals, errata 7=18197 Ga<sup>3\*</sup> in aq. soln., hydration no. determ. 7=10800

# Gallium compounds

galophosphate phosphor with CdS photoresistor for u.v. detection 7=9545 laser, epitaxial diodes, continuous current

radiation 7=12665

GaFeO3, new Corundum-structure high-pressure phases 7=14229

Ga<sub>0-∞</sub>Fe<sub>1-∞</sub>O<sub>3</sub> ferromagnetic anisotropy, 77°-300°K, to 23kOe 7=8193
Ga<sub>2-</sub>Fe<sub>2-∞</sub>O<sub>3</sub> crystal growth fluxes 7=7325
Ga<sub>x</sub>Fe<sub>3-∞</sub>O<sub>4</sub>, Curie temp. meas. 7=2150
Ga-In eutectic alloy, undercooled, elec. resistivity rel. to temp. 7=7105

Ga-In liq., Hall coeff., elect. resist. mag.

susceptibility 7=10867  $\beta$ -Ga<sub>2</sub>O<sub>3</sub>, semicond. props. and electron mobility 7=17958 GaP, anomalous photoconductivity response 7=2035 GaP, deformation, dislocation struct. 7=14588

```
SUBJECT INDEX
S 148
Gallium compounds—contd
GaP, e.s.r. of S, Se, Te donors at 77°K 7=18170
         GaP, electroluminescence, injection, maximum energy
             vield 7=11878
         GaP, electroluminescence of p-n junctions
             obs. 7=2418
         GaP electron band struct., K. p calc. 7=17806
        GaP, electron mobility, mixed scatt. calc. 7=17755
GaP, electronic Raman scatt. by acceptors 7=3394
GaP, excitons, Auger recomb., bound to neutral donors,
meas. 7=7817
         GaP film, structure 7=10966
         GaP, i.r. obs. of Raman spectra 7=5257
         GaP, interband piezoabsorption, 80°K, 0-50 kg/mm<sup>2</sup> 7=18232
         GaP, intrinsic absorption edge spectrum 7=2305
         GaP, luminescence decay of excitons bound to isoelectronic
             traps obs. 7=18294
         GaP, mixing of visible light and near-resonance i. r.,
             obs. 7=8395
         GaP, n-type epitaxial, carrier scatt. mechanisms 7=4844
         GaP, optical and electrical properties 7=15324
GaP p-n epitaxial junctions, growth, I-V curves and
electroluminescence obs. 7=1967
         GaP p-n junctions, alloyed pseudo-abrupt, capacitance
obs. 7=11529
GaP p-n junctions diffusion length obs. by scanning
              electron beam 7=1970
         GaP, radiative recombination at isoelectronic
             traps 7=18296
         GaP, recomb. radiation, electron injection and bombard 7-5258
GaP, recombination radiation in diodes, var. with current and temp. obs. 7=18319
GaP, reflectance, rel. to band structure 7=8393
         GaP spectrum, reflection, 1-6 eV 7=11768
GaP, two-electron transitions in luminescence of
              excitons bound to neutral donors 7=11865
         GaP:Bi, isoelectronic donors and acceptors rel.to fluorescence 7=11906
          GaP:Co, crystal field theory of elec. and optical
              props. 7=17959
          GaP:Cu, optical and elec. props. 7=5259
         GaP-GaAs, luminescence of epitaxial hetero-
              junctions 7=15383
         GaP:N, isoelectronic traps 7=2389
GaP:Si luminescence,~ 1.96 eV,77°K 7=18293
GaS,dark injection of holes,rhombic 7=1947
          GaS electron band structure tight binding calc.
          GaS, u.v. reflectivity, polarization effects 7=2303
          \rm GaS_s^{Se_{1-x}} optical reflection and absorption obs. 7=5300 GaSb, adsorpt.of O 7=2459 GaSb, conduction band meas. 7=7789
          GaSb, donor electrons in i.r. absorption, calc. 7=11734
          GaSb, electron mobility, mixed scatt. calc. 7=17755
          GaSb, electronic processes, effect of residual acceptors 7=14953
          GaSb, growth rel. to structure of residual acceptor
              centres 7=11007
          GaSb, high-temp. Hall effect, anomalous 7=7944
          GaSb, impurity atoms of \mathrm{Fe^{57}} in lattice, behaviour 7=11106 GaSb, injection laser 7=12666
          GaSb laser p-n junctions pulsed at 77°K 7=3172
          n-GaSb, magnetoelectric oscillations at 4.2°K above
30kG 7=17961
          GaSb, n-type, oscillatory magnetostriction meas. 7=5125
GaSb,p-n junctions, radiative recomb. 7=15385
GaSb p-n junctions tunnel radiative recombination 7=8477
GaSb, recombination radiation of p-n junctions obs. 7=8480
GaSb, S donor level ass. with (100) conduction
              bard 7=7790
          p-GaSb, secondary tunneling in tunnel junctions 7=11538
GaSb spectrum, reflection, 1-6 eV 7=11768
GaSb tunnel diodes ln(I/V) response versus applied
               voltage 7=7993
           GaSb tunnel diodes reverse current temp. and voltage
          var. 7=18025
GaSb-GaTe solid soln., elec. props. 7=1936
          GaSb-Ga<sub>2</sub>Te<sub>3</sub> solid soln., elec.props. 7=1936
GaSb-GaV<sub>3</sub>Sb<sub>5</sub> eutectic 7=14348
          p-GaSb:Li acoustoelectric domain prod. current oscills.
              obs. 7=17960
          GaSb-V2Ga5 eutectic 7=14348
          GaSb:Zn, Te thermal cond., 80-600°K, phonon scatt. 7=7506
          GaSe, electroluminesc. 7=8478
          GaSe electroluminescence, square pulse excited 7=8479
GaSe electron band structure tight binding calc. 7=17809
GaSe electron states obs.from Hall effect and elec.
cond. 7=7945
           GaSe excitons, magneto-optical obs. 7=18233
           GaSe, excitons in polytypes interpretation 7=17833
GaSe, interband Faraday effect 7=2306
```

GaSe, magneto-optical obs. of electron states 7=18234 GaSe, photoconductivity 7=5299

```
Gallium compounds-contd
        GaSe, thermal cond. anisotropy obs. and acoustic phonons mean free path 7=11133
         GaSe, u. v. reflectivity, polarization effects 7=2303
    gallium arsenide
        See also Semiconducting materials/gallium arsenide. acoustoelectric domain prod. current oscills. obs. in
        n-type 7=17960
adsorption of O 7=2459
adsorption of O_2, effect on e.p.r. 7=7293
         bound excitons in Cu-doped crystals 7=17832
         carrier excess diffusion and surface recombination
        cathodoluminescence meas. 7=17824
carrier lifetimes temp.var.in n-type 7=1760
conduction band bottom struct.obs. 7=7788
         conduction band edge, temp. and doping var., reflection obs. in n-type 7=8392
         crystal growth in homogeneities, elec. obs. 7=1328 crystal growth, oriented, on Ge 7=14332
        crystal growth, oriented, on de 1=1532
crystals, homoepitaxy rel. to quality 7=4529
deep centres obs. in n-type 7=1759
diffusion lengths of excess carriers meas. by
cathodoluminescence voltage var. 7=17753
diffusion of Zn 7=14488
         diodes, electrical props., luminescence and lasing
         of three-layer structures obs. 7=2419 diodes, radiative recombination 7=2420
         dislocations, crystal perfection by X-ray trans-
mission 7=11179
drift velo. var. with field calc. 7=14797
elastic constants, third order 7=4786
          electric field induced i.r.absorption in p-n junctions
         obs. 7=15323
electric field traveling domains rel. to electron
transport 7=17955
         electroluminescence in MIS structures, a.c. minority carrier injection 7=15384 electron band struct., K.p calc. 7=17806 electron conc. rel. to plasma reflection edge 7=14866
         electron effective mass doping var., magneto-optical obs. 7=17807
          electron velo., short pulse obs. interpretation 7=11368
          electro-optic modulators for i.r. region 7=9539
          epitaxial deposition in holes in GaAs 7=11016
epitaxial film growth on rocksalt by evaporation of
elements 7=7348
          epitaxial films, elec. and photoelec. props. 7=17954 epitaxial films on Ge, twinning and morphology 7=4501 epitaxial layers, formation of growth 'pyramids' 7=4530
          epitaxial vapour phase growth of contact layers rel.
              to Gunn effect oscillators 7=14331
          epitaxy on Ge by vapour phase transport 7=11015 epitaxy, growth rate and morphology, doping effect 7=11017
          Franz-Keldysh effect in p-n junctions, differential photocurrent obs. 7=18236
          Gunn effect two-valley mechanism obs. 7=17956
          Gunn effect two-valley model calc. 7= for high press. meas., n-type 7=18489
                                                                     7=17936
          i.r.obs.of Raman spectra 7=5257
          i.r. reflectivity rel.to plasma wavelength 7=11764 impurity levels of Ag and Au, 77°-770°K 7=1782
          injection lasers, epitaxial and diffused 7=16192
          jet etching for transmission electron microscopy 7=14347
          laser of diode junction, electron beam scanning
          laser diodes, continuous, light emission 7=3166
          laser diodes, Fermi controlled recombination 7=12659
          laser diodes, by solution regrowth on (111)
               plane 7=14333
          laser, increased output by Al-silicone reflecting
          coating 7=16195
laser injection diodes far field pattern theory 7=301
          laser, optically excited with ruby laser 7=12660 laser polarization from p-n junctions 7=3170
            laser, single- and double-photon excitation 7=16197
          laser, solution-grown-diffused, injection, optical gain and losses 7=5894
          lasers, electron-beam-pumped 7=12646
          lasers, photon energy, threshold current depend. 7=5895
          luminescence bands freq. shift, 25°-35°K, as donor-acceptor
pair recombination evidence in n-type 7=15382
luminescence, Cu-doped, acceptor level 7=11862
          luminescence, effects of e-irradiation and annealing obs. 7=2382 luminescence of epitaxial n-type at 20°K, meas. 7=8476 luminous emission near i.r.rel.to current oscillation due to electron-phonon coupling 7=2381
          magnetoelectric obs. of conduction band and e scatt.
anisotropy in n-type 7=17808
negative differential mobility obs., n-type 7=14798
          optical edge absorption and photoluminescence, irradiation effects obs. 7=18235 optical filters 7=5913
          optical second harmonic prod. at surface for laser picosec. pulse width meas. 7=12601
```

oscillator, operational mode 7=14997

```
Gallium compounds-contd
       gallium arsenide-contd
             p- and n-, excitation depend of photoluminesc. 7=18295
p-n-i-n diode light-activated switch 7=18074
              p-n junctions tunnel radiative recombination 7=8477
             plasma resonances in films, magneto-optical obs. 7=17846 plasma resonances in films, magneto-optical obs. 7=17846 plastic deformation, influence of doping 7=4785 polycrystalline films in photocells 7=12513 pyrometry of wafers, 100°-700°C 7=146 quantitative determ. of superstoichiometric As 7=8592 radiation damage, review 7=12514
              recombination radiation in p-n junctions obs. 7=18321
              reflectance, rel. to band structure 7=8393
              reflection, 0. 2-25 µ 7=11763
             solar cells spectra and temp. curves 7=9332
sputtering atom ejection patterns obs. 7=1660
thermally stimulated currents, illumination time effects
obs. 7=15054
             three-phonon processes temp.var. 7=11095 transducers, ultrasonic 7=5719
             tunnel p-n junctions, effect of pressure 7=15005
             u.s. diffraction of laser radiation by photoelastic
                   effect 7=1460
             Cu-doubling effect 7=7550
             GaAs-GaP lasers, electron-beam-pumped 7=12646
             GaAs-GaP solar cells spectra and temp. curves 7=9332
GaAs:P local mode absorption bands, 80°, 290°K 7=18243
             GaAs<sub>0.as</sub>P<sub>0.35</sub>, I-V curves for diffused junctions 7=18008
            GaAs<sub>1-x</sub>P<sub>x</sub>, localized vibrational mode i.r. absorption of P 7=11794
            GaAs P<sub>1-y</sub> reflection, i.r.lattice vibr. obs. 7=2304
GaAs P<sub>1-y</sub> Te-doped, semiconducting props. 7=14952
Ga-As-Si ternary phase system obs. 7=7236
             p-GaAs: Zn cathodoluminescence, donor-acceptor
                   transitions 7=18297
             GaP<sub>x</sub>As<sub>1-x</sub>, as laser, electron-beam excited 7=3171
Si-doped, i.r. local mode absorption 7=2302
Zn diffusion effect on Mn doping 7=1515
Calvanomagnetic effects. See Magnetoelectric effects
Galvanothermomagnetic effects. See Magnetoelectric effects:
       Magnetothermal effects.
 Gamma-ray sources. See Gamma-rays.
Gamma-ray spectra
                   See also Nuclear decay theory.
            analysis of complex photopeaks intensity 7=3510
           analysis, high energy, semiautomatic, using nonlinear least squares 7=3508 anomaly near E_{\gamma}=5 MeV in (d,p_{\gamma}) reactions obs. 7=13577 and decay schemes obs. 7=701 e^{+}+e^{-}\rightarrow\nu+\bar{\nu}+\gamma 7=16533
            E2 and M1 transitions, competition in high spin
                  nuclei 7=3745
           nuclei 7=3745
from fission fragments obs. 7=3969
gamma -gamma ang.corr.reson., paramag. powder
source 7=16692
for inert gas discharge from nuclear reactor VVR-M
chemical analysis 7=13656
Kirchoft's law 7=16498
measuring peak centres 7=3509
(n, γ) in Ni, Ag, I, Au, Pb, Bi, U at 7.5 MeV 7=13521
(n, γ) resonances in 2s1d shell nuclei obs. 7=13473
from n inelastic scatt, obs., 5-6 MeV anomaly
           from n inelastic scatt.obs., 5-6 MeV anomaly
search 7=13454
for radioactive solns.nuclide concs. meas. at low levels
by least squares analysis 7=5352
           radioactive, unfolding by stepwise statistical method 7=6366
           scintillation, computer quality control 7=12964 transition rates classification 7=6308
          transition rates classification 7=6308 yields rel. to levels in deformed nuclei 7=3960 Ag^{100} decay and Pd^{100} levels 7=3853 Ar^{41} decay obs. 7=16809 Au^{100} obs. 7=13373 from Au^{100} \beta-decay obs. 7=13343 Bag^{131} decay obs. 7=6345 Br^{77}, and levels in Se^{77} 7=16722 Br^{82} 7=16723 from Br^{82} \beta-decay, Kr^{82} energy levels obs. 7=10145 Cato 7=13458
          from Br<sup>82</sup> \beta-decay, Kr<sup>82</sup> energy levels obs. Ca<sup>40</sup> 7=13358 Co<sup>54m</sup> (T<sub>Y_2</sub> = 1.43 min) decay 7=10143 Co<sup>56</sup> decay to levels in Fe<sup>56</sup> 7=13278 Co<sup>56</sup> obs. 7=13290 Co<sup>57</sup>, transition obs. 7=13432 Co<sup>56</sup>, from Co<sup>59</sup>(n, \gamma)Co<sup>60</sup> obs. 7=3921 Co<sup>60</sup>, decay obs. 7=16809 Cs<sup>133</sup>, 81 keV transition, internal conversion coefficient 7=687
            Cs^{137} decay obs. 7=16809 Cu^{60} 7=3781
```

```
Gamma-ray spectra—contd

Cu<sup>52</sup>, after Zn<sup>62</sup> decay, new γ-rays 7=13283

Cu<sup>63</sup> levels in Zn<sup>63</sup> decay 7=10144
                     in Er ^{166,168} and new \gamma-transitions obs. 7=13327
                     Eu149 7=3800
                     Fe<sup>ss</sup>, high-spin high-energy isomer 7=6338
Fe<sup>ss</sup> 7=13277
                  Fe<sup>50</sup>, 7=13277

Fe<sup>57</sup>, Zeeman splitting, Mössbauer effect meas. 7=10923

Ga<sup>66</sup>, energy levels 7=3784

Ga<sup>66</sup>, 19 energies 7=3785

Ge<sup>77</sup> obs. 7=13290

Hg<sup>189</sup> obs. 7=13373

Ho<sup>189</sup> and levels of Er<sup>169</sup> 7=718
                    from I^{28} decay obs. 7=13308

La^{140} \rightarrow Ce^{140}, and Ce^{140} energy levels 7=689
                   La<sup>140</sup> \rightarrow Ce<sup>140</sup>, and Ce<sup>140</sup> energy levels 7=689

La<sup>140</sup>, new lines obs. with new pair spectrometer 7=510

in Lu<sup>174</sup> decay, Yb<sup>174</sup> levels obs. 7=6356

Mn<sup>54</sup>.55 p resonances obs. 7=6337

Mo<sup>58</sup>, \gamma_2' state evidence 7=3786

Nh<sup>14</sup> 3.95 and 7.03 MeV levels obs. 7=16700

Nb (n, \gamma) for 0.05, 1.0, 1.5 MeV n 7=3922

Ni<sup>59</sup>.61.63 after capturing thermal n 7=16720

Np<sup>241</sup>, 16 min 7=3859
                    Pb<sup>207,208</sup> on n resonance capture in Pb<sup>206,207</sup> obs. 7=16739 Pm<sup>143,146</sup>, search for positron decay 7=10191
                     Pm149 7=3800
                 Pn<sup>150</sup>, T<sub>3/2</sub> = 75 min, energies and intensities of \gamma-ray transitions obs. 7=13366 ... transitions obs. 7=13366 ... Pn<sup>150</sup> from Nol<sup>160</sup> decay 7=3799 ... Pt<sup>190-190</sup>, after Coulomb excitation 7=3813 Rb (n, \gamma) for 0.05, 1.0, 1.5 MeV n 7=3922 Rb<sup>90</sup> decay obs. 7=10187 Rh<sup>106</sup>, 0.5 to 3.5 MeV region 7=6341 Ru<sup>99-101</sup> on Coulomb excitation by \alpha of 4-7 MeV 7=16725 ... Pnl to 3. radioactivity 7=3847
                 Rugo, 101 on Coulomb excitation by \alpha of 4-7 MeV 7: S^{30}, rel. to \beta^7 radioactivity 7=3847 S^{32} 7=13358 S^{32} 7=13358 S^{318} 7-16751 S^{125} decay obs. 7=13306 S^{126} decay obs. 7=13306 S^{126} decay obs. 7=16721 S^{25} decay S^{25} form A^{127} (p, \gamma) 992 keV resonance 7=6334 S^{318} from A^{127} (p, \gamma) 992 keV resonance 7=6334 S^{3149} (n, \gamma) Sm<sup>150</sup>, thermal-neutron capture 7=3924 S^{315} from Pm<sup>151</sup> decay 7=10152 S^{315} from S^{
                 Sr<sup>9</sup>0, beta-decay, internal bremsstrahlung spectrum 7=13363
Ta<sup>182</sup>m obs. 7=6358
of Tc<sup>95</sup> 95m and 96 7=6340
                   Th<sup>227</sup> → Ra<sup>223</sup> obs. 7=13375
                 Th<sup>168</sup>, and two-quasi-particle states at 1095 and 1543 keV in Er<sup>108</sup>, 7=690 W<sup>185m</sup>obs. 7=10277
                   Xe<sup>129</sup>, from Cs<sup>129</sup> decay, E2 admixture 7=10190 Y (n, \gamma) for 0.05, 1.0, 1.5 MeV n 7=3922 Y<sup>85</sup> 7-16751
                    Y^{90}, beta-decay, internal bremsstrahlung spectrum 7=13363
                    Y95 decay scheme 7=3851
                   Yb171.173, M1 transition probabilities 7=3807
                  Zn^{71.71m} decay obs. 7=13284
Zr (n, \gamma) for 0.05, 1.0, 1.5 MeV n 7=3922
Gamma-ray spectrometers
See also Beta-ray spectrometers; X-ray spectrometers.
                 calibration standard, 2. 7-3.5 MeV, use of \text{Co}^{56} and \text{Mn}^{56} 7=10185
                 crystal, absolute intensity, precision meas. 7=6119 crystal diffraction 7=1413
                  for Mössbauer effect studies 7=10922
                 for (n, \gamma), bent-crystal diffr. with Ge detector 7=13467
                for (n, y), crystal diffr. with Ge diede detector for high resolution 7=16809 for (n, y) with slow n 7=16693 for n inelastic scatt., high resolution by Ge: Li drifted detectors 7=13455
                for (n, n'\gamma) pulsed meas. 7=3911 for neutron capture at 14 MeV, telescopic scintillation
                         pair 7=3913
                  pair, high-resolution for high energy, new results 7-510
                 resolution, rel. to photocathode sensitivity 7=16512 scintillation, computer quality control 7=12964 semiconductor, Li-drift, characts. 7=507
                 summation type, for polarization meas. 7=6114
                 CdF<sub>2</sub> 7=12966
CsI(Tl), spectra processing up to 10 MeV 7=3511
                 Ge(Li), coaxial, dual element 7=12965
                 Ge(Li) detectors, and use of computers 7=3506
                Ge(Li) diodes, encapsulated 7=509
Ge:Li drifted, Antwerp 1965 conference papers 7=13200
               Ge(Li) drifted, computer analysis of data 7=3507
Ge(Li) drifted detectors appl. 7=3726
Ge Li-drifted diodes of large vol. 7=6118
                Ge, Li drifted, large vol., improvements 7=506 Ge(Li), for (n, n'\gamma) meas. 7=6433
                Ge(Li) with plastic anticoincidence mantle, for fuel
                          element analysis 7=10367
                 NaI, computer analysis of data 7=3507
```

```
Gamma-ray spectrometers-contd
       Nal scintillation valley-to-peak ratios for zero thickness
            sources 7=6117
        NaI(Tl), pile-up effects reduction circuit 7=12796
        Si(Li) drifted detectors appl. 7=3726
       See also Cosmic rays/photons.
cascade model, for calc. of isomeric cross-section
       ratios 7=6317 exposure field from point source on air-ground
          interface 7=16503

-y delayed coincidence, for half-life meas. 7=13310
        monochromatic beam prod. in e linear accelerator,
            proposal 7=6110
        from nuclear explosion fragments at high altitude,
       plane source, 1.25 MeV, doses behind vertical and horiz.
barriers 7=16505
        polarisation after \beta-decay obs. 7=3846 review of studies on emitted radiation since World
            War II 7=6306
        source, stationary-type 7=9865
        streaming through straight cylind. duct, theory 7=16501
        transition multipolarity, internal pair formation
            obs. 7=658
        Cos. 1=050 (Cd114, obs. intensities meas. 7=6119 (Cos., from Cos., r=3921 (Dy162-6, obs. intensities meas. 7=6119 Er186, obs. intensities meas. 7=6119
        Eu<sup>152-4</sup>, obs. intensities meas. 7=6119
Fe<sup>56</sup>, from Co<sup>56</sup> and Mn<sup>56</sup> decay 7=10185
Gd<sup>156</sup>, i<sup>58</sup>, obs. intensities meas. 7=6119
Ho<sup>165-6</sup>, obs. intensities meas. 7=6119
O<sup>16</sup>, 8.88 MeV state, mean lifetime 7=10122
        O16 giant resonance states, photodisintegr. de-excit.
        rays 7=6407
Rh<sup>101</sup>, 198-127 keV cascade, anal. 7=3736
        Rh<sup>104</sup>, obs. intensities meas. 7=6119
Sc<sup>49</sup>, from analogue to Ca<sup>49</sup> ground state, branching 7=16713
Sm<sup>49</sup>, multipolarities 7=3800
Sm<sup>150</sup>, is3, obs. intensities meas. 7=6119
        Tl208, branching ratios 7=3815
        Xe131m, effect of physical state 7=16753
    absorption
             See also Mössbauer effect.
        in C, total, 100-250 MeV, meas. 7=10 coefficients for 25 substances 7=497
                                                        7=16777
         floor-barrier reduction factor in structure shielding
        theory 7=16500
growth factor B calculation 7=6113
         helical steel plug in duct, attenuation meas. 7=16630
         Kirchoff's law in γ-spectroscopy 7=16498
         mono-directional point source in plane geometry 7=12956
        (n, \gamma) meas., \gamma absorption tank sample changer, on-line computer controlled 7=13464 organic gases and vaps., W_B values 7=6793 photoelectric, calc. 7=12958
         plane source, 1.25 MeV, doses behind vertical and horiz.
barriers 7=16505
         shield weight optimization with layered media and spher.
             geom. 7=16502
shields, spherical and cylindrical obs. 7=12957

Gamma-rays—contd
     angular distribution-contd
         \beta-\gamma angular correlations and \beta ang. distribs.
             formulae 7=16745
         \beta\gamma\gamma correlation in nuclear decay 7=13353
         correlation functions tables and graphs 7=6316
         correlations, in crystal and liquid internal field
         studies 7=14169

e^+ + e^- \rightarrow \nu + \bar{\nu} + \gamma 7=16533
         exposure field from point source on air-ground interface 7=16503
         gamma-gamma ang. correl. reson., paramag. powder source 7=16692
```

γ-γ perturbed ang. correl., circular polarization

from n inelastic scatt.obs. 7=13480 (n,  $n'\gamma$ ), rel.to nuclear level spins 7=13493

parity-mixed  $\gamma$ - $\gamma$  ang. correl. function 7=3737

perturbed correlations digital analysis 7=6307

point source, ang. and energy distrib. at small distances 7=16504

from gas targets, nuclear lifetime effects calc. 7=13385

in  $(n, \gamma)$  for parity non-conserving internucleon potentials meas. 7 = 13224

perturbation calc. with mag. moments coupling 7=663

theoretical and expt., comparison, correction factors for detector 7=12963

Ag<sup>109m</sup> oriented in Fe, 0. 014°K 7=4438  $Ca^{42}$ ,  $^{44}$ , second 2° state,  $\gamma$ - $\gamma$  correl. 7=3771  $Cd^{114}$ , first excited state, mag. moment meas. 7=16728  $Cl^{95}(n,\gamma)Cl^{36}$ , ang. correl. 7=13537

regularities of field distribution for soft radiation 7=9861

meas. 7=662

```
plates 7=16506
  high reaction rates 7=728
 obs. 7=13099
 detectors 7=13455
  obs. 7=3832
  Geiger 7=15618
Ge response calc. 7=3504
  response 7=503
```

```
Gamma-rays-contd
     angular distribution-contd
         and Cl^{35,37}(n, n'\gamma) cross-sections 7=3916
         Cs133 7=3797
         Cu, annihilation radiation, ang. correl., precision
         meas. 7=11416
Fe<sup>58</sup> 855-810 keV cascade correl. 7=10142
         Ge: Li-drifted detectors ang. correl. attenuation
             calc. 7=12960
         Ge(Li) square detectors and linear sources, ang. correls. finite solid angle corrections calc. 7=12962
Lu<sup>172</sup> decay to Yb<sup>172</sup>, multipolarity of K-forbidden 1094 keV
y-transition obs. 7=10158
        \gamma-transition obs. 7=10158 S^{32}(n,\gamma)S^{33}, by thermal capture, \gamma-\gamma ang. correl. 7=10270 Sb^{124},\gamma-\gamma ang. correl. 7=13303 Sb^{125},\beta-\gamma correl., 0.255-0.405 MeV = E_{\beta} 7=3855 Sm^{150},\gamma-\gamma correl. 7=3924 Ti^{48}, second 2* state, \gamma-\gamma correl. 7=3771 W^{187} 7=13337
     detection, measurement
         See also Dosimetry; Gamma-ray spectrometers;
Particle detectors; Radioactivity measurement.
calibration standard, 2.7-3.5 MeV, use of Co<sup>56</sup> and
              Mn56 7=10185
          circular polarization analysers, efficiency meas.
          method 7=16493
dosimeter, luminescence of quinine sulphate in
          soln. 7=17278
dosimeter, minute, intercavity 7=6116
dosimeters using glasses of Na-Ni and Li-Ni 7=3374
          energies suitable for routine energy calibration 7=12959
energy precision meas,,800-1850 keV,0.10 keV
accuracy 7=16507
          external conversion method, correction factor due to
photoelectron anisotropy 7=10104
finite solid angle corrections for detector 7=12963
          \gamma-\gamma cascades by polarization-direction correl. 7=3736
          γ-γ coincidence, resolving times of P.I.N. detectors 7=502 γ-γ correl. 7=13303
          Gauss quadrature formulae quantometer with few
          Geiger tubes for up to 1 MeV 7=16511
          TEC method, f-factor, convertor thickness effect 7=10103 image amplifier for sources 7=703
          (n, \gamma) angular correlation data accumulation prevention at
          n-γ discriminator, effect of last dynode capacity
          (n, \gamma) meas., \gamma absorption tank sample changer, on-line computer controlled 7=13464
          from n inelastic scatt., high resolution by Ge: Li drifted
          organic scintillators, commercial, decay times 7=390
          perturbed angular correlations digital analysis 7=6307
          polarimeter from summation spectrometer 7=6114
          proportional counter for low energy radiation 7=16510 for radioactive solns.nuclide concs.meas.at low levels, by spectra least squares analysis 7=5352
          radioactivity spectra unfolding by stepwise statistical method 7=6366
           review of studies since World War II 7=6306
scintillation counter buildup factors rel.to discrimination
           scintillation counter buildup factors obs. 7=3833
           scintillation counter calibration rel.to scattered \gamma 7=3831
           scintillation, cylindrical, absolute efficiencies, tables 7=9867
           scintillators choice for plateau meas. 7=3503
SGD-8 glasses, for IGR pulsed reactor 7=6487
           sources automatic sample chamber 7=10175
           space vehicles ionization chamber with matched
           spectra analysis, high energy, semiautomatic, using nonlinear least squares 7=3508 spectra complex photopeaks intensity analysis 7=3510 spectra peak centres 7=3509
           spherical source, dose rate and flux meas. 7=6367
           standard energies, precision 7=16508 \rm Bi^{211}, \alpha-\gamma coincidence expt., prompt resolution curve 7=3369
           CdTe detector, possibilities 7=505
           Co60, dose distribution, polymer films obs. 7=498
           Ge(Li) detectors, calc. of intrinsic double-escape
           peak efficiency 7=504
Ge(Li) detectors, energy resolution in range
0.1-10 MeV 7=500
           Ge:Li detectors, Fano factor 7=12787
Ge(Li) detectors, instrumental requirements for
high resolution 7=508
           in Ge(Li) detectors, pulse shape distribs.
           by Ge(Li), detectors, temp. dependence of
```

Gamma-rays-contd detection, measurement - contd Ge:Li-drift, peak efficiencies calc., 100 keV-100 MeV 7=12961 Ge:Li-drifted, calcs. of ang. correl. attenuation and efficiency 7=12960 Ge:Li drifted detectors prod, and resolutions obs. 7=16509 Ge, Li drifted, pulse shape distributions obs. 7=9866 Ge(Li)p-i-n detector, resolving time 7=6115 Ge(Li) spectrometer with plastic anticoincidence mantle, for fuel element analysis 7=10367 Ge(Li) square detectors and linear sources, ang. correls. finite solid angle corrections calc. 7=12962 NaI 5 in. dia. by 5 in. peak to total ratios and efficiencies, 0.4-9.2 MeV 7=499 NaI scintillation valley-to-peak ratios for zero thickness sources 7=6117 NaI(TI) cylinders photofractions, calc. rel. to obs. 7=9868 NaI(TI), efficiency and peak-to-total ratio, 0.145-1.33 MeV 7=6368 NaI(T1) peak/total ratios 7=10168-9 Nai:TI, 3 in  $\times$  3 in, photopeak efficiencies, 0.02-4 MeV 7=3505 Si response calc. 7=3504 effects See also Nuclear reactions due to/photons. see also Nuclear reactions due to/photons, alkane glasses, γ-irrad, charge recomb. 7=24 alkanes, γ-irrad at 77 K, luminesc. 7=11908 calcite, e.s.r. of γ-irrad cryst. 7=2189 calcite, P impurity centres 7=7549 glass, evolution of H<sub>2</sub>, CO, CO<sub>2</sub> and H<sub>2</sub>O 7=4740 heating in infinite cylinders by uniform sources 7=16488 hexane, elec. cond. rel. to recombination 7=7107 n-hexane, electric cond. prod., model  $\,$  7=1170 interaction with matter obs.  $\,$  7=511 methane, polymerization of solid 7=8581 3-methylpentane, irrad. at -196°C, trapped electrons 7=11964 optical density of glasses in photomultipliers 7=12548 organic scintillators decay obs. 7=15364 Permalloy films,  $H_k$  and  $H_k$  7=8218 polyethylene copolymers elec. cond. obs. 7=5071 polyethylene, electrification in elec. field obs. 7=18054 polyoxymethylene, var. in elastic consts., -30 to 150°C 7=4824 polystyrene, electrification in elec. field obs. 7=18054 quinine sulphate in acid soln., on luminescence spectrum 7=17278 ruby laser, var. in characts. 7=16185 stilbene solns., isomerization 7=8583 in Al, total, 100-250 MeV, meas. 7=16777 As borate glasses, colouration, rel. to structure 7=4719 CaF<sub>2</sub>, colour centres 7=14620 CaF<sub>2</sub>:TR<sup>2+</sup> (TR=rare earth) crysts., u. v. absorpt. 7=8378 CaF<sub>2</sub>:Y:CaO, charge compensated O<sup>2</sup> colour centres obs. 7=11199
CaO, e.s.r. of centres obs. 7=1541
CdS, photoelectricity, electron states, thermoelec. and luminescence, rel. to fast n 7=2027 Ge, defect formation, effect of heat treatment 7=17612 InSb, defects prod. at 77°K, rate of formation rel. to dose 7=7555 KBr-TlBr, Tl $^{\circ}$  2P<sub>1/2</sub>  $\rightarrow$  2P<sub>3/2</sub> absorption bands obs. 7=18271 KCl crystal growth from aq. soln. 7=11008 KCl, dichroism in R-bands 7=11781 KCl, F-centre formation 7=7610 KClO<sub>4</sub>, irrad. cryst., e. s. r. of ClO<sub>4</sub> 7=2191 KCl-TICl, Tl $^{\circ}$   $^{\circ}$  absorption bands obs. 7=18271 KCl-TICl, trapping and annihilation of electrons and holes 7=5503 KI-TII, TI° °P $_{\nu_2} \to$  °P $_{3/2}$  absorption bands obs. 7=18271 LiF, dislocation bunching stresses, photoelastic obs. 7=14592 LiF,F-aggregate centres spectra and luminescence obs. 7=17633 MgO,e.s.r.of centres obs. 7=1541 MgO, V, band prod. obs. 7=17634 NaCl, creep of single crystals obs. 7=7719 NaCl, F-centre formation 7=7610 NaCl, hardening 7=7720 NaCl, strained, radiation hardening 7=11310 NaFHF, F centres and imperfections obs.by n.m.r. and e.s.r. 7=1639 NaF:U, luminescence, colour centres prod., obs. 7=14628 NaN<sub>s</sub>, F centres and imperfections obs. by n. m.r. and e.s.r. 7=1639 NaOCN, F centres and imperfections obs. by n.m.r. and e.s.r. 7=1639
Si minority carrier lifetime, rel. to neutron effects obs. 7=1527 p-Si:Bi Hall effect and elec. cond. obs. 7=7964 SrO, e.s.r. of centres obs. 7=1541

Gamma-rays-contd internal conversion-contd continuous spectrum accompanying internal conversion electrons rel. to internal Compton effect 7=657 high resolution obs. appls. review 7=6309 higher shells in atoms, coeff, calculation 7=13237 IEC method, f-factor, convertor thickness effect 7=10103 measurement review, mainly K 7=3728 Mössbauer absorption, X-ray intensity calc. and coeffs. meas. 7=16695 relativistic Hartree-Fock atomic model calcs., compared with Zn<sup>87</sup> 7=3782 size of nucleus effects 7=6310 for spin and parity of levels meas. 7=6315 transition rates classification 7=6308 Ba<sup>131</sup> decay obs. 7=6345 Ba<sup>134</sup> 800 keV obs. 7=688 Co<sup>57</sup> decay 7=16717 Cs<sup>133</sup> 7=3797 size of nucleus effects 7=6310 Dy<sup>160</sup>, pure E2 transition, L subshell ratios 7=10155 Er<sup>160</sup>, pure E2 transition, L subshell ratios 7=10155 Eu<sup>152</sup> decay, 70 keV-1500 keV 7=10153  $Gd^{154}$ , L subshell ratios, E2 transitions 7=6350  $H^{179m}$  7=6357 Hf<sup>180</sup> 57 keV transition parity mixing obs. 7=13334 Ir<sup>180</sup> from Pt<sup>180</sup> K conversion coeffs. and transition intensities obs. 7=3812 Lul<sup>15</sup>, electric dipole transitions, dynamic penetration effects  $7{=}3808$ Lul<sup>15</sup>, 282 K electrons and 114 keV  $\gamma$  ray directional correl.  $7{=}13331$ correl. 7=13331 Pb<sup>207</sup>, coefficients and particle parameters 7=13346 Pr<sup>141</sup>, K-shell, 145 keV l-forbidden M1 trans. 7=13313 Rh<sup>101</sup>, K coeff. of 127 keV transition 7=3736 Si<sup>28</sup>, pair prod. meas., prod. from  $(p, \gamma)$  7=13261 Sm<sup>10</sup>, K conversion coeffs. 7=3924 Sn<sup>119m</sup>, outer-shell, chemical effect 7=3793 Tb<sup>155</sup>, 227 keV, E1 transition probabilities 7=16732 Tb<sup>157</sup>, 326 keV, E1 transition probabilities 7=16732 Tc<sup>99m</sup> coeffs. at threshold energies 7=3788 Tl197, K coefficient of 385 keV transition, nuclear structure effects 7=10163 Tl<sup>208</sup> 7=3815 W182, L subshell ratios, E2 transitions 7=6350 W182, pure E2 transition, L subshell ratios 7=10155 W<sup>183</sup>, 99.07 keV transition, L subshell ratios 7=10155 Yb<sup>170</sup>, L subshell ratios, E2 transitions 7=6350 Yb<sup>170</sup>, Dure E2 transition, L subshell ratios 7=10155 Yb<sup>171</sup>, coefficient ratios of L and M subshells pure  $E_2$ 75.88 keV transition 7=3806 Yb177m 7=6357 Zn<sup>67</sup>, coeffs. rel. to relativistic Hartree-Fock model calcs. 7=3782 Zn<sup>67</sup>, from Ga<sup>67</sup> decay 7=3783 scattering See also Compton effect. air-ground effects on exposure from elevated sources 7=16497 air-ground interface, near, theory 7=16491 back, formulae, graphs and nomograms 7=12955 back, review 7=9863 calculations for surface density meter 7=1256 concrete, differential exposure albedo calc. 7=16496 cylindrical duct streaming, albedo component meas. 7=16495 double refraction by quadrupolarized nuclei 7=6402 double refraction by quadrupolarized nuclei 7=6402
double, small-angle limit from point-isotropic
source 7=16492
by e in K shell of Pb, Ta, Sm, Sn, incoherent,
662 keV 7=10415
field, back-scattered in lab. 7=9862
glycerol, Rayleigh scatt., rel. to diffusion process 7=4341
molecules, resonant scatt., Coulomb fragmentation 7=16972
for Mössbauer meas. 7=17329-30
from n capture, resonant, for meas radiation widths of low from n capture, resonant, for meas. radiation widths of low levels 7=13238 by nuclei, resonant, review 7=6401 point source, ang. and energy distrib. at small distances 7=16504 resonant, obs. 7=13392 scintillation counter buildup factor 7=3832-3 and scintillation counter calibration 7=3831 semi-infinite media, experimental differential albedos 7=16494 slab, e prod. velo. distrib. due to nuclear explosion  $\gamma$ 7=9864 streaming through straight cylind, duct, theory 7=16501 B<sup>11</sup>, resonant, radiation widths of low levels obs. 7=13238 from Cd<sup>112</sup> 7.64 MeV level, Fe-capture, inelastic 7=10146 Cs<sup>137</sup>, buildup factor var. with height above ground and water obs. 7=3833 Ho<sup>185</sup>, elastic 7=6409 Pb K-electrons, incoherent, 662 keV 7=10415

# internal conversion

See also Beta-ray spectra/conversion electrons. coefficients for mag multipoles for Z = 39 7=684

polar molecules, electron momentum transfer from

drift velocities 7=10746

Gases-contd

```
Gamma-rays-contd
         scattering-contd
                Ra<sup>226</sup>, buildup factor var. with height above ground and
                        water obs. 7=3833
                Se78, resonant, radiation widths of low levels obs. 7=13238
               Sm K-electrons, incoherent, 662 keV 7=10415
Sn K-electrons, incoherent, 662 keV 7=10415
Sn<sup>10</sup>, first excited states lifetimes obs. 7=6343
               Sr<sup>88</sup>, resonant, radiation widths of low levels obs. 7=6343
Sr<sup>88</sup>, resonant, radiation widths of low levels obs. 7=13238
Ta K-electrons, incoherent, 662 keV 7=10415
Tl, resonance at 7.64 MeV excitation, temp. var. and self-absorption 7=13392
Gamow-Teller transitions. See Beta-decay theory; Nucleus/
         energy levels.
  Garnets
                See also Ferrites. ferrimagnetism, dipolar, in garnet structures 7=2146
                rare-earth, near i.r. Faraday effect 7=5272
                rare-earth-Fe, coercive force near compensation temp. 7=15186
                s-electron charge, spin density and magnetic moment of
Fe at different sites 7-8232
synthetic, high-press.decomp. 7-2450
                Al, hydrothermal synthesis data 7=17432
Ca-Bi-V garnet, parametric magneto-acoustic
resonance 7=1458
                  EuFe garnet, rare earth-iron exchange interacts. 7=15173
Ga, hydrothermal synthesis data 7=17432
YAIG, spectra of Pr<sup>3*</sup> 7=8431
YGaG, spectra of Pr<sup>3*</sup> 7=8431
Gas analysis. See Chemical analysis.
Gas-discharge tubes
See also Counters; Ion sources.
electron extraction into resonator 7=952
                 hot cathode with coaxial electrodes, plasma oscills in crossed fields obs. 7=13926
                 Joshi effect in mini-ozonizers in extremely faint light
                        obs. 7=948
                  Penning vacuum gauges calibration 7=10772
                 shock, conical electrode, wave processes 7=112 switch, cold Cd cathode 7=2987
                  vacuum gauge with cold cathode, space charge and
                        discharge role 7=10766
                 vacuum trigger gauge rel. to Bayard-Alpert and partial press. analyser obs. 7=10768
                  vacuum trigger gauge response obs. 7=10767
                  Ar, sorption by glass from Ar-Ne mixtures 7=6765
                 Ar, sorption by glass from Ar - the inflation in Fig. 1. Sorption by glass from Ar - the inflation in Fig. 1. Sorption by glass from Ar - the inflation in Fig. 1. Sorption in Fig. 1. Sor
                  LiF window sealing for inert gas vacuum u.v.
                          resonance lamps 7=11955
  Gas flow. See Flow/gases.
                See also Kinetic theory/gases. charged, with particle production, unsteady motion 7=18411 compressed, intermolec. interactions 7=17192 conducting, stability in mag. field 7=6949 confined between two free boundaries, stability 7=1066 constant pressure device 7=4279 dense, transport props. theory 7=17213 detonation, multifront det. wave, structure 7=12423 detonation of spherical volumes 7=12421 electron capture of fast protons 7=17011 explosive, transiton to detonation 7=5335 heat transfer near stagnation pt. with discontinuous Prandtl nos. 7=13980 heat transfer, shock wave reflection calc. 7=1065
 Gases
                  heat transfer, shock wave reflection calc. 7=1065
interface, refraction of plane shock waves 7=10727
inversion temps. and press. for cryogenic gases 7=12480
                  irradiation with 10-100 keV electrons 7=10750 irreversible polytropic processes, relation between heat and work parameters 7=1080
                   Katharometers, props. rel. to anal. of binary and multi-
                           component mixtures 7=5354
                  laser light scattering by, polarization 7=4298
master equation application to acousto-optical
phenomena 7=2862
Maxwell, particle relaxation 7=6961
                   monochromatic absorption coefficient,
                           nonlinearity 7=17210
                  neutron scatt.law, amplitude of one-quantum term 7=10734
                  non-isothermal, radiative transfer 7=1081
nonlinear optical polarization, rel. to sum and
difference freq. generation 7=13987
                  optical rotation, natural and magnetic, molecular
theory 7=13991
optical sum-frequency generation 7=6973
                  partially ionized, beam-plasma instability, nonlinear
```

effects 7=1042

photoelectron kinetic energy, by spherical analyser  $\,$  7=10599 polar, microwave absorpt.  $\,$  7=6604  $\,$ 

```
polar, off-centre dipole model 7=10732
       polar, pure and with solvents, n.m.r.obs. 7=916
       potential parameters determ, from transport
          coeffs. 7=10559
       pressure controller and volume recorder, automatic 7=6952
       pressure effects on quartz-crystal vacuum micro-
          balances 7=12286
       quadrupolar, transport props. 7=10752
       r-particle distribution function 7=4287
       radiation-convection interaction, theory 7=9241
       reacting, lighting by a spark 7=9247 reacting mixture, velocity of sound, calc. 7=12439
       relaxation of gas of harmonic oscillators 7=17195 self-consistent field theory 7=17191
       solubility in liquids, apparatus for determ. 7=17250
       sound wavelength meas., refined tube method 7=12443
       spherical mass, stability, Schwarzschild's
criterion 7=5499
       strongly coupled, thermodynamic entropy 7=10743
       transport coefficients and B-B-G-K-Y hierarchy resolution 7=4299
Gegenschein. See Zodiacal light.
Geiger counters. See Counters/Geiger.
Gelatin
       AgBr-gelatin dispersions, adsorption of cationic
           surfactants 7=10885
Gels
       cellophane, solvent-exchanged, swollen, light scatt. 7=1186
       viscoelasticity 7=4335
       SO<sub>2</sub> sorption, monomolecular film effects obs. 7=10820
       \rm SiO_2 , for Ca tartrate, \rm 4H_2O growth by diffusion 7=1322 ThO_2 microspheres prod. 7=802 ThO_2-UO_3 microspheres prod. 7=802
{\rm UO}_2, preparation of sols, aggregate and spheres 7=10883 Geochemistry. See Earth/composition.
Geochronology. See Earth/age; Radioactive dating.
See also Gravity.
latitude reduction to sea level 7=8598
Geoelectricity. See Earth/electricity.
Geomagnetism. See Earth/magnetic field.
Geometrical optics. See Optics/geometrical.
       Neumann's theorem, Hilbert space 7=8
       and Newtonian physics 7=69
       Riemann space, condition for hypersphere 7=15847
       Riemannian space, union congruences of an embedded subspace 7=14
symmetry operations of given points, algebraic prod. 7=12291
Geons. See Gravitation.
Geophysical prospecting
       calculation of mag. field components in induction system with dipole excitation 7=5474
        metals, from electrochemical transient polarization with d.c. 7=15464
       U, data analysis by digital computer 7=8614
Geophysics
           See also Atmosphere; Earth; Oceanography;
       Seismology. explosions, and effects on elastic field 7=18344
        high-pressure decomp.of garnets 7=2450
       lithosphere-atm. interface, remote sensing, statistics 7=15459
        methods and techniques, book 7=11971
Germanium
            See also Semiconducting devices; Semiconducting
            materials/germanium.
        absorption, indirect under combined static and
        oscillatory stress 7=11767
adsorption of O 7=2459
adsorption of O<sub>2</sub>, effect on e.p.r. 7=7293
       amorphous, optical, elec. and photocond. props. of
        films obs. 7=17966
atom, spectra, isotope shift 7=825
        atomic planes and positions, electron microscope
           obs. 7=7425
       cleavage planes, kinetics of \rm N_2O decomposition 7=1284 complex dielectric constant, intrinsic, obs. 7=8006 creep, intrinsic and Ga doped, 450 -550°C 7=7712
        crystal growth on Si 7=1329
        crystals, scattering factor of (222) forbidden line calc. 7=11057
        cyclotron resonance line width in quantum limit obs. 7=17855
        defects, plane creases growth rel. to impurity content and pulling 7{=}7607
        deformed, dislocations obs. 7=1606
        dendrites pulling device 7=4527
        dendritic, 'perfect' crystals, structure 7=7339
        diffusion of Sb from vapour phase 7=11142
```

```
Germanium-contd
```

diffusion of Sb124, effect of specific radioactivity 7=14490 diodes, mesa, localized breakdown due to inclusions 7=7984 direct excitons, optical spectrum, effect of strain 7=14856

dislocation detection in monocrystals 7=7581 dislocation type, identification by etch pits 7=4706 dislocations, effect of cooling conditions on formation 7=1605

dislocations prod. by n irradiation, deformation effect obs. 7=7582

double refraction, mechanical, free carrier, rel. to shear deformation potentials  $7\!=\!8399$  e and  $\gamma\text{-irrad.}$ , low temp. elec. meas. of defects  $7\!=\!4690$ 

e.s.r. interacting donors, exchange narrowing of linewidth temp. depend. 7=5192

electrical domains in n-type Cu-doped crystals 7=14957 electrical fluctuations in filaments, 1/f spectrum upper turnover freq.obs. 7=2064

electrical instability and domain movement due to hot electron recombination obs. 7=17965

electro-absorption oscillations near direct edge, 300°-14°K, 5 × 10³-5 × 10⁴V/cm 7=18240 electrodes surface states prod. by radicals 7=11954 electron band model with small empirical correction 7=17800

electron irradiated, disordered regions production obs. 7=7633

electron scatt. by neutralised acceptors, cyclotron resonance obs. 7=17774

electron scattering, anisotropy 7=17761 electron scattering by dislocations 7=17762 electron state form factors and u.v. reflection spectra

press. var. 7=17811 electroreflectance spectra, 2-6.5 eV meas. 7=8396 epitaxial deposition of films by sputtering and evaporation, structure obs. 7=1360

epitaxial films on GaAs by vacuum evaporation, elec.

props. 7=1362 epitaxial growth on Ge substrate cleaned by electron

bombardment 7=1361 exo-electron emission, from ground surfaces 7=5110 film, optical effects, anomalous interference 7=2312

film, sputtered 7=14277 films crystal growth in electron microscope, diffraction scanning obs. 7=1275

films, epitaxial, evaporation formation temps. 7=11018 films, ion prod. damage layer depth obs. by sputtering yield var. 7=1580

forbidden band width temp. var. in heavily doped n-type 7=17810 fracture types compared with glass 7=1725

Franz-Keldysh effect in p-n junctions, differential photocurrent obs. 7=18236 growth of single crystals, apparatus and method 7=1330 Hall effect, in n-type material 7=17968 hardness, photoeffect with Sb, In, Ga impurities 7=7711

heavily doped, recombination radiation 7=2383 holes transport props., on (111) surface 7=4845

hot carrier transport, path variable calc. at 77°K 7=17748 hot electrons Monte-Carlo calc in p-type 7=17764 i.r. reflection polarizer 7=9621 impurity centres, singly-charged donor 7=7552

infrared absorption temperature var. anomaly in p-type 7=18241 interstitial, migration energy theory 7=11159 ionization energy due to X-rays, 30-50 kV, 300-77°K 7=4735

K spectra, temperature melting of hyperfine structure 7=2301

lattice vibration interpretation of diffuse streak diffraction patterns 7=1454

magneto-piezo-reflection interband transitions obs. 7=18246

magnetoplasma reson. 7=1813

microwave conduction, hot electron conditions in n-type 7=18239

minority carrier lifetime, non-ohmic contact and electron beam obs. 7=7761

mobilities of electrons and holes in Li-compensated Ge, 77°K 7=14799

n-type, two-centre electronic states, and corrections to hopping cond. 7=11377

neutron-irradiation damage, low temp. 7=4739 optical absorption due to free holes, theory rel. to obs. 7=8398

optical constants, 0.5 eV to 30 eV 7=2307 optical constants, in vacuum u.v., analysis of data 7=15326

optical consts. of amorphous films obs., rel. to electron states 7=18238

optical consts., 1.7-2.1 eV 7=18237

peak formation due to electron beam irrad. 7=1631 permittivity calculation 7=14954 phonon-assisted tunneling current press.var.obs. 7=18012 Germanium-contd

Photoconductivity on e-irradiation, rel. to defect levels obs. 7=2036

photoconductivity, surface defect capture of non-equilibrium carriers effect obs. 7=8054 photodielectric effect 7=15079

photodiodes, Au doped, noise and oscills. 7=15089

photomagnetic anomaly 7=11624 photomagnetic effect of "semi-light" holes, possibility 7=8053

plasma instability due to nonlinear cond. with Au doping obs. 7=17837 pyrometry of wafers, 100°-700°C 7=146

radiation defect stability 7=17612

radiative recombination, rel. to radiation defects 7=18298

recombination of electrons and donors at liquid He temps. calc. in n-type 7=14801 recombination radiation carrier interaction transitions

obs. 7=18193

recrystallization of amorphous films on Al prod. by laser obs. 7=17453 reflection spectrum, u.v., meas. 7=8397 relaxation of hot electrons in n-type in electicles 7=17763

resistance thermometer for low temps, with diffused As 7=155

resistance thermometers for 1, 2-4, 2 K calibration, Ga doped 7=156

self-diffusion along dislocations 7=14489

single-crystal growth on  $\alpha$ -Al,O, substrate 7=11020 specific heat anharmonic contributions 7=11125

specific heat, 350°-650°C meas. 7=14465 spectrum, reflection, 1-6 eV 7=11768 sputtered atoms distrib. preferential direction obs. 7=7634

stress fields of tilt boundaries 7=7559

structure, atomic, modified form under simultaneous pressure and shear strain obs. 7=1238 surface films prod. in various etchants, chem. composition 7=1276

surface oxidation kinetics 7=2455

surface recombination velo., etching effect obs. 7=7810

thermoelectric power at 2000 atm. 120°-280°K 7=18061 three-phonon processes temp.var. 7=11095 ultrasonic attenuation by neutral donors, theory 7=1461 ultrasonic velo. to 600°C, 60 Mc/s 7=5720

whisker growth obs. 7=17447

whisker growth obs. 7=17447
whisker growth in process of selective epitaxial
growth 7=7340
X-ray anomalous transmission, impurity and dislocation
effects obs. 7=7428
X-ray intensity of (222) forbidden refl. 7=7426
X-ray three-beam interference obs. 7=7427
with GaAs epitaxial films on, twinning and
morphology 7=4501
n-Ge, pure and degenerate, high stress optical birefringence 7=2308

n-Ge, thermal phonon transport 7=11369 Ge II spectrum obs., and calc., 1492-1602 Å 7=4006 Ge:Au instability effects during carrier injection 7=7948

Ge(Li)p-i-n detector, resolving time 7=6115 Na-covered, effect on work function 7=11602

Sb-doped, e. s. r., Zeeman effect compression var. obs. 7=8305

on W crystal faces, adsorption and electron emission 7=5111 Zn acceptors symmetry obs from spectrum stress var. 7=17816

Germanium compounds

rare earth germanides, mag. and struct. characts. 7=2084 Ge-Cu, in retrograde decomp., X-ray interact. with

defects 7=4689  ${\rm GeFe_2O_4, trigonal\ field\ splitting\ of\ Fe^{2*}, meas.\ by\ M\"{o}ssbauer}$  effect  $7{=}7180$ 

Ge-GaAs heterojunctions, elec. props. 7=14986 GeH rotation consts. of  $^4\Sigma$  state obs. 7=4079

GeH, GeD spectra, 2△-2∏ band system, rotational analysis 7=4080

GeH<sub>4</sub> reaction with O, chemiluminescent glow 7=8536

Gen, reaction with O, chemiuminescent glow 7=8536
Gel, Mn, Te ferromagnetism. Mn spins interactions 7=18121
GeNi<sub>2</sub>O<sub>4</sub>, spin config., exchange interact. effect 7=5184
GeO<sub>2</sub>, amorphous and polycryst., e. p. r. of Cu<sup>2+</sup> 7=2198
GeO<sub>2</sub>, viscosity-temperature relationships, vitreous 7=10818
GeO<sub>2</sub>-P<sub>4</sub>O<sub>10</sub>-V<sub>2</sub>O<sub>5</sub> glasses, i. r. spectra 7=11769
GeSb<sub>2</sub>-Te<sub>4</sub> crystal atomic struct., electron diffr.
obs. 7=7429

GeSeTe, i.r. transmitting glass 7=15328 Ge-Si alloys, Raman scatt. by localized vibrational modes 7=8400 Ge-Si alloys, rheotaxial growth of Si 7=1366

Ge-Si dual system, calc. of solidus curves 7=1189

GeTe carrier scatt. mechanisms and mobilities 7=1761 GeTe, electron band struct., tunneling obs. 7=17798 GeTe phase transformation, high press.obs. 7=7237

GeTe, specific heat and magnetization meas, to test superconductivity 7=17905

Glass -- contd

Germanium compounds-contd GeTe, superconducting energy gap obs. 7=1875 GeTe superconductivity obs. 7=17906 GeTe:Ag, superconducting transition temp. obs. 7=4944 GeTe-PbTe, thermoelectricity 7=5085 Getters. See Adsorption; Electron tubes; Vacuum technique. Giant pulsations. See Earth/magnetic field; magnetic storms. Gibbs functions. See Thermodynamic properties. Ginzburg-Landau theory. See Superconductivity. Glaciers Antarctic, deuterium conc. in ice obs. 7=2505 calorimeter for water in ice meas. 7=8616 eocambrian and subsequent glaciations rel. to solar activity 7=5359 Glass See also Optical materials; Vitreous state. alkali tetraborate, optical spectra of Ni<sup>2</sup>· 7=15344 alkali tungstates, critical cooling rate 7=14305 aluminoborosilicate fibres, mechanical strength under tension with torsion, rel. to anisotropy 7=7687 borate, dispersion ratios, rel. to silicate 7=11772 borate, e.s.r. of Mn²+ 7=15235 borate, phosphate and borophosphate rel. to colour centres 7=1632 Brillouin scattering, stimulated, and laser fracture 7=15329 cathodes, in electrostatic beam separators 7=424 commerical, thermoluminescence 7=8494 detection of VO<sup>2+</sup> as impurity 7=11713 devitrified glass powder compacts, electron microscopy 7=14194 dialkali silicate, i.r. spectra, elec. cond. and density obs. 7=2343 disintegration under ion bombard.obs. 7=1657 elastomeric and structural-mech. props, compared with polymers 7=11335 with polymers 7=11335 ethylene oxide polymers transition temps. obs. 7=1293 fining, kinetics and mechanisms, review 7=4496 flaw distribution on surfaces, tensile strength 7=14738 fluorophosphate, laser oscillation of Er3\* obs. 7=3165 fracture, laser-induced, dynamics 7=4730 fracture zones on surfaces, shape and size 7=1737 frosted, disturbance of light coherence 7=8440 germanate, Tm³\* fluorescence excitations rel. to energy transfer from Yb³\* to Tm³\* 7=8499 ground, rotating, for var. coherence of laser light 7=9571 high-strength glass, damage and protection 7=14739 laser, Ho3+ stimulated emission, internal Q switching 7=3173 laser oscillator, cavity dumping using time variable reflection 7=303 lead-silica, viscosity, standard reference material 7=11316 light scatt. from inclusions, internal flux component struct. meas. using polarized light 7=11773 light scattering 7=2342 nonoxide chalcogenide glasses for i.r. materials 7=9560 organic, indentation by diamond 7=7745 outgassing by thermal neutrons and gamma radiation 7=4740 phosphate, dispersion ratios, rel. to silicate 7=11772 phosphate, e.s.r. and optical absorpt. of  $\mathrm{Cr^{3+}}$  7=15222 in photomultipliers, n and  $\gamma$ -irrad. effects on optical density 7=12548 porous, hydrocarbons, adsorbed on, meas. of surface transport 7=4489 Pyrex, Brillouin scatt. spectra 7=2339 Pyrex, Brillouin scatt. spectra 7-2339

pyrex glass, adsorption of Ar, Kr, Xe at 77.3 to 90.2°K

and 10-1 to 10-5 torr 7-217404

quartz glass, etched, strength, temp. depend. 7-4804

radiation-induced atomic Ag 7-2477

refractive index and density var. on annealing and

compression obs. 7-21776

refractory, tiber, forming, 7-17368 refractory, fiber forming 7=17346 rupture, effect of residual stress 7=11302 SGD-8, for \( \gamma \)-dosimetry in IGR pulsed reactor \( 7 = 6487 \)
silicate, luminescence, nonradiative excitation energy transfer between Yb3, Nd3 and Pr3 \( 7 = 11879 \) silicate melts, bubble form at high temp. 7=10795 soda-boric acid, struct. of V 7=10930 solubility of N in glass melts, physical and chemical, obs. 7=7035 sorption of activated H by Vycor glass obs. 7=10980 strength, statistical theory 7=4787 strengthened, chemically, mech. props at high temps. 7=11301 strengthening by ion exchange 7=17734-5 surface meas.by triboelectricity 7=7258 surface, strengthening by SO, treatment 7=11300 surface study by moisture pattern method 7=14260 suspension of  $30\mu$  beads in air, flow in elec. field, heat transfer and particle transport obs. 7=10873 temperature meas.,i.r. sensors 7=9248 thread-like crysts. formation, for electroluminesc. screen 7=11771

tubes, thin-walled, accurate drawing 7=8996

Al-Se-Ge, e.p.r. thermal treatment effect 7=5201 Ar sorption, from Ar-Ne mixtures, rel. to gas discharge lamps 7=6765 As borate, gamma-induced colouration, rel. to structure 7=4719  $\mathrm{BeF}_2$  , Nd-doped, luminesc. and stimulated emission 7=8490 CaO-SiO  $_2$  glasses, ionic conductivity 7=11547 Er3+ in silicate glasses, coupled, two photon addition 7=2378  $\begin{array}{lll} {\rm FeO_x-P_2O_5} \ (45 \ mole\%), \ dielec. \ props. \ temp. \ and \ freq. \\ {\rm var.obs.} & \ 7{=}8005 \\ {\rm GeO_2-P_4O_{10}-V_2O_5} \ glasses, \ i. \ r. \ spectra \ \ 7{=}11769 \\ {\rm He \ ionic \ pumping \ at \ surface \ obs.} & \ 7{=}4493 \\ \end{array}$ He permeability, for vacuum tubes 7=17583 Ho3+ activated, luminescence and absorption spectra obs. 7=2384 K-Ba-Si glass, Tm³\* luminescence, sensitization by ions  $UO_2^{2^+} \rightarrow Nd^{3^+} \rightarrow Yb^{3^+} \rightarrow Er^{3^+}$  7=18302 Kr ion sputtering from, by Ar\* 7=4736 Na<sub>2</sub>O.2SiO<sub>2</sub>-SiO<sub>2</sub> glass, crystallization polymorphs 7=14237 Nd laser, amplified emission in non-resonant system 7=5898 Nd laser picosec.pulse width meas.by GaAs surface second harmonic prod. 7=12601 Nd laser rod length effects on inversion population and power for single pulse calc. 7=9517 Nd laser with square cross-section, description 7=304 Nd3+ glass, laser, radiation coupling with ruby laser 7=3178 Ne, laser self-excitation and other props. 7=16201 for Ni-Fe film substrate, temp. meas. and control 7=1279  $\mbox{PbO.SiO}_2$  glasses, i.r. and u.v. spectra rel.to composition  $\mbox{ 7=18261}$ on  $\mathrm{SiO}_2$ , meas. of thickness by near i.r. interference 7=4485  $\begin{array}{l} \mathrm{SiO_2(76wt.\%)-Al_2O_3(8wt.\%)-Li_2O(12wt.\%)-K_2O(4wt.\%):CeO_2,} \\ \mathrm{Ag\ microcrystallization,} \ u.\ v.\ effects \ \ 7=17445 \\ \mathrm{Tb-activated,} \ luminescence \ \ 7=8496 \end{array}$ Glass-metal seals ceramic-metal joints for high temp. and Cs exposure,
Ti soldered 7=14002
heavy metals to BeO ceramics, by sintering at
1300, 1500°C 7=14004
for infrared window, bakeable 7=16241 quartz-Kovar, for up to 400°C and 20 atm. 7=14006 review, ceramic-metal 7=14003
Mo chromizing 7=4307
Glow discharges. See Discharges, electric/glows. Goks. See Hypernuclei. Gold adsorption of Na organic sulphates from soln. obs. 7=7290 adsorption of pyridinium bromides from soln. obs. 7=7290 $\alpha\text{-particle}$  energy loss and energy straggling rel.to foil thickness obs. 7=3683 colloidal, dimension of particles, determ. by spectrophotometry 7=14136 channelling of D\* and He\* ions in forward direction 7=11220 channelling of He<sup>3</sup> ions in polycrystalline foil obs. 7=1658 channelling of I ions and  $\alpha$ -rays, energy spectra, calc. 7=14635 crystal imperfections on quenching and ageing, annealing obs. 7=1599 d-irradiated, radiation annealing and damage prod., alloying, cold work and quenching effects obs. 7=14516 d-irradiation recovery, alloying, cold work and quenching effects obs. 7=14517 Debye-Waller factors 7=17545 deuterons deposition and diffusion obs. 7=14638 diffusion in Au-Cd(47.5, 49.0, 50.5 at.%), Cd/Au ratio temp.var., six vacancy jumps mechanism  $\, 7 = 14484 \,$  diffusion in Cu at surface and grain-boundaries, obs. 7=1508 diffusion, interstitial, in In  $\,7{=}4674$  diffusion in Si, dislocations loops prod. obs.  $\,7{=}7591$  dislocation climb efficiency obs.  $\,7{=}7573$ dislocation trapping of point defects, irradiation obs. 7=1533 dislocations on deformation, elec. cond. anisotropy obs. 7 = 11424elastic consts., 300°-800°K, u. s. pulse-echo obs. 7=1711 elastic and Grüneisen consts. calc. in continuum model 7=14713 elastic moduli, theory 7=11259-60 electrical cond. mechanism of discontinuous films obs. 7=4900 electron absorpt., 30-50 keV, in films 7=11418 electron absorption in films, energy and thickness var. obs for slow e 7=17864 electron diffr.gegenfeld filter obs.of films 7=1419 electron diffraction in films obs 7=1416 electron emission microscope, image contrast 7=12543 electron energy loss, impurity effects obs. 7=14873

### Gold-contd

electron energy loss spectra 7=7630 electron gas viscosity effect on u.s. absorption at low temps. calc. 7=14865

electron microscopy, Fourier images of lattice obs. 7=14343

electrons transition radiation in films obs. 7=12980 epitaxial growth on NaCl, initial stage obs. 7=1354 epitaxy on KCl cleaved in vac., nuclei orientation 7=11019 evaporated, films orientation 7=7274

film, optical rad. prod. by electrons, rel. to thickness and energy 7=8465

film, temperature var. of resistivity 7=11425 films adhesion to oxide substrates, O effect 7=1273 films on alkali halide cleavage planes 7=7344 films, channelling of H<sup>+</sup>, D<sup>+</sup> and He<sup>+</sup> ions, critical angles, 1-17 keV 7=14640

films, electron scattering, coherent 7=2058 films, electron scattering in, 1.5-16 keV 7=4734 films, influence of charge effects on elec. conductivity 7=1838

films, internal friction after cold rolling 7=17690 films, monocrystalline, preparation without substrate 7=7273films observation on thinned rocksalt 7=17384 films, photoeffect, vectorial 7=2026 films, quantum absorpt. of light 7=11748 films, use in study of oxidation mechanism of Co 7=2441

fission fragment black spot damage energy var. obs. in films 7=17603

foils, bombard, with Au and Ar ions 7=14639 freezing point, radiation meas. 7=10896 heat of solution in Sn-rich liquid alloys 7=7041 hot electron-phonon interaction 7=7754 hyperfine structure in ice 7=14184 ionization in K-shell by electrons, 0.20-2 MeV 7=8085 irradiated, recovery stages, interpretation 7=1563 modulus effects and disloc.pinning after electron irad. 7=4732

in multilayer film, i. r. photocond., modulated tunnelling 7=5103

optical consts., effect of precipitation and annealing 7=2295

photoelectric yield below 1000 Å, meas. by H photoionization 7=8075

photoelectric yield var. with film thickness obs. 7=5090 photon prod. by low-energy electron bombard. 7=8469 point defect clusters, due to heavy particle irrad. 7=14518 proton, stopping powers meas. in 0.4-0.6 MeV 7=9983 quenched, nucleation of vacancy clusters 7=14528 radiation-induced defect clusters 7=7536 reflectance, temp.-modulated, 2-10 eV meas. 7 single crystals, high temp. flow stress 7=14707 7=18216 solid solution in Si, decomposition 7=14189 solubility of Re 7=4446

solution energy in molten Sn-Bi alloy meas. 7=4332

specific heat, 2 to 4°K 7=1475 stacking-fault dipoles, plastically deformed single crysts. 7=7597

stacking fault energy from electron microscope diffr. contrast 7=11189 sticking coeff.on NaCl 7=7147

surface self-diffusion, scratch-flattening analyses 7=4664 surface wettability, effect of residual abrasives 7=7256

vacancies, single and multiple, and stacking fault tetrahedra 7=1554 vacancy annealing in presence of dislocations obs. 7=14530

vacancy almeating in presence of dislocations obs. vacancy cluster voids prod. on quenching 7=1630 vibration spectrum and Debye temp. calc. 7=4617 work function of films 7=2050 Young's modulus anisotropy obs. 7=1705 Au III, spectrum, energy levels 7=16905 Au-Si diodes 7=7986

in GaAs, impurity levels, 77°-770°K 7=1782 on GaAs, Schottky contacts, electrodeposition 7=5035 in Na, diffusion and solubility, 29°C 7=7523

with Pt electrodeposit, elastic strain in Pt nuclei 7=1364 S-Pt and S-Au system, adsorpt. meas. by chromatographic anal. 7=8556

Si, Au coated, surface barrier layer form. 7=1971

## Gold compounds

specific heat, 2 to 4°K 7=1475 Au-Al diffusion couples, phases and bond failure 7=14698 Au-Cn. Au(CN), mean amp. of vibration 7=6672

Au-Cd(47.5, 49.0, 50.5 at.%), self-diffusion Cd/Au ratio temp. var., six vacancy jumps mechanism 7=14484

Au-Co dilute alloys, elec. cond. at low temps. obs. 7=1830 Au-Cs-O, Hall effect 7=11501

Au<sub>3</sub>Cu, electron diffr. obs. of order rel. to antiphase domains 7=1393

Au-Cu(1, 7 at. %) oxidation, nucleation and growth of Cu oxide at 600°C 7=18333

AuCuII periodicity var., X-ray diffraction obs. 7=1420 Au-Fe(0.02 at.%) versus Ag-Au(0.37 at.%) thermocouple calibration, 3-20°K 7=9265

Gold compounds-contd

Au-Mn, long period stacking order, closed packed struct. 7=14824

Au<sub>2</sub>Mn, magnetization transform, antiferro-ferromag. 7=2112 Au-Pd alloy, equiatomic, short-range order meas. 7=10944 Au-Pd $_a$  films superlattice ordering obs. 7=14374

Au-Pt alloys, thermoelectric power, annealed and quenched at low temp. 7=2020 Au-Pt, solubility of Re 7=4446

Au-Re dilute alloys, elec. cond. at low temps. obs. 7=1830 Au2S crystal atomic struct., X-ray diffr. obs. 7=14375 Au-Sn alloys, liquid, heat effects of soln. 7=4331 Au-Sn-Fe dilute alloys, elec. cond. at low temps. obs. 7=1830

Au-Tc dilute alloys, elec. cond. at low temps. obs. 7=1830

Au-Zn γ, phase is not vacancy-defective 7=14529 Au-Zn-Cd γ, vacancy-defective alloys 7=14529 Grain boundaries. See Crystal imperfections; Crystal structure/ microstructure.

Gramophones. See Sound reproduction.
Granato-Lücke theory. See Crystal imperfections/dislocations.

Granular structure

alloys, particle coarsening in spinodal decomp. 7=10939 boundaries dislocation struct., field ion microscopy contrast 7=7603

in casting, equiaxed prod. by augmented natural convection 7=4410 domain size meas. in deformed h.c.p. crystals by

X-ray diffr. integral breadth analysis 7=7556 and effective thermal neutron cross. 7=6465 ferrites, rel. to susceptibility mechanisms 7=8228 grain boundaries, high-angle, structure model 7=4714 grain boundary precipitation, crystallographic anal. 7=4455

and hot working dynamic recovery 7=17664 metals, boundary melting, rel. to solid-liq. interfacial energy 7=17311

metals, nucleation when solidifying 7=10895 polycarbonate, oriented glassy, grain slip and bond flexing 7=1745

polycrystals, strength, rel. to limiting grain size 7=4755 polyphenylene oxide, oriented glassy, grain slip and bond flexing 7=1745

polystyrene, isotactic, crystallite size rel. to X-ray line broadening obs. 7=1396

porous compacts, grain growth controlled by pore migration, theory 7=14195 scanning apparatus for counting, sizing and integration, review 7=7350 size distrib. anal. of grains 7=7211

and spectral reflection rel. to transmission 7=18194 steel, Ni-Cr-Mo, austenite grain size, heat treatment effects, rel. to AlN precipitation 7=17470

Zircalloy, and precipitation of oriented hydrides obs. 7=4480

Ag, and creep pore growth, impurity effects, 650-800°C 7=17699

Al, transient growth during recrystallization, heat treatment var. obs. 7-14341
Al, vacancy pits obs. at grain boundary-free surface intersections 7-27539

 $\rm Al_2O_3$  , surface grain growth, effect of metal oxides, 1400-1650°C 7=1392

Al2O3, Mo dispersion for inhibition of grain growth and recrystallization on sintering 7=7688

Bed, sintered, n prod. boundary separation, 110°, 650°, 1100°C 7=11221
Cd dilute alloys grain growth ghost boundaries obs. 7=7606
Co cold worked powder domain size obs. by X-ray diffr, interval broadth capacity 7-7-757

diffr. integral breadth analysis 7=7556

Cu, and creep pore growth, impurity effects, 650-800°C 7=17699
Cu films, rel. to oxidation obs. 7=15423
Cuf films, inhibition of grain growth by oxygen 7=1394
Cu, O<sub>2</sub> free, brittleness phenomena by pore formation 7=7699

Fe alloys undercooled melts grain size obs. 7=11032 Fe, zone-refined, Petch relationship, H charging effect 7=11285

FeCo-V, cold worked, grain growth on annealing obs., rel. to order 7=11033

to order 1=11035
K halides, enhanced growth of V bands 7=11201
Mo sputtered films on oxidized Si obs. 7=7279
Ni alloys undercooled melts grain size obs. 7=11032
Si sputtered on quartz, rel. to elec. resistivity obs. 7=7284
Sn-Bi (5%), rel. to superplasticity 7=14760 Sr ferrite demagnetization calc. in ellipsoidal grains model 7=11663

UO<sub>2</sub>, columnar growth, effect of organic additions 7=11035 Zn films, vapour deposition effects obs. 7=7286

α-Zr, rel. to flow and fracture 7=11332 Graphite

abrasion of polycrystalline graphite by turbulent liquids, rel. to vortices obs. 7=4770 arc, spectral radiance at low current 7=15315

```
Gravitation-contd
Graphite contd
        arc, temp. of radiance at 6550Å obs. for
             standard 7=2941
         borinated, determ. of B content with spark source mass
             spectrograph 7=8589
        colloidal, as filler for polytetrafluoroethylene,
            deformation 7=11347
        compressive strain-rate tests,
10-3-10-4 in./in./sec. 7=11270
        crystal growth in Fe and Ni alloys, scanning electron micr. 7=14344
        crystal growth with preferential orientation, thermal expansion and X-ray obs. 7=7322
        crystal growth from TaC soln. 7=14318
defect clusters due to n irrad., n scatt.curves 7=14532
        diffusion of metals in pyrolytic graphite, autoradiographic
             obs. 7=1510
        dimensional changes on n irrad., 540°-1060°C, rel. to theories 7=17641-3 dislocation ribbons, image profiles in electron diffr., calc. and obs. 7=1585
        forest dislocations and small angle boundaries 7=7575
        Hall effect, carrier-carrier scatt. effect theory 7=17870 heat capacity of adsorbed benzene 7=11117 heat of combustion, irradiated, aneroid bomb calorimeter 7=9263 ion-electron emission coeff., depend, on angle of incidence 7=18086
         irradiated, interstitial atom config. 7=4692
         irradiation damage, kinetics, effect of form of vacancy
             lines 7=7540
        lamellae optical density rel. to thickness obs. 7=2279 lamellar cpds. with alkali metals, dimensionality of supercond. 7=14914
         model of interstellar grains, observational distinction
        node: of interstellar grains, observational distinction
from ice model 7=15721
neutron irradiated, stored energy release, irradiation
temp. rel. to flux intensity and start temp. 7=4737
neutron irradiation under stress obs. 7=7693
optical anisotropy 7=11750
optical Mie calc. for spheres extinction, wavelength
              var. 7=2278
         ordered physiosorption of Xe 7=1283
permeability of gases, measuring apparatus 7=4665
         physisorption, low energy electron diffr. 7=10976
         pregraphitic C, e.s.r. obs. of Pauli paramag. temp.
var., rel. to band struct. 7=11694
         pyrolytic, adsorpt. of Kr 7=17400
pyrolytic, atomic displacement on e-irradiation
obs. 7=7535
          pyrolitic, laser prod. of plasma 7=6838
          pyrolytic, review of prod. and props. 7=1206
          rate of creep, depend. on orientation of tensile
              axis 7=14701
          reaction with H2 above 2000 K 7=15421
          spark discharge graphitization of C obs. 7=17357
          specific heat at low temps, increase on borination obs., rel. to electron states density 7=7785 spin-orbit interactions 7=7784
          in stars, mass ejection of grains from red giants,
theory 7=5525
          strength and fracture 7=14702
          as substrate for epitaxial growth of UO, 7=11021
          twinning on deformation 7\!=\!1627 vacancy and interstitial loops, isothermal annealing 7\!=\!4688
          vacancy prod. on atomic displacement by electrons, threshold energy obs. 7=17596
          Young's modulus rel. to porosity and orientation,
theory 7=4769
with B impurity, nucleation of radiation damage 7=14551
          Rb-graphite lamellar cpds., thermodynamic props. 7=7161
           See also Nomograms. for \gamma-ray back scatt. 7=12955 \gamma-rays angular correlation functions 7=6316
          linear undirected, ordering and identifying 7=2796
Lorentzian curve, peak location on graph 7=12300
in special relativity teaching 7=9070
           spherical harmonics, graphical method 7=10207
           stars, homeomorphically irreducible, enumeration 7=2795
for vibrations of third-degree-of-freedom
system 7=9152
  Gratings. See Diffraction gratings; X-ray diffraction.
  Gravimeters. See Gravity.
  Gravitation
```

See also Relativity.
anti-collapse 7=15738
Bondi frames, finite and conformal, for fields 7=2843
charged gas with particle production, unsteady
motion 7=18411
charged particle in mag. field, dissipative forces rel. to
field in space 7=9086
collapse of radiating star 7=15674
collapse, relativistic 7=15670

Physics Abstracts 1967 - Part I (Jan.-June) conformal theory 7=76 constant-curvature space, field theory 7=15878 constant G, annual variation possibility 7=15892 contraction to expansion change in stars 7=5527 decay instability paradox nonlinear soln. 7=9085 deflexion of e.m. wave 7=75 Dirac field in curved space, Green function formulation 7=77 Dirac's hypothesis of decrease, and steady-state cosmology 7=18406
Einstein theory of gravity conservation laws rel. to
Lagrange function 7=9076 Einstein theory, group theoretical approach to spinors 7=12352 Einsteinian vacuum field for spaces without shear or rotation 7=2836 Einstein's theory, anisotropy effects 7=12342 Einstein's theory, centre-of-mass hypothesis 7=12349 electric field prod. near metal by earth's gravity calc. 7=9323 energy and impulse localisation of gravitational field 7=15888 energy of static field, calc. 7=15889 equations, singularities of the cosmological solns. 7=2621 equilibrium state of self-gravitating cylindrical field 7=12340 field in general relativity, matrix formulation 7=12351 in flat space-time 7=15890 rel. to formation of elements in Universe, and H abundance 7=2625 gravitational lens effects 7=15628 graviton, energy from Dirac's eqn. in Riemann space 7=15879 gravity-spectral effect possible existence 7=5500 Hoyles theory, interpretation 7=2844 instability, Lifshits theory reformulation in expanding universe 7=12119 instability of rotating collapsing cloud 7=15715 instability of universe 7=15622 Jordan's theory 7=2617 Langrangian, elimination of constraints 7=79 Laplace theorem generalization 7=9041 lens effect by stars, for astron. obs. 7=8796 linear theory, without potential 7=2842 magnetic star, collapse 7=15673 massless particle gravitational binding in superdense stars 7=18425 measurement of force on charged elementary particles using low-temp.techniques 7=525 metagalaxy,no.of gravitons and nucleons rel.to species of stable particles 7=5504 monopole radiation and astrophysics 7=8893
motion of massless charged particle according to
Einstein's theory 7=2837
motion of multipole in relativity theory calc. 7=2838
neutron accel. obs. 7=9989 neutron stars gravitational radiation calc. 7=18435 non-zero mass graviton and flat background in general relativity 7=5674 null fields, three-dim. formulation and null vectors 7=2834 plasma, statistical mechanics 7=988 quantization of field 7=5673 quantum theory 7=12346 quasars and birth of stellar associations 7=15748 radiation, efficiency of generation, and possible obs. 7=12361 radiation, gravitational, and the arrow of time in cosmology 7=12120 radiation and mass renormalization in Lorentz invariant theory 7=5675 red shift ang. anisotropy at microwaves search 7=9083 red shift, and propag. of light through matter 7=74 Schwarzschild soln. dust oscillations, external obs. 7=8781 Schwarzwald's problem of determining the metric with purely Euclidean space continuum 7=2841 semi-lunar monthly variation at Strasbourg 7=8599 spin particles motion in weak field in two relativistic models 7=12358 and spinor fields, interaction 7=12359 spinor formalism 7=12360 stability of gravitating streams 7=12170 static field energy density 7=5676 stationary field with axial symmetry 7=78 three bodies restricted problem, regularized, Birkhoff's eqns. soln., collision orbit 7=12318 three bodies restricted problem soln. by power series, collision orbit 7=12317 three bodies restricted problem, three-dimensional, further periodic solns. 7=12319
transitions between elliptic coplanar orbits of a var. mass in central Newtonian field 7=9054

transitions from hyperbolic orbit in central Newtonian force field 7=9053

wave detector, obs. of thermal fluctuations 7=9084 wave packets impulse and energy 7=15891

Whittaker's periodic orbits generalization to arbitrary attraction law 7=12316
Gravitational collapse. See Gravitation.

Gravitational red shift. See Relativity/general.

Gravitons. See Gravitation.

# Gravity

See also Geophysical prospecting, absolute value, at National Bureau of Standards 7=2499 earth gravitational potential derived from satellite motion, review 7=8602

Earth's field, singular representation of anomaly 7=8601 measurement of force on charged elementary particles using low-temp. techniques 7=525 measurement of g through circular motion 7=11972

model, modified form for use in Stokes's integral 7=2498 satellite determs. of field, compared with terrestrial gravimetry 7=8600

Stokes' formula, derivations and properties 7=15458 Grey atmosphere. See Radiative transfer; Stars/radiation.

Group theory  $A_2(SU(3))$  and  $B_2(SO(5))$ , direct representation products, algebraic decomposition  $7{=}2778$ 

algebra class in projective representations of finite groups 7=9020 analytic continuation of group representations 7=9023 boson commutation rules, Bargmann's represent. 7=12901 classical mechanics, spherical potentials and dynamical

groups 7=2791 degeneracy problem in SU(3) 7=6018

de Sitter, representation 7=20

enveloping algebras of noncompact groups 7=9022
Galilei group, homogeneous, spherical basis
represent, 7=12297

Galilei rel to internal symmetry groups for non-relativistic particles 7=6015

higher symmetries physical reductions 7=5657

invariance group of field theory 7=12771Lie algebra, expansion of TO(p,q) to O(p+1,q) or O(p,q+1)and vice versa 7=9021

Lie, compact simple, irreducible unitary representations. classification 7=2772-3 Lie group, theorem 7=444

Lie, infinitesimal, represent, by infinitesimal canonical transformations 7=15851-2

Lie, local semisimple, invariants, general form 7=2774 Lorentz group with real metric rel. to  $\rm U_{3.1}$  group 7=15853 Lorentz group, unitary rep., matrix elements 7=12295

Lorentz, inhomogeneous, infinitesimal generators integration 7=15854 Lorentz, (n + 1)-dimensional, little groups 7=17

noncompact rotation groups continuous degenerate representations 7=9024

noncompact rotation groups, discrete degenerate represent. 7=2775

noncompact semisimple, inhomogeneous completion 7=2771 noncompact unitary, degenerate representations, continuous series 7=5659

non-compact unitary, discrete degenerate representations  $7{=}2780$ 

in nuclear spectroscopy 7=16683
oscillator, induced representations theory 7=12296
Poincaré group irreducible representations 7=9747
Poincaré group irreducible representations tensor
products reduction 7=6007

Poincaré group, irreducible unitary representations 7=18-19 pseudo-orthogonal groups, contraction theorem 7=2776  $\rm R_{\rm 5}$ , in nuclear structure, quasispin realisation 7=10075 ray representations of product of n commuting parity operators 7=9771 and Regge poles 7=6099

representations, decomposition theory, appl. to quantum dynamics 7=5930

rotation, in intra-atomic interactions analysis 7=10391 SL(2,R) discrete series representations tensorial product reduction 7=15855

SU(n), branching diagram for special unitary group 7=2779 SU(n) Clebsch-Gordan coefficients 7=12903

SU(2), and embedding of internal symmetry

groups 7=12889 SU(2, 2), unitary irreducible representation 7=2777  $SU_3$  compact formula for  $D(m') \bigotimes D(m)$  and for multiplicity  $M^{m'}(m'')$  of m'' E D(m')  $\, 7{=}5658$ 

SU(3), broken, meson coupling and algebra of currents 7=16543 SU(3) irreducible representations computer programme 7=5662 SU(3) representation occurrence, bound and multi-plicity 7=21

SU(3) and SU(6) 7=12890

SU. Clebsch-Gordan coeffs. for 35/35 product 7=9659 SU(6), algebra and commutators of electric dipoles at infinite momentum 7=16432

SU(6), assignment mixing, and radiative meson decays 7=16539

Group theory-contd

SU(6), current algebra and nonleptonic hyperon decay amplitudes 7=16640
SU(6), symmetry dynamic model of odd parity baryon resonances 7=16651
SU(6,6) theory, physical interpretation 7=3449
SU normalization coeffs, and matrix elements 7=9026

space groups irreducible representations third order invariants 7=7376 special unitary groups, theory 7=9025

supermultiplet structure due to Q<sub>K</sub> 7=16425 U(2, 2) algebra, "oscillator-like", "spin-basis" construction 7=9802

U(6, 6) tower, representations and couplings 7=6021 U(N, N) algebras, "oscillator-like" representations 7=9801
U<sub>3</sub> finite transformations, representation matrices 7=2781
Grüneisen coefficient. See Specific heat; Thermal expansion.
Gudden-Pohl effect. See Electroluminescence.

Guinier-Preston zones. See Crystal structure/microstructure. Gunn effect. See Crystal electron states/plasma; Semiconducting materials; Semiconductors.

Gyromagnetic effect

No entries

## Gyromagnetic ratio

alkali halides F-centres g-factors, e.s.r. obs. 7=11692 chloranile-p-phenylenediamine single crystals, g-factor orientation var. 7=2190

ions with (ns)1 configuration in S-states, g value in crystals 7=2172

meas of spin  $\frac{1}{\sqrt{2}}$  excited states by  $\gamma - \gamma$  perturbed angular correl. 7=662

odd-A deformed nuclei, 10, from branching ratio meas. 7=671

paramagnetic salts, rel. to nuclear and electron spin couplings 7=8315

C blacks, rel. to interlayer spacing 7=15219 C<sup>12</sup>O<sup>16</sup>, rotational moment 7=16944

CdS:1 e.s.r. g value uniaxial press. var.obs. 7=11388 GaP, of S, Se, Te donors at 77°K 7=18170

H atoms in CaF<sub>2</sub>, covalency effects on g factor 7=11679 In<sub>2</sub>O<sub>3</sub>, degenerate, strain sensitive, obs. 7=8294

KCl R centre g tensor calc. 7=8295 MgO, with paramagnetic impurities 7=2173 Mo<sup>5+</sup> g-factor in rutile-type crystals 7=2218  $Na^{22} 1 + 583 \text{ keV state, from } F^{19}(Po^{210}\alpha, n)Na^{22}$ 

reaction 7=3764 Nd144 1301 keV 4 level obs. 7=13314

Pd<sup>16</sup>, 633 keV level 7=13341 Pd<sup>106</sup>, first excited state 7=3789 Pr<sup>143</sup> first excited state obs. 7=3798 Rh<sup>100</sup> 74.8 keV level g factor 7=6307

 $Ru^{100~2}$ , first excited state 7=3789 S donors in GaP at 77°K 7=18170 Se donors in GaP at 77°K 7=18170

Se doints in Gar at 11 K F=10110 Sm<sup>3+</sup> in CaF<sub>2</sub> trigonal sites, e. s. r. obs. 7=8307 Sn<sup>116</sup> 5 state g-factor obs. 7=6342 Te donors in GaP at 77°K 7=18170 V<sup>4</sup>' g-factor in rutile-type crystals 7=2218

W 183, 5/2 state at 99 keV obs. 7=13336

Gyroscopes
angular momentum teaching demonstration 7=9045
damping of gyrostat by inertial pendulum masses 7=12314
equations of motion with single point fixed 7=39
gyrocompass. corrigible horizontal 7=2805
pendulous, oscillations under gravity 7=12309 permanent axes of rotation of gyrostat with fixed point 7=12315 theory, Rodrigues-Hamilton and Cayley-Klein application 7=2808

Hadrons. See Elementary particles. Haemoglobins. See Proteins.

Hafnium

No entries Hafnium compounds

perovskites, far i.r.reflectance and dielec. dispersion 7=2281

HfB2-transition metal diboride systems 7=10932 HfB2-UB, 7=10932

HfO, melting point obs. using solar furnace 7=9250 Hf-Rh alloys, supercond., transition temp. 7=7900

Half-lives. See Radioactivity/decay periods. Hall effect

See also Semiconducting materials; Semiconductors. antimonides, liquid, meas. 7=4388 for  $\beta\text{-spectrometer}$  mag. field stabilization 7=12986

calculation in nonellipsoidal nonparabolic band model 7=7927 in conical MGD flow in axial mag. field 7=5794

current distribution, plane, analogical determination 7=198 current distribution, plane, description by conjugated potentials 7=197

```
Hall effect-contd
```

ferromagnetic, with electron-phonon interactions 7=1827 field-effect devices, Hall meas , electrode config flow, hypersonic, past a wedge, influence 7=12559 7 = 17996

graphite, carrier-carrier scatt. effect theory 7=17870 longitudinal, theory 7=7926

and m. h. d. channel current density distrib. 7=16024 magnetohydrodynamics, relativistic, monochromatic waves 7=16096

measurement in presence of large const. mag.

field 7=7951
noble with B group metal alloys, residual resistivity and band struct. components 7=7846

organic and biological materials, meas. from microwave

Faraday rotation 7=2969
for particle spectrometer mag. field stabilization 7=12986
Permalloy films, plane, hysteresis loops rel. to domain
boundary structure 7=2129

in plasma m. h. d. combined Taylor and Helmholtz instability calc. 7=17149 poly-n-vinylcarbazole-iodine charge-transfer complex

obs. 7=1957 superconductor intermediate state, rel. to mixed

state 7=4924 semiconductor variable reactance element 7=9310 semiconductors, defect charge effect theory 7=1922 semiconductors, dislocation effect theory 7=1923 semiconductors, effect of field of charged impurity centres calc. 7=7925

semiconductors, organic, and magnetoresistance obs. 7=17941

semiconductors, polar, effect of electric fields 7=14937 superconductors, type II in mixed state, angle

calc. 7=4927
tellurides, liquid, meas. 7=4388
Ag-Pd alloy system 7=7781
Al, temperature and field dependence 7=7849

Ar ion accelerator thrust at low exhaust press. obs. 7=9403

Au-Cs-O 7=11501

Bi films, cond., temp. and thickness depend. 7=4985

Bi, polycrystalline, 35-5000 Oe, coeff. meas. 7=14944

Bi-3.5% Pb, plastic deformation effect 7=15051 Bi-3.5% Pb, plastic deformation effect 7=15051 Bi<sub>1.75</sub>Sb<sub>0.25</sub>Te<sub>3</sub>, rel. to conc. of CuBr dopant 7=8044 Bi:Sn obs., rel. to electron bands 7=14828 p-Bi<sub>2</sub>Te<sub>3</sub>, proton effects obs. 7=1929 CdS anisotropy and field var. theory 7=14794

CdS-metal contacts obs. 7=7973 CdS, n-type, mobility, rel. to transport props. 7=4842 CdS obs. 7=7973

CdS photoelectrons high field mobility temp. var.

obs. 7=18068 p-CdSb, rel. to electron band struct., obs. 7=17951

p-CdSb, rel. to electron band struct., Co, temperature dependence 7=1831 Co<sub>0.94</sub>Fe<sub>2.00</sub>O<sub>4</sub>, temp. depend. 7=5003 CoO, single crystal 7=7799 Cu<sub>2</sub>O, at high temp. 7=14950 Dy, anisotropy, 4.2 to 350°K 7=7855 Fe films obs. 7=11435

FeCo alloy, meas. up to 6000e, 1000°C 7=7858

Fe-Co, temperature dependence 7=11436 Fe-Cr(0.75-25.1 at.%), boiling He to room temp., rel. to electron bands 7=7859

Fe-Pd dilute alloy, two-band model of temp. var. 7=17876 Fe<sub>3</sub>Pt, temperature var. of spontaneous effect rel. to mag. transition 7=1834

p-GaAs and lattice vibrations 7=17957 n-GaAs, 78-800°K 7=7788

GaAs, temperature var., and impurity levels of Ag and Au, 77°-770°K  $^7$ =1782 GaAs,  $_x$ P $_x$ , Te-doped  $^7$ =14952

GaSb, anomalous, high-temp. 7=7944

GaSb, effect of residual acceptors 7=14953 n-GaSb, oscillations at 4.2°K above 30kG 7=17961

GaSb-GaTe solid soln. 7=1936 GaSb-Ga<sub>2</sub>Te<sub>3</sub> solid soln. 7=1936

Ge epitaxial films on (111) CaF<sub>2</sub>, rel. to defects obs. 7=17964

Ge, hopping region obs. rel. to Holstein's theory with correction 7=17985
Ge, n-type 7=17968
Ge, piezo-Hall effect 7=17962

Ge, piezo-Hall effect 7=17962
Ge, reversal of voltage polarity by shock wave 7=17969
n-HgTe, low temps. obs., rel. to electron states 7=17971
HgTe-CdTe, pressure coeff. band model interpretation 7=4859
Ho, 4.2"-300"K, mag. field var., rel. to other rare earth metals 7=1860

In, temperature effect on coeff. 7=14960 In, temperature and field dependence 7=7849InAs, effect of compensation 7=14961 In-Cd, temperature effect on coeff. 7=14960 In-Hg, temperature effect on coeff. 7=14960 In-Pb, temperature effect on coeff. 7=14960 In-InSb, elec. field var.~ 4°K 7=7951

Hall effect - contd InSb, n-type 7=17974

InSb, p-type 1=11514 InSb, p-type, anisotropy meas. 7=7952 n-InSb, quantum oscills. in mag. field at liquid He temps. obs. 7=8045 In<sub>2</sub>Se<sub>3</sub>, α-phase 7=5001

In-Tl, temperature effect on coeff. 7=14960

 $\mathrm{Mn}_{0.74}\mathrm{Fe}_{2.26}\mathrm{O}_4$ , temp. depend. 7=5003 Ni and Ni alloys 7=14888

Ni films, effect of adsorption and elec. fields 7=14887 Ni, theory in initial magnetic saturation range 7=14889

Ni<sub>0.69</sub>Fe<sub>2.31</sub>O<sub>4</sub>, temp. depend. 7=5003 Ni-Mo alloys, near Curie point 7=1837

NiO, Li-doped, influence of native defects 7=7955 NiO, single crystal 7=7799

Pb, temperature and field dependence 7=7864

Pd, two-band model of temp. var. 7=17876

Si: (3 and phosphor), Hall coeff. and conductivity temp. var. obs. 7=5004

Si epitaxial films, 77 -450°K 7=7960 Si film single crystals on sapphire obs. 7=7282

Si, Hall-effect probes, radiation stability 7=17999

Si, hopping region obs. rel. to Holstein's theory with correction 7=17985

Si, temp. dependence rel. to impurity defects 7=1767

p-Si, transverse, to 260 kOe 7=7962 α-SiC n-type curves 7=1953

Sn, asymptote rel. to mag. breakdown and Fermi surface 7=17879
p-SnTe, 4.2°, 77°K 7=17987
p-SnTe, nonellipsoidal nonparabolic band model

calc. 7=7927

Te, high temp. inversion of Hall coeff. 7=11521 Te, I doped 7=11522 Ti, orientation depend. 7=4906

TiC<sub>x</sub>(x=0.82-0.96) 7=17989 TiO<sub>2</sub> reduced and Li-doped 7=4849

Vo<sub>2</sub> powder, in semicond. phase 7=11523

Zn, with impurities 7=11447 Hall generators. See Electricity/direct conversion; Semiconducting devices.

Hall mobility. See Semiconducting materials; Semiconductors. Halogens

halide-disk holder for i.r. spectrometry 7=15332 halide molecules vibr. calc. for XY<sub>3</sub> type pyramids at 300°K 7=10467

negative ions photoionization cross sections calc. 7=983

and oxide atoms  $\mu$  capture probability obs. 7=6597 Hamidashi effect. See Ferroelectric materials; Ferroelectric phenomena.

Hard-sphere gases. See Quantum theory/many-particle systems; Statistical mechanics.

Hardness

See also Abrasion; Work hardening.

age softening 7=14201 alkali halides, micro 7=7675

alloys, effect of impurity valencies, theory 7=11161 bronze with 5% Sn containing Ti, age-hardening 7=11281 creep comparison, of solids 7=11255 glass, organic indentation by diamond 7=7745

metals, obstacles to plastic deformation, spacing theory 7-4761-2 metals, and tensile strength rel. to heat capacity and melting point 7-14676

microhardness dependence on load 7=17681 microhardness test apparatus for low loads 7=17680 pitch, indentation by diamond 7=7745

polymers, thermoplastic, Brinell number correl. with elasticity modulus 7=11342 steel, Fe-V (1%)-C (0.2%), secondary hardening, VC precipitation 7=17364-5

steels, 18% Ni maraging, and precipitation 7=11299 ultrasonic meas. 7=9146
AgCl, surface, complex-ion embrittlement 7=14690

Al, annealing-induced softening of n-irrad. single

cryst. 7=7680 Al, quenched to low temp., influence of ageing 7=4763

Al, quenched, mechanism of hardening 7=11273 Al-Cu (96-4), cyclic strain, low cycle fatigue 7=4765 Al-Cu-Mg alloys, effect of small Ag additions on age-hardening 7=10941

Al-Mg-Si alloy in reactor core, and ductility change obs. 7=1701

 $Al_2O_3$ , solid solutions with  $Cr_2O_3$  7=17688 Bi-Te-Sn alloys, microhardness 7=14440

Cu, annealing-induced softening of n-irrad.single cryst. 7=7680 Cu, effect of ultrasonics 7=14714

Cu, fatigue, hysteresis stress var. 7=17700 Cu-Co(3.23 wt.%), on cold rolling and annealing, particle

size effect obs. 7=4543 Fe-Co alloys, conc. depend., 20-780°C 7=8174

threshold shifts from combined impact/steady-state

Hearing-contd

```
Physics Abstracts 1967 - Part I (Jan.-June)
Hardness-contd
        Fe-(7at.%Ni + 3. 1at.%Al) on ageing, rel. to (Ni, Fe)Al
            precipitation 7=4471
        Fe-Ni-P system rel. to meteorites 7=5607
        Ge, photoeffect with Sb, In, Ga impurities 7=7711

KBr:Pb, Pb conc. var. 7=7545

KCl, illumination decrease obs., rel. to marginal dislocations mobility var. 7=4794

KCl:Pb, Sr, Pb and Sr conc. var. 7=7545
        LiF, illumination decrease obs., rel. to marginal dislocations mobility var. 7=4794
        tions mobility var. 7=4794

Mo, annealing-induced softening of n-irrad.single
cryst. 7=7680

Mo<sub>2</sub>C, microhardness anisotropy 7=7718

Mo-Ti-Zr-C alloy, precipitation hardened, substructural
strengthening 7=17719

NaCl, hardening through γ-irradiation 7=7720
        NaCl, illumination decrease obs., rel. to marginal disloca-
            tions mobility var. 7=4794
        NaCl microhardness dependence on load 7=17681
NaCl, microhardness, effect of plastic
            deformation 7=14749
        NaCl, strained, radiation hardening 7=11310
NaCl whiskers, microhardness 7=14751
        NaCl, X-ray irrad. effects 7=11309
        No solutions with Ta, V, Zr and W, conc. var.
            obs. 7=11311
        Pb, microhardness probe for vacancy gradients after zone
             refining 7=4691
        PbS, effect of charge-carrier concn...meas. 7=11315
Sb, photoeffect with Ge impurity 7=7711
Si, micro, correlation with elec. cond. 7=7959
Ti alloy (TS6), rel. to plastic deformation effect on
structure 7=14763
        UP 7=11081
Hardness, magnetic. See Magnetic properties of substances/
    ferromagnetic.
Harmonic analysis. See Acoustic analysis; Calculating apparatus;
    Fourier analysis.
Harmonic generation, optical. See Lasers; Optics.
Harmonic oscillators. See Quantum theory.
Hartree-Fock method. See Atoms/structure; Solids/structure.
Hearing
            See also Ear; Speech.
        aircraft in flight, judging of noise 7=9213 binaural detection, critical band 7=15961
        binaural interaction review 7=5734
        binaural localization of images in noise 7=2922 binaural-masked thresholds, accumulation theory 7=15962
        bone-conduction interim thresholds for audiometry 7=9222
        bullfrog mating calls vocal response 7=9230 children's toys hazards 7=2925
        cortical response in man rel. to loudness 7=2920
        critical bands and residue 7=5733
        in the deaf, rel. to speech development, analysis of
            auditory response 7=15955
        equalization and cancellation model, signal-detection analysis 7=2923
        fatigue central factor 7=9226 frequency discrimination, AB and ABX procedures 7=15964
        frequency discrimination of random-amplitude tones, 1000-15000 c/s 7=5735
        impact model for excitation and fatigue 7=9219
        impulse noise exposure temporary threshold shift
reliability 7=2926
        information content, from temporal discriminability 7=2921 interaction of auditory and visual sensory
             modalities 7=15960
        interaural just-noticeable differences, EC model 7=12456
        man and goldfish, integration of tone pulses 7=15963
masking critical band size 7=9227
masking-level differences, continuous and burst masking
             noise 7=12457
        in noise, reproducible, obs. 7=5736
        perception of timbre variation in addition of signal with
            its echo 7=136
        pitch of periodically interrupted tone 7=9225 pitch shifts in wide-band noise obs. 7=2924
        rats, behavioural and Pinna-reflex thresholds obs. 7=9231 repetition pitch 7=9228
         sensitivity, duration of signal effect in women and
        monkeys obs. 7=9229
speech in binaural noise, intelligibility on presentation
to right or left ear 7=5737
         speech, confusion among Swedish consonants in VC and CV
             syllables 7=9218
        speech consonants, by four language groups 7=5731 speech, memory for English consonants 7=5732
```

speech, recognition of articulation cues in stop consonants 7=2919 subharmonics, odd-fractional, generation in chinchillas 7=12459

calc. 7=9224

threshold determination decision rules, computer

```
noise 7=12455
         threshold for short tones, no effect of rise time 7=9223
         time-frequency analysis 7=9220
Weber's law and internal noise 7=9221
Heat
         See also Radiation/heat; Thermodynamics. boundary-value problem 7{=}15911 relativistic transformation 7{=}12462
         relativistic transformation rel. to wave mechanics 7=12461
Heat capacity. See Specific heat.
Heat conduction
              See also Conductivity, thermal.
          Bénard problem with finite-conductivity boundaries 7=10692
         dielectrics at low temps., rel. to sound absorption theory 7=11114
         theory 7=11114
flow in finite circular cylinder, general solns. 7=9
gas of non-spherical mols. in mag. field 7=13982
gas, rarefied, thermal creep, kinetic theory 7=4291
gases, polyatomic, pure and mixed, rel. to diffusion
coeffs. 7=4292
                                                                                          7=9239
         coeffs. 7=4292
infinite slab, mixed boundary value problem 7=2936
ionosphere and ion temps 7=2566
nuclear reactor plate fuel element with fuel-clad bonding
defects, calc. 7=10360
paradox of theory 7=9240
phonon-electron system, weakly interacting, linear
response theory rel. to Boltzmann egg. 7=14782
          response theory rel. to Boltzmann eqn. 7=14782 plasma, effect of resonant charge exchange 7=4184 plasma, electron, with longit, wave transport 7=4185
          quantum transport in high mag.fields, review 7=17744
          in semiconductor plates magnetoresistance size effects 7=11495
          shock flow discontinuities numerical calc. using artificial heat conduction 7=12414
          size effect of circular orifice in plane insulating
diaphragm 7=9141
          solids, with elec., in mag. field, nonequilibrium thermodynamics appl. 7=4653
Heat exchange. See Heat transfer.
Heat flow. See Convection; Heat conduction; Heat transfer.
Heat losses. See Heat transfer.
Heat measurement. See Calorimeters; Calorimetry.
Heat of adsorption
          SiO<sub>2</sub> on five substrates obs. 7=10969
Heat of combustion
         No entries
Heat of crystallization. See Crystallization.
Heat of dissociation
         Sulphates, inorganic, review 7=18324
NF<sub>3</sub>, enthalpy 7=16977
NdF(g) 7=4424
Heat of formation
         01 formation
BeCl<sub>2</sub>(g) 7=18331
Be<sub>2</sub>Cl<sub>4</sub>(g) 7=18331
CF and CF<sub>2</sub> 7=10486
Cu-Pt, Knudsen effusion obs., 1542°-1673°K 7=10828
         NH<sub>2</sub><sup>+</sup> 7=17028
NdF<sub>3</sub> 7=4424
OH<sup>+</sup> 7=17028
          O-H···O bonds in soln. 7=1154
          Th phosphides, from solid-state e.m.f.
               measurements 7=2448
Heat of fusion
ice, meas. by improved sophomore expt. 7=14146 Heat of mixing. See Heat of solution.
Heat of reaction
         Nb, thermite reaction 7=5327
Ta, thermite reaction 7=5327
          Ti, thermite reaction 7=5327
          TiO2, heat of immersion, and sorption of
               water 7=8557
Heat of solution
          alkali halide dilute solid solns., calc. 7=7207
         fused salt systems, enthalpies of mixing 7=4330
         gases, corresponding states calc. 7=10742
liquid alkali alloys, calc. of heat of mixing 7=7031
solutes in solutions, heat of mixing, rel. to thermoelectric
osmometer calibration 7=17316
Au-Sn alloys, liquid, soln. of Au and Sn 7=4331
          Au, in Sn-rich liquid alloys 7=7041
          Au in Sn-Bi alloys, molten, rel. to bond numbers 7=4332
          Fe alloy multicomponent liquids, of N_2 7=10812
          H_2-Ar calc., 169°K, up to 130 atm 7=10742 H_2-Ar, 150°-293°K up to 130 atm. 7=10741
         \rm H_2-N_2 calc., 147°K, up to 130 atm. \rm \,^{7}\!\!=\!10742 \rm H_2-N_2, 150–293°K up to 130 atm. \rm \,^{7}\!\!=\!10741 \rm H_2-N_2-Ar, 150°–293°K up to 130 atm. \rm \,^{7}\!\!=\!10741
         cryostat, calc. 7=9276

He<sup>s</sup>-He<sup>4</sup> mixing at const. osmotic press. for 0.22°K

prod. 7=153
          He3 heat of transition from He3-rich to He4-rich solns. for
          In, in Sn-rich liquid alloys 7=7041
```

```
S 160
```

Heat of solution-contd K in Cs calc. for liquid 7=14044

K in Rb calc. for liquid 7=14044 7 = 10742

K in Rb calc. for liquid 7=14044 N<sub>2</sub>-Ar, 150°-293°K up to 130 atm. 7=10742 N<sub>2</sub>-Ar, 150°-293°K up to 130 atm. 7=10741 Na in Cs calc. for liquid 7=14043 Na in K calc. for liquid 7=14043 Na in Rb calc. for liquid 7=14044 Rb in Cs calc. for liquid 7=14044 Sb with Cd, heat of mixing 7=7039 Sb with Zn, heat of mixing 7=7039

Heat of sublimation

BaF<sub>2</sub> 7=1203 CoO 7=7159 NdF<sub>3</sub> 7=4424

Heat of transformation metals 7=4453

InTe, high- to low-pressure phase 7=1239

Heat of vaporization

ethanol and deuteroethanol, difference from i.r. spectra 7=1201 Bi and Bi<sub>2</sub> 7=7155

H<sub>2</sub> equilibrium at 20. 4°K, 13. 8-24°K 7=10902 HgCl<sub>2</sub>, to critical point 7=1195 Pb 7=7155

Heat of Wetting. See Wetting. Heat pumps. See Heat transfer

Heat radiation. See Radiation/heat.

Heat transfer

See also Convection; Heat conduction; Radiation/ heat; Radiative transfer.

air, dissociating, to surface of a body 7=13981 air-glass 30 µ beads suspension flow in elec. field obs. 7=10873

between normal and supercond. regions 7=4913 condensation, analysis with many parameter 7=7144conductive and radiative, simultaneous, analogous

studies 7=2934 from cylinder, influence of sound 7=12471 from cylinder in a sound field 7=12469 in dielectric liquids, electroconvective 7=7070 effects of turbulence 7=15969 electric arcs, thermal similarity theory 7=17005

electroconducting liq. in mag. field, Reynolds analogy 7=9422 electrode effects in spark recovery 7=10587

electrode effects in spark recovery 7=10587 fluid, second-order, stagnation point 7=10695 fluidized phase, direct heating by elec. current 7=7504 gas bubbling through liq., to walls 7=7069 gas flow, dissociating gas, heat fluxes near stagnation pt. 7=13981 in gas flow near moving flat plate with finite Mach number 7=17185

gas impacting on wall at high velocity 7=13973 in gas ionization by u.v. synchrotron radiation, calc. 7=17010

gas-solid suspension flow in elec. field obs. 7=10873 gases, shock wave reflection calc. 7=1065 hollow orthotropic cylinder and sphere calc. 7=5739 incompressible flow over flat plate, and thermal boundary layer 7=12464

inert thermometer, transfer function and applications 7=148 instability in horizontal cylinder, critical Rayleigh number calc. 7=12472

Langmuir sheath with electron emission from wall 7=17048

laser rod in envelope, nonstationary heat exchange 7=9515 in m.h.d., from flat plate 7=12465

with mass, integral eqn. soln. by successive approx. 7=12389

metal to boiling  $\rm H_2O, \, maxima$  and minima rel.to temp. difference obs.  $7{=}10903$ 

near stagnation pt., with discontinuous Prandtl nos. 7=13980

non-Newtonian fluid, heat flash 7=7064

parahydrogen, coeffs. for a solid-vapour mixture discharging

paranydrogen, coells, for a solid-vapour mixture dischar through a heated brass tube 7=4423 partially ionized medium, flow in plane channel 7=16091 radiation-convection interaction, theory 7=9241 in relativistic charged-fluid flow 7=12468 from rotating disk, enclosed 7=2932 satellite thin surfaces radiative exchange, temp. distrib.

calc. 7=12109

shock tube, low rates meas. 7=9176 shock tubes meas., resistance thermometers quartz substrate obs. 7=7500

sphere to rarefied gas obs. 7=12470

to steel, moving strips, experiment and theory surfaces with discrete roughness obs. 7-12466 synthetic fibres, during dry spinning 7-1491

in turbulent electrocond.liqs.in mag.field, calc.of coeff.by

Reynolds analogy 7=9422 turbulent separated flows, to wall, Stanton rel. to Reynolds nos. 7=9238 water boiling, pool, min. heat fluxes meas. 7=7156

Heat transfer-contd

CO2, near critical pt. 7=13984

CO<sub>2</sub>-N<sub>2</sub> mixture, dissociating, to surface of a body 7=13981

Hg liquid, forced convection, transverse mag. field effect 7=10833

Heat treatment

carbon blacks, rel. to e.s.r. and interlayer spacing 7=15219

ceramic plates, prestressed, strength after nonuniform heating 7=11247

corundum, dislocation decoration obs. 7=11174

DPPH, effect on crystal structure grown from benzene soln 7=17530

glasses, refractive index and density var., rel. to compression effect 7=11770

graphite, vacancy and interstitial loops, isothermal annealing 7=4688

metal, quenched f. c. c., dislocation loops nucleation and growth 7=4700

metal wires, rate of tempering meas. 7=17570 metals, irradiated, recovery stages in annealing 7=1563

Permalloy films, effect on multiple electron diffr. 7=14350

diffr. 7=14350
Permalloy, and mag. domain wall movement, in 4-79 Mo
Permalloy foils 7=8209

Permalloy mag. films anisotropy prod. on mag. annealing,

vacancy and interstitial effects obs. 7=8214
quench-hardening, rel. to interact. of vacancy clusters and
dislocations 7=14524

steel, low C, dislocation struct.var.obs. 7=11178 steels, stainless, surface structure, reactor-irrad. 7=17645 steels, thermal fatigue under transient cross-section temp. gradients obs. 7=14716

transient, least square calc.error for curve slope 7=12467 Ag, effect of annealing on optical consts. 7=2295 Ag, faulted loops on quenching and ageing, annealing 7=1599

Al, climb source, obs. 7=7570

Al, d-irradiated, radiation annealing and damage prod. alloying, cold work and quenching effects obs. 7=14516

Al, and d-irradiation recovery obs. 7=14517 Al, effect of hot rolling temps on mech props. Al, effect on  $R_{273}/R_{78}$  resistivity ratio 7=7848 Al, fibre wire, heat resistance 7=1700

Al, and grain growth transient during recrystallization heat treatment var. obs. 7=14341

Al, neutron-irrad., annealing-induced softening of single cryst. 7=7680

Al, quenched, mechanism of hardening 7=11273

Al, quenching, influence of ageing on hardening 7=4763 Al, quenching rel. to nucleation and growth of voids 7=11152

Al, quenching rel. to nucleation of vacancy clusters 7=14528

Al, reaction kinetics of stage III recovery 7=7534 Al, two-triangle loops, quenched from  $600^{\circ}\text{C}$  7=7571

Al, vacancy cluster voids prod. on quenching 7=1630

Al-SiO2-Si structures, annealing under bias, surface charge left 7=5016

Au, crystal imperfections on quenching and ageing, annealing obs. 7=1599

Au, d-irradiated, radiation annealing and damage prod. alloying, cold work and quenching effects obs. 7=14516 Au, and d-irradiation recovery obs. 7=14517

Au, effect of annealing on optical consts. 7=2295 Au, quenching rel.to nucleation of vacancy clusters 7=14528

Au, vacancy cluster voids prod.on quenching 7=1630 Cd, vacuum annealing, effect on strain behaviour 7=1708 CdS, annealing of X-ray induced defects 7=14533

CdS, effect on edge emission 7=18291

Co, effect on magnetization curve 7=8159
Co, n-irradiated, hyperfine field at Co<sup>60</sup> formed obs. by y-anisotropy at 0.012°K 7=7177

 $\gamma$ -anisotropy at 0.012°K 7=7177 Cr(III) acetylacetonate transfer annealing 7=8522 Cr<sub>2</sub>O<sub>3</sub>, electrical conductivity, effect of sintering 7=11504 CsCl, proton irrad., I<sup>130</sup> recoils, thermal annealing meas. 7=17644 Cu, effect of annealing on optical consts. 7=2295 Cu, effect on R<sub>273</sub>/R<sub>78</sub> resistivity ratio 7=7848 Cu, faulted loops on quenching and ageing, annealing obs. 7=1590 obs. 7=1599

Cu ferrite, mag. var. rel. to O deficiency obs. 7=15172 Cu, neutron-irrad., annealing-induced softening of single cryst. 7=7680

Cu-Co (3.23 wt.%), on cold rolling particle size effect obs. 7=4543 Fe, post-irrad. heating rel. to form, of radiation defect clusters 7=14503

Fe, quenched from  $\alpha$ -range, no yield point 7=14733Ge, neutron damage to n-type impurity conduction 7=11507 He, solid, annealing procedure, linear power control 7=9298

KBr:Pb, vacancy complexes dissociation 7=7545 KCl rel. to internal friction due to motion of dislocations 7=1726

leat treatment-contd KCl, thermal bleaching kinetics, excelectron emission 7=11207 KCl:Pb,Sr,vacancy complexes dissociation 7=7545 KH<sub>2</sub>PO<sub>4</sub>, electrical cond.var.obs. 7=2006 LiF, $\gamma$ -irradiated, dislocation charge reversal obs. 7=7583 LiF, rel. to thermoluminescence obs. 7=2387 LiF: Ba2+, 650°C then quenched, e.p.r. after X-irrad. 7=5200

LiF:Mg, pre-irradiation annealing effects on thermoluminescence and dielectric loss 7=2388 Mg films, vacuum deposited, rel. to tensile strength, 100-300°C 7=1729 Mo, neutron-irrad., annealing-induced softening of single cryst. 7=7680 Nb2O5 film on Nb, exam. of effect by dielec. meas. 7=15021
Ni, annealing of the vacancy agglomerates enhancing critical shear stress 7=14538 critical shear stress 7=14538
Pa, quenched, obs., in conference, Orsay (1965) 7=11071
Pd-Co(25at.%), on cold working, elec. cond. var. rel. to short range order obs. 7=17877
Pd-W(11. 3at.%), on cold working, elec. cond. var. rel. to short range order obs. 7=17877
Pt. d-irradiated, radiation annealing and damage prod., closive cold working effects obs. 7=145 alloying, cold work and quenching effects obs. 7=14516 and d-irradiation recovery obs. 7=14517 Pt, and d-irradiation recovery obs. 7=14516
Pt quenching rel. to e-irradiation < 10°K resistivity
recovery 7=17599
Pt, quenching, reversible change in elec. resistance 7=7865 Si, annealing polygonalization obs. 7=4803
Si, complex defect annealing kinetics rel. to conc. 7=17592
Si, n-type, electron irrad. 7=14968
Si solar cell, annealing of proton rad. damage 7=16035 Si-SiO2 system, surface props., effect of Na and H 7=4880  $\alpha$ -U, single crystal growth by strain-annealing 7=11014 ZnS, striated, rel. to elec. and optical props. 7=11888 Alnico- and Alni type alloys, struct. study 7=1224 Alnico bars cryst. oriented continuous casting 7=4509  $\beta$ -brass, with 4% Al, vacancy-dislocation interacts. 7=14535 bronze with 5% Sn containing Ti, age-hardening 7=11281 ferrites, Co-bearing, rel. to uniaxial anisotropy, 600-700°C 7=8231 steel, Ni-Cr-Mo, rel. to austenite grain size 7=17470 steel, transformer tape, annealing at 800-1000°C 7=15141 superconducting, effect of annealing on critical currents 7=14913 Al, (sintered with dispersed Al<sub>2</sub>O<sub>3</sub>), quenched-in resistivity 7=14515 A1-(0.5%) Ag, climb source, obs. 7=7570 Al-Ag-Ge, rel. to Guinier-Preston zones obs. Al-2% Al<sub>2</sub>O<sub>3</sub> SAP-type, oxidation obs. 7=11933 Al with Be, Ni, Ti, B or Mn, effect on recovery 7=7682 Al-Cu-Ag, growth of  $\theta'$  and  $\gamma'$  phases in solid soln. decomposition 7=10940 Al-Cu-Ge, rel.to Guinier-Preston zones obs. 7=1389 Al + 0.25 wt. % Fe, effect of isochronal annealing on strength 7=7683 Al-11% Mg solid solution, ageing rel. to Ag addition obs. 7=4459 Al-Mg-Si in reactor core, hardness and ductility change obs. 7=1701 Au-Pd alloy, equiatomic, short-range order meas. 7=10944 Cd<sub>3</sub>As<sub>2</sub>, electron states var., magneto-optical obs., 300, 77, 4 K 7=17803 CdSe, fluorescence and electron bombard. annealing 7=15374

Cu-Mm, effect on electrical props. 7=11433

Co-W, temper hardening props. obs. 7=17695

Cu-Au, rel. to superlattice var. obs. 7=4582 Cu-Si, cold rolled, effect of Fe content on annealing 7=17702 Cu-Zn-Ga alloys, conc. dependance and tempering behaviour at 300°C 7=7227 Fe, high-purity, recrystallization 7=17434 Fe-Al. hysteresis loop anisotropy prod. 7=8172 Fe-Al, lattice parameter rel. to ageing and Al content obs. 7=1236 Fe-Al, ordering, effect on antiphase domain size 7=7229 Fe-C martensite, tempering, Mössbauer study 7=17360 Fe-O.08 wt. %C, interaction of dislocations and precipitates 7=14587 Fe-24at.%Cr, embrittlement, annealed at 475°C 7=14734 Fe-Ni, magnetic anneal and ordering enhanced by Fe-Ni, magnetic anneal and ordering enhanced by vacancies 7=15147
Fe-(7at.%Ni + 3. 1at.%Al), ageing rel. to annealing and plastic deformation obs. 7=4471
GaAs:Zn, e-irradiated, luminescence var. obs. 7=2382
Insb γ-irradiated at 77 K, defects isochronous annealing, 77-300 K 7=7555 InSb, n-type and p-type inter-conversion rel. to temp. obs. 7=5000

Heat treatment-contd alloys-contd InSb, superconducting transition temp. var. with quenching press. and temp. 7=7902 Mn-Si bronzes, ageing, effect of composition 7=14234 Nb-Co alloy, air casting 7=17694 Ni-Au, phase dissolution in isothermal annealing 7=14239 Ni-Co ferrite, magnetocrystallographic anisotropy, ion diffusion at 300°C 7=8237 NiCo ferrites, thermomagnetic treatment 7=15184 18% Ni maraging steel, transformations, effect of heating rate 7=14218

Ni-Be, X-ray diffr. anomalous var. during ageing at 500-550°C 7=7245

Ni-Cr(0-34 at. %), thermo e.m.f. var. obs. 7=8046 Ni-Cr (23 at. %)-Al (1-7 at. %), thermo e.m.f. var. obs. 7=8046
77Ni-20Cr-1Al-C-Mn-Si, X-ray diffraction obs. 7=7365
Ni-Cr (23 at.%)-Mo (1-8 at.%), thermo e.m.f. var. obs. 7=8046 Ni-Cr (23 at. %)-Tl (1-4 at. %), thermo e.m.f. var. obs. 7=8046 Ni(80%) Fe(20%) based alloys, initial permeability 7=11656 Ni $_3$ Fe $_{1/2}$ Mn $_{1/2}$ , quenched in oil, neutron irrad., ordering 7=14505 Ni<sub>3</sub>Mn, quenched in oil, neutron irrad., ordering 7=14505 Ni-Th sheet, cold-rolling and annealing behaviour rel. to preferred-orientation development 7=11313
Pd-1 at. % Fe and Pd-25 at. % Ag + 1 at. % Fe, quenching rel. to mag. susceptibility obs. 7=2143 Ta-N solid solns., degassing kinetics 7=14190 WC-Co, effect on fatigue strength 7=11329 Heating a.c.filaments, temp. fluctuations calc. 7=9326 carcinoma in bones of rabbits, ultrasonic 7=5640 flash, and kinetic spectroscopy 7=889 fluidized phase, direct heating by elec. current 7=7504 homogeneous medium, by spherical electrode, temp. field 7=15978 infinite cylinders, by uniform gamma sources 7=16488 laser cylinder of finite length calc. 7=9514 plasma, by ion cyclotron resonance, Faraday shielded Stix coils 7=4186 plasma, in stochastic fields, theory 7=4187 polyethylene rods, temp. generated in torsional oscill. 7=17739 polymers, in X-ray diffr. camera 7=4538 radiative, by inhomogeneous gases, Curtis-Godson approx. test 7=4294 semiconductors, negative differential resistance prod. theory 7=7954 solid by laser pulse, model 7=8082 Ar plasma jet heating of a body, specific heat-flow distrib. obs 7=2947  $\mathrm{Nb_2O_5\text{-}based}$  ceramics, negative differential resistance prod. obs.  $~7{=}7954$ Nb<sub>2</sub>O<sub>5</sub> films, negative differential resistance prodobs. 7=7954 Ni, oxidized, as vacuum heating element 7=4662 TiO<sub>2</sub>, negative differential resistance prod. obs. 7=7954 Heaviside layer. See Ionosphere Heavy water. See Water. Height measurement. See Length measurement. Heisenberg model. See Ferromagnetism; Statistical mechanics. Helicity. See Elementary particles; Field theory, quantum. Helicons. See Crystal electron states Helions. See Alpha particles and helium nuclei; Alpha rays. Heliotron. See Plasma/devices. adsorption on solid CO<sub>2</sub>, N<sub>2</sub>, Ar, methane 7=14291 atom, charge transfer to 40-200 keV protons, Lyman-α of H(2s) products 7=4170 atom, electron scatt, length, lower bound to reciprocal 7=6073 atom, electron scattering, slow, variational treatment 7=4037 atom, excitation of 23P level by electron impact 7=6561 atom, He<sup>3</sup>, singly-charged, ground state h.f.s. theory 7=16903 atom, lifetimes of excited states, meas. 7=6530 atom, phase mechanics, mathematics 7=16901 atom, positron scatt., elastic, zero-energy calc. 7=6587 atomic beams, metastable one-electron loss 7=13835 atoms, Coulson-Neilson relation trial function criterion 7=10398 atoms, dipole polarizabilities of 23S1 and 21S0 states calc. 7=6534 atoms, electron correl. calc. 7=9651 atoms excitation by electrons, 150-200 eV, 2900-11000Å 7=16916 atoms excitation by electrons to 160 eV 7=4023 atoms, excitation total cross sections, Born approx. calc. 7=4024 atoms interaction potential with Hg atoms calc. 7=10452 atoms, Raleigh-Ritz calc. of 21S state 7=6531 atoms, repulsion, one-centre calc. 7=10450

He2+ excited states, wavefunctions and potential

 ${
m He_2}$   ${}^1\Sigma_{\rm g}^+$  ground state wave functions calc. 7=10502 He + Ar, in spark chambers 7=16385

He-H atomic collisions, inelastic, exchange 7=6593

He-He interaction energy at small internuclear

He-He interaction below 1.1 A 7=10451

He-Ar, He-Ne luminescence,  $\alpha$  prod., mechanism 7=4085 He-Cs plasma in discharge, electron scatt. obs. 7=6841

curves 7=887

distances 7=10449

```
SUBJECT INDEX
                                                                                                     Helium--contd
Helium-contd
       atoms, 1Se autoionizing states 7=6532
                                                                                                             He+-He ionizing collisions, electron energy
        atoms, singlet S ground state, DODS calc. 7=4001
                                                                                                             distribs. 7=6594
He-K plasma electron scatt., effective cross-
       atoms, singlet spectrum, self-broadening 7=4002 diffusion in liquid H, concn. depend. meas. 7=14069
                                                                                                                 section 7=10638
                                                                                                             He*+N<sub>o</sub> charge transfer 7=13834 He(3S<sub>1</sub>) + 2He \rightarrow He<sub>2</sub>(5\Sigma<sub>u</sub>) + He, reaction rate constants obs. 7=13700
       electrical discharge, hollow cathode, radial shock
       wave obs. 7=957
excitation of metastable states by electron
impact 7=10428
                                                                                                             He + Xe, in spark chambers 7=16385
        excitation of n 1D state by proton impact 7=6562
        excitation of 2°S state, by He* ions, differential cross-
section 7=4025
                                                                                                             afterglow flow metastable obs. 7=16995
in atmosphere, escape var. due to mag. field var. 7=8690
atomic auto-ionization states Hylleraas var. calc. 7=10396
       in galactic disk B stars 7=15666 intermolecular potential function 7=6752
                                                                                                             atoms, metastable, self-diffusion effective cross section
        ion, He+, charge-transfer collisions, small-angle
                                                                                                             temp.var. 7=996
e annihilation 7=839
       scatt. meas. 7=13830 ions, exothermic reactions with molecules 7=8537
                                                                                                             cavity formation, by exchange forces, rel. to orthopositronium lifetime 7=17211
       ions in upper atm., and "nose whistlers" 7=8725 laser, He-Ne, spatial coherence meas. 7=9509 in lasers, He-Ne Michelson type, single frequency output 7=3142
                                                                                                             in earth, degassing 7=8604
                                                                                                             evolution on exposure of glass to thermal neutrons 7=4740
                                                                                                             excitation by electrons, threshold structure 7=6583
        luminescence, a prod. mechanism 7=4085
                                                                                                             excited by electrons, polarization of emitted
       microwave discharge, near plasma resonance 7=13793
neutral, diffuse series lines and quasistatic line
profiles 7=3999
                                                                                                                 light obs. 7=10429
                                                                                                             film cooling prod. on injection into incompressible
                                                                                                                 air flow obs. 7=10740
       orthopositronium pickoff quenching theory 7=3536
                                                                                                             fluid dynamic studies to M=41 7=17189
       permeability of vacuum tube glasses 7=17583
plasma arc, local thermodyn. equil., spectral study 7=6791
plasma, decay 7=6868
                                                                                                             ionic pumping at glass surface obs. 7=4493
                                                                                                             ions in He, charge equilibrium, 60-840 keV 7=10624
                                                                                                             laser spark, spectra 7=4155
leak detector characteristics and standards 7=6994
        plasma, high density, study by negative bias probe 7=6879
                                                                                                            light source plasma at 2.45 Gc/s for photoionization meas. by mass spectrometer 7=17014 liquefaction, increased rate from ADL-Collins liquefier 7=158 mixture with phthalimide or diphenylamine, thermodiffusion 7=6985 negative glow, ion distrib. 7=4146 gontically oriented, resonance detect.
        plasma ionization equilibrium, generated by electric
            shock tubes 7=4198
        plasma, kilovolt, production and diagnostics 7=13842
        plasma, Thomson scattering of laser light rel. to electron temp. and conc. 7=975
        plasma, Z-pinch contraction, 0.5-20 torr 7=13902
        in Population I objects, content obs. 7=15637 positive column in strong magnetic field 7=6775
                                                                                                             optically oriented, resonance detect. 7=6560
        proton bombarded, energy and ang. distrib. of ejected
                                                                                                             photoionization cross-section 7=6811
           electrons 7=6809
                                                                                                             plasma, ion temp. meas. with Echelle monochromator 7=3255
        pulsed discharge channel at high pressures, oscillograph
                                                                                                             positive column transition from moving striation to helical oscillation in mag. field obs. 7=13804 pumping by molecular sieve 5A at 4.2°K 7=10765
                   7=958
        radiogenic and spallogenic in meteorites 7=2714
        in ring laser, He-Ne plasma, optical nonreciprocity 7{=}3146 spectra, polarization of 5016Å line excited by
                                                                                                             pumping speed of getter-ion pumps at low press. 7=17217 in space vehicles, effect on speech intelligibility 7=12454
            electrons 7=830
                                                                                                             spectrum of early afterglow obs. 7=4145
        spectra, polarization of lines excited by electrons 7=831
                                                                                                             speech in, distortion correction technique 7=15958
                                                                                                             speech in, phonemic analysis of consonants 7=15957 in stars of globular clusters and halo B type, weakness 7=5536
        spectrum, relative intensity of lines and electron temp.
            and density 7=10397
        in stars, burning, products 7=5521
        ultraviolet glow as origin of nighttime ionosphere,
                                                                                                             thermal cond. of mixtures with Kr and Ar 7=1085
            obs. 7=18390
                                                                                                             He I 4472Å half-width and time-distance values \,7{=}13674 He^{\circ} collisions on He, charge transfer differential cross.
        v. h. f. discharge, density and energy of electrons 7=13794
        e--He collision, phase shifts for different ang-
momenta 7=6576
                                                                                                                obs. 7=10621
                                                                                                             He-electron collisions, elastic, rel. to asymmetrical
        He ions, incident on noble gases, ionization and electron capture 7=4163
                                                                                                             angular scattering 7=6584 e-He scatt.resonances rel.to angle and channel
        He-like atoms, correlated wavefunctions 7=820
        He-like systems, ground state, Hulthén orbital and Hulthén correlation factor 7=9099

He I,emission due to particles penetrating auroral atmos. 7=2556
                                                                                                                 obs. 7=838
                                                                                                             He+2+ recombination in afterglow of He discharge
                                                                                                                obs. 7=6776
                                                                                                             He'-e collisions, and ionization 7=4171
                                                                                                             He2+ destruction in trap by charge transfer
        HeI excitation in chromospheric spicules calc. 7=5630
                                                                                                                 processes 7=4171
        HeII, Fowler-\alpha-line, electron impact excitation 7=832 He(23S) + He(23S) reaction cross-section 7=845
                                                                                                             He3 astronomical sources and obs. method 7=8868
                                                                                                             He3,4 abundances from primordial fireball calc. 7=5502
        He formation from He and He impact on hydrogen
                                                                                                             He3, use of conduction in calorimetry,
            gas 7=17029
                                                                                                                 0.4°-4.0°K 7=11123
        He, metastable (1s2s2p)4Po state, energy calc. 7=16902
        He*, channelling in Au 7=11220
He* ions in Au films, channelling, critical angles,
1-17 keV 7=14640
e-He scatt, low energy, modified optical-potential
                                                                                                             He³, propag. of nuclear spin polarisation 7=10430
                                                                                                             He4, coexistence curve near crit. point 7=2956
                                                                                                             He4, third virial coeff. for Lennard-Jones (6-9)
                                                                                                             potential 7=13783
He<sup>4</sup> vapour press.temp.scale empirical formula,
1.1°-4.4°K 7=12483
            approach 7=6585
        e-He scatt., total and momentum transfer cross-sections,
                                                                                                             He-Ar diffusive separation, electron beam study 7=4283
He-Ar, pulsed laser action 7=12637
            comparison 7=6586
        He+, trapping and thermal re-emission by
                                                                                                             He-CO<sub>2</sub>(5%) in shock tube, plasma temp. meas. from
        polycrystalline 7=11613

He²* separation from H* in solar plasma by mass spectrometer average charge detector 7=5498
                                                                                                             OII lines 7=10405
He-CO<sub>2</sub> mixtures, vibrational relaxation 7=16943
He-Cs plasma, in optimum MHD generator 7=178
        He<sup>3</sup>, adsorbed, nuclear susceptibility obs. 7=624
                                                                                                             He-Kr system, diffusion 7=6980
        He<sup>3</sup>, first sound, dilute solutions in very low temp.
He<sup>4</sup> 7=9293
                                                                                                             He-N2 mixture, baroeffect 7=1092
                                                                                                             He-Ne i.r. maser, tunable, use in spectrometer 7=3256
        He<sup>4</sup> in stars, low abundance rel. to degenerate electron
neutrinos 7=18409
```

He-Ne laser, d. c. operated, construction 7=3148 He-Ne laser deterioration by SiO<sub>2</sub> tube bomardment by Ne ions 7=5881 He-Ne laser, discharge current modulation, rate eqns. 7=12636

He-Ne laser, competition of transitions 7=286

He-Ne hollow cathode discharge, Ne atoms excitation

He-Ne laser attenuation var. of waveguide containing

He-Ne laser beam h.f. modulated by ultrasonics 7=287

He-Ne laser, alignment procedure and osc. on three main

He-Ne laser action in Ne transitions 7=3140

obs. 7=10578

lines 7=12634

laser plasma obs. 7=3141

```
.ium-contd
gas_contd
```

He-Ne laser discharge modulation noise theory 7=16170

He-Ne laser with flow mixing obs. 7=12635

He-Ne lasers, freq. stability investigation 7=16173 He-Ne laser, freq. stabilization by optical reson. 7=3145 He-Ne laser, inelastic processes 7=3139 He-Ne laser for interference teaching

demonstration 7=12716

He-Ne laser, low-frequency oscillations, reduction 7=16167

He-Ne laser, modulated, photon-counting distribs. 7=12639

He-Ne laser, modulation by medium power hyper-frequency wave 7=3143

He-Ne laser, modulation obs. of saturation and gain 7=5882 He-Ne laser, multimode oscillations 7=284

He-Ne laser plasma electron collision freq. and density 7=12633

He-Ne laser polarization and mode hopping on cavity

length var.obs. 7=16166
He-Ne laser power rel.to current calc. 7=9507 He-Ne laser Raman light source rel. to Hg at 4358 and 5461 Å 7=3262

He-Ne laser, self-locking, 6328 Å, meas. 7=16169 He-Ne laser, stabilized, pressure shifts 7=3144

He-Ne laser, study of pressure effects on 2s-2p transitions of Ne 7=16172

He-Ne laser, temp. effects 7=3147 He-Ne laser thermal high-resolution recording 7=9572

He-Ne laser transient buildup theory 7=9508

He-Ne laser, Zeeman effects 7=12638 He-Ne laser, Zeeman interferometer 7=345

He-Ne lasers, noise and modulation due to discharge current fluctuations 7=16171 He-Ne plasma decay, process time dependence 7=6869

He-Ne pulsed laser action 7=12637

He-Xe i.r. maser, tunable, use in spectrometer 7=3256 liquid

See also Quantum theory/many-particle systems; Superfluidity

bubble model rel to self-trapped electron 7=5758 cryostat for e.s.r. spectrometer RE' 1301 7=3100-1 density jump at II-I phase transformation with

rotation 7=5760 density, normal component, in conc. isotope solns.

obs. 7=9278

experiments, commentary on quantum fluids 1965
Brighton symposium 7=5771
force exerted on two oscillating cylinders 7=15989

impurities 7=5754

impurities 7=3734 ion prod. of quantized vortex rings 7=5757 ground state, boson solns for mass 3 and 4 7=5748 high current leads, technique 7=2952 \(\lambda\) temp., influence of He<sup>3</sup> 7=5747

λ transformation statistical thermodynamics 7=10886

level indicator 7=2953

level indicator, continuously monitoring 7=9271 liquefaction, increased rate from ADL-Collins liquefier 7=158

liquids quantum theory, suggested future developments 7=5759

neutron inelastic scatt. obs. 7=5770

P-V-T and internal energy data 7=2955 quantum fluids, conference, Brighton, England,

Aug. 65 7=157

quantum fluids theory, summary of 1965 Brighton symposium results 7=9281 quantum hydrodynamics and the existence of particles 7=15987

siphons sonic vibr. suppression 7=9269 solubility of He³ in liquid He⁴ at 0°K obs. 7=5768specific heat in pores of Vycor glass, boundary effects, 0.5-2.5 K 7=5752 specific heat, temp. dependence 7=1789

static form factor temp. var. in HeI and HeII calc. 7=9283 superfluid, a.c. Josephson effect analogue obs. 7=5766

superfluid, doubly connected, persistent currents 7=2958 superfluid, flow, Josephson eqn., phase slippage and vortex lines 7=5765 superfluid, microscopic theories review 7=5769

superfluid, quantized vortex rings near wall calc. 7=9288 superfluidity breakdown rel. to quantized vortices 7=5695

tail-Dewar, description and constructional details 7=2954 temp. meas. by cryotron relaxation oscillator 7=15984 temperature gradient, vertical, in cylindrical containers 7=9280

for vacuum trap 7=10775 vortex rings critical velo. 7=17177

vortices formation by moving ion, critical velo. calc. 7=5756

vortices, ion obs. 7=5755

He-3, to obtain temps. down to 0.3°K 7=12481

Helium-contd

liquid-contd

HeII, α-produced scintillations inhibition between 1.1

and 3.0 K 7=9285

He II bubble chamber, bubble formation on vortices
obs. 7=5764

He II, capture of negative ions by vortex lines 7=5775

He Π film, flowing, dissipation meas. 7=2957 He II, gravitational superfluid flow, dissipative heat prod. 7=2959

He II, half integer values of quanta of circulation,

implication 7=12492 He II, instability in potential flow between rotating cylinders 7=159

He II, interact. of He³ impurities with vortex, classical model 7=5774

He II multiply quantized vortices possible obs. 7=5763

He II, new model of superfluidity 7=5772

He II, quantum cell model at nonzero temp. 7=5773 HeII rotating in annulus low-lying states calc. 7=9290

He II, rotating, classical behaviour obs. 7=5776

HeII, rotating, density increase near  $\lambda$  point mechanism 7=9289

He II, rotating, quantized vortex rings 7=2960

He II, rotating, theory of Ginzburg-Pitaevskic 7=5778 HeII, T4 law for density of normal component 7=15908

He II, temp. jump with superheated C resistor 7=9259 HeII vortex lattices stability, mutual friction effects calc. 7=9286

He3, acoustic impedance, theory 7=12489

He<sup>3</sup> adsorbed on Pb-zeolite powder, nuclear polarization, 0.05-1°K, to 16 kOe 7=13124

He3 heat of transition from He3-rich to He4-rich solns. for cryostat, calc. 7=9276

He3, optical pumping of gas, dynamic polarization 7=15985 He³, possible superfluid phase, zero sound existence 7=2961 He³ specific heat temp. var. rel. to zero sound 7=12493

He $^3$  structure factor rel. to Fermi hole 7=9279 He $^3$ , theory of normal ground state 7=5745

He<sup>3</sup>, 2-D system model, ground state props. 7=5746 He<sup>3</sup> very low temp. obs. review 7=5751

He3-He4 mixing at const. osmotic press. for 0, 22°K prod. 7=153

He3-He4 solutions, flow velocity of films 7=15986 He3, He4 vapour press, thermometry 7=15983

He<sup>4</sup>, coexistence curve near crit. point 7=2956 He<sup>4</sup>λ-transformation, high press. obs. 7=9282

He4, neutron scatt., high energy expt. proposal 7=5749 He4, production of temps. below 1°K 7=5744

He4, quantum lattice gas model 7=5753 He4 superfluid, charge trapping by vortex lines

calc. 7=9287 He4, superfluid, effective long-range interaction of

dissolved He<sup>3</sup> 7=2962 He<sup>4</sup>, to 24.5 atm., 0.5-1.4°K 7=5750

liquid, sound propagation attenuation, < 1°K, theory 7=9294 fourth sound absorption 7=15990

fourth sound near λ-point 7=5779

measurements, interferometer for vel. and attenuation 7=14080

non-ideal Bose gas, second sound 7=2856 second sound attenuation, mutual friction angular var. 7=161

HeII between rotating cylinders, second sound absorption and velo. obs. 7=9295 He II, rotating, first sound, 1.40°-2.10°K 7=5777

He<sup>3</sup> dilute solutions in very low temp. He<sup>4</sup>, first sound 7=9293

He3 impedance at 122 Mc/s, transition to zero sound 7=9291

Hes zero sound rel. to specific heat temp. var. 7=12493 He<sup>3,4</sup> zero sound, arguments for 7=5780

He3-He4 solution, attenuation, meas, and fermion-phonon interaction 7=5781

He3-He4 solution, theory with negl. phonon excit. 7=5782

He3-He4 solutions fourth sound velo. 7=9297 He3-He4 superfluid solns., press., temp. and conc. var. calc. 7=9296

He4-He3(≤20%) first sound velo., 1.6-4.0°K 7=9292 solid

annealing procedure, linear power control 7=9298 cohesive energy at melting calc. 7=15991

excitons interaction energy by perturbation method calc. 7=1805
internal energy and P-V-T data rel. to melting, specific heat etc. 7=2955

He<sup>a</sup> phase transition, h.c.p. to b.c.c., PVT obs. 7=162 He<sup>a</sup>, h. c.p., Grüneisen parameter, vol. and temp. dependence 7=12494

# Helium compounds

No entries

Hellmann-Feynman theorem. See Quantum theory. High-pressure phenomena and effects

adipic acid crystals X-ray prod. free radicals conc. var. 7=4125

High-pressure phenomena and effects-contd

Be, dislocation structure and stress relns., up to

```
High-pressure phenomena and effects—contd air pump for > 10kbar 7=5649 alkali metals, melting 7=4403 apparatus for X-ray diffr. and optical meas, on crystals to 300 kbar 7=18485 aqueous solutions, effect on props. 7=14041 autoclave, description and applications 7=7312 bellows valve, miniature 7=2749 cavitation, u.s. 7=4315 in chemical synthesis, new Cu dishalcomenides. 7=4043
           in chemical synthesis, new Cu dichalcogenides 7=4943 cylinder, "pinch effect" under lateral compression 7=14681 electrical leads for gas press. system to 10 kBar at high
                 temps. 7=15838
           electrical leads insulating seal paint, Fe oxides-
                Zapon 7=2748
           on electron groups formation, statistical model calc. 7=817
           garnets, synthetic, decomp. 7=2450
           gas compressor, pistonless, up to 3000 a 7=1067
           generator using Teflon cell in piston device 7=18489
           glutaric acid crystals X-ray prod. free radicals conc.
                var. 7=4125
           glycine crystals X-ray prod.free radicals conc. var. 7=4125
          hydraulic press.compact 7=18487
hydrostatic device, for optical investigations, up to
7 × 10° atm. 7=18484
hydrostatic-press. system, 2 kbar for teaching and
research 7=15839
           lubricants, viscosity and compressibility 7=14050
           manganin coil for press. meas. from resistance, to 7 kbar and 200°C 7=17874 melting point meas. with internal heating 7=4404
           melting point meas, with internal heating 7=4404 melting, temperature function 7=14149 metal films, electron thermodynamic props, oscillations at low temp, and high press, 7=7755 metals, pure, phase changes, theoretical analysis 7=7216 methylnaphthalene, fluoresc, in soln. 7=14114 molecular crysts., destruction of bonds 7=1207 Mössbauer apparatus 7=1213 Mössbauer coeff, var. 7=14177 nachthalene fluoresc, in polymethylmethacrylate 7=8514
           naphthalene fluoresc. in polymethylmethacrylate 7=8514 naphthalene, fluoresc. in soln. 7=14114
           naphthalene, triplet-singlet transition probability 7 = 8515 oil pump for 13kbar 7 = 5649
           optical measurements, apparatus 7=5911
           phase equilibria meas. by tracer pulse
chromatography 7=10888
phonon shift, vessel for neutron scatt. meas. 7=4615
           physico-chemical props. of matter 7=12273
           physico-chemical props. of matter, conference 7=12272 plasma, energy, cond. and temp., 3-120 kbar 7=17058 polypropylene, cryst. struct. transitions 7=4608
           polystyrene, internal order in glassy state 7=14306 pressure sensors in severe environments 7=9000
           pressure-wave apparatus, for relax, meas, in solns. 7=18325
           soins. '1=18325' a-quartz, on dispersion and optical rotatory power 7=11806 rapid reactions of excited mols. in soln. 7=15413 rare-earth alloys, effect on mag.props. 7=18095 rare-earth monotellurides, high-press. high-temp.
                 phases 7=14249
            Rene 41, hydrostatic effect on \gamma prime precipitation 7=14238
            S phase diagram to 60 kbar, differential thermal
                  cond. obs. 7=14247
            shock wave compression of substs. 7=17319
            solid phase transformations, with neutron and fission
                 product irradiation, combined effects obs. 7=1251
            for solid state phase transitions, study 7=4476 solids, electronic struct. 7=14781
            solids equations of state meas, using light-gas
                  gun 7=1672
            solids, melting temp. depend. on vol. 7=14148
            transport processes in gases and liqs. 7=140
2 kbar hydrostatic-pressure system 7=15839
            valve for fine adjustment to 5 katm 7=2750 volume discontinuity meas. to 100kbar 7=5650
            water, conductivity and ionic dissoc., 1000°C.
                  100 kbar 7=14120
             water, shear visocisty and u.s. absorption 7=17266
            water, viscosity 7=14056
            unit for high temp. materials research 7=2745 AgCl elastic props., up to 20 kbars 7=14691
            Al Fermi surface third zone to 7 kbar 7=7782
            Al<sub>2</sub>O<sub>3</sub>, press. shift of Cr<sup>3+</sup> levels 7=18213
Ar liquid, vol. viscosity 7=7046
             Ar, 0°C isotherm 7=13979
            BN suspension in n-octadecane for press.transmission
             to fragile structures 7=18486
Ba, b. c. c. - h. c. p. boundary 7=14204
Ba electron band struct. in f.c.c. state calc. 7=17801
            BaF<sub>2</sub>, refractive index var. up to 7 kbar 7=5251 BaF<sub>2</sub>, struct. transformation 7=14205
```

```
27 kbar 7=17691
        Bi, phase diagram, 25-40 kbars, 77-293 K 7=14207
Bil<sub>3</sub>, photocond. rel. to press. up to 14 kbar 7=11595
C solutions 7=14317
        CO<sub>2</sub>, vapour press. at 0.01°C, fixed pt. on high press. scale 7=12289
       Ca electron band struct. in f.c.c. state calc. 7=17801
CaF<sub>2</sub>, refractive index var. up to 7 kbar 7=5251
Cd<sub>3</sub>As<sub>2</sub>, melting and polymorphism up to 40 kbar 7=4408
CrS<sub>1,17</sub> magnetic transition temps to 6 kbar 7=15108
Cu-constantan thermocouples e.m.f.var., -196° to
+89°C 7=15980
        Cu<sub>2</sub>Au, order-disorder kinetics, to 21 kbar 7=17359
Dy magnetic transition temperatures to 6 kbar 7=15109
EuS, Curie temp. to 4 kbar 7=18114
        Fe, lattice parameters of h. c. p. and b. c. c. phases to 300 kbar 7=17503
        Fe reflectivity and volume obs. 7=18485
Fe yield by twinning obs. 7=7703
        Fe-Mn alloys, Néel temp. 7=8254
        FeS magnetic \alpha-transition temp. to 11 kbar 7=8257
        Ge electron state pseudopotential form factors and u.v. reflection spectra 7=17811
        Ge, rel. to modified form atomic structure obs. 7=1238
        Ge phonon-assisted tunneling obs. 7=18012
        Ge thermoelectric power at 2000 atm., 120°-280°K 7=1806L
        GeTe phase transformation 7=7237
        H<sub>2</sub>, elec. breakdown voltages 7=4152
        He^4 liquid \lambda-transformation and compressibility obs. 7=9282
        Hg halides (mercuric), i.r. spectra 7=8403
Hg, penetration into aggregates of spheres 7=10783
        Hg, supercritical gas, elec. cond. and density 7=13993
        Hg-In alloys, liquid, resist. and thermoelec. power under 6000 atm 7=4384
        I crystal atomic struct to 60 kbar 7=17507 InSb phase transformation obs. 7=7239
        InSb, phases, struct. and supercond. 7=1240
KNO<sub>2</sub>, phase diagram to 40 kbar 7=1244
        NNO<sub>2</sub>, phase diagram to 40 Kbar 7=1244
MnAs magnetic transitions temp. var. to
10 000 kg/cm² 7=8195
N<sub>2</sub>, elec. breakdown voltages 7=4152
NH<sub>4</sub>Cl, A-transition 7=14235
Na halides, melting points 7=7138
         NaCl, melting 7=4403
        Na-NH<sub>3</sub> solns, elec. cond. 7=14124

Na-NO<sub>2</sub>, phase diagram to 40 kbar 7=1244

Ni-Cu(4.5-28.7at.%), ferromagnetic moments to

15 kbar 7=15134
         Pb Fermi surface var. obs. 7=14841
         Pb, phonon freq. shifts, inelastic neutron meas. 7=7474
         β-PbF<sub>2</sub>, refractive index var. up to 7 kbar 7=5251
         PbS crystal struct.obs. 7=18485
         PbSe crystal struct.obs. 7=18485
PbTe crystal struct.obs. 7=18485
Pb-Tl system, self-diffusion and Kirkendall effect 7=14492
         S, melting curve to 90 kbar 7=14151
         SbI3, photocond. rel. to press. up to 14 kbar 7=11595
         Si electron state pseudopotential form factors and u.v.
reflection spectra 7=17811
Si, rel.to modified form atomic structure obs. 7=1238
         SiO, crystallization kinetics 7=11012
         Sn, supercond. and Debye temp. 7=17921
         Sr electrical cond. obs. rel. to Fermi surface
              calc. 7=17818
         Sr electron band struct.in f.c.c. state calc. 7=17801
         SrF<sub>2</sub>, struct. transformation 7=14205
         T1, change in supercond. energy gap anisotropy 7=14927
         V, elec. cond., temp. depend. anomaly 7=7869
         Zn, dislocation structure and stress relns., up to 27 kbar 7=17691
         \mathrm{Zn_3As_2}, melting and polymorphism up to 40 kbar 7=4408
         ZnS phosphors, luminescence, up to 52 kbar 7=5313
         ZrO2 phase transformations, with neutron and fission
product irradiation, combined effects obs. 7=1251
High-speed photography. See Cinematography; Photography
    high-speed.
High-temperature production and effects
aqueous solutions, effect on props. 7=14041
carbides, neutron diffr. exam. furnace for up to
2500°C 7=4541
         elastic consts.of metals, meas.to 3000°K 7=1670 in exploding liquid filaments by elec.current 7=15943
         furnace on-off control circuit using thermocouples, con-
         version to proportional operation 7-9261 neutron diffr. exam. furnace for up to 2500°C 7-4541 olivine elec. cond. obs. rel. to Moon interior 7-12211
         plasmas for chemistry 7=8520
         rare-earth monotellurides, high-press high-temp
             phases 7=14249
         shock wave compression of substs. 7=17319
```

solar furnaces for high-temp. props. meas. 7=2930 solar furnaces, thermal sine wave generation 7=2945

# fligh-temperature production and effects-contd

ultraclean heating to 1000°C, spherical reflector furnace 7=2946

unit for materials research 7=2745

vacuum furnace for ceramic fracture meas. 7=1710
vacuum furnace with exchange heating system 7=9264
vacuum furnace with low cost, for 1300°C 7=12478 X-ray diffractometer furnace for single crystals,

for 1300°C 7=14365

X-ray diffractometer high temp. attachment 7=11052

Ar plasma jet heating of a body, specific heat-flow distrib. obs. 7=2947

# High voltage production

for beta ray conversion spectrometer, with automatic control 7=3730

generator regulated by external controls 7=9303 spark chamber gaps series supply, rel. to parallel 7=3399 spark gap pulse front slope, effect of interelectrode capacity calc. 7=2979

square-pulse generator, to 75kV 7=2981

thyratron square pulse generator 7=2980

bubble chambers, hydrogen 7=16379 electron spin discovery 7=12979 elementary particles, Tomonaga theory of fields 7=16417 Gunn effect 7=1924

inert gases, radioactivity, and theory of atomic structure 7=2751

Leibniz-Clarke controversy on absolute versus relative space and time 7=12274 masers and lasers 7=269

molecular size earliest estimates 7=13721 NBS of USA, review 7=15840

Ohm's lab, notebooks as example of scientific method 7=12275

optical instrument work at Zeiss since Abbé 7=16236 optics from Euclid to Huygens 7=3190 optics at NBS of USA 7=16027

photography standardization and research 7=16306 quantum electrodynamics 7=9675

quantum electrodynamics, space-time view, development 7=12773

refraction, stigmatic first discoverer 7=9549 relativistic quantum field theory 7=12770 Shapley's researches on Magellanic clouds 7=8879 stellar parallaxes early meas attempts 7=8795 X-ray dynamic diffraction theory for perfect crystals,

review 7=1399

Young's calc, of molecular size and Avogadro's number from surface tension 7=10797 Hodoscopes. See Cosmic rays/apparatus; Particle detectors. Hole theory of liquids. See Liquids/theory. Holes. See Crystal electron states; Semiconducting materials;

### Semiconductors. Holmium

e.s.r.,in PbMoO<sub>4</sub> single crystal 7=2203 Hall effect, 4.2 -300°K, mag. field var., rel. to other rare earth metals 7=7860

ion, Ho<sup>3\*</sup>, h.f.s. in LaCl<sub>3</sub>, by Zeeman splitting 7=11774 ion, Ho<sup>3\*</sup>, magneto-optical rotation spectra in glass 7=11740

ions,  ${\rm Ho^3}$ , in  ${\rm Er_2O_3}$ , energy transfer and c.w. laser action  $7{=}5896$ 

ions, Ho<sup>3\*</sup>, in Fe-containing glasses, i. r. emission 7=3173 luminescence and absorption spectra obs. in glass 7=2384 magnetic hysteresis at 4.2°K 7=11652

magnetic transitions between paramagnetic, ferromagnetic and antiferromagnetic states 7=5126 specific heat, 3 to 25 K 7=1476

Ho<sup>3+</sup> e.s.r. in CaWO<sub>4</sub>, point defect prod. of disymmetry 7=11705

Ho3+ pairs in rare-earth ethyl sulphates, e.p.r. 7=18165

## Holmium compounds

HoAs magnetic anisotropy at 1.7°K 7=8258 HoC<sub>2</sub>, magnetic structure 7=2085 Ho<sub>2</sub>C, neutron diffraction study 7=7430

HoF3 reacted with Ho, high temp. equilib., mass spectra 7=10375

HoP magnetic anisotropy at 1.7°K 7=8258 HoSb, HoTe, positron annihilation 7=17860

HoSb magnetic anisotropy at 1.7°K 7=8258 HoSb-HoTe mixed crystals, magnetic properties 7=2162Ho-Y alloys, paramag. props. (300-1100°K) 7=15112 HoZn<sub>a</sub>, cryst. struct. 7=4584 Holograms. Holography. See Diffraction/light; Optical images.

Hot-atom chemistry. See Chemical analysis/radioactive; Nuclear reactions/chemical effects; Radiochemistry.

Hubble model. See Cosmology

Hugoniot diagrams. See Equations of state.

See also atmosphere/humidity; Hygrometers; Moisture. errors in meas. 7=8640 measurement errors 7=8640 and BaTiO3-Ta2O5 ferroelectric polarization 7=8022 and Si oxide layers on Si elec. cond. 7=5009

```
Hydrodynamics
```

See also Flow/liquids; Jets; Liquid oscillations; Liquid waves; Magnetohydrodynamics; Viscosity/liquids.

Bénard problem with finite-conductivity boundaries 7=10692

Bose systems, egns. and elementary excitations 7=9113 boundary layer on continuous moving surface, stability 7=1057

bubbles, spherical, motion through Maxwell liquids 7=10794 constitutive eqns. for mixture of nonlinear elastic solid and linear viscous fluid 7=46 couple stresses 7=4266

damping correction for linear oscs. of cylinder and sphere in incompressible viscous fluid 7=17168

elastohydrodynamic wave propag. in compressible

media 7=13954 explosions, strong "throw-out", modelling 7=2892 falling sphere in viscous liquid flow pattern obs. 7=17231 Fermi systems, eqns. and elementary excitations 7=9113 flow stability non-linear theory 7=6942

fluid between co-rotating cylinders, secondary stationary motion 7=6948

Honditon 1=0940 fluid motion involving free surfaces 7=17176 Homiltonian principle variables exchange 7=13950-1 inlet length by laminar flow of elasto-viscous liquid through straight channel and circular tube 7=17232

instabilities on infinite interface, field-coupled,continuum feedback control 7=5840
laser interferometers, review 7=9612
liquids elasticity in shear meas, by resonance 7=6999
macromolecular liquid, "soft dumbell" soln. of
Fokker-Planck eqn. 7=1106
mass exchange between gas stream and
liquid 7=1060
non Newtonian fluid heat flash, 7=7064

non-Newtonian fluid, heat flash 7=7064 oceanic circulation, lab. model 7=14011 polymers, molten and in conc. solutions 7=7000

pressure and tangential tension fluctuations 7=13953 quantum theory, allowance for dissipation processes 7=15897

rotating fluid masses in general relativity 7=9081 rotating fluid masses in general relativity 1=9081 rotating fluid systems, symposium, La Jolla, California (1966) 7=1050 rotating fluids, survey 7=1051 sphere slow motion in viscous liquid 7=17230 stability problems, finite difference approximations 7=15497 star systems, rotating 7=5546 stress tensor of monatomic fluid, statistical calc. 7=6928

in superconductors, London, two-fluid eqns. 7=17885 theory of stationary waves in inhomogeneous fluid 7=1049

Tietjens function evaluation in stability calc. 7=17167 two rotating fluid-in-shell bodies in relativity 7=9079vapour-liquid mixture, adiabatic, slip effect and friction in tubes 7=6955

viscous liquid near critical point, theory 7=14010 Hydrogen

See also Deuterium; Protons and antiprotons; Tritium. adsorption on evap. B films 7=10974 adsorption on solid CO<sub>2</sub>, N<sub>2</sub>, Ar, methane 7=14291 adsorption on W oriented cryst. surfaces 7=7294

arcjet plume, spectroscopic obs. rel. to exhaust at various mass flow rates 7=15430 in atmosphere, upper, neutral, total content obs. 7=12029 atmospheric from thermonuclear explosions, T and D tracers  $7{=}18359$ 

arcs, l.p., ion and electron energy distrib. meas. 7=6790

in aurora,  $H_B$  line intensity ratio to  $N_2^*$   $\lambda$  4709 band obs. 7=15567 breakdown voltage, high press.

bubble chamber large glass sealing system 7=5984 charge exchange cross-section, high-energy 7=6807 chemisorption on W(100) 7=2462 coherent scatt. length for free neutrons 7=9989 dielectric constants 7=10748

diffusion in liquid N, concn. depend. meas. 7=14069 diffusion and solubility in Ni, isotope effects 7=17587 diffusion and solubility in Ni and Ni-V alloy 7=17588 diffusion in Ta, coeff. rel. to temp. 7=17590

discharged, photoabsorption studies 7=17009 in e.m. shock tube, propag. of normal ionizing shocks 7=17026

in e.m. shock tube, study of precursor waves 7=17042 electric breakdown, pd=0.02-1.0 torr.cm 7=966 electric r.f. breakdown in superimposed d.c. field obs. 7=6781

evolution on exposure of glass to gamma radiation 7=4740 gas discharges up to pressure of 9000 torr, oscillographic studies 7=10585

gas, He formation from He and He impact 7=17029 gas, shock-heated, density change on vibr. relax. 7=6751 into air supersonic flow, turbulent mixing and diffusion obs. 7=10725

isotope mixtures, thermal diffusion 7=6979

```
Hydrogen-contd
```

isotopes, adsorption on charcoal 7=14289 light source, u.v. 7=325

lines broadened by electrons and ions in plasma, Holtsmark formula corrections 7=16900 liquid, diffusion of He, concn. depend. meas. 7=14069

liquid, effect of He on self-diffusion, spin-lattice relax. and dielec. const. 7=14070

liquid, equation of state and calc. of thermodynamic props. 7=1107

liquid, flowmeter, true-mass 7=14014 liquid, meas. of flow rate by n.m.r. technique 7=7001

liquid, nonboiling, nuclear target 7=9687

liquid, target, thin walled 7=16344 maser, double focusing 7=3110 maser 5 cm line investigation 7=12595

mixture with phthalimide or diphenylamine, thermo-diffusion 7=6985

molecular gas, ionization in transverse mag.field 7=6810 molecular gas, ionization in transverse mag. Held  $^{12}$   $\mu p$  total spin state determination by elastic scattering on  $H_2$  and  $D_2$   $^{7}$ =13707 in nebulae,  $\beta$ -transitions in recombination spectrum near 9 cm wavelength  $^{7}$ =15714 neutral, upper limit to density in halo regions of spiral

galaxies 7=8876

neutron slowing-down 7=13086 at 1 atm. press., Rayleigh scatt. 7=13986

oxide cathode poisening prod. obs. by O'Fallon method, rel. to press. 7=8073

para-H, density of liquid/vapour and freezing liquid 7=17308

para, heat transfer for a solid-vapour mixture discharging through heated tube 7=4423 Penning discharge, arc initiation at metal surfaces 7=6789

plasma, cooperative effects, under laser beam excitation 7=4210

plasma, decaying, luminosity profile recording 7=10651 plasma, electron and ion temp., determ., from laser beam scatt. 7=4210

plasma m.h.d. waves obs. 7=4234 plasma, pulsed h.f., spectral lines curvature obs. 7=1018

in Population I objects, content obs. 7=15637 proton bombarded, energy and ang. distrib, of ejected electrons 7=6809

quasistatic line profiles and Balmer lines 7=3999 solid, hexagonal-cubic transition, X-ray obs. 7=4472 solid-liquid transition, quantum effect in theory 7=10893 solid, sound propagation and elastic props. 7=14447

solid, transition from h. c. p. to f. c. c., molecular volume difference between solid ortho- and para- 7-14227 sorption on Nb films at 77°K and 293°K 7-4494 sorption by Vycor glass of activated H obs. 7-10980

Stark broadening theories 7=4000 in stars, abundances in M and S types obs.from molecular spectra 7=5532

in stars like sun, molecules continuous absorption calc. 7=15658

in stellar clusters, M5 and M14 data 7=5545

stellar spectral lines, electrons quasistatic and "impact" contributions to broadening calc. 7=15660

stellar spectral lines quasistatic profiles calc. 7=15659 in sun, i.r. line profiles in facula and photosphere 7=5623 ultraviolet glow as origin of nighttime ionosphere obs. 7=18390

vapour pressure obs. 7=1202

 vapour provided to the state of the state o theory 7=4333

H+H2 reaction cross-sections, theory 7=15425 H<sub>2</sub> adsorption by Pd, consequences of proton model 7=8552

H2 interstellar abundance 7=12172

 $\rm H_2^-Ar$  heat of mixing calc., 169°K, up to 130 atm.  $\rm 7{=}10742$   $\rm H_2{-}Ar$  heat of mixing  $\rm 150^\circ{-}293^\circ{K}$  up to 130 atm.  $\rm 7{=}10741$  H-Ar shock tubes, temps. of shocks obs.  $\rm 7{=}1075$ 

HD, solid, proton relax time rel. to ortho- $H_2$  conc. 7=11720  $H_2$ +H $\rightarrow$ H+ $H_2$ , broken path model 7=2428

 $\rm H_2+I_2$  reaction mechanism 7=11959  $\rm H_2-N_2$  heat of mixing calc.,  $147^{\circ}\rm K$ , up to 130 atm. 7=10742  $\rm H_2-N_2$  heat of mixing, 150-293 K up to 130 atm. 7=10741

 $\rm H_2-N_2-Ar$  heat of mixing 150°-293°K up to 130 atm. 7=10741  $\rm H_2-O_2$  fuel cells, mixing obs. 7=171

H-O-Ar mixtures, detonation behind reflected shock waves 7=10726

in  $\alpha \mathrm{Fe}$ , partial molal vol. from stress effects on permeability obs. 7=4449

in Ni, reduction of stacking fault energy 7=14610 and Si-SiO<sub>2</sub> system, effect on surface props. 7=4880

from atoms, metallic surfaces appl., 50-3000 eV 7=6805

Hydrogen-contd ions-contd

charge exchange in beams for H3° prod. 7=13785 dissociative recomb, and associative ionization 7=6737 Galactic HII regions continuum survey at 5 Gc/s 7=12173 Galactic H II regions 109 α recombination at 5009 Mc/s 7=12174

interstellar H II regions ionization fronts with mag.fields, m.h.d.approx. 7=5554

multiphoton ionization by simultaneous absorpt. of ruby laser photons 7=13828 negative molecular ions, existence in Faraday space 7=6766

p charge exchange with atoms calc. 7=6797

p-H scattering resonances calc. 7=6806 in plane of the Galaxy, rel. to absorption of radiation 7=2672

plasma, anisotropic, transverse wave instabilities

theory 7=13931
plasma, elec, fluctuations of h.f. discharge in mag. field
obs. 7=17127

plasma prod. by laser, electron recombination obs. 7=6767 plasma prod.from solid by laser obs. 7=17051 plasma, thermal emission near plasma freq. 7=13884 reactions in  $\rm H_2$  7=10611

source, duoplasmatron, high current, with ferrite magnets 7=3053

in stars like sun, molecules continuous absorption calc. 7=15658 Van de Graaf accelerator buncher 7=9724

in Au films, channelling, critical angles, 1-17 keV  $\,$  7=14640 in H atom collisions on  $\,$ H $_2$  and inert gases, single e capture and loss for 2-50 keV H  $\,$ 7=10619

HII region, evolution rel.to ionizing radiation 7=2673 H auto-ionization states Hylleraas var.calc. 7=10396

H-, collisional detachment, by classical impulse approx. 7=13833

H collisions in N<sub>2</sub>, CO<sub>2</sub> with e, 2e loss, 200-500 keV 7=17027 H intense source from reflex discharge 7=12550

H, 0.9 to 1.3 MeV, stripping cross-sections in 7 gases 7=982

H- radiofrequency source 7=3051 H-, 1Se autoionizing states 7=6532

H- source, modified from cyclotron p source 7=3054

H2, electron resonances 7=4166

 ${
m H_2}^2$  ground state 7=16949  ${
m H}^2$  capture of e in H, elec. field effect calc. 7=10623

H+, charge-transfer collisions, small-angle scatt. 7 = 13830meas.

H+ collisions on O2, charge transfer differential cross. obs. 7=10621

H' electron capture into 2s state in close H'-He collisions 7=844

 $H_n^*$ , ground and excited states, diatomics-in-mols. calc. 7=10499

 $\rm H_2{}^{\star}, partition$  functions, pressure depend.  $7{=}4122$  H production from high intensity radiofrequency ion

source 7=3052

 $H^*,$  proportional counter response, 1-40 keV  $\,$  7=3055  $\,$   $H^*$  separation from  $He^{2^+}$  in solar plasma by mass spectrometer average charge detector 7=5498

H\* source, r.f., ion current proportionality to plasma density and longitudinal mag.field obs. 7=16084 H\*-He collisions, electron capture calc. 7=6804

H'-He collisions, electron capture or excitation calc.

~ 1 keV 7=6803 H<sub>1</sub> sputtering and implantation on Ni, stainless steel

T1, Ta at 35 keV 7=14293  $H_1^+ + H_2$  and  $H_2^+ + H_2$  and  $H_1^+ + H_2$  and  $H_2^+ + H_2$  and H

 ${\rm H_2}^+$  bond energy no correl with axial electron density  $7{=}13731$ 

H<sub>2</sub> dissoc. by Lorentz force obs. 7=13909 H<sub>2</sub> dissociation in collisions with H, H<sub>2</sub> obs. 7=10620

H2 dissociation by electron impact, absolute cross-

section obs. 7=4123 section in He gas, high-energy limit calc.  $7=13^\circ$   $H_2^+$ , dissociation in Li plasma, p prod., 20-50 keV 7=10622  $H_2^+$  excited vibr. states, theory 7=6666

 $H_2^*$ ,  $HD^*$ ,  $D_2^*$ , vibrating, series solns, and rotationless states 7=10497  $H_2^*$  lower bound energy 7=6525  $H_2^*$ , the  $18\sigma_s$  and  $2p\sigma_s$  states 7=6661  $H_2^+$  symmetry group broader than geometric 7=10496

 $\rm H_2^+, 2p\pi_u$  and  $3d\pi_s$  states  $7{=}6662$   $\rm H_2^+, vibrational$  dissociation in H and Ar  $7{=}6738$ 

H<sub>3</sub> dissociation in Li plasma, p prod., 20-50 keV 7=10622

 $H_3^+$ , Hellmann-Feynman theorem calc. 7=6667

H<sup>2</sup>-Ar collisions, ejected electron energy distrib. 7=6590  ${\rm H_2-D_2}$  exchange reactions in glow discharge 7=6771

 $H_{\, cs} \,\, H_{\, \beta} \,\, emissions \,\, due \,\, to \,\, particles \,\, penetrating \,\, auroral$ atmos. 7=2556

absorption of Lyman-alpha radiation in elec. field 7=13692 atom and molecule, charge transfer to 40-200 keV protons, Lyman- $\alpha$  of H(2s) products 7=4170

```
Hydrogen-contd
    neutral atoms-contd
         atom-molecule exchange at energies above
             threshold 7=8585
         atom, proton charge transfer collisions, furnace target
              meas. 7=4169
         atomic beam, accelerated, ionization by electrons cross-
              section calc. 7=6808
         auroral line emission, quenching by collisional
         auroral line emission, quenching by contisional ionization 7=8710 chemisorption of atoms on ZnO, effect of additives 7=1942 collisions on H<sub>2</sub> and inert gases, single e capture and loss for 2-50 keV H 7=10619 collisions with N<sub>2</sub>, O<sub>2</sub> ~ 1 keV 7=16983 collisions with O atoms, spin-change 7=4045 Coulomb field and nonrelativistic quantization 7=13673 e-H scatt., close-coupling approx, modification, long-range
         e-H scatt., close-coupling approx. modification, long-range interaction accounted 7=16919
         e-H scatt., expt. and theory for lowest <sup>1</sup>S and <sup>3</sup>P resonances 7=6582
         eigenfunctions in momentum space 7=3998 elastic cross-sections 7=6596
         electron scatt., elastic, iteration and iteration-variation methods 7=4034
          electron scatt.length, lower bound to reciprocal 7=6073 electron scatt.s-wave phase-shifts variational lower bounds calc. 7=10444
          excitation by charge exchange in ground state atoms
              calc. 7=6559
          excitation of Lyman L_{\rm B} line by proton charge exchange 7{=}13691
          excitation, by proton charge exchange 7=13689 excitation of 3s, 3p, 3d states, in \mathrm{H_2} dissociation 7=13690 g factor in \mathrm{CaF_2}, covalency effects 7=11679
          ground state, rel. to lower bounds to energies for
              Gaussian wave functions 7=6527
          H(2p) + H(1s) \rightarrow H(1s) + H(2p) 7=16921
          intergalactic, radio absorption obs. 7=5555
          intergalactic, spin temp, and total mass in galaxy clusters 7 = 5556
          interstellar, in IC 443 direction, obs. 7=2671 interstitials in Ta and Nb, relaxation due to diffusion 7=1521
           ionization by electrons, classical cross-sections
               calc. 7=4168
           ionization, metallic surfaces appl., 50-3000 eV 7=6805
          Kerr absorption line, theory 7=3997
ladder operator soln. to electronic energy levels 7=819
          Lamb shift, dispersion theory 7=6509 maser, atoms relax time obs. 7=3109
           maser in transient conditions, equations of motion for evolution obs. 7 = 3111
           n\!\rightarrow\!\!n' transitions induced by electron impact 7\!=\!4036
           n=2 excitation cross-section, threshold behaviour 7=4022
          one-dimensional, ground state ~7{=}9656 oscillator strength of ^2P_{3/2,1/2} \leftarrow ^2S_{1/2} transition ~7{=}6526 polarizability calc. ~7{=}9651
           polarized, focusing and separation by periodic mag.
              field 7=5874
           positron scattering, amplitude density functions
method 7=12764
positron scattering resonances calc. 7=6806
           reaction with acetylene and ethylene 7=6526
           in solar plasma flow obs. 7=2730
           spectrum, mag. field effect on broadening 7=6529 spectrum in plasma wings of Balmer and Paschen
               lines 7=6867
           spectrum, pressure shift and collisional narrowing by
               stimulated Raman emission 7=6528
           spin-change collisions 7=4042
           stellar, and dust "general" correlation 7=18441
2S<sub>1/2</sub> metastable state as source of polarized negative
                ions obs. 7=10395
           Ar excited atoms scatt., ArH* prod. 7=6591 in \alpha-Fe, interact. with dislocations 7=14586
           H_{\alpha} dark structure in solar prominences obs. 7=2733
           HB line profiles in rotating B stars 7=2656
           H II region in Galaxy 7=5562
H + Cl<sub>2</sub> and H + Br<sub>2</sub> vibrational population-inversion and
stimulated emission .7=12630
           H-He collisions, inelastic, exchange 7=6593
           on N_2O, charge exchange collisions, slow ions mass spectra obs. 7=6815
           on ZnO, luminescence prod. obs. 7=11884
       neutral molecules
           adsorption by C and silica gel granules at liquid $\rm N_2$ temp. 7=14290 adsorption by solid condensed gases 14-20 ^{\rm c} ^{\rm C} 7=14287
           collisions on H atoms, single e capture and loss for 2-50 keV H 7=10619
```

detection in air by alkali ion current from hot Pd 7=18343

electron scatt., inelastic, resonances 7=881

electron scatt., vibr. excitation and dissociative attachment 7=4167

```
Hydrogen-contd
        neutral molecules contd
               energy value calc., rel. to correlation energy of paired electrons 7=3519
                excitation, 0-2 rotational, by H, He and H2 impact 7=16948
               excited states, natural orbitals 7=880 excited states, single-centre calc. 7=6664
                heat of vaporization of equilibrium at 20.4 k, 13.8°-24°k 7=10902 interaction with He, potential model in thermal
                         diffusion 7=16982
                diffusion 7=16982 ionization, nonequilibrium growth meas. 7=10618 isotope exchange reactions with atomic T 7=11926 molecular constants, determinations 7=10498 muonic atoms and molecules in gaseous H, d\mu + d \rightarrow He^3 + n + \mu obs. 7=6599 motion in liq. Ar and Ne, diffusion const. and vib. freq. 7=7056
                 neutrons scatt.by ortho and para-H2, using Fadeev's
                         egns. 7=10495
                eqns. (=10495) optical pressure-induced absorption calc. 7=4295 ortho-para conversion, paramag. catalysis 7=11943 partial pressure in terrestrial and Venusian atmosphere 7=15474 polarizability 7=16946
                 pumping speed of getter-ion pumps at low press. 7=17217
                quadrupole and polarization potentials 7=6665 relationships between molec.props, 7=6663 Saturn and Uranus spectra, H<sub>2</sub> features 7=12233
                  spectrum, rotation-vibr. bands lines calc. 7=4082
                  stimulated emission spectra 7=12631
                  on surface of non-metallic crystal, effect 7=10973
                 vibrational-rotational motion, effect on elec. and mag. props. 7=4083
                props. 7=4083
wave function in approxs. in Rayleigh-Schrödinger
perturbation theory 7=10474
B¹\(\Sigma_{\text{o}}^1\) state anomalous behaviour rel. to non-adiabatic
perturbations 7=16947
D<sub>2</sub>, 0-2 rotational excitation by H impact 7=16948
D<sub>2</sub> and H<sub>2</sub>, vibr. relax. 7=6748
                 b<sub>2</sub> and h<sub>2</sub>, when the harmonic harmon
                  H<sub>2</sub>-D<sub>2</sub> mixture, baroeffect 7=1092
                  \rm H_{3} beams prod. by charge exchange in H ion beams \rm \, 7{=}13785
                  H<sub>3</sub>, single-centre wavefunctions 7=13732
H<sub>3</sub> transition state quantum calc. 7=6668
                  HD, vibrational-rotational motion, effect on elec. and
                  mag.props. 7=4083 (H<sub>2</sub>, He) and (D<sub>2</sub>, He) systems, translation-rotation energy transfer 7=10560
                  H2-N2 mixture, diffusion coeff. rel. to temp. and
                          concentration 7=4303
                  with \rm H_2O , diffusion in porous Fe from reduction of Fe_2O_3 , 800°, 900°, 1000°C 7=15424 \rm H_2-SF_6 mixture, baroeffect 7=1092
  Hydrogen compounds
                           See also Ice; Steam; Water.
                  acids, light and heavy, dissolved in light or heavy
                           water 7=10864
                  hydrate crystals, p-p rel.to metal-0 distances,
n.m.r.obs. 7=17506
DCl liquid, elec. field gradient at D, n.m.r.obs. 7=10870
                  DCl, solid, cryst. struct. 7=11063
                  {\rm D_2O}, molecular vibration anharmonicity successive approx. calc. 7=4060
                  D<sub>2</sub>O, vapour adsorbed on Si, rel. to surface
                  conductivity 7=15023

D_2O_2, far i.r. spectrum 7=878

D_2S, i.r. fundamentals 7=879
                   HBr, h. f. dielec. props. of solid phases 7=15017
                   HBr, press. -induced rot. quadrupole spectra 7=10500
                  HCl and DCl polymers in solid inert gases, i. r. spectra 7=2313
HCl, press. -induced rot. quadrupole spectra 7=10500
HCl, solid, cryst. struct. 7=11063
                  HCl in Venus atmosphere obs. 7=15773
HCl, vib. rot. spectrum 7=882
                  HCl<sup>35</sup>, centrifugal stretching const., nuclear mass effects 7=883
                   HCl37, 1-0 band above 800°C, new lines 7=3257
                   HF flame, temperature obs. 7=143
HF molecule, matrix spectra 7=8401
                    HF in Venus atmosphere obs. 7=15773
                    HI, h. f. dielec. props. of solid phases 7=15017
                   HN<sub>3</sub> and DN<sub>3</sub>, i. r. spectra 7=13733

HNF<sub>2</sub>, absorption spectrum, and <sup>2</sup>A' - <sup>2</sup>A transition of

HNF radical 7=4084

H<sub>2</sub>O, mm rot, transitions and Stark effect 7=6669
                    H2O, molecular motions in crysts. 7=4444
                   {\rm H_2O}, molecular vibration anharmonicity successive approx. calc. 7=4060
```

A, radiative resonance decay search 7=6241  $\Omega^- \to \Xi^{\circ} + \pi^-$ , production and mass obs. 7=6251

```
Hydrogen compounds-contd
                                                                                                                                       Hyperons -contd
           {
m H_2O}, negative ion-molecule reactions, high press. 7=8542
                                                                                                                                            decay -contd \Omega^- \to \Lambda^\circ + K^-, production and mass obs. 7=6251
                                                                                                                                                 Σ', strangeness changing 7=16642

Σ' with ΔQ = 0, ΔS = 1, current commutation rules appl. 7=6247

Σ' → n + π', P<sub>1/2</sub> final state, evidence 7=6249
           H<sub>o</sub>O, semiempirical orbital calc. 7=884-5
           H_2O_2, retardation pot., torsional vibrs., thermodyn.
                 functions 7=16951
           {
m H_2O_2} torsion-rotation spectrum group theory analysis 7=6671
                                                                                                                                                  \Sigma^+ \rightarrow p\gamma decay amplitude calc. 7=16643
                                                                                                                                                  \Sigma → py decay amplitude calc. 7=16644 \Sigma<sup>+</sup> → n + π<sup>+</sup>, parameters meas. 7=3661 \Upsilon → N + Γ+ \widetilde{\nu}, polarization effects 7=6262
           H<sub>2</sub>O<sub>2</sub> vapour, OH radicals in high freq. discharges 7=16978
           H<sub>3</sub>O, theory 7=886
H<sub>4</sub>O<sup>+</sup>, theory 7=886
           {
m H_2S} gas, entropy and free energy calc. 7=17205 {
m H_2S}, pulsed discharges, laser oscs. of SI, SIII and
                                                                                                                                                  Z^* \rightarrow p_{\gamma} rate, quark model 7=13030
                                                                                                                                             decay observations
                         7=12642
                                                                                                                                                  lifetime in low-momentum beam 7=6242
                                                                                                                                                 lifetime in low-momentum beam 7=6242 non-leptonic, review \Delta I = \frac{1}{N} rule tests 7=13104 selection rule of G_2 U-spin state 7=3415 \Lambda^\circ mean life 7=13008 \Lambda^\circ \to p + \pi^- anisotropy in mag. field for \Lambda^\circ mag. moment obs. 7=6244 \Sigma^\circ \to \Lambda^\circ + e^+ + e^-, T invariance test from \Lambda polarization 7=13106 \Sigma^*, leptonic 7=3660 \Sigma^* lifetime 7=6248 \Sigma^\circ \to \Lambda^\circ + e^+ + h, 1 \Sigma^\pm \to h weaching ratio, 7=6249
           H<sub>2</sub>S + S flow in porous materials with S precipitation, calc. 7=6932
 H<sub>2</sub>Se gas, entropy and free energy calc. 7=17205

Hydrogen ion concentration. See Electrochemistry.
 Hydromagnetics. See Magnetohydrodynamics.
Hydrometry. See Flowmeters.
Hydrophones. See Acoustic transducers; Oceanography.
 Hydrostatics
            electrohydrostatics of free liquid surface 7=9317
           instabilities on infinite interface, field-coupled, continuum
                                                                                                                                                   (\Sigma^+ \to \pi^+ + n) 1 (\Sigma^\pm \to all) branching ratio 7=6248
                 feedback control 7=5840
                                                                                                                                             detection, measurement
            liquid crystal eqn. solns., twisting 7=10807
                                                                                                                                                   No entries
            membrane, finite plastic deformation under hydrostatic
                                                                                                                                              effects
                 pressure 7=12328
                                                                                                                                                    No entries
            pressure and tangential tension fluctuations 7=13953 stress tensor of monatomic fluid, statistical calc. 7=
                                                                                                                                              interactions
                                                                                                                                                        See also Hypernuclei.
  Hygiene. See Medical science.
                                                                                                                                                   Λ binding energy in nuclear matter higher-order corrections 7=6299
  Hygrometers
            electrolytic 7=10705
Goldsmith-Cox, accuracy and calibration at
10 6 atm. 7=10707
                                                                                                                                                   Λ-Λ from <sub>ΛΛ</sub> He<sup>6</sup> 7=10032
Λ-N book 7=6245
                                                                                                                                                   \Lambda N \to NN spin and isospin var. 7=6246
            Goldsmith-Cox, pressurized, for ultralow humidities 7=10706
                                                                                                                                                   \Lambda + N \rightarrow N + N, weak meson-exchange term vertices, rel.to RP invariance 7{=}6303
  Hyperfine structure. See Paramagnetic resonance and relaxation;
                                                                                                                                                   \Lambda -N, one-boson-exchange model obs. 7=3659 ANN forces rel.to \Lambda -N scatt, lengths 7=10089 \Sigma^- + \pi^+ \to \Sigma^+ + \pi^- calc. 7=16546
        Spectra.
  Hyperfragments. See Hypernuclei.
  Hypernuclei
                                                                                                                                               magnetic moment
             \beta decay sum rules 7=6304
                                                                                                                                                    \Lambda^{\circ} obs.from \Lambda^{\circ} \rightarrow p + \pi^{-} decay anisotropy in mag.
            decay of double hypernuclei with \Sigma emission
                                                                                                                                                        field 7=6244
                  calc. 7=3724
             by high-energy photonuclear reaction production 7=9858
                                                                                                                                                   \Omega-, from 5 GeV/c K in hydrogen interactions 7=6251 \Xi - \Xi^0 difference, Dashen calculation 7=3662
             hyperfragments, non-mesonically decaying, short-
             range 7=13209
Λ-binding energies 7=6300
Λ-binding energy, nondegenerate statistical theory 7=6301
                                                                                                                                               production
                                                                                                                                                   by cosmic ray nucleon interactions with target nuclei 7=723
             A binding energy to nuclear matter 7=3723
A binding energy in nuclear matter higher-order corrections 7=6299
                                                                                                                                                    hyperon-antihyperon pair, from pp annihilation in quark model 7=13068
                                                                                                                                                    in K p interactions, 4.1 and 5.5 GeV/c \,7=16578 K ^{\star}\Lambda photoprod phenomenological analysis \,7=6258
              and A-N interaction, book 7=6245
             and λ-N interaction, book 1=0210
light, binding energy values 7=13208
nonmesonic decay, rel. to RP invariance and SU(6) 7=6303
S-shell Λ-nucleon potentials, hard-core size
                                                                                                                                                    Λ photoprod, pnenomenological analysis 7=625 Λ, by K interactions at rest in CF<sub>3</sub>Br 7=13574 Λ, in K'p \rightarrow K'K'Λ, high energy calc. 7=13036 Λ, from \pi^- + p \rightarrow 2=9958 Λ in \pi^- + p \rightarrow K° + Λ, polarization at 1.17, 1.32 BeV/c 7=6156
                  effect 7=13207
              \Sigma, formation possibilities rel. to \Sigma^*-p scatt. at low energies ~7{=}6302
                                                                                                                                                    \Lambda, from~\pi^-+p obs. 7=9908 \Lambda, from~\pi^--Xe nuclei interaction obs. 7=6442 \Lambda and \Sigma^\circ, in peripheral reactions, suppression of
                Be7, three examples 7=6305
              H<sub>A</sub> lifetime calc., to explain large obs. value 7=10088
              AHe4-AH4 binding energy difference, ANN forces effect
                                                                                                                                                             ° 7=16641
                  on 7=10089
                                                                                                                                                    \Lambda^{o} in cosmic ray interactions with C, Cu, Pb obs. 7=13389
              _{\Lambda\Lambda}{
m He^6}, double hyperfragments 7=652 _{\Lambda}{
m He^6}, evidence for existence 7=3725 _{\Lambda\Lambda}{
m He^6} and \Lambda-\Lambda interaction 7=10032
                                                                                                                                                    \Lambda^{\circ} in \pi^{-} + p \rightarrow \Lambda^{\circ} + K^{\circ}, \Lambda^{\circ} polarization and ang. distrib. obs. 7 = 13008
                                                                                                                                                     \Lambda^{\circ}K^{\circ} in \pi^{-}p interaction at 7.91 BeV/c 7=9907
   Hyperons
                                                                                                                                                    \Omega^-, from 5 GeV/c K in hydrogen interactions 7=6251
             \Lambda, binding energy to nuclear matter 7=3723 \Lambda^{\circ} electric dipole moment upper limit 7=6243
                                                                                                                                                    p-p at 7 BeV/c, hyperon and antihyperon production 7=10031
              S-wave amplitude, quark model 7=12896
                                                                                                                                                    production (=10051) \Sigma^{\circ} and \Lambda, in peripheral reactions, suppression of \Sigma^{\circ} 7=16641 \Sigma^{\circ} in \pi^{-} + p \rightarrow K^{\circ} + \Sigma^{\circ}, polarization at 1.17, 1.32 BeV/c 7=6156
         absorption
              No entries
         capture
              No entries
                                                                                                                                                     \Sigma^{\pm} in cosmic ray interactions with C, Cu, Pb obs. 7=13389
         decay
                                                                                                                                                     Y, in Kp interaction at 3.5 GeV/c 7=9935 Y_1*(1680) and \Lambda\pi^+ obs. 7=16652
              experimental results 7=16572
              leptonic, using generalization of SU(6) symmetry calc. 7=10030
                                                                                                                                                     Y_1^*(3000) in \pi p interaction at 7.91 BeV/c 7=9907 \Xi^-+K^+ in K^-+p, peripheral model 7=16645
              nonleptonic and current algebra of SU(6)<sub>w</sub>,
amplitudes 7=16640
                                                                                                                                                resonances
             nonleptonic p-wave in algebra of currents 7=13103
nonleptonic, parity-violating amplitdes 7=6240
nonleptonic, pole model rel. to hadrons weak interaction
and substructure 7=13105
                                                                                                                                                    baryon resonances, as meson-baryon bound
                                                                                                                                                    states 7=614
data tables 7=6004
                                                                                                                                                     dynamical theory in framework of quark model 7=615
                                                                                                                                                    isospin 1, prod.in reaction p + p = d
(missing mass) 7=617
              nonleptonic, pole models in co-linear \rm U_6 symmetry 7=6239 non-leptonic, review, \rm \Delta I = \frac{1}{2} rule tests 7=13104 nonleptonic, theory without arb. parameters 7=3658
                                                                                                                                                     Λη^{\circ}, in π^{-}-p, at 4 GeV/c, obs. 7=16647 N***, prod. in γp \rightarrow N*^{**}π^{-}, 0. 3 to 5. 8 GeV 7=10041 quark model review 7=16449
              non-leptonic, with unsubtracted dispersion relations for form factors 7=16458
                                                                                                                                                     quark model review 1=10449 spin and parity tests for resonance state 7=16586 spins and parities of Y_0*1405, 1765 and 1815 and Y_1*1660 7=16646 Weinstein's predecay mixing effect 7=9954 Y* in K^-nucleon total cross-sections 7=13035 Y_0* and Y_1* prod. from K^-+p\to Z^2+3\pi and Z^2+4\pi interaction at 2.63 and 2.70 GeV/c 7=6180
              parity-conserving and pole model 7=612
              π-hyperon, Lie group and static bootstrap
equivalence 7=553
              S-wave nonleptonic, and quark model 7=611 \Lambda^{\circ}, quark model 7=12896
```

```
Hyperons - contd
     resonances - contd
         Y_1^*, partial wave anal. in K^- + n \rightarrow \Lambda + \pi^- 7=3667
         Y_1^*, from \pi^- + p obs. 7=9957

Y_1^*, prod. and decay in reaction K^- + p \rightarrow K^- + \pi^\circ 7=3668
         Y,* production in K -p interaction, peripheral
             model 7=567
         Y*(1760) and (1820), formation in Kp scatt. 7=9939
V particle elementarity, in Galiliean field theory 7=12878
     scattering
         Λ-N lengths rel. to ΛNN forces 7=10089
         \Sigma^*-p at low energies rel. to \Sigma hypernuclei formation possibilities 7{=}6302
     spin and parity
         \Omega^-, determ. by decay anal. 7=6250 and Y<sub>0</sub>*1405, 1765 and 1815 and Y,*1660 7=16646
Hypersonics. See Ultrasonics.
Hypertritons. See Hypernuclei; Tritons.
Hypervirial theorem. See Quantum theory.
Hypochromism. See Absorption/light; Polymers.
              See also Dielectric phenomena; Dielectric properties
              of substances; Ferroelectric phenomena; Magnetization
         Alnico magnets, for hysteresis motor 7=9327
        constricted, cubic crystallographic materials, rotational
model for loops 7=2100
ferrite garnet, 78°-273°K 7=2155
         magnetic coupled films, loop construction by minimum
         energy trajectory method 7=8155
in martensitic transform.temp. 7=10937
Permalloy films, loops of plane Hall effect rel. to domain
              boundary structure 7=2129
         randomly oriented crystal anisotropy effects on cusps > 13^\circ 7=18130 and stress irreversible effects on mag., theory 7=11642
         superconducting hysteretic states entropy obs. 7=17926 superconductors, non-ideal, theory 7=11462 superconductors, type II, low-\kappa, surface mechanism
              obs. 7=7896
         teaching measurement of loop 7=2099
AlNiCo, precipitation var. obs. 7=8156
Co magnetic films, both sides simultaneous
              recording 7=15133
          Co-Fe ferrite with re-entrant hysteresis loop 7=15171
          Fe-Al. anisotropy prod. by mag. annealing 7=8172
Fe-Co particles calc. 7=15145
Ga, superconducting transitions 7=7899
          Hg-In(13%) superconductor with dispersed Fe obs. 7=1876
Lu ferrite garnet, 78~-273 K 7=2155
          Mo-Permalloy, structure of series of symmetrical loops 7=5163
          NaCl, internal friction, meas. 7=4793
          Nb, superconducting, torsion ang. var. obs. 7=11474
          Ni-Fe(19%) films, randomly oriented crystal anisotropy effects on cusps > 13° 7=18130

V superconducting hysteretic states entropy obs. 7=17926

Y ferrite garnet, 78°-273°K 7=2155
               See also Glaciers; Snow.
          acoustic underwater scatt. in arctic, rel. to roughness 7=11975
          adsorption and occlusion of gases by low-temp. forms 7=17405
```

## INDOR (internuclear double resonance). See Nuclear magnetic resonance and relaxation.

atmospheric particles as ice nuclei 7=8661 cloud glaciation, drop-freezing/splintering hypothesis, test 7=8662 conductivity, elec., bulk and surface 7=5057 crack formation rel. to crystallographic orientation 7=7713 at cryogenic temps., dissipation factor and dielec. const. 7=4370 crystal size distribution in turbulent flow 7=14153 cubic, ferroelec. behaviour 7-15033 dendrites, growth rate from aq. soln. 7-1351 dendrites, morphology 7-1350 deuterium conc., Antarctic glaciers 7=2505 dielectric constant and relax times obs. 7=1162 dielectric dispersion at low freq. and low temp. obs. 7=18038 electrification of ice sphere moving through clouds 7=8672 γ-irradiation, isotope effects 7=8577 growth rate at water-metal interfaces 7=1332 growth in supercooled water and aqueous solutions 7=1333

hyperfine structure of Cu, Ag, Au impurities 7=14184 Ih and Ic, i.r. spectra 7=15330-31 ice VI-VIII, phase boundaries 7=7238

ice VI-VII, phase boundaries 7=7238
ice VII and VIII, dielec. props., new phase 7=8007

SUBJECT INDEX S 169 Ice-contd latent heat of fusion, meas. by improved sophomore expt. 7=14146 lattice vibration interpretation of diffuse streak diffraction patterns 7=1454 model of interstellar grains, observational distinction from graphite model 7=15721 nucleation, activity of AgI 7=14154 nucleation by amino-acid particles nucleation by amino acids 7=7140 nucleation, on meteoritic materials 7=15514 nucleation, two-dimensional 7=14156 spheres and cones complete melting time obs. 7=8671 spread in cumulus clouds 7=8663 thermoelectric power, induction method meas. 7=5086 in Venetian atmosphere, halo effect 7=5600 water content, meas. calorimeter 7=8616 Illumination See also Brightness. image irradiance in optical systems calc. 7=3216 monochromators for irradiance meas., calibration 7=3198 optical system for universal luminance meter 7 = 9543 Image convertors and amplifiers for bubble chamber film meas. 7=5972 for bubble chambers, scanning simulated photographs 7=5975 for  $\chi$  and  $\gamma$  sources obs. 7=703 destructive readout 7=9399 electron beam scanning types, detectivity 7=16246 electron spatial filtration with buildup on targets 7=3047 for field-ion microscopy 7=3060 filamentary, mechanism 7=9400 holographic imaging, appl. to spectroscopy 7=9582 intensifier dynode, secondary electron multiplication 7=220 photoelectric imaging system, atmosphere radiation belts effects obs. 7=8774 for photographic negatives with low contrast 7=358 power supply, regulated, with output voltage control 7=16248 quantum counter noise limitations 7=16221 slit spectrograph using image orthicon for aurora and night glow meas. 7=2550 sweep and shutter generators 7=16247 television display using acoustic deflection and modulation of laser beam 7=3225 theory of signal and noise for intensifiers 7=9398 Si(Au) scamistors, resolving power 7=12701 Image orthicons. See Electron tubes. Impact See also Ballistics. drops, sampler for wind tunnel dispersion meas 7=17240 in ear excitation and fatigue model 7=9219 explosion initiation 7=12422 gas, at high velocity on a wall, reactive impulse 7=13973 inelasticity teaching, time-reversal symmetry appl. 7=12310 metal destruction by water drop impact 7=11256 pulse loading of structures meas. method 7=15863 quantum indeterminacy effects for macroscopic "billiard balls" 7=12750 for solids equations of state meas, at very high pressure using light-gas gun 7=1672 tensile tests 7=17665 thermal effects, collisions at metallic halfspace 7=11258 Fe, screw twin head velo., -196° to +123°C 7=14727 Impedance, acoustic. See Acoustic impedance.
Imperfections in solids. See Alloys; Crystal imperfections; Solids 'structure. Impurities. See Crystal imperfections; Crystal/growth; Semiconducting materials Independent particle model. See Nucleus/models. Indeterminacy algebra of observation 7=16322 and diffraction 7=3312 'local' states in finite space-time regions 7=3311 macroscopic quantum effects for colliding "billiard balls\* 7=12750 principle of uncertainty for normal operators 7=367 Indium alloys of low conc., superconducting critical temps., impurity effects 7=1893 diffusion and electrotransport in Si 7=14493 diffusion, interstitial, of Ag and Au 7=4674 e.s.r. of  $^2{\rm S}_{1/2}$ -state, divalent centres in ZnS  $\,7{=}\,8292$  electrical contact, on CdS  $\,7{=}\,5018$ electron beam bombarded, charact energy losses 7=4893 Fermi surface curvature, meas.by r.f. size effect 7=7794 film, thermal relaxation, on insulating substrates,

4°-300°K 7=1498

tivity 7=1838

films, influence of charge effects on elec. conduc-

heat of solution in Sn-rich liquid alloys 7=7041 helicon standing-wave resonance in cylinder 7=4888

Hall coeff., temperature effect 7=14960

galvanomagnetic props. temp. and field depend. 7=7849

```
Indium-contd
          identation hardness rel. to creep 7=11255
         impurity in Si, photoionization cross section 7=15085 internal fields of m=\pm 1 helicons 7=14867
         ion mobility, mechanism in the liquid 7=10868 liquid, sound velocity 7=1141 liquid, X-ray diffr.exam., 160 and 498°C 7=1118 melting relations 7=10894
         nuclear spin-lattice relax. of In<sup>115</sup> obs. by n.q.r. 7=5220 optical props. and electron states obs. 7=11775
         optical reflection and transmission in films obs. plastic deformation by slip 7=14740
          residual resistivity, transition metal impurity
          effects 7=4899
solubility of ZnSe and ZnTe 7=10814
          superconducting cylinders, quantized flux obs. 7=1913
          superconducting energy gap anisotropy in films, tunnelling obs.~1.2°K 7=11466
          superconducting film interaction with Permalloy mag.
          film domain wall obs. 7=14916
superconducting film, mag. props., torque meas. 7=
superconducting films, critical mag. fields 7=7901
         superconducting films, critical mag. fields 7=7901
superconducting films interactions with molecules 7=17925
superconducting films, microwave transmission and
reflection obs. 7=4965
in superconducting tunnelling junctions, capacity, temp.
and mag. field depend. 7=4972
superconductor, effect of Cd on Te, rel. to topology of
Fermi surface 7=11467
thermal resist., in intermediate state 7=1877
u.s. attemption permal state electronic contribution. 7=1469
          u.s. attenuation, normal state electronic contribution 7=1462 \rm In^4\,spectrum in CsBr, vibration fine structures of A and C
               bands obs. 7=18248
Indium compounds
          In-Al-As, solid solutions, phase diagram 7=14228 InAs, adsorpt. of O 7=2459
           InAs, carrier lifetime of n-type photocond. 7=11370
          InAs, Cd-compensated, electrical properties 7=14961
          n-InAs conduction band edge, temp. and doping var.,
reflection obs. 7=8392
InAs, diffusion of Cd 7=11143
          InAs, diffusion and solubility of Ag 7=17584
InAs diodes, ionization energy of Cd atoms 7=14838
           InAs diodes, recomb. radiation spectra 7=15389
          InAs, diodes, spontaneous recombination radiation 7=18299
InAs epitaxial on GaAs, high electron mobilities 7=17765
           InAs growth by pulling from melt, apparatus 7=7329
           n-InAs helicon propagation in quantum region, 35 Gc/s,
                 4.2°K 7=17847
           n-InAs, longitudinal magnetoresistance oscillation, 14°K 7=7950
           n-InAs, longitudinal magnetoresistance,
20.4°-608°K, to 460 kOe 7=1942
           InAs magnetoabsorption obs. of electron states 7=17812
           n-InAs, magnetoresistance oscillations due to inelastic
                electron-optical phonon scatt. obs. 7=17977
           n-InAs, magnetoresistance of surface layers, Corbino, elec.field var., 4.2°, 68°, 77°K 7=17972
           InAs, optical nonlinearities due to mobile
                carrier 7=5262
           InAs, p-n junctions, avalanche multiplication and
                ionization 7=14987
           InAs, photosensitivity spectra, photon range
0.9-5 eV 7=11591
           InAs, plasma resonances in films, magneto-optical
                obs. 7=17846
           InAs spectrum, reflection, 1-6 eV 7=11768
           n-InAs, spin magnetophonon and magnetophonon oscillations of magnetoresist. 7=11513
InAs, sputtering atom ejection patterns obs. 7=1660
InAs, thin film field-effect transistor, high gain 7=7994
n-InAs, transverse magnetoresistance, 20.4-600°K, to
                420 kOe 7=7949
           \rm InA\,s_{0.06}P_{0.94}, lasing from p-n junction diodes obs. 7=3174
           InAs<sub>1-x</sub>Sb<sub>x</sub>, lasing in p-n junctions and Czochralski
growth 7=3175
InBi, n.m.r. of In<sup>115</sup>, meas. 7=15270
            In-Bi superconducting films penetration depths, size
                effects obs. 7=4963
           In-Cd Hall coeff., temperature effect 7=14960 InCl, microwave rot. spectrum 7=4087
           \begin{array}{l} In(Fe,Sc,Tl)O_3, new \ Corundum-structure \ high-pressure \ phases \ 7=14229 \\ InH, a^3\Pi_0-(0^-) \rightarrow X^1\Sigma^+(0^+) \ transition \ 7=4088 \end{array}
           In-Hg Hall coeff., temperature effect 7=14960
            In2O3 e.s.r. due to conduction electrons in degenerate
            {\rm In_2O_3}, large strain sensitive g shift 7=8294 {\rm In_2O_3}, electron energy band structure 7=14837
            {\rm In_2O_3}, new Corundum-structure high-pressure phases 7{=}14229
            In<sub>2</sub>O<sub>3</sub>-Y<sub>2</sub>O<sub>3</sub> phosphor, effect of composition 7=11882
InP, adsorpt. of O 7=2459
            InP doped with Cu, electric, photoelectric props. 7=15082
            InP, electrical props. at low temp. 7=17973
InP electron band struct., K. p calc. 7=17806
```

```
Indium compounds-contd
        n-InP, Hall effect and magnetoresistance at low
            temp. 7=1943
         InP, i.r. obs. of Raman spectra 7=5257
         InP p-n junctions tunnel radiative recombination 7=8477
         InP, Raman scatt. by carriers in Landau levels
              calc. 7=8359
         caic. 7=8599
InP<sub>0-180</sub>As<sub>0-76</sub> lasers, injection 7=302
InP<sub>0-180</sub>As<sub>0-11</sub> lasers, injection 7=302
In-Pb alloys, type II superconductivity 7=11469
In-Pb Hall coeff., temperature effect 7=14960
InPb supercond. film with Mn surfaces, thermal conductivity 7=11468
         In-Pb, superconducting mag. and resistive transitions obs. 7=4945
         In<sub>90</sub>Pb<sub>10</sub>, superconducting, magnetic flux motion
obs. 7=4951
         obs. 7=4951 InS twinning obs. 7=10996 n-InSe electrical cond. to 4\times10^4 V/cm, 140 -300°K 7=7953 In<sub>2</sub>Se<sub>3</sub>, \alpha and \beta-phases, crystal structures 7=4585 In<sub>2</sub>Se<sub>3</sub>, \alpha-phase, elec. props. meas. 7=5001 In-Sn alloys, liquid, elec. cond. rel. to structure 7=14121 In-Sn, superconducting film, mag. props., torque
              meas. 7=1894
         InTe, temperature-pressure phase diagram, thermo-
dynamic aspects 7=1239
InTe-InBi quasi-binary system, phase equilib. 7=72
         In-Tl alloy, plastic deform. by twinning 7=14740
          In-Tl Hall coeff., temperature effect 7=14960
          In-Tl system, supercond. transition temps. 7=17907
      indium antimonide
              See also Semiconducting materials/indium antimonide.
          acoustoelectric domain prod. current oscills.
              obs. 7=17960
          adsorption of O 7=2459
         adsorption of 0.7=2459 coherent radiation generation in electron-hole plasmas 7=16198 defects on \gamma-irradiation at 77^{\circ}K, rate of formation relato dose 7=7555 diffusion of Li, temp. dependence 7=7519 effective mass of holes 7=1784
          electron-hole pair generation rate in n-type, 27^{\circ},77^{\circ},145^{\circ}\!\mathrm{K}~7{=}17768
          electron-hole pinch, instability in longit. mag
              fields 7=17838
          electron-phonon interaction at low temp., n-type 7=17771
          electron scatt. mixed mechanism 7=17769
         electron scatt. in n-type meas, from magnetoresistance in low fields 7 = 14795
         electron states, optical obs. 7=1785 epitaxial growth in vacuum 7=14334
          Faraday effect, influence of elec. fields 7=15334
          Hall effect and magnetoresistance n-type 7=17974
         helicon propagation in quantum region in n-type
35 Gc/s, 4.2°K 7=17847
helicon waves obs.at room temp. 7=17848
high-pressure phases, struct.and supercond. 7=1240
          hole capture cross-section, temp. depend. 7=17770
          impurity atoms of Fe^{57} in lattice, behaviour 7=11106 interstitials, formation by X-ray irradiation 7=14548 Landau levels computer calc. 7=7795
          magnetic field effects on hydrogenic donors spectra and
              photocond.obs. 7=18244
          Lorentz field effects on carrier density obs. 7=17766
          magneto-absorption anomalies due to polarons
              obs. 7=18245
          magnetoabsorption obs. of electron states 7=17812
          magnetoacoustic effects in n-type, 9Gc/s, to 25 kG,
              4.2°-50°K, electronic contribution 7=17557
          magneto-optical resonances, multiphonon, obs. 7=5271
          magneto-plasma resonance prod. of microwave phase
               shift in n-type 7=18247
          magnetoresistance oscillations due to inelastic electron-
          optical phonon scatt. obs. in n-type 7=17977 minority carriers transport coeffs. obs. 7=11373 mobility of electrons and light holes mass.obs. in
              p-type 7=1763
          n-type, inelastic light scatt.from Landau-level
          electrons 7=11777
n-type and p-type inter-conversion rel. to heat treatment temp. obs. 7=5000
          n-type, thermoelectric power in strong mag. fields 7=15056
          Nernst-Ettingshausen effect and carrier scattering 7=17976
          phase transformation at high press.obs. 7=7239
          photoconductivity, in mm.-wave receiver 7=16104 photoconductivity, oscillatory 7=2039
          photoconductivity and photo-Hall effect, 5-120°K, rel. to
              structure defects, p-type 7=2038
          plasma resonances in films, magneto-optical obs. 7=17846 quantitative determ. of superstoichiometric Sb 7=8592
          quantum oscills. in mag. field at liquid He temps. obs.
               in n-type 7=8045
          radiometer for sub-mm using n-type 7=12463
          Raman scatt. by carriers in Landau levels calc. 7=8359
```

recombination processes in p-type material 7=17767

signal to noise for ratio improvement for repetitive

Information theory-contd

# hysics Abstracts 1967 - Part I (Jan.-June) dium compounds-contd indium antimonide—contd recombination radiation stress and orientation var. obs. 7=18300 spectral emission in far i.r.in n-type, phonon bands obs. 7=18242 spectrum, reflection, 1-6 eV 7=11768 stimulated and spontaneous radiation from electron-hole plasma in 14000 G at 10°K 7=3176 superconducting transition temp. var. with quenching press. and temp. 7=7902 surface oxidation kinetics 7=2455 three-phonon processes temp.var. 7=11095 In + Sb films, formation and props. electron diffraction obs. 7=5325 InSb magneto-piezo-reflection interband transitions obs. 7=18246 InSb:Al local mode absorption bands, 80°, 290°K 7=18243 (InSb)<sub>x</sub>. (InTe)<sub>1-x</sub>, effective mass of electrons obs. 7=11394 "ductance currents due to moving charges in electronic devices calc. 7=214 increase, rel.to accel.of plasma clusters in mag. field 7=998 linear induction motors, theory 7=5792 magnetic induction field concept, teaching 7=3005 rotating sphere 7=3028 solid-state inductive element using magneto resistance 7=5014 Al exploding foils for magnetic energy rapid transfer to inductor 7=193 nert gases See also the individual gases. adsorption mechanism on Ti 7=4495 atomic beams, ang. distrib. of elastically scatt. electrons 7=10443 atoms collisions on H atoms, single e capture and loss for 2-50 keV H 7=10619 atoms, repulsive interaction potentials 7=13697 breakdown due to ruby and Nd laser pulses 7=13809 charge exchange double resonance calc. 7=10608 chemical analysis of discharge from nuclear reactor VVR-M 7=13656 collision with ${\rm H_1}^*$ , p capture of e cross section obs. 7=936crystals thermal cond., high temp. calc. 7=17572 crystals, three-body exchange forces 7=14167 dielectric constants 7=10748 discharge column contraction 7=16992 electron mobility to diffusion coeff. ratio for inert gases 7=10613 filamentary discharge, effect of acceleration 7=6777 fluorescence, alpha-induced, decay times 7=13676 form factors and cross-section calc. 7=10401 in grain boundary bubbles, rel. to spontaneous cracking at high temp. 7=11194 history, rel. to theory of atomic structure 7=2751 hollow cathode discharge plasma deionization obs. 7=6769intermolecular interaction potentials 7=16981 ion adsorption on Ti constantly renewed surface in ion bombarded solids, diffusion theory 7=1505 ion sputtering microprobe for chemical analysis mass spectrometer 7=2485 ionization and electron capture cross-sections for incident protons 7=4162 ionization and electron capture for He ions 7=4163 ionization, total cross-sections for electrons 7=10616 ions, scatt. by Cu crystal faces 7=4733 light sources, resonance, for vacuum u.v., LiF window sealing 7=11955 luminescence of solids and liquids, excitation trapping by molecule formation obs. 7=2395 and metal vapour mixture in glow discharge, components transverse separation 7=4142 multiphoton ionization 7-13828 primordial rare gases contents in meteorites obs. 7-12242 solid at abs. zero, potential energy integrals 7=4428 solid, growth and thermal props. obs. 7=7332 solids, exciton and impurity states 7=1800 solids, optical absorption rel. to electronic polarization 7=5239 thermal cond. of mixtures, calc. procedures compared at 29,520°C 7=13983 thermal desorption from W 7=1289 ultrasonic attenuation in mixtures, effect of diffusion 7=17206 in Cs thermionic converter, effect 7=2993 mflammability. See Combustion. information theory See also Entropy; Random processes; Statistical

analysis/applications.

alphanumeric reproduction tolerances 7=16316 detectable information in photon beam 7=12672 light, holography review 7=9534 processes, irreversibility criterion 7=5660

shape detection using incoherent illumination 7=12736

signals by double integration 7=22 X-ray reflection by crystal, and intensity 7=11047 Infrared detectors. See Bolometers; Radiation detectors. Infrared sources. See Light sources; Radiation/heat. Infrared spectra. See Spectra. Instruments See also Laboratory apparatus and technique; Measurement; Recording; and under specific subjects, e.g. Astronomical instruments. Some specific instruments are listed separately, e.g. Spectrometers; Thermometers. Where no separate headings exist, entries describing instruments may be found included under the headings of the appropriate quantities or subjects. measurements, conference, ISA Part  $\Pi$ , New York, 1966 7=12277 standards measurement, conference, ISA Part I, New York, 1966 7=12278 static props, standing osc. and coupled vibrations 7=3 thrust bearing, pressurized air 7=8997
Insulating materials, acoustic. See Noise abatement.
Insulating materials, electrical. See Dielectric properties of Insulating materials, thermal. See Conductivity, thermal. Integral equations Fredholm, singular, numerical solns. 7=2769  $\rho \left( \frac{K(\zeta',\zeta)}{\zeta'-\zeta} \phi(\zeta') d\zeta' = h(\zeta)\phi(\zeta) + f(\zeta) \right) = 12293$ Riemann space, condition for hypersphere 7=15847 singular solutions of  $\int_s G(|\nu-\nu'|) f(\nu') dS' = O$ ,  $\nu \in S$  7=12294 transfer of mass and heat, soln. by successive approx. 7=12389 vanishing cycles over hyperspheres, homology methods 7=2770 Integrals See also Calculus. compressible fluid equations 7=17171 diatomic molecular integrals reduction 7=16936 Feynman, for classical waves, calc. 7=9031 of Hamiltonian system, near equilib. point 7=2768 Helmholtz, transformation into line integral 7=2898 Jacobian, regularizing transforms rel. to celestial mechanics 7=8789 molecular, zeta function expansion 7=16935 overlap integral of wavefunctions of harmonic oscillators 7=5932 in quantum electrodynamics, ambiguity removal 7=9673 three-electron atomic, reduction 7=6518 transport, tables 7=5701 in turbulent flow, invariant 7=13962 two-centre moment integrals, formulation 7=16937 two-centre overlap and Coulomb, in MO calc. 7=6625 Intensity measurement No entries acoustics loudness level meas, comparison of methods 7=9212 perceived noise level 7=2917 Interatomic forces, between bound atoms. See Bonds; Molecules/internal mechanics; Solids.

Interatomic forces, between free atoms. See Collision processes. Interface tension. See Surface tension. Interference crystal dynamic interference, temp. dependence 7=11738acoustic waves difference pattern formation in transducer arrays with odd number of elements, calc. 7=2910 steered rectangular arrays, beam patterns 7=12427 electromagnetic waves No entries light See also Optical films. anthracene absorption band red side struct, as inter-ference not exciton 7=15359 between coherent wave and wave diffr. by small object 7=9613 between waves diffracted by screens and coherent background provided by laser 7=3265 constant of Fizeau fringes produced by multiple beam 7=346 contrast technique for meas, slope on metal surfaces 7=7254 Edser-Butler bands in filters, amplitude 7=3237 filaments, self-trapped, standing waves 7=16270 filter, Fabry-Perot, ang. var. of transmission 7=3238 filters stability obs., rel. to crystal growth 7=3239 Fizeau fringes, for meas. of conc. profiles in jets 7=17186 focused-image holograms using extended sources 7=9629 glass on  ${\rm SiO_2}$ , thickness meas, by near i.r. interference 7≒4485 hologram, in-line Fraunhofer, for bubble chamber track recording 7=16378 hologram production with incoherent illumination 7=356

Interferometers-contd

```
Interference-contd
    light-contd
        hologram on photochronic glass 7=3287
         hologram, space-bandwidth theorem 7=357
         hologram viewer, construction 7=16302
         hologram virtual images, apparent rotation obs. 7=16300
         holograms, of aerial image of lens 7=16301
        holograms, computer-generated, holographic synthesis 7=16296
         holograms, Fresnel-transform representation 7=354
         holograms, pseudoscopic inversion, theory 7=16298
         holographic obs. of second harmonic wave emission by
            ruby laser 7=16188
         holography applied to contour generation, multiple-
            wavelength and multiple-source 7=16297
         holography with diffuse illumination, partial coherence effect 7=355
         holography in diffused light, interferometric 7=9626
        holography, field range and resolution 7=9625
holography, focused-image, for 3-dimens.
photography 7=16303
holography, in meas.freq.response of photographic
emulsions 7=12738
        emulsions 7=12738
holography microscopy for dynamic microscopic
subjects 7=9627
holography and reconstruction of images obs. 7=16305
holography for study of transfer function 7=3292
microtopography with incoherent light 7=4482
multilayer synthesis, rational function theory 7=16279
multiple, for meas. of film thickness effect of Ag
condensation coeff. 7=10958
opaque photocathodes, multiple beam
interference 7=16225-6
resonators equivalent confocal system 7-3234
         resonators, equivalent confocal system 7=3234
         symmetrical ring resonator, small modes, integral
             egn. 7=16156
         teaching demonstration, He-Ne laser appl. 7=12716
         visual display of incoherent wave fields by planar
             arrays 7=9537
         zonal gratings pattern appl. to polymer rheology 7=1676
         GaP, mixing of visible and near-resonance i.r.,
             obs. 7=8395
\mathrm{Nb_2O_5} films, rel. to photocurrent 7=8062 Interference spectroscopy. See Spectroscopy.
Interferometers
         microscope, laser 7=3233 superconducting, for inertia and rotation rate meas. 7=9008
     acoustic waves
         for liquids u.s. absorption meas., 1-15 Mc/s 7=4345
for teaching, telescoping plastic tubes with microphone
and loudspeaker 7=131
         velocity and attenuation meas, in liquids, to 4°K and 1 Gc/s 7=14080
     electromagnetic waves
         Fabry-Perot cavity tunable coupling for
         Fabry -Perot cavity tunable coupling for 150-500 Gc/s 7=244

Michelson, mm wave, for dielec. meas. 7=9443
microwave, for plasma diagnostics 7=13667
phase-shift, natural oscills. and multiple beam interference obs. 7=5850
         plasma cylinder electron density meas. 7=10654 radio, large base-line 7=9442
         radio stellar phase-switched 7=9441
         for radioastronomy, maser applications 7=16145
         rotating interferometer, spread and coherence ratio meas. 7=8739
     light
         for angle meas., with cube corner systems, fringe pattern props. 7=5651
         beat-frequency, with moving mirror, for line shapes 7=16257
         Fabry-Perot, for absorption and gain meas, from spontaneous emission profiles 7=3248
         Fabry-Perot, with electronic determ. of Doppler line-
         widths 7=16256
Fabry-Pérot, fringe splitter using fibre optics 7=9597
         Fabry-Perot interferometer, fringe irradiance distrib. 7=12717
         Fabry-Perot, oscillating, harmonic comps. of transmission 7=9611
         Fabry-Perot, resolving power, rel. to plate shape 7=16281
Fabry-Perot, scanning, automatic parallelism
            control 7=3266
         Fabry-Perot, for spectrometer apparatus function
             meas. 7=5916
         Fourier polarization spectrometer, aperture 7=334

Fourier spectrometer, polarization type, aperture 7=5915
         interference-refractometer for gases and liq. 7=12697
         laser, for fluid mechanics, review 7=9612
         laser, for meas. electron density in repetitively pulsed
             plasmas 7=1020
         plasmas 7-1020
laser, for obs. of Ar laser power at single freq. and Ne
6328Å isotope shift 7=279
measuring optical path difference < λ/1000 7=16282
Michelson, end mirrors surface accuracy and alignment
```

effects 7=9610

```
light-contd
        Michelson, use in laser resonators 7=16155
Michelson-type, for He-Ne laser, with single-frequency
output 7=3142
         Michelson's, optical modulator 7=9541
        parallel-plane, surfaces of constant order 7=16280 polarization type, for transfer function meas. 7=3221 for shock tube meas. 7=2887 stellar, intensity 7=2643
         stellar, intensity, correlation determ. 7=2644
         two-beam, using a laser 7=16283 wave front reversing, for lens testing 7=320
white light fringes application method 7=16284
He-Ne laser, Zeeman 7=345
Interferometry
        time and spatially resolved, for meas. of plasma density 7=1019
     acoustic waves
ultrasonic interferometer as thermometer 7=9258
electromagnetic waves
         pulsed discharges, afterglow, standing acoustic waves 7=13800
     light
         dayglow observations 7=2549
fibres appls. 7=9609
holograms, achromatization 7=5921
        holograms, copying 7=3291
holograms, pulsed laser illumination 7=3288
holographic imaging, appl. to spectroscopy 7=9582
holography, magnification and observ. of patterns 7=3290
          inhomogeneous gases 7=4297
          laser spark, holographic investigation 7=4153
         light source, longitudinal coherence of two points on perpendicular to source 7=310 multiple beam, limit of resolution, diffraction depend. 7=3264
          for spatial carrier-frequency filters construction 7=3240
         thermoelectric cooling modules, distortion
         holography 7=11583
two-beam interferometric spectroscopy 7=9592
Intergalactic matter. See Galaxies.
Intermetallic compounds. See Alloys; Semiconducting materials
     and under the compounds and alloys of the individual metals.
Intermolecular forces. See Molecules/intermolecular mechanics. Internal conversion. See Beta-ray spectra/conversion electrons;
     Gamma-rays/internal conversion.
Internal friction
         continuous meas., automatic system 7=4746
dislocation damping for dispersion of elastic consts.,
velo.var. 7=1675
         ethylene oxide polymers, glass transition temps.
             obs. 7=1293
          measurement at const. amplitude, continuous 7=14648
         measurement in torsion, elec. 7=1673
         measurement in torsional vibration, 5-30 c/s 7=1669 metals, anelasticity, diffusion theory 7=17655 metals, b.c.c., double-kink model for low temps. 7=14616
          metals, background, activation energy 7=14692
         polystyrenes, group motions in glassy state 7=4828
poly(vinyl benzoates), group motions in glassy
state 7=4828
          recovery kinetics of internal friction peak from
         torsion pendulum meas 7=17656 screw dislocations effect calc. 7=7643
          solid solns., double-kink model for low temps. 7=14616
         steels, 18%Ni maraging, dislocation and precipitation
mechanisms, 420°-612°C 7=11299
transient, in metals, theory 7=1674
         AgCl, dependence on previous illumination 7=15309
          Al, background, below 40 kc/s, meas. 7=11268
          Al plastically deformed, internal friction meas.
         Al-Mg-Si, internal friction peak obs. 7=11274
Au films after cold rolling 7=17690
          Au, modulus after electron irrad. 7=4732
         Cu, background, below 40 kc/s, meas. 7=11268 Cu-Fe, whiskers, peak at 400-500°C 7=7696
          Fe, quenched from \alpha-range, no yield point 7=14733
          \alpha\text{-Fe} , Snoek peats of N and C \,7\text{=}11141 Fe-Mn (29, 19%), plastic deform, and \gamma=\epsilon transform, effects obs. \,7\text{=}17704
          Fe-N-Cr:C Snoek peaks obs. 7=14729
Fe-Ni (39%), plastic deformation effect obs 7=17704
          Fe-Ni-Mn:C Snoek peaks obs. 7=14729
Fe-4wt%Si, Zener-damping peak 7=17711
         Fe-4wt.sst, Zener-damping peak '=17/11
Fe-V(0, 49-5.15 wt.%)-C(40-240 p.p.m.), additional Snoek
peak due to C obs. 7=14718
Fe-V-N alloys, anomalous Snoek peak, substitutional-
interstitial interaction 7=11291
KBr. amplitude and time depend. 7=11303
KCl, amplitude and time depend. 7=11303
KCl, at high temperature damping due to motion of
          KCl at high temperature, damping due to motion of dislocations 7=1726
          LiF, effect of electric field 7=14750
          Mg, background, below 40 kc/s, meas. 7=11268
```

Physics Abstracts 1967 - Part I (Jan.-June) Internal friction-contd Mg-Cd, meas. of Zener relaxation 7=7717 Mo ground boundary peaks, interstitial impurity rel. to brittleness obs. 7=4791  $N-\alpha$ Fe solid solutions with different purity and grain size 7=11290 NaCl, effect of electric field 7=14750 NaCl, hysteresis meas. 7=4793 Ni, damping peaks after deformation 7=11314 Ni, magnetomechanical damping, influence of H 7=8204 NiTi, -180° to +600°C, ~ kc/s 7=11312 Pd-H system 7=7729 RbI, amplitude and time depend. 7=11303 Si, low temp. obs. of dislocation relax. 7=7732 5SrTiO<sub>3</sub>. 3La<sub>20</sub>TiO<sub>3</sub>, anomaly, below 100°C 7=11323 W, change on 13 MeV deuteron irrad. near 80°K 7=11328 Zn-Pb, rel. to grain boundary impurities 7=11328
Zn-Pb, rel. to grain boundary impurities 7=11331
ZrO<sub>2</sub>, 20-1250°C 7=14765
liquids. See Liquids; Viscosity/liquids.
Internal stresses. See Stresses, internal.
Internuclear double resonance (INDOR). See Nuclear magnetic resonance and relaxation Interplanetary magnetic fields disturbances and Forbush effect 7=15787 models with cosmic ray modulation data 7=15788 observation projects from moon 7=18470 Pioneer 6 obs. 7=2719 satellite obs. 7=8699 sector structure, geomag. effects 7=15786 simultaneous obs. 7=2720 solar cosmic ray collimation obs. 7=2726 solar flare of 28/9/61 cosmic rays obs. 7=15808 solar protons, high energy, propag. eqn. 7=12249 solar-terrestrial physics conference, Japan, 1965 7=15573 and solar wind, calc. 7=5621 structure during min.phase of solar activity cycle 7=15790 variations observed by Mariner II 7=12248 Interplanetary matter dust particles, perturbing forces calc. 7=12039 dust, thermal radiation expt. detection 7=18469 earth's dust cloud obs. review 7=8927 earth's dust cloud, solar corpuscular radiation effects 7=8724 electric field meas. 7=12073 electric field meas. 7=2718 enhanced scintillations and solar flares 7=15789 larger than molecules but smaller than asteroids, review 7=12250 molecule formation 7=2669 plasma, results from Pioneer 6 M.I.T. expt. 7=2717 plasma, scattering of e.m. waves 7=8953 radiowave attenuation 7=8952 rare-gas ions implantation from solar flares 7=8955
Rayleigh particles, a < 10.6 cm 7=2716
scintillation interplanetary, correl, at different frequencies 7=8954
scintillation of radio sources by electron density var. 7=12246-7 shock waves, following solar flare 7=2721 zodiacal light, observation projects from moon 7=18470 Interstellar matter absorption, structure functions 7=8873 absorption var. with wavelength, review of recent advances 7=8872 amplifying, generation of radio emission 7=12171 antimatter proposed search from H-like atoms radiation in ambiplasma 7=18412 Cygnus X, intense HII region high-resolution radio obs. 7=18444 depolarization of 21 cm radiation from extragalactic sources 7=12175 diffuse bands, rel. to profile of  $\lambda4430$  in HD183143 7=8874 dust and H "general" correlation 7=18441effect on stellar non-circular velocities in disk galaxies 7=18446 fossil HII regions 7=18442 gas distribution motion and temp., molecules and dust, mag. fields and intergalactic medium 7=15720 gas, intergalactic, possible thermal histories 7=15717 gas, intergalactic, possible thermal histories 7=15717 gas ionization and thermal equilibrium in u.v. synchrotron radiation, calc. 7=17010 gaseous masses stability, post-Newtonian hydrodynamics 7=15627 grain models, discrimination 7=15716 grains, mag. alignment 7=15718 gravitational instability of rotating collapsing cloud 7=15715 ice and graphite models, observational distinction 7=15721 integalactic, heavy elements detection from absorption in distance sources spectra 7=8878 ionization discontinuity propagation in gas-dust medium calc. 7=8870

ionized gas distrib. near Galactic plane 7=8871

Interstellar matter—contd

Jeans instability in collisionless media,
suppression 7=18417
metagalactic clouds deceleration mechanism 7=5557
NGC 3109, total mass of neutral H, radio obs. 7=8877
Perseus double cluster extinction law obs. using M
supergiants 7=12176 supergiants 7=12176
plane ionization front, struct. 7=8869
self-gravitāting bodies magnetospheres 7=18440
stability of gravitating streams 7=12170
CN molecules, excitation temp. 7=2670
H atoms in IC 443 direction, obs. 7=2671
H, heutral, upper limit to density in halo regions of spiral galaxies 7=8876
HI, intergalactic, radio absorption obs. 7=5555
HI, intergalactic, spin temp. and total mass in galaxy HI, intergalactic, spin temp. and total mass in galaxy clusters 7=5556 H I, temperature distribution 7=8875 HII region, evolution during formation of exciting star 7=2673 HII regions, dynamic effect of radiation pressure 7=15719 HII regions, i. r. continuum 7=18443 HII regions ionization fronts with mag. fields, m.h.d. approx. 7=5554 HII regions 21-cm line obs. 7=18445 H<sub>2</sub> abundance 7=12172 He<sup>3</sup> abundance approx. 7=8868 OH microwave emission, maser amplifier model 7=2674 O-H spin-change collisions 7=4045 OH stimulated emission associated with H II regions 7=15722 Interstitials. See Crystal imperfections/interstitials. Iodine atoms, I II, 651.6 nm laser transition 7=5883 charge transfer complexes with acetamide and thioacetamide, formation obs. 7=11821 crystal atomic struct. to 60 kbar 7=17507 elastic wave velocity, 1 -373°K, 5-10 Mc/s 7=7731 ion, charge distribs. after stripping 7=226 laser, pulsed, new generation lines 7=12640 liquid, elec. cond. of salt solns. 7=17285 molecular, probable lasers in the violet and u.v. 7=9510 positive columns at low pressure obs. 7=13805 radioactive vapour, snow and rain wash-out coefficients 7=2534
C ions charge distrib, at 8 MeV in vapour 7=12553 I crystal growth vel. from vapour condensation 7=7328 127 ions, equilib. charge-state distribs. 7=13831
17 photodetachment, single and double quantum calcs. 7=10610
12, Franck-Condon calcs. using Morse-potential 7=10505 L<sub>2</sub>, spectrum trapped in benzene matrix 7=2314 L<sub>2</sub> spectrum, u.v. absorpt. 7=16952 L<sub>2</sub> + H<sub>2</sub> reaction mechanism 7=11959 I-He laser, pulsed, new oscills., meas. 7=16174 in Te, effect on elec. conductivity and Hall coeff. 7=11522 Iodine compounds
IF, stable config., MO calc. 7=10506 Ion beams See also Ion optics; Mass spectrometers; Particle accelerators; Particle range; Sputtering. bounded, electrostatic instability on passing through plasma 7=12552 channeled in crystal, energy spectrum, calc. 7=14635 duoplasmatron sputtering source, low-energy 7=12549 electrostatic separators, glass cathodes 7=424 focusing, double angle, in mag. analyser with two sector fields 7=16087 hose instability of beam in plasma 7=4248 impinging on amorphous target, statistical range distrib. 7=7623 inert gas sputtering microprobe for chemical analysis mass spectrometer 7=2485 injection of large diameter beams into low-density gases 7=5830 ion-neutral collision, cross-section meas., merging beams method 7=6757 measurement of current distribution and geometry in drift region 7=3056 molecular ions injection trapping in mirror plus r.f. field 7=1030 for plasma density meas., by molecular ion collisional dissociation 7=17077 proportional counter for keV 7=3055 quadrupole mass filter, 100% efficiency ion detector 7=6505 reflection rom dense media at glancing angles 7=3057 Van de Graaf accelerator buncher for H ions 7=9724 Al<sup>\*</sup>, using arc source discharge in AlCl<sub>3</sub> vapour 7=16086 Ar Hall accelerator thrust at low exhaust press. obs. 7=9403 Ar<sup>\*</sup>, proportional counter response, 5-40 keV 7=3055 Ar, reflection from Cu, ang. and energy distrib. 7=11224 As, charge distrib, after stripping 7=226 C. charge distributions in various media at 8 MeV 7=1255 C, charge distributions in various media at 8 MeV 7=12553

Cu, reflection from Cu, ang. and energy distrib. 7=11224

```
Ion beams-contd
```

D' in Au films, channelling critical angles, 1-17 keV 7=14640

D+, channelling in Au 7=11220

H, charge exchange for H,° prod. 7=13785

H' in Au films, channelling critical angles, 1-17 keV 7=14640 H', proportional counter response, 1-40 keV 7=3055

He' in Au films, channelling critical angles,

1-17 keV 7=14640

He\*, channelling in Au 7=11220

I, channelling in Au, energy spectra, calc. 7=14635

I, charge distrib. after stripping 7=226

N\*, proportional counter response, 5-40 keV 7=3055 S, charge distrib. after stripping 7=226 Sb\*, using arc source discharge in Sb vapour 7=16086

U, charge distrib. after stripping 7=226

Xe, 40 keV, range in ionic crystals and ceramics 7=7635

### effects

ceramics disintegration obs. 7=1657

Cherenkov radiation of beam through slit in solid 7=14632 collisions with molecules meas. by tandem mass

spectrometer 7=4132

crystals, bombardment "supertails", theory 7=7625

diamond, semiconductivity prod. by Li and B ions at 40keV 7=7935

40keV 7=7935
electrode atomization in Hg-Ar d. c. discharge 7=6768
film deposition by ionized fast atoms 7=10810
fused silica, Xe release and radiation damage 7=7636
glasses disintegration obs. 7=1657
implantation, review 7=14637
interaction with solid-state plasma 7=14631
light ions passage through films of heavy elements,
theory 7=4046

theory 7=4046

metal, and sputtering coefficient obs. 7=1647 naphthalene vapour, C ions charge distrib. at 8 MeV 7=12553

plasma, wave excitation theory 7=17131 projected ranges calc, at low energy in heavy substances 7=7620

quartz, Xe release and radiation damage 7=7636 review of experimental techniques on solids 7=4727

solids, inert gas diffusion theory 7=1505

sputtering ratio, depend on ion energy 7=11219 stainless steel, H<sub>1</sub> sputtering and implantation at 35 keV 7=14293

Al, bombarded by H and He ions, X-ray emission 7=8483 Al foils, C ions charge distrib. at 8 MeV 7=12553

Al, defect clusters due to Xe ions 7=14498

Ar, amorphisation of Ge polycrystalline films,

obs. 7=17366

Ar ions, thinning of bulk TiO<sub>2</sub> 7=4534 Ar ions, bombard of Au foils 7=14639

Ar\*, 1-20 keV, secondary electron emission by Be, CuBe, Cu and Al 7=5118

Au, channelling of He3 ions in polycrystalline foil

obs. 7=1658

Au ions, bombard. of Au foils 7=14639

 $Br^{79}, approach to equilib, charge distribs, in C <math display="inline">\,$  7=13831 C foils, C ions charge distrib, at 8 MeV  $\,$  7=12553

in C foils, stopping cross-section, 0.1-1.0 MeV with  $6 \leqslant Z_1 \leqslant 20$  7=11223 CdTe, doping by In ion bombardment 7=14948 Cs, accelerated, cathode sputtering 7=1649

Cs, sputtering of Mo, yield and ang. distrib. meas. 7=14642
CsI:Tl luminescence decay times and scintillation
processes obs. 7=8474
Cu, of Ar ions at 20-80 keV, electron emission
ang. var. 7=11611
Cu, bombarded by H and He ions, X-ray emission 7=8483

Cu, secondary electrons and ions from (100) plane due to Ar ions at 4.5 keV 7=8079 Cu, vacancy cascades 7=14502

Ge films, damage layer depth obs.by sputtering yield var. 7=1580

n-Ge, inversion layers prod. by B, Al ions 7=7977

H in 7 gases, stripping cross-sections 7=982 H on  $O_2$ , charge transfer differential cross.obs. 7=10621

He ions in He, charge equilibrium, 60-840 keV 7=10624

He ions, on noble gases, ionization and electron capture  $7{=}4163$ 

He on He, charge transfer differential cross. obs. 7=10621

in He-Ne laser, deterioration by  $\mathrm{SiO}_{2}$  tube bombardment by Ne ions 7=5881

obs. 7=10434

by Ne ions 7=5861

127, approach to equilib. charge distribs, in C 7=13831

1<sub>2</sub> vapour, C ions charge distrib, at 8 MeV 7=12553

K\*, on SiC, cathodoluminescence 7=5309

Kr, in Zr, dislocation loops obs. 7=4709

Mg, bombarded by H and He ions, X-ray emission 7=8483

MgO, F-centre evidence 7=2325

N\*on C foil N II-V u.v. multiplets radiative lifetimes

Na, on Si, p-n junc. formation, ion drift effect 7=7978 Ni, defect clusters due to Xe ions 7=14498 Ni foils, C ions charge distrib. at 8 MeV 7=12553

Ni, H<sub>1</sub> sputtering and implantation at 35 keV 7=14293

Ion beams-contd effects-contd

n-PbTe films, conductivity increase 7=11518

Pt single crystal surface bombardment by Ar ions at 340 eV, low energy electron diffr.obs. 7=1260 Si, channelling pattern formation on surface 7=1662

p-Si, p-n junction photovoltaic energy converters prod.

by ~30 keV P ions 7=5798
Ta, H<sub>1</sub> sputtering and implantation at 35 keV 7=14293
Ti films elec.resistance, Ar ions 7=1841

Ti, H<sub>1</sub> sputtering and implantation at 35 keV 7=14293 Zn ions, implanted in GaAs p-n junctions, apparatus 7=16085 Ion counters. See Counters.

### Ion emission

alloys, field evaporation 7=2073

field evaporation, theory 7=2074 field ionization, as function of metal-atom separation 7=15105

field ionisation at thin wires, effect of surface struct. 7=8080 metals in Cs vapour obs. 7=2063

screw dislocation field ion image computer simulation 7=14571

rin Li vapour obs., rel. to adsorption 7=8063 Pt, field-ion microscope vacancy obs. 7=1562 Si holes photoemission into SiO<sub>2</sub> obs. 7=8076 W,Cs coated, work function calc. 7=2054

secondary

graphite, ion-electron emission coeff., depend. on angle of incidence 7=18086 metal, escape of particles displaced at random, mechanism 7=2076

metals, O effects obs. 7=15102 negative ions, yield 7=5120

6 metals, ion-electron emission coeff., depend, on angle of incidence 7=18086

Cu (100) plane due to Ar ions at 4.5 keV, ang. and

energy distribs. 7=8079

## thermionic

thermion formation with aid of emitters 7=5119

Cs-Sb films in equil. with C vapour, temp.

discontinuities 7=11505

W, polycrystalline, trapping and thermal re-emission of  $\mathrm{He}^*$   $7{=}11613$ 

Ion exchange. See Exchanges, chemical; Ions, electrolytic. Ion microscopes

for dislocation struct, at grain boundaries obs. 7=7603

field, adsorption of Si on W 7=14302 field cryogenically pumped, all-metal 7=12554

field, image brightness increase by immersion in liq. H 7=12555

field-ion, image conversion 7=3060

field-ion, operating at liq. Ne temp. 7=3059 screw dislocation field ion image computer simulation 7=14571

Li, field emission projector for solid structure

obs. 7=17464

Ion mobility. See Ion velocity.

Ion optics

See also Alpha-ray spectrometers; Ion microscopes; Mass spectrometers; Particle optics.

from current in flexible wire loop in mag. field 7=3058 cyclotron extraction and transport, computer calc. 7=12822focusing, double angle, in mag. analyser with two sector

fields 7=16087 lens assembly, four-cylinder, for sputtering source 7=12549 sector mag. analyser chromatic aberrations calc. 7=808

in toroidal mag.field calc. 7=10663 Ion pumps. See Vacuum pumps.

Ion sources

See also Ion emission/thermionic.

arc, for metal ion beams 7=16086

atomic beam ioniser, polarised 7=16083

for cyclotron, axial, incorporation central region studies for Davis 76 in. 7=12817 for cyclotron, phase space density obs. 7=12832 cyclotron polarized p and d sources for axial injection 7=12831

injection 7=12631 for cyclotrons, external injection 7=12830 for cyclotrons, polarized, review 7=12829 duoplasmatron, high current, with ferrite magnets 7=3053

duoplasmatron, mean electron energy of emergent plasma 7=3049

engine exhaust electron temp. meas. by double probe 7=225 ion-sensitive photoplate, computer eval. program 7=6506 mass 1 peak, at v. low press. 7=3050

mass spectrometer, high transmission and dual electron beam 7=6502

plasma gun with Pierce electrode 7=3048
polarized, highly effective ionizer 7=9402
pulsed, intense, produced by laser light on solid 7=222
r.f. ion current proportionality to plasma density and
longitudinal mag. field obs. 7=16084
r.f. long-lifetime more of smith.

r.f., long-lifetime, meas. of emittance 7-224

Van de Graaf accelerator buncher for H ions 7=9724

## Ion sources-contd

Ar, Hall accelerator thrust at low exhaust press. obs. 7=9403

D, polarized, charge exchange prod. 7=17025 D\*, r.f., ion current proportionality to plasma density and longitudinal mag. field obs. 7=16084 H from atoms, metallic surfaces appl., 50-3000 eV 7=6805

H-, cyclotron p source modification 7=3054 H-, intense, from reflex discharge 7=12550

H-, radiofrequency 7=3051
H- spiral ridge cyclotron meson factory 7=12834

H production, high intensity radiofrequency 7=3052

H\*, r.f., ion current proportionality to plasma density and longitudinal mag. field obs. 7=16084 Hg\*, capillary arc, production 7=223

Li<sup>+</sup> for electrostatic accelerator 7=9719 Li<sup>6,7</sup>, polarized 7=12551

Li H<sub>2</sub> from Li-Ne-H<sub>2</sub> Penning discharge 7=9402 Li from Li -Ne-H<sub>2</sub> Penning discharge 7=9401

O18, charge distrib. from tandem accelerator 7=9404

## Ion velocity

in arc diffusion across mag.field 7=13819 G.M. counters, mobility and resolving time 7=16349 in gases, of electrons, time-of-flight data unfolding 7=9003 liquid dielectrics, rel. to viscosity, 5-2 × 10-5P 7=10856 molecular gases, in transverse mag. field, meas. 7=6810 in plasma diffusion across mag. field 7=13855

positive, in Penning type discharge, kinetics 7=945 2-methyltetrahydrofuran, solvated electron

mobility 7=14123

Ar glow discharge, abnormal, impedance rel. to transit time of positive ions obs. 7=10582

As<sub>4</sub>S<sub>4</sub> holes obs. 7=11586 in Ga liquid, mechanism 7=10868

GaAs drift velo. var. with field calc. 7=14797

Ge:Li compensated, mobilities of electrons and holes at 77°K 7=14799

in In liquid, mechanism 7=10868 InSb minority carriers transport coeffs.obs. 7=11373  $\mathbf{N_2^+}$  in air 7=10611

in Pb liquid, mechanism 7=10868 in Sn liquid, mechanism 7=10868

### electrolytic

See also Conductivity, electrical/liquids, electrolytic; Electrophoresis.

KCl, molten, isotope mobilities temp. var. obs. 7=8561 (Li, Ag)<sub>2</sub>SO<sub>4</sub> (93 eq. % Li), relative cation mobilities at 700°C 7=8559

(Li, K)  $_2$ SO $_4$ , relative cation mobilities obs. 7=8559 Na acetate soln., ion assoc. 7=14084-5 Rb isotopes in molten RbNO $_3$ , isotope effect 7=7060

RbBr, molten, isotope mobilities temp. var. obs. 7=8561 RbCl, molten, isotope mobilities temp. var. obs. 7=8561

## Ionization

See also Dissociation; Electrons/ionization. acetylenes, cross-sections for 40-100 keV protons 7=13840 aromatic hydrocarbons, electron affinities 7=986 atoms, electron affinities and screening consts. 7=10603

atoms by electron impact 7=4161 atoms, multi-photon, intensity var

atoms Nat to Art energies 7=6508

atoms, in varying electric field 7=13822 autoionization lifetimes, statistics 7=13823

chloroalkanes, cross-sections for 40-100 keV protons 7=13840

efficiency curves, determ. by sector mass spectrometer 7=4158

by electron impact, total cross-sections 7=10601 ion-molecule reactions with negative ions, energy depend. 7=17032

ion-neutral reactions, by photoionization mass spectrometer 7=10611 by laser beam, photon correlations 7=3191

light source of He 2.45 Gc/s plasma for mass spectro-meter meas. 7=17014

methane, dissoc. attachment of electrons, isotope

effects 7=17035

olefins, cross-sections for 40-100 keV protons 7=13840 paraffins, cross-sections for 40-100 keV protons 7=13840 small molecules, energies, MO calc. 7=4176

vinyl chloride, photoionization coeffs. 7=915 Ar\* charge-transfer reactions at near-thermal energies 7=10612

ArD formation 7=6802

Ca+, long-lived auto-ionization states 7=13832 Fe particles in air at meteoric velos. obs. 7=8081

H atoms, by electrons, classical cross-sections 7=4168

H beam, accelerated, ionization by electrons cross-section calc. 7=6808

H, charge transfer to 40-200 keV protons, Lyman- $\alpha$  of H(2s) products 7=4170 H, proton charge transfer collisions, furnace target meas. 7=4169

H-, 1Se autoionizing states 7=6532

Ionization - contd

 ${\rm H_2},$  charge transfer to 40-200 keV protons, Lyman- $\alpha$ of H(2s) products 7=4170

He, charge transfer to 40-200 keV protons, Lyman-a

of H(2s) products 7=4170 He, 'S' autoionizing states 7=6532 N<sub>2</sub>D\* formation 7=6802

NH<sub>2</sub> ion-molecule reactions, energy depend. 7=17032

N-O atom mixtures, chemionization 7=8540 OH ion-molecule reactions, energy depend. 7=17032

Sr\*, long-lived auto-ionization states 7=13832

## See also Plasma.

air, behind sphere in hypersonic flight 7=17020 air, behind strong shocks, rate and mechanisms 7=4164

air electron attachment-detachment processes obs. 7=17021

alkali atoms, three-photon, calc. 7=10614 alkali metals negative ions photoionization cross sections calc. 7=983

atmosphere intensity variations near ground, prod. by " $\alpha$ " and " $\gamma$ " radiations 7=15543 atomic, by intense optical field 7=13826 atoms photoionization, multichannel theory 7=10600

atoms two-electron exchange, molecular term splitting asymptote 7=10608

benzene and six derivatives temporary negative ion resonances in electron excitation obs. 7=6823

collision-induced instability linear theory, wave propag.
along mag.field 7=4252
cooling from flat plate 7=12465

decaying plasma, reionization by Alfvén waves 7=4257 on detonation of dynamite 7=6794 diatomic, by He ions, and electron capture 7=4163

diatomic, by protons, ionization and electron capture cross-sections 7=4162

electron beam prod. in waveguide, plasma density distrib. 7=4159

electron capture in complex mols. and negative-ion lifetimes 7=6818

electron capture of fast protons 7=17011

electron gas, quasibound, natural freqn. deriv. from expt. 7=4232

electron transport time-of-flight data unfolding 7=9003

energy transfer and collision frequencies 7=10754 energy transfer and collision frequencies 7=10755 flame, electrical potential distrib. in presence of negative

ion layers, between two electrodes 7=15977 in flames, negative, Hall effect study 7=978

Franck-Condon factors from photoelectron spectra 7=13829

gas-dust medium discontinuity propagation calc. 7=8870 halogens, negative ions photoionization cross sections calc. 7=983

inelastic collisions by drifting ions 7=6816

inert gas hollow cathode discharge plasma deionization obs. 7=6769

inert gases, electron mobility and diffusion calc. 7=10613 inert gases, by electrons, total cross-sections 7=10616

ion cyclotron reson., collision-broadened spectra 7=17015 ion-energy distribution, initial, in vacuum gauges 7=17223

ion-molecule, exothermic reactions 7=8537 laser-induced breakdown of organic vapours 7=2439

laser-induced, statistical models 7=13825

by laser radiation 7=13824 macroscopic equilibrium of isolated ion system 7=4178 magnetic dipole field, nonsymm. inflation 7=5806

magnetic dipole iteid, nonsymm. initation 7=8606 metal atoms, by electron impact, meas. 7=17012 metastable transitions, isotope effects 7=6824 methane, distrib. of electron avalanches 7=4177 methane, ion-molecule reactions 7=2444 moderate, theory of electrostatic probe 7=17082 molecular, in transverse mag. field, transport props., meas. 7=6810

negative ion reactions, thermal-energy associativedetachment 7=2434

noble, by He ions, and electron capture 7=4163 noble, by protons, ionization and electron capture cross-sections 7=4162

organic gases and vaps., W , values 7=6793

photoelectron kinetic energy, by spherical analyser 7=10599

photo-ionization of molecules, interference 7=979 plane ionization front, struct. 7=8869 plasma gun, conical electrode 7=4258

plasma, Saha equation corrections due to interactions, thermodynamics 7=6825 plasma theta pinch, O reduction by fast Z preionization 7=6882

plasma, three-component, kinetic model 7=4194 polar molecules e capture calc. 7=10605

by radiation from electron avalanches 7=13812-13 rare gases, multiphoton, calc. from perturbation theory 7=13828

rate of growth during laser breakdown 7=13827

```
Ionization-contd
     gases-contd
          by shock waves in mag.field theory 7=17013
           spectra, electron-impact broadening, one-electron
               approx. 7=3987
          theory, general, cavity 7=977
thermal, with metastable atoms, calc. 7=6826
         by ultraviolet synchrotron radiation, calc. 7=17010 waves in arc positive column 7=13798
Ar, behind shock waves, effect of impurities 7=4165
Ar, by electrons, total cross-sections 7=10616
           Ar, by shock wave, thermal equilibration behind 7=10615
           ArH prod. by excited Ar scatt. on H 7=6591
          C' and CO' reaction rates with O_2 and CO_2 7=15419 C_3H_8 and C_3D_8, metastable transitions 7=6824 C_6H_8NO_2, electron capture 7=6818
           CO, by electrons, total cross-sections 7=10616
          CO, negative ion-molecule reactions, high press. 7=8542 CO' + CO reaction 7=15427
          CO<sub>2</sub>, average energy to produce ion pair by recoil nuclei 7=17023
           CO<sub>2</sub> by ion and electron impact 7=980
          CO<sub>2</sub> by for and electron impact 7=980
CO<sub>2</sub>, negative ion-molecule reactions, high press. 7=8542
Cl flame, negative ion formation 7=981
Cl<sub>2</sub>, ionization and attachment coeffs. 7=10617
Cs atoms by electrons, initial energy var.
obs. 7=10438
           Cs by laser, at 6943Å, two-quantum mechanism 7=17024
          Cs, photoionization cross-section meas. 7=17022
Cs, photo, obs. by Cs-filled thermionic diode 7=6800
          D, kilovolt plasma, prod. and diagnostics 7=13842
H atom collisions on H<sub>2</sub> and inert gases, single e capture
and loss for 2-50 keV H 7=10619
H, charge exchange cross-section, high-energy 7=6807
           H, l. p. arcs, ion and electron energy distrib. meas. 7=6790
           H line emission quenching by collisional
           ionization 7=8710
H, metallic surfaces appl., 50-3000 eV 7=6805
           H, multiphoton, calc. from perturbation theory 7=13828
H, by protons, energy and ang. distribs. of ejected
electrons 7=6809
           H Π interstellar regions fronts with mag. fields, m.h.d. approx. 7=5554
            H auto-ionization states Hylleraas var. calc. 7=10396
            H-, collisional detachment, by classical impulse
           approx. 7=13833
H<sub>2</sub>, associative ionization 7=6737
            H<sub>2</sub>, nonequilibrium growth meas. 7=10618
            {
m H_2}, by normal ionizing shock waves 7=17026 {
m H_2}, in transverse mag.field, transport meas. 7=6810
            H<sub>2</sub>O, negative ion-molecule reactions, high press. 7=8542
            He atomic beams, metastable one-electron loss 7=13835
He auto-ionization states Hylleraas var.calc. 7=10396
            He, kilovolt plasma, prod. and diagnostics 7=13842
He photoionization cross-section 7=6811
            He, by protons, energy and ang. distribs. of ejected electrons 7=6809
            He formation from He and He impact on hydrogen
                 gas 7=17029
            of He+, by electron collisions 7=4171
           He* and N<sub>2</sub>, charge transfer 7=13834
Hg, X-irrad., rel. abundance of ions formed by inner-shell
vacancies 7=6820
            K atoms by electrons, initial energy var. obs. 7=10438
            Kr atoms multiphonon ionization by ruby laser obs. 7=10626
           Kr atoms multiphonon ionization by ruby laser obs. 7=13836 Li atoms electron affinity, exploding wire obs. 7=6812 Li<sup>*</sup>, photoionization, by polarized-orbitals 7=13837 N discharge plasma ion sampling 7=1024 N<sup>*</sup>, charge-transfer reactions with CO and CO<sub>2</sub> 7=6813 N<sub>2</sub>, collision with electron, cross-section obs. 7=17030 N<sub>2</sub>, by electron collisions 7=4172 N<sub>2</sub>, in transverse mag. field, transport meas. 7=6810 N<sub>2</sub>, therefore transfer reactions with CO and CO 7=6813
            N2+, charge-transfer reactions with CO and CO2 7=6813
                   + N, reaction 7=15427
           \rm N_2^++N_2 reaction ~7=15427 \rm N^{4+} autoionized rates in (1s, 2s, 2p)^4P_{572} state 7=4173 \rm NH_3, photoionization, mass spectrometry ~7=17028 Ne atoms photoionization, multichannel theory ~7=10600
            Ne, kilovolt plasma, prod. and diagnostics 7=13842
Ne in shock tube, mag.interaction effect on plasma
luminosity obs. 7=985
            Ne, Townsend's \alpha, meas. 7=17031
NO,600-950A 7=10627
            \mathrm{N_2O}, by p and H atoms, dissociative, slow ions mass
                  spectra obs. 7=6815
            O electron attachment calc. 7=10629
            O_2 by electron, potential, mass spectrometer obs. 7=17033
            O_2, negative ion-molecule reactions, high press. 7=8542 O_2, photoionization in metastable state 7=4174
           O<sub>2</sub>, by radiation from electron avalanches 7=13812-13 O<sup>2</sup> autoionization rates in (1s, 2s, 2p)^{4}P_{3}2 state 7=4173 O<sub>2</sub>-CO<sub>2</sub>, electron attachment and detach. 7=6817 O<sub>2</sub>-H<sub>2</sub>O, electron attachment and detach. 7=6817
            O2+ + O2 reaction 7=15427
```

```
Ionization-contd
    gases-contd
        Pb atoms, by electron impact 7=17012
Rb atoms by electrons, initial energy var.
obs. 7=10438
        SF<sub>6</sub>, electron capture 7=6818
        Xe, partially ionized, e.m. wave amplification 7=16991
        Xe, shock wave prod., mass spectrometer obs. 7=13836
Xe, X-irrad., rel. abundance of ions formed by inner-shell
             vacancies 7=6820
        benzene, cross-sections for 40-100 keV protons 7=13840 ethanol, ion-mol. reactions, mass spectra 7=2442 hexane, by X-rays, elec. current at high fields 7=10865
    liquids
         methanol, ion-mol. reactions, mass spectra 7=2442
         He4 superfluid, charge trapping by vortex lines
             calc. 7=9287
     solids
        F-centres, thermal field ionization 7=4716
graphite, laser prod. plasma expansion rate of luminous
front 7=6838
         impurity center, photothermal ionization 7=15064 impurity shallow traps in ionic crystals 7=4693
        impurity shallow traps in tonic crystals 1-2003 laser prod. plasma 7-8084 by laser pulse, model 7-8082 and polyethylene film lifetime in elec. field 7-18044 rocket propellants obs. 7-8530
         semiconductor impurities by electron impact,
theory 7=17940
semiconductors acceptors ionization energy meas.from
             lasing 7=14791
         semiconductors, impact, theory 7=14790
        semiconductors, impact, theory i=14750 semiconductors, on irradiation, electron-hole pair prod. rel. to plasmons 7=17842 subhalide metals, molecular ionization potentials 7=2075 Ag, K shell, by electrons, 0.10-1 MeV 7=8085 Au, K shell, by electrons, 0.20-2 MeV 7=8085 BaTiO<sub>3</sub>, evaporation prod. 7=6819
          Fe particles in air at meteoric velos. obs. 7=8081
         GaAs, Mn acceptors, photoexcitation and photo-
ionization 7=17760
          GaAs p-n junctions holes and electrons obs. 7=18009
         n-GaAs shallow donors obs. 7=11506
Ge p-n junctions holes and electrons obs.
                                                                         7=18009
         Ge, X-ray prod., energy, 30-50 kV, 30-77^{\circ}K 7=4735 H by laser, plasma prod. obs. 7=17051
          In in Si, photoionization cross section 7=15085
         InSb, Ag and Cu impurities, press. depend. 7=11371
KCl, F-centres energy rel. to thermal bleaching 7=11207
LiH, laser-beam irrad., high-temp. plasma prod. 7=4256
          Pb d-electrons photoionization, optical absorption obs., 50-500 eV 7=8442
          {\rm Pb_{0.\,99}Nb_{0.\,02}(Zr_{0.\,65}Ti_{0.\,35})_{0.\,98}O_3}, polarity effects of high stress 7{=}11563
          PbTe d-electrons photoionization, optical absorption obs.,
              50-500 eV 7=8442
          Si, on irradiation, electron-hole pair prod. rel. to
              plasmons 7=17842
          Si, Ni-doped, impact ionization microwave limiter
         Si, X-ray prod., energy, 30-50 kV, 300-77°K 7=4735
Si Zener diodes at low temps. 7=11534
         Sn d-electrons photoionization, optical absorption obs., 50\text{-}500~\text{eV} 7\text{-}8442
          Sn, K shell, by electrons, 0.20-2 MeV 7=8085
          SnTe d-electrons photoionization, optical absorption obs.,
              50-500 eV 7=8442
          Te d-electrons photoionization, optical absorption obs., 50-500 eV 7{=}8442 {\rm TiO_2}, evaporation prod. 7{=}6819
          W, plasma formed by laser pulse 7=13843
Zr-F species, mass spectra 7=8521
 Ionization, atmosphere
              See also Atmosphere/radioactivity; Ionosphere.
          at Alouette II satellite, electron densities obs. 7=12098
          aurora struct.radar obs., mag.field var.effects 7=5408
          cosmic-ray, sea-level, intensity meas. 7=6281
          E-region, by Lyman-α at sunrise 7=5451
          electron attachment rate in lower ionosphere 7=8732
          electron conc., 100-300 km 7=5459
          and foF2 normal daily var. scatt.rel.to solar cycle 7=5472
          ionosphere electron content in equatorial storms
              obs. 7=5467
          ionosphere electron content radio obs. 7=5418
          ionosphere electron content, seasonal dependence
anomaly 7=5420
         ionosphere rarefaction meas, following rocket
transit 7=5444
          lower, by cosmic rays, absolute meas. 7=6282
          lower ionosphere, effective recomb. coeffs. 7=8729
          magnetospheric quiet phenomena rel. to geomag. tail theory 7=15560
         meteor trails, by meteor particles, calc. 7=15784 negative ion detection from e.l.f. effects 7=12062
```

solar ionizing radiation effects during twilight 7=8707 upper, electrons obs. by satellites,  $10-20~\rm{keV}$  7=12026

Ionization, atmosphere-contd upper, ion formation intensity, 100-300 km 7=12064 upper, rel. to photochemical equilibrium 7=12027 2-region, equatorial, transport eqn. solns. 7=12097 Ionization, surface See also Electron emission thermionic; Ion emission thermionic; Work function. field, near nonuniform metal surfaces 7=15104 formation, rel. to ion transport and secondary electron emission 7=12544 graphite, laser prod. plasma expansion rate of luminous front 7=6838 laser giant pulse prod., kinetic energies obs. 7=8083 laser prod. plasma from solid, heating and disintegration obs. 7=8084 by laser on solid, plasma prod. obs.  $7{=}11614$  metals in Cs vapour obs.  $7{=}2063$  neutralization, screening  $7{=}5116$ in plasma from solids, due to focused laser radiation 7=13870 radiation 7=13870 solid by laser pulse, model 7=8082 Ag, K shell, by electrons, 0.10-1 MeV 7=8085 Au, K shell, by electrons, 0.20-2 MeV 7=8085 H on metals, 50-3000 eV 7=6805 Ir, efficiency rel. to work function 7=11615 Li on Ir obs., rel. to adsorption 7=8063 Pd, for H detection in air 7=18343 Si, work function, use of Saha-Langmuir formula 7=5121 Sn, K shell, by electrons, 0. 20-2 MeV 7=8085 Ta, laser prod., ion energy rel. to laser power obs. 7=15103 W, adsorbed K ions, elec. field effect 7=1291 W, Cs coated, work function calc. 7=2054 W-Re alloys, efficiency rel. to work function 7=11615 Ionization chambers for  $\alpha$ -active isotopes airborne concentrations meas. 7=5392 for dose buildup factor meas. 7=9702 fission-fragment detector 7=16353 for fission fragment recording, synchronous 7=6461 gridded, performance and source preparation 7=383 ionographic detectors, solid, for heavy nuclei fission obs. 7=386 for n detection, BF $_3$  gas-filled, effects on fluctuation statistics 7=10021 n thermal flux with  $\gamma$  background 7=3652 neutron sensitive, frequency response 7=609 for p synchrotron, monitoring of particle incidence on internal target 7=5999 phase parallel, effect of diffusion losses on saturation curve 7=12785 for quality factor meas. 7=9701 for radioactivity of gases, meas., spherical 7=3828 in space vehicles, with matched Geiger, response to p, e,  $\gamma$  obs. 7=15618 transfer function meas. by uncorrelated reactor noise 7=10365 He³ high-press detector for slow n time-of-flight 7=3656 N³⁴(n,  $\alpha$ )B³¹ and N¹⁴(n, t)C¹² obs. with gridded ionization chambers 7=6434

Ionization gauges. See Vacuum gauges. Ionization potential aromatic amine molecules, electron impact obs. 7=6822 aromatic cmpds., study by mass spectrometry 7=6821 aromatic hydrocarbons 7=986 atoms, and screening consts. 7=10603 atoms, variational calc. 7=10602 SH and SD  $\,$  7=4098 semiconductors acceptors ionization energy meas, from lasing  $\,$  7=14791 subhalide metals, molecular 7=2075 DyF<sub>3</sub> reacted with Ho, mass spectrographic study at high temp. 7-10375

ErF<sub>3</sub> reacted with Ho, mass spectrographic study at high temp. 7-10375 Ge,X-ray prod., 300-77°K 7=4735
HoF<sub>3</sub> reacted with Ho, mass spectrographic study at high temp. 7=10375
Po atoms obs. 7=10416 Si, X-ray prod., 300-77°K 7=4735 Ionized gases. See Ionization/gases; Plasma. Ionosondes. See Ionosphere measuring apparatus. Ionosphere See also Electromagnetic wave propagation/ionosphere. absorption events, slowly varying, in auroral zone 7=12052 absorption var. on solar zenith angle 7=8735 acoustic-gravity wave modes from range-time data 7=5439 aerials, impedance in ionosphere 7=5437 composition, 225-1400 km, at solar min. winter and summer, radar obs. 7=12061 cosmic noise absorpt. correl. with VLF chorus 7=15530 cosmic radio noise absorption, review 7=8736 current variations, accel. of geomag. trapped electrons 7=8721

Ionosphere-contd density of plasma meas, by e.m. reflected phase 7=5446 disturbances caused by solar flare, polyphase aspects 7=15584 drift meas. in l.f. range 7=15588 drifts meas, by spaced receivers, interpretation 7=5449 e.m. induction of current 7=5436 earth-ionosphere cavity resonances, diurnal variation 7=12068 electric fields, direct obs. by rocket 7=2579 electron content, meas. at mag. equator 7=2571 electron content near mag. equator, meas. 7=8730 electron content observations at Brisbane for 1965 7=15575 electron content, seasonal dependence anomaly 7=5420 electron content, total columnar, equatorial 7=18388 electron content, total, continuous records 7=5419 electron content, total, diurnal variation 7=12063 electron density meas, by gyro-plasma impedance probe 7=5421 electron gas, time-dependent thermal behaviour 7=2569 electron and ion temps. diurnal variations 7=15576 electron temp. profile, layer struct. 7=15578 electron total content from satellite radio obs. 7=5418 electrons, precipitated, from forward scatter obs. 7=8731 equatorial storms obs. 7=5467 increases rel. to mag. bay disturbances 7=15605 Faraday-effect, depend on satellite rot and angle var. 7=8733 geomagnetic and solar control of ionization at 1000 km 7=18386 hook whistler, equatorial, obs. by Injun 3 7=15579 ion temp., from cyclotron damping of proton whistlers 7=2568 ionization gradients, effect on correl. of radiowave fluctuations 7=12065 irregularities, due to gradient instabilities, theory 7=5441 irregularities, large-scale, diurnal variation 7=5440 longitudinal drift effects, and superimposed elec. fields 7=2578 lower, effective recomb. coeffs. 7=8729 lower, electron attachment rate, meas. anal. 7=8732 lower, enhanced ionization obs. 7=18391 lower, nocturnal diffusion 7=5438 m.h.d. resonances with monopole magnetization calc. 7=13910
magnetic dipole transitions of neutral constituents,
intensity 7=8728 magnetic field of dynamo current systems 7=12071 movements, drift velocity, dispersion 7=2577 negative ion detection from e.l.f. effects 7=12062 nighttime, H and He ultraviolet glow as origin, obs. 7=18390 night time heating mechanism 7=15577 numerical prediction of index  $\phi$  7=15587 plasma density, effect of magnetospheric motion 7=5400 rarefaction meas, following rocket transit 7=5444 receiver with automatic scanning recording of solar flare effect 7=12266  $\Sigma K_p,\,27$  recurrence tendency relation with solar radio emission  $7{=}15804$  review,  $1960{-}66$   $7{=}8726$ rel. to solar activity 7=18474
rel. to solar activity 7=18475-6
for solar flare crotchets detection in geomag.
storms 7=15614 solar-terrestrial physics conference, Japan,
1965 7=15573 sources and sinks of current systems, rel. to polar mag. storms 7=8754 spacecraft, equilibrium potential 7=8742 spectrum of layers in i.r.region obs. 7=2565 temperature and composition at geomag. equator obs. 7=5417 temperature coupling of ions 7=15574 temperature of electrons calc. rel. to thermosphere probe data 7=18389 thermal conduction and ion temps. 7=2566 topside, conjugate e.m. wave ducting, Explorer XX obs. 7=12067 topside, ion temp. profile 7=2567 total electron content, seasonal var. 7=18387 ultra-low freq. radiation at two conjugate points 7=15581 V × B plasma sheath formed round satellite 7=18404 wave-electron interaction, incoherent scatt. and D, E, F regions properties 7=8727 wind, horizontal, vertical profiles, spectral energy densities estim. 7=12069
winds, meas. by gun-launched projectiles 7=5445
O' + N<sub>2</sub>, rate coeffs. at 300°K, laboratory obs. 7=8543
O' + O<sub>2</sub>, rate coeffs. at 300°K, laboratory obs. 7=8543 D-region atmospherics, v.1.f. meas., Sao Paulo 7=15590 effective recombination coeff., rel. to meteoric dust 7=12075

effective recombination coefficient 7=12074

Ionosphere-contd D-region - contd

electrons, elec. field heating 7=2582 negative oxygen ion reaction lab obs. 7=15589 nonstationary and quasi-stationary conditions 7=18392 winter absorpt anomaly at middle latitudes 7=15591 NO concentration 7=2581

E-region

auroral prod. pressure waves, propag. 7=8743 auroral sporadic-E, forecasting with magneto-meter 7=5456

meter 7=540b
character figures, rel. to solar indices 7=2587
drifts near equator obs. 7=5458
enhanced activity observed 7=2584
E\_-layer, boundary frequencies dependence on solar
zenith angle 7=18394
f\_bE, variations near geomag.activity, at
Washington 7=2586
fading regular of satellite v.h.f. signals. 7=15592

fading, regular of satellite v.h.f. signals 7=15592

height var. during night obs. 7=5459 horizontal drifts, effect of magnetic activity 7=2583 horizontal drifts in equatorial electrojet region obs. 7=5457

ionization by Lyman- $\alpha$  at sunrise 7=5451 ionization, rel. to solar X-rays, 44-60 A 7=12076 midlatitude trough vicinity, "oblique" echo and electron density 7=8745

positive ion layers 7=15594

sporadic-E, auroral zone appearance, probability var. 7=12079

sporadic-E, diurnal variation at high latitudes, rel. to geomag. activity 7=12077 sporadic E<sub>s</sub>, effect on 1.22 Mc/s absorption 7=18393

sporadic-E, electron and ion temp. variations 7=15595 sporadic E equatorial irregularities h.f.obs. 7=5453 sporadic E, incoherent backscatter, rel. to structure and velocity 7=8744

sporadic-E and radar meteor counts 7=15593 sporadic E reflections stability rel. to solar activity 7=5455

sporadic E rel. to receiver sensitivity and transmitter power obs. 7=5452

sporadic E, thin layers, suggested formation 7=12080 sporadic, temperate zone, mag. field variations 7=2585 theory, review 7=15596

F-region

character figures, rel. to solar indices 7=2587 chemical reactions, rate coeffs. 7=12081 critical  $F_2$  layer, cyclic curves for forecasting  $f_0F_2$  7=12096

disturbances due to atmospheric waves 7=2588 disturbances in  $F_2$  rel. to mag. activity 7=5491 drift measurements, interpretation 7=5463 drifts near equator obs. 7=5458

drifts near equator obs. 7=5458 duct, rel. to propag. of Pc1 micropulsations 7=2590 eclipse effects, equatorial 7=18396 effect of annular eclipse, equatorial obs. 7=18395 electron densities at Alouette II satellite obs. 7=12098 equatorial storms obs. 7=5467 F1 during decreasing solar activity obs. 7=5464

F1, horizontal drift and anisotropy 7=2592 F1 region, electron density profiles, controlling conditions 7=15598

 $F_1$  layer, max. electron conc., rel. to solar zenith angle 7=12090

F<sub>1</sub>, at solar minimum, in summer 7=2591

F2, equatorial, ionization transport equation 7=12097 F2 layer, charged particle vertical diffusion 7=12093

layer, max. electron conc. rel. to solar activity 7=12091

F2, electron density, abnormal night-time enhance-ment 7=5473

F2, geomag. anomaly 7=5466 F2, noon electron density 7=5470 F2-peak, effect of winds 7=18397

F2 peak electron content and height, vertical sounding obs. 7=5418

F-2, rates at sunspot minimum 7=2593 F2 region, enhanced ionization in high latitudes 7=15599 foF2 and hmF2 daily var. rel. to solar cycle 7=5471

f<sub>0</sub>F2 equatorial activity obs. at solar minimum 7=5469

f<sub>0</sub>F2 normal daily var.scatt.rel.to solar cycle 7=5472 f<sub>0</sub>F<sub>2</sub> polar enhancement before mag. storms 7=15597

for 2 values, in north polar zone, cross-correl. coeffs. 7=12095
for 2, variations near geomag.activity, at
Washington 7=2586

Δf<sub>0</sub>F<sub>2</sub> statistical distribution 7=5465

field-aligned echoes, sunset peak, amplification model 7=12085

geomagnetic anomaly, model 7=12088

obs. 7=5457

gravity waves, electron conc. inhomogeneities, theory 7=12070 height var. during night obs. 7=5459

horizontal drifts in equatorial electrojet region

Ionosphere-contd

F-region - contd infrasonic waves, observations 7=12082 irregularities at night, satellite radio obs. 7=5462

loss coeff. and vertical transport velocity determ. 7=12083 magnetic storm sudden commencement effects on f<sub>0</sub>F<sub>2</sub> and h'F<sub>2</sub> obs. 7=5468 magnetic storms over Delhi, effects 7=12087

magnetospheric quiet phenomena rel. to geomag. tail theory 7-15560 photoionization processes at high latitudes in

pnotoiomization processes at high latitudes in winter 7=2589 reflected waves, rapid phase fluctuations, meas. 7=12092 spread-F, equatorial, and F-layer height 7=5461 spread-F, equatorial and tropospheric tropical disturbances 7=8746

spread F, topside and bottomside, behaviour at equatorial latitudes 7=5460

temperature var., seasonal, night-time 7=12084 topside, equatorial, diffusive equilib., Alouette I study 7=12094 topside F layer, steep latitudinal electron-density gradients 7=2595

topside, ion temp. 7=15600 topside spread F, occurrence patterns on Alouette ionograms 7=2594

Ionosphere measuring apparatus antenna reactance meas., mag. field effects 7=8740 for e.m. absorption, by vertical sounding with var.

freq. 7=5447 electric field meas. 7=12073

electron content, automatic recording 7=5419
orientation of aerial rel. to intensity of magnetoionic
components theory 7=5450
projectiles, gun-launched, for wind meas. 7=5445

retarding potential analysers, plane-gridded 7=5442 rocket meas. of Faraday rotation and differential absorption 7=2580

sporadic E rel.to receiver sensitivity and transmitter power obs. 7=5452

for winds and e.m. scatt., improvement 7=5448

Ions

See also Atoms; Ion emission/thermionic; Molecules;

acoustic-ion waves instability with nonlinear dispersion 7=9034

adions, calc. of potentials and fields 7=15438 air-shock-heated, supersonic flow, ion-density

profiles 7=17041 alkali metal Cs atoms charge transfer, oscillations, 50-4500 eV 7=6798

atomic, formula for binding energies 7=13670 atomic to molecular ions transition in ion-atom triple collisions calc. 7=10609

charge densities at nucleus for Z=2-36 calc. 7=6511 collision processes of neg. ions with charge transfer, energy dependence 7=10607 in crystal fields, (3d)<sup>5</sup> covalency rel. to h. f. s., theory 7=10908 detection in GM counters 7=12784

detection and identification by barrier layer counters, low energy 7=976 detector for negative ions, large aperture 7=221

dose 7=9700

energy transfer and collision frequencies 7=10755 ferric, in Y-Fe $_2$ O $_3$ , hyperfine mag. field, Mössbauer data 7=4435

flow to spherical particles of r  $\approx m_{\star}f_{\star}p_{\star}$  of ions in air  $7{=}5788$ 

fractional parentage coefficients calc. 7=7200 fractional parentage coefficients in  $f^{\rm N}$  configurations 7=7201 g value in crystals for S-state and (ns)<sup>1</sup> configuration 7=2172

higher ions, absolute transition probabilities 7=13671 in hydrocarbons, liq., mobility rel. to viscosity and temp. 7=7108

in ionosphere, temp. from cyclotron damping of proton whistlers 7=2568 Martian ionosphere, ion-neutral reactions 7=5592

mobility in source gas, calc. 7=6795

organic molec., field dissoc., temp. depend. 7=16974

organic, unimolec. decomp. in high elec. fields  $\,$  7=16973 p charge exchange with atoms calc.  $\,$  7=6797  $\,$ positive, in Penning type discharge, kinetics 7=945

r.f. mass spectrometer for small path length 7=3990 S-state, shielding factors and uniform-elec.-field quadrupole polarizabilities 7=6507

surface emission, due to low power laser beam 7=9524 trapping by tubular electron beams for collision experiments 7=10598

vibronic spectra in ionic crystals 7=11102 vortex formation by moving ion, critical velo. calc. 7=5756 Al, ion interaction calcs. 7=11108

Ar\*, in collision with Ar, characteristic energy 7=4040

Ba<sup>2</sup>, in LiF, e.p.r. after quenching and X-irrad. 7=5200 Be, negative, existence in Penning discharge 7=6799 C in β-Mo<sub>2</sub>C cryst., ionization state 7=7434 Ca\*, long-lived auto-ionization states 7=13832 CaO-SiO<sub>2</sub> glasses, ionic conductivity 7=11547 Cr3+, in spinel lattices, ferromag. exchange

coupling 7=5167 Cr<sup>3</sup>·, in spinels, optical absorption 7=5253 Cr3+, in ZnAl<sub>2</sub>O<sub>4</sub>, ferromag. exchange coupling 7=5167 Cs vapour, charge exchange of protons 7-984 D, polarized, charge exchange prod. 7-17025 D, collision-induced dissoc, in Ar and N, 7-6801D<sub>2</sub>, collision-induced dissoc, in Ar and N<sub>2</sub> '7=6801 Er<sup>3</sup>·, in CdF<sub>2</sub>, spin-lattice relaxation processes '7=5196 Er<sup>3</sup>·, in CdF<sub>2</sub>, spin-lattice relaxation processes '7=5196 Er<sup>3</sup>·, in II-VI cpds. e.p.r. host crystal effects '7=5195 Eu, activating various A<sup>112</sup>B<sup>3</sup>O<sub>4</sub> phosphors '7=5296 Eu<sup>3</sup>·, energy transfer with Nd<sup>3</sup>· in crysts. '7=11860 Eu<sup>3</sup>·, fluorescence in metal oxides '7=5297

 $^{57}{\rm Fe^{3*}}$  in crystal fields, covalency rel.to h.f. s., theory  $7{=}10908$   ${\rm Fe^{3^{*}}}$ , in  ${\rm TiO_2}$ , for 8mm maser  $7{=}3113$ 

H auto-ionization states Hylleraas var.calc. 7=10396  $H_2^+,$  calc. of two  $^2\Sigma^+$  electron resonances 7=4166

 $H_2^*,$  calc. of  $1s\sigma_g$  and  $2p\sigma_u$  states  $~7{=}6661$   $H_2^*$  dissociation in Li plasma, p prod., 20-50 keV  $7{=}10622$  ${\rm H_2^+}$ , partition functions, pressure depend. 7=4122  ${\rm H_2^+}$  symmetry group broader than geometric 7=

 $H_2^+$ , symmetry group broader than geometric 7=10496  $H_2^+$ , 2p $\pi_\mu$  and 3d $\pi_g$  states 7=6662  $H_2^+$ , vibrational dissociation by collisions with mols. of a gas 7=6738

H, dissociation in Li plasma, p prod., 20-50 keV 7=10622 He auto-ionization states Hylleraas var. calc. 7=10396 He, distrib. in negative glow 7=4146 in He liquid, quantized vortex rings prod. 7=5757 for He liquid vortices obs. 7=5755 in He II liquid, capture of negative ions by vortex

lines 7=5775

He\*\* + He and He\*\* + H close collision resonant electroncapture obs. 7=846

Ho<sup>3+</sup>, in Er<sub>2</sub>O<sub>3</sub>, energy transfer and c.w. laser action 7=5896

Ho3+, i.r. emission in Fe-containing glasses 7=3173 K, ion interaction calcs. 7=11108 K vapour, charge exchange of protons 7=984 Li vapour, charge exchange of protons 7=984 Li', excited S states, calc. and expt. 7=6566 Li' ions in air, energy distrib. curve 7=10267

Mg, negative, existence in Penning discharge 7=6799 55Mn<sup>2\*</sup> in crystal fields, covalency rel. to h. f. s., theory 7=10908 NII, NIV, Grottrian charts 7=4009

NO<sub>3</sub> conc. and thunderstorm electrification 7=5378 Na, ion interaction calcs. 7=11108 Na vapour, charge exchange of protons  $\,7{=}984$   $\,Nd^{s*},$  energy transfer with Eu\* in crysts.  $\,7{=}11860$ 

Nd³', glass laser dopant, mode locking with Q spoiling 7=3183 of Ne config., dipole and quadrupole polarizabilities, and shielding factors 7=13669

O, Hertzian spectrum, 80-240 Mc/s 7=6548

 $O_2^{-}$ , collisional detachment, temp. depend., kinetic theory  $7{=}4160$ O II, O III, Grottrian charts  $7{=}4009$  Si surface barrier detectors for 10-200 keV  $7{=}6870$ 

Sm, monovalent, in KCl, obs. by e.p. r., absorption spectra and mag. susceptibility 7=8408 Sm³\*, in phosphors, broad-band u.v. excitation 7=5310

Sr\*, long-lived auto-ionization states 7=13832 Yb3\*, in H-VI cpds., e.p.r., host crystal effects 7=5195

## recombination

air in aerosols vol. recombination or combination time 7=14139

dielectronic, calc. for overlapping metastable levels 7=17019 Galactic H II regions 109 lpha recombination at

5009 Mc/s 7=12174 hexane,  $\gamma$ -irradiated, rel. to elec. cond. 7=7107

in ionosphere, effective recombination coeff. 7=12074

in ionosphere, effective recombination coeff., rel. to meteoric dust 7=12075

on oscillistor surface, effect on excitation threshold 7=11527

photodetachment of negative ions, single and double quantum calcs, 7=10610

in plane parallel chambers, correction for ion distrib, and diffusion losses 7=17017

plasma, electron-ion recomb., theory 7=6796

in plasma magnetized jet rapid cooling by expansion, popu-lation inversion prod. 7=6921 in semiconductors, waves in finite sample 7=7924

Ar, three-body collisions, Gryzinski cross-sections 7=13839 Ar\*, charge-transfer collisions, small-angle scatt. meas. 7=13830

Ar+, on passage through gas targets 7=13838

Yons-contd

recombination-contd

Cs, three-body collisions, Gryzinski cross-sections 7=13839 Ge surface, etching effect obs. 7=7810

H, charge exchange in beams for  $\rm H_a^{\,\circ}$  prod. 7=13785 in H plasma prod. by laser, electron recombination obs. 7=6767

H-, collisional detachment, by classical impulse approx. 7=13833
H\* capture of e in H, elec. field effect calc. 7=10623

H+, charge-transfer collisions, small-angle scatt. meas. 7=13830

He atomic beams, metastable one-electron loss in gases 7 = 13835

meas. 7=13830 He<sup>+,2+</sup> in afterglow of He discharge obs. 7=6776

I<sup>-</sup> photodetachment, single and double quantum calcs. 7=10610

 $Kr^{\star}, charge\text{-}transfer collisions, small-angle scatt.}$  meas. 7=13830

Kr', on passage through gas targets 7=13838 N', vacuum u.v. continuum meas. 7=6545 NO+-e with dissociation, obs. 7=6814

Ne+, charge-transfer collisions, small-angle scatt.

meas. 7=13830

Ne\*, on passage through gas targets 7=13838

O\*, electron photodetachment calc. 7=10629

O\*\_2-N\*\_2 mixtures, meas. of coeffs. 7=17018  $SF_6$  gas, in arc-quenching reactions 7=4175 Si, at Cu-O complexes 7=14805

scattering

charge-transfer collisions, small-angle scatt. meas. 7=13830

heavy, anomalous ang. distrib. 7=7619 heavy ions, elastic scatt. 7=17016 inert gases, by Cu crystal faces 7=4733

ion-atom inelastic collisions, cross-section 7=13696

and leak detector sensitivity 7=6995 in metals residual resistivity 7=11422 p charge exchange with atoms calc. 7=6797 p-H resonances calc. 7=6806

reflection from dense media at glancing angles 7=3057 Ar\* on Ne, charge exchange, 0.06-10 eV 7=6816 H-, collisional detachment, by classical impulse

approx. 7=13833H in N<sub>2</sub>, CO<sub>2</sub>, with e, 2e loss, 200-500 keV 7=17027H on O<sub>2</sub>, charge transfer differential cross. obs. 7=10621H on O<sub>2</sub>, the constant of the const

He' on He, charge transfer differential cross. obs. 7=10621 Net on Ar, charge exchange, 0.06-10 eV 7=6816

Ne'-Ne collisions coincidence obs. 7=10628 O' on  $N_2$ , charge exchange, 0.06-10 eV 7=6816 O' on  $O_2$ , charge exchange, 0.06-10 eV 7=6816 Ions, electrolytic

See also Conductivity, electrical/liquids, electrolytic; Dissociation/electrolytic.

hydration of cations, n. m. r. determ. 7=10798-9 nonaqueous liquid membranes, transport through by ionic amphipathic molecules 7=5336

paramagnetic ions, dilute solns., proton mag. relax. 7=7119 pentacene anions and cations, anomalous e.s.r. 7=10552-3

tetrafluoroborate anion, B-F spin-spin coupling 7=1174 viscosity, strong electrolytes, theory 7=15436

Ca(OH)<sub>2</sub>-H<sub>3</sub>PO<sub>4</sub>-H<sub>2</sub>O system at 37.5°C 7=17252 Fe(CN<sub>5</sub>NO<sup>3</sup>·, e. s. r. 7=6723 Fe(CN)<sub>5</sub>NOH<sup>2</sup>·, e. s. r. 7=6723 Ga<sup>3\*</sup>, hydration no. determ. 7=10800

 $\rm Ga^{3^{\circ}}, hydration no. determ. ~7=10800 $$ HF_2$ in soln., n.m.r. chem. shift ~7=17293 $$ H_2O-CaCl_2-MgCl_2$ soln., activity coeffs. ~7=7036 $$ H_2O-NaCl-CaCl_2$ soln., and activity coeff. ~7=7037 $$ NH_4$ in aq. solns., l.r. spectra ~7=10847 $$ NO_3$ in aq. Ca(NO_3)_2$ solns. ~7=10843 $$ NaCl, hydration number determ. by n. m. r. ~7=7121 $$ ReO_4$ , exchange of O with $H_2O$ ~7=15437 $$ Zn^2$ and $NO_3$ in $H_2O$, pairing ~7=7085 $$ rs. See Lasers.$ 

Irasers. See Lasers.

Iridium

with alkaline-earth metal film, adsorption and electron emission 7 = 5107

electron and ion emission in Li vapour obs., rel. to adsorption 7=8063

films with adsorbed CO i.r. spectra 7=17406

function 7=11615n-irrad., types of vacancy clusters formed 7=14542sorption of  $N_2$  7=1285

Iridium compounds

Ir-La alloys, electron emission props. 7=15091 Ir-Th alloys, electron emission props. 7=15090

antiferromagnetism of the f. c. c. lattice 7=8251

```
SUBJECTINDEX
Iron-contd
              armco, effect of deformation of subzero temps. on
                      recrystallisation 7=17435
               atoms, in Pd, hyperfine field, spin degeneracy of
              giant moment 7=5209
brittle fracture, effect of 5-10% Co additive 7=14732
               coercive field strength, temp. and deform.
              depend. 7=8168 containing C or N, cold-work peak and grain boundary segregation 7=14736 creep, "linear" limit temp. dependence, single crystals,
              sintered and cast 7=4773 cross-slip, effect of interstitials 7=1722 Curie point shift, up to 60 kb 7=5154 crystal lattice parameter of \alpha-Fe divergent beam X-ray diffr. obs. 7=7423
               defects of cryst. struct. effect on magnetisation processes 7=8201
               deformation, plastic, tensile, intrinsic lattice deformations 7=1721 deformation, slip = twinning change, in \alpha-Fe, -185° to 20°C 7=11286
                deformation twin kinked at 120° obs. in \alpha-Fe 7=14731
                density in thin films, rel. to vacuum conditions 7=14719
                diffusion of Cu, rel. to mag. transition obs. 7=1512
                diffusion of \rm H_2-H_2O in porous Fe from reduction of \rm Fe_2O_3, 800°, 900°, 1000°C 7=15424 diffusion of Mo 7=4872
                diffusion, self, in \alpha and \delta, and of Co 7=1511
                dislocations, Burgess vectors, deformed samples 7=4705
                domain wall interactions with defects, by electron micro. 7=11650
                doped, point defects prod. by n-irrad. 7=1539
                ductile deformation, particle size effects obs. in poly-
crystalline Fe 7=17468
e*annihilation spectra obs., annealed and plastically
deformed 7=1817
                edge dislocation struct and Peierls barrier computer calc. 7=7580
                effect of content on annealing of cold rolled Cu-Si
alloy 7=17702
                electrical cond. of films, adsorption of \rm O_2 and \rm H_2O effects obs. 7=14886
                electrotransport of C and N 7=4670
                epitaxial films 7=14330
                 ferromagnetic, band structure, self-consistent
procedure 7=4857
                  Ferrovac, twinning deformation at 4.2°K 7=11287
                films, amorphous, prep. by low temp. condensation electron diffraction 7=14346 films condensed at 4 2°K, amorphous state obs. 7=14276 films, condensed, structure rel. to mag. props. obs. 7=7280
                films, ferromagnetic resonance 7=5189
                 films, ferromagnetic and spin-wave resonance 7=15205
                 films mounting without substrates by edges 7=17380 films, vacuum deposited, mechanical props. 7=4778
                 fracture cleavage of \alpha-Fe under tension with torsion,
                          10°K 7=4776
                  y-ray field distribution for soft radiation 7=9861
                 grain boundaries, field-ion microscope study 7=14345
Hall effect in films obs. 7=11435
high press.obs.of reflectivity and vol. 7=18485
                 hyperfine field on W or Nd recoiled into lattice 7=8167
hyperfine field at Xe<sup>133</sup> nuclei 7=15143
impact screw twin head velo., -196° to +123°C 7=14727
                 impurity atoms in Cu, mean square displacement 7=1570 internal field at Ag<sup>100m</sup>, from γ anisotropy of oriented nuclei at 0.014 K 7=4438 interstitial loops on {111} or {100} plane, nucleation 7=14547
                 ion, Fe XIV-XVI, wave functions and oscill. strengths with config. mixing 7=10410 ion, Fe<sup>2+</sup>, e.s.r. in MgO, phonon generation obs. 7=4623 ionization of particles in air at meteoric velos. obs.7=8081 ions, Fe<sup>3+</sup>, in TiO<sub>2</sub>, for 8mm maser 7=3113 lattice parameters of heap and heap of the parameters of heap of the pa
                  lattice parameters of h. c. p. and b. c. c. phases to
                          300 kbar 7=17503
                  lattice parameters and solubility limits of \alpha-Fe, effect of binary transition element additions 7=17504 mag, field effect on sp. ht. 7=7496
                  magnetic domains boundary thickness, magneto-optical
                          obs. 7=8198
                 magnetic domains, ferromag. resonance and growth of single crystal platelets 7=8170 magnetic domains in whiskers with (111) axes obs. 7=8169 magnetic field at Pb nuclei, \gamma - \gamma ang. correl. Larmor precession obs. 7=11648 magnetic films domain wall motion and after effect,
                  +20° to -175°C 7=8165
magnetic props of single crystals 7=15139
                  magnetic relax in powders 0.005-2 c/s, 297^{\circ}-4.2^{\circ}K 7=8183 magnetic susceptibility from critical n scatt. 7=5153 magnetism of \alpha-Fe, precipitation and dislocation struct.
```

magnetization, temp. variation, band model calc. 7=5152

```
Iron-contd
          magnetostriction anisotropy volume and temp.
               var. obs. 7=11649
          magnetostriction, small, constants 7=18116 magnets for nuclear research 7=5951
          Matteucci effect in wires 7=7857
          meteorites with low cosmic ray exposures 7=15785
          Mössbauer absorption lines, dispersion phenomena 7=8390
          Mössbauer effect of Fe<sup>57</sup> obs. 7=14176
          Mössbauer effect of Fe<sup>57</sup> in \rm V_2O_3, 4. 2°-300°K, antiferromag. order \rm <\sim 140°K 7=15199
          Mössbauer effect in K<sub>4</sub>Fe(CN)<sub>6</sub> 7=1216
          Mössbauer effect in K_4Fe(CN)_6 '[=1216] Mössbauer effect in Sr_5Fe_2O_{5-7} system 7=1219 for Mössbauer spectrometer calibration, Fe^{57} enriched 7=4440 \mu-mesic atoms, \mu depolarization obs. with cosmic ray \mu 7=13406 n.m.r. of polarized Co^{60} nuclei 7=5205
          neutron attenuation meas, in Fe-water shield configs. 7=16628
          for neutron attenuation in nuclear reactor 7=13088 neutron differential albedo meas, on finite slabs 7=16633 neutron dose meas. 7=9990 no yield point, quenched from \alpha-range 7=14733
           permeability, complex, eddy-current-limited 7=5141
Petch relationship in zone-refined Fe, H charging
effect obs. 7=11285
          enect obs. 7=11285 phase transformation, \alpha \not \in \gamma, up to 60 kb 7=5154 phonon dispersion rels., inelastic n scatt. obs. 7=17546 photoelectric emission of K shell two electrons, 0.3-1.3 MeV calc. 7=6574
           plastic deformation recovery above room temp. mag. coercive field obs. 7=11284
           plastic deformation rel. to response to n radiation 7=17646
           plastic flow rel. to imperfections obs. 7=4777
           point defects energy and migration, computer calc. 7=1538
           polycryst., at -196°C, dislocations and shear stress obs.
                rel.to brittle fracture in alloys 7=7659
           powder of single-domain particles, effective
susceptibility 7=15142
           precipitation, nitridic, direct obs. of associated
                stress 7=4779
           precipitation and re-solution of C 7=1228
          in quartz, ions causing green and brown colours in synthetic crystals 7=1642
           radiation defect clusters, form. during post-irrad.
                heating 7=14503
           radiation hardening, effect of interstitial impuri-
                ties 7=1719
           recrystallisation kinetics, C effect obs. 7=4513
          recrystallisation kinetics, C effect obs. 7-4513 residual resistance ratio of pure Fe calc. from magnetoresistance with var. impurities 7=1833 rods, propag. of high freq. ultrasonic pulses 7=4637 role in oxidation of MoSi<sub>2</sub> 7=15426 spin-wave spectrum.anomalv 7=8114 in stars, excitation of atomic 2°G<sub>2</sub> levels in M stars 7=15676
                stars 7=15676
           strain ageing, stress effects 7=1720
           strain rate sensitivity of single crysts., effect of
                C 7=7701-2
           surface-Ar or {\rm CO_2} molecular beam collision, energy transfer and adsorption time 7{=}17401 texturing under fatigue, X-ray diffr. meas. 7{=}7700
            thermoelectric power, magnon drag effect obs. 7=18060
           thin film, change in coercive force when detached from substrate 7=18115
            3d-band, unoccupied part, struct., K-absorpt. 7=14832
           u. s. attenuations rel. to interact, of elastic and spin waves 7 = 15153
            work hardening slip electron microscope obs. 7=11283
            X-ray K-fluorescence yield from Co<sup>57</sup> orbital e
                capture 7=16750
           capture 7=16750

X-ray L-emission in Al-Fe, alloying effect obs. 7=18212
yield stress, effects of orientation and C 7=1718
yield by twinning, high press. var. obs. 7=7703
yielding, effect of pre-yield relaxation 7=11282
yielding mechanisms obs. under pressure 7=17703
C atoms clustering calc. in \( \alpha \)-Fe 7=14554
in Cu-Ni alloys, spectral determ. by conditional integral
graphs 7=8593
\( \alpha \)-Fe deformation and the interact of H stoms with
             \alpha-Fe, deformation and the interact. of H atoms with
                 dislocations 7=14586
            \alpha -Fe, diffusion of N and C,Snoek peaks \, 7=11141 \alpha\text{-Fe} , displacement spikes \, 7=1540
            α-Fe, electrotransport of C and N 7=4669
            Fe-enriched particles in frozen suspensions, mutual effect 7=2114
             Fe-group impurities in II-VI compounds, superhyperfine
            are the structure e.p.r. obs. 7=2201 \alpha-Fe, Mössbauer effect of Fe^{57} following Coulomb excitation 7=17336 Fe, penetration by molten U, U-Fe(34, 77 at. %), 740–1300°C 7=4673
             α-Fe, platelets, ferromag. resonance 7=8266
```

γ-Fe, thermo- and electrotransport, 906-1385°C 7=11434

```
Iron-contd
```

Fe I, u. v. lines, oscillator strengths 7=6540 Fe II forbidden lines in spectra of Sun and Arcturus 7=8962 Fe(III) in aqueous HCl soln., O<sup>17</sup> and Cl<sup>38</sup> n.m.r. 7=1177 Fe VIII spectrum, 3p<sup>8</sup>3d-3p<sup>8</sup>3d4s lines classification 7=10407 Fe XII to Fe XVIII new spectra and their isoelectronic sequences 7=16908 Fe XVII spectrum calc. 7=6541

Fee's pectral absorption in ZnS, CdTe, MgAl,O<sub>4</sub> obs. 7=8391 Fe<sup>3\*</sup> in cordierite, e. s. r. 7=8286 Fe<sup>3\*</sup>, e. s. r. in Na,Al,Si,O<sub>10</sub>, 2H,O (natrolite) 7=15230

Fe<sup>3\*</sup> in MgO, magnetic cross and spin-lattice relax.

Fest, multiple-quantum transitions in MgO 7=18173

Fe3+ spin-lattice relax. in K cobalticyanide 7=8288 Fe<sup>55</sup> soft X-ray sources for research in physics, medicine and technology 7=3310

Fe<sup>57</sup> in Al, Mössbauer Zeeman spectrum temp. var. obs. 7=7174

57Fe3\* in crystal fields, covalency rel. to h. f. s., theory 7=10908

 $\mathrm{Fe^{57}}$  Mössbauer chemical shifts standardization using

Na nitroprusside 7=17335 Fe<sup>57</sup>, Mössbauer-effect in D5<sub>3</sub>-structure-type sesquioxides 7=7197

Fe57 Mössbauer effect in  $(Fe_xMn_{1-x})TO_3$  (T=rare earth or Y, 0 < x < 1) obs. 7 = 14182

Fe<sup>57</sup>, Mössbauer effect, in MnAu<sub>2</sub> 7=11671

Fe<sup>57</sup>, Mössbauer effect in nickel hydride 7=14183 Fe<sup>57</sup> Mössbauer h.f.s. in Fe<sub>x</sub>Zn<sub>1-x</sub>F<sub>2</sub> rel. to Néel temp. 7=8356

Fe<sup>57</sup> Mössbauer isomer shift standardization using Na nitroprusside 7=17334

Fe<sup>57</sup> Mössbauer spectra in ferrichrome A, paramag. h.f.s. and relaxation, 0.98°-300°K 7=7198

Fe-3%Si, polycryst., nucleation of mechanical twins 7=10995
Fe-SiO<sub>2</sub>-Ni films, coupled walls electron microscope

exam. 7=2117

Fe<sup>57</sup> in SrTiO<sub>3</sub>, Mössbauer effect of Fe clusters 7=17473 H partial molal vol. from stress effects on permeability obs. in  $\alpha$ Fe 7=4449 in Hg-In(13%) superconductor as dispersion, hysteresis obs. 7=1876

with Mn impurity, virtual magnon state obs. by n scatt. 7=11647

O permeability, solubility and diffusivity in b.c.c. Fe 7=4672

# Iron alloys

See also Iron compounds; Steel. Alcomax alloys, spoiling characts. 7=2118

Armco, impedance hysteresis var.under stress 7=8164 conductivities, thermal, with high lattice components 7=1497

dendrite struct, and grain size of undercooled melts obs. 7=11032

dilute, ordered structure 7=14222 dislocations, Burgers vectors, deformed samples 7=4705 effective magnetic field at impurity nuclei 7=15140 electrotransport of C and N 7=4670

ferro-nickel, first magnetization curve rel. to tension var. and biaxial mag. anisotropy.cold-rolled 7=8176 ferroxdure magnets used in flat motors 7=3016

graphite crystal growth, scanning electron micr. 7=14344

high-purity, recrystallization 7=17434

Invar, alloys, coercive force, conc, depend. 7-8179 liquid, multicomponent, solubility of  $N_2$ , mutual interaction effects obs. 7=10812

magnetostriction anisotropy volume and temp.

var.obs. 7=11649

martensite strength source 7=17712

nuclear orientation 7=7192

pearlite, shock-loaded deformation twinning 7=10993 permalloy film, change in coercive force when detached from substrate 7=18115 Permalloy film, oblique-incidence anisotropy, temp. dependence 7=2136

Permalloy, magnetostriction free, neg. oblique-incidence anisotropy 7=2137

with rare earths, mag, props. obs. 7-8100 solid-solution type, fracture 7-14723 specific heat of dilute alloys conc.var., low temp.

obs. 7=7498

strengthening, substructural, under high plastic strain obs. 7=4780 Ticonal X, controlled solidification 7=1194

transformer sheets mag. reversal losses 7=5813 (225), austenite-martensite transform., 'composite' martensite model 7=1241 Vicalloy I, mag. hardness 7=2115

Vicalloy types Koerflex 300, 200 and 30 7=7361 C activity, substitutional solutes effects 7=4447

V-Fe alloy, deformation twins 7=1628
Fe with 3wt. % Si, secondary recryst textures, effect of cold working 7=7324

Iron alloys-contd

Fe-transition metal (series III), Mössbauer effect meas. 7=10911

Fe, Al alloys, rot. hysteresis and induced anisotropy

for struct, investigations 7=8171
Fe-Al e\* annihilation spectra obs., annealed and plastically deformed 7=1817

Fe-Al hysteresis loop anisotropy prod. by mag.

annealing 7=8172

FeAl, L2, ordering reaction, magnetization effect 7=4469

Fe-Al, lattice parameter rel. to ageing and Al content

Fe-Al solid solution, ordering antiphase domain size rel.to Al content and heat treatment 7=7229
Fe-Al, spin-wave stiffness and electronic structure 7=2116

Fe-Al-N recrystallization on cold rolling, textures, 500-700°C 7=4514

500-70°C 7=4514

Fe<sub>2</sub>As, antiferromag, structure 7=11668

Fe<sub>2</sub>As, magnetic anisotropy in c-plane 7=15196

Fe<sub>2</sub>B(2-10°k Mn) conduction electron polarization with interstitials 7=11390

Fe-Be(27at. %), decomposition processes survey 7=14223

Fe-0.2 %C, effect of Ca on mechanical properties 7=1724

Fe-C, energy at α, γ-interface 7=10977

Fe-0.08 wt. %C, interaction of dislocations and precipitates 7=14587

Fe-C, interstitial solid solus. Mösshauer effect 7=10924

Fe-C, interstitial solid solns., Mössbauer effect 7=10924

Fe-C, metastable h. c. p. phase 7=14224 Fe-C, solid-soln. strengthening 7=14737

Fe-C-V, C activity at 1000°C, V effect 7=4447 FeCo(3%V) conduction electron polarization with

interstitials 7=11390 Fe-Co, electrical resist, and Hall effect temp.

depend. 7=11436 FeCo, Hall effect meas, isotherms, up to 6000e, 1000°C 7=7858

Fe-Co, hysteresis of particles calc. 7=15145

Fe-Co. magnetic properties and hardness 7=8174 FeCo, mag. props. rel. to temps. obs. 7=15144

Fe-Co. powder of single-domain particles, effective susceptibility 7=15142

FeCo-V, cold worked, grain growth and recrystallization on annealing obs. 7=11033

Fe-Cr, antiferromag.-sinusoidal spin transition, first-order 7=11670 Fe-24at. & Cr, embrittlement, annealed at 475°C 7=14734

Fe-Cr, fluorescent X-ray intensity in spectrochem. anal. 7=2492

Fe-Cr(0.75-25.1 at.%), Hall coeffs, and transverse magnetoresistance, boiling He to room temp. 7=7859
Fe-Cr sigma phase ferromag.obs. 7=8175
Fe-Cr-C, "225" austenite-martensite transition, theory

and expt. 7=4467

Fe-Cr-Ni, shear modulus rel. to mag. transforms and plastic strain 7=7706

FeCu, hyperfine fields at Cu and Fe nuclei, temp. depend. 7=4433

Fe-Ga phase equilibrium diagram below 1000°C obs. 7=4470

Fe-Ga, spin-wave stiffness and electronic structure 7=2116

FeGe, antiferromagnetic lines in neutron diffr. 7=8253 Fe-Mn, hyperfine field spectra from n.m.r. 7=4434

Fe-Mn, hyperfine field spectra from n.m.r. 7=4434 Fe-Mn (29,19%) internal friction, plastic deformation and  $\gamma=\epsilon$  transform. effects obs. 7=17704

Fe-Mn, Néel temp., hydrostatic pressure effect 7=8254

Fe-Mn, Neer temp., hydrostatic pressure effect 7-8254 Fe-Mn, plastic flow, dislocation mechanisms 7=11288 (Fe, Mn)<sub>5</sub>C crystal atomic struct. obs. 7=4583 Fe-Mn-S, thermochemical S potential diagrams 7=18323 FeMo, diffusion of Mo 7=4671

Fe-11 at. % Mo solid soln. plastic deformation 7=11289

Fe-Mo system, equilibrium diagram 7=17363 Fe-Mo-C, in situ transformation of Fe<sub>3</sub>C to Mo<sub>2</sub>C 7=7230

Fe-N, interstitial solid solns. Mössbauer effect 7=10924
Fe-N-Cr:C Snoek peaks obs. 7=14729
Fe-N-Mn:C Snoek peaks obs. 7=14729
Fe-Ni, ~~\gamma\_\text{transformation}, effect of magnetic field 7=7232

Fe-Ni, diffusion rel. to vacancies retained by quenching, 70-110°C 7=1514 Fe-Ni, effective charge of ions on 1000-1400°C

obs. 7=1758

Fe-Ni evaporated films, mag. perp. anisotropy 7=8178 Fe-Ni(30 wt.%), ferromag. -paramag, transition prod. by shock compression obs. 7=18117
Fe-Ni, ferromag, and spin-wave resonance obs. in films 7=18155

Fe-Ni films, ferromagnetic and spin-wave resonance 7=15205 Fe-Ni, films, magnetic props. 7=2133

Fe-Ni (39%) internal friction, plastic deformation

effect obs. 7=17704

Fe-Ni, mag. anisotropy due to cooling through  $\gamma-\alpha$  transition 7=8177 Fe-Ni magnetic props. of single crystals 7=15139

Iron compounds-contd

S 182 SUBJECT INDEX Iron alloys-contd Fe-32.5% Ni, martensite to austenite reverse transform. 7=14221 Fe-Ni, martensite transformation, accommodation faulting 7=7601 Fe-Ni, order increase by vacancies 7=7543 Fe-Ni, ordering rel. to mag. props. obs. 7=7231 Fe-Ni (33 wt.%) martensite, replica etching obs. in electron microscope 7=4544 Fe-Ni single crystal,  $\gamma$ - $\alpha$  transformation obs. 7=14225 Fe-Ni solid-soln. strengthening 7=14737 Fe-(7at.%Ni + 3.1at.%Al), ageing rel. to annealing and plastic deformation obs. 7=4471 Fe-Ni-Cr martensites, strength and flow props. 7=7705 Fe-Ni-Cr, martensitic isothermal transformation 7=1237 Fe-Ni-Cr-Ti-Al-Mo-W-B, structure 7=7422 Fe-Ni-P system rel.to meteorites 7=5607 FeNi-SiO<sub>2</sub>-FeNiCo repeated layers mag, interaction and microwave transmission 7=15146 Fe-Pd dilute, Hall effect, two-band model of temp. var. 7=17876
FePd, Fe hyperfine field, spin degeneracy of giant moment 7=5209 FePd, a hyperfine mag. field, temp. and conc. depend. 7=4436

Fe<sub>3</sub>Pt, Hall spontaneous effect temp. var. rel. to mag. transition 7=1834 FeRh, magnetic properties 7=5155 FeRh, magnetic properties in strong mag. fields 7=15151 Fe-Si, containing C, Jordan after-effect 7=5157 Fe-Si(3%) creep, dislocation dynamics model 7=7704 Fe-Si cubic texture sheets mag. props. and appl. 7=8186Fe-3' Gild islocation structure rel. to coercive force 7=5156
Fe-3'(3.5') dislocations, X-ray topographic obs. 7=1525
Fe-3''85i, domain struct.form. 7=8188
Fe-3.1 to 5.1''85i, ductility and strength 7=17706 Fe-Si(3%), grain growth rate during secondary recrystallisation rel. to grain size 7=17436 Fe-Si(3%), grain-oriented, Barkhausen noise power spectrum 7=8190 Fe-4wt%Si, internal friction and Zener-damping peak 7=17711 Fe-Si magnetic domains, X-ray diffr. obs.using magnetostriction 7=8189 Fe-Si, mag. field effect on sp. ht. 7=7496 Fe -Si magnetic props. and devel opment, Goss-textured strip and non-textured 7=8185
Fe-3%Si, magnetic props., elastic tensile strain effects 7=8192 Fe-Si magnetism, surface 180°-Bloch walls thickness upper limit obs. 7=8187 Fe-Si paramag.behaviour, from Curie point to 1900°C 7=8109

Fe-Si, 3.34 wt.-%Si, phys. props. at high temp. 7=8110

Fe-Si(4.4 wt.%), saturation magnetostriction meas. 7=8191 Fe-Si(3%) single crystals, fracture with microcracks 7=4783
Fe-Si(3%), slip in isoaxial bicrystals obs. 7=14730
Fe-Si surface, effect of defects on magnetization process 7=11651 Fe-Si transformer cores losses 7=5814 FeSn antiferromagnetism, Mössbauer obs. 7=8355 Fe<sub>3</sub>Sn ferromagnetism, Mössbauer obs. 7=8355 Fe-Ti spinels, mag. props. mechanism with Fe<sup>2\*</sup> in octa- and tetrahedral sites 7=8235 Fe-V, hyperfine field spectra from n.m.r. 7=4434 Fe-V, hyperfine field spectra from n.m.r. 7=4434
Fe-V sigma phase ferromag, obs. 7=8175
Fe-V, specific heat meas., 125-625 K 7=14464
Fe-V(0.49-5.15 wt.%)-C(40-240 p.p.m.), additional Snoek peak due to C obs. 7=14718
Fe-V-N, anomalous Snoek peak, substitutional-interstitial interaction 7=11291
Si(3.2%)-Fe, dislocations formed by deformation 7=14596
3% Si-Fe, polycrystalline, propag. of cracks through grain boundaries 7=11292 Iron compounds

See also Ferrites; Iron alloys; Steel.

Beraunite, (hydrated iron phosphate), cryst. struct. 7=14384 ferric hemin, Mössbauer spectra 7=14181 ferro- and ferricyanide supercomplexes, Mössbauer effect 7=17337 ferrosoferric oxide colloid polarized light scatt. for magnetic multipole field centre location 7=9345 ferroxplanas magnetostriction obs. 7=11660 hematite, antiferromag. to weak ferromag. transition 7=5179 hematite, natural, n. m. r. of Fe<sup>57</sup> 7=8329 martensites, twinning rel. to temperatures 7=7306-7 oxide colloid over magnetic film with stripe domains, for diffraction display or memory 7=9360 Perminvar ferrites, hysteresis shape var., domain wall motion model 7=8238

Fe(III) complexes, <sup>6</sup>A<sub>1</sub>-<sup>2</sup>T<sub>2</sub> crossover, mag. moment, theory of temp.depend. 7=10493

Fe(III)-oxide-hydrate, ultra-fine particle, superparamag., fe(III)-oxide-nydrate, ultra-line particle, superparame down to 30°K 7=15195

Fe oxide + MgF<sub>2</sub> + ZnS films achromatic beam splitters 7=9608

Fe oxides-Zapon insulating seal paint for high press. elec.leads 7=2748 Fe3+, in polynuclear complexes, Mössbauer study 7=11678 Fe-Br boracite, new transition temp. from Mössbauer and optical meas. 7=17361 Fe-1.85 at. %C, clustering of C during ageing, Mössbauer study 7=4468  $\alpha$ -Fe-C magnetic relaxation 7=8173 Fe-C martensite, tempering, Mössbauer study 7=17360 Fe<sub>3</sub>C, electronic exchange and Mössbauer effect 7=14180 Fe<sub>5</sub>C<sub>2</sub>, electronic exchange and Mössbauer effect 7=14180 Fe<sub>3</sub>C<sub>1-x</sub>B<sub>x</sub>, electronic exchange and Mössbauer effect 7=14180 Fe(CN)<sub>5</sub>NO<sup>3-</sup>, e.s.r. 7=6723 Fe(CN)<sub>5</sub>NOH<sup>2-</sup>, e.s.r. 7=6723 FeCO3 optical consts.in i.r. obs.from reflectivity with and without coatings 7=15289  $Fe_3(CO)_{12}$  molecule icosahedral shape 7=6660  $Fe_3(CO)_{12}$ -CCl<sub>4</sub> inclusion compound formation 7=6660Fe-Cl boracite, new transition temp. from Mössbauer and optical meas. 7=17361 FeCL antiferromag. susceptibilities rel. to temp., 300-2°K 7=8252 FeCl<sub>3</sub>, antiferromagnetic, Mössbauer study 7=11669 Fe(ClO<sub>4</sub>)<sub>2</sub>.6H<sub>2</sub>O, elec. quadrupole splitting, temp. depend. 7=5219 FeCuO<sub>2</sub>, pure 7=14322 Fe-F ferrite, e.m. signals non-stationary retarded re-emission during parametric regeneration 7=9472 FeF<sub>2</sub>, for i.r. harmonic generation 7=5905 FeF<sub>2</sub>, Raman spectra 7=18270 FeF<sub>2</sub> spectrum, far i. r. line, two-magnon absorption theory 7=2299-300 αFe-FeAl<sub>2</sub>O<sub>4</sub> mixed crystal in activated ammonia catalysts 7=7421 Fe<sub>1.15</sub>Ga<sub>0.65</sub>O<sub>3</sub>, structure, mag. props. 7=7424 Fe<sub>3-x</sub>Ga<sub>x</sub>O<sub>4</sub>, magn. structure, neutron diffr. exam. 7=11661 Fe-I boracite, new transition temp. from Mössbauer and optical meas. 7=17361 Fel<sub>2</sub>, Mössbauer effect of Fe<sup>57</sup> and internal mag. field 7=4442 Fe<sup>2</sup>::MgO, acoustic paramag. resonance, saturation effects 7=18175 (Fe\_xMn\_1\_x)TO\_3 (T=rare earth or Y, 0  $\leq$  x  $_{\leq}$  1), Mössbauer obs. 7=14182 obs. 7=14182 FeO,i.r.absorption spectra obs. 7=11785 FeO, magnetostriction, single-ion contrib, from e.p.r. 7=15164  ${\rm Fe_{1-2}\tilde{O}}$  (wustite) reduction kinetics near equilibrium in  ${\rm H_2+H_2O,model}$  test 7=11935 FeO.-CaO slag melts, elec. conductivity 7=14119 FeOF, antiferromag. struct. 7=2161 Fe(OH)<sub>2</sub> on Mars, as coloring agent 7=8937 FeO-MgO and FeO-MnO, i. r. absorption spectra 7 = 11785FeO<sub>x</sub>-P<sub>2</sub>O<sub>5</sub> (45 mole%) glasses, dielec. props. temp. and freq. var. obs. 7=8005 FeO<sub>3</sub>, Mössbauer effect of Fe<sup>57</sup> following Coulomb excitation 7=17336  $\rm Fe_2O_3,$  adsorpt. of  $\rm H_2O$  vapour 7=17402  $\rm \alpha\text{-}Fe_2O_3,$  antiferromag., Mössbauer effect 7=1217  $\alpha\operatorname{-Fe_2O_3}$  crystal growth fluxes 7=7325 α-Fe<sub>2</sub>O<sub>3</sub>, ferromag. domain struct. 7=18119  $\alpha\text{-Fe}_2\mathrm{O}_3$  magnetic interactions, obs. by neutron scattering by spin waves 7=18147 $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>, magnetic transition, low-temperature, pressure

 $\alpha\text{-Fe}_2\text{O}_3$ , magnetic transition, low-temperature, pressure dependence 7=2120  $\alpha$  Fe\_2O\_3, magnetoelastic anisotropy field, in-plane 7=2119 Fe\_2O\_3 in Na\_2O-SiO\_2-Fe\_2O\_3 melts, interdiffusion with SiO\_2 7=10826  $\gamma\text{-Fe}_2\text{O}_2$  particles dispersion in lacquer on plastic film, orientation prod. by mag. field 7=15150  $\alpha\text{-Fe}_2\text{O}_3$  piezomagnetic effect obs. 7=8181  $\rm Fe_2O_3$  reduction to porous Fe rel.to diffusion of  $\rm H_2-H_2O$  ,  $800^\circ, 900^\circ, 1000^\circ C$   $7{=}15424$  $\alpha\text{-Fe}_2\text{O}_3$ , spin flop near Morin transition, mag.field depend. 7=15148 Fe<sub>2</sub>O<sub>3</sub>. CaO ferrite, mag. props. obs. 7=15174

Fe<sub>2</sub>O<sub>3</sub>. CaO, Mössbauer effect and neutron diffraction study 7=8233

Fe<sub>2</sub>O<sub>3</sub>, nH<sub>2</sub>O, magnetic transformations, temp. dependent 7=2121 Fe<sub>2</sub>O<sub>3</sub>, nH<sub>2</sub>O, thermally induced transformation rel. to types

of remanent magnetization 7=18400 Fe<sub>3</sub>O<sub>4</sub>, Fe<sup>2\*</sup>/Fe<sup>3\*</sup> distrib., correl. formation theory 7=7234 Fe<sub>3</sub>O<sub>4</sub>, magnetic properties, calc. 7=2149

#### Iron compounds-contd

 $Fe_3O_4$  magnetic relax in powders 0.005-2 c/s, 297-4.2 K 7=8183

Fe<sub>3</sub>O<sub>4</sub>, magneto-crystalline anisotropy, effect of O stoichiometry 7=8180

 $Fe_{\tau}O_4$  , magnon scatt. of polarized neutrons  $~7{=}18120$   $Fe_3O_4$  , spontaneous magnetization at  $10{-}31^{\circ}K$   $~7{=}8182$ Fe<sub>3</sub>O<sub>4</sub>-B<sub>2</sub>O<sub>3</sub> magnetic films, deposition, structure and spectra obs. 7=8234

FeS, electric quadrupole interact. at Fe57 site 7=18148 FeS magnetic α-transition temp. to 11 kbar 7=8257 FeS<sub>2</sub> (pyrites), induced polarization, transient processes 7=2466

Fe7S8, magnetic resonance var. with orientation and

temp. at 9000 Mc/s 7=8267 FeSO<sub>4</sub>. 7H<sub>2</sub>O dosimeter calibration by ionometric and calorimetric methods 7=16366

 $\rm Fe_2SiO_4,$  antiferromagn. props. at low temp. 7=11673  $\rm FeV_2O_4,$  Mössbauer spectra,  $\rm Fe^{**}$  properties,  $5.5^{\circ}K$  7=10925 FeV<sub>2</sub>O<sub>4</sub> spinel crystallographic and mag. transitions, by Mössbauer effect obs. 7=7235

 $\rm FeV_2O_4-Fe_3O_4$  solid solutions, thermodynamic props. 7=1468  $\rm Fe_2Zn_{1-x}F_2$  Néel temp.,  $\rm Fe^{s7}$  Mössbauer h.f.s.obs. 7=8256 W ferroxplanas magnetostriction obs. 7=11660 Y-Fe<sub>2</sub>O<sub>3</sub>, hyperfine mag. field, at ferric ions, Mössbauer data 7=4435

Irradiation effects. See Biological effects of radiations; Chemical effects of radiations; Physical effects of radiations.

Ising lattice. See Statistical mechanics. Ising model. See Alloys; Ferromagnetism. Isomerism

See also Nuclear isomerism. allene 7=898

2-butene, photosensitized isomerization 7=15445 butene-2 isomerization, catalysis by mag.field 7=2469

ethane, 1, 2-disubstituted, rotational isomerism 7=13762 isomeric relax., molec. relax. parameters 7=11925 isomerization of restricted rotor 7=2425

nucleosides and nucleotides, tantomerism and luminesc. 7=2411

luminesc. 7=2411
purines, tantomerism and luminesc. 7=2411
pyrimidines, tantomerism and luminesc. 7=2411
stilbene solns., X- and y-ray induced isomerization 7=8583
2-olefins, cis-trans, photo- and radiation induced 7=2475
Eu cpds, isomer shifts rel. to mag. transit. temp. and
covalency 7=15137

Isomerization. See Isomerism.

#### Isotope effects

atomic spectra, shifts in medium-heavy elements rel. to nuclear charge distrib. 7=6520 chemical reactions, absence in absence of force const.

changes 7=2433

on chemical shifts in n.m.r. 7=16133 diffusion in solids jump freqs. 7=7512

on ferroelectrics, theory based on F-modes of lattice vibration 7=18046 ice,  $\gamma$ -irrad. 7=8577

large molecules, theoretical calc. 7=6759 methane, dissoc. attachment of electrons 7=17035 methane, nuclear spin relax. 7=4119

methane, thermal-diffusion column transport coeffs. 7=13998

methyl iodide reaction with CN, kinetics calc. 7=8534 methyl iodide reaction with OH, kinetic calc. 7=8544 molecular radiationless transitions 7=10530

oxalic acid dihydrate, effect of D substitution on bond lengths 7=7457

quasiclassical calc. of shift 7=6296 shifts, and nuclear charge distrib. 7=10377 Ar, solid, diff. in 0°K vol. and sublimation energies 7=7162  $C_3H_8$  and  $C_3D_8$ , metastable transitions 7=6824

C<sub>3</sub>th<sub>3</sub> and C<sub>3</sub>t<sub>3</sub>, inetastable transitions (=6524) Cr diffusion in Ni obs., criticism 7=17586 Cs<sup>133</sup>, Cs<sup>135</sup> and C<sup>137</sup>, isotope shift in reson lines of arc spectrum 7=13679 Cu atomic spectrum specific isotope displacements calc. 7=6546

 $\rm H_2$  and  $\rm D_2$  diffusion and solubility in Ni  $~7{=}17587$   $\rm H_2,$  sorption on Pt-Pd alloy  $~7{=}14295$   $\rm H_2,$  thermal diffusion in binary mixtures of isotopes  $~7{=}6979$ Hg 2537Å component profile perturbation by collisions obs. 7=13701

HNF<sub>2</sub>, deuterium isotope effect in 4000 Å-5000 Å band system, and <sup>2</sup>A'  $\leftarrow$  <sup>2</sup>Å transition of HNF radical 7=4084 KCl, molten, isotope mobilities temp. var. obs. 7=8561 Kr, thermal diffusion 7=6981

Mg atomic spectrum specific isotope displacements calc. 7=6546

Ne atomic spectrum specific isotope displacements calc. 7 = 6546Ne 6328A shift obs. by interferometer laser 7=279

Ne, solid, diff. in 0°K vol. and sublimation energies 7=7162

Ne, 3. 39  $\mu$  maser transition, isotope shift 7=10436 Ni atomic spectrum specific isotope displacements calc. 7=6546 Isotope effects-contd

O isotopic exchange with CO, CO<sub>2</sub>, N<sub>2</sub>O, O<sub>2</sub> and COCl<sub>2</sub> obs. 7=8545 Rb ions electromigration in molten RbNO<sub>3</sub> 7=7060

Rb Ions electromigration in molten RbNO<sub>3</sub> 7=7060 RbBr, molten, isotope mobilities temp. var. obs. 7=8561 RbCl, molten, isotope mobilities temp. var. obs. 7=8561 Tl<sup>107,108</sup> spectra obs. 7=4011 Yb, shifts in spectral lines 7=829 Zn<sup>65,69</sup> diffusion in Ag, 697°-952°C 7=17578 Zn diffusion in Cu, CuZn obs. 7=17582

Isotope exchanges

rate-const.ratios, temp.-independent factor 7=11927-8 Cr(III) acetylacetonate transfer annealing 7=8522 H<sub>2</sub>-D<sub>2</sub>, in glow discharge 7=6771 T atoms with H2, D2, and HD 7=11926

T with HD at high kinetic energies 7=15411

Isotope separation

See also Radiochemistry. calculation of analyser 7=3868 cascade transformation theory 7=104

electromagnetic, beam divergence with slit source and sector mag. field 7=13706 electromagnetic mass separator ion optics 7=16924 liquids, pure, thermal diffusion theory 7=7055 Ga, liquid, thermal diffusion meas. 7=7058 Hg mass-diffusion column as working fluid 7=849 K, liquid, thermal diffusion meas. 7=7058 Li<sup>6,7</sup>, polarized ion source 7=12551

Ne, Hg mass-diffusion column as working fluid 7=849 Rb, liquid, thermal diffusion meas. 7=7058 T1268,200, by e.m. mass separator 7=16924 Isotope shifts. See Isotope effects; Spectra.

Isotopes short-lived, prod. by cyclotron 7=3824 Mg, spectral method for isotopic composition 7=8590 Sb<sup>124</sup> diffusion in Ge, effect of specific radioactivity 7=14490

detection See also Mass spectra; Radioactivity, chemical analysis, review of new aspects and methods 7=5347

radioisotopes, short -lived, prod. in troposphere, cosmic ray prod., rain anal. 7=15542

#### relative abundances

See also Elements/relative abundances.  $C^{12}/C^{13}$  in sun, lower limit in photosphere rel. to  $C^{13}N$ absence in spectrum 7=12263

 ${\rm H_2O-D_2O}$ , conc. meas. by refractive index 7=14098 He, in primary cosmic rays, energy dependence 7=10053  ${\rm Li^{6.7}}$  in stars, including  $\beta$  Hydri and  $\delta$  Eri 7=15642 Mg, absolute ratios, and atomic wt. 7=16923 Sr measurement using mass spectrometer dual collector 7=15452 U, alpha spectrometry technique 7=848

Xe, cosmic-ray produced, mass yield spectrum 7=3699

Jahn-Teller effect. See Molecules. Jet stream. See Atmosphere/movements. Jets.

See also Sprays.

asymptotic axisymmetric swirling, ideal incompressible fluid 7=1098

concentration profiles, using Fizeau fringes 7=17186 conducting, in moving medium with magnetic field 7=16093 diffusion in region of flow establishment 7=13996 flow opposing a supersonic free stream 7=1071 free, hydromagnetic 7=16094

gas, air entrainment, comparison with liquid sprays 7=4320

gas, diatomic, non-equilibrium expansion through convergent-divergent nozzle 7=4284 gas, turbulent, importance of Reynold's number and geometry at origin obs. 7=17187 high-speed, formation and penetration 7=4273

m.h.d. flow, rel. distrib. 7=5837

m.h.d.half-jet, incompressible, inviscid stability 7=3066

m. h. d. half-jet, stability, boundary-layer-type theory 7=3065

noise, effect of mean velocity variations 7=1070 noise reduction in exit jet of silencer 7=134

noise reduction in exit jet of silencer 7=134 plasma, aerodynamics meas. 7=13889 plasma, meas. of velo.by induction 7=1022 and plumes, with neg. or reversing buoyancy 7=7008 submerged turbulent, interaction with solid wall 7=17175 submerged, turbulent, up to 2 × 103°K study 7=6944 supersonic liquid jets by ballistic extrusion 7=14026 surface tension effects theory 7=14025 theory of turbulent vortex jet 7=1062 turbulent wall type, momentum eqn. 7=6943 Ar plasma, mag. field effects obs. 7=17162 Hg, turbulent, growth in coaxial mag. field, velo.

obs. 7=14018

Hg, turbulent, growth in coaxial mag. field, velo. obs. 7=9421  $\rm H_2O$  flask with unequal holes calc. 7=10790  $\rm H_2O$  saturated with air into  $\rm H_2O$  , cavitation inception

Kinetic theory-contd

gases-contd

```
Jets, cosmic-ray. See Cosmic rays/showers and bursts.
Jordan-Thiry field. See Cosmology; Relativity/general.
 Josephson tunnelling effect. See Superconductivity.
 Joshi effect. See Discharges, electric/glows.
 Joule-Thomson effect
         inversion temps. and press. for cryogenic gases 7=12480
 Jupiter. See Planets.
K-capture. See Radioactivity electron capture.
 KDP. See Potassium compounds.
 Kaons. See Mesons.
 Keratin. See Proteins.
Kerr effect. See Electro-optical effects; Magneto-optical effects.
Kicksorters. See Counting circuits.
Kikuchi lines. See Electrons'scattering.
 Kinematics
         general relativity power distribution calc. 7=2832 geometry and Newtonian physics 7=69
         invariance and conservation laws in particle eqn. of
             motion 7=9048
         Lagranges eqn. with linear friction 7=9047
         motion of a body with a fixed point 7=2807
         orbit theory with ellipsoidal coords., no exact soln. 7=9051
         orbital motion, third integral in resonance case, isolating character 7=2810
         relativistic constitutive eqns. for continuum 7=9073 rigid body finite displacements 7=43 stability of motion in critical cases 7=12313 three-body problems.
         three-body problem, restricted, existence of new integral 7=2809
 Kinetic theory
         bimolecular reaction kinetics in liquids 7=15415
boundary valve problems, restricted variational princ.
methods 7=15935
         dense fluid mixtures, Rice-Allnatt model 7=13948
electron gas, to all orders in plasma parameter 7=17043
liquids, current state 7=14033
         plasma, dilute electron, relax.to equil. 7=17103
plasma, drift-wave expts., collisional effects
interpretation 7=17130
         plasma, inhomogeneous, by Prigogine-Balescu
diagram 7=13845
plasma, kinetic eqn. 7=10631
         plasma, microscopic approach 7=17039 strong shock structure 7=12413
          time correlation functions, non-Markov kinetic
              eqn. 7=15915
          viscosity, static, autocorrelation functions 7=13952
Young's calc. of molecular size and Avogadro's number
from surface tension 7=10797
              See also Association/gases; Brownian movement;
               Collision processes; Diffusion in gases; Equations of state/gases; Joule-Thomson effect; Molecules /inter-
          molecular mechanics.
baroeffect, soln. 7=1092
          Bogolyubov and Prigogine theories, equivalence 7=4288
         Boltzmann eqn. for rarefied gas derivation assumptions reduction 7=13978

Boltzmann gas, propag. of correls. 7=12388

dense gas of perfectly rough spheres 7=6975

dense gases, pair distrib. function, long-time divergences 7=17198
          diatomic molecules, vibr. relaxation in inert gas 7=13781 diffusion, rarefied 7=4302
          elementary solutions with velocity-dependent collision freq. 7=10731
          of excited atoms 7=10735
         Krook eqn. steady, boundary conditions and solns. 7=1077
          Lennard-Jones (18-6) potential test 7=6965
          linearized boundary value problem and sound propagation 7=17200
         Inearized initial value problem 7=17199
loaded spheres, quantum mech. 7=10729
Markov chain theory of free molecule flow 7=6953
          Maxwell molecules, mixtures 7=17193
         moment methods and "restricted variation" 7=15937
new approach rel. to product densities, turbulent
              flows 7=6963
          plasma, inhomogeneous, asymptotic eqn. 7=10630 plasma, nongyrotropic, eqn., collective effects 7=10643
```

plasma probe, spherical e.s. 7=13895

```
polyatomic, models for collision processes 7=17194
          quantum plasma and radiation in external mag.
               field 7=9118
         rarefied, thermal creep 7=4291
second virial coeff., metastably bound molecules
contribution 7=17202
spectral line shape 7=4057
of spinning particles, dilute 7=6962
         statistical models 7=4289
for temperature definition 7=1076
time-varying weight functions, convergence of polynomial
expansions 7=17196
          expansions 7=17196
unsteady solutions with velocity-dependent collision
freq. 7=10730
Van der Waals gas, nonequilib problem 7=17197
C + O atoms interaction effective cross section
calc. 7=843
O<sub>5</sub>, collisional detachment, temp. depend. 7=4160
liquids. See Liquids/theory.

Kink pairs. See Crystal imperfections/dislocations; Plastic
     deformation.
Kirkendall effect. See Diffusion in solids; Precipitation.
Klystrons. See Electron tubes.
Knight shift. See Nuclear magnetic resonance and relaxation.
Knudsen number. See Flow; Hydrodynamics.
Kohn effect. See Crystal electron states; Crystals/lattice
     mechanics.
Kramers-Kronig relations. See Dielectric phenomena; Optical properties of substances.
Krypton
         adsorption on pyrex glass at 77.3 to 90.2°K and 10<sup>-11</sup> to 10<sup>-5</sup> torr 7=17404 adsorption on pyrolytic graphite 7=17400 adsorption for small surface areas meas. 7=4481
          adsorption on W and Mo evap. films 7=17407 atoms excitation calc. 7=6565
          atoms, laser emission, 0.46 \mu 7=5884
          atoms multiphoton ionization by ruby laser obs. 7=10626 conductivity, thermal, 1500-5000°K 7=1083
          crystal, vacancy concn. meas., many-body force effects 7=17597
          crystalline, linear coeff. of expansion 7=1486
          crystatime, thear coeff. of expansion 7=1486 film, photoemission, relative quantum yield 7=5115 fluorescence, alpha-induced, decay times 7=13676 ion, Kr', charge-transfer collisions, small-angle scatt. meas. 7=13830
           ion, Kr*, neutralization in gas targets 7=13838 ion laser, c.w., emission-line widths 7=12625
           ion laser, internal switching of red, blue and green
               lines 7=16175
           ions prod. by shock waves, mass spectrometer obs. 7=13836
           ions, sputtering from Pyrex, by Ar+ 7=4736
          liquid, electron drift velocity at low electric field strength obs. 7=1169 negative molecular ions, existence in Faraday space 7=6766 new laser oscillations 7=16177 solid, n.m.r. local mag. field shift 7=2237
           thermal cond. of mixtures with He and Ar 7=1085 thermal diffusion, isotopic 7=6981
           water-cooled arcs, for c.w. pumping of YA1 garnet:Nd3+ 7=9528
           X-ray \tilde{L} absorption spectrum double excitations obs. 7{=}6564
           Kr I, spectra in extraphotographic i.r. 7=13682
Kr-diethyl ether mixture, interdiffusion coeff.
           Kr-D<sub>2</sub> mixture, thermal conductivity 7=6969
           Kr-He, phase separation of gases theory 7=10738
Kr-SO<sub>2</sub>, mixture, interdiffusion coeff. 7=6982
Kr<sup>88</sup>-SO<sub>2</sub>-Kr, multicomponent diffusion 7=6983
           Kr-Xe system, gaseous diffusion 7=6980
           Na-Kr system, atomic collision processes 7=4044
 Krypton compounds
KrF<sub>2</sub>, vibr. ampl., Bastiasen-Morino effect and thermodynamic props., calc. 7=10507
Kuhn-Thomas sum rule. See Molecules/electronic structure.
Kurie plots. See Beta-decay theory; Beta-ray spectra.
 Kyropoulos method. See Crystals/growth.
 LCAO calculations. See Molecules/electronic structure; Orbital
 calculation methods.

LS coupling. See Atoms; Spectra/atoms.
```

Laboratories

See also Acoustical laboratories. optical, building vibr. elimination 7=3222 teaching electrons and photons at Berkeley laboratory 7=9875 for teaching physics 7=2753 teaching, radiation protection 7=10170

Laboratory apparatus and technique aerosol generator, spinning-top with shockproof mounting 7=4400

Lanthanum compounds-contd

```
Laboratory apparatus and technique-contd
           cleaving and heating single crysts. in vac. 7=7308
           diaphragm making, mechanical method 7=18481
           dispersion mixing, air-free-apparatus 7=10875
           evaporation filament with automatic cut-off 7=14162 flow switches, glass, fail-safe 7=14013
           fusing point ohmic contacts, in inert atmosphere 7=18482
           gas flows, capillary-type regulating valves 7=4281 gate valve, mechanical, rapid opening 7=5643 gear box, binary digital 7=5642
           glass domes, production method 7=5648
           glass-tubes, close tolerance, thin walled, accurate
drawing 7=8996
instrument for testing mech. and thermomech. props.
           of fibres and films 7=11227
liquid level sensor 7=2949
magnetic acceleration of superconducting solenoid to hyper-
                velocities proposal 7=15837
           materials research impact, Physics Exhibition,
                1966 7=2747
           micromachining, by electron beam 7=5647
           mineral grains separation by dielectric const. in elec. field 7=2746
           pivot with low friction, robust 7=5644
          pneumatic lock 7=18480
          precision polishing for optics and microwave acoustics 7=5645
           pressurized air thrust bearing 7=8997
          process control 7=2744
           spark cutter with servo-driven electrode 7=5646
          streaming current detector, use in adsorption
               studies 7=17397
           ultramicrotome freezing head for rubber-like
                materials 7=8998
          valve, glass electromag., for l. p. 7=10774 wave and disturbance propagation display on c.r.o. 7=2974 for CdS thin large-area filaments preparation 7=8999 Ge tubes, production 7=17438 Pa, prep. of very pure sources using extractions with
                isopropylphenylketone 7=13376
          Pt acid cutting 7=18483
TiO<sub>2</sub>, thinning by Ar ion bombardment, for transmission
               electron microscopy 7=4534
 Lamb shift. See Spectra/atoms.
 Lambda (A) point. See Helium/liquid; Phase transformations.
Lamps. See Light sources.
Landé splitting factor. See Spectra; Zeeman effect.
Langmuir probes. See Discharges, electric; Plasma/measure-
ment technique; Space vehicles/instrumentation.

Lanthanides. See Rare earth metals.
Lanthanons. See Rare earth metals.
Lanthanum
          energy gap, meas by electron-tunneling 7=4862 specific heat 1.1-10°K, superconducting 7=17909
          superconducting, u. s. absorption temp. var. obs. 7=4946
          superconductivity from specific heat meas. 7=17910 thermal cond. electronic and lattice components, 80-480 K 7=7507
          zone refining with electric transfer 7=7333 La<sup>139</sup> in LaF<sub>3</sub>, n.q.r.88-447°K obs. 7=2256
          {\rm La^{139}} n.m.r.in ({\rm La_{1-x}Sr_x})MnO_{\rm 3} obs., hyperfine fields deduced 7=15271
         on W, electron emission and adsorption 7=5109
Lanthanum compounds
         lanthanum-borate glass, absorpt, and fluoresc, of Nd3+ ion
               in glass 7=11875
          lanthanum orthotantalate, luminescence 7=11859
          superconducting, specific heat jump, overlapping bands
interpretation 7=11470
          La<sub>3</sub>AI<sub>11</sub>, (known as \alpha-LaAl<sub>4</sub>), crystal struct. 7=17509
         LaAlO<sub>3</sub>, energy transfer from Cr^{3} to Nd^{3}· ions 7=15393 LaAlO<sub>3</sub>, Cr^{3}· luminescence temp. var. obs. 7=2376 LaB<sub>6</sub> cathode for electron guns 7=208
         LaB<sub>a</sub>, coating for ionization gauge cathodes 7=4305
LaBr<sub>3</sub>, cryst.field 7=1221
LaBr<sub>3</sub>:Np3*, energy levels 7=11782
         (La, Ce)<sub>2</sub>Mg<sub>3</sub>(NO<sub>3</sub>)<sub>12</sub>· 24H<sub>2</sub>O, dynamic polarization of p, effect of phonon bottleneck 7=14174
         LaCl3, with impurities, i.r.-optical double
              resonance 7=12591
         LaCl<sub>3</sub>, magnetic, h.f.s. of Ho3+ by Zeeman splitting 7=11774
         LaCl<sub>3</sub>, Magnetic H.1.8. of No. by Zeeman splitting 7=11778
LaCl<sub>3</sub>:D<sup>3</sup>* e.s.r. 7=15229
LaCl<sub>3</sub>:Ho<sup>3*</sup> luminescence, ion pair interactions obs. 7=8482
LaCl<sub>3</sub>, No. e.p.r. pair spectra obs. 7=2210
LaF<sub>3</sub> dielectric polarization obs. 7=1995
LaF<sub>3</sub>, diffusion of F 7=14491
         LaF<sub>3</sub>, diffusion of F 7=14491

LaF<sub>3</sub>, Fi<sup>9</sup> n.m.r., mag. screening anisotropy obs. 7=8328

LaF<sub>3</sub>, La<sup>1so</sup> n.q.r.88-447°K obs. 7=2256

LaF<sub>3</sub> optical consts. in near u. v. obs. 7=11783

LaF<sub>3</sub>, optical transmission of films, e-irradiation var., 2200-9000Å 7=15337

LaF<sub>3</sub>, rare-earth doped, as i.r. quantum counters 7=5290

LaF<sub>3</sub>, rare-earth doped, as i.r. quantum counters 7=5290
         LaF<sub>3</sub>, single cryst., phys. props. 7=2320
         LaF<sub>3</sub>, spin-lattice relax. of rare earth ions, 1.3-5 K 7=2214
```

```
{\rm LaF_3:Er^{3^{\circ}}, radiative} and nonradiative transitions from
   LaF<sub>3</sub>:EF<sup>3</sup>, radiative and nonradiative transitions from fluoresc. meas. 7=15395

LaF<sub>3</sub>(Pr<sup>3</sup>*, Nd<sup>3*</sup>), energy transfer study by optical linewidth meas. 7=15394

LaF<sub>3</sub>:Sm<sup>3*</sup>, energy levels of Sm<sup>3*</sup> 7=17339

LaGaO<sub>3</sub>, Cr<sup>3*</sup> luminescence temp.var.obs. 7=2376

La-Gd solid solns., magnetic susceptibility and specific heat meas. 7=18154
    \begin{array}{l} {\rm LaH_3-La~phase~system} \quad 7{=}1242 \\ {\rm La-LaH_3~phase~system} \quad 7{=}1242 \\ {\rm LaMg~nitrate, spin~diffusion~barrier~anisotropy} \quad 7{=}2238 \\ \end{array} 
   La<sub>2</sub>Mg<sub>3</sub>(NO<sub>3</sub>)<sub>12</sub>, dynamic polarization of p, field modulation and temp. var. obs. 7=7193
  and temp. var. obs. 7=7193

La<sub>2</sub>Mg<sub>3</sub>(NO<sub>3</sub>)<sub>12</sub>. 24H<sub>2</sub>O:Dy<sup>3*</sup>, dynamic polarization of protons 7=10918

La<sub>2</sub>Mg<sub>3</sub>(NO<sub>3</sub>)<sub>12</sub>. 24H<sub>2</sub>O, n.m.r. of H<sub>2</sub>O 7=4586

La(NO<sub>3</sub>)<sub>3</sub>. 6H<sub>2</sub>O, i.r. absorption obs. 7=2322

LaNa(MoO<sub>4</sub>)<sub>2</sub>, e.s.r. of Nd<sup>3*</sup> obs. 7=15244

LaNa(MoO<sub>4</sub>)<sub>2</sub> single crysts., optical props. 7=2321

LaNa(MoO<sub>4</sub>)<sub>2</sub>:Nd<sup>3*</sup>, laser emission and luminescence 7=16199

La<sub>2</sub>O<sub>3</sub>, phase transformations 7=14231

LaO<sub>2</sub>-WO, system phase composition X-ray obs. 7=14232
   LaS thermal cond. electronic and lattice components,
        80-480°K 7=7507
   LaSe thermal cond. electronic and lattice components,
        80-480°K 7=7507
   (\text{La}_{1-x}\text{Sr}_x)\text{MnO}_3, \text{n.m.r.} of \text{La}^{159}, \text{Mn}^{55} obs., hyperfine fields deduced 7 = 15271
   LaTe thermal cond. electronic and lattice components, 80-480^{\circ}\mathrm{K}~7{=}7507
  LaZn hydrated double nitrate, Co divalent ions spin-
        lattice relax. obs. 7=8284
  See also Light coherence. acetone, Raman, nonlinearities prod.obs. 7=4361
  acetone, shock-compressed, stimulated Brillouin scatt. 7=4355
  acoustic deflection and modulation for television display 7=3225
  action on metals, radiant energy transfer and
  disintegration 7=1643
active medium 3rd order polarization, combination tones
direct obs. 7=12603
 direct oos. (=1200)
air spark prod., plasma diamag, perturbation of external
mag, field obs. 7=10644
alignment of multimirror lasers 7=3128
amplification in inversely populated medium 7=12604
  amplifier with axial mag. field, interactions of polarized
        waves 7=271
  amplifier, nonlinear props. for pulses 7=12605
  amplifiers gain saturation, spectral hole-burning and
       cross relaxation effects theory 7=274
  on aniline, stimulated optical frequency mixing obs. 7=4356
 applicability to logic, memory etc. of computers 7=2799 applications in plasma diagnostics 7=6871
 for atmospheric turbulence obs. 7=18364
 for atmospheric turbulence parameters meas., feasibility 7=15495
 autocorrelation function of line shapes, meas.
      method 7=16257
  beam, diffused, speckled diffr. pattern, theory 7=5902
  beam effect on transparent dielectric obs. 7=4760
 beam-induced breakdown of organic vapours 7=2439
 beam scintillation in atmosphere, log-amplitude variance obs. 7=18369
 beams, minimizing divergence 7=12608
 beams and resonators, review 7=3126
beams and resonators, review 1=0120
beams traversing atmosphere, spectrum rel. to
wavelength 7=15521
benzene, Raman, nonlinearities prod. obs. 7=4361
bibliography, 644 references 7=3115
 binary mixture of particles with overlapping emission
 spectra, generation 7=9475
with bleachable filter, kinetics of pumping and
       relax. 7=9480
bleachable filters outside resonators, theoretical
anal. 7-9479
Brillouin effect, laser stimulated, self-focusing of
beam 7-3185
 for bubble and cloud chamber illumination 7=5967
 chelate solns., n.m.r. behaviour 7=4391
 chemical, conference, San Diego 1964 transactions 7=16148
clarifying props. of powerful light beams 7=9485 coherence var. by rotating ground glass 7=9571
communications, appl. of electro-optic light
modulators 7=3195
convergent beams, in theory of geometrical optics 7=9476 cyclohexane, Raman, nonlinearities prod. obs. 7=4361 damage of solids by laser radiation 7=17671 damage of transparent dielectrics by laser 7=14675
deflection techniques, survey rel. to scanning freq.
```

capabilities 7=3124 delay lines, ultrasonic-optical, continuously variable 7=3226

```
density matrix for oscillator, photon statistics and
    quantum theory 7=12598
difference frequency generation, in i.r. 7=3194
diffusion of excitation effect on operation 7=12614
dilute media, gain saturation by travelling-wave
    fields 7=12610
dye, for 440-700 nm 7=16205
effect of radiation on transmission of dye
     solns. 7=1144
electron scattering, non-linear, by beam 7=12613
electronic spectroscopy 7=12703
energy meas, with liq. absorpt. cell 7=9482
excitation of luminescence in chlorophyll 7=1157
excitation of Raman spectrum of EuYGa garnet 7=2298
far i.r.generators, for cyclotron resonance in semi-
conductors 7=4890
filamentary mechanism 7=12612
focused radiation, rel. to substance evaporation 7=13870 4-level, channel transitions and level population rel. to
     pumping 7=273
four-wave parametric amplification, and stimulated
four-photon interaction 7=9484
fracture prod.in transparent media, continuum thermo-
elastic model 7=1695
frequency mixing, elec. and mag, polarizations 7=9365 frequency shifting, of mode-locked pulses 7=3196
 frequency shifting, by multiple acoustic
     diffraction 7=9486
 frequency spread of oscill, due to interaction with atom 7=9490
 giant pulse, effect of saturable absorber lifetime 7=12606
 giant pulse type, narrowing spectrum 7=3120
heating of liquid surface, e.m. to acoustic energy
conversion 7=12429
 history, with masers 7=269
 hollow flash tube pumping sources 7=9474
in holography, pulsed illuminiation holograms 7=3288
holography, resolution limit, rel. to speckled diffr.
pattern 7=5920
 induced and spontaneous emission for two-level system 7=16914
 induced two-quantum luminesc. for powerful
      coherent radiation 7=9483
 inducing ionization of gases, statistical models 7=13825 intensity distribution from master eqn. 7=5876
  intensity distribution meas., self-calibr. technique 7=3122
  intensity fluctuations, in 3- and 4-level c. w.
      oscillators 7=3119
  interferometer for meas, electron density in repetitively
      plasmas 7=1020
 interferometer, two-beam 7=16183 interferometers, for fluid mechanics 7=9612
 interferometers, for fluid mechanics 7=9612 ionization of gases by laser radiation 7=13824 length measurement, error 7=12279 light source for gas velocity and collision linewidth obs. 7=13974 liquid metal reflectors for resonators 7=9487 liquid, using organic dye solution 7=3186 liquids, multiple stimulated Brillouin scatt. 7=14087 for magneto-optical meas. 7=18203
 inducts, multiple stimulated Brillouin scatt. 7=14087 for magneto-optical meas. 7=18203 measurement of picosec.pulse widths by GaAs surface second harmonic prod. 7=12601 medium power, pumping by rapidly moving objects accelerated by gunshot 7=12609
  as meteorological tool 7=8626
  mode control and stabilization, by internal time-varying
       perturbation 7=3127
   modulated beam, photon-counting distribs, and Mandel's formula 7=12639
   multiple frequencies, nonlinear effects 7=12602
   for NO* in upper atmosphere meas. 7=18376
  nonlinear optical polarization, rel. to sum and difference freq. generation 7=13987
   nonlinear scatt. in plasma 7=4209
   nonresonance feedback for stable freq. 7=9520
   nonresonant feedback, spectrum narrowing
  dynamics 7=9481
nonuniform excited medium, periodic modulation and giant
pulses theory 7=12607
   for optical communications, research 7=3218
   ordered pulse sequence generator 7=3245 oscillator, frequency-pulling band 7=12616
   output energy meas., cone calorimeter 7=3123
   with passive shutter, design 7=9478
   phase locking by injection, appl. to arrays 7=16146
  and photoelectron emission, statistics 7=5113
photon correlations, in ionizing beams 7=3191
photon counting distributions, meas and analysis 7=16220
   plasma plume prod. on graphite, expansion rate of luminous front 7=6838
```

plasmas as light sources for optical pumping 7=17072 polymethine dyes, in glycerol 7=306

pulse distortion in nonlinear dielectric 7=14089

propagation through atmosphere 7=5382

```
Lasers-contd
       pulsed, for optical transmission of plasma obs. 7=1017
       pump modulation, effect on Stokes rad. in stim. Raman
           scatt. 7=16152
       Q-switch technique using stimulated Brillouin scatt.
           in liquids 7=16149
       quantum counters using stimulated emission,
           antinormally ordered correlations 7=9542
       quantum electronics conference, Phoenix, USA, 1966 7=3116
       quantum electronics, conference, San Juan, 1965 7=12588
       quantum theory 7=12597
       and quantum theory of coherence 7=16214
       on quartz, u.s. wave prod., nonlinearity calc. 7=17561 and radiation damage, dynamics 7=4730 radiation equilibrium in spin systems, relaxation
       transitions 7=9469
radiation interaction, between different active elements, at different freq. 7=3178
Raman effect, laser stimulated, self-focusing of
            beam 7=3185
        Raman, emission of components of different
            orders 7=16154
        Raman Scatt., stimulated, Stokes and anti-Stokes components
        emission angles calc. 7=12720
Raman, stimulated scatt., anomalies in conversion
            efficiencies 7=16151
         range meas., programmed multipulse system 7=15841
        Rayleigh effect, laser stimulated, self-focusing of beam 7=3185
        resonators, equivalent confocal system 7=3234
        resonators, use of Michelson interferometer 7=16155 resonators, multilayer PbO/cryolite dielec. mirrors 7=9488
        resonators, multiple-mirror, natural frequencies 7=314
        resonators, open, coupled oscillations 7=243
        resonators, review 7=9489
ring type, accuracy 7=3150
        for satellite communication, velo. aberration and atmospheric refraction effects calc. 7=5494 in satellite orbit determinations 7=5493
         saturable absorbers wave interactions theory 7=12695
         saturable switch characts, for two and three level
            models 7=9492
        models 1=942
scattered light from, polarization 7=4298
self-locking of axial modes 7=16150
self-trapping of beam 7=3279
on solid, plasma prod. heating and disintegration
            obs. 7=8084
         on solids, ionization and heating model 7{=}8082
         spark, interferometry holographic investigation 7=4153
         sparks in air, investigation and spectrum of
plasma 7=969
for spectral analysis 7=9600
         for spectrochemical analysis, light source appl. theory 7=11967
         stimulated Compton scatt. of electrons 7=16524
         stimulated Raman scatt., backward, obs. of intense light bursts 7 = 9529 strainmeter for earthquake recording 7 = 8609
         for surface ionization prod., ion kinetic energies
             obs. 7=8083
         symmetrical ring resonator, small modes, integral eqn. 7=16156
          10.6\mu radiation, modulation by u.s. diffraction 7=1460
         theory of stimulated Raman scattering by
             electrons 7=9477
          transmission and intense reflection of light in CS<sub>2</sub> 7=1147
         travelling wave, competition between two types of
             oscillation, theory 7=12617
          tuned, in spectroscope for organic vapours 7=16153
          two-level, idealized, stability theory 7=3118
          two-mode beam, coherence and statist. props., expt.
             and theory 7=3125
          two-mode operating, dynamics of oscillations 7=12600
          two-photon, steady state, stability 7=12611
          two, synchronized, for meas. of elec. sparks 7=970
          2, weakly-coupled, relation 7=272
          ultrasonic focusing and self-focusing in beam 7=15949
          visual display output on thermographic screens 7=16147
water transmission characteristics, theory and
meas. 7=5365
         wavelength selection by electro-optic Q spoiler 7=9500 for wire dia. meas. using diffr. 7=5652 Ag electron photoemission, non-classical, dependence on polarization of beam 7=11604 CS<sub>2</sub>-nitrobenzene mixtures, intensity of stimulated Raman
              emission 7=3187
          CS2, Raman, nonlinearities prod. obs. 7=4361
          on CS2, stimulated optical frequency mixing obs. 7=4356
          on CuCl, luminescence two-photon excitation at low
          temps. obs. 7=11858 Eu \alpha-naphthoyltriacetonate in soln. 7=1153
          on Ge amorphous films on Al, recrystallization
              obs. 7=17453
```

```
Lasers-contd
          for H plasma prod., electron recombination obs. 7=6767
          on H solid, plasma prod. obs. 7=17051
          Nd<sup>3</sup>*: in organic soln., room temp. 7=16206
Nd<sup>3</sup>*: SeOCl<sub>2</sub>, liquid, performance characts. 7=308
         Nd3 :: SeOCl2 liquid, prep. 7=307
          amplitude noise, near threshold, from photoelectron counts of photomultipliers 7=12643
         anisotropic, polarization of modes, saturation effect theory 7=9496
        theory 7=9496 atomic collisions effect on power spectrum calc. 7=9499 ball-joint for adjustment of mirrors and windows 7=16157 beam in plasma, self-focusing, anal. 7=10652 cyanic compounds, 119–334. 8 \mu 7=5880 degenerate modes obs. 7=9495 Doppler experiments, axial modes effects 7=278
         dynamic behaviour 7=16168
electric discharge, luminescent hollow-cathode
expt. 7=16160
frequency spectra of 6328 Å beam due to atmosph.
         turbulence 7=5384
history, review, classification, characts. 7=3131
infrared generation by coherently driven molecular
vibr. 7=5877
          intensity variations of 6328 Å beam by atmosph.
              turbulence 7=5383
         interference of coherent wave and wave diffr.by small
              object 7=9613
         ion type, intra-cavity colour selection 7=16175 LG-65 7=16158
         linewidth in Zeeman scanned amplifier 7=16161
         magnetic-field tuned, multiple quantum processes 7=12621
          magnetic polarization phenomena, theory and expt. 7=9494
         in magnetic resonance meas. 7=4890
          mode locking by permittivity modulation 7=16159
          mode selection in semiconcentric cavity 7=9497
         model of N two-level atoms interacting with radiation in
         presence of dissipation and pumping 7=12622
modulation obs. of saturation and gain 7=5882
         noise, quantum theory 7=5889
         oscillation freq. beating of ring laser, flow of active
         medium effect 7=3133
output power, using nearly confocal resonators 7=12618
         output, pressure effect 7=12619
         power rel. to current calc. 7=9507
pulsed ion lasers, gas pumping 7=3132
for Raman spectroscopy 7=12711
         resonator Q modulation with an external moving
mirror 7=12620
         resonators, internal focusing elements 7=3130
         resonators, plane-sphere and sphere-sphere, choice of size 7=9498
         ring system, saturation-induced optical nonreciprocity.
              meas. 7=3146
        spectroscopy appls. 7=16162
theory, with polarization anisotropies 7=277
        threshold for laser action 7=5878
Zeeman effect 7=9493
Zeeman, interacts, between oscillations on two axial modes 7=276
         Ar, high-current 7=9501
         Ar-ion, c.w., emission-line widths 7=12625
         Ar-ion, excitation mechanism 7=12623
         Ar-ion, lifetimes of levels and transition proba-
         bilities 7=12624
Ar ion, wavelength selection by var. voltage on KD*P in
             Q spoiler 7=9500
         Ar, ionized, polarization in mag. field 7=9503
        Ar, power at single freq.obs.by interferometer
laser 7=279
Ar, pulsed 7=12628
        Ar, self-locking of modes 7=3134
Ar, strongest transitions, excitation cross-
sections 7=4020
        Ar*, in pulsed discharge 7=9502
Ar*, pulsed, induced emission 7=12627
       Ar', pulsed, induced emission 7=12627

ArII, electron impact excitation cross-sections 7=16164

Ar II 5s^2P_{\gamma 2} \rightarrow 4p^2D_{\gamma p} relative intensity to 5s^4P_{s/r} \rightarrow 4p^4D_{\gamma /r} 7=12626

Ar-Br<sub>2</sub>, oscillation lines, interpretation 7=9504

Ar-H, discharge spectral line shapes obs. 7=16163

ClII, 3 c.w. lines, 0. 4-0. 5 \mu 7=5879

Cl + HI \rightarrow HCl + I, vibrational population-inversion and stimulated emulsion obs. 7=12630

CN, optically pumped, 5. 2 \mu 7=3135

CN. submm emission mechanism 7=3136
        CN, submm emission mechanism 7=3136 CO<sub>2</sub>, effects on molecules obs. 7=5338

    CO<sub>2</sub>, streets on Morecures ons. 1=3338
    CO<sub>2</sub>, high-power, heterodyne detection and linewidth meas. 7=16165
    CO<sub>2</sub>, inexpensive 7=283
    CO<sub>2</sub>, sior radiation production in T1 7=9506
    CO<sub>2</sub>, self-modulation 7=9505
    CO<sub>2</sub>, at 10.6 µ, Q-switching, competition and hysteresis 7=281
```

Lasers-contd gaseous-contd CO<sub>2</sub> transition probabilities calc. 7=280 CO<sub>2</sub>, 20 watt, construction and physical principle 7=282 CO<sub>2</sub>-He, output modulation by acoustic waves 7=311 D2, stimulated emission. molec. and atomic transitions 7=12631 H, stimulated Raman emission 7=3138 H<sub>2</sub>, stimulated emission, molec, and atomic transitions 7=12631 H<sub>2</sub> Stokes oscillators, performance 7=3137 H + Br<sub>2</sub>  $\rightarrow$  HBr + Br, vibrational population-inversion and stimulated emulsion obs. 7=12630 H + Cl<sub>2</sub>  $\rightarrow$  HCl + Cl, vibrational population-inversion and stimulated emulsion obs. 7=12630  ${
m H_2O}, {
m pulsed}, {
m spiking}$  and time behaviour obs.  $7{=}12632$ He, spark spectroscopy 7=4155 He-Ar, pulsed characts. 7=12637 He-Ne, alignment procedure, osc. on three main lines 7=12634 He-Ne, amplification of coherent radiation 7=285 He-Ne, amplitude noise from photoelectron counts of photomultiplier 7=12643

He-Ne, attenuation var. of waveguide containing laser plasma obs. 7=3141

He-Ne, beam h.f. modulated by ultrasonics 7=287 He-Ne, competition of transitions 7=286 He-Ne, d. c. operated, construction 7=3148  ${
m He-Ne}$ , deterioration by  ${
m SiO_2}$  tube bomardment by Ne ions  $7{=}5881$ He-Ne, discharge current modulation, rate eqns. 7=12636 He-Ne, dynamic behaviour 7=16168 He-Ne flow mixing obs. 7=12635 He-Ne, freq. stability investigation 7=16173 He-Ne, freq. stabilization by optical reson. 7=3 He-Ne, i.r. tunable, use in spectrometer 7=3256 He-Ne, inelastic processes 7=3139 He-Ne, for interference teaching demonstration 7=12716 He-Ne, low-frequency oscillations, reduction 7=16167 He-Ne, for meas of density fluctuations of  ${\rm CO_2}$  near crit. point 7=14046 He-Ne, Michelson-type, single-frequency output 7=3142 He-Ne, modulated, photon-counting distribs. 7=12639 He-Ne, modulation by medium power hyperfrequency wave 7=3143
He-Ne, modulation obs. of saturation and gain 7=5882 He-Ne, multimode oscillations 7=284 He-Ne, Ne transitions 7=3140 He-Ne, noise due to discharge modulation theory 7=16170
He-Ne, noise and modulation due to discharge current
fluctuations 7=16171
He-Ne, plasma electron collision freq. and density 7=12633 He-Ne, polarization and mode hopping on cavity length var.obs. 7=16166
He-Ne, power rel. to current calc. 7=9507
He-Ne, pulsed characts. 7=12637
He-Ne Raman light source rel. to Hg at 4358 and 5461 Å 7=3262 He-Ne, for Raman-spectroscopy of gases, high resolution 7=12712 He-Ne, ring system, saturation-induced nonreciprocity, meas. 7=3146 He-Ne, self-locking 6328 Å, meas. 7=16169 He-Ne, spatial coherence meas. 7=9509 He-Ne, stabilized, single wave, pressure shifts 7=3144 He-Ne, stabilized, single wave, pressure shifts 7=3144 He-Ne, study of press. effects on 2s-2p optical transitions of Ne 7=16172 He-Ne, temp. effects 7=3147 He-Ne, for thermal high-resolution recording 7=9572 He-Ne, transient buildup theory 7=9508 He-Ne, Zeeman effects 7=12638 He-Ne, Zeeman interferometer 7=345 He-Ne, ZnSe, ZnSe-Na<sub>3</sub>AlF<sub>6</sub>, ZnSe-ThOF<sub>2</sub> layers as mirror coatings 7=1814

He-Xe, i.r. tunable, use in spectrometer 7=3256 He-He, pulsed, emission-line widths 7=12625 I, 651.6 nm transition 7=5883 I-vapour, pulsed, new generation lines 7=12640 I, probable lasers in the violet and u.v. 7=9510 I-He, pulsed, new oscills., meas. 7=16174 Kr', internal switching of red, blue and green lines 7=16175 Kr-1on, c.w., emission-line widths 7=12625 Kr, new lines 7=16177 Kr, 0.46  $\mu$  7=5884 N, pulsed ion transition, 0.4  $\mu$  7=5885 N, travelling wave pulse current excitation 7=12641  $\rm N_2$  , coaxial transmission line, pulsed 7=288 N<sub>2</sub>, pulsed, emission lines meas 7=16176 N<sub>2</sub>, stimulated emission, molec, and atomic transitions 7=12631 N2-CO2, mechanism ensuring level population inversion 7=12629  $\rm N_2-CO_2,$  from vib-rot, transitions of  $\rm CO_2$   $\,$  7=13712 NO, 5. 84-6. 43  $\mu$   $\,$  7=3149

```
Lasers-contd
    gaseous-contd
        Na 7=5886
        Ne, parametric amplification with Te crystal 7=9527
        Ne, ring, amplitude and freq. rel. to tuning obs. 7=5887
Ne, ring type, accuracy 7=3150
        Ne, travelling wave pulse current excitation 7=12641
        O<sub>2</sub>, stimulated emission, molec. and atomic transitions 7=12631
       SI, SIII and SV, oscills. in pulsed discharges 7=12642
Sb, new transitions in Ne 7=5888
Te, new transitions in Ne 7=5888
        Xe-ion, c.w., emission-line widths 7=12625
        Xe, new lines 7 = 16177 Xe, 0. 47 \mu 7 = 5884
        Xe, study of h.f. s. and paramag. props. 7=6573

Xe*, pulsed, induced emission 7=12627

Zn-He and Zn-Ne 7=289
    bifos
         birefringence backward wave oscillation in i.r. 7=3154
        blackening of photographic emulsions 7=16307 with broadened inhomogeneous line, quantum theory of
            noise 7=5889
        crystalline, survey of hosts and impurities 7=3151 electron beam pumping 7=9512 giant-pulse, use in flash photolysis 7=5337
        glass, Fe-containing, Ho3+ stimulated emission, internal
        Q switching 7=3173
glass, Nds*, Ybs* and Ers*, props. 7=3152
glass, oscillator, cavity dumping 7=303
        glasses, fracture, rel. to stimulated Brillouin
             scattering 7=15329
         heat condition in cylinder of finite length calc. 7=9514
         injection, pulse generator 7=16183 internal losses effects on threshold calc. 7=16180
        junction, directly modulated, resonance-like
             characts. 7=16179
         materials, spectroscopic studies 7=290
         multiple stimulated Brillouin scatt. 7=15304
         phototropic shutter scheme with reflection
elimination 7=16182
polishing crystal surfaces 7=5645
        pumping chambers, elliptical, design data 7=12644 radiation noise, energy balance 7=9516 rod length effects on inversion population and power for single pulse calc. 7=9517
         rod, in nonabsorptive envelope, nonstationary heat exchange 7=9515
         ruby, atmospheric scattering of beam 7=15524
         ruby, rel. to breakdown of noble and atmospheric
              gases 7=13809
         ruby, c. w., room temp. operation 7=3157
         ruby, characts., effects of gamma radiation 7=16185
         ruby, continuous high-output 3-in. cryst. 7=3161 ruby, control using u.s. modulator 7=293-4
         ruby with cryptocyanine, pulsed, system, absorber concentration effect 7=296
          ruby, disk-grown crystals, precipitates 7=17625
          ruby, Doppler shift by Kerr cell traveling wave line 7=5908
         ruby, rel. to elec. breakdown of gases 7=13808 ruby, emission characts, 7=5890
          ruby emission, obs. of change in occupation number 7=9519
         ruby, energy balance with threshold pumping 7=3163 ruby, excitation of ruby crystal and photon echoes 7=12655
         ruby, giant pulses, intensity depend. frequency
shift 7=16186
          ruby, giantpulse, off-axial mode structure, direct
              detection 7=297
          ruby, ground, increase time, pulsation period and
         loss factor 7=9521
ruby grown by Czochralski method 7=7319
ruby \( \lambda \)/2 Kerr cell as radar for atmospheric turbulence
meas. 7=5376
         ruby, laser-surface interactions, low power 7=9524 ruby, for liquid light scatt. and molecular anisotropy obs. 7=7079
         obs. 1=1019
ruby, luminesc. amplified in rod 7=291
ruby, mode coupling 7=3159
ruby, mode-locking and -competition by saturable
absorpers 7=12650
ruby and Nd3* glass, generation of sum freq. in electro-
optic KH<sub>2</sub>PO<sub>4</sub> 7=12651
ruby, near and far field, 90° rotation 7=16184
ruby, noise generation effect on operations 7=12653
ruby with nonresonance feedback 7=9520
ruby ascill. -amplif, system heam divergence 7=3122
          ruby oscill. -amplif. system, beam divergence 7=3122
         ruby oscillators, simultaneous giant pulses
production 7=300
         ruby, with passive Q-switch element 7=298
          ruby, passive Q-switched, coupling effects 7=3155
          ruby, population inversion, var. during emission 7=12656
          ruby, pumping power and excess population determ. 7=3162
```

```
Lasers-contd
   solid-contd
       ruby, Q-spoiled, photoconduction produced in anthracene 7=2045
       ruby, Q-spoiling, in mag. field, 77°K 7=3156 ruby, Q-switched, dye spectral bleaching 7=4351
        ruby, Q-switched, single modes 7=3158
       ruby, R2-line generation in cavity with dispersion 7=12654
        ruby, radiation coupling with Nd3+-glass laser 7=3178
        ruby, resonator thermal distortion obs. 7=5891
       ruby rod length effects on inversion population and power for single pulse calc. 7=9517
        ruby, second harmonic wave emission, holographic
       obs. 7=16188
ruby, single giant pulse 7=9523
ruby, on solid surfaces, plasma prod. obs. 7=11614
        ruby, spectral linewidth with Ga phthalocyanine
           shutter 7=9522
        ruby, thermal lens resonator, c.w. 7=295
        ruby, time var. emission of individual modes obs.
        ruby, 25MW oscillator, internal self-damage 7=299
        ruby, with vibrating mirror, relaxed emission obs. 7=3160 segmented laser 7=9518
        semiconductor, electron-beam-pumped, excit.
           inhomogeneity 7=12646
        semiconductor, electron-beam pumped, excitation
mechanism 7=12645
        semiconductor laser modes 7=12615
        semiconductor, quantum oscillator and amplifier
           study 7=12599
        semiconductor, review, rel. to electroluminescence 7=16178
        semiconductor, review, principles 7=3153
        semiconductors, for acceptors ionization energy
           meas. 7=14791
        semiconductors, impure, band-band transitions 7=12647
        semiconductors, intrinsic, indirect transitions 7=12648
        semiconductors, stimulated radiation through exciton states 7=14853
        stimulated emission in inhomogeneous polycryst. 7=9511
        stimulated Raman effect, theory 7=3117
       threshold, effect of configuration used 7=9513 travelling waves, generation and interaction 7=12649
       CaCO<sub>3</sub> stimulated Raman emission increase on decreasing temp obs. 7=16189
       CaF<sub>2</sub>:Dy<sup>2*</sup>, giant pulse generation conditions 7=16190
CaF<sub>2</sub>:Dy<sup>2*</sup>, temp. shift of continuous generation freq. 7=8470
CaF<sub>2</sub>:Us<sup>2*</sup>, stimulated emission 7=2370
CaF<sub>2</sub>-YF<sub>3</sub>-Nd<sup>3*</sup>, stimulated radiation spectrum 7=3164
CaWO<sub>4</sub>, oscillator, cavity dumping 7=303
        {
m CaWC_4:Nds^*} internal losses effects on threshold obs. 7=16180
        CdS, electron beam excited transition mechanism 7=9525
        CdS, electron beam pumping, high power and efficiency 7=12657
       efficiency 7=12007

CdS, electron-bombarded, far field pattern, 77°K 7=16191

CdS, single- and double-photon excitation 7=16197

CdSe, single- and double-photon excitation 7=16197

CdSe, two-photon optical excitation obs. 7=5893

CdSe, ultrathin, single-mode, volume excitation 7=5892

CdTe, rel. to excitons, obs. 7=17831
        CdTe, single- and double-photon excitation 7=16197
        \rm Ers^* in fluorophosphate glass, oscillation obs. 7=3165 \rm Er_2O_3:Ho^{3^*}, energy transfer and c.w. laser action 7=5896 GaAs diodes, continuous, light emission 7=3166
        GaAs diodes, Fermi controlled recombination 7=12659
GaAs diodes, by solution regrowth on (111) plane 7=14333
GaAs diodes with three-layer structures obs. 7=2419
        GaAs, electroluminesc. rel. to angle between p-n junction
            and mirror 7=12664
        GaAs, electron-beam pumped 7=12645
        GaAs, electron-beam-pumped, excit. inhomogeneity 7=12646
        GaAs, epitaxial diodes, continuous current radiation 7=12665
        GaAs, gain perp. to junction 7=3169
        GaAs, increased output by Al-silicone reflecting
        coating 7=16195
GaAs, injection amplifier, high gain 7=3168
GaAs injection diodes far field pattern theory 7=301
        GaAs injection, eptiaxial and diffused 7=16192
        GaAs injection laser, self-modulation of emission 7=12662
        GaAs, intensity fluctuations and correls. 7=16196
        GaAs, internal self damage 7=3167
GaAs junction, characts. 7=3153
        GaAs junction, electron beam scanning 7=12663
GaAs, optically excited with ruby laser 7=12660
        GaAs, p-n junction lasers, thermal degradation, surface effects 7=12661
        GaAs p-n junction, optically coupled, theory 7=12658
        GaAs p-n junctions, polarization 7=3170
        GaAs, photon energy, threshold current depend. 7=5895
        GaAs, silicone coating for reflection and emissivity
            var. 7=11763
```

GaAs, single- and double-photon excitation 7=16197 GaAs, solution-grown-diffused, injection, optical gain and losses 7=5894

S 189

GaAs-GaP, electron-beam-pumped, excit. inhomogeneity 7=12646

 ${\rm GaAs_{0.59}P_{0.41}, \, \phi}$  triangular, internally reflected filaments, expt. obs.  $\, 7{=}16193$ 

GaP As ,- , electron-beam excited 7=3171

GaP-GaAs, luminescence of epitaxial hetero-

junctions 7=15383 GaSb diodes 7=16194

GaSb, injection laser 7=12666

GaSb p-n junctions pulsed at 77°K 7=3172

InAs<sub>0.06</sub>P<sub>0.94</sub> p-n junction diodes obs. 7=3174

InAs<sub>1-x</sub>Sb<sub>x</sub>, p-n junctions, and Czochralski growth 7=3175 InSb, electron-beam excitation 7=16203

InSb electron-hole plasma in 14000 G at 10°K 7=3176 InSb, electron-hole plasmas 7=16198 InSb, emission due to optical pumping 7=12667

Inso, emission due to optical paniping 1-1507 InP<sub>0-24</sub>As<sub>0-76</sub>, injection, prod. and props. 7=302 InP<sub>0-88</sub>As<sub>0-11</sub>, injection, prod. and props. 7=302 KDP, resonant second harmonic generation and mixing,

efficiency 7=2317

KH<sub>2</sub>PO<sub>4</sub>, application 7=3129 KH<sub>2</sub>PO<sub>4</sub> crystal tunable light generator 7=275 KH, PO, excitation of u.s. vibrs. by laser 7=14450

LaNa(MoO<sub>4</sub>)<sub>2</sub>:Nd3<sup>+</sup>. 7=16199

LiNbO<sub>3</sub>, as optical parametric oscillator, 7300-19300 A 7=3177

(NH<sub>4</sub>)H<sub>2</sub>PO<sub>4</sub>, application 7=3129

Nd, rel. to breakdown of noble and atmospheric gases 7=13809

Nd-doped CaWO4 cryst., continuous operation 7=9526

Nd, rel. to elec. breakdown of gases 7=13808 Nd-glass, amplified emission in non-resonant system 7=5898

Nd glass, modulation of cavity losses by fast liquid shutter 7=3184

Nd glass, operation with saturable liquid Q-switch 7=3181 Nd-glass, picosec.pulse width meas.by GaAs surface second harmonic prod. 7=12601

Nd glass rod length effects on inversion population and

power for single pulse calc. 7=9517
Nd, glass rods, giant pulses by Q-switching 7=16200
Nd, glass, self-excitation and other props. 7=16201
Nd glass with square cross-section, description 7=304

Nd glass with square cross-section, description 7=304 Nd, intense pulses at 5300 Å generation obs. 7=3182 Nd, oscillator, cavity dumping 7=303 Nd, thresholds, and temp, dependent fluorescence parameters 7=2393 Nd³ doped glass laser, Q-spoiled, mode locking 7=3180 Nd³ in glass, cavity losses on mode selection 7=3180 Nd<sup>3</sup>:glass, mode-locked, PTM single-pulse selection 7=5897

Nd3+-glass, radiation coupling with ruby laser 7=3178 Nd, Q-switched 7=3179

 ${
m Nds^+:CaWO_4},$  internal losses effects on threshold obs. 7=16180

PbS, PbSe and PbTe, magnetoemission obs. 7=16202

 $Pb_{1-x}Sn_xTe diodes, 9.4-13.7\mu, 12^{\circ}-77^{\circ}K 7=12669$ SrF<sub>2</sub>. LaF<sub>2</sub>:Nd<sup>3+</sup>, spectra, stimulated emission meas. 7=18268 Te, electron-beam excitation 7=16203

Tm<sup>2+</sup> in CaF<sub>2</sub> and SrF<sub>2</sub>, ligand field splitting radial var., covalency effects calc. 7=7183 UO<sub>2</sub>\*\*-glass, saturable filter action 7=3121

YAl garnet: Nd<sup>3</sup>, c.w. pumping by water cooled Kr arcs 7=9528 YAlG:Nd oscillator, as noise amplifier 7=12670

YVO4:Nd 7=15356

ZnO, electron-bombarded, far field pattern, 77°K 7=16191 ZnS, u.v. emission, electron-beam excitation 7=305 ZnTe, stimulated emission by electron bomb. 7=16204

Latent heat

See also Heat of adsorption, etc.; Thermodynamic properties.

in cloud diffusion 7=8666
Na melting obs. 7=17568
Latent image. See Photographic process.
Lattice constants. See Crystal structure, atomic.
Lattice dynamics. See Crystals/lattice mechanics.

Lattice energy. See Bonds; Crystals; Solids. Lattice gas. See Statistical mechanics.

Laves phases. See Alloys; Phase transformations/solid-state. Lawrencium

No entries

Lead

absorption bands in alkali chlorides with hydroxyl ions, complexes data 7=11800 absorption bands in mixed KCl+KBr 7=11799 atom, muonic, X-ray spectra, isotope effects meas. 7=6598 atom, spectra, magnetic-dipole and electric-quadrupole radiation, interference 7-826 atomic K-electrons incoherent y-scatt. at 662 keV 7=10415

atoms, electron impact ionization function 7=17012 atoms,  $(6s^26p7s)^1P_1^0$  state lifetime obs. 7=6572

Lead-contd

conductivity electrons conc.temp.var.,optical and X-ray obs. 7=11354

creep, first-stages, eqns. 7=7653

crystal atomic struct., neutron diffr. time-of-flight obs. on powder 7=7405

on powder 7=7405 cylinder, hollow, screening of mag. fields 7=11480 diffusion in Ag, effect of  $\alpha$ -bombardment 7=1507 electrical breakdown of wire and liquid jet, m.h.d. instabilities obs. 7=965 electron-ion pseudopotentials 7=1778

electron reflection, 0.2-0.8 keV, inelastic 7=17640 emissivity at melting point of solid and liquid obs. 7=14147 enthalpy of evaporation 7=7155 fatigue crack formation in bicrystals 7=4801 Fermi surface press. var. obs 7=14841

films, influence of charge effects on elec. conductivity 7=1838

galvanomagnetic props. temp. and field depend. 7=7864 γ-ray cylindrical duct streaming, albedo component meas. 7=16495

grown from melt using seed crystal, dendritic

structure 7=17449 Hall effect, two-band model of temp. var. 7 indentation hardness rel. to creep 7=11255 ion mobility, mechanism in the liquid 7=10868

lattice dynamics, electronic struct, and elect. props. 7=11109

liquid, diffusion by impurity atoms, temp. depend. meas. 7=14072 liquid, neutron scatt.obs.of collective motions 7=7029

 $\mu$ -mesic atoms,  $\mu$  depolarization obs. with cosmic ray μ 7=13406

neutron transmission spectra and total cross-section

minima 7=16627
normal and supercond., amplitude-dependent u.s.
attenuation 7=7487

nucleation of solidifying high purity metal 7=10895 optical obs. of conduction electron conc., periodic lattice potential effects calc. 7=7775

particles in air, technique for detection 7=11990 phonon freq. shifts under press., inelastic neutron meas. 7=7474

plastic deform., vibr. effects obs. 7=4802 press. dependence of Knight shift 7=8339

shock compression, viscosity and melting 7=17689 spectral absorption, 50-500 eV, d-electron photoionization obs. 7=8442

supercond.apparent energy gap, u.s. meas. 7=7909 superconducting cylinders, quantized flux obs. 7=1913 superconducting, e.m. absorption spectrum 7=14923

superconducting energy gap anisotropy in films, tunnelling obs.~1.2°K 7=11466 superconducting, n. m.r. Knight shift rel. to particle size 7=14924

superconducting rings interrupted by Josephson junctions, flux quantization obs. 7=4976

superconducting, rotating, flux-trapping 7=11479 superconducting thermodynamics calc. 7=4960 superconducting, transition of rotating hollow cylinder obs. 7=1909

superconducting transition width obs. from specific heat and mag. 7=1888

superconducting tunnel junctions, r.f. modes driven by a.c. Josephson current obs. 7=4975

superconductivity in surface above He, tunneling obs., 1.4°-4.2°K 7=4958

superconductivity, surface, suppression by coating with Cu obs. 7=4961

superconductor, amplitude-dependent u.s. attenuation 7=7488 superconductor, energy gap anisotropy, meas.by tunnelling 7=14928

superconductor, microwave losses obs. 7=4957

superconductor, narrow thin-film, critical currents 7=7914 superconductor, precursor absorption structure 7=1887

surface superconductivity, quenching by contiguous

Cu fulm 7=17918 thermal resist., in intermediate state 7=1877 vacancy gradients by microhardness probe after zone refining 7=4691

vapour pressure, 50-4000 torr 7=17317

vapour pressure, vo-4000 torf 1-1011 in Fe, magnetic field at Pb nuclei, γ-γ ang. correl. Larmor precession obs. 7-11648 Pb-insulator-metal tunnel junctions, d<sup>2</sup>V/dP versus V

characteristic, structure 7=1910

Pb<sup>207</sup>, Knight shift in Na<sub>15</sub>Pb<sub>4</sub> 7=8338

Pb210, atmospheric tracer, neve layer dating of Antarctic continent 7=15489

Pb<sup>210</sup> conc. in atmosphere relative to Po<sup>210</sup> 7=15486 Pb-Pb supercond. diode, tunnelling due to longit, microwave phonons 7=7921

Sb125 contamination in antimonal Pb 7=18340 Lead compounds energy band parameters, theoretical 7=4866

```
Lead compounds-contd
```

lead-silica glass, viscosity, standard reference material 7=11316

material (=11340) rare-earth cpds., D8<sub>8</sub> phases 7=17517 Pb borate glasses, irradiated, optical absorption rel. to structure 7=11797 Pb silicate glasses, two component, u. v. spectra 7=11798

Pb-zeolite powder, He<sup>3</sup> adsorption and nuclear polarization, 0.05-1°K, to 16 kOe 7=13124

Pb zironate-titanate ceramics dielectric props.

obs. 7=8026

Pb<sup>20</sup> in Na<sub>15</sub>Pb<sub>4</sub>, temp. depend. of Knight shift 7=15278

Pb-Bi alloys, supercond., anisotropy of energy gap 7=7910

Pb-Bi(2%), Cu plated, superconducting, a. c. flux penetration obs. 7=1891

tion obs. 7=1891
Pb-Bi (5at.%) superconducting films, density of states near upper critical fields obs. 7=4959
Pb-Bi(0.085%), superconducting, Ginzburg-Landau coeff. temp. var. obs. 7=1898
Pb-Bi superconductor, 50 c/s phase transition 7=1890
Pb-Bi(1.5-13%) superconductor, hysteretic, flux retention processes 7=1881

Pb-Bi(7.5 wt. %) superconductor, removal of surfacesheath by Cu-plating 7=1889

Pb-12%Bi, thin film, amorphous state, electron diffrexam., 4.2°K 7=7359

Pb-Bi-Tl alloy systems, lattice vibrations 7=17543 PbCl<sub>2</sub> photolysis, ZnO-photosensitized 7=8571

PbCO3 optical consts.in i.r.obs.from reflectivity with and without coatings 7=15289

without coatings i=10269
PbCo<sub>0.5</sub>W<sub>0.5</sub>O<sub>3</sub> antiferromagnetism with weak ferromag., 9°K obs. 7=8262
Pb-Cu films, electrical props. at low temps. 7=14891
β-PbF<sub>2</sub>, refractive index var. with pressure up to
7 kbar 7=5251

Pbl<sub>2</sub>, excitons obs. from reflectivity, 2.5-10 eV, 300°, 77°K 7=17830
Pbl<sub>2</sub>, adsorpt. of H<sub>2</sub>O vapour 7=7291
Pbl<sub>2</sub>, fission fragment damage, computer calcs. 7=4593
Pbl<sub>2</sub>, fission fragment damage, electron microscope obs. 7-4593 obs. 7=4592

PbI2, luminescence, decay times of exciton emission 7=11856

PbL, microabsorption spectra 7=3249

Pbl2, photocond. decay and photo-voltaic contact effects 7=5097

PbL<sub>2</sub>, refr. index., ord. and extraord., meas. 7=5226 Pb-In superconducting cylinders in a.c. and d.c. mag. field obs. 7=7911

Pb-In superconducting mixed state resistance mechanism 7=17893

Pb(Mg<sub>1/3</sub>Nb<sub>2/3</sub>)O<sub>3</sub>-PbTiO<sub>3</sub>-PbZrO<sub>3</sub> ceramics with additives piezoelec. props. 7=11567

PbMg<sub>1/3</sub>W<sub>1/2</sub>O<sub>3</sub>, relaxation u.s. absorption, near phase transition 7=4640

PbMoO<sub>4</sub>, e.s.r.of Ho 7=2203 PbMoO<sub>4</sub>, Nd³ Stark effect due to crystal field calc. 7=8428 PbNO<sub>3</sub> crystal faces growth, interaction with methyl blue impurity 7=1315

PbNO3 crystals, growth and adsorption of thionin blue, effect on morphology 7=1340

Pb0.99Nb0.02(Zr0.95Ti0.35)0.98O3, polarity effects of high stress 7=11563 PbO/cryolite, multilayer mirror, for laser resonators 7=9488 PbO, films, texture 7=4486 PbD, nonequilibrium photoconductivity character-istics 7=2041

PbO, optical absorption obs. of energy gaps 7=15345 PbO, photoconductivity of films in tetragonal and orthorhombic forms obs. 7=2040

PbO, yellow, thermal conductivity, 0-500°C 7=14476

Pb(OH)Br crystal atomic struct. obs. 7=7441

PbPO<sub>3</sub>F, crystal structure 7=14392 PbO.SiO<sub>2</sub> glasses,i.r. and u.v. spectra rel.to composition 7=18261

Pb-PbO-Pb supercond. contacts, 'supercurrents' at fields > H<sub>co</sub> 7=1912

Pb-PbO-Pb superconducting tunnel junctions, r.f. modes driven by a. c. Josephson current obs. 7=4975
Pb-PbO-Pb tunnel junctions, 2Δp/n structure 7=1911
PbS,band structure from elec. and optical

meas. 7=11397 PbS diode laser, magnetoemission studies 7=16202

PbS epitaxial deposit on ZnS obs. 7=4535 PbS, hardness, effect of charge-carrier concn. meas. 7=11315

PbS, high press, obs. of crystal struct. 7=18485 n-PbS magneto-optical obs. 7=18204 PbS optical consts.meas., films appl., 1-5 eV 7=15346 PbS, photoconductivity of films, effect of pressure 7=15083

PbS, semiconducting films, props. meas. 7=7956 PbS spectrum, carrier absorption, 3-15 $\mu$ , 293°-100°K 7=8430 PbS- $\frac{1}{2}$ TlBiS<sub>2</sub> diagram, 700-1000°C, and lattice structure 7=4599

PbSe, band gap temp. depend. meas. 7=4867

Lead compounds-contd

PbSe, carrier mobility in films rel. to growth conditions 7=1765

PbSe diode laser, magnetoemission studies 7=16202 Pb-Se(0-76 at.%) liquidus curve obs. 7=4407

PbSe, photoconductivity of films, effect of pressure 7=15083

PbSe, semiconducting films, props. meas. 7=7956 Pb-Sn solder, whisker growth rel. to electro-transport 7=7338

Pb-Sn, bicrystals, precipitation of Sn, morphology 7=14242 Pb-Sn films, composition rel. to evaporation time 7=7281

Pb<sub>1-y</sub>Sn<sub>y</sub>Se laser diodes, 9. 4-13.  $7\mu$ , 12°-77°K 7=12669 Pb<sub>1-x</sub>Sn<sub>x</sub>Te laser, diodes, 9. 4-13.  $7\mu$ , 12°-77°K 7=12669

Ph\_Sn<sub>1-x</sub>Te, p-n junc., photovoltaic effect, up to 12 $\mu$  7=5098

Pb\_0.sNn<sub>0.5</sub>Te thermoelements, evaporation rate 7=15059

PbTe, carrier mobility in films rel. to growth conditions 7-1765 conditions 7=1765

PbTe, conduction band, nonparabolicity 7=4869 PbTe diode laser, magnetoemission studies 7=16202

Pore diode laser, magnetoemission studies 7=16202
PbTe, energy band structure 7=17815
PbTe, energy gaps, thermal and optical 7=11396
n-PbTe films, conductivity increase with ion
bombardment 7=11518
PbTe, helicon-drift current interaction in layered struct.
obs. 7=14868

n-PbTe, helicon-phonon interaction calc. 7=17840 PbTe for high-performance thermoelec generators 7=16030

PbTe, high press.obs.of crystal struct. 7=18485

PbTe, inelastic carrier scattering 7=17772

PbTe, Lorenz number and inelastic carrier scatt. 7=17573 PbTe, multiphonon magneto-optical resonances obs. 7=5271

PbTe, n-type, cyclotron absorption rel. to carrier conc. 7=4891

PbTe, nonparabolicity of valence band, by meas. of thermal e.m.f. 7=11398 PbTe, optical nonlinearities due to mobile carrier 7=5262

carrier 7=5262
Pb-Te oxide films by reactive sputtering in glass 7=11571
PbTe spectral absorption, 50-500 eV, d-electron photoionization obs. 7=8442
PbTe thermoelectric elements, bond degradation 7=15062
PbTe thermoelements, bonding to electrodes 7=15063
PbTe thermoelements, dopant concn., activation
analysis 7=15060
PbTe thermoelements, evaporation rate 7=15059

PbTe thermoelements, evaporation rate 7=15059

PbTe, valence band structure 7=4868 PbTe-PbSe, Lorenz number and inelastic carrier scatt. 7-17573 scatt. 7-17573 PbTe-Si-Ge segmented thermoelements, prep. 7-16032

PbTe-SiGe segmenting for thermoelec. efficiency 7=16031 PbTiO<sub>3</sub> phase transformations, radiation and thermally

induced, obs. 7=10946 Pb-Tl(1-17%), elastic consts., u.s. pulse echo obs. 7=1734

Pb-Tl, single cryst.elastic consts. 7=11317 Pb-Tl(4.3-13.5 at.%) superconducting films, tunnelling to Al supercond. films in mag. field obs. 7=4977

Pb-Tl(1%), superconducting, Ginzburg-Landau coeff. temp.var.obs. 7=1898

Pb-Tl, superconducting props. 7=7912

Pb-Tl, superconducting, quantized flux lines obs. 7=4933 Pb-Tl system, self-diffusion and Kirkendall effect at high press. 7=14492

PbZrO3, antiferroelec., microscopic free energy

function 7=18053 PbZrO<sub>3</sub> antiferroelectric films prod. by electrophoresis 7=10967

PbZrO<sub>3</sub>, orthorhombic-cubic transition, pressure depend. 7=4477

depend. 7=4477

PbZrO<sub>3</sub> phase transform., antiferroelectric—ferroelectric X-ray obs. 7=7247

PbZrO<sub>3</sub> phase transformations, radiation and thermally induced, obs. 7=10946

PbZrO<sub>3</sub>, phase transitions 7=14241

PbZrO<sub>3</sub>-BiFeO<sub>3</sub> ferroelectricity obs. 7=18050

Pd hydride magnetic susceptibility 7=2088

 $\beta'$  -Pd In, de Haas-van Alphen effect and Fermi surface 7=17805

# Leak detection

ideal properties 7=6993

improving sensitivity by eliminating scattered ions 7=6995 He, characteristics and standards 7=6994

Leather. See Materials.

Lee model. See Field theory, quantum.

Length measurement

See also Micrometry; Strain gauges; Thickness measurement.

comparator screw error 7=2756 dilatometer, for thermal expansion of solids 7=4651 elongation of meter bar hanging under gravity calc. 7=12322 by laser, error 7=12279

level indicator, continuously monitoring, for liq. He and N 7=9271

```
Length measurements-contd
```

optical, effect of air refr. index variations 7=13988 range, programmed multipulse system 7=15841 scale design tables 7=9006

wire dia. by laser beam diffr. 7=5652
X-ray wavelength standards 7=12749
Length standards. See Standards.
Lennard-Jones and Devonshire theory. See Liquids/theory.
Lennard-Jones potential. See Kinetic theory; Molecules/intermolecular mechanics.

Lenses

See also Electron lenses. aberration balancing by Maréchal method 7=3211 automatic design, image quality, diffraction-based 7=9552 cost-aperture computer calcs. for f/1.0 to f/1.6 '7=9551 eyepiece design, wide-field, seven-power, spherizing code 7=3212

flys' eye, for hologram prod. with white light illumination 7=12735

flumination (=1213) focus displacement photoelectric detection 7=9553 gas, deformation of fields 7=12686 gas, and its equivalent thin lens 7=12685

lens-like media, geometrical light rays 7-9550 microscope objectives, residual error calc., diffraction theory 7-3214 objective formed by quadrupolar lenses with aberration corrections 7-317-8

resolution improvement by zone corrector plate 7=16230 resolving power prediction from design data 7=16229 ruby laser with thermal lens resonator, c.w. 7=295 testing, by wave front reversing interferometer 7=320 uncemented two-lens system with one reflecting surface 7=319

wide angle, with aspheric correcting surfaces 7=3213

aspherical

variable focal length, using intensity depend. refractive index materials 7=12688 wide angle lenses with aspheric correcting

surfaces 7=3213

photographic

chromatic aberrations and optical transfer functions 7=9633

objective design, 609. 6 mm, f/6,  $30^{\circ}$  field 7=9634

Leptons

See also Electrons; Mesons; Neutrinos and antineutrinos. baryon-lepton correspondence 7=16428 and baryons interrelationship in hadron model 7=9965 bosonic, possible existence 7=16517 correspondence with baryons, rel. to SU<sub>3</sub> symm. breakdown 7=6023

interactions, possible, in four-lepton meson decay 7=16550 ll =pp with polarized particles for p complex e.m. form factors meas. 7=6219 neutral currents theory 7=6121

pair photoproduction, virtual Compton effect

contribution 7=9887 selection rules for leptonic decay, tests review 7=12895 semileptonic interactions theory rel.to neutrino meas. at high energy 7=12921

vector meson emission in nuclear Coulomb fields 7=9879 weak interactions geometrical interpretation possibility 7=6120

weak interactions model, decay selection rules 7=9967
Lie groups. See Group theory. For applications see Elementary particles; Field theory, quantum.

Ligands. See Bonds; Molecules.

Light

See also Diffraction; Interference, etc.; Doppler effect; Radiation.

in atmospheric turbulence, beam statistics calc. 7=15522

beam propagation in weakly absorbing media 7=16268 beam trapping, Ginzburg-Landau eqns. in electrostriction theory 7=5903

beams, self-focusing by thermal effects 7=12680 clarifying props of powerful light beams 7=9485 coherent, modulation by u. s. waves for television display 7=3225

coupling with phonons, magnons and plasmons 7=15287 in crystals, cubic, propagation allowing for spatial dispersion 7=11725

deflecting beams by gases 7=16238

deflectors, electro-optic digital 7=3228 detectable information in photon beam 7=12672

difference freq. generation, peculiarities on basis of nonlinear optics 7=9538
filaments, self-trapped, standing waves 7=16270

fluctuations, review of recent research 7=9533 frequency shifting method, using Doppler effect 7=313 frequency shifting, of mode-locked laser pulses 7=3196 harmonic generation in i.r. using antiferromagnets,

theory 7=5905 hippuric acid for second harmonic prod. 7=8461 incoherent, nonlinear sum-frequency expts. 7=12678 Light-contd

liquid crystal, second harmonic generation, direct obs. 7=17270

modulation by acoustic waves 7=311 modulation, by CS, travelling-wave Kerr cells 7=5907

modulation depth of fluxes, meas. tech. 7=9540 modulation in K vapour at g. s. hyperfine freqn. 7=4027 modulator, double-refraction, photoelastic 7=312

modulators for i.r. over wide band, review 7=5906 neutrino theory, fermion and boson operators 7=5696 nonlinear media, elec. and mag. polarizations induction 7=9365

nonlinear scatt. angular dependence 7=5904 photon correlations, in ionizing laser beams 7=3191

propagation in strongly absorbing medium 7=9485 propagation through matter 7=74 resonance parametric interaction theory 7=9531 second-harmonic generation from Ge and Si surfaces 7=12677

second-harmonic generation from metal surface 7=15287 self-focusing of beam due to excitation of atoms and molecules 7=16269

Stokes parameters relativistic spinor formulation, appl. to inverse Compton effect 7=9530

sum-frequency generation in gases and liquids 7=6973 waves with exponential gain 7=12673

GaAs, electro-optic modulators for i.r. region 7=9539

LiNbO<sub>3</sub>, modulator, 4 GHz 7=16217 LiTaO<sub>3</sub>, modulator, 4 GHz 7=16217 YFe garnet:Ga modulator for i.r. over wide

band 7=5906

coherence

See also Lasers. amplification in He-Ne 7=285

on atoms and atomic systems with two levels 7=9536

Bose field props. 7=9532

degree of coherence of arbitrary order, definitions 7=5901 disturbance by frosted glasses 7=8440

with fibres, interferometric appls. 7=9609

in Fourier spectroscopy 7=330 function propag. in nonlinear dielectrics 7=16215 holography with diffuse illumination, partial coherence effect 7=365

imaging, Dirichlet's theorem 7=16213 incoherent wave fields, visual display by planar arrays 7=9537

information transformations, holography review 7=9534 KDP, resonant second harmonic generation and mixing, efficiency 7=2317

laser beam, diffused, speckled diffr. pattern, theory 7=5902 laser, two-mode beam, expt. and theory 7=3125 from laser, var. by rotating ground glass 7=9571 longitudinal, of two points on perpendicular to source.

interferometry application 7=310 phase retrieval problem as stability problem 7=12675 photon-counting statistics meas. 7=16211

plasma scatt., plasma correlation function meas. from statistics 7=10653

produced by induced two-quantum luminesc. 7=9483produced by induced two-quantum luminesc. 7=9483
propagation of mutual coherence function through random
media, approx. 7=2787
quantized field, description 7=12676
quantum theory 7=16241
radiation field, e.m., characteristic states 7=9650
review of recent research 7=9533
ruby laser peaks 7=292

scattering, in aerosol medium 7=17302 semiclassical treatments 7=309

spatial, increase in periodic apertures and lenses, theory 7=3192

in spectral analysis of large space bandwidth signals on film 7=3247

in systems, spatial carrier-frequency filters use 7=3240 theory, extra-paraxial 7=16216

time evolution of coherent states 7=370

twisted convolution quantum theory, equivalence theorem 7=12674

two points under quasimonochromatic source 7=9535

GaP, mixing of visible and near-resonance i.r., obs. 7=8395 He-Ne laser, modulation, rate eqns. 7=12636

He-Ne laser, optical reson. for freq. stabilization 7=3145 He-Ne laser, spatial, meas. 7=9509 electromagnetic theory

atmospherically distorted wave front, hterodyne detection 7=16218

Huygens principle, Kottler version derivation 7=9425 reversibility of beams in stratified media 7=16271 susceptibilities, nonlinear, computation rule 7=5222

quantum theory. See Photons; Quantum electrodynamics; Quantum theory.

velocity. See Velocity/light.
Light guides. See Optical instruments. Light modulation. See Light; Optics.

Liquid oscillations -contd

S 192 SUBJECT INDEX Light sources See also Lasers; Monochromators; Photometry/light sources; Spectroscopy light sources. air sparks, laser induced 7-13814 coherence, longitudinal, of two points on perpendicular to source, interferometry application 7-310 for e.s. r. spectrometer, u. v. 7-3097 electroluminescent cells field distribution and brightness theory 7=11924 exploding "Christmas tree tinsel" for uniform light 7=327 flash lamps, fluorine reactions 7=3242 flashtube system, shunt triggered 7=9636 gas incandescent tubes containing Cl and Br 7=5914 hollow flash tubes for laser pumping 7=9474 lamp standards of total irradiance, W-filament 7=16244 laser for bubble and cloud chamber illumination 7=5967 laser, for gas velocity and collision line-width obs. 7=13974 laser, for interference microscope 7=3233 laser ordered pulse sequence generator 7=3245 laser with rotating ground glass for optical transforms 7=9571 laser for wire dia. meas. using diffr. 7=5652 lasers, length measurement, error 7=12279 measurement of time characteristics of pulsed nanosec sources 7=3243 for metallurgical microscope, transmission 7=17456 periodic, triboluminescent, projected 7=15368 plasma pinch obs. 7=326 'point' source, size 7=12694 ruby laser for liquid light scatt, and molecular anisotropy obs. 7=7079 for shock tube invest. in near vacuum u.v. 7=9575 spark light source, 7 to 15 nsec flash duration in 190 to 1000 nm range 7=9570 for spectrochemical analysis, laser appl. theory 7=11967 for spectrochemical analysis, laser appl. theory 7=11967 spectroflash unit with triggered spark gap 7=11956 Br-containing gas discharge tubes 7=5914 Cl-containing gas discharge tubes 7=5914 H<sub>2</sub> lamp, for u.v. rays 7=325 He plasma at 2.45 Gc/s for photoionization meas, by mass spectrometer 7=17014 He-Ne laser for interference teaching demonstration 7=12716 He-Ne laser, for thermal high-resolution recording 7=9572 Hg lamps, high-pressure, use of YVO<sub>4</sub>:Eu phosphor 7=3244 KH<sub>2</sub>PO<sub>4</sub> crystal tunable generator 7=275 LiF window sealing for inert gas vacuum u.v. LiF window sealing for inert gas vacuum u.v. resonance lamps 7=11955 Ne and Xe flash tubes, optical and elec. char. 7=16266 Rb, for frequency standards and magnetometers, spectrum obs. 7=9573 SiC electroluminescent diodes pulse duration obs. 7=3243  ${
m TiO_2}$  ceramic surface sparks in Ar and Xe 7=9574 Xe lamp, for u.v. rays 7=325 Xe linear lamps max. ratings calc. 7=16245 Xe pulsed lamp, spectral distrib. and high power production 7=9576 Lighting. See Illumination. Lightning ball-type, review and discussion of existence and formation 7=5391 displacement current in trees during point-discharge, estimation 7=2531 e.l.f. emission rel. to corona currents 7=15531 frequency analysis of magnetic-field components near channels, vertical 7=15529 horizontal, magnetic field 7=12014 mechanisms of stepped and dart leaders, cloud-to-ground 7=12015

Linear accelerators. See Particle accelerators/linear.
Linewidths. See Spectral line breadth.
Liouville equation. See Statistical mechanics. Liquefaction, gases See also Low-temperature production. Ar, theory 7=7146 He, increased rate from ADL-Collins liquefier 7=158 Liquid crystals cholesteric phase, elec. and physical props. 7=4329 e.s.r. of perinaphthenyl in liq. cryst. 7=1171 K-oleate-water, intermediate phase 7=10808 n.m.r. equivalence of nuclear spin 7=17288 nematic, birefringence 7=4353 orientation of Coppinger's radical in cluster of liq.

beam 7=3185 structure data 7=7117 cyclohexanes, substituted, intramolec. motion 7=10858 hydrogenous, complex, proton motions from slow n scatt. 7=7026 cryst. 7=931 second harmonic generation, direct obs 7=17270 solvent effects in e.s.r.relax, 7=10869 Liquid-drop model. See Nucleus/models. Liquid flow. See Flow/liquids. internal fields, by angular correl. studies 7=14169 K-oleate-water, rectangular, intermediate phase 7=10808 metal-adenosine triphosphate complexes, conformation in aq. soln. 7=17245 metals, rel. to acoustic wave propagation 7=4347 Liquid helium. See Helium/liquid. Liquid oscillations in cylindrical vessel, viscous liquid, damping factor 7=17239

sloshing in connected cylindrical tanks as in U-tube 7=4316 thermosolutal convection, obs. of overstable mode 7=14077 Liquid waves See also Acoustic waves. detonating explosives, turbulence obs. in reaction zone 7=14016 in film flow down inclined plane, long 7=7006 instability with nonlinear dispersion 7=9034 propagation through assemble of spheres, single-particle eigenstate density 7=7016 propagation through assembly of spheres, rel. to density of states 7=7017 small-amplitude theory, accuracy for finite height 7=14021 solitary, surface tension effects theory 7=14025 with surface tension 7=7005  $\mathrm{H}_2\mathrm{O}$  absorption of fundamental freq. of finite amplitude at 5.65 Mc/s 7=4348

H<sub>2</sub>O, depth gauge using i.r. absorption 7=4317 surface See also Oceanography. and dissolution of metal surface step atoms 7=7032 energy spectrum of stochastic oscillations 7=10789 long, on free surface of viscous fluid, two- and threedimensional problems 7=10788 ocean, underwater sound generation 7=8619 velocity meas. by u.s. reflection critical angle 7=14024 with viscosity, Cauchy-Poisson problem in three dimensions 7=14020 water, space correlations, effects of dispersion 7=14022 from wind action on water initially standing in channel 7=7007 H<sub>2</sub>O droplets obs. 7=4319 Liquids See also Association liquids; Diffusion in liquids; Solutions acoustic impulses induced by laser beam 7=14083 acoustic vel. and attenuation meas., to 4°K and 1 Gc/s 7=14080 acoustic-wave interaction with liquid-vapour interface 7=14143 Brillouin effect, laser stimulated, self-focusing of Brillouin scatt., stimulated, laser Q-switch techniques 7=16149 bulk modulus, apparatus 7=6998 conference, Khar'kov, 1965 7=10796 dielectric relax and hindered internal relax. 7=14116 evaporating layer, effect of Coriolis force on surfacetension-driven convection 7=7152 horizontal mixing, model of "shear effect" 7=11980 in low temp. systems, level meas. by universal capacitance probe 7=2950 metal, self-diffusion, small-fluctuation theory 7=4340 microscopic transport phenomena 7=7043 non-associated, velocity of sound, temp. depend. 7=10836 nonlinear optical polarization, rel to sum and difference freq. generation 7=13987 optical sum-frequency generation 7=6973 penetration by electrons and positrons, direct comparison 7=16526 radioactive wastes, treatment at CISE 7=13349 Raman effect, laser stimulated, self-focusing of beam 7=3185 Raman rad., stimulated, ang. emission props 7=14086 Rayleigh effect, laser stimulated, self-focusing of beam 7=3185 structure effect on contact angle hysteresis 7=10822 surface heating by lasers, e.m. to acoustic energy conversion 7=12429 water, discontinuities questioned 7=7068 viscous stream, birefringence meas., distortion in apparatus 7=10779 alignment of polar mols.by external field 7=1172 alkali metals, electronic struct. 7=17244 ammonia, quadrupole coupling, deuteron spin-lattice benzene, quadrupole coupling, deuteron spin-lattice data 7=7117 benzenes, substituted, intramolec. motion '7=10858 Bernal's theory, review '7=17243 bromobenzene, quadrupole coupling, deuteron spin-lattice data '7=7117 cations in aq. soln., hydration no. determ. 7=10798-9

```
Liquids-contd
     structure-contd
           mixtures of two polar components, dielec. meas. 7=1161
            n-propyl alcohol, quasi-elastic neutron scatt., theory
                 and expt. results 7=7027
           organic molecules in LiCl ionic field, orientational
                 relax. 7=14040
           oxalate aqueous ion potential field and force consts.
calc. 7=10801
pentane, quasi-elastic neutron scatt., theory and expt.
results 7=7027
           polymers, critical molecular weight and shear
stress 7=17256
            ribonucleic acid, transfer, by small-angle X-rays 7=10563
           self-diffusion relation 7=1112
shear-relaxation processes 7=7020-1
           soap films, reflectometric thickness meas., theory 7=1111 solution reactions, shock-wave apparatus 7=18326
            supercooled, precrystallization from refr. index, theory 7=10839
            3-methylpyridine water solns., by spin-echo and i.r. spectra 7=14037
           transition metals electron states density calc. 7=10803 water, n.m.r. chem. shift data 7=4390 water, quadrupole coupling, deuteron spin-lattice data 7=7117
            water, struct. shifts and effect on gas solubility 7=1113 water, rel. to structure 7=7022
            Young's calc. of molecular size and Avogadro's number
from surface tension 7=10797
Ag, layer lattice, Fourier analysis 7=7024
            Al, collective atomic motions by cold neutron scatt.
            obs. 7=17247
Al, cond. electrons, density of states and momentum distrib. 7=7019
            Al, radial density function by X-ray diffraction obs., 665 and 750° C 7=1116
            Ar, direct correlation functions 7=17249
Ar distribution functions 0.3°K above triple point, X-ray
diffr.obs. 7=10805
            Ar, by X-ray diffr., in critical region 7=17248
Bi, cond. electrons, density of states and momentum distrib. 7=7019
            {\rm CCl_4}, {\rm X-ray} diffraction 7=1117 {\rm CCl_4}, electron and molec. radial distrib. functions by X-ray diffr. 7=10806
            cultr. 7=10806
CD<sub>4</sub>, cold neutron scattering 7=1114
CaCl<sub>2</sub> solution meas. 7=14036
CoCl<sub>2</sub> solution meas. 7=14036
CuCl<sub>3</sub> solution meas. 7=14036
CuCl<sub>4</sub> solution meas. 7=14036
             Cu<sub>b</sub>Sn<sub>b</sub>, partial structure factors by neutron diffr. 7=4327 D_2^{\circ}, molecular aggregates search by n diffr and Tyndall
                  effect 7=7028
             D<sub>2</sub>O, two-state theory 7=1105
             Ga3+ in aq soln., hydration no. determ. 7=10800
            H<sub>2</sub>O, order-disorder theory 7=4328
H<sub>2</sub>O stretching vibration, fundamental 7=14035
He<sup>3</sup> structure factor rel. to Fermi hole 7=9279
K-Cs alloy mixtures theory 7=14044
K-Rb alloy mixtures theory 7=14044
             MgCl<sub>2</sub> solution meas. 7=14036
Mg-Sn molten alloys, at. distrib. and sp. elect.
                   resist. 7=7023
             resist. 7=1023
MoF<sub>8</sub>, n. m. r. obs. of molecules 7=14129
Na-Cs alloy mixtures theory 7=14043
Na-K alloy mixtures theory 7=14043
Na-Rb alloy mixtures theory 7=14043
NiCl<sub>2</sub> solution meas. 7=14036
Pb, collective motions obs. by slow n scatt. 7=7029
Rb-Cs alloy mixtures theory 7=14044
Sn-Bi-Au system, bond numbers calc. 7=4332
Ta changes, temperature functions 7=10802
              Ta, changes, temperature functions 7=10802
             Ta, changes, temperature functions 7=10802

UF<sub>6</sub>, n. m. r. obs. of molecules 7=14129

WF<sub>6</sub>, n. m. r. obs. of molecules 7=14129

Xe distribution functions 0.3°K above triple point, X-ray diffr. obs. 7=10805

Zn, cond. electrons, density of states and momentum distrib. 7=7019
              Zn, layer lattice, Fourier analysis 7=7024
                   See also Dielectric phenomena; Equations of state/
                    liquids.
              alkali halides, molten, significant-struct. theory 7=14032
              Bernal's theory, review 7=17243 cell theories for hard particles 7=94
              dense mixtures, distrib. functions for Rice-Allnatt
                    model 7=13948
              Fermi normal liquid quasiparticle-ensemble theory 7=12381 glass-forming liqs., expressions for coop.props. 7=1104 intermolecular potential 7=932
```

dissipation theorem 7=4324

kinetic theory, current state 7=14033
LCAO method for atoms arbitrary mixture 7=9654

```
Liquids-contd
      theory-contd
            metals, elec. cond., matrix elements of pseudo-
                 potential 7=4381
            molecular, radial distortion rel. to decreasing intermolec.
                 force 7=7018
           oxalate aqueous ion potential field and force consts. calc. 7=10801
            polymer solutions, asymptotic methods 7=10815
            Rao's rule basis 7=4346
            resistivity of Mg in Li solns. in liquid and solid
            states 7=14122
review 7=1103
           scaled particle theory, aq. solns. of nonpolar gases 7=17251
           self-consistent field theory 7=17191
significant struct theory appl. to surface tension 7=14060
significant-struct.theory, ionic binary mixtures 7=4326
specific heat 7=7065
           spectral limits 7=4425
use of structure data in eqns. for interatomic
                  forces 7=4325
            thermodynamic props., statistical molecular treatment 7=17263
            transition metals electron states density calc. 7=10803
            transport processes at high press. 7=14047 transport props. of dense liquids 7=17213
            two-dimensional structures diffraction pattern rel.to
                  radial distrib. function calc. 7=1109
            wave propagation through assembly of spheres, rel. to
density of states 7=7017
            wave propagation through assembly of spheres, single-
particle eigenstate density 7=7016
Young's calc. of molecular size and Avogadro's number
from surface tension 7=10797
H<sub>2</sub>O, order-disorder theory 7=4328
           H<sub>2</sub>O<sub>2</sub> order-disorder theory 7=4328
He<sup>4</sup>, superfluid, effective long-range interaction of
dissolved He<sup>8</sup> 7=2962
KCl-KBr, significant-struct, theory 7=4326
K-Cs alloy mixtures 7=14044
K-Rb alloy mixtures 7=14044
NaCl-NaBr, significant-struct, theory 7=4326
Na-Cs alloy mixtures 7=14043
Na-K alloy mixtures 7=14043
Na-Rb alloy mixtures 7=14043
Na-Bould Na-Br, significant-struct, theory 7=4326
Na-Bulloy mixtures 7=14043
Na-Bulloy mixtures 7=14044
             Rb-Cs alloy mixtures 7=14044
 Lithium
             adsorption on Ir rel. to electron and ion emission
                  obs. 7=8063
             adsorption on oxygen-coated W 7=14299
            adsorption on oxygen-coated w 7=14299
atom, resonance lines, self-broadening meas. 7=6542
atoms quartet states var.calc. 7=10382
atoms. 2ºP, "anticrossing" signals in resonance
fluorescence calc. 7=10420
diffusion in InSb, temp. dependence 7=7519
e.p.r. linewidth, effect of Zn, Cd and Hg admixtures 7=18171
electron affinity, exploding wire obs. 7=6812
             electron affinity, exploding wire obs. 7=6812 electron band struct, tight binding calc. 7=7796
             ion field emission projector for solid structure
                  obs. 7=17464
             ion, Li*, photoionization, by polarized, orbitals 7=13837 ion source for electrostatic accelerator 7=9719 ions on diamond at 40keV, semicond. prod. 7=7935
             ions, Li<sup>7</sup> energy distrib. curve 7=10267
metastable (1s2s2p)*P° state, energy calc. 7=16902
            metastable (18282p)*P° state, energy calc. 7=16902 in semiconductor coaxial-drift intrinsic region formation, time var. calc. 7=12788 small particles in n-irrad. LiF, mag. resonances 7=11721 solns, Mg in, electrical resistance 7=14122 sorption on W, field emission projector obs. 7=7295 spectra, excitation functions 7=6567 in stars, early M-type, obs. 7=12143 in stars, F dwarfs and K giants obs., rel. to Be 7=5530 in stars, including 6 Hydri and 6 Eri 7=15642
             in stars, including \beta Hydri and \delta Eri \,7{=}15642 in stars, Pleiades and F stars obs.,rel.to evolution \,7{=}5531
              in subgiant stars, F, G and K type, abundance inter-
                    pretation 7=8824
              surface migration on Li adsorbed film obs. 7=7259
             vapour, charge exchange of protons forming excited H
                    atoms 7=984
             vibration spectrum and sp. ht. 7=7473
X-ray emission, soft, momentum eigenfunction 7=5265
              Li-like ions excitation by electron impacts, 2s →ns and
                      nd obs. 7=6556
              Li production in Li-Ne-H, Penning discharge 7=9401
             Li-Ne-H<sub>2</sub> Penning discharge 'Li-Ne-H<sub>2</sub> Penning discharge 'prod. '7=9401
Li-dipole polarizabilities of 2<sup>3</sup>S<sub>1</sub> and 2<sup>1</sup>S<sub>0</sub> states calc. 7=6534
              Li*, excited S states 7=6566
              Li' interstitials in Si, force constants 7=7475
Li' in Si, freq. of localized modes of vib. 7=7476
Li<sup>0,7</sup> ion source, polarized 7=12551
              Li<sup>6,7</sup>, optical excitation, polarization 7=10423 Li<sup>6,7</sup>, exp term h.f.s. obs. 7=10411 Li<sup>7</sup> n.q.r. in alkyllithium cpds. 7=5221
```

```
Lithium—contd
Li-Hg scattering cross-sections, glory extrema 7=13699
Lithium compounds
           alloys, dilute, n.m.r. of Li<sup>7</sup>, meas. 7=15272
Li-alumina substituted, ferrites for u. h. f. 7=15177
           Li ferrite chromite domain struct.var. at Néel temp.
                obs. 7=18141
           Li ferrite, molecular field calc.indeterminacy 7=18134
Li-hydrazinium sulphate, cryst. struct. 7=17510
           Li hydrogen selenite, thermal rot. of optical
                 indicatrix 7=11822
           (Li, Ag)<sub>2</sub>SO<sub>4</sub> (93 eg. % Li), relative cation mobilities
at 700°C 7=8559
LiAlGeO<sub>4</sub> phase transform., phenacite-spinel 7=7241
           LiAl_5O_8, e.s.r. of Cr^{3+} obs. 7=2195
           Li-Al<sub>2</sub>O<sub>3</sub> ferrites for microwave devices 7=15176
           LiBr, slip plane 7=1727
LiCd, n.m.r. in Zintl intermediate phase 7=2293
           LiCl ionic soln., organic mols. orientational relax. 7=14040
           LiCl, slip plane 7=1727
LiCl solutions in organic solvents, Rayleigh scatt.
intensity 7=14099
           LiCr<sub>3</sub>O<sub>8</sub>, cryst. struct. 7=11065
Li<sub>0.5</sub>Fe<sub>2.5</sub>O<sub>4</sub>, thermal conductivity 7=14475
           LiFePO<sub>4</sub>, antiferromagnetic structure, by neutron diffr. 7=18149
           diffr. 7=18149

LiH, compressibility, up to 20 kb 7=4788

LiH, laser-beam irrad., high-temp. plasma prod. 7=4256

LiH monocrystals, absorption, 210-1100 \(\mu\) meas. 7=18255

LiH, n escaping from plates ang. distrib. >0.7 MeV 7=13090

LiH2 production in Li-Ne-He2 Penning discharge 7=9401

LiH3(SeO3)2, ferroelectric-paraelec. transition under

pressure 7=11559

LiI, elec. cond. in p-dioxane-H20 mixtures 7=7110

LiI, 6708 A line in tuilight airglow enhancement due
            Lil, 6708 A line, in twilight airglow, enhancement due to thermonuclear explosion 7=12049
             LiI(Eu), \alpha and \gamma scintillation yields, temp. depend. 7=8475
            (Li, K_{\rm 2}SO_4, relative cation mobilities obs. 7=8559 Li<sub>3</sub>N, n. m. r. of Li<sup>7</sup> 7=2240
            Li(NH<sub>3</sub>)<sub>4</sub>, resistance and magnetoresistance 7=1945
             Li(N<sub>2</sub>H<sub>5</sub>)SO<sub>4</sub>, ferroelectric, i.r. spectrum 7=18252
            Li(N_2H_5)SO_4 thermal expansion 7=11129
             LiNbO<sub>3</sub>, acoustic wave attenuation, \mu wave freq. 7=1463
LiNbO<sub>3</sub>, Cr<sup>3*</sup> and rare-earth doped, luminescence 7=2377
            LiNbO3, elastic wave attenuation 7=1464
             {\rm LiNbO_3} elastic waves absorption at 500 Mc/s, 4.2^{\circ}-300°K 7=17715
             LiNbO<sub>3</sub>, ferroelec., optical props.temp. dependence 7=2324
             LiNbO<sub>3</sub>, for high-temperature piezoelectric transducer 7=2011
             LiNbO<sub>3</sub>, i.r. absorption, refraction and bire-
fringence 7=8414
LiNbO<sub>3</sub>, as laser pulse frequency shifter 7=3196
LiNbO<sub>3</sub>, light modulator, 4 GHz 7=16217
              LiNbO3, optical mixing phase matching angles calc. 7=2318
             LiNbO<sub>3</sub>, as optical parametric oscillator,
7300-19300A 7=3177
LiNbO<sub>3</sub> optical second harmonic generation electro-optical
modulation obs. 7=18253
              LiNbO3, parametric oscillator, characts, and longit.
                   modes 7=12668
              LiNbO<sub>3</sub>, piezoelectricity and elasticity, 20°-200°C 7=15043
             LiNbO<sub>3</sub> Raman spectrum obs. 7=8415
LiO<sub>2</sub>, i. r. spectra and consts. 7=6674
Li<sub>2</sub>O, i. r. spectra and consts. 7=6674
             L_1Q_0, the spectra and consts. 7=6674 L_1Q_0, molec, geometry, MO calc. 7=6674 L_1Q_0, i.r. spectra and consts. 7=6674 L_1Q_0, i.r. spectra and consts. 7=6659 L_1Q_0, cryst. struct. 7=4588
              LiO<sub>2</sub>:SiO<sub>2</sub> glasses, crystallization at high pressure 7=17441
              LiPaO<sub>3</sub> structure, and solid solins in Na<sub>2</sub>O-Pa<sub>2</sub>O<sub>5</sub> system, in conference, Orsay (1965) 7=11072
Li<sub>2</sub>Pt (CN)<sub>4</sub>, luminesc. of frozen solns. 7=2397
              Li<sub>2</sub>SO<sub>4</sub>, electrical cond. of liquid with foreign cation impurities, 700 -950°C 7-8560
Li<sub>2</sub>SO<sub>4</sub>, high temp. plastic deform. 7-11305
              Li<sub>2</sub>SO<sub>4</sub>-K<sub>2</sub>SO<sub>4</sub> mixtures, high temp. plastic
deform. 7=11305
LiTAO<sub>3</sub> elastic waves absorption at 500 Mc/s,
4.2°-300°K 7=17715
              LiTaO<sub>3</sub>, ferroelec., optical props.temp.
dependence 7=2324
              LiTaO3 ferroelectric domain struct, and Curie temp.
                                7=8025
              LiTaO<sub>3</sub>, light modulator, 4 GHz 7=16217
              LiUF, cryst. struct. 7=4587
              Li<sub>2</sub>WO<sub>4</sub>, solid and liquid, elec. cond. meas. 7=8009
LiZn, n.m.r. in Zintl intermediate phase 7=2239
         lithium fluoride
              absorption and reflection and photoemission, 60-120 eV,
                    K edge fluctuations 7=8413
              colour centres absorption in i.r. prod. by neutrons
                    obs. 7=11214
```

```
Lithium compounds-contd
    lithium fluoride-contd
       colour centres, zero-phonon lines 7=1635 creep, effect of u.s. radiation 7=11304
        creep stepped, dislocation mechanisms obs. 7=7716
       defect clusters, type rel. to conditions of irrad, and annealing 7=14504 deformed, interact, of dislocations and point
            defects 7=14591
       dielectric breakdown, on electron bombardment 7=11560 discrete saturation of e.p.r.lines 7=14974 dislocation bunching stresses, photoelastic obs.,
              -irradiated 7=14592
       dislocation charge in pure and \gamma-irradiated LiF 7=7583 dislocation motion in scratched zones 7=7584
        dislocation slip distance during plastic deform. 7=14741
       dislocations, nucleation under third-harmonic vibr. 7=11181 dislocations, visualization by microdrop
        condensation 7=14572
divalent cationic impurities dissolution, precipitation and
            association 7=1571
        e.s.r. and elec. cond. of Mn<sup>2*</sup> 7=7546
elastic waves, h.f., attenuation 7=17716
        electrolytic negative breakdown figure on p-irradiation
             obs. 7=15019
        F nuclear orientation in LiF with paramagnetic V_{\chi} centres, dynamic polarization enhancement at 80^{\circ}K 7{=}10917
        G-aggregate centres spectra and luminescence obs. 7=17633
        growth and impurities rel. to transparency in i.r. and u.v. regions obs. 7=1335 hardness decrease on illumination obs., rel. to marginal
             dislocations mobility var. 7=4794
        impurities 7=1637
        internal friction, effect of elec. field 7=14750 n-irrad., mag. resonances of small particles of
             Li 7=11721
         irradiated, I, E, M, Z centres 7=1636
M-centre below F band, level excitation obs. 7=7613
        neutron effects, F centre prod. and density var.
         obs. 7=11215
neutron irrad., diffusion of tritium from 7=7521
R centres, three, electronic structure 7=14622
         refractive index meas. 7=11784
        screw dislocation path in slip bands 7=14590 shearing stress distrib. in region of cleavage 7=4792 spectral reflectivity oscillator analysis 7=2323 spectrum, absorption in vac.u.v.,irradiated 7=18254 strength of whiskers <1_{\mu}thick 7=1728
        thermoluminescence, activator, heat treatment and X-ray effects obs. 7=2387
         thermoluminescence, fading after low-dose irrad. 7=11871
         thermoluminescence meas rel. to defect levels and traps \ 7{=}11870
         thermoluminescence, radiation induced, early
             fading 7=11872
         triboluminescence meas.350-600 \mu, and analysis 7=18303
         window sealing for inert gas vacuum u.v. resonance lamps 7=11955 X-ray diffraction using Mn Klpha X-rays from Fe<sup>55</sup>
        decay 7=1424

X-ray monochromator for incoherent X-ray elimination in diffraction exam. 7=3308
with Ba<sup>2+</sup>, e.p.r., after quenching and X-irrad. 7=5200
          F<sub>3</sub>* colour centre in irrad, cryst. 7=7614
          LiF:Mg, pre-irradiation annealing effects on thermo-
              luminescence and dielectric loss 7=2388
          LiF:Mg<sup>2+</sup>, MgLi dipole conc., relax. and orientation energy obs. 7=1996
 Lithosphere. See Earth.
  Loges (molecular bonds). See Bonds; Molecules/electronic
      structure.
  Lorentz-Lorenz relation. See Dielectric phenomena. Lorentz transformation. See Relativity/special.
  Lorenz number. See Conductivity, electrical/solids; Conductivity,
     thermal/solids.
  Loschmidt number (= Avogadro number). See Constants.
  Loudness. See Hearing; Intensity measurement, acoustics.
  Loudspeakers. See Acoustic radiators.
  Love waves. See Elastic waves; Seismic waves.
  Low-temperature phenomena
              See also Helium/liquid; Helium/solid; Joule-Thomson
              effect; Superconducting materials and devices;
              Superconductivity; Superfluidity.
          alkali halides, point defect configurations prod. at liquid He
          temps, by X-irrad. 7=11155
anthracene, quasiline absorpt, and fluoresc. 7=18312
conference, Minsk, 1964 7=12479
          constantan magnetism and specific heat obs. 7=2080
          cryogenic engineering, conference, Houston, USA, 1965 7=151
          dielectrics heat cond. rel. to sound absorption
              theory 7=11114
          dilute mag. alloys specific heat theory 7=11119
```

# Low-temperature phenomena—contd and entropy, book 7=85

ferromagnetic and antiferromag. kinematic interactions 7=5131

5 cryogenic mixtures, vapour-liquid equilibria 7=4414 Fritz London fourth award presentation address 7=152 graphite specific heat increase on borination obs., rel. to electron states density 7=7785

metal films, electron thermodynamic props. oscillations at low temp. and high press. 7=7755

metals, b.c.c., deformation, double-kink model 7=14616 metals elec. cond. with mag. impurities and internal fields calc. 7=17868

polyethylene, ht. capacity 2.5-30°K 7=17566 polymers dielectric loss peaks obs. 7=15026 polymethyl methacrylate, specific heat excess obs. 7=1478

polystyrene, specific heat excess obs.  $7{=}1478$  quartz, elastic waves low attenuation at 9.3 Gc/s and 4.2°K 7=7734

semiconductors breakdown doping effects theory 7=17940 solid solns., deformation, double-kink model 7=14616 third transition series solid solns. specific heat obs. 7=1471

ultrasonic absorption in dielectric crystals, temp. var. mechanism 7=4628

Ag alloys, thermoelectric power 7=15049

Ag ultrasonic absorption calc. with electron gas viscosity effect 7=14865

Ag-Au dilute alloys specific heat conc. var. obs. 7=7498 Ag-Mn dilute alloys, thermal and elec. cond. 7=4655 Ag-Pd, thermoelectricity and resistivity, conc. var.,

0.1°-4.2°K 7=4897

Al dilute alloys specific heat < 4°K, electronic component obs. 7=14463

Al specific heat < 4°K 7=14463

Ar, solid, thermal cond. 7=14316

Au ultrasonic absorption calc. with electron gas viscosity effect 7=14865

Au-Co dilute alloys elec. cond. obs. 7=1830

Au-Re dilute alloys elec. cond. obs. 7=1830

Au-Re dilute alloys elec. cond. obs. 7=1830 Au-Sn-Fe dilute alloys elec. cond. obs. 7=1830 Au-Tc dilute alloys elec. cond. obs. 7=1830 B hydrides, stability 7=15418 Bi, damped Alfvén wave transmission at 4.2°K 7=7826

Cr films condensed at 4.2°K, amorphous state obs. 7=14276

Cu magnetoacoustic u. s. polarization rotation and absorption at 4.2 % 7=11115

Cu whiskers elec. cond. at 4.2 % rel. to e reflection at surface 7=17872

CuCl, luminescence two-photon excitation by laser

obs. 7=11858

Dy thermal cond. anomaly, 2°-3°K 7=11131 EuS specific heat in magn. field obs. 7=7495

Fe dilute alloys specific heat conc. var. obs. 7=7498

Fe films condensed at 4.2  $^{\circ}$ K, amorphous state obs. 7=14276

GaAs diodes minimum in differential cond. at zero voltage 7=18019

n-GaAs luminescence bands freq.shift, 25°-35°K as donor-acceptor pair recombination evidence 7=15382

n-GaSb, magnetoelectric oscillations at 4.2 K above 30kG 7=17961
Ge neutron-irrad, damage 7=4739
n-Ge, recombination of electrons and donors at liquid He temp. calc. 7=14801

n-HgTe magnetoelectric props.obs.,rel to electron states 7=17971

HoAs magnetic anisotropy at 1.7°K 7=8258
HoP magnetic anisotropy at 1.7°K 7=8258
HoSb magnetic anisotropy at 1.7°K 7=8258
n-InSb electrical cond. anomaly and negative magnetoresistance, 4.2°-0.1°K 7=14963

n-InSb magnetoelectric nonlinearities due to hot electrons at 1.5  $^{\circ}$  K  $^{\circ}$  7=17978 n-InSb, quantum oscills. in mag. field at liquid He temps. obs. 7=8045

n-InSb transport props., liquid He temps. obs., rel. to localized spins 7=17979
K thermal cond., 0.5°-4°K, lattice component in Pippard's theory of u.s. absorption 7=14474

KBr, point defect configurations prod. at liquid He temps, by X-irrad. 7=11155

KCl, X-ray prod. of  $\alpha$  and F centres at 4.2°K 7=7544

K-Cs(0-10%) thermal cond., 0.5°-4′K, lattice component in Pippard's theory of u.s. absorption 7=14474 KMnF<sub>3</sub> spectrum, absorption fine struct. at 4.2°K 7=8411 LaF<sub>4</sub>, spin-lattice relax. of rare earth ions, 1.3-5′K 7=2214

Mg-Gd dilute alloys, magnetoresistance anomalies search 7=4903

Mg-Nd dilute alloys, magnetoresistance anomalies search 7=4903

Low-temperature phenomena-contd

Na WO<sub>3</sub> conduction band, W<sup>188</sup> n. m. r. transients obs., 1-4°K 7=7797

Nb<sub>3</sub>Sn, u.s. absorption and elastic const. anomalous obs. 7=17558

obs. 7=17558

NiSiF<sub>6</sub>. 6H<sub>2</sub>O, ht. capacity in mag. field 7=11123

Pd-Er(0.5-6.6 at.%), electrical cond. and longitudinal magnetoresistance 7=11439

Pt-Sn point contact resistance non-linearity at

liquid He temps. obs. 7=14892

 $RbMnF_3$  spectrum, absorption fine struct. at 4.2°K  $\,7{=}\,8411$  Sb, thermal cond., lattice, down to 0.4°K  $\,7{=}\,4660$ 

Si donor electrons spin-lattice relax. elec. field var. at 1.3°K 7=18178

Si internal friction rel. to dislocation relax. 7=7732 n-Si negative magnetoresistance with heavy doping,

liquid He temps, 0-40kG 7=17986
Si, recombination of electrons and donors at liquid
He temp. calc. 7=14801

Si Zener diodes breakdown and ionization 7=11534 Si:P e.s.r.in metallic conduction region at liquid He temps. 7=18179 Si:P e.s.r., P conc.var. at liquid He temp. 7=18180

Sm, elec. resist., thermal cond., mag. props. 7=11440 Sn magnetoresistance quantum oscills. at liquid He temps. to 150 kG 7=7867

Te, scattering by ionized impurities, anisotropy at 4.2 K cale. 7=7766

Ti slip dislocation mechanisms 7=11324 TICl, luminesc at 4°K 7=8498 V<sub>3</sub>Si phase transformation, stress effects obs. 7=1249  ${\rm YAl_3B_4O_{12}^{+}Eu3^{+}}$  fluorescence, elec.—mag. dipole emission ratio 7=5295

YFe garnet, magnon-phonon scatt. calc. of thermal cond., 0.5-20°K 7=11135
Yb(III) cyclopentadienides, spectra at liq. He temp. 7=11825
Zn crystals, cleavage, validity of Sohncke's law at -196°C 7=14312

Zn films with Mn paramag. impurities, elec. cond. anomalies 7=11446

ZnO:alkali metals, sharp lines from exciton complexes  $\sim$  1°K  $\,$   $7{=}18280$ 

Low-temperature production

See also Joule-Thomson effect; Liquefaction/gases; Magnetic cooling.

below 1°K by pumping on liquid He<sup>4</sup> 7=5744 i.r. detector, integrated cryogenic refrigerator 7=2927 ruby, adiabatic demagnetization 7=12482

by Bi-Sb(5, 10%), thermoelec. and elec. cond., 0-15 kOe, temp. var. 7=11581
He-3, to obtain temps. down to 0.3°K 7=12481

He3-He4 heat of mixing appl. at const. osmotic press. for 0.22°K 7=153

(Yb, Y)( $C_2H_5SO_4$ ) $_3$ .  $9H_2O$  rotating proton spin refrigerator theory 7=9267

Low-temperature technique

calorimeter, adiabatic, automatic temp. controller 7=9274 calorimeter, automatic temp. controller 1=3674
calorimeter for specific heat meas., 2 -80°K 7=9262
calorimeters, conference, Otaniemi, Finland, 1966 7=15981
capsule, for long duration experiments 7=12487
conference, Minsk, 1964 7=12479
cryogenic engineering, conference, Houston, USA,
1965 7=151

cryogenic low-pressure seal 7=17227

cryostat, liquefied gas level controller 7=154 cryostat, true-mass, for liquid O<sub>2</sub>, H<sub>2</sub>, N<sub>2</sub> 7=14014 e.s.r. of free atoms stabilized at low temps. 7=13705

e.s.r. meas. cavity for X-band and  $77^{\circ}K$  to avoid  $\mathrm{N}_2$  bubbling noise  $\ 7{=}2184$ 

electrical cond.of cryogenic liquids obs. 7=7103 field-ion microscope, liq. Ne temp. 7=3059

glass-tubes, close tolerance, thin walled, accurate drawing 7=8996 for gravitational forces meas. on charged elementary particles 7=525

particles 7=525 level indicator for liq. He 7=2953 liquid level meas, by universal capacitance probe 7=2950 liquid level sensor 7=2949 liquid level sensor 7=2949 liquid N<sub>2</sub> level control 7=9273 magnetic field fluctuation suppression 7=9270 mechanical meas, attachment 7=1690 for microwave ferrimagnetic devices 7=8446 optical reflection meas, at liquid He temps, and with small samples 7=18195

powders calorimetry, thermal cond. prod. 7=1467pumping systems, solid  ${\rm CO}_2$  as adsorption agent 7=14291 semiconductor, cylindrical, thermal cond. meas, in He bath, integral method 7=11130

specific heat meas, by decreasing temp, method 7=17664 specific heat meas, of metal and two dilute alloys 7=7498 tail-Dewar for liq. He, mag, meas. 7=2954 thermometry, 20 -70°K, use of diffused Ge resistor 7=9266 vacuum control at liquid He temp. 7=14007 vacuum seal 7=17226

variable heat switch, below 1°K 7=12484

X-ray diffr. camera 7=17491

Low-temperature technique-contd X-ray diffraction intensities, simple specimen holder 7-4537

X-ray goniometer, Weissenberg, gas-cooling attachment 7=7398 for Al electrical surface cond. increase at microwaves, for linear accelerators 7=1832

Au-Fe(0.02 at.%) versus Ag-Au(0.37 at.%) thermocouple calibration, 3-20 K 7=9265 for Cu electrical surface cond. increase at microwaves, for linear accelerators 7=1832 Cu, thermal cond. and liquid flow obs. 7=7505

Ge with diffused As as resistance thermometer 7=155 Ge:Ga resistance thermometers for 1.2-4.2°K cali-

bration 7=156

He cooling stage for electron microscopy 7=16071

He cryosorption pumping by molecular sieve 5A at 4.2 °K 7=10765

He, liquid, continuously monitoring level indicator 7=9271 He siphons sonic vibr. suppression 7=9269 He³, He⁴ vapour press. thermometry 7=15983 He⁴ vapour press. temp. scale empirical formula,

1.1°-4.4°K 7=12483

N, liquid, continuously monitoring level indicator 7=9271 N, liquid, level controller circuit 7=9272 N<sub>2</sub> liquid automatic transfer circuit 7=12485

Ne triple point calibration apparatus for thermocouples 7=15979

Pb-Cu films as thermometers, 1-7°K 7=14891 Si with diffused B as resistance thermometer 7=155

Zn as thermal switch in polycrystalline state, < 0. 2°K, mag. field effects  $\,$  7=17574

#### Lubrication

See also Friction.

high-pressure viscosity of lubricants 7=14050

m.h.d. pivoted slider bearing with convex pad surface, theory 7=11257

parallel vibrating discs separated by fluid cavitation onset calc. 7=14017
survey of work during last decade 7=7667
Ludwig-Soret effect. See Diffusion in solids.

#### Luminescence

See also Electroluminescence; Luminescent devices; Thermoluminescence

aromatic mols in rigid glass, triplet-triplet transfer 7=11831 complex molecules, shape of emission bands 7=6603 conference, Munich, 1965 7=11828 from crystal growth with homogeneous nucleation 7=8486 crystals, absorption and luminescence spectra similarity obs. 7=2390

crystals, intermolecular excitation transfer 7=11830 energy-transfer between impurity ions, optical linewidth studies 7=15394

estimation of decay times by method of moments,

review 7=2362

review 7=2362
exciton motion, interaction with phonons 7=5284
fluorometer, tunable, using tilting interference filter 7=3238
fluorescence, resonance, mag. field modulation 7=10389
Fourier spectrometer 7=333
glow curves anal, rel. to trap depths 7=18285
induced two-quantum, for producing coherent
radiation 7=9483
infra-red, spectrophotometer 7=9588
and lattice vibr.-electron interactions at point
defects 7=14784
meas of i.r., surface 7=12684

meas. of i.r., surface 7=12684 organic mols., multiplicity of phosphoresc. state 7=868 polariton effects 7=17834

polarized, from plane-parallel layer, reflection effect calc. 7=12725
powders, vac. u.v. spectrometer meas. 7=5285

relaxation measurement with "jump", 7-meter

adaptation 7=9010

resonance transformation of light by mols. with overlapping excitation levels 7=10458

rigid soln, energy transfer by exchange mechanism, theory 7=11831

singlet-triplet transitions, point-group selection rules and polarization 7=11739 spectra meas., mechanical light discriminator 7=9598

spectrophotometer adaptation 7=9594

stars, long period variables, atomic 7=15676

suspension of phosphor in solid dielectric shock excitation peaks theory 7=18286

in X-ray absorption, corrections for slab 7=8356 X-ray fluorescence spectrometer 7=16514

#### gases

air, atomic line radiation 7=16904

air, electron beam excited spectra at 50 keV 7=6676

alkali metal vapors, optically pumped, meas. of longitudinal decay in weak mag. fields 7=4019 anthraquinone derivs., quantum yield 7=6719 atoms, resonance, "anticrossing" signals calc. 7=10420 benzene, quantum yields of triplet states 7=10532

Luminescence-contd

gases-contd

inert, decay times of alpha-induced fluorescence 7=13676 level-crossing effect in resonance fluorescence, excited

by monochromatic light 7=6519 molecular level-crossing spectra, theory 7=6602

organic mols., scintillation process, theory rel. to π\*duality 7=16930
phthalimide derivs., quantum yield 7=6719.

resonance fluoresc. of atoms, effect of impurity gas on polarization 7=16898

resonance lines excitation by electrons, crossmeas. 7=10433

sensitized, polarization 7=6592 spontaneous radiation by molecules, effect of surroundings 7=852

CH chemiluminesc. in O +  $\rm C_2H_2$  reaction 7=11934 CO, fluorescence, relaxation 7=6649

CO, vibr. excited by active N<sub>2</sub> 7=13728 CO<sub>2</sub>, electron beam excited spectra at 50 keV 7=6676

Co<sub>2</sub>, vibr. excited by active N<sub>2</sub>, 7=13728 Cs resonance lines excitation by electrons, cross. obs. 7=10433

 $\text{Cs-H}_2,$  excitation transfer and quenching obs.  $7{=}10448$   $\text{Cs-N}_2,$  excitation transfer and quenching obs.  $7{=}10448$ GeH4 reaction with O, chemiluminescent

He early afterglow spectrum obs. 7=4145

He excited by electrons, polarization obs. 7=10429

He, He-Ar, He-Ne,  $\alpha$  prod., mechanism 7=4085 Hg, depolarization and quenching of  $6^3P_1$  level by collisions with foreign gases obs. 7=10431

Hg-photosensitization of excited complex mols. 7=888 Hg, 73S, and 63D, levels extinction obs. 7=13702

K, resonance fluoresc. yield factor, meas. in flames 7=6568 K resonance lines excitation by electrons, cross. obs. 7=10433

Li 2ºP term, resonance, "anticrossing" signals

N<sub>2</sub> post luminescence in tetrafluorethylene, maxima mechanism 7=13739 NO,600-677Å excitation 7=10627 NO<sub>2</sub>, upper atm., chemiluminescent radiation during PCA

events 7=18380

 $N_2O$ , vibr. excited by active  $N_2$  7=13728  $N_2-O_2$ , electron beam excited spectra at 50 keV 7=6676

Na, resonance fluoresc. yield factor, meas. in flames 7=6568 O<sub>2</sub>, electron beam excited spectra at 50 keV 7=6676

Rb resonance lines excitation by electrons, cross.obs. 7=10433

SnCl, chemiluminescent emission spectra 7=10523 SnCl<sub>2</sub>, chemiluminescent emission spectra 7=10523 Tl, obs. intensity in fluorescence of Hg and Tl

vapours 7=4032 Zn and Hg mixed vapours in h.f. discharge 7=835 liquids and solutions

acridine yellow in cyclohexanol, spectrum, 288-371°K 7=17273

acridine yellow, depolarization in soln., thermal motion effects 7=10849

acriflavine in cyclohexanol, centres effective temp. freq. var. obs. 7=17273

acriflavine, depolarization in soln., thermal motion effects  $7{=}10849$ 

alkali halide solutions, afterglow 7=7094

anthracene and derivatives, absorption and fluorescence spectra, -196-400°C, equilibrium obs. 7=4103 anthracene derivatives, fluorescence, absorption and

fluorometric spectra obs. 7=4365 anthracene, melt and soln., laser excitation 7=7091

anthracene, mixed excimers with dimesoalkyl-anthracenes 7=17274

annihacenes (=1777)
benzene and derivatives, absorption and fluorescence
spectra, -196-400°C, equilibrium obs. 7=4103
benzene, excimer intensity distrib. 7=7092

benzene, fluorescence quenching by biacetyl, energy migration 7=14111

benzene,  $\gamma$ -excited, yield of triplet states 7=14112 butyl-PBD, new scintillator for liq.scin.counter 7=16355 carbazol in var. solvents, afterglow decay and spectra obs. 7=11916

chlorophyll, excited by ruby laser 7=1157 concentration depolarization, interreln. of consts. 7=7086 cryptocyanine in methanol obs. 7=1148

2,5-diaryloxazoles in toluene, excimer form. between solute mols. 7=17275 diazines in soln. 7=10850

dibenzofuran, vibr. struct. of spectra in soln. 7=7093

dielectrics, under high elec, stress 7=4363 dimesalkylanthacenes, mixed excimers with anthracenes 7=17274 dimesalkylanthracene solns., quenching as excimer process 7=7090

```
Physics Abstracts 1967 - Part I (Jan.-June)
Luminescence contd
   liquids and solutions
        electrochemiluminescence for meas. of mass
            transfer 7=10785
        eosin, in PMMA, self-polarization meas. 7=10853 excitation transfer, rel. to strong, weak and very weak
       coupling 7=11830 fluorenone in soln. 7=904
        hexane with anthracene, pre-breakdown pulses mechanism 7=14113
        hexane, with impurities, under high elec. stress 7=4363 hydrocarbons, chemiluminescence in autooxidation rel.
        to kinetics of chain reactions 7=15414 indole, exciplet formation in solns. 7=4367
        inert gases, excitation trapping by molecule formation obs. 7=2395
        methylcyclopropylketones, n \rightarrow \pi^* transition of carbonyl
            group 7=4114
        α-methylnaphthalene solns. 7=10541
β-methylnaphthalene solns. 7=6714
        methylnaphthalenes, press. depend. of conc. change 7=14114 naphthalene, press. depend. of conc. change 7=14114 organic binary solns., reabsorption effects on decay 7=7088
        organic cpds, fluorescence quenching by cpds containing
        heavy atoms 7=14104 organic, in cyclohexane soln., lifetimes and quantum
             efficiencies of fluorescence 7=7089
        organic scintillator solns, fluorescence lifetimes, efficiencies and extinction coeffs. 7=14108 organic scintillator solutes, problem of solubility 7=14110
        organic scintillators decay on \alpha, \gamma, u. v. excitation obs. 7=15364
        organic scintillators, energy transfer, fluorescence,
decay laws 7-14107
organic scintillators, and nature of ionizing particles 7-5286
        organic solns, dilute, fluorescence and energy transfer 7=14105 organic solns, fluorescence quenching rel. to energy transfer from solvent 7=14106 organic solns., kinetics of fluorescence quenching 7=4364
         organic, solvent-solute energy transfer, effect of excimer formation 7=389 organic systems with #*-duality, modified theory of scintillation 7=16930
         p-terphenyl solns, u.v. and \gamma-irrad., radical form. and energy transfer 7=15447
         p-xylene, fluorescence quenching by biacetyl, energy
         migration 7=14111 phthalimide derivs., effect of temp. and aggregation state
              of solvent 7=1152
         phthalocyanine solns. from absorption saturation
         meas. 7=17277
polymethine dyes, in glycerol, stimulated emission 7=306
         polystyrene in soln., excitation in vac. u.v. 7=8518
         pressure effects on reactions of excited mols. in
              soln. 7=15413
         pyrene in ethanol, intersystem crossing 7=10851 quenching reversal in aq. solns. 7=7095
          quinine sulphate in acid soln., radiation effects 7=17278
          rhodamine dyes in polar + nonpolar solvents, conc.
quenching association mechanism 7=10852
          scintillators, excimer form. between solute mols 7=17275
         scintillators, lifetimes of excited molecules, quenching effect of O, 7=14109 solutions of polyatomic molecules, quantum yield wavelength var.obs. 7=7087
          solutions, viscous, depolarization due to molec. rotation, thermodynamic theory 7=10848
-amino-N-methyl-phthalimide, fluorescence, absorption and fluorometric spectra obs. 7=4365
          toluene, fluorescence quenching by biacetyl, energy
           migration 7=14111
trypaflavin in PMMA, self-polarization meas. 7=10853
          2-ethyl naphthalene organic scintillators solvent 7=16356 water, afterglow 7=7094
          CS2-nitrobenzene mixtures, intensity of stimulated Raman
               emission 7=3187
           Eu \alpha-naphthoyltriacetonate in soln. 7=1153
Eu chelate soln., intense pulsed excitation 7=17276
           Eu<sup>3</sup> chelates in soln., internal energy transfer 7=1158
Eu<sup>3</sup> in solns., sensitizing by organic dyes 7=4366
           EuCl<sub>3</sub> in soln., temp.-depend. quenching 7=1159
           Eu(NO_3)_3 in soln., temp.-depend.quenching 7{=}1159 HeII, \alpha{-}produced scintillations inhibition between 1.1 and
                3.0°K 7=9285
           Na hydroxybenzoate aq. solns., quenching reversal 7=7095
           Na salicylate, u.v. pulse response 7=2412
Nd3 in organic soln., room temp. 7=16206
           Tb-pyrazolone deriv.complexes in soln. 7=18318
           Tb<sup>3+</sup> chelates in soln., internal energy transfer 7=1158 Tb<sup>3+</sup> in solns., sensitizing by organic dyes 7=4366
            UO22, energy transfer to Eust in soln. 7=14115
       solids, inorganic
           alkali halide phosphors with heavy metal ions,
                dynamical Jahn-Teller effect 7=5242
```

Luminescence-contd solids, inorganic-contd alkali halide, X-ray induced; halide impurities 7=15372 alkali halides, Ag-activated, recomb. spectra 7=8466 alkali halides, bound excitons 7=11869 alkali halides, exciton and V<sub>k</sub>-plus-electron states 7=5287 alkali halides, nonactivated, scintillation at low temp. 7=11843
alkali halides, OH--rich 7=11867
alkali iodides, Th activated, elec. field 7=5283
rel. to defects and impurities 7=11839 p-diamond, from Al acceptors, stress effects, 0.30-0.37 eV 7=18288 diamond, exciton N9 center recombination radiation diamond, recomb, radiation, by electron excitation 7=5291 diamonds, X-ray effects obs. 7=11847 europium orthotantalate 7=11859 fluorspar 7=15373 galophosphate with CdS photoresistor for u.v. detection 7=9545 glass, germanate, Tm³ fluorescence excitations rel. to energy transfer from Yb³ to Tm³ 7=8499 inert gases, excitation trapping by molecule formation obs. 7=2395 ionic crystals, elec. field effects 7=5283 lanthanum-borate glass, fluoresc. of Nd³ ion in glass 7=11875 lanthanum orthotantalate 7=11859  $M_{0.5}^{11}M_{0.5}^{11}VO_4$ : Eu, orthovanadate phosphors 7=2401 metals, electrons transition radiation for oblique incidence 7=11836 meteorites, due to p and u. v. obs. in laboratory 7=12245 mixed crystals, annihilation and origin of delayed fluorescence 7=11834 Moon, spectrometric and colorimetric methods and obs. 7=12212 optical materials for i.r., in i.r., on visible light excitation 7=11833 p-n junction, recombination radiation obs. 7=5301 p-n junctions tunnel radiative recombination theory 7=8477 phosphors, Ag activated 7=2405 phosphors, radiation damage rel. to collision theory and electronic structure 7=11832 platinocyanides 7=15397 platinocyanides, frozen solns. 7=2397 radical luminesc., mechanism 7=11883 rare earth ions in LiNbO<sub>3</sub> 7-2377
rare earth oxides, Eus activated, rel. to crystal
structure 7-15379 structure 7=15379
ruby, cathodoluminescence due to electron, spectrum and obs. 7=2368
ruby, energy transfer, single-ion and pair
fluorescence 7=15369
ruby, excited by electron bursts, emission in R
lines 7=15370 ruby, fluorescence of principal and secondary line 7=8468 ruby laser rod 7=291 ruby, low temp., quantum yield of R-line 7=8467 ruby, R and N lines for heavy doping, temp. depend. 7=11845 ruby, spectral distrib. of yield 7=2367 semiconductors, effect of strong magnetic field 7=8463 semiconductors excess carriers diffusion lengths meas. by cathodoluminescence voltage var. 7=17753 semiconductors, heavily doped, radiative transitions 7=15363 transitions '1=15363' silicate glasses, nonradiative excitation energy transfer between Yb<sup>3</sup>, Nd<sup>3\*</sup> and Pr<sup>3\*</sup> 7=11879 solid solution, resonance quenching theory 7=11829 triboluminescence, pressure effects on recomb. centres 7=15368 tungstate, Tm<sup>3\*</sup> fluorescence excitations rel. to energy transfer from Yb<sup>3\*</sup> to Tm<sup>3\*</sup> 7=8499 II-VI compounds, rel. to point imperfections e.s.r. obs. 7=1534 uranyl salts, for high-level excitation 7=11880 AgCl, excited by lasers 7=2365 AgCl, trapping centre effects obs. 7=2366
Al electrodes, steady-state cathode luminesc. 7=11844
AlLa<sub>0</sub>, Pr<sup>5\*</sup> spectrum lines classification 7=5289
Al<sub>2</sub>O<sub>3</sub> (corundum), X-ray prod., 100-650°K 7=5288
Al<sub>2</sub>O<sub>3</sub>, Cr impurity pairs 7=15371
Au, electrons transition radiation in films obs. 7=12980 Au, photon prod. by low-energy electron bombard. 7=8469 BaF, activated with rare earth ions, new cooperative sensitization 7=11840
BaF,;Gds\* 7=11766
BaF,Gdb\* fluorescence, elec.-mag. dipole emission ratio 7=5295 CaF<sub>2</sub>:Dy<sup>2\*</sup>, line width 7=8470 CaF<sub>2</sub>:Gd<sup>3\*</sup> trigonal centres with OH compensation 7=2369 CaF<sub>2</sub>(I):Tb<sup>2\*</sup>, cubic-field energy-level schemes of fluorescence 7=18289 CaF<sub>2</sub>:U<sup>3</sup> crysts. 7=2370 CaF<sub>2</sub>-YF<sub>3</sub>-Nd<sup>3+</sup>, stimulated, spectrum 7=3164

Luminescence-contd

solids, inorganic-contd

```
SUBJECT INDEX
Luminescence-contd
     solids, inorganic-contd
           CdF2:Er fluorescence, i. r. quantum counter action 7=11851
           CdMoO<sub>4</sub>:Eu phosphors, excitation and emission 7=11852
           CdS carrier capture mechanisms on single recombination
                centre 7=8471
          CdS, cathodoluminescence 7=5292
          CdS, distant-pair recombination processes in green-
edge emission, 4.2° and 77°K 7=2373
          CdS, edge emission 7=5315
CdS edge emission 7=8472
          CdS, edge emission, effect of heat treatment 7=18291
CdS edge emission, 18°-150°K, as donor-acceptor
          associates internal transition 7=8473
CdS, edge emission, new acceptor at 152 meV above
                VB 7=18292
          CdS edge emission, phonon coupling 7=11104 CdS, electron excitation 7=5293
          CdS films, quantum yield at 77° K 7=2375 CdS films, temp. depend. 7=18227 CdS, irradiation effects of \gamma and fast n 7=2027
          CdS, luminesc. centres 7=18290
CdS(Cu), excited by Pm<sup>147</sup> \beta-radiation obs. 7=11900
           CdSe edge emission, phonon coupling 7=11104
           CdSe, fluorescence and electron bombard.,
                 annealing 7=15374
           CdSe_S<sub>1-x</sub> edge, emission, phonon coupling 7=11104
CdTe diode 7=15410
CdTe diodes, luminesc.props. 7=15376
           CdTe, rel. to excitons obs. 7=17831
CeO<sub>2</sub>, fluorescence of trivalent rare earths 7=11848
Cm<sup>3*</sup> in LaCl<sub>3</sub> 7=2293
           Cm³ in LaCl_3 7=2293

Cr(III) complexes, correl, with ligand-field strength 7=15377

Cr³, in LiNbO_3 7=2377

Cr³, in perovskites, temp. var. obs. 7=2376

CsI, doped with Ca², Sr² or Mn², blue component 7=11854

CsI, 3450Å component 7=11853

CsI(In), \alpha- and \gamma-scintillation yields, temp. depend. 7=8475

CsI(Tl), \alpha- and \gamma-scintillation yields, temp. depend. 7=8475
            CsI:Tl decay times and scintillation processes
                 obs. 7=8474
           oos. 1=04/4
Csi:Tl, y-scint., decay component 7=15378
CuBr, excited by laser source, 4.2°K obs. 7=11855
CuCl, decay time of exciton emission 7=11856
CuCl, excited by laser absorption 7=11857
CuCl, two-photon excitation by laser at low temps.
obs. 7=11858
            Cu<sub>2</sub>O, field effect and surface levels 7=14849
            Cu-Sn glasses, excited-state absorption 7=15352
Er<sup>3+</sup> glasses, excited-state absorption 7=15352
            Ers* in silicate glasses, coupled, two photon addition 7-2378
Eu-activated A<sup>III</sup>B<sup>V</sup>O<sub>4</sub>(A = La, Gd or Y; B = P, V
                 or Nb) 7=5296
            Eu*-activated oxides, efficiency 7=2380
Eu*, fluoresc. in mixed metal oxides, crystal structure
sensitivity 7=5295
            Eu*, in metal oxides, fluorescence 7=5297
Eu* in mixed metal oxides, crystal structure
sensitivity 7=5295
            Eu3+ in rocksalt lattice 7=5294
            Eu3+ in tungstates and molybdates, energy transfer 7=2379
             Fe-Cr alloys, fluorescent X-ray intensity in spectrochem.
            anal. 7=2492
GaAs diodes, radiative recombination 7=2420
GaAs diodes with three-layer structures obs. 7=2419
             GaAs, electron beam prod., for carrier excess diffusion
            GaAs, electron beam prod., for carrier excess diffusi
and surface recombination meas. 7-17824
GaAs excess carriers diffusion lengths meas, by
cathodoluminescence voltage var. 7-17753
GaAs, interaction of two avalanching layers 7-15381
GaAs, radiation quenching obs. 7-18235
GaAs, n-type, epitaxial, 20°K, new peak 7-8476
GaAs, n-add no excitation decord of page 18
            GaAs, p- and n-, excitation depend of photo-
luminesc. 7=18295
            GaAs p-n junctions, radiative recomb. of excess carriers, kinetics 7=11861
            GaAs p-n junctions, radiative recombination 7=15380 GaAs, p-n junctions, recombination radiation 7=15386
             GaAs p-n junctions tunnel radiative recombination 7=8477
            GaAs, recombination radiation in p-n junctions
                  obs. 7=18321
            n-GaAs, temperature var. of band freqs., 25°-35°K, as
donor-acceptor pair recombination evidence 7=15382
GaAs:Cu, bound states, rel. to optical props. 7=17832
GaAs:Cu, effect of Te and acceptor level 7=11862
            GaAs<sub>0.7</sub>P<sub>0.3</sub>, n- and p-types, 300, 77 K 7=11864
GaAs:Zn, effects of e-irradiation and annealing
obs. 7=2382
            p-GaAs: Zn, electron beam prod., donor -acceptor
            transitions 7=18297
GaP, Auger recomb. of excitons bound to neutral donors,
meas. 7=7817
```

```
GaP excitons bound to isoelectronic traps, decay
GaP, radiative recombination at isoelectronic traps 7=18296
GaP, recomb. radiation electron injection and bombard. 7=5258
GaP, recombination radiation in diodes, var. with current and temp.obs. 7=18319
GaP, two-electron transitions of excitons bound to neutral donors 7=11865
GaP:Bi, fluorescence rel. to indirect transitions and
     isoelectronic donors and acceptors 7=11906
GaP-GaAs, epitaxial heterojunctions 7=15383
GaP:N, isoelectronic traps 7=2389
GaP:Si, ~ 1.96 eV, 77 % 7=18293
GaSb, effect of residual acceptors 7=14953
GaSb, p-n junctions, radiative recomb. 7=15385
GaSb p-n junctions tunnel radiative recombination 7=8477
GdAlO<sub>3</sub>, fluoresc. study of energy transfer from Cr<sup>3+</sup> to Nd<sup>3+</sup> ions 7=15393
Ge, heavily doped, recombination radiation 7=2383
 Ge, radiative interimpurity radiation 7=11866
Ge, radiative recombination in heavily doped crystals 7=15388
Ge, radiative recombination, rel. to radiation
    defects 7=18298
Ge recombination radiation carrier interaction transitions
    obs. 7=18193
 Ge, recombination radiation intensity changes in mag.
     field 7=15387
 HgI2, decay time of exciton emission 7=11856
{
m Ho^{3^{\circ}}} activated glasses, spectrum obs. 7=2384 InAs diodes, ionization energy of Cd atoms 7=14838
 InAs diodes, recomb. radiation spectra 7=15389
InAs, diodes, spontaneous recombination radiation 7=18299 InP p-n junctions tunnel radiative recombination 7=8477 InSb, coherent K-band emission 7=5302
 InSb electron-hole plasma in 14000 G at 10°K 7=3176
 InSb recombination radiation stress and orientation var.
     obs. 7=18300
K halides, mixed, TlX_{\rm a}Y_{\rm 6^-n} complexes, fluoresc. 7=5311 K plasma resonance emission after light
     excitation 7=17849
 K-Ba-Si glass, Tm³¹ luminescence, sensitization by ions UO_2^{2+} \to Nd^{3+} \to Yb^{3+} \to Er^{3+} 7=18302
 KBr, shock compression 7=14624
 KCl,γ-irrad., induced by plastic deformation 7=11868
KCl:Cu 7=11790
KCl:Cu* compressed samples 7=5304
 KCl. KBr-Ag, hole recombination 7=15233
 KCl:Tl F-band excitation of photoscintillation 7=18301
 KCl:Tl, forbidden transitions, phonon-violated 7=8484
 KCl-TlCl, \gamma-irradiated, trapping and annihilation of electrons and holes 7=5303
 KI, electric a. c. field modulation obs. with u. v. excitation
       100°K 7=15390
 KI, intrinsic quenching after u.v. irrad. 7=8481
KI:In, inner centre, mechanism 7=15391
 KI:Tl, low-temp., energy storage 7=2385
KI:Tl, X-ray, and optical burst 7=2386
 {
m KMgF_3}, with Ni impurity, near i.r.fluoresc.and absorption 7{=}15392
 KMnF3, with Ni impurity, near i.r.fluoresc. and
      absorption 7=15392
 KNO<sub>2</sub>, absorption and luminescence spectra similarity
obs. 7=2390
 KNiF_3, near~i.~r. fluoresc. and absorption~ 7=15392~K_{4} [UO_2(CO)_3]~ 7=2347
 LaAlO<sub>3</sub>, fluoresc. study of energy transfer from Cr<sup>3+</sup> to Nd<sup>3+</sup> ions 7=15393
LaBr<sub>3</sub>:Np<sup>3+</sup> 7=11782
 LaCl<sub>3</sub>:Ho<sup>3+</sup>, ion pair interactions obs. 7=8482
 LaF<sub>3</sub>:Er<sup>3+</sup>, fluorescence excitation and decay
 props. 7=15395

LaF<sub>3</sub>(Pr³*, Nd³*), energy-transfer rel. to Nd³* conc. 7=15394

LaNa(MoO<sub>4</sub>)<sub>2</sub>:Nd³* 7=16199
 LiF F-aggregate centres prod. by \gamma-irradiation obs. 7=17633
 LiF, triboluminescence meas. 350-600 \mu and
      analysis 7=18303
 LiI(Eu), \alpha- and \gamma-scintillation yields, temp. depend. 7=8475
 Mg<sub>3</sub>(ASO<sub>4</sub>)<sub>2</sub> with CdS photoresistor for u.v. detection 7=9545 MgO:Mn<sup>4+</sup>, fluorescence line with vibronic side bands 7=15221
 {\rm MgSiF_6.6H_2O} with CdS photoresistor for u.v.
 Mgstr<sub>0</sub>·0n<sub>2</sub>O with Cds photoresistor for u.v.
detection 7=9545 for between Mn<sup>2+</sup> and Eu<sup>2+</sup> rel. to
mag, ordering obs. 7=11873
N in GaP, isoelectronic traps 7=2389
NH<sub>2</sub> and NO<sub>2</sub> in alkali halides, fluoresc. meas. 7=5267
```

Na rare-earth tungstates, energy transfer between Sm³\*, Eu³\*, Tb³\* and Dy³\* 7=2391

'hysics Abstracts 1967 - Part I (Jan.-June) aminescence contd solids, inorganic-contd NaCl, from crystal growth with homogeneous nucleation 7=8486 NaCl, radioluminesc.flash 7=18304 NaCl, radioluminesc.flash 7=18304 NaCl, shock compression 7=14624 NaCl:Ag under X-rays at 40 kV decay mechanism 7=8487 NaCl:Cu 7=11790 NaCl. NaBr-Ag, hole recombination 7=15233 NaCl:Ni 7=15396 NaCl with NiCl, PbCl, and both, spectra of activators and supplementary absorption obs. 7=8424 NaF:U, X- and  $\gamma$ -ray effects obs. 7=14628 NaGdO<sub>2</sub>:Eus\* activated, fluoresc.props. 7=2392 NaI:Eu 7=8489 NaI(T1),  $\alpha$ - and  $\gamma$ -scintillation yields, temp. depend. 7=8475 NaI(T1), scintillation efficiency, expt. and theory 7=5305-6 NaI(T1), temp. depend. 7=8488 NaI(TI), X-ray, effect of deep capture levels 7=11876 NaI V<sub>k</sub> centres recombination 7=14629 NaNO2, absorption and luminescence spectra similarity obs. 7=2390  ${
m Na_{0.5}(Y, Eu, Nd)_{0.5}WO_4}$ , energy transfer between Eu and Nd  $7{=}11860$ Nd in  $BeF_2$  glasses, luminesc. and stimulated emission 7=8490Nd, laser thresholds, and temp. dependent fluorescence parameters 7=2393 NdCl3, fluorescence and intensity-dependent attenuation at 1.06µ 7=2394 NiF2, near i.r.fluoresc. and absorption 7=15392 Ni-Fe alloys, fluorescent X-ray intensity in spectrochem. anal. 7=2492 Ni-Fe-Cr alloys, fluorescent X-ray intensity in spectrochem. anal.  $7{=}2492$  $PbI_2$ , decay time of exciton emission 7=11856  $Pr^{3^+}$  in  $AlLaO_3$ , or ordinary and low temperatures obs. 7=5308 Prs+ in YGaG and YAlG 7=8431 RbI V centres recombination 7=14629 Se, treated with Hg vapour 7=18307 Se, trigonal, photoluminescence 7=18306 Si, Auger recomb. of excitons bound to neutral donors, meas. 7=7817 Si, impurity radiative recombination obs. 7=2398 Si, light emission, effect of O 7=15399 Si, Mössbauer effect analogue 7=8491 Si p-n junctions, dependence on type of breakdown 7=18308 SiC, band scheme 7=18309 SiC, cathodoluminescence, effect of K\* bombard. 7=5309 SiC, cathodoluminescence of radiation-damaged crystals 7=15398 SiC, low temp. 7=8493  $\rm Sm^{2+}$  in alkaline-earth fluorides, press. effect 7=2344  $\rm Sm^{3^+}$  -activated phosphors, broad-band u.v. excitation 7=5310 Sm<sup>s+</sup> in LaF<sub>3</sub> 7=17339 Sm<sup>s+</sup>, energy transfer mechanism 7=2400 β-Sr<sub>2.2</sub>Cd<sub>0.6</sub>(PO<sub>4</sub>)<sub>2</sub>.xPb, var.x obs. 7=2399 SrF<sub>2</sub>:Gd<sup>3+</sup> 7=11766 SrF<sub>2</sub>. LaF<sub>2</sub>:Nd<sup>3</sup>\*, spectra, stimulated emission meas. 7=18268
Tb-activated glasses 7=8496 Tb-activated LnMO<sub>4</sub> type phosphors 7=11841
Tb\*, energy transfer mechanisms 7=2400
Tb-Eu energy transfer 7=8497
ThO<sub>2</sub>, fluorescence of trivalent rare earths 7=11848
TlCl, at 4°K 7=8498 UO2 glasses, excited-state absorption 7=15352 UO<sub>2</sub>SO<sub>4</sub> modifications A and B bands obs. 7=15353 V silicides, X-ray fine structure 7=15354 YAl<sub>2</sub>O<sub>12</sub>, fluoresc. study of energy transfer from Cr<sup>3+</sup> to Nd<sup>3+</sup> ions 7=15393 Nd<sup>3</sup> tons 7=15393 (Y, Eu, Nd)<sub>2</sub>O<sub>3</sub>, energy transfer between Eu and Nd 7=11860 Y<sub>2</sub>O<sub>3</sub>-In<sub>2</sub>O<sub>3</sub>, effect of composition of mixture 7=11882 Y<sub>2</sub>O<sub>3</sub>:Tb:Eu, Tb<sup>3</sup> energy transfer to Eu<sup>3</sup> centres obs. 7=18310 YVO<sub>4</sub>:Eu, use for high-pressure Hg lamps 7=3244 YVO<sub>4</sub>:Eu, red-emitting, of high luminous efficiency 7=11881 Zn, excited by Pm<sup>4</sup>π <sub>B</sub>-radiation obs. 7=11900 (Zn, Cd)S. An precipitate 7=15402 Zn, Cd)S. Ag, precipitate 7=15402
(Zn, Cd)S. Mn, i.r. enhancement of α-ray scintillations 7=11902
ZnO, edge emission 7=5315 ZnO, prod. by free radicals and light obs. 7=11884 ZnO, radical luminesc. 7=11883 ZnS, activated phosphor, pressure effects up to 52 kbar 7=5313 ZnS, i.r. spectra, effect of flux, meas. 7=18311 ZnS, i. r. wavelength dependence 7=11886 ZnS, nature of centres 7=11887 ZnS, self-activated 7=11904 ZnS, striated, photoluminescence rel. to heat and u.v. treatment 7=11888

Luminescence-contd solids, inorganic-contd ZnS, triboluminescence, pressure effects on recomb. centres 7=15368 ZnS. Ag, precipitate 7=15402 ZnS-AgAlS<sub>2</sub> spectra obs. 7=11905 ZnS:Cu 7=2402 ZnS, Cu-activated, i. r. emission 7=11894 ZnS:Cu, blue and green centres 7=15401 ZnS:Cu, decay, for various excitations 7=5319 ZnS(Cu), photoelectroluminescent brightness wave meas. 7=11893 ZnS:Cu, prep. in O2, yellow and red luminesc. 7=11892 ZnS(Cu), rel. to structurized regions, and chemical reactions 7=11889 ZnS(Cu, Cl), blue-green transform. rel. to trapping and i.r. response 7=11891
ZnS(Cu, Cl), electron trapping 7=11378 ZnS:Cu, Fe, Co and Ni effects mechanisms 7=8501 ZnS-CuAlS, spectra obs. 7=11905 ZnSe, cathode luminescence obs. 7=5314 ZnSe, self-activated 7=11904 Zn2SiO4 (Mn), high luminescence intensity, pre-shock treatment preparation 7=8500 ZnTe, radiative recombination at isoelectronic traps 7=18296 ZnTe:O excitons bound to isoelectronic traps, decay obs. 7=18294 ZnTe:O, fluorescence rel. to indirect transitions and isoelectronic donors and acceptors 7=11906 solids, organic adenine, in polynucleotides 7=2407
adenine, in polynucleotides 7=2407
alkane glasses, γ-irrad., charge recomb. 7=2408
alkanes, γ-irrad. glasses, at 77 K 7=11908
anthracene, depend. of polarization on wavelength 7=8506
anthracene dimers 7=8450
anthracene with naphtacene, depend. of polarization on
wavelength 7=8506
anthracene\_naphthacene mixtures in n-paraffin. anthracene-naphthacene mixtures in n-paraffin, spectrum at 77% 7=11819 anthracene, nonlinear quenching due to excitons 7=15404 anthracene, polarization of fluorescence 7-11912 anthracene, quasiline, at 77.3 and 4.3°K 7-18312 anthracene single crysts., phosphoresc. 7-8505 anthracene single crysts, phosphoresc. 7=3000 anthracene, triplet-triplet annihilation at low-excitation intensity 7=11911 anthracenes, substituted, sandwich dimers 7=8451 aromatics, perfuor- and perchlorinated, radiationless transitions 7=8504 1,2-benzanthracene, quasi-line spectra 7=2409 benzene, rel. to geometry of lowest triplet state 7=15405 benzene in solid N, excitation by active N obs. 7=15406 benzene and toluene at 80°K, electronic energy transfer, fluorescene spectroscopic obs. 7=18313 benzophenone containing naphthalene, saturation of minor component by intense pulses obs. 7=11915 minor component by intense pulses obs. 7=11915 benzophenone + naphthalene, triplet-triplet energy transfer rel. to photochemical reaction 7=8509 benzophenone,  ${}^1\mathrm{U}(\mathsf{n},\pi) \leftarrow {}^1\mathrm{A}$  band intensity 7=8456 benzyl acetate 7=8510 benzyl radical trapped in solid methylcyclohexane etc., fluorescence 7=5316 borate phosphors activated with fluorescein, phosphore activated with Huorescein, phosphorescence obs 7-2413 carbazol in var. solvents, afterglow decay and spectra obs. 7-11916 cellulose, spectrum var. with exciting wavelength obs. 7-11917 charge-transfer complexing and donor's phosphoresc. 7=2363 coronene in paraffin soln., two types of centre 7=11918 coronene, quasi-line, effect of solvent polymorphism 7=8458 cyanine dyes 7=15407 cyclopentane, benzyl radical at near liquid He temp. 7=8508 diazines in rigid solns. 7=10850
DNA, phosphorescence at 77°K 7=18317
DNA, u.v.-excited triplet state 7=2410
divinylbenzene, diaryl derivatives 7=2414
fluorenone 7=904 fluorescein, energy transfer from excited triplet level 7=8511 fluorescence spectra, prompt and delayed 7=15408 halogenated benzenes, triplet state excimers 7=8507 1-indanone 7=8512 methyl cyclopentane, benzyl radical at near liquid He temp.  $7{=}8508$   $\beta{-}methylnaphthalene$   $7{=}6714$   $\alpha{-}methylnaphthalene$   $7{=}10541$ naphthalene, energy transfer from excited triplet level 7=8511 naphthalene, high-press. effects on triplet-singlet transition 7=8515

```
SUBJECT INDEX
Luminescence-contd
   solids, organic-contd
      naphthalene, multiphoton photons absorption probability
         ratio obs. 7=2353
      naphthalene, ortho-deuterated, for n scintillation spectro-
         metry 7=6238
      naphthalene, rel. to phase transition 7=14255
      naphthalene in polymethylmethacrylate, high press. 7=8514
      nitrogen heterocyclics in organic glasses 7=8513
      nucleosides and nucleotides 7=2411
      paracyclophanes 7=902
      phenanthrene in mixed crysts. 7=2354 phthalimide derivs., effect of temp. and aggregation state
         of solvent 7=1152
      plastic granules, scintillation characteristics 7=18315
      plastic scintillators, halogen-containing 7=18316
      polystyrene, excitation in vac. u.v. 7=8518
purine nucleotides phosphorescence at 77°K 7=18317
      purines 7=2411
      pyrazine 7=8516
      pyrimidine nucleotides phosphorescence at 77°K 7=18317
      pyrimidines 7=2411
      rise-times of phosphorescence and delayed
          fluorescence 7=11907
      scintillators decay on \alpha, \gamma, u.v. excitation obs. 7=15364 scintillators, and nature of ionizing particles 7=5286
      scintillators, specific luminescence rel. to specific energy
      loss of ionizing particles 7=11835
sodium salicylate, effect of u.v. irrad. on fluores-
cence 7=5320
      sodium salicylate, quality and prep. effect on fluorescence 7=5317
      spectral var. of quantum yield of radiation converters
      obs. 7=2406
sugar activated with dyes, fluorescence and phosphorescence
      obs. 7=2413
tetracene 7=2047
      tolane in crystalline solns., spectra obs. 7=5318
      toluene, triplet-singlet spectra, crystalline and in rigid
          glass solns. 7=11923
      triplet state excimers 7=8507
      trypaflavine in plexiglass, phosphoresc.-fluoresc.
          shift 7=15409
      Eu anthranilates, Tb-sensitized 7=8517
      Eu benzoylacetonate, fluorescence lifetime, temp. depend. 7=11920
      Eu chelate cpds., intensity distrib. 7=18314
Eu chelate, mechanical 7=11919
       Eu dubenzoylmethide, fluorescence lifetime, temp.
          depend. 7=11920
      Eu solid cpds, Tb-sensitized 7=8517
      Eu triple-antiprine-salicylates, Tb-sensitized 7=8517
      Mn-amine complexes, photoluminescence at low
```

Mn-amine complexes, photoluminescence at low temp. 7=11909 Mo thiourea $_3$ Cl $_3$  °E $_5$   $\rightarrow$  ^4A $_{2g}$  phosphorescence 7=11921 Mo urea $_3$ Cl $_3$  °E $_5$   $\rightarrow$  ^4A $_{2g}$  phosphorescence 7=11921 Mo urea $_3$ Cl $_3$  °E $_5$   $\rightarrow$  ^4A $_{2g}$  phosphorescence 7=11921 Na salicylate, u.v. pulse response 7=2412 Tb-pyrazolone deriv. complexes 7=18318

Luminescence chambers

high-energy physics conference, Dubna, USSR, (1964) 7=3413

Luminescent devices

See also Counters/scintillation.

electroluminescent cells field distribution and brightness theory 7=11924

electroluminescent diode, epitaxial hemispherical 7=18320 semiconducting p-n junction, electroluminescence of deep levels in carrier diffusion region,

recombination 7=2417

(Al<sub>x</sub>Ga<sub>1-x</sub>)As p-n junction graded energy gap, injection

electroluminescence obs. 7=2415
CdTe p-n junctions, electroluminescence injection mechanism and recombination kinetics obs. 7=2416 GaAs diodes, radiative recombination 7=2420

GaAs diodes with three-layer structures obs. 7=2419 GaAs electroluminescent diodes, aging effects 7=11863 GaAs p-n junctions recombination radiation obs. 7=18321

GaP diodes recombination radiation var. with current and temp.obs. 7=18319

GaP p-n junctions electroluminescence obs. 7=2418 Nb-Nb<sub>2</sub>O<sub>5</sub>-Au diodes, hole and electron injection and impurity band obs. 7=8519

Si p\*-p-n\* diodes, avalanche radiation 7=2421 SiC electroluminescent diodes obs. 7=2422 SiC electroluminescent diodes pulse duration obs. 7=3243

Lumino(pho)rs. See Luminescence/solids, inorganic; Luminescence/solids, organic; Luminescent devices. Lutetium

No entries

Lutetium compounds

Lu ferrite garnet hysteresis, 78°-273°K 7=2155 LuGaG:Er³+ expt. g factors 7=7179

Luxemburg effect. See Electromagnetic wave propagation/ ionosphere.

M-centres. See Colour centres.

M-regions. See Sun.

Mach number. See Aerodynamics; Shock waves; Supersonic flow. Mach's principle. See Relativity

Macromolecules. See also Molecules/configuration and dimensions, macromolecules; Polymers; Proteins. adsorption, theory 7=14286

chain of v. high internal viscosity, orientation in flow 7=13786

comblike branched, Rayleigh scatt., ang. distrib. of intensity 7=14090

DNA, helix-coil transition considered as periodic

copolymer 7=13787 DNA, luminesc. and e.s.r. of u.v. excited triplet state 7=2410

DNA, phosphorescence at 77°K 7=18317 DNA-type, helix-coil transition 7=10562

enzyme solns.u.s. inactivation spuriousness 7=15835 flexible-linear, intrinsic viscosity 7=1135 helix-coil transition, charge induced 7=10816 isotope effects, theoretical calc. 7=6759 purine nucleotides phosphorescence at 77°K 7=18317

pyrimidine nucleotides phosphorescence at 77°K 7=18317 RNA, photochemical reaction kinetics 7=15440 ribonucleic acid, transfer, by small-angle X-rays 7=10563 sedimentation coeff. of wormlike coils 7=17297 solutions flow double refraction theory 7=7078

solutions, small-angle X-ray scatt. 7=10804 stiff chains, statistical mechanics 7=16988 true phase transitions in DNA-type mols. 7=4133

Madelung constant. See Solids/structure. Maggi-Righi-Leduc effect. See Magnetothermal effects. Magnesium

absorption, u. s. waves, quantum oscillations 7=4639 atomic spectrum specific isotope displacements calc. 7=6546

characteristic X-ray prod. by H and He ions 7=8483 cold-worked, particle size, line shape analysis 7=17471 diffusion of Be 7=7522

elastic consts. of third order, u. s. velo. under stress obs. 7=11298

films, vacuum deposited, tensile strength rel. to etching or annealing at 100-300°C 7=1729

internal friction, background, below 40 kc/s, meas. 7=11268 isotopic abundance and atomic wt. 7=16923

isotopic composition, spectral method 7=8590 magnetoelectric effects, theory 7=4904

in Penning discharge, existence of Mg and MgH ions 7=6799

phthalocyanin complex, pseudo-line spectra obs. 7=913 plasticity dislocations obs. by electron microscopy 7=1583 quasar 3C345 Mg II optical var. mechanism 7=8898 tetrabenzene porphyrin complex, pseudo-line spectra obs. 7=913

X-ray  $L_{2,3}$  spectrum obs. 7=11379 in Li solns, electrical resistance 7=14122  ${
m Mg^{28}}$  prod. in troposphere by cosmic rays, rain anal.  $7{=}15542$ 

Magnesium compounds

olivine elec. cond. obs. rel. to Moon interior 7=12211 MgAg, elastic constants, anisotropy and temp. coeff. 7=17718

MgAl<sub>2</sub>O<sub>4</sub>, Verneuil-grown, stacking defects 7=4707

MgAl<sub>2</sub>O<sub>4</sub>-Al<sub>2</sub>O<sub>3</sub> solid solution, thermodynamics 7=1223  $\rm MgAl_2O_4, Fe^{2^*}$  spectral absorption obs. 7=8391  $\rm MgAl_2O_4; Fe^{2^*}$  (2.4%), Mössbauer quadrupole splitting, 4°-300 K 7=17338

Mg3(AsO4)2 phosphor with CdS photoresistor for u.v. detection 7=9545

Mg<sub>3</sub>Bi<sub>2</sub> for power generating thermocouples 7=15057 Mg\_3b<sub>2</sub> for power generating thermocouples '=1505' Mg\_CO<sub>3</sub>, compressed, scattering, visible and u. v. 7=11786 Mg\_CO<sub>4</sub>, anelasticity measurements 7=7717 Mg\_Cd, ordering rel. to lattice parameter var. 7=1243 Mg\_Cl<sub>2</sub> solution, structure and viscosity 7=14036 Mg\_Cl<sub>2</sub>-CaCl<sub>2</sub>-H<sub>2</sub>O soln., activity coeffs. 7=7036 Mg\_Cu<sub>2</sub>, elastic constants, anisotropy and temp. coeff. 7=17718

 ${\rm MgF_2}$  colour F and M centres prod.by X-rays  $50~{\rm kV}~7{=}14623$ MgF2 films on glass, thickness meas. by oscillating quartz

crystal, condensation effects obs. 7=7264

 ${\rm MgF_2},$  geometry and vibr. spectra  $~7{=}13736$   ${\rm MgF_2-quartz}~\%$  wave achromatic plate for u.v.  $~7{=}12696$ 

MgF<sub>2</sub>, Raman spectra 7=18270
MgFe<sub>2</sub>O<sub>4</sub>, thermal conductivity 7=14475
Mg-Gd dilute alloys, magnetoresistance anomalies search at low temps. 7=4903
MgLi dipole in LiF:Mg<sup>2</sup>\*, conc., relax. and orientation energy obs. 7=1996
Mg-Li (12at.%) prismatic creep temp. and stress var. obs. 7=14743

MgMn ferrite, relaxation processes, effect of Mn³+ 7=15209 Mg-Mn ferrites, coupled magnetization oscillations 7=18139

hysics Abstracts 1967 - Part I (Jan.-June) agnesium compounds—contd
Mg-Mn ferrites, ferromag. resonance, influence of domain
structure 7=11682
Mg-Mn (0.55-1.5 wt.%) creep rel. to denuded Mn-rich
precipitate zones 7=14742 Mg Mn.1.3., Fe1.,  $\gamma O_{4\pm\gamma}$ , spin-wave relax., effect of mag. disorder 7=11683 (Mg  $_{1-x}$ Mn $_y$ ) $_2$ P $_2$ O $_7$  (0<x<0.04)  $\alpha$ - $\beta$  phase transition, specific heat obs. 7=14233 Mg-Nd dilute alloys, magnetoresistance anomalies search at low temps. 7=4903
MgO, anomalous transmission of X-ray obs. 7=18256
MgO, ceramic, emittance, 1200-1600°K 7=11745
MgO, chemisorption of O<sub>2</sub> 7=18335
MgO-chrome refractories, grain-boundary reactions 7=11034 MgO, cleaved, dislocation structures 7=1608 MgO, creep of dense, polycrystalline 7=11306 MgO crystals, single, kinking, high confining pressure 7=14744 MgO cubes covered with 3Å C layer, multiple electron reflection near grazing obs. 7=1425 MgO, defect clusters due to n irrad., n scatt. curves 7=14532 MgO, deformed, dislocation dipoles 7=14593 MgO, diffusion of Be 7=1517 MgO, diffusion of Ca 7=1518 MgO, diffusion of Ni<sup>2</sup>\* and Co<sup>2</sup>\* along grain boundaries 7=4675 MgO, e.s.r. of Cr $^{3+}$  and Mn $^{4+}$ , symmetry analysis 7=15221 MgO electron absorption high voltage obs. 7=1382 MgO, electron diffr., h00-systematic interactions 7=7433 MgO, electron diffuse inelastic scatt.obs. 7=1426 MgO electron microscopy, thinning technique for polycrystalline material 7=17472
MgO, electrons absorption and extinction,
100-500 kV 7=1427 MgO, electrons anomalous absorption, convergent beam diffr. obs. 7=1428
MgO, explosively shocked, X-ray line broadening obs. of particle size 7=7363 MgO, F-centre evidence, ion bombarded 7=2325 MgO F centers electron-nuclear double resonance obs. 7=18184 MgO, frictional anisotropy, crystallographic direction depend.  $7{=}4768$  MgO,  $\gamma{-}\text{ray}$  prod. centres e.s.r.obs.  $7{=}1541$ MgO, as h.f. insulator, reduced pressure sintering 7=11549 MgO, harmonic generation of microwave phonons 7=7468 MgO, i.r. absorption spectra obs. 7=11785 MgO, impurity distributions obs. 7=7551 MgO, indentation hardness rel. to creep 7=11255
MgO, initial sintering, effects of water vapour 7=10936
MgO, low-lying levels, MO calc. 7=4089
MgO, n-irrad., cavity formation 7=14386
MgO, neutron prod. crystal imperfections behaviour obs. 7=1542 MgO (periclase) optical props. obs. 7=8418 MgO, paramagnetic impurities, g-factors 7=2173 MgO, phonon generation by e.s.r. of Fe<sup>2</sup>, obs. 7= 7=4623 MgO, proton n.m.r. of adsorbed H<sub>2</sub>O 7=14292 MgO, range and depth distrib. of Xe ions 7=7635 MgO, sliding on clean MgO, friction in high vacuum 7=4767 MgO spectra reflectivity oscillator analysis 7=2323 MgO, strain-hardening 7=17717 MgO, stress effects, on 9572 cm<sup>-1</sup> line, irradiated 7=2326 MgO surface defects, e.p.r. study 7=7538 MgO V, band prod. on e and y-irradiation obs. MgO, vacancy prod. on deformation obs. 7=1556 MgO, var. of elastic constants with press. at 23° and -195. 8°C 7=4789 -195.8°C 7=4789
MgO, X-ray scattering by cubic particles, lowangle 7=7362
MgO, Mn<sup>2\*</sup> and Fe<sup>3\*</sup> magnetic cross and spin-lattice relax. obs. 7=8299
MgO, O<sup>2\*</sup> X-ray form factors theory and obs. 7=14;
MgO, Ti and V doped, deformation and flow stress of dislocations 7=14745  ${
m MgO-Al_2O_3-Fe_2O_3}$  ferrites electrical cond. mechanism, X-ray obs. 7=1997 MgO:Co2\*, strain broadened lines of ENDOR and optical zero phonon lines 7=8289 MgO-Cr<sub>2</sub>O<sub>3</sub> (50-66 mol.%) spinels, preparation, unit cell dimensions, and electron spectra 7=8417 MgO:Fe<sup>2\*</sup>, acoustic paramag. resonance, saturation effects 7=18175

MgO: Fe and Cr, Raman spectra obs. 7=8416

MgO:Fe<sup>2\*</sup>, strain broadened lines of e.s.r. and optical zero phonon lines 7=8289

MgO-Mn<sub>x</sub>O, interdiffusion coeff, and stoichiometry of Mn 7-11144
MgO:Ni<sup>2\*</sup>, acoustic paramag, resonance, saturation effects 7-18175

Mg(OH)<sub>2</sub>, Mn<sup>++</sup> paramagnetic resonance spectrum obs. 7=11708

obs.

Magnesium compounds-contd Mg<sub>2</sub>P<sub>2</sub>O<sub>7</sub> crystal atomic struct.rel.to  $(Mg_{1-1}Mn_{\chi})_2$ P<sub>2</sub>O<sub>7</sub>  $(0 \le x \le 0.04) \ \alpha - \beta$  phase transition 7 = 14233 Mg-Pu dilute solns., Pu activity,  $650^\circ - 800^\circ \text{C}$  7 = 4342 Mg<sub>3</sub>Sb<sub>2</sub> for power generating thermocouples 7 = 15057 $Mg_2Si$ , cryst. reflection spectra 7=8419  $Mg_2P_2O_7$ : $Mn^2$ ,  $\alpha$  and  $\beta$  phases, e.s.r. 7=11709 MgSiF<sub>8</sub>. 6H<sub>2</sub>O phosphor with CdS photoresistor for u.v. detection 7=9545
Mg-Sn molten alloys, at. distrib. and sp. elect. resist. 7=7023  $Mg_2Sn,\,cryst.\,reflection\,spectra\,\,7=8419$   $Mg_2Sn,\,heat\,\,capacity\,\,meas.,\,5-300^\circ K$   $\,\,7{=}14466$ Mg<sub>2</sub>Sn; near capacity meas, o 350 to 1=1930 Mg<sub>2</sub>Sn; 118O<sub>4</sub>, neutron prod. imperfections due to recoiling Sn; 119m, Sn; 119m Mössbauer effect obs. 7=1577 Magnetic amplifiers. See Amplifiers; Magnetic devices. Magnetic anisotropy. See Magnetic properties of substances; Magnetization state. Magnetic bays. See Earth/magnetic field, variations; Magnetic storms Magnetic bottles. See Magnetic fields; Plasma/confinement. Magnetic cooling review of recent methods 7=9268 Fe-Ni alloys, through  $\gamma-\alpha$  transition, causing maganisotropy 7=8177 Magnetic devices for acceleration of superconducting solenoid to hypervelocities, proposal 7=15837 alternators, use of permanent magnets 7=3011 automatic warning system of train control, use of permanent magnets 7=5807 automobile alternators, use of permanent magnets 7=5793 balance, wind tunnel, mag. supported, three-dim. β-spectrometer mag. field stabilizer using Hall effect 7=12986 computer tapes with 1 to  $12\mu m$  coating thickness, meas. 7=3022 core laminations standardization, permeability increase 7=5815 coupled films, hysteresis, loop construction by minimum energy trajectory method 7=8155 current pulse meas with magnetic belts 7=16020 for demonstration of conservation of a real velo. with central forces 7=2804 double coil field source for superconductor appl. 7=189 ferrites, hexagonal, appls. 7-8230
ferromagnetic, flux penetration computer calc. with var.
permeability and hysteresis 7=9351
film with stripe domains and Fe oxide colloid overlayer for diffraction display or memory 7=9360 films, skew measurement, method 7=16038 Gaussmeter, ferromag., use of permanent magnets 7=3015 heavy-current engineering, use of soft mag materials 7=8129 hysteresis motor, use of Alnico magnets 7=9327 Kerr effect increase in ferromag. films by dielectric overlayer 7=8364 loudspeaker device, use of permanent magnets 7=3015 mag. recording, future trends 7=3023 magnet alternator, induction 7=3020 magnetics, conference, Stuttgart, 1966 7=5138 medical device, use of permanent magnets 7=3015 memory, associative 7=16047 memory, fast periodic, capable of simultaneous writing and reading 7=16048 memory films creep rel. to randomly oriented crystal anisotropy 7=18130 memory, intermediate, for multidimensional analyser 7=16372 Mössbauer spectrometer, use of permanent magnets 7=3015 motors equipped with ferroxdure magnets 6=3016 multilayer films, distribution of magnetism, noncontinuum calc. 7=8151
particle spectrometer mag. field stabilizer using Hall
effect 7=12986 permanent magnet machines, inductive reaction 7=3019 polyphase induction motors, use of permanent magnets 7=3021 probes, ultra-small, for alternating mag. field meas. 7=16040 rulsed mag. field, in 8 litre volume 7=16041 reed switches, use of permanent magnets 7=192 soft materials appl. 7=5811 steel-Si cores with a.c. excitation, mag. props. obs. 7=5812 steel-Si strip, continuous mag. meas. air coil appl. 7=8184 superconducting hollow sphere for zero mag. field prod. 7=1867 superconducting, normal region initiation and propag. obs. 7=190 superconductors appl. in alternating mag. fields 7=9358 transformer sheets reversal losses 7=5813 video tape recorder, ferrite head, Barkhausen noise 7=9359 Al exploding foils for rapid transfer of energy to inductor 7=193

Magnetic fields-contd

```
Magnetic devices - contd
         Ba ferrite magnets, appls. in elect. machines 7=3012
         Ba ferrite magnets in mag. separator 7=3018
         Fe-Si cubic texture sheets appls. 7=8186
Fe-Si transformer cores losses 7=5814
         Li-Al<sub>2</sub>O<sub>3</sub> ferrites for microwave devices 7=15176
         Nb-Sn superconducting plates mag. shielding obs. 7=12818
          Ni-Fe film with stripe domains and mag. colloid overlayer
          as diffraction grating 7=9615
Ni-Fe films laminated with SiO, reversal speed 7=8212
          Ni-Zn ferrites with high saturation magnetization rel. to
               mm waves 7=15185
          Sr ferrite magnet d. c. motor 7=3017
Magnetic domains. See Magnetization state/domains.
Magnetic field measurement
         in air gaps, automatic apparatus 7=5804 in \beta-spectrometer, stabilizer using Hall effect 7=12986 in betatron, index from vector potential 7=9735 carbazole as e.s.r.probe 7=930
          centre location in multipole fields by polarized light
scatt. in ferrosoferric oxide colloid 7=9345
distribution, in coil for pulsed mag. fields 7=16045
          e.s.r. spectrometers calibrator circuit 7=16127
lock-on magnetometer with supercond. sensor 7=9342
magnetometer, closed field, demagnetization effect 7=12520
          magnetometer, magnetron with solid anode 7=16039 magnetometer, ring-core, sensitivity 7=12519
          microstructures, detection with charged particles 7=2078
          n.m.r. magnetometer, use with water 7=14126
          oscillator technique for meas, and control, with aid
              of n.m.r. 7=9348
          in particle spectrometer, stabilizer using Hall effect 7=12986
           Permalloy units coercivity var. with mag. field change
               rate 7=3008
          spin oscillator, for earth's field 7=16136
superconductors, high-field, critical field meas, in pulsed
fields 7=1860
           ultra-small probe, for alternating fields 7=16040
           by vectormeter, error obs. 7=3004
vibrating sample magnetometer for 4-1000°K 7=12521
Rb light source spectrum obs. 7=9573
 Magnetic fields
           See also Earth/magnetic field; Electromagnetic fields;
Interplanetary magnetic fields; Sun/magnetism.
axially symmetric, solar potential calc. rel. to pole
shape 7=9344
           bell-shaped, solenoid production 7=16053
           calculation of components in induction system with dipole
                excitation 7=5474
           calculation series for axisymmetric current distrib.,
magnetospheric appls. 7=9350
closed surface, mathematical existence 7=3009
closed-line average minimum-B configuration 7=6885
confinement, energy principles theory 7=12522
           cylinder, uniformly magnetized, ballistic demagnetizing
factor 7=12523
           dipole, nonsymm. inflation by ionized gas, theory 7=5806 discriminator using n.m.r. 7=5805
           in ferromagnets, flux penetration computer calc. with var.
           permeability and hysteresis 7=9351 fluctuation suppression in low temp. expts.
           flux compression in magnetically imploded theta pinch 7=3007
           Helmholtz-type coils of finite cross-section 7=9343 induction, teaching concept 7=3005 in isochronous cyclotron, adjustment at Orsay
                 LEVIL 7=12864
            lines, motion 7=9368
            minimum average B axisymmetric configuration with
                triply connected system 7=17100
            modulation in magnitude and direction for studying anisotropic effects 7=16042
            non-linear, of electromagnet, digital computation 7=16046
            nonlinear media, polarizations due to e.m. fields 7=9365 non-uniform, instability criterion 7=7833
            oscillating mag. dipole in semi-infinite conducting medium 7=9346
            oscillations in inhomogeneous fields 7=9347
for plasma confinement, design using electrolytic
tank 7=4226
           plasma, force free, electron velocity distrib. 7=13856
pole piece correction to give pre-determined field
gradient 7=9352
production, with symmetry of revolution, decreasing
inversely as dist. to axis. 7=3006
            pulsed, in 8 litre volume, device 7=16041
           radiofrequency, power oscillator use for plasma relaxation in hollow elliptic cylinder calc. 7=5801 relaxation time in hollow elliptic cylinder calc. 7=3026
           stability of toroidal mag. surfaces 7=183
stellar, creation theory 7=15635
strav, in mag. films, theory 7=8153
stray, over non-magnetic film on surface of ferro-
magnetic 7=18104
```

```
superconducting hollow sphere for zero mag.field
           prod. 7=1867
       surfaces of straight helical field with axial current
          obs. 7=13940
       in universe models 7=15619
       Nb supercond. hollow cylinder, screening of mag.
           field 7=11480
       Pb supercond. hollow cylinder, screening of mag.
           field 7=11480
   effects
       Boltzmann transport eqn. 7=5702 catalysis of butene-2 isomerization 7=2469
       conductivity, thermal, of solids, rel. to phonon scattering
            by paramagnetic ions 7=4654
       cosmic ray acceleration in varying field calc. in
       relativistic case 7=15626
gas of non-spherical mols., heat cond. and
viscosity 7=13982
       gases with rotational degrees of freedom, kinetic theory 7=10733
       impurity charge shielding by electron plasma calcs. 7=17844 lasers, Q-spoiling 7=3156
       metals, conductivity electrons force on moving dislocation
       calc. 7=11171
p-n junctions capacitance var theory 7=18001
       plasma cylinder, instability 7=13936
plasma flow interactions, shock waves 7=6845
       positive column, transition 7=6773
       on semiconductor luminescence 7=8463
        semiconductors, conductivity electrons force on moving
           dislocation calc. 7=11171
       superconductor energy gap, calc. 7=4919
thermionic diode in Hg self - sustained discharge plasma,
            obs. 7=5797
       Ar, superconducting, mm absorption obs. 7=4942
Ar plasma jet obs. 7=17162
Bi thermoelectricity, electron state theory 7=18057
       Bi-Sb(5, 10%), thermoelec. and elec. cond., 0-15 kOe, temp. var. 7=11581
CaF<sub>2</sub>:Nd<sup>3</sup>* single-phonon spin-lattice relax. 7=2221
CaWO<sub>4</sub>:Nd<sup>3</sup>* single-phonon spin-lattice relax. 7=2221
       Er thermal cond., magnon contribution obs. 7=11132
Fe and Fe-Si, effect of mag. field on sp. ht. 7=7496
Fe-Ni, α-γ, transformation 7=7232
γ-Fe<sub>2</sub>O<sub>3</sub> particles dispersion in lacquer on plastic film, orientation prod. 7=15150
        Ge, recombination radiation intensity 7=15387
        He positive column transition from moving striation to helical oscillation obs. 7=13804
        He<sup>3</sup> adsorbed on Pb-zeolite powder, nuclear polarization, 0.05-1°K, to 16 kOe 7=13124

Ho Hall effect, 4.2 -300°K, rel. to other rare earth metals 7=7860
        InSb hydrogenic donors spectra and photocond.
            obs. 7=18244
        MnP thermoelectricity and elec. cond., rel. to ferromag.
            ordering 7=17981
        Ni, effect of mag. field on sp. ht. 7=7496
        NiSiF<sub>6</sub>. 6H<sub>2</sub>O, ht. capacity 0.35°-4.2°K 7=11123
        YFe garnet axially magnetized rod microwave delay mode obs. 7=15355
        Zn thermal cond., 0.12°-0.9°K 7=17574
Magnetic films
        anisotropy field, magnetoresistance meas. 7=15126
        biaxial anisotropy, double-layered, thin films 7=2141
        calculation for parameters var. through
        thickness 7=8150 coercive force, effect of crystallite size 7=2140 coupled, hysteresis loop construction by minimum energy trajectory method 7=8155
        coupling through superconducting layer 7=2109
        crystals, anisotropy meas.from transverse initial susceptibility 7=15127
        distribution of mag. in flat films and cylinders in non-
uniform hard direction fields 7=8148
domain wall creep review 7=8149
domain wall motion, effect of eddy currents, theory 7=2107-8
        domain walls, cross-tie, energy upper bound in
model 7=11644
eddy current damping 7=7843
         80 NKhS, change in magnetic moment, Barkhausen
             discontinuities 7=8196
         and electrodeposition 7=15128
         in electronic engineering, conference, London, 1966 7=9311 ferromagnetic, behaviour in nonuniform fields 7=2105 ferromagnetic, influence of anisotropy 7=2104
         ferromagnetic, magnetostriction meas.by 1.f. probes 7=2110
         ferromagnetic, magnetostriction meas.by magneto-
resistance 7=2111
```

ferromagnetic, uniaxial, original susceptibility 7=2103 Kerr effect increase in ferromag. films by dielectric

magnetics, conference Stuttgart, 1966 7=5138

overlayer 7=8364

### Magnetic films-contd

magnetoelastic interaction, theory 7=15200 magnetomechanical uniaxial anisotropy, including magnetostriction 7=11646

magneto-optical longitudinal effects calc. 7=8365

magneto-optical longitudinal effects calc. 7=8365
memories creep rel. to randomly oriented crystal
anisotropy 7=18130
multilayer, distribution of magnetism, noncontinuum
calc. 7=8151
multiple, domain-wall structure theory 7=8154
Permalloy, anisotropy prod. on mag. annealing, vacancy
and interstitial effects obs. 7=8214
Permalloy, condensed, structure rel. to mag. props.
obs. 7=7280

Permalloy, domain growth, by Lorentz micr. 7=11653 Permalloy, domain wall interaction with supercond. In film obs. 7=14916

Permalloy, domain wall movement in annealed and cold-worked 4-79 Mo Permalloy foils 7=8209

Permalloy, domains vector orientation, magneto-optical obs. 7=8198

Permalloy, evaporated, porosity and coercive force 7=2134

permalloy, ferromag., change in coercive force when detached 7=18115

Permalloy, ferromagnetic resonance, magnetoelectric effects obs. 7=7844

Permalloy,  $\gamma$ -ray effects on  $H_k$  and  $H_c$  7=8218 Permalloy, hysteresis loops of plane Hall effect rel. to domain boundary structure 7=2129

Permalloy, large uniaxial anisotropy mechanism 7=8213 Permalloy, magnetoelasticity, struct.var.obs, 7=7727 Permalloy, magnetostriction free, neg. oblique-incidence anisotropy 7=2137

Permalloy, noncoherent rotation 7=8211 Permalloy, oblique-incidence anisotropy, temp. dependence 7=2136

Permalloy, permeability, effective, rel. to amplitude of r.f. fields 7=8220

Permalloy, planar Nernst effect obs. 7=8217

Permalloy, reversal and domain wall motion obs. 7=8210
Permalloy, tension effect, l. f. ferromag. resonance
obs. 7=8216

Permalloy, thickness effect on coercive force obs. 7=18129 Permalloy, vacuum-deposited, props. 7=18127 Permalloy, wall motion and rotational magnetization rel.

to external field obs. 7=15158

"pinning" of spin at b.c.c.and f.c.c.ferromag.monocrystal-line films surface 7=2106 polarity of domain boundaries 7=15129

polycrystalline, mag. dispersion, effect of induced mag. anisotropy local struct.calc. 7=8152 resonance mode saturation for oblique polarization 7=5186

reversals, quasi-static, investigation  $\ 7{=}5149$  skew measurement, method  $\ 7{=}16038$ 

sputtering 7=8147 stray field theory 7=8153 stripe domain, micromag. calcs. on critical cases 7=11645

stripe domains with Fe oxide colloid overlayer for diffraction display or memory 7=9360 on superconductor, type II, effect on surface sheath 7=1857

switching, nsec meas. by Kerr magneto-optic apparatus 7=2131

switching normal component due to edge effects
 obs. 7=18108
thin anomalous, "stripe" domains, model struct. 7=15130

uniaxial, high-order anisotropies theory 7=18109

Co, anisotropy calc., by Heisenberg traces method 7=15132

Co, condensed, structure rel. to mag. props. obs. 7=7280 Co, epitaxial 7=14330

Co, ferromagnetic resonance 7=5189

Co, hysteresis loops, simultaneous magneto-optic recording on both sides 7=15133

Co, oblique -incidence anisotropy 7=2113

Co-Ni evaporated, perpendicular anisotropy 7=8178 Cu-Ni(>60%), domains stress, var. rel. to elec. cond. obs. 7=14883

Fe, condensed, structure rel. to mag. props. obs. 7=7280 Fe,domain wall motion and after effect, magneto-optical obs. +20° to -175°C 7=8165
Fe, epitaxial 7=14330

Fe, ferromag., change in coercive force when detached 7=18115

Fe, ferromagnetic resonance 7=5189
Fe-Ni, evaporated, perpendicular anisotropy 7=8178
Fe-Ni, ferromag. and spin-wave resonance obs. 7=18155

FeNi-SiO<sub>2</sub>-FeNiCo repeated layers interaction obs. 7=15146

γ-Fe<sub>2</sub>O<sub>3</sub> particles dispersion in lacquer on plastic film, orientation prod. by mag. field 7=15150  $Fe_3O_4-B_2O_3,$  deposition struct., mag. and spectra \_ obs.  $7{=}8234$ 

Fe-SiO2-Ni, coupled walls, electron microscope exam. 7=2117

Magnetic films-contd

Ni, anisotropy obs.from transverse initial susceptibility 7=15127 Ni, condensed, structure rel.to mag.props.obs. 7=7280

Ni, e.s. charge effects 7=11655

Ni, epitaxial 7=14330

Ni, ferromag., change in  $\infty$  ercive force when detached 7=18115

Ni, ferromagnetic props. depend. on struct. and temp. 7=8203

Ni, ferromagnetic resonance 7=5189 Ni, ferromagnetic resonance, magnetoelectric effects obs. 7=7844

Ni, magneto-optical longitudinal effects obs. 7=8366
Ni, multiple, relaxation, 0.005-2 c/s, 297°-4.2°K 7=8183
Ni, origin of M-induced anisotropy 7=2123
Ni, perpendicular anisotropy 7=8178
Ni-Co, domain struct. temp. var. rel. to polishing or condensation obs. 7=15161
Ni-Co magnetic power induced at low temp. 7=2127

Ni-Co, mag. anisotropy induced at low temp. 7=2127

Ni-Co, mag. anisotropy induced at low temp. 7=2127
Ni-Co, oblique incidence anisotropy and domain
configuration 7=18125
78-85%Ni-Fe, coercive force 7=15159
Ni-Fe, cylindrical, electrodeposited, influence of substrates
on anisotropy 7=2139
Ni-Fe domain splitting angle 7=8206
Ni-Fe, domain struct, temp. var. rel. to polishing or
condensation obs. 7=15161

Ni-Fe, domain wall motion, film thickness var.obs. 7=2132 Ni-Fe, domain wall velos. obs. 7=8208 76%Ni-Fe, effect of gases during deposition on perpendicular anisotropy 7=2135

Ni-Fe(18%), ferromagnetic resonance, pinning obs. 7=2178 Ni-Fe, flux reversal, laminated 7=15160

Ni-Fe(19%) hysteresis, randomly oriented crystal anisotropy effects on cusps > 13°7=18130 Ni-Fe laminated with SiO, reversal speed 7=8212

Ni-Fe(20%), magneto-optical longitudinal effects obs. 7=8366

Ni-Fe, oblique-incidence anisotropy, substrate tempera-ture dependence 7=18128 Ni-Fe, oblique-incidence anisotropy, temp. dependence 7=2138

Ni-Fe, origin of M-induced anisotropy 7=2123 Ni-Fe, prep. and use in computers 7=2133

Ni-Fe, with stripe domains and mag. colloid overlayer as

diffraction grating 7=9615
Ni-Fe, stripe domains with zero and positive magnetostriction 7=2128

Ni-Fe, substrate residual gas effects obs. 7=15156 Ni-Fe, switching nsec meas, by Kerr magneto-optic apparatus 7=2131

Ni-Fe vapour-deposited, effect of gases on magnetic properties 7=2130

Ni-Fe-Co magnetometer etched as Wheatstone bridge, with nanosec risetime 7=184

Ni-Fe-Co, thin triple-layered, triaxial anisotropy 7=15162 Ni-Fe(19 wt. %)-Co(11 wt. %) biaxial anisotropy, double-layered, thin films 7=2141

Ni-Fe(20%)-Co(20%), coercive force, effect of crystallite size 7=2140

NiFeCu, large oblique-incidence anisotropy

mechanism 7=8221 NiFe-Cu-NiFe multilayer storage elements pulsed obs. 7=5816

obs. 7=5516
NiFe-SiO-NiFe sandwich, fast domain wall mobility
obs. 7=15163
Magnetic flux. See Magnetic field measurement; Magnetic fields.
Magnetic hysteresis. See Magnetization process.
Magnetic lenses. See Electron lenses/magnetic; Ion optics.

Magnetic measurement

See also Magnetic field measurement. Entries describing measurement methods for specific magnetic quantities and effects may also by found listed under the various headings for the subjects concerned.

alloys weak susceptibility, 6-300°K 7=5124 anisotropy var. with orientation of plane of meas. 7=11618

balance, adaptation of cryostat 7=9340

bulk susceptibility, using n.m.r. spinning sidebands 7=9465 ferromagnetic single crystal spheres orientation 7=2095

film crystals anisotropy from transverse initial susceptibility 7=15127

susceptibility 7=10127 hysteresis of small toroids, l.f. 7=3003 magnetization intensity by balance method 7=9341 metals weak susceptibility, 6-300°K 7=5124 operational amplifier appl. in industry 7=5802 relative movement in homogeneous field 7=12518 sheet, wattmatter loss meas., ensuring sinusoidal induction 7=5803

steel-Si strip, continuous, air coil appl. 7-8184 susceptibility, bridge for 200 to 10° c/s 7-16036 vacuum micro balance, use in apparatus for meas. of magnetic susceptibilities of solids 7-11616 Ni-Fe-Co film etched as Wheatstone bridge, with nanosec ricetime. 7-184

risetime 7=184

Magnetic memories. See Calculating apparatus; Magnetic

Magnetic mirrors. See Magnetic fields; Plasma confinement.

Magnetic properties of substances

See also Magnetic films.

alkali halides F' centres theory 7=11496
alloys in sigma phase obs. 7=8175
anisotropy var with orientation of plane of meas. 7=11618

anisotropy var. with orientation of plane of meas. 7=11618 aromatic hydrocarbons, evidence for ring currents 7=13755-6 constantan, 0.1°-4.2°K 7=2080 constitutive eqns. for deformed isotropic materials 7=5783 coupled electron-nuclear magneto-static modes 7=18181 electron in crystal, space group 7=1750 equianisotropic lines of susceptibility 7=11617 fibres and films, and thermomech. props., instrument for meas. 7=11227 films, thin 7=5122 helical spin structures spin-wave spectra 7=8091 mag. configs. from neutron diffr. 7=8096 metal, effect interact. between 2 mag. impurities, temp. depend. 7=18088 metal, effective moment of localized spin impurity. 7=2027

metal, effective moment of localized spin impurity 7=8087

metal ions, transition, covalent bonding and mag. props. 7=10907 metals and alloys, unconventional 7=8094 metals in equilibrium, macroscopic field eqns. 7=8090

metals, localized spin ground-state energy shift due to s-d interaction calc. 7=17743 metals, mag. breakdown, Pippard theory 7=2077 metals, magnetic, s-d exchange scattering contribution to electrical resistivity 7=7756

Mössbauer recent work review 7=17328 permeability of medium containing spherical and ellipsoidal inclusions 7=3001

rare-earth alloys, at high press. 7=18095
rare earth chromites obs. 7=8099
rare earth—Fe intermetallic compounds obs. 7=8100
rare earth germanides, mag. characts. 7=2084
rare earth nitrides, specific heat meas. 7=18096

Rayleigh-Schrödinger perturbation theory calc. 7=10474 nayleign-Schrödinger perturbation theory calc. 7=10 semiconductors paramag, impurities theory 7=11496 superconductor, type II, k<sub>1</sub>(T) and k<sub>2</sub>(T) meas. for arb. impurity conc. 7=14910 superconductors with double band near upper critical field calc. 7=7885 superconductors with mag, impurities, anomalous scatt. 7=14902

3d- and 4d-elements, core polarization in

neutral atoms 7=8089 transition metal borides, rel. to electronic structure 7=7802 transition metal d-electrons, mag. behaviour in alloys 7=8102

water, mag, field meas., by n. m.r. magnetometer 7=14126 BH molecule 7=873

BilMn<sub>2</sub>O<sub>5</sub>, mag. structure and coupling 7=18090 Bi<sub>2</sub>Te<sub>3</sub>, anisotropy, room temp, to 1,3°K 7=8097 Ce monochalcogenides, 4, 2-1300°K 7=11665

Cr-Fe alloys (Cr-rich), structure and temp. depend. 7=15193

Cr2NiS4, neutron diffr. obs. 7=11667

CuFeO2, structure, internal mag. field at Fe nucleus, by Mössbauer effect 7=11666

DyAl garnet, non-polar interactions 7=2082 Eu(Se,S) and Eu(Se,Te) mixed crysts. 7=18092 Ga-In liq., Hall coeff., elect. resist., mag. susceptibility 7=10867

Hg-In liq., Hall coeff., elect. resist., mag.

susceptibility 7=10867 HoC<sub>2</sub>, structure 7=2085

In, superconducting film, torque meas. 7=1894 In-Sn alloy, superconducting film, torque meas. 7=1894

La-Ga solid solns., susceptibility and specific heat meas. 7=18154 LaMg nitrate, spin diffusion barrier anisotropy 7=2238

LaMg nitrate, spin diffusion barrier anisotropy 7=2238
Mn acetate tetrahydrate 7=18099
MnWO<sub>4</sub>, spin structure at 4.2°K 7=5127
Mo-Re supercond. alloys 7=14917
Nd monochalcogenides, 4.2-1300°K 7=11665
Ni-Cr-Fe alloys, susceptibility of paraprocess 7=15110
Ni\_SLi<sub>x</sub> 7=4474
Ni<sub>1</sub>\_Te, electrical resistivity and Hall coeff. obs. 7=14964
Pa obs., in conference, Orsay (1965) 7=11071
Pd-Ag, 90°-800°K 7=8098
Pd-Rh, 90°-800°K 7=8098
Pd-Rh, 90°-800°K 7=8098
Pr monochalcogenides, 4.2-1300°K 7=11665

Pd-Rh, 90°-800°K 7=8098
Pr monochalcogenides, 4.2-1300°K 7=11665
Sb<sub>2</sub>Te<sub>3</sub>, anisotropy, room temp. to 1.3°K 7=8097
Sn films, supercond. 7=11482
Sn, superconducting film, torque meas. 7=1894
TaC<sub>0.5-1</sub> obs. 7=1839
TbC<sub>2</sub>, structure 7=2085
Th, low temp. obs., rel. to supercond. 7=7916
Ti O. semicond, to metal transition 7=5011

Th, low temp. obs., rel. to supercond. 7=7916 Ti<sub>2</sub>O<sub>3</sub>, semicond. to metal transition 7=5011 Ti<sub>3</sub>O<sub>5</sub>, semicond. to metal transition 7=5011 U, low temp. obs., rel. to supercond. 7=7916  $V_2O_3$ -Al<sub>2</sub>O<sub>3</sub> solid solns. 7=15114 W, anisotropy of reluctance in high effective fields 7=15111

Magnetic properties of substances-contd

7=8099 YCrO<sub>3</sub> obs. 7=8099 Y-Gd dilute solns., interpretation 7=14467 Y-Gd solid solns., susceptibility and specific heat 7=18154 meas.

XeF<sub>6</sub> 7=8103 antiferromagnetic

See also Antiferromagnetism. electron diffr.contrast theory 7=2096 impurity in ferromag., temp. var. calc. 7=18107

impurity in ferromag., temp. var. calc. 7=18107 impurity mag. levels spin system oscillations 7=8249 ionic crysts., explanataion of mag. behaviour 7=8093 ordering rel. to magnetization, statistical theory, f. c. c. binary alloys 7=2094 (rare-earth)Al<sub>3</sub>, 4.2-600°K obs. 7=2144 rare earth chromites obs. 7=8099 rare earth garnet transitions, 0.35-4.2°K 7=18150 rare earth—Mn compounds obs. 7=8101 spin wave and phonon scatt. on dislocations, rel. to thermal conductivity 7=8140 transition metal alloys, mag. struct. 7=2142 triethylammonium (TCNQ)<sub>2</sub> 7=11621

triethylammonium (TCNQ)<sub>2</sub> 7=11621 u.s. attenuation at low temp. 7=14437 CdMn<sub>2</sub>O<sub>4</sub> 7=2160

Ce monochalcogenides, low temp. obs. 7=11665  $CoCs_8Br_5$  7=18145  $CoCs_3Cl_6$  7=18145

CoO,  $\Delta E$ -effect, pulsed mag. field 7=11675  $\beta$ -Co(OH) $_2$  < 12.3°K 7=15191

Co<sub>2</sub>SiO<sub>4</sub>, with olivine struct., at low temp. 7=11673

Cr alloys 7=11120

Cr alloys, and low temp. specific heat 7=18146 Cr alloys, neutron diffraction 7=5177

Cr, breakdown obs. in magnetoresistance 7=7852 Cr, compressibility and P-T diagram 7=11277

Cr, structure rel. to plastic deformation obs. 7=15192 Cr-Co alloy, dilute meas., Curie-Weiss law 7=5178 Cr-Ni alloy, dilute meas., Curie-Weiss law 7=5178

 $Cr_2O_3$  Davydov splitting of E lines obs. 7=18229  $Cr_2O_3$  domain switching obs. 7=8250  $Cr_2O_3$ -BeO, concn. depend. 7=14949

Cu acetate hydrate, mag. structure by p.m r. 7=11719 CuFeO<sub>2</sub>, trans. at low temp. 7=11666 Cu-Mn, e.s.r. at X-band and mag. ordering, 2-295°K 7=18163

Eu, Néel point, effect of pressure 7=14885 EuAl<sub>4</sub>, 1.4-300°K 7=15194 Fe, f. c. c. lattice 7=8251

Fe(III)-oxyde-hydrate, ultra-fine particles, superparamag., down to 30°K 7=15195

down to 30°K 7=15195

Fe<sub>2</sub>As, c-plane anisotropy 7=15196

Fe<sub>2</sub>As, mag, structure 7=11668

FeCl<sub>2</sub>, susceptibilities rel. to temp., 300-2°K 7=8252

FeCl<sub>3</sub>, Mössbauer study 7=11669

Fe-Cr, transition to sinusoidal spin structure,

first-order 7=11670

FeF<sub>2</sub>, two magnon absorption theory of ferminal structure, for the structure of the structur

FeF2, two-magnon absorption theory of far i.r. line 7-2299-300

FeGe, neutron diffr. data for coupling 7=8253 Fe-Mn alloys, Néel temp., hydrostatic pressure effect 7=8254

 $\begin{array}{l} \text{Fermion } r_{-o/S^{14}} \\ \text{(Fe}_x Mn_{1-x}) TO_3 \ (T=\text{rare earth or Y}, \, 0 \leq x \leqslant 1), \, \text{M\"{o}ssbauer} \\ \text{obs. 7=14182} \end{array}$ 

obs. 7=14182 obs. 7=14182  $\alpha$  -Fe<sub>2</sub>O<sub>3</sub>, magnetic interactions, obs. by neutron scattering by spin waves 7=18147

 $\alpha\text{-Fe}_2\text{O}_3, \text{obs.by M\"ossbauer}$  effect 7=1217 FeOF, antiferromag. struct. 7=2161

FeRh, α'-phase, antiferromag. /ferromag. transition near 26°C 7=5155

FeRh, in strong mag. fields 7=15151

FeS, (troilite), hyperfine field of Fe<sup>57</sup>, second order effects 7=18148

Fe,SiO<sub>4</sub>, with olivine struct., at low temp. 7=11673 FeSn, Mössbauer obs. 7=8255 Fe,Zn<sub>1-x</sub>F<sub>2</sub> Néel temp., Fe<sup>57</sup> Mössbauer h.f.s. obs. 7=8256

GeNi<sub>2</sub>O<sub>4</sub>, spin config., exchange interact. effect 7=5184 Ho, hysteresis at 4.2°K 7=11652

HoAs, anisotropy at 1.7°K 7=8258
HoAs, anisotropy at 1.7°K 7=8258
HoSb, anisotropy at 1.7°K 7=8258
HoSb-HoTe, mixed crystals 7=2162
K<sub>2</sub>MnF<sub>4</sub> 7=2163
LiFePO<sub>4</sub>, structure and susceptibility, by neutron diffr. 7=18149

Mg-Gd dilute alloys, low temp. transitions obs. 7=4903 Mg-Nd dilute alloys, low temp. transitions obs. 7=4903

Mns+ in perovskites, mag. interactions 7=18093 MnAs, high press. prod. obs. 7=8195 MnAu<sub>2</sub>, Mössbauer effect on Fe<sup>57</sup> impurity nuclei

obs. 7=11671

Mn<sub>3</sub>B<sub>4</sub>, Fe-modified, 77°-600°K meas. 7=5180

MnCl<sub>2</sub>. 4H<sub>2</sub>O, obs. from n<sub>\*</sub>m.r. of p and Cl 7=2164

MnF<sub>2</sub>:Eu<sup>3+</sup>, energy transfer between Mn<sup>2+</sup> and Eu<sup>2+</sup> rel. to mag. ordering obs. 7=11873

Mn<sub>3</sub>GaC, transition properties interpretation 7=5181

meas. 7=15183

```
Magnetic properties of substances-contd
                                                                                                                                                                                  Magnetic properties of substances-contd
     antiferromagnetic-contd
                                                                                                                                                                                         ferrimagnetic-contd
            Mn<sub>3</sub>Ge<sub>2</sub>, 370-77°K, to 300 kOe 7=8259
                                                                                                                                                                                                \rm Mn_zZn_xx Fe_3-z-70, (x+y<1) relaxations, low freq., below 100 K 7=15181
            MnGeO<sub>3</sub>, low temp. peak, rel. to MnTiO<sub>3</sub> 7=2165
            MnPt, structure transformation 7=15197
                                                                                                                                                                                                 Ni-Co ferrite, magnetocrystallographic anisotropy, ion
            Mn<sub>2</sub>SiO<sub>4</sub>, with olivine struct., at low temp. 7=11673
                                                                                                                                                                                                diffusion at 300°C 7-8237
NiMn<sub>2</sub>O<sub>4</sub> cubic spinel, neutron diffraction obs. 7-2151
Ni-Zn ferrite, Co-bearing, internal demagnetization
factor 7-5172
           Mn<sub>2</sub>SiO<sub>4</sub>, with olivine struct., at low temp. 7=11673 MnTe, transformation, neutron diffr. 7=11674 MnTiO<sub>3</sub>, low temp. peak, rel. to MnGeO<sub>3</sub> 7=2165 Mn<sup>2</sup>(1+\nu) V<sup>2</sup>(1-\nu) V<sup>4</sup>(0-\nu) v<sup>4</sup>(0-\nu) v<sup>4</sup>(0-\nu) v<sup>4</sup>(0-\nu) spinels, and preparation obs. 7=5182 MnZn, \beta_1-phase, canted spin structure meas. 7=8260 NaNi<sub>0-8</sub>W<sub>0-9</sub>O<sub>3</sub>, 55° K obs. 7=8262 Nd monochalcogenides, low temp. obs. 7=11665 NdS, 4. 2-150° K 7=8261 NdSe, 4. 2-150° K 7=8261 NdTe, 4. 2-150° K 7=8261 NdTe, 4. 2-150° K 7=6261
                                                                                                                                                                                                 Sm orthoferrite curves around reorientation temp.
obs. 7=8240
Sr ferrite demagnetization calc. in ellipsoidal grains
model 7=11663
                                                                                                                                                                                                 Sr ferrite magnets 7=5174
                                                                                                                                                                                                Sr ferrite magnets 7=5174
(Sr<sub>0.8</sub>Ba<sub>0.2</sub>)<sub>2</sub>Zn<sub>p</sub>Fe<sub>12</sub>O<sub>22</sub>, helicoidal spin ordering 7=15187
SrO. 4Fe<sub>2</sub>O<sub>3</sub>, 2AL<sub>O<sub>3</sub>, magnetization reversal 7=8241
SrO. 4.4Fe<sub>2</sub>O<sub>3</sub>, 1.6Cr<sub>2</sub>O<sub>3</sub>, reluctance at 100-430°C 7=15169
TINIF<sub>3</sub>, preparation and properties 7=15188
YFe garnet, influence of tetrahedral Ni<sup>2</sup> 7=8243
YFe garnet magnetoelastic waves parametric amplification, 1-10 Gc/s 7=18143</sub>
            NiO, Néel temp., effect of Li additives 7=18151
            NiO, AE-effect, pulsed mag. field 7=11675
            Ni(OH)<sub>2</sub> metamagnetism obs. 7=15198
Ni<sub>2</sub>SiO<sub>4</sub>, with olivine struct., at low temp. 7=11673
\alpha-O, and short-range for \beta-O 7=2166
            PbCo<sub>0.5</sub>W<sub>0.5</sub>O<sub>3</sub>, with weak ferromag., 9°K obs. 7=8262 Pd<sub>3</sub>Mn<sub>2</sub>, 5-phase, structure 7=2167
                                                                                                                                                                                                 YFe garnet, magnon-phonon scatt.calc.of thermal cond., 0.5-20°K 7=11135
            Pr monochalcogenides, low temp. obs. 7=11665
                                                                                                                                                                                                  YFe garnet, molecular field calc.indeterminacy 7=18134
            {\rm RbMnF_3}, equilibrium spin configuration, and resonance
           RDMnF<sub>3</sub>, equilibrium spin configuration, and resonance behaviour 7=2168
Sr<sub>2</sub>(NiW)O<sub>6</sub>, perovskite, tetragonal-cubic transition 7=5183
Ti-O system, Magneli phases, susceptibility meas. 7=18153
UO<sub>2</sub> crystal field calc. 7=7184
UP, mag. structure 7=2169
                                                                                                                                                                                                 YFe garnets, V subst., initial permeability, temp. depend. 7=5175
                                                                                                                                                                                          ferromagnetic
                                                                                                                                                                                                        See also Ferromagnetic relaxation; Ferromagnetic
                                                                                                                                                                                                         resonance; Ferromagnetism; Magnetization process;
                                                                                                                                                                                                         Magnetization state.
            VO<sub>1.147</sub> < 4.6 °K 7=14972

VO<sub>1.257</sub> < 7.0 °K 7=14972

V<sub>2.03</sub>, Fe<sup>57</sup> Mössbauer effect obs. < ~ 140 °K 7=15199

YCrO<sub>3</sub> obs. 7=8099

YCrO<sub>3</sub>, weak ferromagnetism, detection 7=11659
                                                                                                                                                                                                 Alcomax alloys, spoiling characts. 7=2118 alloys, dilute, specific heat at low temperature 7=14462
                                                                                                                                                                                                 alloys, struct. and precipitation process 7=4457
                                                                                                                                                                                                 alloys, with supercond., possibility rel. to impurity
                                                                                                                                                                                                 spins 7=11452
Alnico alloy permanent magnets, high temp. props. 7=5160
Alnico alloys of high mag. performance 7=2126
            YFeO<sub>3</sub>, mag. moments and characts. 7=2170
              ZnMn<sub>2</sub>O<sub>4</sub>, linear 7=5184
                                                                                                                                                                                                 Alnico, effects of added elements 7=2124
Alnico magnets, crystal oriented 7=4523
     ZnMn<sub>2</sub>S<sub>4</sub>, susceptibility 7=11676
ZnMn<sub>2</sub>Se<sub>4</sub>, susceptibility 7=11676
ZnMn<sub>2</sub>Te<sub>4</sub>, susceptibility 7=11676
diamagnetic
                                                                                                                                                                                                 Alnico magnets, irreversible prop. changes with temp. and time 7=5161
                                                                                                                                                                                                 Alnico magnets produced by electro-slag remelting, props. 7=2125
                     See also de Haas-van Alphen effects; Diamagnetism.
            air spark plasma prod. by laser, diamag. perturbation of
                                                                                                                                                                                                 Alnico, metallography 7=1226
Alnico type alloys of high coercivity, phase
changes 7=1248
                   external mag. field obs. 7=10644
              Bi-0.2 at. % Sn susceptibility rel. to valence band
structure 7=14827
                                                                                                                                                                                                 anisotropy temp.var.obs. 7=8134 "antiferromagnetic" impurity temp.var.calc. 7=18107
              CaF2, X-ray coloured and uncoloured 7=4720
            Cu, pure, 6-300°K 7=5124
Cu<sub>2</sub>O, single cryst. 7=2081
                                                                                                                                                                                                 antherromagnetic "impurity temp, var, calc.
Armco iron, impedance hysteresis var. under
stress 7=8164
Bose charged ideal "pair gas", like supercond.
ferromagnet 7=9110
              Pd-Sn, susceptibilities and Sn<sup>119</sup> isomer shifts 7=11622
             Sn, breakdown rel. to magnetoresistance quantum oscills.
            obs. 7=7867

TaC_{0.6-1} obs. 7=1839

U(C_2O_4)_2, 2H_2O-Th(C_2O_4), 2H_2O 7=8014

ZhO_4, susceptibility, bond type 7=5128
                                                                                                                                                                                                 cubic crystallographic materials, rotational model for
constricted hysteresis loops 7=2100
Curie temp, and thermoremanent mag. meas. with small
                                                                                                                                                                                                        amounts 7=5148
       ferrimagnetic
                                                                                                                                                                                                 defects of cryst. struct. effect on magnetisation
                    See also Ferrimagnetism.
                                                                                                                                                                                                 processes 7=8201
delay line, Joule and Wiedemann effects 7=2102
             garnet structures, dipolar 7=2146 ionic crysts,, explanation of mag, behaviour 7=8093
                                                                                                                                                                                                 dielectrics, forbidden mag. resonance 7=2227
             metallic oxide, non-collinear structure existence and stability 7=5168 molecular field calc. indeterminacy 7=18134 oxides with high anisotropy field, domain structure, obs. 7=2153
                                                                                                                                                                                                 dilute alloys, no bound state with ferromag.
coupling 7=5133
electron diffr.contrast theory 7=2096
                                                                                                                                                                                                 ferro-nickel, first magnetization curve rel.to tension
                                                                                                                                                                                                 var, and blaxial mag, anisotropy, cold rolled 7=8176 films, behaviour in nonuniform fields 7=2105 films, thin, influence of anisotropy 7=2104
              rare-earth-Fe garnet, coercive force near compensation
              temp. 7=15186
rare earth—Mn compounds obs. 7=8101
Ba ferrite powders, temp. var. obs. 7=18138
                                                                                                                                                                                                 films, uniaxial, original susceptibility, nonlinear
theory 7=2103
              {\rm CaFe_4O_7}, ferrites, with tri- or tetravalent ions 7=15168
                                                                                                                                                                                                  flux penetration computer calc. with var. permeability
and hysteresis 7=9351
Hall effect with electron-phonon interactions 7=1827
             Co ferrite powders, temp. var. obs. 7=18138
Co_Fe<sub>3</sub>_O<sub>4</sub> uniaxial anisotropy relax. on ionic migration,
theory 7=15175
                                                                                                                                                                                                 Heusler alloys, ordered, intrinsic mag. fields on Sn<sup>119</sup> 7-8162 intermetallic cpds. as permanent magnets, survey 7-5139
               Co<sub>2</sub>Z, reluctance at 100-430°C 7=15169
              Cu ferrite, var. with O deficiency on heat treatment
                     obs. 7=15172
                                                                                                                                                                                                 survey 1:=3139
Invar alloys, coercive force, conc. depend. 7=8179
Invar, Curie point shift, up to 60 kb 7=5154
Ising system of triplet ions with zero-field splitting,
first-order transitions possibility 7=11635
Kerr effect enhancement by dielectric coating 7=15306
longitudinal Matteucci effect obs. 7=5146
magnetization curves, effect of dislocations 7=15124
magnetization thempodynamic fluctuations 7=8144
              {\rm CuFe_2O_4}, {\rm Fe^{57}} hyperfine fields at A and B sites 7=2148
              Ba ferrite, rel. to crystallites orientation calc. 7=10988
              Ba ferrite, rel. to crystallites orientation tail. ^{12} Gaussian ^{12
                                                                                                                                                                                                 magnetization curves, effect of dislocations 7=1512 magnetization, thermodynamic fluctuations 7=8144 magnets, permanent, Mössbauer meas. 7=2098 magnon spectrum, neutron scatt, meas. 7=8126 magnons coupling with light 7=15287 Matteucci effect, domain theory 7=5145 Matteucci effect mechanism 7=8142 measurement by ferromag. resonance magnetoelec. effects 7=7844
               Li ferrite, molecular field calc. indeterminacy 7=18134
               Mn-Cu ferrite simultaneously magnetized by pulse and
                      d.c.field 7=15180
               Mn-Fe-Co ferrite, mag. viscosity at low temps. 7=15179
              Mn_Fe_3_O_4,, Curie temp. meas. 7=11662
Mn_Fe_3_O_4 (x<1), relaxations, low freq, below 100°K 7=15181
MnZn ferrite, rel. to interaction with O_2 atmosphere obs.
                                                                                                                                                                                                  metallic mixed crysts., directional ordering effect on
               during sintering 7=7213
Mn-Zn ferrites, low loss, high initial permeab. at
                                                                                                                                                                                                  mag.props. 7=8146
metals and alloys, unconventional 7=8094
n.m.r. studied with variable-frequency spin-echo spectro-
                      1 Mc/s 7=15182
               MnZn ferrites, magnetoresistance near Curie temp.,
                                                                                                                                                                                                        graph 7=12585
```

```
SUBJECT INDEX
S 206
Magnetic properties of substances-contd
       ferromagnetic-contd
           neutron scatt., information deduced 7=8128
            nucleation field reduction with uniaxial single crystals
           theory 7=18106
one-phonon neutron scattering, energy distribution 7=18103
ordering rel. to magnetization, statistical theory, f. c. c.
binary alloys 7=2094
orientation of single crystal spheres 7=7305
orientation of single crystal spheres meas. 7=2095
            permalloy film, change in coercive force when
                  detached 7=18115
            Permalloy films anisotropy prod. on mag. annealing, vacancy and interstitial effects obs. 7=8214 Permalloy films, condensed, rel. to struct. obs. 7=7280
             Permalloy films, magnetoresistance effect thickness
             var. 7-18131
Permalloy films, obs., by ferromag.resonance magnetoelec.
effects 7-7844
             Permalloy films, vacuum-deposited 7=18127
Permalloy, props. 7=8219
(rare-earth)Al<sub>3</sub>, 4, 2-600 K obs. 7=2144
              rare-earth cpds, spin wave, Green's function
                   theory 7=15165
              rare earth-Mn compounds obs. 7=8101 relaxation time theory for metastable states 7=2101
              reversible permeability rel. to irreversible processes
              obs. 7=8137 sintered powder compacts, magnetization 7=15131
             soft mag, materials in heavy-current engineering 7=8129 spin wave and phonon scatt, on dislocations, rel. to thermal conductivity 7=8140 spinels, exchange coupling 7=5167
              spontaneous mag.concept for idealized models 7=8117 steel-5i cores with a.c. excitation 7=5812 steel.transformer tape, annealing at 800-1000°C 7=15141
               stray field over non-magnetic film on surface of
              ferromagnetic 7-18104
transformer sheets reversal losses 7-5813
transition metal alloys, mag. struct. 7-2142
              transition metal d-electrons, mag. behaviour in alloys 7=8102
              u.s. attenuation at low temp. 7=14437
Vicalloy I, mag. hardness 7=2115
Vicalloy types Koerflex 300, 200 and 30 7=7361
Co, film, anisotropy calc., by Heisenberg traces
method 7=15132
              Co films, condensed, rel. to struct. obs. 7=7280
Co. mag. behaviour in region of Curie point 7=8158
Co single crystals, epitaxial 7=13139
               Co.spin-wave spectrum.anomaly 7=8114
Co.u.s. attenuations rel. to interact of elastic and spin
waves 7=15153
              Co-Al, coercive forces temp.var. 7=18110

Co<sub>0.91</sub>-Fe<sub>0.09</sub>, inelastic scattering of neutrons, by spin waves 7=8157

Co-Ni evaporated films, perpendicular anisotropy 7=8178

Co-Ni single crystals, epitaxial 7=15139

β-Co(OH)<sub>2</sub>, metamagnetic 7=18152
               Co-Pt alloys, coercive force and microstructure 7=18112
              Co-Pt alloys, coercive force and microstructure (=1611).
Co-Pt, ordering at 500-700°C rel. to Curie temp.
reduction 7=3160
Co-Pt, size effects obs. 7=18111
Co, with W or Nd nuclei in lattice, hyperfine field 7=8167
               Cr chalcogenide spinels, exchange interactions 7=5151
               CrO<sub>2</sub>, equation of state for mag. field near Curie
point 7=18113
               Cr<sub>2</sub>O<sub>3</sub>, superparamag., mag.resonance spectrum 7=15201 CsMnF<sub>3</sub> spectrum magnon sidebands obs. 7=8383 CuCr<sub>2</sub>Se<sub>4</sub>, from n diffr. meas. 7=15135 CuCr<sub>2</sub>Te<sub>4</sub>, from n diffr. meas. 7=15135
               Cu-Mn, e.s.r. at X-band and mag.ordering, 2-295°K 7=18163
                \rm (Cu_2MnAl)_x-(CuAl)_{1-x} alloys, superparamag.props. 7=8161 Cu-Ni, Curie temp., hydrostatic pressure effects 7=18122 DyAl_2 < 62°K 7=8108
                Er thermal cond. in mag. field, magnon contribution
                     obs. 7=11132
                {\rm ErFeO_3, mag.\, ordered, M\"{o}ssbauer} effect of {\rm Er^{166}, spin-relax.} 7{=}14178
               Fundamental Fig. 1997. Euchalogenides, exchange, and optical absorption 7=8388 \mathrm{Eu_3Al_2O_6}, low-temperature ferromagnetism 7=15136 \mathrm{Eu_3Cr_2O_6}, low-temperature ferromagnetism 7=15136
               EuDy<sub>2</sub>O<sub>4</sub>, low-temperature ferromagnetism 7=15136
EuGd<sub>2</sub>O<sub>4</sub>, low-temperature ferromagnetism 7=15136
EuO, magnetization curves, 4. 2, 20. 4 and 82°K 7=15138
                EuO.temperature var.of spontaneous mag. 7=8163
Eu<sub>3</sub>O<sub>4</sub>, low-temperature ferromagnetism 7=15136
               EuSc<sub>2</sub>O<sub>4</sub>, low-temperature ferromagnetism 7=15136
                Fe, band structure, self-consistent procedure 7=4857
Fe, coercive field obs. of plastic deform. recovery above room temp. 7=11284
               Fe, coercive field strength, temp and deform.
                     depend. 7=8168
                Fe, containing series III transition metals, hyperfine field distrib. 7=10911
```

Fe, Curie point shift, up to 60 kb 7=5154

```
Magnetic properties of substances—contd
     ferromagnetic-contd
         \alpha -Fe, damping peaks due to N and C \, 7=11141 Fe-enriched particles in frozen suspensions, mutual
              effect 7=2114
          Fe, field at Pb nuclei, \gamma - \gamma ang. correl. Larmor precession obs. 7=11648
          Fe film, change in coercive force when detached 7=18115
Fe films, condensed, rel. to struct. obs. 7=7280
           Fe hyperfine field at Xe133 nuclei 7=15143
          Fe, internal field at {\rm Ag^{109m}}, from \gamma anisotropy of oriented nuclei at 0.014°K 7=4438
           Fe, powder of single-domain particles, effective
                susceptibility 7=15142
           \alpha-Fe, precipitation and dislocation struct.
          effects 7=8166
Fe single crystals, epitaxial 7=15139
Fe, spin-wave spectrum, anomaly 7=8114
Fe, susceptibility from critical n scatt. 7=5153
          Fe, temp. variation of magnetization, band model calc. 7=5152
           Fe(III)-oxide-hydrate, ultra-fine particles, superparamag., down to 30^{\circ}\mathrm{K} 7=15195
           Fe, u. s. attenuations rel. to interact of elastic and spin
               waves 7=15153
           Fe, with W or Nd nuclei in lattice, hyperfine field 7=8167
Fe-Al alloys, spin-wave stiffness 7=2116
           Fe<sub>3</sub>Al alloys, rot. hysteresis and induced anisotropy
           for struct investigations 7=8171
α-Fe-C, relaxation 7=8173
Fe-Co allovs, Co content depend, 7=8174
Fe-Co, powder of single-domain particles, effective
susceptibility 7=15142
           FeCo, temp. effect obs. 7=15144
           Fe-Cr sigma phase obs. 7=8175
Fe-Ga alloys, spin-wave stiffness 7=2116
Fe: Mn virtual magnon state obs. by n scatt. 7=11647
           Fe-Ni alloys, anisotropy due to cooling through \gamma - \alpha transition 7=8177
           Fe-Ni evaporated films, perpendicular anisotropy 7=8178
Fe-Ni films, ferromag. and spin-wave resonance
                obs. 7=18155
           Fe-Ni, magnetic anneal and ordering enhanced by vacancies 7=15147
            Fe-Ni, rel. to order-disorder transform. obs. 7=7231
            Fe-Ni single crystals, epitaxial 7=15139
           Fe-Ni(30 wt.%), transition to paramag.on shock compression obs. 7=18117
           α Fe<sub>2</sub>O<sub>3</sub>, magnetoelastic anisotropy field, in-plane 7=2119
            α-Fe<sub>2</sub>O<sub>3</sub>, pure and doped, magnetocrystalline
                 anisotropy 7=15149
            α-Fe<sub>2</sub>O<sub>3</sub>, spin flop near Morin transition, mag.field
                depend. 7=15148
            γ-Fe<sub>2</sub>O<sub>3</sub> particles dispersion in lacquer on plastic film,
                 orientation prod. by mag. field 7=15150
            Fe<sub>3</sub>O<sub>4</sub>, anisotropy, effect of O stoichiometry 7=8180 Fe<sub>3</sub>O<sub>4</sub> calc. 7=2149 Fe<sub>3</sub>O<sub>4</sub>, Fe<sup>2+</sup>/Fe<sup>3+</sup> distrib., correl. formation theory 7=7234
            Fe<sub>3</sub>O<sub>4</sub>, meas of acoustic branch of spin-wave spectrum by n scatt. 7=18120
            Fe<sub>3</sub>O<sub>4</sub>, spontaneous magnetization at 10-31°K 7=8182
FeRh, \alpha^1-phase, antiferromag./ferromag. transition
near 26°C 7=5155
FeRh, in strong mag. fields 7=15151
Fe-Si cubic texture sheets 7=8186
            Fe-Si cubic texture sheets %=8186
Fe-Si, Goss-textured strip and non-textured 7=8185
Fe-Si (4.4 wt.%), saturation magnetostriction meas. 7=8
Fe-Si surface, effect of defects on magnetization process 7=11651
Fe-Si, 3.34 wt.-%Si, phvs. props. at high temp. 7=8110
Fe_Sin, Mössbauer obs. 7=8355
Fe-3% Si, dislocation structure rel. to coercive force 7=5156
Fe-V signs phase shee 7, 04475
            Torce t=0150 Fe-V sigma phase obs. 7=8175 Ga<sub>0.02</sub> Fe<sub>1.08</sub>O<sub>3</sub> anisotropy, 77^{\circ}-300°K, to 23 kOe 7=8193 GdN, temperature var. of spontaneous mag. 7=8163 Ge<sub>1.2</sub>Mn<sub>x</sub>Te, Mn spins interactions 7=18121 Ho, hysteresis at 4.2°K 7=11652
            HoAs, anisotropy at 1.7°K 7=8258
            HoP, anisotropy at 1.7°K 7=8258
HoSb, anisotropy at 1.7°K 7=8258
             (La_{1-x}Sr_x)MnO_3 hyperfine fields from n.m.r.of La<sup>139</sup>, Mn^{55} 7=15271
             Mn steel, at grain boundary and slip plane, work-
             hardened 7=18118
Mn-Al(< 50%) obs. improvement by adding <2%B 7=8194
Mn-Al powders, size effect 7=5158
             MnAs transition temp. var. with press. to 10\,000~{\rm kg/cm^2} 7{=}8195
             MnAu_2, Mössbauer effect on Fe^{57} impurity nuclei obs. 7{=}11671
             Mn<sub>3</sub>Ge<sub>2</sub>, weak, 370-77°K, to 300 kOe 7=8259
             MnP, screw spin struct obs. from elec. cond. and thermo-
             elec.var.in mag.field 7=17981 NdAl_2 < 65 K 7=8108
             Ni alloys single crystals, epitaxial 7=15139
```

props. 7=8110

```
Magnetic properties of substances—contd
                                                                                                                                                                      Magnetic properties of substances-contd
     ferromagnetic-contd
                                                                                                                                                                             paramagnetic—contd
Ho-Y alloys, 300-1100 K 7=15112
           Ni anisotropy, plastic deformation imperfection
                  effects obs. 7=8202
                                                                                                                                                                                   K_3Cr(CN)<sub>6</sub> 7=15113

KCuCl<sub>3</sub>, low-temp. susceptibility 7=11625

K_2MnCl<sub>6</sub> 7=15113

Mn<sub>4</sub>N, localized mag. moments 7=11626
           Ni, anisotropic spin polarization, from annihilation
                   quanta 7=18123
           Ni, Curie temp., hydrostatic pressure effects 7=18122
           Ni, determ of cryst anisotropy energy constants 7=8205
Ni, and electron states calc. 7=7774
Ni, equation of state for mag.field near Curie
                                                                                                                                                                                    Mo, spin susceptibility, calc. from density of states
                                                                                                                                                                                          curve 7=11127
                                                                                                                                                                                    Nb, spin susceptibility, calc.from density of states
                  point 7=18114
                                                                                                                                                                                    curve 7=11127

Nb superconducting wire, longitudinal oscillations obs. 7=4947
           Ni evaporated films, perpendicular anisotropy 7-8178
Ni film, change in coercive force when detached 7-18115
Ni films, condensed, rel. to struct, obs. 7-7280
Ni films, e.s. charge var. 7-11655
Ni films, obs. by ferromag, resonance magnetoelec.
                                                                                                                                                                                    Nd ethyl sulphate, e.s.r. effect on static susceptibility 7=11711 NdAl<sub>2</sub> < 65^{\circ}K 7=8108
                  effects 7=7844
                                                                                                                                                                                    Ni<sub>3</sub>Mn, intermediately ordered, superparamag. obs. 7=8223
           Ni films, struct. and temp. depend. 7=8203
Ni, Hall effect theory in initial magnetic saturation
range 7=14889
                                                                                                                                                                                   Pd hydride, susceptibility 7=2088
Pd-1 at. % Fe and Pd-25 at. % Ag + 1 at. % Fe, quenching
rel. to mag, susceptibility obs. 7=2143
Pd-Rh-Ag, 90"-800"K 7=8098
Pd-Sn, susceptibilities and Sn<sup>119</sup> isomer shifts 7=11622
          range 7=14889
Ni, magnetomechanical damping, influence of H 7=8204
Ni, and point defects recovery, -250° to 0°C 7=8200
Ni single crystals, epitaxial 7=15139
Ni, spin wave energy 7=15154
Ni, spin-wave spectrum, anomaly 7=8114
Ni, u. s. attenuations rel. to interact. of elastic and spin
                                                                                                                                                                                   RbMnF<sub>3</sub>, energy distrib of scatt neutrons 7=8111 TaC<sub>0.5-1</sub> obs. 7=1839
Si:P in metallic conduction region at liquid He
                                                                                                                                                                                          temps. 7=18179
                  waves 7=15153
                                                                                                                                                                                    Tb-Y alloys, 300-1100°K 7=15112
          waves 7=15153
Ni. with W or Nd nuclei in lattice. hyperfine field 7=8167
Ni-Cu(4.5-28.7at.%), moments to 15 kbar 7=15134
Ni(80%) Fe(20%) based alloys, initial permeability 7=11656
78-85% Ni-Fe films, coercive force 7=15159
Ni(80%)-Fe(17%)-Mo films, anisotropy dispersion, thickness and coercive force obs. 7=15157
Ni-Fe and Ni-Cu f. c. c. alloys, anisotropy energy of mag. C after-effect 7=8215
Ni-Fe-V crystal energy, composition and ordering var.
                                                                                                                                                                                   Ti magnetites, saturation magnetization and Curie
                                                                                                                                                                                          point rel. to chemism 7=11658
                                                                                                                                                                                    Ti-Mo alloy, Pauli-paramag. supercond. 7=14925
                                                                                                                                                                                    TiO2, susceptibility of trivalent Fe ion, ionic conc.
                                                                                                                                                                                  effect obs. 7=5130
Ti-O system, Magneli phases, susceptibility meas. 7=18153
                                                                                                                                                                                  11-O system, magner phases, susceptibility ineas.  \begin{array}{l} UO_{2-\kappa}(\mathbf{x}=0.003-0.248), \text{ susceptibility}, 77^\circ - \\ 1100^\circ \mathbf{K} & 7-8112 \\ V(\text{bipyridine})_3(\text{ClO}_4)_2 & 7-15113 \\ VO_{0.8-1.2}, 77^\circ -300^\circ \mathbf{K} & 7-14972 \\ V_{2}O_3, \text{Fe}^{2\gamma} & \text{Mössbauer effect obs.} < \sim 140^\circ \mathbf{K} & 7-15199 \\ \text{Xe, excited states, gas laser study} & 7-6573 \\ V(\text{ClO}_2)_4, \text{Cooley} & 7-9090 \\ \end{array} 
           Ni-Fe-V, crystal energy, composition and ordering varobs. 7{=}8222
           Ni<sub>3</sub>Mn, intermediately ordered, superparamagobs. 7=8223
          obs. 7=8223
Ni(OH)<sub>2</sub>, metamagnetic 7=18152
Ni(OH)<sub>2</sub>, metamagnetism obs. 7=15198
Pd-Fe alloys, dilute, theory of Fe atom interaction 7=11657
Pt-Co(50 at.*k), ordered, anisotropy 7=8224
SrLaFeO<sub>4</sub>, with K<sub>2</sub>NiFe structure, from
4.2-800°K 7=5165
                                                                                                                                                                                   ZrCrO<sub>3</sub> obs. 7=8099
ZnFe<sub>2</sub>O<sub>4</sub> rel. to cation distrib, precipitated from aqueous soln. 7=18133
                                                                                                                                                                                    Zr, spin susceptibility, calc. from density of states
                                                                                                                                                                                          curve 7=11127
                                                                                                                                                                            transitions
                                                                                                                                                                                  anisotropic Curie temperatures 7=15167
                                                                                                                                                                                  ferromagnet, dilute, conc. var. in statistical model 7=11630 ferromagnetic anomalies rel. to geomag. 7=5147 Curie temp. and thermoremanent mag meas. with small amounts 7=5148
           Ti magnetites, saturation magnetization and Curie
                 point rel. to chemism 7=11658
           TiCr2Te4, by neutron diffraction obs. 7=5166
           YCo<sub>5</sub>, anisotropy obs. 7=8225

Y<sub>2</sub>Co<sub>17</sub>, anisotropy obs. 7=8225

YCrO<sub>3</sub>, antiferromagnetic, weak ferromag.
                                                                                                                                                                                  Heisenberg model with staggered fields, exact soln. 7=11633
                                                                                                                                                                                  hematite below Morin transition, antiferromag. to
ferromag. 7=5179
Ising system of triplet ions with zero-field splitting,
                  detection 7=11659
           YFeO<sub>3</sub>, weak, characts. 7=2170
           ZnAl<sub>2</sub>O<sub>3</sub>:Cr<sup>3+</sup>, exchange coupling 7=5167
                                                                                                                                                                                  first-order transitions possibility 7=11635
linear array of coupled spins, instability 7=8086
noble metals paramag.f.c.c.transition, electron states
interpolation scheme 7=7774
           ZnFe<sub>2</sub>O<sub>4</sub>, by chem. precip., superparamagnetism 7=15166
           ZnFe<sub>2</sub>O<sub>4</sub>, superparamagnetism rel. to cation distrib.,
           precipitated from aqueous soln. 7=18133
ZrZn<sub>2</sub>, itinerant electron 7=2145
                                                                                                                                                                                 interpolation scheme 7=7774
paramagnetic initial susceptibility near Curie point
for ferro- and ferrimagnets 7=11620
rare earth garnets 0.35-4.2°K, calorimetric
investigation 7=18150
2nd-order, mag. relax., theory 7=8141
shift of transition points due to lattice defects 7=1230
spin density change at Néel point 7=15190
theory of "quasi phase transitions" 7=8095
theory, recent developments 7=18087
Au_Mn, magnetization, antiferro-ferromag. 7=2112
Ce monochalcogenides, 4. 2-1300°K 7=2079
Co, mag. behaviour in region of Curie point 7=8158
Co, specific heat var. obs. 7=7494
Cr, antiferromagnetic, effect of small Co, Ni, Fe
     paramagnetic
                   See also Paramagnetic resonance and relaxation;
                   Paramagnetism:
           additions, effect on de Haas-van Alphen effect 7=15107
           carbazyl free radicals 7=11627
hydrazyl free radicals 7=11627
           initial susceptibility near Curie point for ferro- and
                  ferrimagnets 7=11620
           interaction, long-range, between ions, induced by phonons 7=18097
           linear organic crysts., theory 7=11621
           metals and alloys, unconventional 7=8094
                                                                                                                                                                                 Co, specific heat var. obs. 7=7494
Cr, antiferromagnetic, effect of small Co, Ni, Fe additions 7=5178
Cr-Co alloys, Cr rich, Néel point and elec. resistivity 7=17871
CrH<sub>0.84</sub> \(\lambda\)-anomaly, electron specific heat obs. 7=11121
Cr-Mo alloys, Néel temps. 7=11120
Cr<sub>2</sub>O<sub>3</sub>, magnetoelec. effect studied by dielec. const. method 7=18037
Crs. ... temperatures to 6 khar. 7=15108
           noble metals f. c. c. transition, electron states inter-
                  polation scheme 7=7774
          polation scheme 7=7774
optical absorption bands, broad electron-vibrational 7=8353
rare earth chromites obs. 7=8099
rare earth cmpds., crystal fields 7=18098
semiconductors paramag.impurities theory 7=11496
susceptibility anisotropy above point of mag.
order 7=8105
transition metal d-electrons, mag. behaviour in
alloys 7=8102
Wurster's blue perchlorate 7=11621
C, pregraphitic, Pauli paramag. temp. var. e.s.r.
obs., rel. to band struct. 7=11694
Ce ethyl sulphate, and thermal capacity 7=17565
                                                                                                                                                                                   CrS<sub>1,17</sub> temperatures to 6 kbar 7=15108
                                                                                                                                                                                   Cu compounds, heat capacity meas. 7=18091
                                                                                                                                                                                   Dy, rel. to change in crystal structure 7=7420
                                                                                                                                                                                   Dy temperatures to 6 kbar 7=15109
                                                                                                                                                                                  Eu cpds, transit.temp. and isomer shift rel. to covalency 7=15137
           Ce ethyl sulphate, and thermal capacity 7=17565
           Ce-Sc(9-90 at.%), Curie temp. and susceptibility at 77-1100^{\circ}K 7=2087
                                                                                                                                                                                    Eu, Néel point, effect of pressure 7=14885
          77-1100 K 7=2087 CoCl<sub>2</sub>, 64LO, anisotropy 7=8107 β-Co(OH)<sub>2</sub> obs. 7=15191 CrH<sub>0-94</sub> λ-anomaly, electron specific heat obs. 7=11121 Dy gallate, and crystal field calc. 7=10910 DyAl<sub>2</sub> < 62 K 7=8108 Er, 90^\circ - 300^\circ K, to 150 kOe 7=11623 FeRh, \gamma-phase 7=5155
                                                                                                                                                                                   EuS, Curie temp. to 4 kbar 7=18114
                                                                                                                                                                                  EuSe 7=2083
                                                                                                                                                                                   Fe, rel. to diffusion of Cu obs. 7=1512
                                                                                                                                                                                   Fe-Cr, antiferromag., to sinusoidal spin structure,
first-order 7=11670
Fe-Cr-Ni alloys, rel. to shear modulus 7=7706
                                                                                                                                                                                   Fe-Mn alloys, Néel temp., hydrostatic pressure effect 7 = 8254
           Fe-Si alloys, from Curie point to 1900°C 7=8109
Fe-Si, 3, 34 wt. "%Si, paramag. susceptibility and phys.
```

 $(Fe_xMn_{1-x})TO_3$  (T=rare earth or Y, 0<x<1), Mössbauer obs.  $\cdot$  7=14182

```
Magnetic properties of substances-contd
      transitions contd
             Fe-Ni(30 wt.%), ferro.-para., on compression,
             obs. 7=18117 \alpha -Fe<sub>2</sub>O<sub>3</sub>, low-temperature, pressure dependence 7=2120
             Fe<sub>2</sub>O<sub>3</sub> nH<sub>2</sub>O, temp. dependent 7=2121
Fe<sub>3</sub>Pt, and Hall spontaneous effect var. 7=1834
             re<sub>3</sub>rt, and nair spontaneous effect var. 7=1834 FeS \alpha-transition temp. to 11 kbar 7=8257 Fe Zn<sub>1-x</sub> F<sub>2</sub> Néel temp., Fe<sup>57</sup> Mössbauer h.f.s. obs. 7=8256 Ga Fe<sub>3-0</sub>O<sub>4</sub>, Curie temp. meas. 7=2150
             Gd ferrite garnet, domain struct.var.at Néel temp.
obs. 7=18141
             Ho, between paramagnetic, ferromagnetic and antiferro-
magnetic states 7=5126
              Li ferrite chromite, domain struct.var.at Néel temp.
obs. 7=18141
              Mg-Gd dilute alloys, antiferromag., low temp. obs. 7=4903
Mg-Nd dilute alloys, antiferromag., low temp. obs. 7=4903
              MnAs, temperature var. with press. to 10 000 kg/cm<sup>2</sup> 7=8195
               MnF<sub>2</sub>, n scatt. near Néel point 7=11672
              Mn<sub>2</sub>O<sub>3</sub>, from Mössbauer studies on Mn<sub>2-x</sub>Fe<sub>x</sub>O<sub>3</sub> 7=18094
             MnTe, antiferromagnetic transformation, neutron diffr. 7=11674
Nd monochalcogenides, 4.2-1300°K 7=2079
              Ni, specific heat var. 7=1480
              Pr monochalcogenides, 4.2-1300°K 7=2079
              Sm, poly. cryst., low temp. 7=11440
The ferrite garnet, domain struct. var. at Néel temp.
obs. 7=18141
               Ti magnetites, saturation magnetization and Curie point rel. to chemism 7=11658
               U_3\hat{P}_4 ferromagnetic order-disorder specific heat obs.
                     at 138.3°K 7=7501
              Y_3Fe_{s^-x}Ga_xO_{12} garnet, paramag.—diamag.optical rotation, on Fe \to Ga substitution 7{=}18275
 Magnetic resonance and relaxation
              etic resonance and relaxation

See also Antiferromagnetic resonance; Ferrimagnetic
resonance; Ferromagnetic relaxation; Ferromagnetic
resonance; Nuclear magnetic resonance and relaxation;
Paramagnetic resonance and relaxation,
atomic beams, techniques review 7=10455
Bloch eqn. simple derivation 7=9468
Bloch's eqn., from eqns. of motion of moment containing
single species of spins 7=12587
dipole transitions in static magnifield rel to Zeaman h for
               dipole transitions in static mag. field rel. to Zeeman h. f. s.
               crossing 7=16897
ferromagnet metastable states relaxation times
theory 7=2101
               ferromagnetic dielectrics, forbidden 7=2227
               helicon resonance in In boxes filled with
ferromagnetic 7=11410
               high-field relaxation in rigid lattice 7=11677
               line shapes due to anisotropic interactions 7=8309
               measurement, with gas laser spectrometers 7=4890 measurement of short relax using goniometer 7=12583 relaxation in hollow elliptic cylinder calc. 7=5801
                relaxation near 2nd-order phase transition 7=8141
                spin-echo experiments, thermostat 7=16137
               spin-echo experiments, thermostat 7=16137
spin and lattice temperature, thermodynamical
approach 7=15202
spin wave amplification by phonon pumping 7=5185
time meas, by accurate and rapid method 7=9460
2, 2 and 2, 3 dimethyl butane, spin lattice relaxation,
rotating frame 7=2219
                zero crossing detector using time averaging computer 7=16122
Al<sub>2</sub>O<sub>3</sub>, Cr<sup>3+</sup> spin-lattice relax. calc. 7=2220
Bee(1se2s2p)<sup>3</sup>P states h.f.s., atomic beam mag. resonance obs. 7=10403
              obs. 7=10403 Ca-Bi-V garnet, parametric magneto-acoustic resonance 7=1458 Co divalent ions spin-lattice relax. in hydrated double nitrates calc. 7=8285 Co divalent ions spin-lattice relax. in hydrated LaZn double nitrate and ZnSiF<sub>8</sub>. 6H_2O obs. 7=8284 CoCs<sub>8</sub>Cl<sub>5</sub>, spin-lattice relaxation 7=18145 CoCs<sub>8</sub>Cl<sub>5</sub>, spin-lattice relaxation 7=18145 Cr<sub>2</sub>O<sub>3</sub>, superparamag. 7=15201 Fe powders relax., 0.005-2c/8, 297^{\circ}-4.2^{\circ}K 7=8183 Fe<sup>3</sup>·, in polynuclear complexes, Mössbauer study 7=11678
               Fe^3*, in polynuclear complexes, Mossbauer study 7=11678
Fe^3* in K cobalticyanide, spin-lattice relax. 7=8288
Fe films, spin-wave resonance 7=15205
Fe-Ni films, spin-wave resonance 7=15205
\alpha Fe_20_3, magnetoelastic anisotropy field, in-plane 7=2119
Fe_30_4 powders relax., 0.005-2c/s, 257°-4.2°K 7=8183
Fe_35, elec. quadrupole interact. at Fe_37 site 7=18148
                Fe7S8, at 9000 Mc/s, orientation and temp. var.
                       obs. 7=8267
               Hg atoms, levels populated by electron impact study 7=833 KCl, OH<sup>-</sup> dipole relax. at low temp. 7=14185 \rm K_3Fe\,(CN)_6 spin-lattice relax., 9. 4 Gc/s, 1.75°K 7=8288
               MgMn ferrite, relaxation processes, effect of Mns* 7=15209
               \mathrm{Mn_xFe_{3^-xO_4}} (x < 1), relaxations, low freq., below 100^{9}\mathrm{K} 7=15181
```

```
Magnetic resonance and relaxation—contd

Mn Zn, x Fe<sub>3-x-0</sub>O<sub>4</sub> (x+y<1), relaxations, low freq.,
below 100 K, 7=15181

Nd<sup>3</sup>• in CaWO<sub>4</sub> and CaF<sub>2</sub>, mag, field var. of single-phonon
spin-lattice relax.obs. 7=2221
         Ni films, spin-wave resonance 7=15205
         Ni relaxation in strips and multiple films, 0.005-2 c/s,
             297°-4.2°K 7=8183
        Tb3+:YFe, spin magnon relax. 7=5191
        The spin magnon reax. The property of the garnet magnetostatic echoes obs. 7=2171 YFe garnet.NiO, 9100 Mc/s, -185^\circ to +100^\circC 7=8272 YaNi Ge, Fe, 22, O12 (x = 0.025, 0.13), 9100 Mc/s, -185^\circ to +100^\circC 7=8272
         Yb170 in intermetallic compounds, Mössbauer
             spectra 7=11680
Magnetic storms
        airglow increase obs. 7=5403
and associated phenomena, review 7=8757
asymmetry of main phase 7=15611
        in calm periods, anal. of characts. 7=15604 cosmic-ray cut-offs during mag. storms 7=15609 and cosmic ray increases obs. 7=13185 electron intensity effects, low-energy, in outer radiation belt 7=5416
        F-region effects, over Delhi 7=12087 forecasting auroral sporadic-E with magneto-
             meter 7=5456
         geomagnetic, main phase, development 7=8753
        geomagnetic, relation to density of upper atmos. 7=8755 rel.to Forbush decrease 7=3705
         in M-region, and associated Forbush decreases 7=6285
         magnetosphere, inner, inflation in recovery phase 7=5482
         magnetosphere interaction with solar plasma 7=8718 magnetospheric dynamics theory 7=2544 rel. to plasma cloud accel. in chromosphere 7=5622
         rel, to plasma cloud accel, in sun 7=15806
         polar, anal. rel. to currents in ionosphere 7=8754
         polar f_0F_2 enhancement before, where and when 7=15597 polar substorms theory 7=8751
         prediction for polar cap absorptions 7=8752
         radiation belts var. and anomalous cosmic noise
              absorption 7=5415
         SSC rise time, interpretation 7=15607
         solar flare, crotchet effects detection in geomag. storms
        using also ionosphere effects 7=15614 solar-terrestrial physics conference, Japan, 1965 7=15573 due to solar plasma flow from flares 7=15811 sudden commencement effects on ionosphere f_0 F_2 and h^\prime F_2 obs. 7=5468
         sudden commencement, local geolectric effects 7=5481
         sudden commencements following cosmic ray flares 7=2601
Magnetic traps. See Plasma/confinement.
Magnetic wells. See Plasma/confinement.
Magnetism
              See also Antiferromagnetism; Diamagnetism; Earth/
              magnetic field; Ferrimagnetism; Ferromagnetism;
              Gyromagnetic effect; Magnetohydrodynamics; Para-
              magnetism; Rock magnetism; Stars/magnetism;
              Sun/magnetism.
         charge renormalization in quantum field theory 7 = 5942 - 3
         electron states semiclassical theory 7=17783
Fermi gas, positron dependent Landau suscep-
tibility 7=12517
         field modulation in magnitude and direction for studying anisotropic effects 7{=}16042
         heavy magnetic monopoles, search 7=435
Heisenberg model, classical, high-temp, suscept. 7=4643
Heitler-London method nonorthogonality
difficulties 7=8088
         helical spin structures spin-wave spectra 7=8091
helical structures, parametric phenomena 7=15106
         magnetic charge, expt. and theor. review 7=9335 magnetic moment and longit. invariant, field geom.
              effects 7=3030
          magnetic moment, second order, in axisymm. static
              field 7=3029
          magnetics, conference Stuttgart, 1966 7=5138
         metals magnetic impurities theory review 7=4831 metals, theory of localized magnetic moments 7=1751
         monopole motion in earth's field calc. 7=13136
monopole system, classical theory 7=3002
monopoles Dirac theory 7=16422
nuclear, eqns. of motion 7=12587
         spin-echo decay, for spins diffusing in a bounded region 7=7514
          spin systems, relaxation transitions and radiation equil. 7=9469
         thermodynamics, nonequilibrium, Onsager relns., general transformations 7=12384
```

Magnetization process

See also Ferromagnetic relaxation. anhysteretic, in particle assemblies, thermal fluct. effect 7=11639

approach-to-saturation law, change due to induced anisotropy 7=8135

```
Magnetization process-contd
```

asymmetric reversal, by Barkhausen discontinuities 7=11640

Barkhausen effect investigations 7-8139 Barkhausen noise, in tape recorder ferrite head 7-9359 Barkhausen vols. size distrib. in ferromag.,

determn. 7=8138 cylinder, uniformly magnetized, ballistic demagnetizing factor 7=12523 demagnetization factors, magnetometric, for

cylinders 7=5800 eddy current damping in films 7=7843

ferrodielectric, eqns. in transverse varying mag.

field 7=8136 ferromag. single crysts., effect of struct. defects 7=8201 ferromagnetic mats, effect of dislocations on curves 7=15124

ferromagnetic sintered powder compacts 7=15131 ferromagnetics, asymmetric reversal cycles 7=15122 film switching normal component due to edge effects obs. 7=18108

hysteresis meas., l.f., small toroids 7=3003 ideal curve, Preisach's model applicability 7=11628 1-D chain, magnetization vs mag. field curve, and quantum lattice gas 7=9091

optically induced by inverse Faraday effect 7=15318 Permalloy films noncoherent rotation 7=8211 Permalloy-Mo, irradiated, large jumps obs. 7=18132 Permendur, texture prod. by stress effect on reversal obs. 7=18126

reversible permeability rel.to irreversible processes obs. 7=8137 sheet, wattmatter loss meas., ensuring sinusoidal

induction 7=5803

single-domain particles, model representation 7=11638 of superconductor, ellipsoidal 7=14901 superconductors, losses at r.f. 7=7872 susceptibility meas., bridge for 200 to 10° c/s 7=16036 transformer sheets reversal losses 7=5813 weak ferromagnetics, rhombic symmetry 7=15123 weak ferromagnetics, rhombic symmetry 7=15123 CaF<sub>2</sub>:Eu<sup>2+</sup>, induced by inverse Faraday effect 7=15318 Co<sub>0</sub>, effects of heat treatment and n irrad. 7=8159 Co<sub>0</sub>, Fe<sub>2</sub>, go<sub>4</sub>, powder, effect of thermomag. treatment on magnetization processes 7=15170 Cr<sub>2</sub>O<sub>3</sub> antiferromagnetic domain switching obs. 7=8250 Cr<sub>2</sub>O<sub>3</sub> switching obs. 7=8250 Cr<sub>2</sub>O<sub>3</sub> switching obs. 7=8250 cr<sub>2</sub>O<sub>3</sub> condering caction 7=4469 FeAl alloys, effect on L2<sub>0</sub> ordering reaction 7=4469 Fe-Co powders initial susceptibility calc. 7=15145

Fe<sub>3</sub>O<sub>4</sub> powders relax., 0, 005-2 c/s, 297-4. 2°K 7 Fe-Si, containing C, Jordan after-effect 7=5157 Fe-Si surface, effect of defects 7=11651

Fe-Si(3%), grain-oriented, Barkhausen noise power spectrum 7=8190 Fe-Si transformer cores losses 7=5814

GeTe magnetization meas, to test superconductivity 7=17905 Ni, Barkhausen effect, effect of temp. and internal stresses 7=15152

Ni, Bloch wall displacements, temp. and deformation depend, 7=18124

Ni, determ. of cryst. anisotropy energy constants 7=8205 Ni ferrite, anomalous shock prod. demag. obs. 7=2152

Ni relaxation in strips and multiple films, 0.005-2 c/s,297°-4.2°K 7=8183 Ni single crystals 7=2122

Ni, texture prod. by stress effect on reversal obs. 7=18126 Ni-Al, texture prod. by stress effect on reversal obs. 7=18126

Ni-Co-Si, texture prod. by stress effect on reversal obs. 7=18126 Ni-Cr-Fe alloys, susceptibility of paraprocess 7=15110

Ni-Fe films laminated with SiO, reversal speed 7=8212 Sm orthoferrite curves around reorientation temp.

obs. 7=8240 Sr ferrite demagnetization calc. in ellipsoidal grains model  $7{=}11663$ 

SrO. 4Fe<sub>2</sub>O<sub>5</sub>. 2Al<sub>2</sub>O<sub>3</sub>, reversal with high anisotropy field 7=8241

## Magnetization state

ferrites, coupled oscillations in cubic single crystals 7=18139

ferromagnets structure microscopy 7=11450
Heisenberg antiferromagnet, directions by random-phase
Greens function method 7=2158

hematite, transverse susceptibility 7=5179 intensity meas. by balance method 7=9341

microstructures, detection with charged particles 7=2078

Permalloy films large uniaxial anisotropy mechanism 7=8213

Permendur, stress prod. texture rel. to coercive force obs. 7=18126 polycrystalline films dispersion, effect of induced

mag.anisotropy local struct.calc. 7=8152 solids, induced by oscillating field 7=2231 superconductors type II, calorimetric method 7=17899

 $Bi_{s-2x}Ca_{2x}Fe_{s-x}V_{x}O_{12}$ , anisotropy 7=15207

Magnetization state-contd

Car<sub>2</sub>, induced by oscillating field 7=2231 Ce-Sc(9-90 at. %) susceptibility at 77-1100°K 7=2087 CrBr<sub>3</sub>, ferromag., near Curie point, n.m.r. rel. to temp. dependence 7=2229

Ho, hysteresis at 4.2°K 7=11652

Mg-Mn ferrites, coupled oscillations in cubic single crystals 7=18139 Ni, stress prod. texture rel. to coercive force obs. 7=18126

Ni-Al, stress prod. texture rel. to coercive force

obs. 7=18126 Ni-Co-Al-Ti-Cu-Fe alloy, cryst. struct. in mag. optimal state 7=14390

Ni-Co-Si, stress prod. texture rel. to coercive force obs. 7=18126 Ni-Fe-Co, triple-layered thin films, triaxial

anisotropy 7=15162

NiFeCu films large oblique-incidence anisotropy mechanism 7=8221

Ni-Zn ferrites, coercive force, initial permeability .

and saturation magnetization 7=5173
Pd-1 at. %Fe and Pd-25 at. %Ag + 1 at. %Fe, susceptibility rel. to quenching obs. 7=2143

 $(Sr_{0.8}Ba_{0.2})_2Zn_2Fe_{12}O_{22},$  helicoidal spin ordering  $\ 7{=}15187$  Ti-16at.% Mo, and specific heat  $\ 7{=}17923$ domains

basic rules, for bulk crystals 7=11637
Bloch walls, periodic, energy 7=5140
effective mass and attenuation factor 7=5143
f.c.c.ferromag.lattice, (109/120°) Bloch wall 7=8132
ferrimagnetic oxides with high anisotropy field, structure, obs. 7=2153

ferrites, domain wall mobility meas. 7=8229 ferromag.polycryst.materials 7=8130 ferromagnetic sheet, eddy-current-limited permeability 7=5141

ferromagnets, thermodynamic fluctuations 7=8144 in ferromagnets, uniaxial, asymptotic solns. 7=8131 films, multiple, domain-wall structure theory 7=815 films, polarity of domain boundaries 7=15129

films, wall creep review 7=8149 haematite, structure 7=18119 and Matteucci effect 7=5145

Permalloy film, wall interaction with supercond. In film obs. 7=14916

Permalloy films, boundary structure rel. to hysteresis loops of plane Hall effect 7=2129

Permalloy films, growth by Lorentz micr. 7=11653

Permalloy films, vector orientation, magneto-optical obs. 7=8198

Permalloy films wall motion on mag. reversal obs. 7=8210

Permalloy films wall motion obs. 7=15158 Permalloy, wall movement in annealed and cold-worked

4-79 Mo Permalloy foils 7=8209

Permendur, stress prod., rel. to coercive force obs. 7=18126

Perminvar ferrites wall motion rel. to hysteresis shape 7=8238 single-domain particles magnetization, model representation 7=11638 single-domain particles, random assembly, theory 7=2097

"stripe" domains, in anomalous thin films, model

struct. 7=15130 stripes in films with Fe oxide colloid overlayer for

diffraction display or memory 7=9360 thin crystals, uniaxial, structure theory 7=5142 wall motion in films, effect of eddy currents, theory 7=2107-8 walls in films, cross-tie, energy upper bound in model 7=11648

Co, ferromagnetic resonance obs. 7=8265 Co, thin crystals, temp. depend., theory and expt. 7=5150

Co, thin crystals, uniaxial, structure theory 7=5142 Cu-Ni(>60%) films, stress var. rel. to elec. cond. obs. 7=14883

Fe, boundary thickness, magneto-optical obs. 7=8198 Fe films wall motion, magneto-optical obs., +20° to -175°C 7=8165

Fe single crystal platelets obs. 7=8170 Fe, wall interactions with defects, by electron micro. 7=11650

Fe whiskers with (111) axes obs. 7=8169 Fe-3%Si, elastic tensile strain effects 7=8192 Fe-3%Si, formation of domain struct. 7=8188

Fe-Si, X-ray diffr. obs. using magnetostriction 7=8189 Fe-Si surface 180°-Bloch walls thickness upper limit

obs. 7=8187
Gd ferrite garnet, rel. to Néel transition obs. 7=18141
Li ferrite chromite, rel. to mag. transition obs. 7=18141
Mn-Al(\$50%) obs. 7=8194
Mn-Al, structure 7=5159

Ni, boundary thickness, magneto-optical obs. 7=8198 Ni single crystals, Bitter patterns obs. 7=8199

Ni single crysts., obs. of domain struct. 7=8197

```
Magnetization state-contd
```

domains-contd

Ni, stress effects obs. 7=11654

Ni, stress effects obs. 7=11054
Ni, stress prod., rel. to coercive force obs. 7=18126
Ni, temperature effects 7=15155
Ni-Al, stress prod., rel. to coercive force obs. 7=18126

Ni-Co films, oblique incidence anisotropy and domain configuration 7=18125

Ni-Co films, temp. var. rel. to polishing or condensation obs. 7=15161

Ni-Co-Si, stress prod., rel. to coercive force obs. 7=18126
Ni-Fe films, splitting angle 7=8206
Ni-Fe films, stripe domains with zero and positive
magnetostriction 7=2128

Ni-Fe films, temp. var. rel. to polishing or condensation obs. 7=15161

Ni-Fe films wall motion, film thickness var. obs. 7=2132

Ni-Fe films wall velos. obs. 7=8208

NiFe, wall creep in unipolar nanosec pulsed fields obs. 7=8207

NiFe-SiO-NiFe films sandwich, fast wall mobility obs. 7=15163

Ni-Mn alloy, structure obs. 7=5162

80 NKhS films, change in struct., Barkhausen discontinuities 7=8196

To ferrite garnet, rel. to Néel transition obs. 7=18141

Magnetoacoustic effects

acoustomagnetoelectric effect in unipolar conductors 7=14435

axial waves in Hall generator, stability and growth rates 7=10673

ferromagnets, acoustic and spin wave Doppler and adiabatic time domainconversion 7=4631

ferromagnets, u. s. attenuation rel. to temp. and mag. field 7=15153

geometrical acoustics in mag. materials 7=7481 magnetoelastic waves in ferrites, parametric

amplification 7=14436

measurement of attenuation and dispersion of circularly

polarized u. s. 7=4889 metals, oscillatory attenuation 7=1457 metals and semimetals, effect of nonellipticity of energy surfaces 7=4635

piezoelectric semiconductors, rotation of polarization of sound in mag.field calc. 7=4630

plasma travelling-wave device, cyl. symm., resonances anal. 7=4263

triple reson. in ferromag. conductor 7=14858

u. s. attenuation in ferromagnets and antiferro-

magnets 7=14437 Al, attenuation, u.s., circularly polarized 7=4642 Bi, attenuation, rel. to energy surface parameters 7=4635

Bi, giant oscillations anisotropy and temp. var obs. 7=17556

Bi, giant quantum absorption obs. of electron states 7=17797

Bi, u.s. amplification, quantum resonances 7=7482 Cu, u. s. polarization rotation and absorption in longitudinal mag. field at 4.2 % 7=11115
n-InSb, 9 Gc/s, to 25 kG, 4.2°-50°K, electronic contribution 7=17557
Mg, u. s. absorption, quantum oscillations 7=4639

Nb-Ti alloys, supercond., u. s. attenuation 7=17917 Nb-Zr alloys, supercond., u. s. attenuation 7=17917 Sb, attenuation, u. s., circularly polarized 7=4642

Sb, resonances in u.s. absorption obs. rel. to cyclotron mass 7=17559

Sn, attenuation, u.s., circularly polarized 7=4642

in Tl 7=14845

V-Ti alloys, supercond., u. s. attenuation 7=17917 YFe garnet, magnetoelastic pulses, time lag. 7=14453 YFe garnet waves new mode obs. 7=17562

Zn, u.s. absorption, quantum oscillations 7=4639

Magnetocaloric effects. See Magnetothermal effects. Magnetocrystalline anisotropy. See Magnetic properties of substances; Magnetization state.

Magnetoelastic effects. See Magnetomechanical effects.

Magnetoelectric effects

See also Hall effect; Magnetoresistance. current density in strong mag.field, direct computation 7=7834

ferromagnetic metals, longit.fluctuations in magnetization 7=11423

ferromagnetic specimen, Matteucci effect mechanism 7=8142

galvanomagnetic phenom. in strong elec. fields, theory 7=17866 hot electrons in anisotropic medium 7=14794

measurement in ferromag.resonance 7=7844

p-n junctions, epitaxial 7=1965

Permalloy films, ferromag. resonance obs. 7=7844

semiconductor variable reactance element 7=9310

semiconductors, surface magnetoconcentrational effects theory 7=14942

Magnetoelectric effects-contd

semiconductors thermoelec. quantum oscills. in transverse

mag. field calc. 7=8041 theory with anisotropic electron energy spectrum 7=7837

thermogalvanomagnetic phenomena, conductors, quantum theory 7=14874
Al, temperature and field dependence 7=7849
Ar-K plasma, partially ionized, calc. 7=6842
Bi anisotropy, Second Practical, Calc. 7=6842 Bi anisotropy, Sn and Te effects 7=1928

Bi films, quantum size region, oscs. of galvanomag.

Di lims, quantum size region, oscs. of galvanoma coeffs. 7=14879 Bi, polycrystalline, low field galvanomag. coeffs., 80°K 7=14944

Bi single cryst., 20.4°K 7=7933

Bi-0.2 at. %Sn rel. to valence band structure 7=14827

Bi:Sn electron and hole bands obs. 7=17796

p-CdSb, rel. to electron band struct., obs. 7=17951 CdSb, >77 K, <7500G 7=14946

CdSnAs, 1.3-450°K, rel. to electron states 7=7939 CdsnAs, 1.3-450°K, rel. to electron states 7=7939 Cr<sub>2</sub>O<sub>3</sub>, study by dielec. constant method 7=18037 Fe films, mag. domain wall motion and aftereffect obs., +20° to -175°C 7=8165 Fe wires, Matteucci effect 7=7857

p-GaAs, Nernst-Ettingshausen, and lattice

vibrations 7=17957

n-GaSb, oscillations at 4.2°K above 30 kG 7=17961 Ge diode, oscill. meas. in crossed fields 7=14999 Ge, strain effects 7=4997

Ge, strained 7=4996

n-HgTe, low temps. obs., rel. to electron states 7=17971 In, temperature and field dependence 7=7849 InSb dendrites, galvanomag. props. 7=11514 n-InSb, nonlinearities due to hot electrons at 1.5°K 7=17978

InSb, p-type, anisotropy meas. 7=7952 K, r. f. size effect 7=4861 Mg, theory 7=4904 Mo, anisotropy at low temps. to 25 kOe 7=7861

Ni films, ferromag. resonance obs. 7=7844

Ni, size effect of galvanomag. props. 7=17875 Ni wires, Matteucci effect 7=7857

Ni<sub>3</sub>Fe, longitudinal, Ta content effects 7=4905 No, anisotropy at low temps, to 25 kOe 7=7861 Pb, temperature and field dependence 7=7864

p-Si surface oscillations obs. 7=17825 Zn, theory 7=4904

ZrB<sub>2</sub>, single crystal 7=7969

Magnetogasdynamics. See Magnetohydrodynamics.

Magnetohydrodynamic generators. See Electricity/direct conversion; Magnetohydrodynamics.

Magnetohydrodynamic waves. See Magnetohydrodynamics; Plasma/magnetohydrodynamics; Plasma/oscillations. Magnetohydrodynamics

See also Plasma/magnetohydrodynamics. acceleration, scaling law 7=16089

annular effect 7=5831

boundary layer between parallel streams of incompressible fluids with different temps, and mag. fields 7=9414

boundary-layer magnetogasdynamic eqns. dual solns. 7=9415

boundary layer problems for jet flow, and flow past a body 7=9419

boundary layers associated with deceleration of supersonic flow  $7{=}16098$ 

channel current density distrib. with Hall effect 7=16024 channel electric field distrib. with var. cond. calc. 7=9412 channel flow, elasto-m.h.d., suddenly pressurized,

anal. 7=3064 channel flow, 2-D, with changing pressure grad. 7=5838

conducting fluid, effects of transverse mag. field and spanwise elec. field on boundary layer 7=12556 conducting jet in moving medium with magnetic field 7=16093

conical MGD flow, in axial mag. field, rel. to Hall effect 7=5794

conservation theorems, ideal cond. liq. 7=9405 convective elastico-viscous flow past porous flat plate calc. 7=12558

cooling from flat plate 7=12465

current-carrying fluid, flow round nonconducting sphere 7=16100

current distrib. in channel, modelling using Bi 7=16090 damping, collisionless of waves in magnetosphere 7=12033 dielectric shell in electrolyte, motion obs. 7=234

disturbances due to oscillating dipole in fluid of finite cond. 7=3068

edge effects in channel of variable cross-section 7=5836 for electricity convertors, low conductivity approach using auxiliary ionization in closed cycles 7=16026 electricity, direct convertor with arbitrarily connected

electrodes, elec. parameters 7=12504 electroconducting turbulent liq. Reynolds analogy for heat transfer 7=9422

electromagnet, non-linear field, digital computation 7=16046 energy conversion progress 7=5795

# Magnetohydrodynamics-contd

equations for compressible fluids, exact general integral 7=17171

flow due to rotating disc subjected to large suction 7=9409 flow, field-aligned, conducting fluid, past source of magnetism 7=16099

flow, hypersonic, past a wedge, influence of Hall effect 7=12559

flow, incompressible, laminar and radial, between parallel plates 7=12557

flow, nonisentropic, two-dimensional, in zero transverse mag. field 7=9418

flow past spheres, friction 7=5839 flow of viscous plastic fluids 7=5834 flows, helical, reducible 7=9410 friction coefficient rel. to rectangular tube roughness obs. 7=236

gas channel flow, one-dimensional, thermal and mechanical effects 7=227

gas, conducting, in annular duct, converter efficiency obs. 6=173

gas, conducting, one-dimensional flow with constant vel. solution 7=229

gasdynamic, subsonic flow past profiles solution 7=233 gasdynamical flows in channels, hodograph transformation for vortical vel. distrib. calc. 7=228

generator at large Hall numbers, ion slip and deviation of electron temp. effect 7=2991 generator, potential distrib. between electrodes 7=174

generator thermal cycle efficiency 7=176 generators crises 7=175

generators, d. c. effect of cold electrode boundary layers 7=9329

generators, segmented electrode losses with nonequilibrium ionization 7=5796

Hall generator, growth of axial magneto-acoustic waves 7=10673

half-jet, incompressible, inviscid stability 7=3066 half-jet, stability, boundary-layer-type theory 7=3065 instabilities on infinite interface, continuum feedback control 7=5840

intermediate waves in neutral sheets, existence obs. 7=16095

jet flow in coplanar mag. field, boundary layer

problems 7=9419 jet flow in limited space, rel. distrib. in transverse mag. field 7=5837

jet, free 7=16094

laminar flow due to torsional oscs. of porous infinite plate 7=9408

linear induction machine, longit. edge effect, theory 7=5841 liquid boundary layer formation and breaking on solid body obs. 7=235

liquid conductor, elec. maintained Alfvén waves 7=9407 liquid metal induction generator, expt. and theory 7=16025 liquids with suspensions of mag. particles, fluid magnetic

buoyancy 7=10872
MGD shock wave, ionization effect on structure 7=9423
magnetic Reynolds number, definitions 7=5832
magnetosphere, wave propagation obs. 7=2542

magnetotybulence, homogeneous, asymtotic law of decay 7=16097 metallic liquid drops oscillation in mag. field calc. 7=3062-3

moving media, appl. of classical e.m. field eqns. 7=9406 non-Newtonian liqs., flow under rheological power law 7=5833

optimum generator, using He-Cs plasma 7=178 oscillating rigid body problem, motion of fluid 7=237 oscillations, nonlinear, in one-dim. flow, thermally driven 7=9417

pivoted slider bearing with convex pad surface,

theory 7=11257
plane jet, heat transfer 7=9420
relativistic fluids, conducting and inductive, eqns. 7=2830 relativistic, monochromatic waves, Hall effect 7=16096 relativistic, variational principle 7=3061

relativistic waves and group theory 7=2831 relaxation coeffs, in plane induction machines 7=177 Reynolds number, mag., obs. 7=232 rotating liqs. over dielec. disc, boundary layers 7=9413

shock waves, oblique, evolution, sweep conditions restrictions 7=9424 shock waves for relativistic cases 7=12560

solid particles fluidisation, crossed electric and mag. fields effect obs. 7=4396

stability of dissipative flow between rotating permeable cylinders theory 7-9416 stability of swirling fluid with variable density in circular mag.field 7-12561

steady-state Hartmann coaxial flow between cylinders 7=16092 stellar mag. fields, plasma turbulence under action of Coriolis forces 7=5519

Magnetohydrodynamics-contd

super-permeable fluids, linear 7=16088

supersonic flow at channel entrance, linearized 7=3070 turbulent channel flow 7=3069 turbulent flow in rectangular and round cross-section pipes 7=5835

velocity meas. of plasma in channel 7=9411 visco-plastic fluid, conducting, rotation in ring-shaped duct 7=238

viscous friction and heat flux for flow in plane channel 7=16091

vortex rings, rel. to self-excitation of mag. fields 7=3067 wave propag. rel. to coeff. of viscosity 7=10724

waves in compressible conducting fluid in mag. field 7=6949

Cu wire electrical breakdown instabilities obs. Hg, in transverse field, hydraulic jump obs. 7=230 Hg turbulent jet growth in coaxial mag. field, velo. obs. 7=9421 KOH plasma, low-temp., Hall effect in presence of periodic

mag.field obs. 7=999

Mo wire electrical breakdown instabilities obs. 7=965

Pb wire and liquid jet, electrical breakdown instabilities obs. 7=965

Sn liquid, mag. fields and forces in e.m. crystallizer obs. 7=4524

W wire electrical breakdown instabilities obs. 7=965 Magnetomechanical effects

See also Gyromagnetic effect; Magnetostriction.

constitutive eqns. for deformed isotropic materials 7=5783 elastic cylinder in mag. field with impulsive forces 7=9338 ferrites, review of sources of magnetoelastic interactions 7=8227

ferromagnets, e.m. excitation of magnetoelastic waves 7=8263 films, polycryst., uniaxial anisotropy including magnetostriction 7=11646

longitudinal Matteucci effect obs. 7=5146

magnetoelastic interaction, theory 7=15200 magnetoelastic vibrations in transversely isotropic elastic cylinder in mag. field 7=9337

elastic cylinder in mag. field 7=9337
magnetoelasticity equations, integration and Cauchy's
problem 7=9426
Matteucci effect, domain theory 7=5145
Permalloy films mag. props. tension var. l.f. ferromag.
resonance obs. 7=8216
Permalloy films, struct. var. obs. 7=7727

Permendur, texture prod. rel. to coercive force obs. 7=18126 Permendur, texture prod. rel. to coercive force obs. reciprocity theorem for wave equations of thermomagneto-elasticity 7=5714
stress in coils of revolution for high field prod. calc. method 7=5809
stress irreversible effects, space hysteresis model 7=11642
thermo-magneto-elasticity, reciprocity theorems for anisotropic conductors 7=5799
transverse surface waves in magnetoelasticity 7=93:

transverse surface waves in magnetoelasticity 7=9339

in Cu-Ni (>60%) films piezoresistance obs. 7=14883 Fe wires, Matteucci effect 7=7857 α-Fe<sub>2</sub>O<sub>3</sub> piezomagnetic effect obs.

Ni damping, influence of H 7=8204

Ni, texture prod. rel. to coercive force obs. 7=18126 Ni wires, Matteucci effect 7=7857

Ni-Al, texture prod. rel. to coercive force obs. 7=18126 Ni-Co-Si, texture prod. rel. to coercive force obs. 7=18126

YFe garnet magnetoelastic waves parametric, amplification, 1-10 Gc/s 7=18143

YFe garnet, microwave magnetoelastic waves, amplification 7=8271

YFe garnet, polarization reversal of magnetoelastic waves by optical contact bonding of YAlgarnet 7=12407

YFe garnet rods with mag. sleeves, magnetoelastic propag. 7=8242

Magnetometers. See Magnetic field measurement.

Magneto-optical effects

See also Optical constants; Zeeman effect

absorption in crossed elec. and mag. fields 7=18023 alkali metal vapors, optically pumped, meas. of longitudinal decay in weak mag. fields 7=4019 double beam i.r. Faraday spectrometer 7=3254 e.p.r. Faraday effect α, β plots deviations from circularity 7=9461 Faraday effect, and covalent bonds 7=6628

Faraday-effect, ionosphere, depend on satellite rot. and angle var. 7=8733

ferromagnetic films, Kerr effect enhancement, by dielectric coating 7=15306 in ferromagnetic films, longitudinal, calc. 7=8365

for ferromagnets structure meas., micron

resolution 7=8198 fluorescence, resonance, mag. field modulation 7=10389

free carrier electro-magneto-optical effects theory 7=8367 Galaxy Faraday rot.var.calc.for magnetic field models 7=15724

Magneto-optical effects-contd gas, ideal diamagnetic, rotation, mol. theory 7=13991 graphite, spin-orbit interactions 7=7784 interband absorption, oscillation, inelastic scatt. effects 7=5234 Kerr effect increase in ferromag. films by dielectric overlayer 7=8364 of Landau electrons, nonlinear 7=8362 lasers, gas, polarization effects 7=9494 lasers for meas. 7=18203 light absorption, by carriers, in quantizing field 7=5233 magnetics, conference Stuttgart, 1966 7=5138 magnetization induced by inverse Faraday effect 7=15318 for modulating i.r. over wide band 7=5906 rare-earth garnets, near i r. Faraday effect 7=5272 rotation spectra, apparatus 7=11740 semiconductors, band population effects calc. 7=18204 semiconductors meas. 7=18203 semiconductors and semimetals, nonlinear, of electrons and holes 7=18205 solids absorption in crossed fields calc. 7=7819 for superconducting flux penetration and mobility obs. 7=4936 superconducting magnet use, lightweight, for up to ~50 kG 7=16240 Ar laser, polarization characts. in mag. field 7=9503 CaF<sub>2</sub>:Eu<sup>2+</sup>, magnetization from inverse Faraday effect 7=15318 Cd<sub>3</sub>As<sub>2</sub>, electron states obs., 300, 77, 4°K 7=17803 CdCr<sub>5</sub>S<sub>4</sub>, magnetoabsorption meas, on single crystal 7=5235 CdCr<sub>2</sub>Se<sub>4</sub>, magnetoabsorption meas, on single crystal 7-5235 CdSnAs<sub>2</sub>, 3-20µ 7-2289 Cr tribalides, ferromag., rotation of axis of linear polarization 7-2294 Cu<sub>s</sub>O exciton series to 200 kG 7=18230 ErCl<sub>3</sub>, rotation spectra in aq. soln., meas. 7=11740 EuCl<sub>3</sub>, rotation spectra in aq. soln., meas. 7=11740 GaAs, electron effective mass doping var. obs. 7=17807 GaAs, plasma resonances in films obs. from i.r. transmission 7-17846
GaSb, rel.to valence-conduction band transitions obs. by i.r.electroreflectance 7=2310 GaSe, interband Faraday effect 7=2306 GaSe, rnteroand raraday effect (=2300 GaSe, rel. to electron states 7=18234 GaSe, excitons obs. 7=18233 Ge magneto-piezo-reflection interband transitions obs. 7=18246 Ge, photomagnetic anomaly 7=11624 Ge, rel. to valence-conduction band transitions, obs. by i.r.electroreflectance 7=2310 Ho3+ in glass, rotation spectra meas. 7=11740 InAs, interband magnetoabsorption to 100 kOe 7=17812 InAs, plasma resonances in films obs. from i r transmission 7=17846 InSb, Faraday effect, influence of elec.fields 7=15334 n-InSb, Faraday effect, singularities in mm band 7=11778 InSb, interband magnetoabsorption to 100 kOe  $\,$  7=17812 InSb, and Landau levels computer calc.  $\,$  7=7795 InSb magneto-piezo-reflection interband transitions obs. 7=18246
InSb, multiphoton resonances obs. 7=5271 InSb, plasma resonances in films obs. from i.r. transmission 7=17846 InSb, polaron prod. anomalies in absorption obs. 7=18245 InSb, 2-25  $\mu$ , 130°-550°K 7=1785 InSb, rel. to valence-conduction band transitions obs. by i.r.electroreflectance 7=2310
Ni, and electron states calc. 7=7774
in Ni films, longitudinal, obs. 7=8366
Ni, ferromagnetic, in i.r., calc. 7=5269 NI, Ierromagnetic, in i.r., caic. 7=3209
in Ni-Fe (20%), films, longitudinal, obs. 7=8366
n-PbS, oscillatory Faraday rotation and magneto-plasma edges 7=18204
PbTe, multiphoton resonances obs. 7=5271
Te cyclotron resonance, 730-940µ 7=17856
Te, oscillations, in absorption with polarized light obs. 7=18269  $U^4$  rotation spectra in  $CaF_2$ , meas. 7=11740YFe garnet: Ga modulator for i.r. over wide band 7=5906  $Y_3$ Fe<sub>5-x</sub>Ga<sub>2</sub>O<sub>12</sub> garnet, Faraday effect, effect of Fe  $\rightarrow$  Ga substitution 7=18275 ZnO, Faraday rotation obs. of electron effective mass 7=17822 ZnS, electron bands and effective masses obs. 7=15357 Magnetoresistance See also Magnetoelectric effects. de Haas-Shubnikov meas. 7=17869 element, reactive impedance across current terminals 7=5014

ferromagnetic films, for magnetostriction meas. 7=2111

hot-carrier for small magnetic fields 7=1921 Permalloy films, thickness var. 7=18131

Magnetoresistance-contd polycrystalline rod, saturation depend, on angle between rod and field 7=7845 residual resist. in mag. field, Coulomb interaction effect 7=9116 semiconductor plates, size effects 7=11495 in semiconductors and its applications 7=1958 semiconductors, Corbino-type, effect of scattering 7=14940 semiconductors, defect charge effect theory 7=1922 semiconductors, degenerate, low field, for electron scatt. meas. 7=14795 semiconductors, dislocation effect theory 7=1923 semiconductors, effect of field of charged impurity centres calc. 7=7925 semiconductors, longitudinal effect 7=14939 semiconductors, negative, rel. to impurities, review 7=17937 semiconductors, organic, and Hall constant obs. 7=17941 semiconductors, polar, effect of electric fields 7=14937 single-domain particles, random assembly, theory 7=2097 skin effect of time-periodic e.m. fields 7=5791 Al, temperature and field dependence 7=7849 Bi, and damped Alfvén wave transmission at 4.2°K 7=7826 Bi, de Haas-Shubnikov meas. 7=17869 Bi, oscillations due to electron inelastic scatt. by optical phonons 7=7934 Bi, polycrystalline, 35-5000 Oe 7=14944 Bi, Shubnikov-de Haas effect, analysis 7=4855 Bi-type metals, Kramers-Kronig eqns. 7=14877 Bi-Type metals, Kramers-Kronig eqns. l=14611 Bi-Mm, dilute, Shubnikov-de Haas effect meas. l=7932 Bi-Sb(5, l0%), 0-15 kOe, temp. var. l=11581 Bi<sub>1</sub>, l=158, so cillations obs., rel. to electron bands l=14828 Bi: l=158, lobs. 7=7783 p-Bi<sub>2</sub>Te<sub>3</sub>, proton effects obs. 7=1929 n-Cd<sub>3</sub>As<sub>2</sub>, Shubnikov-de Haas obs. of electron band struct. 7=17946 CdS photoelectrons, transient, 1.9°-78°K 7=15072 CdS, transient of photocarriers, meas.by a.c. method 7=2030 p-CdSb, rel. to electron band struct., obs. 7=17951 Cr, breakdown obs. 7=7852 Fe, residual resistance ratio of pure Fe calc. 7=1833 Fe-Cr(0.75-25.1 at.%), transverse, boiling He to room temp. 7=7859 GaAs, giant with non-ohmic currents, obs. 7=14951 n-GaAs, 78 -800°K 7=7788 n-GaSb, oscillations at 4.2°K above 30kG 7=17961 Ge, in impurity band conduction region, uniaxially stressed 7=14956 n-Ge at low temps., rel. to thermoelec. spin-drag component 7=4999 n-Ge, phonon assisted hopping conduction at high magnetic fields 7=4998 Hg, rel. to crystal electron states calc. 7=7791 Hg crystals at 1.3°K to 23 kOe, rel. to periodic orbits 7=17873 n-HgTe, band structure from Shubnikov-de Haas effect 7=11392 n-HgTe, low temps.obs.,rel. to electron states 7=17971 In, temperature and field dependence 7=7849 n-InAs, longitudinal oscillation, 14°K 7=7950 n-InAs, longitudinal, 20.4°-608°K, to 460 kOe 7=1942 n-InAs, oscillations due to inelastic electron-optical phonon scatt. obs. 7=17977 n-InAs, spin magnetophonon and magnetophonon oscillations 7=11513 n-InAs surface layers, Corbino, elec. field var., 4.2°,68°,77°K 7=17972 n-InAs,transverse,20.4 -600°K, to 420 KOe 7=7949 n-InSb, in extreme quantum limit, 10°-77°K 7=11512 n-InSb, liquid He temps. obs., rel. to localized spins 7=17979 n-InSb, low field, for electron scatt. meas. 7=14795 InSb, n-type 7=17974 n-InSb, negative, 4.2°-0.1°K 7=14963 InSb, oscillation maxima, shift due to elec. field 7=11516 n-InSb, oscillations due to inelastic electron-optical phonon scatt. obs. 7=17977 InSb, p-type, anisotropy meas. 7=7952 InSb, p-type, 77-200°K (up to 320 kOe) 7=14962 n-InSb, quantum oscills. in mag. field at liquid He temps.obs. 7=8045 n-InSb, quantum oscs, influence of spin 7=11517 Li(NH<sub>3</sub>)<sub>4</sub> 7=1945 Mb<sub>0.8</sub>Nb<sub>0.2</sub>Fe(0.2-2.3%), mag.field var.obs. 7=1835 Mg-Gd dilute alloys, anomalies search at low temps. 7=4903 Mg-Nd dilute alloys, anomalies search at low temps. 7=4903

MnZn ferrites meas. near Curie temp. 7=15183

```
Magnetoresistance-contd
```

Ni-Cu alloys meas. 4, 20.4 and  $78^{\circ}$ K 7=11438 Ni and Ni alloys 7=14888

Pb, temperature and field dependence 7=7864

Pd-Er(0. 5-6. 6 at. %), longitudinal, 4. 2°K, up to 60kOe 7=11439

Si, longitudinal 7=7961

n-Si, negative with heavy doping, liquid He temps, 0-40kG 7=17986

Sn, coupled orbits rel. to quantum oscills. at liquid He temps. to 150 kG 7=7867

p-SnTe, Shubnikov-de Haas oscills. obs. of Fermi surface 7=17987

Te, oscillations 7=11520

Te, Schubnikov-de Haas effect, at 4.2°K 7=1840

Te, Shubnikov-de Haas obs. of valence band surfaces of const. energy 7=17820 Zn, 0. 12°-0. 9°K 7=17574

Magnetosphere. See Atmosphere/upper; Earth/magnetic field. Magnetostriction

delay line, Joule and Wiedemann effects 7=2102 ferrites, saturation, -140° to +160°C 7=8143 ferromagnetic films, meas. by l.f. probes 7=2110 ferromagnetic films, meas. by magnetoresistance 7=2111

ferromagnets, saturation. -140° to +160°C 7=8143 ferroxplanas obs. 7=11660 measurement in strong pulsed magnetic fields 7=1 nonuniform form effect, surface stresses 7=15125

simple-domain particles, random assembly, theory 7=2097 spark chambers, elastic pulse propagation in wires

obs. 7=12803 triple reson. in ferromag. conductor 7=14858

Co,Ni<sub>2-x</sub>W<sub>Ba</sub> ferroxplanas obs. 7=11660 CoO, single-ion contrib., from strain depend. of e.p.r. 7=15164

Er, 90°-300°K, to 150 kOe 7=11623

Fe alloys, anisotropy volume and temp. var. obs. 7=11649 Fe, anisotropy volume and temp. var. obs. 7=11649

Fe, small, constants 7=18116 FeO, single-ion contrib., from strain depend. of e.p.r. 7=15164

Fe-Si, for domains obs. by X-ray diffr. 7=8189 Fe-3%Si, elastic tensile strain effects 7=8192

Fe-Si(4.4 wt.%), saturation, up to Curie pt. 7=8191 GaSb, n-type, oscillatory, meas. 7=5125

MnO, single-ion contrib., from strain depend. of e.p.r. 7=15164

Ni, anisotropy volume and temp. var. obs. 7=11649 Ni obs. 7=11654

Ni, temp. and deformation depend. 7=18124 Ni(80%) Fe(20%) based alloys 7=11656

Ni-Fe-V, composition and ordering var. obs. 7=8222 NiO, single-ion contrib., from strain depend. of e.p.r. 7=15164

W ferroxplanas obs. 7=11660 YFe garnet, Si doped 7=2154

# Magnetothermal effects

constitutive eqns. for deformed isotropic materials 7=5783 elasticity, reciprocity theorems for anisotropic conductors 7=5799

ferromagnet with "antiferromagnetic" impurity calc. 7=18107

ferromagnets, fluctuations 7=8144 fine particles, anhysteretic process, thermal fluct. effect 7=11639

metals, transport integral tables appl. 7=5701

Nernst-Ettingshausen effect, electron scattering mechanism 7=4832
Nernst-Ettingshausen effect in semiconductors quantum theory 7=14938

Permalloy films planar Nernst effect obs. 7=8217

reciprocity theorem for wave equations of thermomagneto-elasticity 7=5714
thermogalvanomagnetic phenomena, conductors, quantum

theory 7=14874 Bi, theory 7=5123

CdS, n-type, Nernst coeff., rel. to transport props. 7=4842 Co, Nernst-Ettingshausen, temperature dependence 7=1831 Co<sub>0.84</sub>Fe<sub>2.08</sub>O<sub>4</sub>, temp. depend. 7=5003

Er thermal cond. in mag. field, magnon contribution

obs. 7=11132 EuS specific heat in mag. field at low temp. obs. 7=7495 Ge, including Nernst-Ettingshausen effect 7=5084 Ge, strained 7=4996

InSb, Nernst-Ettingshausen effect and carrier scattering 7=17976 n-InSb, oscills of Nernst effect 7=11515

In<sub>2</sub>Se<sub>3</sub>, \alpha-phase, transverse Nernst-Ettingshausen In\_Sea, a-phase, transverse Nernst-Ettingshaus coeff. 7=5001
Mn<sub>0-74</sub>Fe<sub>0-24</sub>O<sub>4</sub>, temp. depend. 7=5003
Nb superconductor obs. 7=4948
Nb-Zr(31%) superconductor obs. 7=4948
Ni<sub>3</sub>Fe, longitudinal, Ta content effects 7=4905
Ni<sub>0-62</sub>Fe<sub>2-31</sub>O<sub>4</sub>, temp. depend. 7=5003
V-Ta(6 at. %) superconductor, obs. 7=1904

Magnetrons. See Electron tubes. Magnets

> Alcomax alloys, spoiling characts. 7=2118 alloys, struct. and precipitation process 7=4457 Alnico alloys, high temp. props. 7=5160

Alnico cryst. oriented, continuous casting 7=4509 Alnico, crystal oriented, props. 7=4523 Alnico magnets, irreversible prop. changes with temp. and time 7=5161

Alnico magnets produced by electro-slag remelting, props. 7=2125 Alnico, props., for hysteresis motor 7=9327

for  $\beta$  spectrometer with trochoidal trajectories 7=3532 for bubble chamber track superimposition prevention by stepping 7=3391

for bubble chambers, pulsed field, 35-70 kOe 7=5977

coil design, for pulsed mag. fields 7=16045 design for strong magnetic fields 7=187

electromagnet field stabilizer with e.s.r. wide band sensor 7=3013

electromagnet, non-linear field, digital computation 7=16046 electromagnets, cooled, for const. fields 7=3014

electromagnets, design for optimum response time 7=188

electromagnets for >100 KG 7=9353 electromagnets, shim calc. by conformal mapping 7=185 electromagnets of synchrocyclotron, d.c. stabilizer, multichannel 7=3410

ferrite, in duoplasmatron ion source, high current 7=3053 ferrite, pulse, at high magnetizing currents and high external field 7=16044 ferroxdure, used in flat motors 7=3016

intermetallic cpds. as permanent magnets,

survey 7=5139 minimum average B axisymmetric configuration with triply connected system 7=17100

Mössbauer meas.in permanent magnets 7=2098 particle beam steering with quadrupole and rectangular box magnets 7=207

permanent, use in alternators 7=3011

permanent, use in automatic warning system of train control 7=5807

permanent, in automobile alternators 7=5793 permanent magnet circuits, criteria 7=3010

permanent magnets for nuclear mag. reson. spectrometer 7=267

permanent, use in polyphase induction motors 7=3021 permanent, for reed switches 7=192

for plasma confinement, design using electrolytic tank 7=4226

tank 7=4220
pole piece correction to give pre-determined field
gradient 7=9352
pole shape rel. to field scalar potential calc. 7=9344
Princeton-Pennsylvania 3 BeV proton synchrotron,
septum magnet system design 7=9349
pulse, with open magnetic circuits 7=16043

pulsed electromagnet design computer programme 7=186 pulsed, for 200 kG 7=5808

Stix coils, Faraday shielded, for plasma heating by ion cyclotron resonance 7=4186

stress in coils of revolution for high field prod. calc. method 7=5809

superconducting, for bubble chamber 7=5976 superconducting, high-field 7=9356

superconducting, for maser, with supercond

dynamo 7=16145 superconducting, for optical meas., lightweight, for up to ~50 kG 7=16240

superconducting, after S-N transition, distribution of normal region 7=5810 Ba ferrite, appls. in elect. machines 7=3012

Ba ferrite magnets, effect of Fe<sub>2</sub>O<sub>3</sub> quality 7=5169

Ba ferrite magnets in mag. separator 7=3018 Fe for nuclear research 7=5951

Nb<sub>3</sub>Sn ribbon superconducting quadrupole lens 7=9378 of Nb<sub>3</sub>Sn superconducting ribbon, large bore, iterative design 7=9355

Nb-Zr superconducting coil, field fluctuations 7=9357

Nb-Zr superconducting quadrupole lens 7=9377 Nb-Zr superconducting stabilized strip appl. 7=9354 NbZr superconducting statistics strip appl. 1=3554 NbZr superconductors, for n.m.r. and e.s.r. with high homogeneity 7=9463 Sr ferrite magnet d. c. motor 7=3017 Magnons. See Ferromagnetism.

Magnus effect. See Aerodynamics.

Majorana effect. See Magneto-optical effects.

Majorana forces. See Nuclear forces.

Malter effect. See Electron emission/secondary; Photomultipliers.

Mandelstam representation. See Scattering, particles. Manganese

atom, 436 lines, transition probabs. in solid vortex arcs 7=6543

atom, ground states, relativistic quadrupole interaction constant B obs. 7=16909

film, electron diffraction exam. 7=1277

 $\rm Mn_x Fe_{3-x}O_4, Seebeck\ coeff.\ meas., 20^\circ 600^\circ C\ 7=11577\ Mn_x Fe_{3-x}O_4(x<1), mag.\ relax., low\ freq.\ below\ 100^\circ K\ 7=15181$ 

Manganese compounds-contd

ion, Mn II, 5 lines, transition probabs. in solid vortex Manganese-contd arcs 7=6543 ion  $\mathrm{Mn^{+}}$  in  $\mathrm{Al_2O_3}$ , paramag. reson. 7=18172ion, Mn<sup>2+</sup>, e. s. r. in BaTiO<sub>3</sub>, tetragonal and cubic phases meas. 7=8298 ion, Mn2°, e.s.r. in calcite, forbidden hyperfine ions, Mn\*, e.s.r. in MgO, symmetry analysis 7=15221 ions, Mn²\* solns, proton relaxation 7=7123 lifetimes of the  $3d^54s4p$   $z^6P_{5/2}$  and  $y^6P_{5/2}$  levels 7=6544 nuclear mag, relax, times diluted in Ni obs. 7=15277transitions 7=15236 radioactive isotope in atmosphere 7=11995 steel, ferromag. at grain boundary and slip plane, work-hardened 7=18118 in Fe, field depend of nuclear relaxation of Mn55 7=8321  $\alpha$ -Mn, lattice parameters from 4-300 K obs. 7=14385  $\alpha$ -Mn resistance thermometer for low temps. 7=5742 Mn VII spectrum, 3p63d-3p53d4s lines clafficiation 7=10407 Mn2+, absorpt. spectrum in KC1 7=5266 Mn<sup>2+</sup>:BaF<sub>2</sub>, electron and nuclear spin-lattice relax. 7=15264 Mn<sup>2+</sup>:CaO, temp. depend. of hyperfine coupling 7=15238 Mn2+, CaWO4, elec. field shift in e.p.r. 7=15239 55Mn2+ in crystal fields, covalency rel. to h. f. s., theory 7=10908 Mn2 e.p.r.in NaCl rel.to point defects, effects of temp. and time 7=18174 Mn<sup>2+</sup>, e.s.r. in borate glasses 7=15235 Mn<sup>2+</sup>, e.s.r. in CaCO<sub>2</sub>, effect of pressure 7=15237 Mn<sup>2+</sup> e.s.r. in ZnS and CdS exchange narrowing 7=2206 Mn<sup>2\*</sup>, e.s.r. in ZnWO<sub>4</sub> 7=15241 Mn<sup>2\*</sup> in LiF, e.s.r. and elec. cond. 7=7546 Mn<sup>2\*</sup> in Linde X zeolite, selective exchange of cation sites e.s.r.obs. 7-8297 Mn<sup>2</sup> in MgO, magnetic cross and spin-lattice relax. obs. 7-8299 Mn+ in Mg(OH)2, paramagnetic resonance spectrum obs. 7=11708 Mn<sup>2+</sup>, in Mg<sub>2</sub>P<sub>2</sub>O<sub>7</sub>, e.s. r. 7=11709 Mn<sup>2</sup>·NaCl, hyperfine coupling, temp. depend. 7=14186 Mn<sup>2</sup>·NaCl, hyperfine coupling, temp. depend. 7=14186 Mn<sup>2</sup>·multiple-quantum transitions in MgO 7=18173 Mn<sup>2</sup>·in polycrystalline As<sub>2</sub>S<sub>3</sub> e.s.r. obs. 7=2205 Mn<sup>2</sup>·SrF<sub>2</sub>, electron and nuclear spin-lattice relax. 7=15264 Mn<sup>2</sup>·SrO, temp. depend. of hyperfine coupling 7=15238 Mn<sup>2</sup>:SrWO<sub>4</sub>, e.p.r. 7=15240 Mn<sup>3</sup>\* in perovskites, magnetic interactions 7=18093 Mn<sup>4</sup>\*, mag. moment in octahedral ligand field 7=15113 Mn54 in (Ce-La)Mg-nitrate, spin-lattice and crossrelaxation 7=18185  $\rm Mn^{55}$  n.m.r. in  $\rm (La_{1-x}Sr_x)MnO_3$  obs., hyperfine fields deduced 7=15271 Manganese compounds manganin coil resistance to 7 kbar and 200°C, for press. meas. 7=17874
with rare earths, mag. props. obs. 7=8101
Mn acetate tetrahydrate, magnetic props. 7=18099
Mn ferrite single crystals, orientation by goniometric meas. 7=1300 Mn oxide particles identification and morphology in Cu-Mn internal oxidation 7=11937 Mn(II) salts, optical spectra, theory 7=8420 Mn-Al domain structure 7=5159 Mn-Al( $\stackrel{<}{\sim} 50\%$  ) ferromagnetism obs., improvement by adding  $< 2\% B \ 7{=}8194$ Mn-Al powders, size effect on magnetic properties 7=5158 MnAs magnetic transitions temp. var. with press. to 10 000 kg/cm<sup>2</sup> 7=8195 MnAu<sub>2</sub>, Mössbauer effect on Fe<sup>57</sup> obs. 7=11671 Mn<sub>3</sub>B<sub>4</sub>, Fe-modified, antiferromag. props. meas. 7=5180 MnCO3 optical consts. in i.r. obs. from reflectivity with and without coatings 7=15289

MnCl<sub>2</sub>, 4H<sub>2</sub>O antiferromagnetism obs. from n.m.r. of p and Cl 7=2164 Mn1-xCoxO, n.m.r. test for Suhl-Nakamura interact. 7=18186  ${
m Mn}_{(0\cdot0.5)}{
m Cr}_{[1-(0\cdot0.5)]}{
m O}_2$  solid solutions, electrical and optical props. obs.  $7{=}5002$  Mn-Cu ferrite simultaneously magnetized by pulse and d. c. field 7=15180 MnF2 crystal growth in HF 7=7334 MnF<sub>2</sub>, crystal growth in HF 7=7334
MnF<sub>2</sub>, neutron scatt. near Néel point 7=11672
MnF<sub>2</sub>, Raman spectra 7=18270
MnF<sub>2</sub>; Eu<sup>2\*</sup>, lattice impurity mode and Mössbauer
effect 7=4624
MnF<sub>2</sub>; Eu<sup>3\*</sup> luminescence, energy transfer between Mn<sup>2\*</sup>
and Eu<sup>2\*</sup> rel. to mag. ordering obs. 7=11873
Mn-Fe-Co ferrite, mag. viscosity at low temps. 7=15179
MnFe<sub>2</sub>Co., metal join distribution from no magnetical sections. MnFe<sub>2</sub>O<sub>4</sub>, metal ion distribution from n.m.r., prep. from aqueous soln. 7=15178 Mn<sub>0.74</sub>Fe<sub>2.26</sub>O<sub>4</sub>, Hall and Nernst-Ettingshausen effects 7=5003  $\rm Mn_{2}$  ,  $\rm Fe_2o_3$ , Mössbauer study rel. to mag. transitions in  $\rm Mn_2o_3$  7-18094  $\rm Mn_4Fe_{3-1}O_4$  vacancies and defect ions distribution obs. 7=1557

 $Mn_r Fe_{3-x} O_{4-\gamma}$ , various phys. properties meas. 7=11662  $Mn_3 GaC$ , antiferromag, transition properties interpretation 7=5181 Mn<sub>3</sub>Ge<sub>2</sub> magnetic props., 370-77°K, to 300 kOe 7=8259 MnGeO<sub>3</sub>, antiferromagnetism low temp. peak, rel. to MnTiO<sub>3</sub> 7=2165 Mn. N, localized mag. moments, anomalous thermomag. curves 7=11626  $m_4N, n,m,r.$  of  $Mn^{55}, temp, depend. 7=15274$  MnNi, specific heat nuclear contrib., 0.3-4°K obs. 7=17567 MnNi\_3, specific heat nuclear contrib., 0.3-4°K obs. 7=17567 MnO antiferromagnetic resonance at 35 Gc/s 7=8274 MnO, magnetostriction, single-ion contrib, from e.p.r. 7=15164 MnO, paramag. state, n. m. r. 7=8333  $\alpha$ -MnO<sub>2</sub> structure, ion substitution 7=11067  $\mathrm{Mn_2O_3},\mathrm{mag.transitions}$  from Mössbauer study of Mn<sub>2-x</sub>Fe<sub>x</sub>O<sub>3</sub> 7=18094 MnP, magnetic field var. of thermoelec. and elec. cond. 7=17981 cond. 7=17981 Mn<sub>2</sub>P<sub>2</sub>O<sub>7</sub> cryst.atomic struct.rel.to  $(Mg_{1-x}Mn_x)_2P_2O_7$  ( $0 \le x \le 0.04$ )  $\alpha - \beta$  phase transition sp. ht. 7=14233 MnPt, mag. structure transformation 7=15197  $\alpha$ -MnS, paramag. state, n. m. r. 7=8333 MnS, phase equilibrium, up to 50 kbar and  $700^{\circ}$ C 7=14209  $\alpha$ -MnS spectral absorption, 0.1-14 eV 7=18257 $\alpha$ -MnSe, paramag. state, n. m. r. 7=8333 MnSe<sub>2</sub>, ion charging 7=8010 Mn-Si bronzes, ageing, effect of composition 7=14234 Mn-Si, new p-type thermoelec. material,
mn-Si, new p-type thermoelec. material,
composition 7=15058
Mn\_SiO\_, antiferromagn. props. at low temp. 7=11673
MnTe, antiferromagnetic transformation, neutron
diffr. 7=11674
MnTiO\_s, antiferromagnetism low temp. peak, rel. to
MnGeO\_3 7=2165
Mn<sup>2</sup><sub>10-x</sub> V<sup>2</sup><sub>2</sub> V<sub>2-x</sub> V<sup>4</sup><sub>2</sub> V<sub>4</sub> spinels, preparation, crystalline and mag.
props. obs. 7=5182
MnWO\_spin structure at 4.2° K, 7=5127 MnWO<sub>4</sub>, spin structure at 4.2°K 7=5127 MnZn,  $\beta_1$ -phase, canted spin structure meas. 7=8260 MnZn ferrite interaction with O<sub>2</sub> atmosphere obs. during sintering 7=7213 Mn-Zn ferrites, disaccomodation, lessening 7=7547 Mn-Zn ferrites, low loss, high initial permeab. at 1 Mc/s 7=15182 MnZn ferrites, magnetoresistance near Curie temp., meas. 7=15183 MnZn ferrites permeability temp. curve third peak obs. 7=8236 Mn Zn xFe  $_{3-2-7}$ O<sub>4</sub> (x+y<1), mag. relax., low freq. below 100 K 7=15181 See also Vacuum gauges. compact, compression 7=9012 differential absolute manometer, high sensitivity 7=17225 inexpensive micromanometer 7=2766 Knudsen absolute manometer, theory 7=6989 piston type, for precision press. meas. 7=9011 U-tube type, for range 100 to 1 ×10<sup>-2</sup> torr 7=17224 Many-particle systems. See Quantum theory/many-particle systems. Markov processes. See Statistical analysis. Mars. See Planets. Masers amplifier, Q of active material 7=3106 beam, max. excitation parameter 7=270 broadened homogeneously, phase noise 7=12593 cavity, for tuning by Zeeman modulation 7=3107 electrons radiation in inhomogeneous mag. field, harmonics var.calc. 7=9471 electrons scatt. in crystal, induced bremsstrahlung effect in relativistic region 7=9470 far-infrared, rare gas and molecular, appl. to spectroscopy 7=16144
formaldehyde, max. excitation parameter rel. to collisions in beam 7=270 frequency spread of oscill. due to interaction with atom 7=9490 history, including lasers 7=269 induced and spontaneous emission for two-level system 7=16914 infrared, thermally pumped, theory 7=12592 interstellar medium, prod. in electron or cosmic dust scatt. 7=12171 molecular emission nonuniformity effect on freq. calc. 7=5873 rel.to nonlinear optics, review of recent advances 7=3193 paramagnetic amplifier, susceptibility of four-level system 7=16142

paramagnetic oscillators, theory of non-stationary

quantum electronics, conference, San Juan, 1965 7=12588

processes 7=3105

#### Masers - contd

quantum generators, theory of undamped pulsations 7=268 radiation equilibrium in spin systems, relaxation transitions 7=9469

for radioastronomy interferometer 7=16145 Raman scatt., stimulated, Stokes and anti-Stokes components emission angles calc. 7=12720

emission angles care. 1=12120 reflection, intrinsic noise temp. 7=16141 ruby, Cr-doped, gain characts. rel. to pumping power 7=12594

ruby, traveling wave, YFe garnet resonance isolators 7=8446 rutile, Cr-doped, gain characts. rel. to pumping power 7=12594

rutile, Cr-doped, microwave 7=3114 solid-state, far i.r., possibility 7=12591 solid-state microwave, nonlinear effects 7=12594 stimulated phonon-photon double-quantum emission rel. to amplification 7=12590

travelling-wave, to show microwave mixing in ruby 7=5244 zero-field oscillator 7=3108

CN, submm emission mechanism 7=3136 H, atomic beam deflection 7=10454

H, atomic, in transient conditions, equations of motion for evolution obs. 7=3111
H, atoms relax time obs. 7=3109
H, double focusing 7=3110
H 5 cm line investigation 7=12595

H, polarized, focusing and separation by periodic mag. field 7=5874

He-Ne, 3.39  $\mu$  transistion, Ne isotope shift 7=10436

He-Ne, 3.39 µ transistion, Ne isotope sint (=10450)
 NH<sub>3</sub> e. s. r. spectrometer improvements 7=3099
 NH<sub>3</sub>, frequency accuracy 7=3112
 NH<sub>3</sub> frequency, effect of elec. and mag. fields on active mol. beam outside resonator obs. 7=5875
 NH<sub>3</sub>, single cavity beam, molecular ringing 7=9473
 Rb, det. of spin-exchange cross-section 7=13704
 Rb, pumping-light effects 7=12589

TiO<sub>2</sub> rutile, Fe doped, 8 mm travelling-wave 7=12596

TiO<sub>2</sub>:Cr<sup>3\*</sup>, travelling-wave amplifier 7=16143 TiO<sub>2</sub>:Fe<sup>3\*</sup>, 8mm travelling-wave system 7=3113 **optical**. See Lasers; Optical pumping.

## Mass spectra

See also Chemical analysis/by mass spectrometry. acetone negative ions 7=17034

activated mols., high-press. rate const. 7=8524 air in corona discharge 7=971

hydrocarbons, doubly and singly charged fragment ions 7=13841 hydrocarbons, for 50-100 keV protons 7=13840 spark source, improved meas, using transmittance areas 7=811

B hydrides 7=15418

BaTiO<sub>3</sub> evaporation products 7=6819

C<sub>s</sub>H<sub>s</sub> and C<sub>3</sub>D<sub>s</sub>, metastable transitions 7=6824

CO<sub>2</sub>, ionization by ion and electron impact 7=980

CO on Mo, electron probe method 7=1286

CoO vapour 7=7159

Dy  $F_3$  reacted with Ho, high temp. equilibrium 7=10375 Er  $F_3$  reacted with Ho, high temp. equilibrium 7=10375  $H_2O$ , photoionization 7=17028

 ${\rm HoF_3}$  reacted with Ho, high temp. equilibrium 7=10375  ${\rm NH_3}$  , photoionization 7=17028

NH<sub>3</sub> in wide-range radiolysis source 7=8579 on N<sub>2</sub>O dissociative ionization by p and H atoms 7=6815 NdF<sub>3</sub>, high temp. 7=4424 TiO<sub>2</sub> evaporation products 7=6819

Zr-F species, thermodynamic props. 7=8521

# Mass spectrometers

See also Ion optics.

extended mass range operation, monopole and quadrupole 7=13661

ion detection and identification by barrier layer counters 7=976

for ions, r.f. of very small path length 7=3990 MS7 7=6501

Mattauch-Herzog, with two-stage e.s. field, and  $\alpha\beta$  focussing for all masses 7=6503 for molecular beam spatial intensity distribution 7=16986 panoramic, for study of arc-quenching reactions in SF6

gas 7=4175 prism magnetic, construction and operation, resolving power obs. 7=16896

r.f. analyser, reduction of background currents 7=809 resolution improvement by lens 7=3989

sector e. s. and mag. analysers in tandem for high

resolution 7=6504 sector-type, and ionization efficiency determ. 7=4158 for solid surface analysis 7=15454

survey of types 7=6500

# accessories

See also Ion sources.

analyser, mag., chromatic aberrations of second order calc. 7=808 electron multipliers signal-to-noise ratio improvement 7=810

Mass spectrometers - contd

accessories - contd

emulsions, comparative tests for spark mass spectrometry 7=10374

ion-sensitive photoplate, computer eval. program 7=6506 ion sources, high transmission and dual electron beam 7=6502

photographic plate holder and spectrum line-height mask,

for Mattauch types 7=812

photographic plates halo suppression 7=13662 quadrupole mass filter, 100% efficiency ion detector 7=6505

for solar plasma H\*, He²\* separation, average charge detector 7=5498

for Sr isotopes relative abundance meas., dual collector 7=15452

## applications

See also Chemical analysis/by mass spectrometry. aromatic amine molecules ionization potentials electron impact obs. 7=6822

electron collision in oxygen, ionization potential obs. 7=17033

gaseous plasmas, ionic constituents 7=4214

for ion-molecule collisions meas. 7=4132 monopole for partial press analysis 7=10769

partial press, analyser, expanded sweep circuit giving step sawtooth 7=10773 photoionization, ion-neutral reactions 7=10611

photoionization meas., He 2.45 Gc/s plasma light source 7=17014

polymer breakdown kinetics, loss of volatile products 7=14771

vacuum residual gas analysers working 7=10776 N discharge plasma ion sampling 7=1024

Ni-F surface reaction 7=2456 OH detect. in flash photolysis 7=15444

Mass standards. See Standards.

Mass transfer. See Transport processes.

Master equation. See Transport processes. Materials

See also individual materials (if separately named) e.g. Ruby.

anisotropic, strength tensor 7=4752 Asphaltic bitumens, relation between fracture and rheology 7=14766

bitumen, u.s. propagation to 1950 kc/s,  $-25^{\circ}$  to  $65^{\circ}$ C 7=14455

bone, estimate of Th and U at sub microgram level, by n activation 7=15832 composite, fibre reinforced, elastic props. 7=7640

glass fining, kinetics and mechanisms, reviews 7=4496 high temperature, unit for research 7=2745 research rel. to devices and instruments, Physics Exhibition of 1966 7=2747

rock stress relaxation behind elastic shock waves 7=2500 Rocks, wave attenuation and internal friction as function of freq. 7=11973

specific heat, true, of refractory materials while cooling 7=1474

Materials testing. See Mechanical strength.

Mathematical methods. See Calculation; Statistical analysis. Mathematics

angular momentum operators transforming like spherical tensors, use 7=9015

angular velocity analytic expression 7=44 anticommutation relations, representations 7=10 automata, finite, endomorphic forms 7=7

automatonic permutations and group interlacings 7=5656

bound state of physical system, number and energies approx. 7=5654 capacity problems, classical, resolution by digital

computer 7=9315

Cauchy-Riemann operator 7=12754 Dirichlet's theorem and coherent imaging 7=16213 functional calculus for anharmonic oscillator 7=12763

Hilbert space, normal operators functional-representations 7=13

operator of numerical eccentricity 7=9 optimalization of a system with distributed parameters 7=5321

organization in finite automata, logical analysis 7=6 satellites, artificial, asymptotic methods of integration 7=2612

scattering, inverse problem, 1-D generalized 7=16110 spherical harmonics, graphical treatment 7=10207 stochastic control maximum theorems 7=15894 teaching for scientists and engineers, creative and not critical 7=9014

Weyl group on a space-time curve and generalized
Yang-Mills field 7=70

# Matrices

angular momentum transformation matrix elements 7=2798 Dirac algebra, 6-dimensional form 7=515 Fierz's relns, complete set in 6-D form 7=9677 general potentials in harmonic-oscillator representation 7=3321

S 216 SUBJECT INDEX Matrices-contd Lorentz group, unitary rep. 7=12295 representation of finite U<sub>3</sub> transformations 7=2781 rotation, graphical representation and use 7=12 for space vehicles motion parameters approx. 7=12111 tensor-force, for monatomic cubic crysts. 7=7462 Matrix-isolation methods. See Free radicals; Molecules. Matteucci effect. See Magnetoelectric effects; Magnetomechanical effects. Maxwell-Boltzmann distribution. See Kinetic theory; Statistical mechanics Maxwell effect. See Double refraction/flow. Maxwell equations. See Electromagnetism. Measurement See also Instruments; Recording; Standards; Units;
Acoustical measurement; Dielectric measurement;
Electrical measurement; Magnetic measurement;
Mechanical measurement; Radioactivity measurement;
Thermal measurement; X-ray measurement. Some specific quantities are listed separately, e.g. Calorimetry; Density measurement. Where no separate heading exists, measurement methods and instruments are included among the other entries under the heading of the appropriate quantity or subject. deviations, mean and standard, resultant density by photographic method 7=2755 distribution dispersion on folding simple distributions 7=9004 distribution processing, Ferreira-Voloshek method applicability 7=2754 Fourier transforms in unfolding data 7=9003 instrumentation, conference, ISA Part II, New York, 1966 7=12277 'local' states in finite space-time regions 7=3311 quantum theory algebra of observation 7=16322 quantum theory pair production effect 7=9645 scale design tables 7=9006 standards, instrumentation, conference, ISA Part I, New York, 1966 7=12278 xmdx distributions, maximum likelihood estimate of m 7=12301 See also Statistical analysis. atomic levels least squares adjustment 7=3992 balances, Brownian motion prod., rel. to sensitivity calc. 7=15842 in cosmology, of angles, due to gravitational scatt. of light 7=8776 fight 1=8110
dilute solns, of polar substances, dielec. props. at
microwaves 7=7097
in hygrometers 7=8640
in length by laser 7=12279
probable error rel. to confidence limit 7=9005 semiconductor circular wafers resistivity using 4 probes 7=11497 slope of curve, least square calc. for heat transients 7=12467 spectra, resolution distortion corrections to distributions 7=9002 X-ray diffraction, background 7=1370 Mechanical measurement Individual quantities and instruments are listed separately e.g., Length measurement. inertia, with supercond. interferometers 7=9008 mass of particles, using Mössbauer effect 7=2758 nuclear bombardment target mass deposited per unit area 7=16342
optical incremental shaft resolver using plastic radial gratings 7=12283 plastic films 7=4757 pulse loading of structures 7=15863 Mechanical properties of substances See also Individual properties, e.g. Abrasion; Elastic deformation; Mechanical strength; Plastic deformation; Slip; Wear; etc. common metals, high-speed extrusion of 7=14693 concrete, refractory, neutron irradiation effects obs. 7=4738 copolymers of N-n-alkylacrylamides and acrylonitrile 7=11343 defect clusters, small, effects, conference, Harwell, 1966 7=14495 fibre composites, elastic consts. from constituent props., calc. 7=17650 high polymers 7=7747 metals and alloys, dislocation locking and fatigue 7=14682 metals, irradiated, recovery stages 7=1563 metal rolling at 4.2-300°K 7=17682 metals, shock and particle velocities relation, rel. to curvature 7=7669 oxides under neutron irradiation at 80°C 7=1661 Permalloy films, vacuum deposited 7=4778 plastics, aged, surface study 7=7262

plastics, effect of plasticisers, fillers etc. 7=7639

```
Mechanical properties of substances-contd
            plastics, elasticity theory applicability 7=7746 plastic structures, forced vibrs. rel. to elastic and
                   damping props. 7=11337
            polyethylene, crystalline, linear, dynamic mechanical and
stress relaxation data, data reduction treatment 7=1747
            polyethylene, depend-on temp, cyclic cooling and
            heating 7=11345 polyethylene terephthalate, cold-drawing 7=14776
            polymer breakdown kinetics, loss of volatile products,
                  mass spectrometry 7=14771
            polymers SKN-40 and P-200, autohesion of elastomers
            with plasticizers 7=4827
poly-4-methylpentene-1, dynamic, freq. and temp.
depend. 7=1748
            porcelains, texture rel. to {\rm Al_2O_3} content 7=11318 quartz-CdS piezoelectric resonator, photoconductivity
                  effect 7=14759
            quench-hardening, rel. to interact. of vacancy clusters
                  and dislocations 7=14524
            resins, thermoplastic, plane stretching and
                  moldability 7=4751
            solids, bimolecular recovery processes, reaction
                  order 7=1536
            steels, thermal fatigue under transient cross-section
            temp. gradients obs. 7=14716
Ag, grain boundary relax. 7=14342
            Al, e-irrad. hardening rel. to interstitial-dislocation
            interact. 7=14545
Al, effect of hot rolling temps. 7=7678
            Al, grain boundary relax. 7=14342
Al, recovery when deformed by rolling at low temp. 7
Au films, internal friction after cold rolling 7=17690
           B fibres, pyrolytically prod. 7=14198
Cd, stress relaxation 7=17693
Cr-Ni steel, irrad. at const. load, vacancies 7=14728
            Cu, grain boundary relax. 7=14342
Fe, containing C or N, cold-work peak and grain boundary segregation 7=14736
Fe films to approximate the containing the co
            Fe films, vacuum deposited 7=4778
Fe-0.2%C, effect of Ca 7=1724
           Mo-Nb single crystals, composition var. obs. 7=17721
Ni films, vacuum deposited 7=4778
Ni, grain boundary relax. 7=14342
Ni-Ag, anisotropies and low-temp. annealing, cold-
            rolled 7=1732
Ni-Cr(21 wt. %), neutron irradiation effects obs. rel. to
                  transformation 7=7723
            W, and oxidation, at high temps. and pressures 7=7738
Mechanical strength
                   See also Elasticity; Hardness.
            adhesive joints using polymer adhesives, temp. depend. 7=11339
            alloys, rupture strength, long-term, calc. 7=11251
            anisotropic materials, strength tensor 7=4752 brittle solids, specific stress raisers 7=14684
             ceramic plates, prestressed, strength after nonuniform
             heating 7=11247
corrosion fatigue, low cycle, effects of stress
wave forms 7=17672
            dielectrics, transparent, damage by laser 7 = 14675
            fibre strengthening, elasto-plastic theory 7=4754
             glass, high-strength, damage and protection 7=14739
            glass-reinforced plastics, criterion of strength 7=4819 glass, statistical theory 7=4787 glass strengthening by ion exchange 7=17734-5 glass surface, strengthening by SO_3 treatment 7=11300
             glasses, chemically strengthened, props. at high
             temps. 7=11301
graphite 7=14702
             Kaprolon, fatigue strength 7=4823
             Kapron(nylon-6), fatigue strength 7=4823 martensite, source 7=17712
             multilayered vacuum condensates 7=14677
             oriented solids theory 7=1677
            phenolformaldehyde plastics, glass-reinforced, causes
of reduced strength 7=11348
             plastic films, testing machine 7=4757
             polycrystals, theory, rel. to limiting grain size 7=4755
             polymers, brittleness temp. by temp. dependence of strain
             in uniaxial tension 7=4830
polymers, rel. to hysteresis in stress-strain
cycle 7=14769
             quartz glass, etched, temp. depend. 7=4804
             reforming processes effects on time to fracture calc. 7=17669
             steel, ductility hydrostatic pressure var. 7=1723 steel cleavage fracture, effect of pre-strain and
                    strain-ageing
                                                      7=11294
             0.3% C steel, effects of carbide size and spacing \,7{=}17709
```

steel, n-irradiation prod. increase 7=14735 steel wire, device for testing fatigue 7=11295

Al alloys, yield strength at high strains 7=7681

whiskers, meas., and metal reinforcement review 7=4756

Physics Abstracts 1967 — Part I (Jan.-June) Mechanical strength—contd
Al + 0.25 wt.% Fe, effect of isochronal annealing 7=7683
Al<sub>2</sub>O<sub>3</sub>, increase by Mo dispersion 7=7688
Al-rich Zn, strengthening due to spherical G.P.
zones 7=7685 Al-rich Zn, strengthening due to spherical G.P. zones 7=7686 C-Mn steels grain refined 7=17469 Cu creep at 800°C, plastic deformation at 4.2,300°K effects 7=17728 Cu,n-irrad,strain rate changes 7=1713 Cu,n-irrad,strengthening mechanism 7=1712 Cu, substructural increase under high plastic strain obs. 7=4780 Fe alloys, substructural increase under high plastic strain obs. 7=4780 Fe-C solid-soln alloys, strengthening 7=14737 Fe-Ni solid-soln alloys, strengthening 7=14737 Fe-Ni-Cr martensites, strengthening mechanism 7=7705 Fe-3.1 to 5.1%Si alloy 7=17706 Fe-3, 1 to 5.1%Si alloy 7=17706
Lif whiskers < 1μ thick 7=1728
Mo-Ti-Zr-C alloy, precipitation hardened substructural strengthening 7=1719
Ni creep at 1000°C, plastic deformation at 4.2,300°K effects 7=17728
Ni-Cr-Al, creep strength rel. to X-ray struct. parameters 7=7724 Ni<sub>a</sub>Fe, strain-ageing effect rel. to ordering obs. 7=17727 Ni<sub>3</sub>(FeCr), strain-ageing effect rel.to ordering obs. 7=17727 Ni<sub>3</sub>(FeMn), strain-ageing effect rel. to ordering obs 7=17727 WC-Co, effect of notches and heat treatment 7=11329 compressive failure theory, "pinch effect" for compressed cylinder 7=14681 honeycomb cores, effect of cell shape and size 7=11248 limestone pellets, dry, obs. 7=17692 shear laminated rubber systems 7=4826
perfect crystal, rel. to bonding forces, theory 7=4753
plastics, oriented glass-reinforced, rel. to bending 7=4815
AgCl, 520 -77.4°K 7=7673
Cu, n-irrad, crit. shear stress rel. to density of defect
clusters 7=14712
Cu, n-irrad, effect of defects on critical shear
stress 7=14711 Fe-Cr-Ni alloys, modulus rel.to mag.transforms 7=7706 Ge, rel. to modified form atomic structure obs. 7=1238 Ni, crit. shear stress, rel. to annealing of vacancy agglomerates 7=14538 Si, rel. to modified form atomic structure obs. 7=1238 alloys, rupture strength, long-term, calc. 7=11251 glass-reinforced plastics, effect of reinforcing elements 7=4821 glass plates, flaw distrib. on surfaces 7=14738 glass-reinforced plastics, mechanism of failure in shorttime tensile tests 7=4820 high polymers, fracture and tearing 7=7747 impact tests 7=17665 metals, and hardness rel. to heat capacity and melting point 7=14676 perfect crystal, rel. to bonding forces, theory 7=4753 rel. to plastic deformation effect on structure 7=14763 polymers, oriented, theory 7=1693 resin coatings on Aerosil, molecular interaction effects obs. 7=17742 rubber, theory 7=14780 stress-strain apparatus for plastics meas, at high strain rates 7=7652 theory of tensile test 7=11246 Al-Mg alloy, deformation behaviour 7=1703 Fe, strain ageing, stress effects 7=1720 Mg films, vacuum deposited, rel. to etching or annealing at 100-300°C 7=1729
Nb, strain ageing, stress effects 7=1720
Nb-Co alloy, air casting 7=17694 NiFe<sub>3</sub>, order and disordered, stress/strain relns. 7=17726 Ta, strain ageing, stress effects  $^{7}$ =1720 Ti,  $\alpha$ -phase, yield stress, temp. depend. meas.  $^{7}$ =17736 W, effect of grain size  $^{7}$ =7739 Mechanics See also Dynamics. angular momenta, symmetrical coupling, eigenfunctions 7=9043 angular momentum, experiment to illustrate its conservation 7=9046 Atwood's machine attachment 7=41

degeneracy, accidental 7=12271 Galilean invariance of laws, teaching demonstration 7=12304

invariance and conservation laws in particle eqn. of

measuring instruments, statics and dynamics 7=3

motion 7=9048

von Zeipel method and two-variable expansion procedure 7=9052 Mechanics of gases. See Aerodynamics. Mechanics of liquids. See Hydrodynamics. Medical science See also Physiology; Radiation protection. bone, estimate of Th and U at sub-microgram level, by
n activation 7=15832
magnetic device 7=3015
short-lived isotopes prod. by cyclotron 7=3824
Fe<sup>55</sup> soft X-ray sources for research. 7=3310
Meisner effect. See Superconductivity. Melting See also Zone melting and refining. alkali metals, high pressure 7=4403 alloys, kinetics of melting process 7=7137 heterophase fluctuations, physical-cluster distrib. 7=7133 metals, grain boundary, rel. to solid-liq. interfacial energy 7=17311 metals, rel. to self-diffusion 7=1191 polymers, thermodynamics 7=7218 polycrystals, by shock compression, kinetics 7=14150 polycrystals, by shock compression, kinetics 7=14150 polyoxymethylene, rel. to lamellar fold period obs. 7=1339 quantum effect in theory for molecular subs. 7=10893 rare gas solids, theory 7=4405 relationships between melting temp. and isothermal compression 7=10894 Al, during shock compression 7=17689 Ar, quantum effect in theory 7=10893 Ar, solid, theory and expt. 7=4405 Cd<sub>3</sub>As<sub>2</sub>, up to 40 kbar rel. to solid-solid curves 7=4408 D<sub>2</sub>, quantum effect in theory 7=10893 Ge-Si dual system, calc. of solidus curves 7=1189 H<sub>2</sub>, quantum effect in theory 7=10893  $\rm H_2,$  quantum effect in theory 7=10893  $\rm He^{3.4}$  cohesive energy calc. 7=15991  $\rm KNO_2,$  curve at 40 kbar 7=1244 NAO<sub>2</sub>, curve at 40 kbar 7=1244 K<sub>2</sub>SO<sub>4</sub>-K<sub>2</sub>O-SiO<sub>2</sub>, miscibility gap at 1300°C 7=14042 NaCl, high pressure 7=4403 NaCl, during shock compression 7=17689 NaNO<sub>2</sub>, curve at 40 kbar 7=1244 Ne, quantum effect in theory 7=10893 Pb, during shock compression 7=17689 Pu-Ce-Co obs. 7=14244 Zn<sub>3</sub>As<sub>2</sub>, up to 40 kbar, rel to solid-solid curves 7=4408 **Melting point** cyclanes, rel. to Raman spectra 7=14152 electrode of vacuum gap, rel. to breakdown delay time 7=13807 high pressures, prediction with Clapeyron's eqn. 7=7136 at high pressures, temp. function 7=14149 measurement under high press. with internal heating 7=4404 metals, and heat capacity rel. to tensile strength and hardness 7=14676 metals, vacancy concn. meas. technique 7=14521 polyoxymethylene 7=4406 relation with vol. of solid 7=14148 solids, law relating melting at high pressure and that at zero press. 7=7135 tetrafluoroethylene-hexafluoropropylene copolymers obs. 7=1192 Ag films, by quartz oscillator, rel. to film thickness 7=17377 Al<sub>2</sub>O<sub>3</sub> obs. using solar furnace 7=9250 Au, radiation meas. of freezing point 7=10896 Cu films, by quartz oscillator, rel. to film thickness 7=17377 HfO<sub>2</sub> obs. using solar furnace 7=9250 Na halides, to 40 kbar 7=7138 Na obs. 7=17568 Pa, in conference, Orsay (1965) 7=11011 Pa, in conference, Orsay (1965) 7=11071 Pb-Se (0-76 at.%) liquidus curve obs. 7=4407 S, up to 90 kbar 7=14151 S, to 60 kbar, differential thermal cond. obs. 7=14247 Se-Te system obs. 7=7134 ThN 7=17367 UP, effect of temp. 7=11081 ZrO2 obs. using solar furnace 7=9250

SUBJECT INDEX S 217 Mechanics-contd Nielsen-Tsenov eqns., non-hononomic systems with non-linear couplings 7=12311 nonholonomic constraints erratum 7=9040 orbital motion, third integral in resonance case, isolating orbital motion, third integral in resonance case, isolating character 7=2810
photons, and reflection and refraction laws 7=9604
space time structure 7=6009
stability of continuous systems, Movchan's theorems 7=35
stationary motions and their stability 7=12312
synthesable stability, general lumped system, criterion 7=29 teaching, housecleaning need 7=2801 three-body problem, restricted, existence of new integral 7=2809 virtual work principle, in elastic directed curves 7=9057

```
SUBJECT INDEX
Membranes
        annular, symm. vibr., finite Hankel transform 7=9162
       deformation, finite plastic, under hydrostatic pressure 7=12328
       drum, shape from isospectral graphs 7=12397
       liquid, nonaqueous, rel. to water diffusion mech. 7=14075 nonaqueous liquid, transport through by ionic amphipathic molecules 7=5336
        permeability tester 7=7062
        polymers, permeability to dissolved oxygen 7=1504
       tester for permeability const. 7=7062 vibrating, air layer impedance 7=2895
        vibrating circular, acoustic radiation direction
var. calc. 7=9187

Memory devices. See Calculating apparatus; Magnetic devices;
Superconducting materials and devices.
Mendelevium
No entries
Mercury (planet). See Planets.
Mercury
        atom, resonance lines perturbed by foreign gas 7=6515
        atomic excitation transfer to Tl from 63P, and 63Po states,
            800-900°C 7=6595
        atomic levels excited by electron impact, magnetic
            resonance study 7=833
        atomic spectrum oscillator strengths ratios obs. 7=13681
        atoms, depolarization and quenching of 6°P, level by collisions with foreign gases obs. 7=10431 atoms, Hg¹®, double resonance of Zeeman transitions,
            freq. shifts 7=4007
        atoms interaction potential with He atoms calc. 7=10452 atoms, lifetimes of levels 7=4026
        atoms, optical excitation functions, by coincidence
            method 7=10432
         atoms, relativistic X-ray and electron form factors 7=11064
         atoms 2537Å component profile perturbation by isotope
        collisions obs. 7=13701
condensation on C films, 190°-125°K 7=4415
crystal electron states calc. 7=7791
discharge afterglow, decay by free fall diffusion 7=6774
         discharge, Hg-Ar, d.c., electrode atomization 7=6768
         discharge, ion plasma oscillation intensity enhancement
        due to bunched electrons 7=17008 discharge lamp, high-pressure 7=10625 electric discharge drift instability rel.to ion waves dispersion relation 7=6914
         electrode, metallic powder formation potentials 7=15439
electrolyte-Hg systems, acoustic spectra of electrolyte
excited to mech. vibs. by a. c. field 7=7073
         forced convection heat transfer, transverse mag. field
             effect 7=10833
         gas, supercritical, elec. cond. and density at high
pressure 7=13993
low-pressure discharge, excitation of UHF spectrum 7=6899
         m.h.d., hydraulic jump obs. 7=230
magnetoresistance obs. of crystal electron state periodic
orbits 7=17873
         mass-diffusion column for isotope separation 7=849
         nuclear mag. relax.temp.var.in liquid obs. 7=10871 optical constants by ellipsometry at 5461Å 7=4357
         penetration into aggregates of spheres at high
         pressure 7=10783

Raman light sources at 4358 and 5461 Å rel. to He-Ne laser 7=3262

spectral line breadth, intensity-correlations obs. at 4358Å 7=10409
         spectral lines, coloured glass light filters for isolation 7=9569
         spectrum of atom trapped in low-temperature inert gas
             matrix 7=8404
          spectrum, photon-counting statistics 7=16211
         standard electrode potential in molten alkali
             nitrates 7=2467
         superconducting rotating solid cylinder in transition,
             London moment obs. 7=1908
          superconducting thermodynamics calc. 7=4960
         thermal desorption from Pt 7=10979
         turbulent jet growth in coaxial mag. field, velo. obs. 7=9421
         vapour effect on orbitron vacuum pumps 7=10763
         vapour, saturated, electrical props. to 600 bars and 1200°C 7=6974
         X-irradiated, rel. abund. of ions formed by inner-shell vacancies 7=6820
          Zeeman effect for resonance line, review 7=10408
          Hg-solution interface, adsorption-desorption
         Hg-solution internace, ausorption-desorption
processes 7=2465
Hg* capillary arc source, production 7=223
Hg<sup>199</sup> n. m. r. rel. to Cd<sup>111</sup> obs. in vapour 7=6563
         {\rm Hg^{199,201}} spectrum, 6^1{\rm S_0}-6^3{\rm P_0} line transition probabilities
          obs. 7=13680
Hg<sup>190,202</sup> atoms, 6<sup>3</sup>P<sub>1</sub> level relax. by collision with rare gas
         atoms 7=4043
Hg* + CO, electronic-to-vibr. energy transfer 7=10503
         {\rm Hg}-{\rm H_2} negative glow discharge, {\rm Hg} emission obs. 7=16996
```

```
Mercury-contd
        Hg-He laser, pulsed, emission-line widths 7=12625
        {\rm Hg-N_2} collisions, {\rm Hg~7^3S_1} and {\rm 6^3D_1} levels extinction obs. 7=13702 {\rm Hg}^* + {\rm NO}, electronic-to-vibr. energy transfer 7=10504
        K-Hg, interatomic potential 7=847
        SO<sub>2</sub> absorption, press. var. at 25°C 7=10813
in Zn, diffusion anisotropy and temp. var. obs. rel to Cd
diffusion, vacancy mechanisms 7=17591
Mercury compounds
        alloys, liquid dilute, thermoelec. power 7=10866 rare earth-Hg systems, phase diagrams 7=7248
         Hg halides (mercuric), far i.r. spectra 7=8403
         Hg-Ar pulsed glow discharge spatial inhomogeneities
             obs. 7=4147
        {\rm Hg(CN)_2,\,molecular\,polarizability} and Raman intensities of \Sigma_{\star}^{*} modes ~7{=}6672
        Hg-Cd(<8%)-KorCs(<1%) work function and surface tension obs. 7=18078
HgCl<sub>2</sub>, n, q, r, of Cl 7=2255
        HgCl<sub>2</sub>, n.q. r. of Cl 7=225b

HgCl<sub>2</sub>, saturation thermodynamic functions, 298°K

to critical point 7=1190

HgCl<sub>2</sub>, vac. u. v. spectrum, modification of analysis of

1700-Å band system 7=4086

HgCl<sub>2</sub>, vapour pressure and enthalpy of vaporization to

critical point 7=1195

HgCl<sub>2</sub>, Zeeman effect of Cl<sup>35</sup> pure quadrupole

resonance 7=252
             resonance 7=2252
         HgF spectrum, new bands in 2230-2100A region 7=13735
         HgI<sub>2</sub>, luminescence, decay times of exciton emission 7=11856
         Hg-In alloys, liquid, resist. and thermoelec. power under 6000 atm 7=4384
         Hg, In alloys, liquid and solid, ther modynamics 7=10830
         Hg-In liq., Hall coeff., elect. resist., mag. susceptibility 7=10867
         Hg-In(13%) superconductor with dispersed Fe, hysteresis
         obs. 7=1876 \alpha-HgS, fundamental absorption edge, 20. 4-290°K 7=5261 \alpha-HgS photoconductivity for X-rays obs. 7=8055
         HgS, red, self-absorption edge, 20. 4-310°K 7=8405
         HgS<sub>x</sub>Se<sub>1-x</sub>, optical and photoelec.props., rel.to semimetal-
semiconductor transition 7=15333
HgSe, vaporization thermodynamics 7=7160
         n-HgTe, band structure from Shubnikov-de Haas
effect 7=11392
HgTe, effective mass, millimeter microwave
determination 7=7792
          HgTe films, preparation and surface structure obs. 7=1269
         HgTe helicon waves obs. at room temp. 7=17848
         n-HgTe magnetoelectric props. at low temps. obs., rel.
              to electron states 7=17971
          HgTe, photoelectric properties 7=18070
         HgTe, temperature dependence of intrinsic conductivity 7=17970

HgTe-CdTe, Hall effect pressure coeff. band model interpretation 7=4859

(HgTe)<sub>1*x</sub>-(CdTe)<sub>x</sub> (0 < x < 0.3) electron band struct. obs. 7=7793
          HgTe-ZnTe crystal growth methods for var compositions 7=17439
          HgTlS<sub>2</sub> semiconducting and optical props. and crystal atomic struct. obs. 7=11511
 Mesic atoms. See Atoms, mesic.
  Mesic molecules. See Molecules, mesic.
  Mesomorphic state. See Liquid crystals.
  Meson field theory. See Field theory, quantum/meson field.
  Mesons
               See also Atoms, mesic; Cosmic rays/mesons;
              Hyperons; Molecules, mesic; Pions.
          composite model 7=16430
          current algebras for states of commutators of quark
              charges 7=9890
          electromagn.form factors, O- and 1 -mesons 7=533
          hadrons triplet configuration and selection
              principle 7=16538
          heavy, effect on NN potential 7=6214
          isovector form factor from sum rule 7=6031
          mass formulae for 143 representation 7=9759
          meson-baryon interaction Hamiltonian observing
              permutation symmetry 7=467
          meson-meson coupling constants in broken SU(3) and the
              algebra of currents 7=16543
          pseudoscalar with Z_\circ=0, model.rel.to K^*-\pi scatt. 7=9888 quark-antiquark model with relativistic kinematics 7=6133
          quark model, relativistic degenerate 7=534
          ρ-meson dominance, contradiction of charge-current commutator 7=581
          σ, current algebra for parameters 7=6135 spectrum, dynamical model 7=6137
          of spin 2, 1 and 0, "unique propagator" in symmetry
               theories 7=6134
           35-plet in broken SL(6, C)-symmetry, e.m. current and
               form factors 7=9889
```

vector, algebra of tensor charges appls. 7=13041

Mesons - contd

vector, current algebra relation with PCAC dominance 7=6190

vector and tensor coupling renormalization in SU(3)-

symmetry-breaking interaction 7=16587 vector theories with conserved current, degeneracy of physical vacuum 7=575

vector, Yang-Mills field redundant variables separation 7=12880

and Wigner quarks 7=3423

absorption

K2, nonlinear density effect 7=9941

capture

See also Nuclear reactions due to/mesons.  $K + He^4 \rightarrow \pi^- + \Lambda_0 + He^3$ , capture from 2P orbit 7=9936

CP violation models and their experimental

implications 7=16335

electromagnetic, rel. to nucleon props. via quark commutators 7=3540

electromagnetic, with partial conservation of tensor

current 7=6195 η, difficulties in static quark model 7=570

 $\eta \to \pi^\circ \gamma \gamma$  7=571  $\eta \to \pi^* \pi^- \pi^\circ$  C violation search 7=572

 $\eta \to 3\pi$ , forbidden by current algebra 6=3605  $\eta \to 3\pi$ , test of C invariance 7=3606

 $(\eta \to 2\pi + \gamma)/(\eta \to 2\gamma)$  branching ratio 7=9942  $(\eta \to 2\pi + \gamma)/(\eta \to 2\gamma)$  branching ratio 7=9942  $(\eta \to 2\pi + \gamma)/(\eta \to 2\gamma)$  branching ratio 7=9951  $J^p = 1^*$  and  $\omega - \varphi$  mixing angle, renormalized 7=9951  $J^p = 2^*$ , by particle mixing for meson fields 7=3541

K, CP violation in weak interactions 7=16577

K, current algebras in broken SU<sub>3</sub>, testing 7=9784
K, current algebras in broken SU<sub>3</sub>, testing 7=9784
K, experimental results 7=16572
K, four-lepton, effect of possible lepton interactions 7=16550
K, leptonic, spontaneous breakdown of symmetry 7=5
K, nonleptonic, current × current Hamiltonian 7=3585 K, review 7=13026

K. Ka and  $\pi\rho$ ,  $\Lambda_o(1310)$  decay props. obs. 7=9959 K $\to e\nu\mu^c\mu^c$  rel. to quantum electrodynamics validity 7=9897 K $\to \pi^+\pi^-$ , regeneration phase and amplitudes 7=3589

 $K \rightarrow 2\pi$ , forbidden modes and SU(3) 7=560

 ${\rm K} \to 2\pi + \nu + {\rm e}(\mu), {\rm K}_{\rm e4}$  form factors by Callen-Trieman technique 7=3590

K-2 $\pi$ , quark model 7=12896 K<sub> $\mu$ 2</sub> ( $\pi$ <sub> $\mu$ 2</sub>), and  $\rho$ -meson universality 7=561 K<sub> $\mu$ 3</sub>,  $\mu$  polarization and K- $\pi$  resonances 7=3615 K<sub> $\mu$ 5</sub>, time-reversal test 7=3586 K°, CP invariance and time axis reversal

universe 7=16334

K<sup>0</sup>  $\rightarrow$  K<sup>+</sup> + e +  $\dot{\nu}$ , maximization for electron mass 7=3521 K°  $\rightarrow$   $\pi^-$  +  $\mu^*$  +  $\nu$ , Re  $\xi$  from  $\mu^*$  polarization meas. 7=3588 K<sub>2</sub>°  $\rightarrow$   $\mu^*$  +  $\mu$ , as test of neutral lepton currents 7=6174

 $\mathbf{K}_{2}^{\circ} \to \pi^{+} + \pi^{-}$  CP non-invariance theory 7=13028  $\mathbf{K}_{2}^{\circ} \to 2\gamma$  rate, quark model 7=13030

 $K_2^{\circ} \rightarrow 2\gamma$  rate, quark model 7=13030  $K_2^{\circ}$  three-body decays rate and  $|\Delta I| = \frac{1}{2}$  rules obs. 7=562

K<sub>2</sub> three-body decays rate and  $|\Delta I| = \frac{1}{2}$  fulles ods. I=052 K°<sub>2</sub> and K<sub>3</sub> amplitudes in  $\pi^{+\pi}$  decay mode, interface 7=558 K°<sub>2</sub>  $\rightarrow \pi^{+} + \pi^{-}$  and K°<sub>3</sub>  $\rightarrow \pi^{+} + \pi^{-}$ , phase of CP-nonconservation parameter  $\eta_{-}$  obs. 7=9928 K°<sub>1</sub>  $\rightarrow \pi^{+}\pi^{0}$ ,  $\rightarrow 2\pi^{0}$  and CP violation with  $|\Delta T| > \frac{1}{2}$  7=558 K°<sub>1</sub>  $\rightarrow \pi^{+}\pi^{-}$  and K°<sub>3</sub>  $\rightarrow \pi^{+}\pi^{-}$  interference in K°K° correlation expt. obs. 7=9929 K° lifetive obs. 7=9929

κh. → π\* and κ<sub>s</sub> → π\* interference in K\*A\* correlation expt. obs. 7=9929
 K°. lifetime obs. 7=562
 K\* → π\* + e\* + e\* with ΔQ = 0, ΔS = 1, current commutation rules appl. 7=6247

rules appl. (=6.24) K<sup>+</sup>  $\rightarrow$  π<sup>+</sup> + e<sup>+</sup> + e<sup>-</sup> rate, quark model 7=13030 K<sub>et</sub> calc. 7=6069 K<sup>+</sup>  $\rightarrow$  ππγγ, CP noninvariance obs., possibility 7=16575 K<sup>+</sup>  $\rightarrow$  π<sup>+</sup> γγ+γγ+γ+e<sup>+</sup>+e<sup>-</sup>, or +e<sup>+</sup>+e<sup>-</sup>, models rel. to detection possibility 7=9930 K<sup>+</sup>  $\rightarrow$  3π, anal. of CP invariance 7=3591

k<sub>13</sub>, form factors and algebra of current 7=563 leptonic, rel. to two-angle theory obs. 7=588 nonleptonic weak, CP-consensing, phenomenological

model 7=3542

for neutrino beam prod.using mag.mirror 7=6122  $\omega^{\circ} \to \pi^{\circ} \gamma$ , direct evidence 7=577

1° mesons, radiative, and unitary symmetry 7=6136

radiative, assignment mixing in SU(6) 7=16539

resonances 2\*, 1\* and 0\* in SU(6) 7=13039  $\rho \to \pi \gamma$ , upper limit for partial width  $\Gamma$  7=36 scalar, by equal-time commutators 7=12994

scalar, by equal-time commutators 7=12994 spin 2\*, quark model rates 7=9944  $2^*$  and  $1^*$  resonances, vertex functions 7=6189 vector, helicity amplitudes 7=6193 vector, to leptons, in nuclear Coulomb fields 7=9879 vector, widths in relativistic SU<sub>6</sub> 7=576  $w \rightarrow \pi^\circ + \gamma$  7=6197 H. ang. distrib consistent with  $N^*$ =1: 7=9045

H, ang. distrib. consistent with J<sup>p</sup>=1 $^{\circ}$  7=9945 W, product correlations rel. to W prod. method 7=6194 X(960), radiative, in broken  $\overline{U}(12)$  symmetry 7=6199

Mesons - contd

sons—conductions decay observations

CP violation models experimental implications 7=16335

 $\eta \to \pi^* \pi^- \gamma$ , charge conjugation 7=16582 K, review 7=13026

K, review 7=13026 K, weak interactions conference, Argonne, USA, 1965 7=471 K, -K, regeneration rel. to weak interactions 7=13034 K<sub>3</sub>, structure 7=16574 K' leptonic decays time distrib. 7=13027 K', nonleptonic 7=6167 K', no obs. by spark chamber spectrometer 7=5988 K'  $\rightarrow \pi^*\pi^*\gamma$  7=6175 V' ocheront regeneration 7=2503

 $\mathbf{K} \to \pi^*\pi^*\gamma$  7=6175  $\mathbf{K}_1^\circ$  coherent regeneration 7=3592  $\mathbf{K}_1^\circ$  regeneration in C, Fe, U 7=3598  $\mathbf{K}_2^\circ \to \text{all charged modes rate 7=3582}$   $\mathbf{K}_2^\circ$  charged modes, preliminary results 7=13022  $\mathbf{K}_2^\circ$ , leptonic 7=3575  $\mathbf{K}_2^\circ$  lifetime 7=3598  $\mathbf{K}_2^\circ$  lifetime 7=3598

 $K_2^{\circ}$ , lifetime and total decay rate 7=13032  $K_2^{\circ} \rightarrow 2\pi$  7=3576

 $\begin{array}{l} \mathbf{K}_{2}^{\circ} \to 2\pi \quad 7 = 3576 \\ \mathbf{K}_{n}^{\circ} \to 2\pi \quad \text{in inclined beam} \quad 7 = 6169 \\ \mathbf{K}_{n}^{\circ} \to \pi^{\ast} + \pi^{\ast}, \quad \text{meas. of decay rate} \quad 7 = 9927 \\ \mathbf{K}_{2}^{\circ} \to \pi^{\ast} + \pi^{\ast}, \quad \text{meas. of decay rate} \quad 7 = 6173 \\ \mathbf{K}_{n}^{\circ} \to \pi^{\ast} + \pi^{\ast} \to \text{spectra} \quad \text{and ang. correls.} \quad 7 = 6173 \\ \mathbf{K}_{n}^{\circ} \to \pi^{\ast} + \pi^{\ast} \to \text{spectra} \quad \text{and ang. correls.} \quad 7 = 3577 \\ \mathbf{K}_{n}^{\circ} \to \pi^{\ast} + \pi^{\ast} \to \text{branching ratio} \quad \text{and } \pi^{\circ} \text{spectrum} \quad 7 = 13021 \\ \mathbf{K}_{n}^{\circ} \to \pi^{\ast} + \pi^{\ast} \to \text{branching ratio} \quad \text{and spectrum} \quad 7 = 13019 \\ \mathbf{K}_{n}^{\circ} \to \pi^{\ast} + \pi^{\ast} \to \text{correl} \quad |\Delta I| = V_{2} \quad \text{rule} \quad 7 = 3578 \\ \mathbf{K}_{n}^{\circ}, \quad \text{into principal charged modes} \quad 7 = 13029 \\ \mathbf{K}_{n}^{\circ} \to 3\pi^{\circ} / \pi^{\ast} \pi^{\circ} \quad \text{ratio} \quad 7 = 6168 \\ \mathbf{K}_{n}^{\circ} \to 3\pi^{\circ} \quad \text{rate} \quad 7 = 3579 \\ \mathbf{K}_{n}^{\circ} \to 3\pi \quad \text{rates. CP invariance test} \quad 7 = 13020 \\ \end{array}$ 

 $K_{\nu}^{\circ} \sim 3\pi^{\circ}$  rate 7=3579  $K_{\nu}^{\circ} \sim 3\pi$  rates, CP invariance test 7=13020  $K_{\nu}^{\circ} \sim 3\pi$  rates, CP invariance test 7=13023  $K_{\nu}^{\circ} \sim \pi^{\circ}$  rate 7=16573  $K_{\nu}^{\circ} \sim \mu^{\circ} + \pi^{\circ} + \nu$ , T violation search from  $\mu$  transverse polarization 7=13017  $K_{\nu}^{\circ} \sim \pi^{\circ} \sim \pi^{\circ}$ ,  $K_{\nu}^{\circ} \sim \pi^{\circ}$ , mean life obs. 7=13033  $K_{\nu}^{\circ} \sim \pi^{\circ} \sim \pi^{\circ}$ , mean solute rate and  $K_{\nu}^{\circ}$  mean life 7=13033  $K_{\nu}^{\circ} \sim \pi^{\circ} \sim \pi^{\circ}$ , meas. of decay rate 7=9926  $(K_{\nu} \sim \pi^{\circ} \sim \pi^{\circ})$  ( $K_{\nu} \sim \pi^{\circ} \sim \pi^{\circ}$ ) amplitude ratio phase, proposal 7=13031

 ${\rm K_{p_3}}^o$  spectrum spark chamber obs. 7=13024  ${\rm K^+\mu_3}$  angular correls and energy spectra 7=6171

K  $_{\mu 3}$  angular correls, and energy spectra  $^{\prime\prime}$ =61 K  $_{\kappa_{23}}$   $^{\prime\prime}$ , 5, 7-3581 K  $_{\mu_{3}}$  form factors 7=3584 K  $_{\kappa_{13}}$  form factors 7=3587 K  $^{\prime\prime}$   $\rightarrow$   $\pi^{\prime}$  +  $\pi^{\prime}$  at rest,  $\pi^{\prime\prime}$  mean life obs. 7=6139 K  $^{\prime\prime}$   $\rightarrow$   $\pi^{\prime\prime}$   $\rightarrow$   $\pi^{\prime\prime}$ 

resonances, parity SU(3) mixing evidence 7=16585 selection rule of G<sub>2</sub> U-spin state 7=3415  $\tau$ ,  $\tau^{\prime}$  and  $\eta$ , Faddeev equations for three- $\pi$  final states interaction 7=16576

detection measurement

K identification by plastic scintillator pulse height correlation in range telescope, 175-300 MeV 7- (K<sub>L</sub>→π\*π\*)/(K<sub>S</sub>-π\*π\*) amplitude ratio phase, proposal 7=13031

spectrometer for nanosec. bursts from p reactions 7=13410 W + d prod. in p + p, proposal 7=3632

effects

No entries

interactions

See also Nuclear reactions due to/mesons. on accelerator prod., review of developments and appl. prospects 7=12997

baryon-baryon-meson coupling constants in broken SU(3) 7=12912

baryon-meson vertex in SL(6, C) 7=6057 with baryons, strong, Lorentz covariant chiral U(6)  $\times$  U(6) scheme 7=16541

η-N coupling const. calc. in Heisenberg's non-linear theory 7=6143-4  $\eta$ -N dynamical model,  $\eta$ -production and  $\pi$ -N

phase shift 7=573

with N, vector meson prod. at high energy 7=6193

K, current algebras in broken SU<sub>3</sub>, testing 7=9784  $K+N\to K^*+N$ , explicit calc. of cross-section 7=565  $K+p\to K+N^*$ ,  $N^*$  decay test of one-particle exchange 7=9911

Kp, SU(3) inequalities at high energies 7=16558

K, weak, CP violation, review 7=16577 K<sup>-</sup> + d  $\rightarrow \Lambda^{\circ}$  + p +  $\pi^{\circ}$  7=13037 K<sup>-</sup> in hydrogen, 5 GeV/c,  $\Omega^{\circ}$  production 7=6251

K-nucleon, total cross-sections, resonances prod. 7=13035

Froch response to the first series of the firs

states 7=16578 K p  $\rightarrow$  hyperon + meson at 3.5 GeV/c 7=9935 K p  $\rightarrow$  K°n high energy complex angular momentum

theory 7=6178

 $\eta$ , in  $\pi$  -N scatt. 7=573

```
Mesons-contd
Mesons - contd
                                                                                                                                                                                     production-contd
      interactions -contd
                                                                                                                                                                                           \eta^{\circ}, D-wave role at threshold of photoprod. on a
             K^- + p \rightarrow K^- + p + \pi^{\circ}, possible prod. of N*(1470) 7=3666
                                                                                                                                                                                                  proton 7=6188
             K^-p \rightarrow K^-p\pi^+\pi^- at 2.0 GeV/c, resonance production
                                                                                                                                                                                           \eta^{\circ} photoprod. to 940 MeV 7=16489
                                                                                                                                                                                           \eta_0, p+\bar{p} \to p+\bar{p}+\eta_0, spin alignment of resonances, meas. 7=9984
             fraction obs. 7=16580 K·+ p \rightarrow K·+ \pi°, prod. and decay of Y<sub>1</sub>* 7=3668 K·+ p \rightarrow K*+ N, 2.0 and 2.24 GeV/c meas. 7=6179
             K^+p\to K^++R, 2.0 and 2.24 GeV/c meas. 7=6179 K^+p\to \Xi^++K^* peripheral model 7=16645 K^-p\to \Lambda^+ e' + e', CP-noninvariant correl. 7=16563 K^-p\to \Lambda^+ and Y_* (1680) obs. 7=16652
                                                                                                                                                                                           γ-N, calcs. in quark model 7=536
                                                                                                                                                                                           K beam of high intensity for counter meas. 7=6187 KK decay in \pi-p interaction at 7.91 BeV/c 7=9907 KK system, low-mass, in \pi-p below 5 BeV/c 7=3596
             K p → \pi\piΛ, isobar model 7=9787
                  -p\to\Sigma\pi, resonances prod., 780-1220 MeV/c 7=16653 +p\to\Sigma^*+\pi^*, anal, at incident momenta 1.80 and 1.95 GeV/c 7=3599
                                                                                                                                                                                            K mass separated beam, at zero gradient synchrotron
                                                                                                                                                                                                  6 GeV/c 7=6000
                                                                                                                                                                                           K, protons on Al, Cu, Pb and W, 8 GeV/c meas. 7=10238
K separated beam at bevatron, 2.5-2.8 GeV/c 7=6184
             K -p and Y<sub>1</sub>* production, peripheral model 7=567 K + p \rightarrow Z ^{\pm} + 3\pi and Z ^{\pm} + 4\pi, Y<sub>0</sub>* and Y<sub>1</sub>* resonances prod., at 2.63 and 2.70 GeV/c 7=6180
                                                                                                                                                                                            K separated beam at bevatron, variable momentum 7=6185 K(730 MeV), in \pi^*p interactions at 3.2 GeV/c 7=3597
             Frod., at Z. 55 and Z. 10 GeV/C ==180 K°-p, absorptive scatt. lengths 7=566 K° coherent regeneration obs. 7=3592 K°, regeneration in C, Fe, U 7=3598 K² p, anal. of type Λ°π⁺, Σ°π⁺ and K° p rel. to scatt. lengths from K⁺ and K 7=568
                                                                                                                                                                                           in KTp interactions, 4.1 and 5.5 GeV/c 7=16578 K°, in cosmic ray nucleon interactions with target
                                                                                                                                                                                                   nuclei 7=723
                                                                                                                                                                                            \mathbf{K}^{\circ}, from \pi^-+p obs. 7=9908

\mathbf{K}^{\circ} from \pi^-+p, resonance obs. 7=9957

\mathbf{K}^{\circ} from \pi^-+p, resonance obs. 7=9958
              K^*n \to K^\circ p high energy complex angular mometum
                                                                                                                                                                                            K°, from \pi^--Ke nuclei interaction obs. 7=6442
K° in cosmic ray interactions with C, Cu, Pb obs. 7=13389
              theory 7=6178

K*+p→K+N+#, interference effects 7=9934

K*p and K*d cross-sections, predictions of dynamical
                                                                                                                                                                                            K^{\uparrow}\Lambda photoprod, phenomenological analysis 7=6258 K^{+} separated beam, 2 GeV/c 7=6186
              calcs. 7=616
K^*p \to K^*K^*\Lambda, high energy calc. 7=13036
K^*p \to K^*K^*\Lambda, high energy calc. 7=13036
K^*p \to K^*K^*\Lambda, \to K^*K^*\Sigma^*, K^*K^* resonance search 7=584
K^*p \to K\pi\pi\pi p triangle graphs, spin effects at
                                                                                                                                                                                            K^{+}, from e-Be, Stanford accelerator 7=16397 \Lambda^{\circ}, in K^{-} + d process 7=13037
                                                                                                                                                                                           \Lambda^\circ, \text{in K}^- + \text{d process } 7 = 13037 multiple, rel. to charge-exchange and quasi-elastic scatt. at high energy 7 = 16443 multiple, Fermi model rel. to LOW theory 7 = 9892 multiple in \bar{p} - p, simple statistical model 7 = 3544 N* from \pi^- in hydrogen,obs. 7 = 16561 \omega , photoproduction up to 5.8 GeV 7 = 9953 \omega^\circ from \pi in nucleus Coulomb field, high energy theory 7 = 557 \omega_0, p + \bar{p} \rightarrow p + \bar{p} + \omega^\circ, \text{spin alignment of resonances, meas. } 7 = 9984 1300 MeV in \pi^\circ \gamma system, obs. 7 = 16584 \phi, photoproduction up to 5.8 GeV 7 = 9953 \phi photoproduction, suppression in quark model 7 = 13043
                     3 BeV/c 7=6054
              K*-p, two-body channels at 3, 3.5 and 5 GeV/c and possible
Regge poles 7=9933
MB→γB* (M is meson, B and B* are baryons), props.
                     obs. 7=16544
              meson-baryon coupling constants in current-current
model 7=16542
               meson-baryon coupling constants evaluation from
              current divergences 7=537 with nucleons, quark model 7=6138 \omega-\phi mixing angle rel.to F/D ratio parameter f 7=6200
                                                                                                                                                                                             $\phi$ photoproduction, suppression in quark model 7=13043 photo-, vector dominance 7=491 photoproduction of harmonic mesons, for photon energy
              pseudoscalar meson-baryon charge- and hypercharge-
exchange reaction model 7=16438
              quark-antiquark-meson interactions and SU(6)
symmetry 7=9782
οππ vertice, quark model calc. 7=619
spin-2 mesons, consistent theory 7=12993
                                                                                                                                                                                              <meson rest energy 7=9891
photoproduction near threshold, current commutation</pre>
                                                                                                                                                                                                    relations 7=3543
                                                                                                                                                                                             photoproduction on nucleons, rel. to SU(6) symmetry 7=16540

¬, in K + d process 7=13037

¬ + p → ¬ η + n near threshold, cross-section and momentum relation 7=3607
               \theta+V\to\theta+\theta+N, overlapping resonances 7=9937 vector, universality with partial conservation of tensor current 7=6195
         magnetic moment
                vector, in relativistic SU<sub>6</sub> 7=576
                                                                                                                                                                                              by p cyclotron, isochronous, 500 MeV, 100 \muA ^{7}=12833
         DARS
                                                                                                                                                                                             by p in emulsion, multiple, ang. distrib. at 20 \text{ GeV/c } 7=16790 by p linear accelerator, Los Alamos 7=12814 by pp annihilation, in SL(6,C) symmetry 7=6231
                calculation in euclidean sub-space 7=12995
                e.m. splittings, self-consistent bootstrap model 7=16593
               η' -δ degeneracy, theory 7=16583

K' - K' difference, sign and magnitude 7=3595
                                                                                                                                                                                             in p-p at 12.3 BeV/c 7-16601
pulse lengthening from synchrocyclotron 7=3409
ρ, in π p collisions at 2.14 BeV/c, single-pion
production 7=9913
                (KL°-Ks°) mass difference, sign 7=6177
               \rm K_s-K_s difference, by strangeness oscillation tech. 7=9932 \rm K_s^0-K_s^0 difference, meas, by strangeness time depend. 7=3594

ho^- production at 8 GeV/c, vector meson exchange 7=13045
               depend. ^{+2.594} K<sub>1</sub>-K<sub>2</sub> difference obs., review 7=13034 K<sub>2</sub>-K<sub>2</sub> difference, coherent calc. 7=9931 K<sub>1</sub>^{\circ}-K<sub>2</sub>^{\circ} difference, rel. to S-wave dipion resonance above 500 MeV ^{-25593} Cobs. from K° \rightarrow \pi ^{\circ} e ^{\dagger} \nu time distributions 7=3577 K<sub>1</sub>°-K<sub>2</sub>° obs. by two methods 7=3598 K<sub>2</sub>-K<sub>3</sub>° obs. 7=3592
                                                                                                                                                                                              \rho°, photoproduction, contrib. to electron pair production
                                                                                                                                                                                              cross-section obs. 7=9887 \rho^\circ at 2.36 GeV/c from \pi^- in hydrogen, obs. 7=16561 scalar, in \pi-N collisions 7=6163
                                                                                                                                                                                              vector, in meson-N collisions at high energy 7=6193 vector meson, photoprod. on nucleon 7=9948 vector meson photoproduction calc. 7=13042 vector-meson photoproduction photon dissociation
                N isobar subtracted masses rel.to heavy bosons 7=6260 O and 1 mass splitting rel.to N-N scatt.M(12)
                                                                                                                                                                                                     model 7=492
                                                                                                                                                                                              vector neutrals by photons, Regge pole analysis ^{\sim} GeV 7=16490 W in \gamma on p and e'e and pp annihilation 7=6194 W, in \pi ' p \rightarrow W' + p interactions, calc. of cross section 7=552
                       symmetry 7=593
                positive-parity, 405 multiplet mass formulas prediction 7=535
               prediction 7=535 resonances, higher, in SU(6) 189-dimensional representation 7=13040 \rho, calculation in \pi\pi-KK problem with effective potential in Schrödinger eqn. 7=6201 2°, oscillator model calc. 7=578 W low limit from \mu e° pairs search in \nu + p at high energy 7=3516
                                                                                                                                                                                               X°, photoproduction up to 5.8 GeV 7=9953
X° photoproduction, Regge-pole model 7=580
                                                                                                                                                                                         resonances
                                                                                                                                                                                               A_2 (1290), boson type, possible structure 7=583
                                                                                                                                                                                                A_2(1310), from KK and \pi\rho decay modes obs. 7=9959
                                                                                                                                                                                               A<sub>2</sub>, in \pi'\bar{p} interactions, spin-parity 7=9960 B, from \bar{p}+p\to\omega'+\pi^*+\pi^* obs. 7=9985 baryon-meson, systematization 7=16649
          production
               in accelerators, review of developments and appl.

prospects 7=12997
by H-cyclotron, spiral ridge 7=12834
χ° by ν, second-class currents poss. effect 7=9873
δ°, from γ + p, charge-conjugate noninvariance 7=16484
δ-, Regge pole and L-excitation scheme model 7=9947
diboson by 12 and 18 GeV/c π 7=6141
η, from γ-C reaction near threshold obs. 7=6406
η by γ + p, 800-1000 MeV 7=6112
μ-from γ + p reaction 7=16483
                                                                                                                                                                                               baryon resonances, as meson-baryon bound states 7=614
                                                                                                                                                                                                \chi^{\circ} by \nu, second-class currents poss. effect 7=9873
                                                                                                                                                                                               D_{\rm 3/2} meson-baryon, broken unitary symmetry 7=10035 data tables 7=6004
                                                                                                                                                                                               data tables '=0004 decay, parity SU(3) mixing evidence 7=16585 decay for spin 2^*, quark model rates 7=9944 \delta^*, Regge pole and L-excitation scheme model 7=9947 dipion mass near \rho-meson, rel. to \pi-\pi angle 7=3571 dipion state with CDD pole 7=16589 f° decay interpretation of \pi^*+ d interaction at 4.5 GeV/c 7=6142
                 \eta, from \gamma + p reaction 7=16483
                 \eta by \nu, second-class currents poss. effect 7=9873
                 η, photoproduction up to 5.8 GeV 7=9953
```

```
Mesons-contd
```

resonances-contd

 $f^{\circ}$ , production in  $\pi N$  collisions 7=16591

 $\gamma$  + d  $\rightarrow$   $\pi$  + N + N<sub>5</sub>, sum rule 7=3672 H, further evidence 7=9945

hadrons triplet configuration and selection principle 7=16538 heavy bosonic, dynamical relations 7=3426

by high-energy photonuclear reaction production 7=9858 K- $\pi$  and  $\mu$ -polarization in K $_{\mu 3}$  7=3615 K $\pi\pi$  ~1800 MeV (L meson) as Regge recurrence of K\*

(890) 7=6202

K\(\pi\), from \(\pi^- + p\) 7.5 GeV/c interactions obs. 7=9958 in \(K^- p \rightarrow \Sigma\), 780-1220 MeV/c 7=16653 \(K^\* K^\*\), from \(K^\* p \rightarrow K^\* K^\*\), \(K^\* K^\* S^\*\), no evidence 7=584

 $K^{*^{\circ}}$  n, elastic and total cross-sections 7=6179  $K^{*^{-}}$  n, elastic and total cross-sections 7=6179 l-excitation in  $U_6 \otimes U_6$  7=574

masses of higher resonances in SU(6) 189-dimensional representation 7=13040

representation 7=13040  $N^*+\pi(K)$  prod. in  $\pi(K)+p$ ,  $N^*$  decay test of one-particle exchange 7=9911  $N^*$  production in  $\pi^-+p\to\pi^++\pi^-+n$ , obs. 7=16561  $N^*(1238)$  photoproduction, T-invariance 7=3454  $N^*(1470)$ , possible prod. in  $K^-+p\to K^-+p+\pi^0$  7=3666  $N^*(1688)$  and  $N^*(1928)$ , spin and parity obs. 7=555  $N^*(1688)$ , SU(3) assignments and couplings 7=3665  $N^*(1928)$  production  $N^*(1928)$  productio

 $\omega - \phi$  mixing angle rel. to F/D ratio parameter f 7=6200  $\omega$ - $\phi$  mixing angle, renormalization and J<sup>p</sup>=1<sup>-</sup> decays 7=9951  $\omega$ - $\phi$  mixing, generalized nonet represent. 7=3422  $\omega$ , photoproduction up to 5.8 GeV 7=9953  $\omega$ , photoproduction from nucleons, phenomenological treatment 7=9949

ω, photoproduction, regeneration effect 7=13044  $\omega$ ,  $\pi^* + \mathbf{p} \rightarrow \omega + \mathbf{N}^{**}$ , Regge-pole exchange model 7=13006  $\omega$  production by  $\pi^* \mathbf{p} \pi^* \pi^* 4$  GeV/c interaction 7=6153  $\omega^*$ -photoproduction near threshold, Regge-pole model

calc. 7=579  $\omega^{\circ} \rightarrow \pi^{\circ} \gamma$  decay direct evidence 7=577

 $\phi$  -  $\omega$  mixing without symmetry breaking 7=9955  $\phi$  , photoproduction up to 5.8 GeV 7=9953

 $\phi$ , photoproduction, regeneration effect 7=13044  $\phi$  photoproduction, suppression in quark model 7=13043  $\phi$  , in  $\pi^- - p$  below 2. 3 BeV/c 7=3596

 $\pi$  in four-prong stars initiated by  $\pi^-$  7=6197

in  $\pi N \rightarrow \pi \pi N$ , in s-channel 7=6145  $\pi N$  in  $\pi$  + He<sup>3</sup> 7=16553

 $\pi$ - $\pi$  antibound state, J=0, T=0, bootstrap calc. 7=9950

 $\pi\pi$ , 1=0, D-wave, in vicinity of  $\rho$  meson 7=9956  $\pi-\pi$  P-wave, approximate solution 7=3612  $\pi\pi\rho$  bootstrap model 7=582

 $m_T$  bootstrap indef t=362 in  $\pi^2\gamma$  system, 1300 MeV meson, obs. 7=16584  $\pi^*\pi^-$  resonance at  $\sim 1.5$  GeV, in  $\pi^*p$  interactions 7=9952  $\pi^*p \to K^*Y^*$ , absorptive corrections 7=13004  $\pi^*p \to K^*Y^*$  ( $K^*Y^*$ ), absorptive corrections 7=13004 in  $\pi^*$ ,  $\Lambda$  system and  $Y^*$ , from  $\pi^*+p$  obs. 7=9957 quark model review 7=16449 R(1675) boson type, structure 7=583

radiative decay assignment mixing in SU(6) 7=16539  $\rho$ , coupling const., eight ways of det., agreement 7=3613  $\rho$ , exchange in N $_{3/2}^*$ , production 7=10040  $\rho$  exchanged in  $\pi$ - $\pi$  scatt., Regge pole representation 7=9919  $\rho$ ,  $t^*$ ,  $\pi \eta$ ,  $\lambda$ , E,  $\varphi$  and baryon resonances review 7=6198  $\rho$  mass and width calc. in  $\pi \pi$ -KK problem with effective potential in Schrödinger eqn. 7=6201

 $\rho$ , photoproduction from nucleons, phenomenological

 $\rho$ , photoproduction from nucleons, phenomenological treatment 7=9949  $\rho$  prod. in  $\pi$  p at 2.7 GeV/c 7=16559  $\rho$  production at 8 GeV/c, vector meson exchange 7=13045  $\rho$ ° and N\*\*\* production by  $\pi$   $\rho \to \pi$   $\rho \pi$   $\pi$   $\tau$  4 GeV/c

interaction 7=6153

 $\rho^{\circ}$  production in  $\pi^- + p \rightarrow \pi^+ + \pi^- + n$  at 2.36 GeV/c, obs. 7=16561

obs. 7=16561
SU(6) classification of 2',1' and 0' resonances 7=13039
SU(6), selection rules, and missing SU(3)
multiplets 7=9750
SU(6) symmetry, higher meson resonances 7=9946
σ, current algebra for parameters 7=6135
σ, as K-K scalar unitary singlet 7=3568
single nucleon state in readel with fixed

single nucleon states in model with fixed sources 7=10038

spin and parity tests for resonance state 7=16586  $\theta+V\to\theta+\theta+N$ , overlapping resonances 7=9937 2\* masses, oscillator model calc. 7=578

2+ nonet and broken SU(3) 7=16590

2° and 1° assignment in SL. 7=6189 vector, coupling consts. with nucleous from N-N data 7=6196

vector, emission by leptons, in nuclear Coulomb fields 7=9879

vector meson interactions universality 7=6195

vector meson photoproduction calc. 7=13042 vector-meson pole model rel. to current algebras 7=6191 vector meson prod. in meson-N collisions at high energy 7=6193

vector, Proca-type system of partial differential eqns. transformation 7=9016

Mesons-contd

resonances-contd

W + d prod. in p + p, proposal 7=3632 W mass low limit from  $\mu$  e\* pairs search in  $\nu$  + p at

high energy 7=3516 W prod., in π + p → W + p interactions, calc. of cross section 7=552

 $W \rightleftharpoons V + \theta$ , extended Lee model, renormalization constants 7=9943 W\*boson magnetic moment obs. 7=3608

Weinstein's predecay mixing effect 7=9954

X(960), radiative decay in broken  $\widetilde{U}(12)$  symmetry 7=6199 X°, photoproduction up to 5.8 GeV 7=9953 X° photoproduction, Regge-pole model 7=580

scattering

baryon coupling consts., current algebra and quark model predictions 7=9896

baryon-meson, rel. to axial-vector coupling const. renormalization 7=9895

baryon-meson, sum rules for baryonic resonance widths 7=10034

baryons,  $D_{3/2}$  resonances, broken unitary symmetry 7=10035

by baryons, forward, in relativistic theories of spin and unitary symmetry 7=9894

by baryons, inelastic with baryon exchange, peripheral model 7=16645

by baryons, pseudoscalar, superconvergence rel. 7=16546

with baryons, Regge traj. and quark models 7=3437 Bethe-Salpeter eqn., bounds, Padé approximants 7=6384

by deuterons, analyticity of amplitudes at low energy 7=16548

 $K-\bar{K}$ , sum rules and scalar unitary singlet 7=3568

K-N, rel. to axial-vector coupling const. renormalization 7=9895 K-N, implications of PCAC hypothesis 7=9940 K-N, Regge pole analysis, using forward dispersion relns. 7=3546

K-N, scatt. lengths 7=566

 $K-\pi$ , rel. to axial-vector coupling const.

renormalization 7=9895

K-N, Regge pole analysis, using forward dispersion relns. 7=3546

KN, rel.to  $Y_n^*(1405)$  resonance state calc.  $7{=}16650$  K^-p, elastic, abs. differential cross-sections  $7{=}3604$ 

K-p, formation of resonant states 7=9939
K° total cross, for C, Fe, U 7=3598
K°p, elastic, 3.5, 5 GeV/C 7=6183
K\*-p phase shift analysis, strangeness +1 baryon resonance 7=3601

 $K^*p$ , rel. to PCAVC for  $\Delta S=1$  currents 7=3602  $K^*p$ , dispersion relns. compared with expt. 7=6182K\*p forward amplitudes, rel. to NYK coupling constants 7=3603

K<sup>±</sup>p forward dispersion relations 7=569

 $K^*-\pi$ , rel. to model of pseudoscalar with  $Z_s = 0$  7=9888 meson-baryon, quark model 7=9791

meson-baryon, saturation of superconvergence relation 7=12996

meson-meson, Feynman integrals with spin, high-energy behaviour 7=3545

meson-meson, quark model and Adler sum rule 7=9893

meson-nucleon, large angle at high energies, speculations 7=16547 with nucleons, inelastic, quark model 7=6138

Sakata triplet system, bootstrap calc. 7=16545
6-N, condition for inelastic and elastic 7=9938
θ-N, exact Breit-Wigner formula, and V-particle instability 7=12878

vector, coupling consts. with nucleons from N-N data 7=6196

spin and parity

No entries Mesosphere. See Atmosphere.

Metallo-organic compounds. See Organic compounds. Metallurgy

See also Zone melting and refining.

cleavage cracks nucleated by spark machining 7=17676 cracking during rolling, influence of edge shape 7=17675 with electron microscope, 500 kV 7=14339 metals, rel. to extrusion 7=14693

microscope transmission light source 7=17456 steel, B occurrence in oxide inclusions 7=17343

W, filaments, single crystal, spark erosion fabrication 7=7336

Metals See also Alloys; Semiconductors.

acoustic wave propagation in liquids, review 7=4347 adsorption of alkali metal atoms, theory 7=14282 alloys, coalescence of finely dispersed phases 7=7217 atom-metal interaction, field ionization calcs. 7=15105 atom-metal interactions, one-electron transition matrix elements 7=14283

```
Metals-contd
```

atoms, electron impact ionization functions,

meas. 7=17012 b.c.c., anomalous; self-diffusion and elastic consts. 7=14089

b. c. c., effect of free dislocations on yield and fracture 7=14720

b.c.c. metals {310} planes stacking faults and twins 7=7602

band shift effect, alloy theory description, transition 7=17786

bonding to ceramic, review 7=14003 bonding of heavy metals to BeO ceramics, by sintering at 1300, 1500°C 7=14004

brittle fracture, welded 7=1694

cathodic polarization appls. in nuclear industry 7=8563 collisions at metallic halfspace, thermal effects 7=11258

conduction-electron spin res., Bloch eqn. 7=8278 crack fatigue, propagation 7=14686

crack propag. in presence of liquid metal 7=7666 creep, high temp., theory 7=7654

creep, memory theory application 7=14661 creep, review 7=14663 creep testing 7=11243

cryostat for electron irrad. at liquid He temp. 7=2948 crystal growth in solid solns. in new phases obs. 7=1305 cubic and hexagonal, selection rules for twinning rel. to electron diffraction 7=14369

cyclotron resonance Doppler shift, u.s. meas. 7=4889 cyclotron resonance in inclined mag.field 7=17852

damping props., influence of dislocations, review 7=11262

Debye temps., approx. calcs. for pure 7=11118

deformation curves rel. to cavitation obs. 7=1689 degenerate, quantum absorption by direct transition 7=11733 desorption of gases prod. by e beam temp. var., 100-600 eV 7=14288

diffusion in graphite, pyrolytic, autoradiographic obs. 7=1510

diffusion, mechanism, correl. effects and Kirkendall effect 7=7516

dislocation locking and fatigue 7=14682 dislocations rel. to interplanar spacing change,

hexagonal 7=7595

dislocations surface emergence in single crystals obs. 7=7561 dissolution of surface step atoms, surface wave effects theory 7=7032

double electron diffraction rel. to position of twins 7=14370 dropping of solid particles through grain boundaries 7=14615

edge dislocation electron distribution calc, 7=1588 edge dislocations rel.to residual resistivity 7=1822 effective moment of localized spin impurity 7=8087 elastic shear modulus var. on microdeformation 7=4745

elasto-visco-plasticity rapid meas.by multiple relaxation 7=17653

in electric discharge, electron emission calc. 7=949 electric field prod. nearby by earth's gravity calc. 7=9323

electrical resistance of films, temp.var. 7=1823 electron emission, general theory 7=2056 electron energy spectrum, change due to impurities 7=1753

electron and ion emission in Cs vapour obs. 7=2063

electron m.f.p.,low temp. acoustic meas. 7=9205 electron scatt., S-matrix formulation 7=14787

electronic props. anomalous pressure and concentration var. 7=1774

electronic screening of impurities, obs. by Knight shift changes 7=2224

electrons, oblique incidence, optical transition radiation 7=11836

Engel correl. between electronic configuration and crystal structure 7=14165

epitaxial growth on NaCl, KCl 7=1353

evaporation, cluster formation effets 7=17318

evaporation for shadow casting 7=1386 evaporation from W and oxygenated W, lifetimes, 1250°-1750°K 7=1200

f.c.c., e irradiated, production and recovery of interstitial defects obs. 7=14544

f.c.c. stress fields of tilt boundaries 7=7559

fatigue crack propagation 7=17673

ferromagnetic anomaly in spin-wave spectrum 7=8114 ferromagnetic longit fluctuations in magnetization effect on resist. 7=11423

film, absorption and emission spectra, effects of conduction electrons 7=18200 film, field effect, influence of boundary scatt. 7=1826

films, discontinuous, elec. conduction, field effect 7=11421

films, resistive, vacuum and chemically deposited 7=7840 geophysical prospecting from electrochemical transient polarization with d.c. 7=15464

Metals -contd

heat transfer to boiling  $H_2O$ , maxima and minima rel. to temp. difference obs. 7=10903 imperfections of size between clusters and points,

techniques for meas. 7=14513

impurity insolubility and disloc diffusion 7=17575 interaction energy between two defects calc. 7=14496 interband tunnel effect in mag. fields 7=14788

interdiffusion, free energy 7=11137 interfacial energy, solid-liquid, rel. to grain boundary melting 7=17311

internal friction background, activation energy 7=14692 ion beam bombard, and sputtering coefficient

obs. 7=1647 ion emission, secondary, mechanism 7=2076 Knight shift mag. field var., polyvalent 7=2223

Knight shift, temp. and field dependences 7=15257 light reflection from surface, freq. shift search 7=5227 liquid, electronic structure calc. 7=7019

liquid, monatomic, X-ray, electron and neutron diffraction 7=1110

liquid, as reflectors for laser resonators 7=9487 liquid, role of volume depend. in resistivity 7=7102 liquid, role of volume depend. In resistivity 1=1102 liquid, self-diffusion, small-fluctuation theory 7=4340 liquid, surface temp. meas. by thermocouple 7=14076 magnetic breakdown, Pippard theory 7=2077 magnetic moments, localized, theory 7=1751 magnetic weak susceptibility meas., 6-300°K 7=5124 magnetoresistance, Bi-type metals 7=14877 molties and self-diffusion behaviour.

melting and self-diffusion behaviour, relationships 7=1191

metal-ceramic vacuum joints for high temp. and Cs exposure, Ti soldered 7=14002

metal-oxide-semiconductor structures, absorption spectra relax time obs. 7=8369 metal-semicond. contact, blocking layer capacitance rel. to majority carrier density 7=14977 metal-semiconductor barrier, electron tunnelling 7=1916 microscopy of films on Si, thickness "enlargement" by polishing 7=17381 noble, defect clusters due to irrad., and separation of yearsnips from intensitials. 7=14523

vacancies from interstitials 7=14522 'normal', energies of stacking faults and twins 7=14604 optical consts. of incandescent refractory metals, 0.47-2.0  $\mu$  7=5225

"opto-electric effect" 7=14876

orientation of f.c.c. crystals using {111} slip traces on single surface 7=4497

orientation, preferred, texture of rolled sheet 7=1299 orientation by reflection goniometer obs. 7=1297 oscillatory magnetoacoustic attenuation 7=1457 oxidation rate control factors 7=18328 oxidation Schottky emission as rate-limiting

factor 7=8531 paramagnetic additions, effect on de Haas-van Alphen

effect 7=15017

paramagnetic resonance absorption by conduction electrons 7=2186

phase transitions, heats of 7=4453 phonon drag, criticism of standard treatment 7=11360

phonon spectrum calculation 7=14404 photocathodes for vacuum u.v. intensity meas. 7=3201 photoelectron emission into SiO<sub>2</sub> obs. 7=2067

point defects energy and migration, computer calc.for b.c.c. metals 7=1538 point defects meas.by quenching, from elec.cond., cryostat appl. 7=14509

positron decay curves and lifetimes 7=17857 quenched f.c.c., dislocation loops nucleation and growth 7=4700

reacting systems, sessile-drop spreading kinetics 7=10793

residual resistivity mechanism 7=11422 screw dislocations thermally activated motion calc.for b.c.c.metals 7=11170 secondary ion emission, O effects obs. 7=15102

sheet deform. by underwater spark discharge 7=11261 shock compression, thermodynamics 7=11263 shock wave propag., two calcs of parameters 7=1681 slab, collective electronic motion 7=14861

slip, basal or prismatic preference rel. to stacking fault energy for h. c. p. metals  $\,$  7=14669 slip and flow stress, dislocation theory for b.c.c. metals 7=11245

specific heat meas, at low temps, with two dilute alloys 7=7498

specific heat meas., solid and liquid 7=2929 spectra of 3d atoms, highly ionized, configuration interaction 7=4004

spin waves in, dispersion law, stability 7=5134 sputtering rel. to depth of origin of recoil atoms obs. 7=1648

stacking fault energy from electron microscope diffr. contrast, f. c. c. metals 7=11189 stacking fault propag., energy and friction stress 7=14603 stacking fault tetrahedra growth and annealing 7=1620

#### Metals-contd

stacking faults in f.c.c. metals 7=7596

superconducting vortex structure near metal-air interface calc. 7=1848

surface slope meas. by interference contrast 7=7254 surface tension rel.to oxides at melting obs. 7=433810 liquid, absolute thermoelectric power 7=1168 tensile strength and hardness rel. to heat capacity and melting point 7=14676

thermal capacity, pressure dependence 7=1470 thermal expansion at high temp., modulation method 7=15971

thermal radiation 7=7509

thermal transient diffusivity in foils meas. 7=1493

thermalization time of positrons 7=17862 thickness uniformity of foils meas. by  $\alpha$  absorption and spectrum degradation 7=12281

thin sheets, plastic instability theory 7-11264 torsional recovery of wires, effect of metallic coatings 7-7650

with two magnetic impurities, temp. depend. of effective interaction 7=18088

two-photon annihilation of positron and dielectric constant calc. 7=1816

ultrasonic attenuation, anisotropy 7=17552 vacancies and annealing of irradiation interstitials, review 7=1532

vacancies, concn. meas. technique at melting point 7=14521

vacancies in f.c.c. metals, thermodynamic calc. of formation energy and vibr. entropy 7=4683 vacancy concentration near interfaces with elec. or temp. gradients 7=1555

vacancy formation energy 7=4453

vacancy formation energy and conc. obs. from specific heat at high temps. 7=1548 vacuum gaskets, bakable, high temp. 7=6997

velocity of sound waves, and damping oscs. 7=17551 viscosity meas, and temp. depend. 7=4334

wetting by, electron beam evaporation appl. 7=10792 wire, conversion into vapour 7=10905

wires, meas. of elec. resistivity changes, indirect methods 7=17867

wires, rate of tempering meas. 7=17570 work function 7=5106

X-ray emission, from thin crystals 7=5229

X-ray spectrometer, soft, for valence bands meas. 7=11379 zone refining, for high melting points, electron beam device 7=4503

Au-Si diodes 7=7986

for H ions prod. from atoms, 50-3000 eV 7=6805

O solutions in two metals, meas. errors of thermodynamic props. 7=9005

## theory

See also Crystals; Electron gas; Plasma.
anelasticity, diffusion theory 7=17655
antiferromagnetic resonance, plasma effects 7=11686
bound state due to fluctuating perturbation 7=7753
conduction electron polarization 7=7752

conductivity electrons conc. temp. var. 7=11354 conductivity electrons in mag. field force on moving

dislocation calc. 7=11171 covalent bonding and mag. props. of transition metal

ions 7=10907

double-kink model for low temp. deformation of b. c. c. metals 7=14616

e.s.r. of mag. ions, dynamic effects 7=2185

e.s.r.or mag. ions, dynamic effects 7=2185
electrical cond. with mag. impurities, low temp. calc.
with internal fields 7=17868
electrical cond., point multiple defect effects calc. 7=7841
electron s-p and d bands in transition and noble
metals, interaction interpolation including
orthogonalization 7=14815

electron states of cubic polyvalent metals, periodic lattice potential effects calc. 7=7775

electron states partial sum rules for transition and noble metals 7=14816 electron transport in liquid 7=17282-3 exchange coupling 7=7752

exchange coupling 7=7102
exciton states, existence 7=17827
ferromagnetic, elec. cond. anisotropy theory 7=7842
ferromagnetic, spin-depend. effective mass, Green's
functions calc. 7=14810
films, electron thermodynamic props. oscillations at low
temp. and high press. 7=7755
films, surface thermodynamics 7=7805
h.c.n. thermal expansion calc. from Morro.

h.c.p., thermal expansion, calc.from Morse function 7=1483 hot electron-phonon interaction 7=7754

internal mean potential calc. in statistical theory 7=10912

lattice freqs. calc., displaced ion effective charge in orthogonalized-plane-wave formalism 7-14413

liquid, elec. cond., matrix elements of pseudopotential 7=4381

### Metals-contd theory-contd

localized spin ground-state energy shift due to s-d

interaction 7=17743 macroscopic field eqns. for equilibrium 7=8090 magnetic impurities, review 7=4831 magnetothermal effects, transport integral tables

appl. 7=5701 many electron problem appls. 7=15910 noble, cohesion 7=7172

noble, electron states interpolation scheme 7=7774 optical consts. calc. from reflection coeff. and phase using Kramers-Kronig rels. 7=11729

optical harmonic generation at surface, interband

optical harmonic generation at surface, intercally contributions calc. 7=15288 particles, fine, plasma resonance absorption 7=5228 phonon-electron system, weakly interacting, linear response theory rel. to Boltzmann eqn. 7=14782

phonons, pseudopotential method and screening 7=14419 positron annihilation, minimum energy 7=17858 pseudopotential and second order perturbation, di- and trivalent 7=7773 pseudopotentials 7=7164

superconducting, dielectric const., difference from normal state in weak coupling limit 7-11461 superconductors electron pairing, microscopic 7=7883

surface impurities hydrogenic wave functions 7=17396 transition metals s-d interaction model Hamiltonian form 7=14817

vacancies, effects on concn. of temp. gradient 7=4681 X-ray emission, quantum many-body theory of soft enhance-

# ment due to interactions 7=11731 Metamagnetism. See Antiferromagnetism; Ferromagnetism. Meteorites

See also Meteors.
antimatter nature possibility for micrometeorites 7=12241

for cosmic ray var. and primaries meas., possibilities 7=13129 ice nucleation, on meteoritic material 7=15514

impact of low-density particles on a wall 7=13973 impact on planets, crater formation, triggered volcanism 7=5604 luminescence due to p and u.v. obs. in laboratory 7=12245

P-32, n produced in Barwell and St. Severin 7=12244 primordial rare gases contents obs 7=12242 rare gases diffusion losses, meas. 7=2714

stony, for cosmic ray var. obs. 7=13186 tektites, origin 7=8951

Ca-poor achondrites, isotopic composition of Xe 7=2715 Fe, with low cosmic ray exposures 7=15785 and Fe-Ni-P system 7=5607

Ne, trapped 7=12243 Sb abundance 7=2713 Meteoroids. See Meteorites.

# Meteorological instruments

See also Anemometers; Hygrometers; Ionosphere measuring apparatus.

balloon-borne sun-seeker 7=18353

balloons, frictionless bearing 7=18351 lasers, as operational tool 7=8626 meteorological rocket network, review of work 7=11982 pyranometers, determ, of cosine response 7=5371

radiometer, crystal, with f. m. output 7=2928 for rainfall rate meas., continuous 7=5380 snow-crystal sondes 7=8629

spectrometer, 2100-2700 cm<sup>-1</sup>, for balloon 7=18366 Summer long-term recorder, attachment integrating a radiometer output 7=5370

Meteorology

circulation, general, and heat transfer of atmosphere 7=18352

climatology, dynamic analysis of circulation 7=11983 equivalent temperature tables at standard levels 7=18354 frontogenesis by wind deform. fields 7=8627 Hawaii, observatory site, meteorological considerations 7=12128

lunar observatory for studying Earth, projected 7=18357 meteorological rocket network, review of work 7=11982 micrometeorology rel. to Reynolds' equations under unsteady conditions 7=8628

radar echo patterns, statistical props. 7=8676 radio, review 7=5372

rainfall data, India, reality of calendaricities 7=2525 smoothed variables, time dependence models 7=12302

spatial spectral functions decomposition in time domain 7=5369

stratospheric mixing processes, investigation by radon decay prods. 7=18355

stratospheric motions, investigation with Cd<sup>100</sup> and Pu<sup>208</sup> 7=18356
Be<sup>7</sup>/P<sup>32</sup> ratio in ground level air 7=15482
Rn<sup>220</sup> content in atmosphere 7=15488

Meteors

See also Meteorites. antimatter absence in Tunguska meteor 7=18468

```
Meteors-contd
```

antimatter nature possibility for micrometeors 7=12241

atmospheric temp., press. and density meas. from photographic obs. 7=5394 bolide, September 17, 1966, Ontario 7=12240

for cosmic ray primary intensity and spectrum

meas., possibilities 7=13129 dust, rel. to effective recombination coeff. in D-region 7=12075

for e.m. wave absorption meas. 7=2572

ionization of trails by meteor particles collision with air molecules calc. 7=15784 Leonid shower, Luster rocket sampling 7=12239 light and ionisation curves 7=5605

mass distrib. from radar echo counts 7=8950

meteoroid temperatures, calc. rel. to distance from

on moon, bombardment evidence and effects 7=12210 on moon, crater prod. 7=12209 orbits, bright 7=8949 on planets, disintegrated surface autocorrelation function rel.to meteors mass distribution 7=5603

radar obs. of atmospheric tides 7=8697

radioactive dating 7=8925 small, pulverization in atmos.mechanics 7=5605 sporadic-E ionization and radar meteor counts 7=15593

streams, influence on elec. field of atm. 7=12013 Fe particles ionization in air at meteoric velos.

obs. 7=8081

Metrology. See Measurement; Mechanical measurement.

Mica

dislocations, X-ray obs. 7=7590

electrical props, and synthesis obs. 7=2001

electrical props, and synthesis obs. 7=2001
growth, and synthesis review 7=1346
substrate cleavage steps effect on Cu phthalocyanine
epitaxial growth orientation 7=7346
surface, cleaved, low energy electron diffr. obs. 7=1261
X-ray attenuation at 0.3-3.0Å 7=3512
Micelle systems. See Colloids.

Microanalysis. See Chemical analysis. Microhardness. See Hardness.

Micrometeorites. See Meteorites.

Micrometry

See also Interferometry; Strain gauges; Thickness

measurement.

No entries Microphones

See also Acoustic transducers. foil-electret 7=12435

Microphotometers. See Densitometry.
Microprobe analysis. See Chemical analysis/X-ray.

Micropulsations. See Earth/magnetic field, variations; Magnetic storms.

Microscopes

See also Electron microscopes; Ion microscopes. Abbé's work 7=16237

aligning pinhole with objective 7=3231

heating microscope combined with Debye-Scherrer X-ray chamber 7=14362 infrared, scanning 7=9234 interference, laser 7=3233

interference microscope, for thickness meas. 7=12280

for nuclear fuel canning materials deformation obs.
vacuum hot stage straining 7=6486
projection adaptor for bubble chamber UIM-21 micro-

reflection-diffraction, for obs. diatoms in colour 7=8994 semi-automatic, for nuclear emulsion particle track

meas. 7=16386

Microscopy

See also Electron microscopy. aerosol sampler, e.s. 7=17303

crystal imperfections at high purity, perpendicular illumination 7=1523

holographic, for dynamic microscopic subjects 7=9627 interference microtopography with incoherent

light 7=4482

metal films on Si, thickness "enlargement" by polishing 7=17381 metallurgical, transmission light source 7=17456 nuclear emulsion Dalitz pair origins detection by intermediate microphotography 7=9715 nuclear emulsions, stages, magnetically geared 7=3404 optical system for intensifying image contrast, application 7=386

application 7=358 photomicrographs, bromide paper negatives use 7=9637 porous materials, prior vacuum impregnation with resin 7=14335

reflectivity meas. in i.r. 7=11730 superconductors and ferromagnets mag.

structure 7=11450 of thin phase objects, obs. by multiple beam interference method 7=12700

NH3 crystals fracture surfaces 7=11307

Microstructure of crystals. See Crystal structure/microstructure; X-ray examination of materials/microstructure.

Microtomes. See Biological technique and instruments;

Laboratory apparatus and technique; Microscopy.

Microtrons. See Particle accelerators/orbital.

Microwave spectra. See Spectra.
Microwave spectrometers. See Spectrometers, radiofrequency.
Mie theory. See Scattering.
Milky Way. See Galaxies/the Galaxy.

Mineralogy. See Minerals.

Minerals

See also Mica; Quartz; Ruby.

andalusite, dielectric props at 10<sup>11</sup> c/s 7=5063 anorthosite, rare earth abundances obs. 7=15463

anormosite, rare earth abundances obs. -17508
autunite, random layer structure prod. by
grinding 7=1623
bannerite (ThTi<sub>2</sub>O<sub>6</sub>), cryst. struct. 7=7447
berbankite, X-ray structure obs. 7=17512
bytownite (body-centred anorthite) cryst. struct. 7=4574 obs. 7=10975
ferrierite (zeolite), cryst. struct. 7=7407

gadolinite Pu<sup>244</sup> rel. to decay props, 7=13378

galophosphate phosphor with CdS photoresistor for u.v. detection 7=9545 grains separation by dielectric const. in elec.

field 7=2746

haematite, ferromag. domain struct. 7=18119

halloysite crystallites, microdiffraction obs. 7=1 i.r. spectral emission, by multiple-scan interfero-metry 7=5360

kainosite, crystal structure eval. 7=11058

labradorite, colour of 7=8370 malachite, cryst. struct. 7=7419

mangerite, rare earth abundances obs. 7=15463

n.m.r. of F in paramagnetic spinels 7=15267 niocalite, crystal structure, atomic 7=1432

mocante, crystal structure, atomic 7=1432
piemontite, crystallographic parameters 7=7406
rocks, U and Th photonuclear determination 7=5351
semiconducting, rel. to adsorption-chemical
properties 7=7777
thoreaulite, Sn(Ta, Nb)<sub>2</sub>O<sub>2</sub>, X-ray structure obs. 7=17518
topaz, e.s.r. of Fe<sup>3\*</sup> and defect centres 7=18168
volcanic dust in atm. ozone layer 7=8639

Minor planets. See Planets. Mirages. See Atmosphere optics.

Mirrors

See also Telescopes/astronomical.

dielectric coatings, effect on microstructure, obs. 7=17465

parabolic, radiation in focal plane energy

distribution 7=2933

toric, imaging props. near stigmatic axis 7=9555 Be, nonelastic strains 7=9548

Fe oxide + MgF<sub>2</sub> + ZnS films achromatic beam splitters 7=9608

PbO/cryolite, multilayer, for laser resonators 7=9488 ZnSe, ZnSe-Na<sub>3</sub>AlF<sub>6</sub>, ZnSe-ThOF<sub>2</sub>, dielectric mirror coatings 7=11814

Mixing. See Heat of solution; Solubility; Solutions.

Moderation. See Neutrons and antineutrons/moderation. Moderators. See Nuclear reactors, fission/materials.

Modulation of light. See Light; Optical properties of

substances; Optics.

Moiré fringes. See Interference/light.

Moisture

See also Atmosphere/humidity; Humidity;

Permeability, mechanical.

No entries Molar volume. See Density.

Molecular beams

See also Particle velocity, analysis. alkali halides, total cross-section variation 7=6756

apparatus for detection of low-density beams 7=938 apparatus for 102 to 103 eV energy beams 7=16922 collimator, chilled, for high intensity 7=16985

for electron field emitter substrate vapor deposition 7=17463

hot-atom reactions, general theory 7=2483

intermolecular potential, from differential-cross-section data 7=10555 ion-neutral collision, cross-section meas., merging beams

method 7=6757 molecular generator, stability with non-uniform

field 7=13784

oscillator, two-resonator 7=939 oscitator, (wo-resonator 1=939 for plasma density meas., by molecular ion collisional dissociation 7=17077 scattering from Ag (111) plane 7=1258 scattering, dipole-dipole 7=6755-6

scattering, iterative mapping of phase-shift to potential space 7=937

semicord ucting films deposited at oblique incidence, optical anisotropy obs. 7=18209
on solid surfaces single-phonon energy transfer theory of thermal accommodation 7=14263

Physics Abstracts 1967 - Part I (Jan.-June) Molecular beams-contd spatial intensity distribution, mass spectrometry study 7=16986 CH<sub>3</sub>I, oriented, reactive scatt, with K atoms 7=6747 Cs cpds., geometry determ. by elec. deflection 7=10493 H prod. by charge exchange in H ion beams 7=13785 H, orod, by charge exchange in H ion beams 7=13785 RbssFis, h.f.s. determ, by elec.reson. 7=6695 SiO, interference filter image study 7=6758 Molecular orbitals. See Molecules/electronic structure; Orbital calculation methods. Molecular relaxation. See Molecules/relaxation.
Molecular spectra. See Spectra/inorganic molecules; Spectra/organic molecules and substances. Molecular structure. See Molecules/configuration and dimensions. Molecular weight polyamides 7=4136 polymers, distrib. curve calc. from dielec.
absorpt. 7=10817
polypropylene, distrib. determ. by light scatt. 7=13788

Molecular weight determination polyamides, by vapour press. osmometry 7=4136 polyethylene, cryoscopic method 7=4137 Molecules See also Kinetic theory; Spectra. adsorbed, surface transport, mechanistic model, and expts. 7=4489 atom scattering, amplitude density functions method  $\,7{=}12764$  complex, shape of fluoresc. emission bands  $\,7{=}6603$ cyclohexane derivatives, conformation, effect of extreme shear 7=10535 diatomic integrals reduction 7=16936 dipole, min. dipole moment required to bind an electron 7=6630 in e.m. intense static fields, tensor props. 7=16927 electron capture by polar molecules calc. 7=10605 electron spectroscopy for chemical analysis, review 7=16895 extended dipole, min. moment required to bind a charged particle 7=6629 hexafluorides, molec. motions in solid 7=2233 integrals, Gaussian-expansion methods 7=10471 integrals by zeta function expansion 7=16935 interstellar, formation 7=2669 light scattering, double-quantum 7=4052 molecular-crystal models 7=7303 molecular integrals calc.,  $XH_2$  type with  $C_{2\nu}$  symm.  $7{=}13716$  monomolecular mechanisms decay laws  $7{=}850$ motions in crysts., l.f., neutron scatt. determ. neutron scatt., effect of rot. levels 7=10480 optical absorption, effect of external field 7=866 optical anisotropy, from depolarized Rayleigh scatt. 7=14092 ortho-para transitions, spontaneous, in diatomic mols. 7=10479 Overhauser effect, 3-spin system 7=4118 paraffin wax, irradiation, cross-linking and degradation rate obs. 7=2004 photo-ionization, interference 7=979 rearrangement collisions, harmonic model 7=8529 resonances in electron-mol. scatt. 7=806 in stars, depth var. calcs. for K and M types 7=15641 spectra, electronic, intermolecular interaction effects 7=1150 Ar, flow meas., through high-vacuum components 7=13975
 BF<sub>3</sub>, dimers in Ar matrices 7=1220
 CH <sup>2</sup>Δ - <sup>2</sup>π band lines center-limb obs.for solar photosphere study 7=15817
 CO<sub>2</sub>, laser radiation effects obs. 7=5338 H<sub>2</sub> ground state 7=16949 H<sub>3</sub> transition state quantum calc. 7=6668 N<sub>2</sub> bremsstrahlung and elastic scatt. 7=12968  $N_2$  electron scatt., low-energy resonances and formation of N<sub>o</sub> 7=4093 **configuration and dimensions**See also Chemical structure; Crystal structure, atomic. history, size earliest estimates 7-13721 Hückel theory and shape of mols. 7-13724 non-rigid mols., classification of states 7-864 polypeptide conformation in helix-coil transition region 7=16989 vibronic effect on amplitudes of internuclear distances 7=6605 Young's calc. of size and Avogadro's number from surface tension 7=10797 WF<sub>6</sub> in liquid state, n.m.r. obs. 7=14129
UF<sub>6</sub> in liquid state, n.m.r. obs. 7=14129
WF<sub>6</sub> in liquid state, n.m.r. obs. 7=14129
WF<sub>8</sub> in liquid state, n.m.r. obs. 7=14129
14 XY<sub>3</sub> ions and molecules of planar trigonal symmetry calc. 7=10468
XY<sub>3</sub> isoelectronic sequences of pyramidal symmetry, 14 ions and molecules analysed 7=13711
niguration and dimensions increasing configuration and dimensions, inorganic hexafluorides 7=2233 BF<sub>3</sub>, B-B bond distance 7=6641

Molecules-contd configuration and dimensions, inorganic-contd  $E_2H_5$  7=872  $CO_2$  7=4074  $CO_3$  7=8568 Cs cpds., determ. by elec. deflection 7=10493  $F_4O$ , and orbital energies 7=6659 FOH, and orbital energies 7=6659  $F_3PBH_3$  7=10518  $Fe_3(CO)_{12}$  icosahedral shape 7=6660 H2O+, bond angle 7=17028 H<sub>2</sub>O,H-O-H angle calc. 7=884-5 IF, stable config., MO calc. 7=10506 LiO<sub>2</sub> 7=6674 Li<sub>2</sub>O 7=6674 Li<sup>2</sup>O, and orbital energies 7=6659 Li<sub>2</sub>O<sub>2</sub> 7=6674 LiOH, and orbital energies 7=6659 MgF, 7=13736 NH<sub>3</sub>, inversion, potential function 7=6685 NH<sub>3</sub>, inversion, potential function 7=6685
Na<sub>2</sub>, internuclear distance, pseudopotential calc. 7=892
S(CN)<sub>2</sub> 7=7444
S<sub>3</sub>O<sub>9</sub> 7=7445
SOF<sub>4</sub>, from microwave spectrum 7=16959
VCl<sub>4</sub>, by electron diffr., vibronic interactions 7=6701
configuration and dimensions, organic
benzene, geometry of lowest triplet state 7=15405
cyclobutyl monohalides, conformers 7=6706
cyclobayynathiol, statistical anal. 7=13760 cyclohexanethiol, statistical anal, 7=13760 1,1-difluoropropene 7=13764 1,1-difluoropropene 7=13764
2,4-dimethyl-3-thiapentane, statistical anal. 7=13760 dioxaborolane 7=4116 ethane 7=872 ethane 7=4107 furantetracarboxylic acid, Rb salt 7=17527 methyl bromide 7=6612 methyl radicals, substituted 7=14307 planar, tetrahedral and bridged radicals, distinguishing 7=14307 purpurate ion, crystallographic obs. 7=17531 ribonucleic acid, transfer, by small-angle X-rays 7=10563 spiropentyl chloride 7=911 Final Caracterity and the spiropentyl chloride 7=911  $C_{10}C_{1_2}$ , cage struct. 7=11085  $C_{10}C_{1_1}SO_3Cl$ , cage struct. 7=11085 Ni-glyoxime 7=17529 S, S-dimethyl-N-methylsulphonylsulphilimine 7=17528 configuration and dimensions, macromolecules linear chains, config. entropy 7=10564 metal-adenosine triphosphate complexes, conformation in aq. soln. 7=17245 poly(alkyl methylacrylates), crystalline 7=11945 polyethylene 7=4137 polyethylene, config. entropy 7=10564 polyglycine, helical struct. 7=940 polyisoprenes, microstruct. by n.m.r. 7=11038 poly-L-alanine, helical struct. 7=940 polymers, stereoregular chain, mean-square end-to-end distances 7=10566 polypeptides in soln.,  $\beta$ -form from optical rotation 7=4358 polystyrene, conformation change in soln. 7=13789-91 poly(trimethylene oxide), chain dimens. 7=10568 poly(vinylidene chloride) 7=10569 dissociation See also heat of dissociation. boundary-layer flows, near equilib. 7=6956 Coulomb fragmentation by  $\gamma$ -ray resonant scatt. 7=16972 diatomic, dissoc. -recomb. rate eqns. 7=4120 dissociative attachment of e to diatomic molecules, theory 7=925 dissociative recombination, theory 7=6737 in e.m. field due to anharmonicity, nonpolar 7=13778 hydrocarbons, doubly and singly charged fragment ions 7=13841
methane, dissoc. attachment of electrons, isotope
effects 7=17035 methyldichlorosilane decomposition to give SiC films 7=17392 organic ions, field dissoc., temp. depend. 7=16974 organic ions in high elec. fields, kinetics 7=16973 for plasma density meas., by molecular ion collisional dissociation 7=17077 radiative recomb. of atoms and transition-state rate theory 7=16971 thiyl radicals, photodissoc. in cysteine HCl cryst. 7=16979 unimolecular reactions, intramolecular energy flow 7=6735 unimolecular reaction theory, limited intramolecular energy exchange 7=16969-70 vibration coupling, transient phenomena, "diffusion theory" 7=4121

C<sub>2</sub>F<sub>4</sub>, in N<sub>2</sub> shocks 7=8551

CO<sub>2</sub> laser radiation prod. 7=5338 Cl2, by light, effect of critical region, recombination kinetics 7=13779 Cl<sub>2</sub>, photodissociation at liquid-gas equilib. 7=6736

```
S 226 SUBJECT INDEX
                                                                                                                                                        Molecules-contd
Molecules-contd
                                                                                                                                                              electronic structure contd
      dissociation-contd
          Cl<sub>2</sub>, radiative recomb. in shock waves 7=16975 Cl<sub>2</sub> in shock waves, rate 7=16976 D_2^{\rm r}, collision-induced in Ar and N_2 7=6801 H_2, dissociative recombination 7=6737
           H_2, by He' ions, rel. to H atom excitation 7=13690 H_2 in collisions with H, H_2 obs. 7=10620 H_2 by electron impact absolute cross-section obs. 7=4123
           H<sub>2</sub>*, in He gas, high-energy limit calc. 7=13780 H<sub>2</sub>* in Li plasma, p prod., 20-50 keV 7=10622 H<sub>2</sub>*, by Lorentz force obs. 7=13909 H<sub>2</sub>*, partition functions, pressure depend. 7=4122 H<sub>2</sub>*, vibrational, by collisions with mols, of H<sub>2</sub> or
                  Ar 7=6738
            H_3^+ in Li plasma, p prod., 20-50 keV 7=10622 HCl, rate const. 7=6739
            HN<sub>3</sub>, vac.-u.v. photolysis 7=8570
H<sub>2</sub>O in glow discharge, free radicals prod. of
            luminescence on ZnO 7=11884
H<sub>2</sub>O and H<sub>2</sub>O<sub>2</sub> vapour,OH radical formation in high
freq. discharges 7=16978
            \rm N_2, recomb.~7=928 \rm N_2, recomb.~rate and afterglow intensity \rm~7=6740 \rm NF_3, enthalpy~7=16977
           NH, shock tube meas of energy 7=4124
NO, chemisorbed on W 7=2461
in NO'-e recombination, obs. 7=6814
N<sub>2</sub>O, with ionization, by p and H atoms, slow ions mass
spectra obs. 7=6815
             NdF2, NdF, stabilities 7=4424
            O<sub>2</sub> Herzberg I system, photodissoc. continua calc. 7=13745
Ti-Se vaporization gas products obs. 7=7163
      T1-Se vaporization gas products obs. 7=7163
dissociation energies
Bi<sub>2</sub>, enthalpy 7=7155
C00 7=7159
Cr<sub>2</sub> 7=926
F<sub>3</sub>PBH<sub>3</sub> 7=10518
H<sub>2</sub>, HD, and D<sub>2</sub>, ground states, adiabatic 7=927
MgO, MO calc. 7=4089
Na<sub>2</sub>, pseudopotential calc. 7=892
PO, calc. from spectra, 7=13740
             PO, calc. from spectra 7=13749
SH and SD 7=4098
Se<sub>2</sub> 7=7160
        electronic structure
                   See also Bonds.
              binding effects on Compton scatt. 7=9883
             charge-transfer complexes, "electron vibr." 7=11817
              correlations, calc. by quantum field theory methods 7=6497
             diatomic mols., Born-Oppenheimer separation 7=6496
             dimers, energy levels in strong coupling limit 7=10478
              electric-field gradient, lambda-doubling effect 7=918
              electron binding energy, and kinetic energy rel. to mag. rigidity, tables 7=3988
              ferro- and ferricyanide supercomplexes, Mössbauer
              effect 7=17337
forbidden transitions, enhancement by intermolec-
interactions 7=10477
              four-centre integrals for tensor interelectronic
interactions 7=6620
Franck-Condon factors in radiationless transi-
                    tions 7=870
              h.f.s., theory, appl. to diatomic mols. 7=6633
heteroatomic conjugated systems, SCF calc. 7=4061
              Hückel theory and shape of mols. 7=13724 interactions with superconductors 7=17925
              isotope rule for radiationless transitions 7=10530
LCAO MO SCF wavefunction, refinement 7=4108
many-electron systems, weak interaction 7=934
              many-electron theory, symmetry props. of wave-
functions 7=13657
methane, calc. 7=908
              methane, caic. 1=906
"multiple-scattering" model for polyat. mols. 7=869
numerical solution with computer for arb. potential
in cylind. coord. 7=6627
numerical solution with computer for arb. potential
in three dim. 7=6626
               one-electron diatomic mols., continued fraction 7=867
               orbital wave function, intro. of electron repulsion 7=867
oscillator strength rel. to wavelength, diatomic 7=13719
polarizability of non-polar mols. by orientation 7=13717
properties which depend on square of electronic
coords. 7=6663
               radiationless transition in polyat.mols., Franck-Condon factors 7=10476
radiative lifetimes of u.v.transitions 7=871
               radioactive decay effects 7=6491
               Rydberg states, pseudopotential theory 7=807
               separated-electron-pair model 7=900
               singlet-triplet transitions, point-group selection rules and polarization 7=11739
               small mols., ionization energies, MO calc. 7=4176
spin-orbit interaction in diatomic mols., calc.
methods 7=10475
```

```
spin-spin coupling consts., perturbation-variation calc. 7=13718 splitting of terms in two-electron exchange between atoms,
         asymptote 7=10608
    spin densities calc. 7=863
spin-forbidden transitions, operator for 7=805
spontaneous radiation, effect of surroundings 7=852
    three-centre integrals over coords of two electrons 7=4063 transition moments calc. 7=16939
    transitions spectral absorption coefficients,
         diatomic 7=13720
   two-centre moment integrals, formulation 7=16937 valence-bond theory of nuclear spin-spin coupling 7=10473 variational principles for dynamic and static polarizability 7=6498
    vibronic coupling, trimers and trigonal mols. 7=13757
vibronic interaction, config. interaction appl. 7=13715
wave functions in approxs. in Rayleigh-Schrödinger
    perturbation theory 7=10474

H<sub>2</sub>, relationships between molec.props. 7=6663
    H2, wave function in approxs. in Rayleigh-Schrödinger
          perturbation theory 7=10474
    LCAO for symmetric mols. by unified theory of finite
         graphs 7=6624
    N<sub>2</sub>O, relationships between molec. props. 7=6663
P<sup>31</sup> chem. shifts, MO calc. 7=922-3
electronic structure, inorganic
     alkaline earth oxides, partially ionic model 7=4066
     ions, orbital bonding from photoelectron energies 7=10599
     one-centre calc. for Ne- and Ar-like mols. 7=4065
     sulphate, thiosulphate and related ions, MO energy
          levels 7=894-5
     AlH, Rydberg levels calc. 7=6642
     BH, mag. props. 7=873
     BH, Rydberg levels calc. 7=6642
     BH<sub>3</sub>, one-centre-expansion SCF calc. 7=13726
     BH_4^-, optimized minimum basis set 7=13723 B_2H_6 bridge regions calc. 7=6640
     B<sub>2</sub>H<sub>6</sub>, and hyperconjugation effect 7=6638
     B<sub>2</sub>H<sub>5</sub>, and hyperconjugation effect 7
BH<sub>3</sub>, SCF calc. 7=6639
B<sub>2</sub>H<sub>6</sub>, SCF calc. 7=6639
B<sub>2</sub>H<sub>7</sub> bridge regions calc. 7=6640
B<sub>4</sub>H<sub>4</sub>, SCF calc. 7=6637
     BN, low-lying valence levels and ground state, MO calc. 7=10483
     BeH_3^, one-centre-expansion SCF calc. BeS, ground state, calc. as ^1\Sigma^+ 7=16940
     (BrF<sub>2</sub>)<sub>2</sub>SnF<sub>6</sub>, Mössbauer effect of Sn<sup>119</sup> obs. 7=16941 (BrF<sub>4</sub>)<sub>2</sub>SnF<sub>6</sub>, Mössbauer effect of Sn<sup>119</sup> obs. 7=16941 C<sub>2</sub>, low-lying valence levels, MO calc. 7=10483 CF, oscillator strengths 7=10486 CN halides 7=10487-8
      {\rm CO}^{\bullet} band systems, transition probability parameters calc. \, 7{=}6651
      F<sub>2</sub>O, geometry, MO calc. 7=6659
FOH, geometry, MO calc. 7=6659
      H2, excited states, natural orbitals 7=880
      H2, excited states, single-centre calc. 7=6664
      H2, ortho and para, neutron scatt.using Fadeev's
      eqns. 7=10495

H_2, polarizability 7=16946

H_2, quadrupole and polarization potentials 7=6665
       H3 and H3+, single-centre wavefunctions 7=13732
      H_3 and H_3, single-centre wavefunctions 7=13732 H_2* axial density no correl, with bond energy 7=13731 H_2, calc. of 1so and 2po states 7=6661 H_2*, 2p\pi_\mu and 3d\pi_g states 7=6662 H_2* symmetry group broader than geometric 7=10496 H_3*, Hellmann-Feynman theorem calc. 7=6667
      H<sub>n</sub>*, ground and excited states, diatomics-in-mols. calc. 7=10499
HNF free radical 7=11958
       H<sub>2</sub>O, semiempirical calc. 7=884-5
      H_2O, theory, appl. of i.r. spectra 7=6670 H_2O 7=886
       H<sub>4</sub>O+ 7=886
       {\rm He_2}^{1}\Sigma_{\rm g}^* ground state wave functions calc. 7=10502 {\rm He_2}^* excited states, wavefunctions and potential
            curves 7=887
       IF, MO calc. of stable config. 7=10506
       Li<sub>2</sub>O, geometry, MO calc. 7=6659
LiOH, geometry, MO calc. 7=6659
       MgO, low-lying levels, MO calc. 7=4089
N<sub>2</sub>, radiative lifetimes in Vegard-Kaplan system 7=10510
       {
m NH_3^{2^+}}, one-centre-expansion SCF calc. 7=13726 NO, lifetime of the {
m a^4}\pi state 7=10514
       NO, transition-moment variation in \gamma system 7=6678
        N14O16O17 7=6683
       Na<sub>2</sub>, pseudopotential calc. 7=892
NiBr<sub>2</sub>, ligand field calc. 7=13744
NiCl<sub>2</sub>, ligand field calc. 7=13744
NiL<sub>2</sub>, ligand field calc. 7=13744
O<sub>3</sub><sup>18</sup>, upper electronic state 7=10516
```

Molecules-contd

```
Physics Abstracts 1967 - Part I (Jan.-June)
Molecules contd
      electronic structure, inorganic—contd
OCF<sub>2</sub>, spin interactions, mag. shielding, mag.
                  moments 7=921
           OH, 3+, one-centre-expansion SCF calc. 7=13726
           P<sub>2</sub>, SCF calc. 7=13747
PH<sub>3</sub>, SCF calc. 7=13747
     PH<sub>3</sub>, SCF calc. 7=13747
PO, PO-, SCF calc. 7=13747
PO, study of C<sup>7</sup>-21, system 7=6692
Rb<sup>85</sup>F<sup>19</sup>, h.f.s., molec. beam determ. 7=6695
S radicals, MO theory 7=6742
ScF, ground state 7=10521
Se radicals, MO theory 7=6742
XeF<sub>6</sub> 7=8103
electronic structure, organic
            allene, and isomerism 7=898
            alternant systems, natural, Brueckner and SCF orbitals 7=6621
            aniline and some N-derivatives, SCF MO calcs. 7=10529
           aromatic hydrocarbons, evidence for ring
currents 7=13755-6
aromatic hydrocarbons, Ham effect 7=5281
           aromatic hydrocarbons, triplet decay, isotope rule 7=10530 aromatic hydrocarbons, zero-field splitting of triplet states 7=8281 aromatic polyat.cpds., transition freq. and combining states 7=4100
            aza-aromatics, spin-orbit coupling 7=6702
           benzene, geometry of lowest triplet state 7=15405
benzene, quantum yields of triplet states 7=10532
            benzene, separated-electron-pair model 7=900 carbonyls, spin-orbit coupling 7=6702
            cyanine dyes, radiationless transitions 7=15407
            diazines, radiationless paths 7=10850
            disubstituted benzene anions, spin densities 7=901 effect of intermolec interactions 7=1151
            ethylene, electron-impact spectrum 7=13763 ethylene, search for olefin mystery band 7=2351
            fluorenone, lower-lying excited states 7=904
formaldehyde, MO calc. 7=897
formaldehyde, mag. shielding at C and O nuclei 7=905
            formaldehyde, one-electron props. 7=906
formaldehyde, one-electron props. calc. 7=4108
hydrogen phthalocyanine, LCAO MO calc. 7=6720
            ion-radicals, comparison of VB and MO calc. 7=13754
naphthalene, magnetophotoselection and triplet-triplet
transfer 7=2209
            oxalate aqueous ion potential field and force consts.
            paracyclophane anion, transannular interactions 7=6717
paracyclophanes, triplet states, transannular
interactions 7=902
phenanthrene in mixed crysts. 7=2354
phosphorescent state multiplicity 7=868
             CH2. singlet states 7=4105
             \mathrm{CH_3^+}, one-centre-expansion SCF calc. 7=13726 \mathrm{C^{13}\text{-}H} coupling consts., variation 7=4104
            Fe(III) complexes, <sup>6</sup>A<sub>1</sub>-<sup>2</sup>T<sub>2</sub> crossover, mag. moment, theory of temp. depend. 7=10493
Fe(dimethyl glyoxime)<sub>2</sub>byridine derivative complexes, Mössbauer obs. 7=16964
VO acetylacetonate, coord. to 6th position 7=6725
X<sub>2</sub>CO, semiempirical MO calc. 7=897
              Yb(III) cyclopentadienides, at liq. He temp. 7=11825
       excitation
             activated mols., high-press. unimolec rate
                   const. 7=8524
             anthracenes, substituted, sandwich dimers, excimer fluoresc. 7=8451
             benzene and six derivatives by electrons, temporary
                   negative ion resonances obs. 7=6823
             benzene, vertical excitation energy 7=6703
              \Delta S = \pm 1 mag. quadrupole radiative transitions 7=10421
             AS = 11 mag, quadrupole radiative transitions 1-10-21
2,5-diaryloxazoles in toluene, excimer form between
mols. in liq. scintillators 7-17275
dimers, energy levels, force consts. effects 7-10460
effects of energies on nuclear spin coupling consts. 7-917
emission in a resonant medium 7-13709
              furfurol rotational spectra in excited vibr. states 7=6711 in gas, dipole-dipole interaction effects 7=10736
              halogenated benzenes, triplet state excimers 7=8507
              level-crossing spectra, theory 7=6602
and light beam self-focusing 7=16269
maser, emission nonuniformity effect on freq. calc. 7=5873
              monochromator, semi-automatic, for meas. phthalocyanines, fluorescence and absorpt. saturation 7=17277
                                                                                                         7=12710
              polar molecules, electron momentum transfer from
drift velocities 7=10746
in quantized e. m. field, multiphoton transitions, diag-
perturb. theory 7=4053
               in radiative diffusion in resonance medium of two-level
                     molecules 7=9145
              resonance transformation of light by mols. with overlapping excitation levels 7=10458 resonant states 7=806
```

excitation—contd Schumann-Runge excitation by protons 7=6623 selective, rel. to laser action on vib-rot, transi-tions 7=13712 spin-spin interaction, excitation energy 7=919 vibrational, on collision 7=10557 vibrational, on collision with atom 7=6750 vibrational, on collision with atom " $\tau=0750$  vibrational, by electrons, cross-section T=860 C<sub>2</sub> vibrational relaxation in  $d^2\pi_e$  state obs. T=6643 CO, by active N<sub>2</sub>, vibr. luminesc. T=13728 CO,  $B^2\Xi^{-2}\Sigma$ ,  $A^2\pi^{-2}\Sigma$  and  $B^2\Sigma^{-2}A^2\pi^{-6}$  obs. T=4072 CO<sub>2</sub>, by active N<sub>2</sub>, vibr. luminesc. T=13728 Cl<sub>2</sub>, by radiative recomb. of atoms in shock waves T=16975 D<sub>2</sub>, 0-2 rotational, by H impact T=16948H<sub>2</sub>, 0-2 rotational, by H, He and H<sub>2</sub> impact 7=16948 H<sub>2</sub>, resonances in inelastic electron scatt. 7=881 H2, vibrational, and dissociative attachment, due to e impact 7=4167 in He, He-Ar, He-Ne luminescence prod. by  $\alpha$  7=4085 Hg-photosensitized complex mols., fluoresc. 7=888 Hg\* + CO, electronic-to-vibr. energy transfer 7=10503 Hg\* + NO, electronic-to-vibr. energy transfer 7=10504  $N_2$ , by electron collision, cross-sections 7=6675 N<sub>2</sub> metastable states quenching by atmospheric particles 7=10437  $N_2$ , shock-heated, vac. u.v. absorpt. 7=16953  $N_2$ O, by active  $N_2$ , vibr. luminesc. 7=13728  $O_2$ , energetic metastable state 7=16957  $O_2$  metastable states quenching by atmospheric particles 7=10437 OH-, paraelectric resonance transitions in KCl, microwave saturation 7=11548 SO (1 $\Delta$ ) formation mechanism 7=6699 intermolecular mechanics See also Association; Collision processes; Kinetic theory/gases; Liquids/structure; Liquids/theory; Solids/theory. air molecules, spectral line broadening calc. 7=13746 aromatic hydrocarbons, nonbonded potential parameters calc. from cryst. 7=7171 benzene, intermolec. forces 7=10737 benzene, Raman band intensities rel. to interaction 7=4360 bimolecular reactions in liquids, many-particle theory 7=15415 butyl phthalate, nuclear spin-lattice relax. obs. 7=11715 collision of atom with diatomic mol., quantum mech. 7=6743 correlation between exchanging electrons 7=10370 correlation between exchanging electrons 7=10370 diatomic, vibr. relaxation in inert gas, kinetic theory 7=13781 dimers, energy levels, force consts. effects 7=10460 dipole-dipole interactions, and n. m. r. relax. 7=4119 dispersion energies between asymmetric mols. 7=4129 dispersion energies of dipole-quadrupole interactions between asymm. mols. 7=4130 energy transfer from excited triplet level 7=8511 energy transfer, nonstatistical 7=6749 enhancement of forbidden electronic transitions 7=10477 in excited gas, dipole-dipole interaction effects 7=10736 Fokker-Planck collision operator, spherical harmonics 7=17037 forces between globular mols. 7=10737 forces, rel. to width of microwave spectral lines 7=16928 gases, dilute polar, transport props. from potential energy function 7=17214 hard disks, press., collision rate, and number depend. 7=9119 inert gases, interaction potentials 7=16981 interaction forces, from elastic scatt. of beams in gas 7=16922 interactions in compressed gases 7=17192 intermolecular potential, from differential-cross-section data 7=10555 liquids, ther modynamic props., statistical treatment 7=17263 London dispersion interactions, effect of intra-atomic correl. 7=6754 long-range intermolec.forces, effect of intra-atomic correl. 7=933 methyl alcohol, mol. rotational mobility in soln. with univalent ions 7=14039 methyl chloride, intermol. forces 7=10737 Morse potential, relation with Pitzer's acentric factor 7=10691 non-dispersive interactions, retardation 7=4128 nonreactive encounters, theory  $7{=}10554$  and nonresonant absorption, quantum derivation  $7{=}853$ organic two-component solns., effect on electronic transitions 7=1151 oscillators, mutual synchronization 7=9300 polar mol.in nonpolar solvent, intermolec. potential 7=7030 polar mols., second-order interactions 7=6744 potential, intermolecular 7=932 potential parameters determ. from transport coeffs. 7=10559

```
Molecules-contd
Molecules-contd
                                                                                                                                           moments contd
     intermolecular mechanics-contd
                                                                                                                                                C-H bond, quadrupole and octupole, from barrier to
        quasi-spherical molecules, X(CH<sub>3</sub>)<sub>n</sub>Cl<sub>4-8</sub>
(X = C or Si) 7-13994
and Raman spectra 7=935
relativistic interaction energies between atoms in
                                                                                                                                               internal rotation 7=6631
CO, dipole 7=6650
                                                                                                                                               CO, rot. mag. and elec. dipole, signs 7=4070 C<sup>12</sup>O<sup>16</sup>, rotational, sign and magnitude 7=16944
              degenerate states 7=6589
                                                                                                                                                C1O, dipole, determ. by electron reson. spectrum 7=4076
        resonant transfer of vibr. energy 7=10556
rotational relax., homonuclear diatomic mols. 7=10463
scattering from anisotropic potentials 7=10558
                                                                                                                                               DNCO, dipole 7=10513
                                                                                                                                                F<sub>3</sub>PBH<sub>3</sub>, dipole 7=10518
                                                                                                                                                Fe(III) complexes, ^6A_1-^2T_2 crossover, mag. moment, theory of temp. depend. 7=10493
         scattering, potential, involving rainbow, uniform
              approx. 7=3322
                                                                                                                                               H<sub>2</sub>, polarizability 7=16946
HBr, quadrupole 7=10500
HCl, quadrupole 7=10500
HN<sub>3</sub>, dipole 7=10513
HNCO, dipole 7=10513
         and spectra, electronic, in soln. 7=1150 spherical shell and Kihara models, comparison 7=16980
         spin-spin interaction for very large atomic
              separations 7=6746
         three-dimens. Morse-potential calc. of vibr. energy
                                                                                                                                               H<sub>2</sub>O, elec. dipole 7=6669
NO, dipole 7=6682
              transfer 7=6745
         translational-vibrational energy transfer 7=6750
                                                                                                                                                OCF<sub>2</sub>, magnetic 7=921
         two-level mol. in dielec. medium, photon density
                                                                                                                                                Rb85F19, meas. of elect. and mag. props. with mol. beam
              oscs. 7=6753
                                                                                                                                                reson. app. 7=13752
SnH<sub>4</sub>, dipole derivs. 7=13751
         two-photon transitions in two-molecule systems, rel. to radiation damping of degenerate states 7=10561
         vibrational excitation on collision 7=10557
                                                                                                                                           nuclear coupling
                                                                                                                                                AB systems, relaxation linewidth variation 7=16967 acetyl iodide, quadrupole coupling const. 7=4102
         vibrational relax. of excited diatomic mols. 7=6618
weak interaction of many-electron systems and optical
activity 7=934
                                                                                                                                               B-F spin-spin coupling in tetrafluoroborate anion 7=1174 carbamyl fluoride, quadrupole coupling consts. 7=6705 \alpha-chloroacrylonitrile, sign of proton coupling 7=6731 ethyl phosphonum ions, nuclear spin coupling 7=6734
         Co<sub>2</sub>-He mixtures, vibrational relaxation, acoustic det. 7=16943
         D<sub>2</sub> and H<sub>2</sub>, vibr. relax. 7=6748
D<sub>2</sub>, He system, translation-rotation energy transfer 7=10560
                                                                                                                                                formaldehyde, C13 spin-rot.interaction 7=905
                                                                                                                                               geminal H-H coupling, sign determ. 7=1178
ketene, D nuclear quadrupole interactions 7=4111
methyl phosphonum ions, nuclear spin coupling 7=6734
n. m.r., subspectral analysis, limitations of
generalization 7=6726
         H2, He system, translation-rotation energy transfer 7=10560
         H<sub>2</sub>-He, potential model in thermal diffusion 7=16982
He, intermolec. potential 7=6752
         He<sup>4</sup>, Lennard-Jones (6-9) potential, third virial coeff. 7=13783
He-He repulsion, one-centre calc. 7=10450
                                                                                                                                               pentafluoro-iodobenzene, spin-coupling assignment 7=10547 pyridine, proton-proton coupling 7=10549
         Hg* + CO, electronic-to-vibr. energy transfer 7=10503
Hg* + NO, electronic-to-vibr. energy transfer 7=10504
                                                                                                                                                quadrupole, lambda-doubling effect 7=918
                                                                                                                                                shielding consts. in simple systems 7=13773 spin coupling consts., effects of excitation energies 7=917
         N_2, active, collisional excitation of luminesc. in gases 7{=}13728
         Ne, intermolec, pair potentials, WKB approx. 7=16984 Ne, intermolec, pair potentials, WKB approx. 7=1690 O_2-N_2 and O_2, 0.6-4 keV, short range forces 7=16984
                                                                                                                                                spin-spin coupling consts., perturbation-variation
                                                                                                                                               calc. 7=13718 spin-spin coupling, valence-bond theory 7=10473 spin-spin coupling, valence-bond theory 7=919 spin-spin, simple formula for consts. 7=6727
     internal mechanics
          axially symmetric mols., Ao calc. 7=6611
                                                                                                                                               spiropentyl chloride, quadrupole coupling consts. 7=911 strong, dynamical theory of Jahn-Teller effect 7=4058 C<sup>13</sup>-H coupling consts. 7=13777 C<sup>15</sup>-H coupling consts., variation 7=4104
         Born-Oppenheimer approx. and i.r. intensities calc. 7=6601
         DNA-type, helix-coil transition 7=10562
         diatomic, spin orbit coupling constants 7=16934
                                                                                                                                                C<sup>13</sup>-Si<sup>29</sup> spin-spin coupling const. 7=920
         furfurol torsional potential 7=6711 internuclear potential function, empirical, analysis 7=857
                                                                                                                                                H-F, solvent effects 7=14130
         kinematic coeffs. and Coriolis consts. of ring mols. 7=6613
                                                                                                                                                InCl, quadrupole coupling consts. 7=4087
                                                                                                                                                Li7 quadrupole coupling in alkyllithium cpds. 7=5221
                                                                                                                                                ND<sub>3</sub>, D quadrupole coupling consts. 7=2240
ND<sub>3</sub>, D quadrupole coupling const. 7=8325
OCF<sub>2</sub>, F<sup>19</sup> spin-rot. and spin-spin interactions 7=921
Rb<sup>85</sup>F<sup>19</sup>, molec. beam determ. 7=6695
          methyl bromide, Ao calc. 7=6612
          non-rigid mols., classification of states 7=864
         polyethylene,freq. distrib., neutron scatt.
determ. 7=7479
Stark-Zeeman lines, quantum theory 7=856
                                                                                                                                                X<sub>2</sub>CO, spin-orbit coupling, MO calc. 7=897
                                                                                                                                           relaxation
         unimolecular reaction theory, limited intramolecular
energy exchange 7=16969-70
unimolecular reactions, intramolecular energy
                                                                                                                                                     See also Acoustic wave propagation; Dielectric
                                                                                                                                                     phenomena; Liquids/theory, nuclear magnetic resonance and relaxation; Paramagnetic resonance
               flow 7=6735
          C-H bond, barrier to internal rotation, rel. to quadrupole
                                                                                                                                                     and relaxation
                                                                                                                                                alcohols, liquid, spectroscopic study, 20° to -196°C 7=14102
         and octupole moments 7=6631
Cn, in inert-gas matrices 7=2277
                                                                                                                                                diatomic, vibr. relaxation in inert gas, kinetic
theory 7=13781
haloethanes 7=7100
         H<sub>2</sub>O<sub>2</sub> torsion-rotation spectrum group theory analysis 7=6671
                                                                                                                                                isomeric relax., molec. relax. parameters 7=11925
          He2 * excited states, potential curves 7=887
          KrF<sub>2</sub>, Bastiasen-Morino shrinkage effect calc. 7=10507
XY<sub>4</sub> with D<sub>4h</sub> symmetry, force consts. of general valence force field, calc. 7=16933
                                                                                                                                                liquids rel.to absorption and fluoresc. spectra \, 7=14102 methane, vibrational \, 7=10481
                                                                                                                                                n.m.r. linewidth variation in AB systems 7=16967 organic, in LiCl ionic solution, orientation 7=14040 polymers, theory 7=6760 rotational, direct meas. 7=262
     moments
         anisotropic polarization calc.from double refraction of cryst. 7=865 carbamyl fluoride, dipole 7=6705
                                                                                                                                                rotational, homonuclear diatomic mols. 7=10463
        caroamy: mornoe, dipole 7=6705

1-1-difluoropropene, dipole 7=13764
dihaloboranes, polarizabilities calc. 7=10537
dioxaborolane, dipole 7=4116
dipole, from Stark effect using microwave spectroscopy 7=16938
ethane, quadrupole 7=6709
haloethanes 7=7100
                                                                                                                                                spin-rotational interaction in anisotropic mols. 7=16968 vibrational, diatomic mols. in excited state 7=6618 vibrational, of gas of harmonic oscillators 7=17195
                                                                                                                                                vibrational, meas. by spectrophone 7=10481
                                                                                                                                                C_2, vibrational, in excited d^3\pi_g state obs. CO, vibrational of fluorescence 7=6649 CO2, vibrational 7=10481
                                                                                                                                                CO<sub>2</sub>, vibrational, in mixtures with He 7=16943
COS, vibrational 7=10481
D<sub>2</sub> and H<sub>3</sub>, vibr. relax. 7=6748
HCN, vibrational 7=10481
H<sub>2</sub> and D<sub>2</sub>, shock-heated, vibr. relax. and density change 7=6751
          multipole, review and new theorem 7=4064
         off-centre dipole model for polar gases 7=10732 pivaladehyde, dipole 7=6721
         polar liquids, alignment in elec. field 7=1172
polymers, stereoregular chain, dipole, mean-square 7=10566
poly(trimethylene oxide), dipole 7=10568
                                                                                                                                                NH<sub>3</sub>, vibrational 7=10481
         pyridinium-N-phenol betain, dipole, of π-electron 7=6722 quadrupole, determ. from viscosifies and 2nd virial coeffs. 7=10753
                                                                                                                                                N2O, vibrational 7=10481
                                                                                                                                                O<sub>2</sub>, shock wave, vibrational, zone structure 7=4286 SF<sub>6</sub> vibrations, u. s. obs., -100° to 150°C 7=12447 SO<sub>2</sub>, vibrational 7=13985
         quadrupole, effects on transport props. of
gases 7=10752
transition moment, depend. on field strength in soln. 7=866
```

SO<sub>2</sub>-Ar mixtures, vibrational 7=13985

```
Molecules—contd
  rotation
```

acetyl iodide, barrier height 7=4102

acridine yellow, Brownian, and fluoresc. depolarization in soln. 7=10849

acriflavine, Brownian, and fluoresc. depolarization in soln. 7=10849

alkali metal hydrides, trends 7=6655

anilines, substituted, rel. to dielectric loss at 7=15027

asymmetric rigid, angular momentum components fourth-order power products 7=6617 barrier heights determ. from electron diffr. 7=6608

benzene derivatives, disubstituted, reorientation rate meas. 7=13758

butyl phthalate, internal, nuclear spin-lattice relax.

obs. 7=11715 carbamyl fluoride 7=6705

carbany, intorder 1=0.03

chloroform, interaction with thiophene and triethylamine,
effect on reorientation rate 7=14034

constants determ. from unresolved band spectra 7=13749

Coriolis coeffs. limiting values 7=16932

deuteromethanes, restricted rot. in solid 7=10928

diatomic, computer analysis 7=10462

diatomic mol. determ. of predissoc. from rot. 7=6609

 $\alpha\text{-}\alpha\text{-}\text{dibromo-p-nitrotoluene, rel.}$  to dielec. relax.,  $\sim\!3\text{cm},\,20^\circ\text{C}$   $7\!=\!14117$ 

2,4-dichloraniline, rel. to dielec. relax., ~ 3cm, 20°C 7=14117

~ 3cm, 20°C 7=14117
2,4-dichlorotoluene, rel. to dielec. relax.,
~3cm, 20°C 7=14117
1,1-difluoropropene, barrier of methyl group 7=13764
dimethyl sulphide spectrum centrifugal
expansion 7=6715
dimethyl sulphoxide spectrum centrifugal

expansion 7=6715

effect of rot. levels on neutron scatt. 7=10480

ethane 7=4107 ethane, barrier 7=903

ethane, internal barrier, Hellman-Feynman calc. 7=6708

formaldehyde, rotation-vibration spectra 7=4109 furfurol rotational spectra in excited vibr. states 7=6711

hindered rot. in liq., effect on dielec. relax. 7=14116 hindered rot. in mols. with double bonds, semiempirical calc. 7=862

internal rot. splittings, microwave, calc. program 7=10461 interpretation of i.r. and Raman spectra 7=858-9

 $J_{\rm max}$  determ, for diatomic mols. 7=10465 linear, rot. g-value, determ of sign 7=4059 methyl alcohol in solution with univalent ions, mobility 7=14039 methyl iodide, trideuterated, vibr.-rot. band  $\nu_1 + \nu_4$  7=6712

methyl thiocyanate, torsion barrier 7=13766 nitroethylene, barrier 7=13767 nitrosobenzene, barrier 7=6716

normal paraffins, high-temp. form 7=14399 organic molecules in LiCl ionic field, orientational relax. 7=14040

pivalaldehyde, internal barrier 7=6721

propylene, potential function 7=10542

quadrupole hyperfine interaction energies in rotational spectra 7=10464

relaxation, homonuclear diatomic mols. 7=10463 spin-rotational interaction in anisotropic mols. 7=16968 AsO spectrum  $C^2\Delta \rightarrow X^2\pi$  system bands obs. 7=13722 BF<sub>3</sub> 7=6641

BiS, absorption bands, rotational analysis 7=13727

BiSe, absorption bands, rotational analysis 7=13727 C<sub>2</sub>, in oxyacetylene flames 7=875 C-H bond, barrier to internal rotation, rel to quadrupole and octupole moments 7=6631

CuI 7=4077-8
Cu<sup>63</sup>I<sup>127</sup> spectrum E-X bands consts. 7=16945
D<sub>2</sub>, effect on mag. and elec. props. 7=4083
D<sub>2</sub>, 0-2 rotational excitation by H impact 7=16948

 $D_2$ 0, hindering potential 7-878  $F_3$ PBH<sub>3</sub>, internal barrier 7=10518 GeH, GeD<sup>2</sup> $\Delta$ -2 $\Pi$  band system analysis 7-4080 GeH <sup>4</sup> $\Sigma$  state obs. 7-4079

 $\rm H_2,$  effect on mag. and elec. props. 7=4083  $\rm H_2,$  0-2 rotational excitation by H, He and  $\rm H_2$  impact 7=16948

impact 7=16948  $H_2$  spectrum rotation-vibr. bands lines calc. 7=4082 HCl,  $\nu_0 \rightarrow 2$ , 3 bands obs. 7=10501 HCl, vib. rot. spectrum 7=882  $HCl_2^{35}$ , centrigufal stretching const., nuclear mass

effects 7=883

HD, effect on mag. and elec. props. 7=4083 HF, determ. of predissoc. from rot. 7=6609

(H<sub>2</sub>, He) and (D<sub>2</sub>, He) systems, translation-rotation energy transfer 7=10560

 $\rm H_2O$  adsorbed on edingtonite, n. m. r. obs. 7=10975  $\rm H_2O$  , mm transitions 7=6669

Molecules-contd

H2O2, retardation pot., torsional vibrs., thermodyn.

 $H_2O_2$ , retardation pot., torsional vibrs., thermodyn. junctions  $^{7}$ =16951 ( $H_2O_2$ ) spectrum calc.  $^{7}$ =16950  $H_2O_2$  torsion-rotation spectrum group theory analysis  $^{7}$ =6671 InCl, rot. -vibr. consts.  $^{7}$ =4087 InH,  $a^3I_1$ ,  $(0^*) \rightarrow X^1\Sigma^*(0^*)$  transition, rel. to mixing with the  $a^3I_1$ ,  $(1^*)$  state  $^{7}$ =4088  $K^{39}H$  and  $K^{39}D$   $^{7}$ =6673  $(M_{e_3}SinSiMe_2)_2$ , molec. motion in cryst.  $^{7}$ =2242  $MoF_6$  in liquid state, spin-rotation interaction, n. m. r. obs.  $^{7}$ =14129  $InCl^{7}$ =13741

n. m. r. obs. 7=14129 ND,  $4^{1}\Sigma^{+}$ -c4 $\Pi$  system,  $\Delta\nu$ =0 sequence 7=13741 NF,  $a^{1}\Delta^{-}$ X3 $\Sigma^{-}$  O-O band obs. 7=10512 NF<sub>3</sub>, solid 7=5208 NH,  $d^{1}\Sigma^{+}$ -c4 $\Pi$  system,  $\Delta\nu$ =0 sequence 7=13741 NH, rot. distortion of  ${}^{3}\Pi$  states 7=4095 OCF<sub>2</sub>, spin-rot. interactions 7=921 PH<sub>2</sub>, analysis of O-O band of  ${}^{2}\Delta_{1}$ - ${}^{2}B_{1}$  transition 7=6691 PH spectrum 000-020 hand analysis 7=13748

PH<sub>2</sub> spectrum 000-020 band analysis 7=13748 PO,  $\beta$ -system consts. calc. 7=13749 PO, study of C'- $^{2}\Pi_{a}$  system 7=6692

SH and SD 7=4098

SO2, isotopic, spectra obs. 7=4099

UF<sub>8</sub> in liquid state, spin-rotation interaction, n. m.r. obs. 7=14129

obs. 7=14129 wF<sub>6</sub> in liquid state, spin-rotation interaction, n. m. r. obs. 7=14129

vibration

acetylacetone, enol forms 7=4101

acridine yellow, torsional, and fluoresc. depolarization in soln. 7 = 10849

acriflavine, torsional, and fluoresc. depolarization in soln. 7=10849 alkali metal hydrides, trends 7=6655

anharmonic vibr.-rot. expectation values 7=861 anharmonicity, effect of hydrogen bonding 7=4081 anharmonicity successive approx. calc. 7=4060

benzene, force constants calc. by matrix invariance principle 7-899

benzene, vibronic coupling 7=13757 bromocyclobutane, fundamentals 7=6706 chlorocyclobutane, fundamentals 7=6706 coherently driven, far i.r.laser prod. 7= constraints and redundancies 7=6610

Coriolis coeffs. limiting values 7=16932

cyclanes, rel. to boiling and melting points 7=14152 cyclohexanethiol 7=13760 degeneracy elimination by e.s. field of cation in i.r. spectra 7=6616 degrees of freedom excitation in molecular collisions 7=4131 diacetylene 7=10527

diacetylene (=1002) diacetylene (2° modes calc. 7=10528 diatomic, relaxation in inert gas, kinetic theory 7=13781 diazomethane, and shrinkage constants at 300°K 7=13761 difference-band systems, temp. depend. of total

intensity 7=6653

dihaloboranes, mean ampl. calc. 7=10537

dimers, energy levels, force consts. effects 7=10460 dimethylacetylene 7=10527

2,4-dimethyl-3-thiapentane 7=13760 dioxaborolane, ring-bending 7=4116

dissociation coupling, transient phenomena "diffusion theory" 7=4121

electronic oscillator strength rel. to wavelength, diatomic 7=13719 energy transfer, Morse-potential calc. 7=6745

ethyldichlorosilane, normal freqs. 7=16963 ethylene, fluorine-substituted, force consts. 7=6710

excitation, on collision 7=10557
excitation on collision with atom 7=6750
excitation by electrons, cross-section 7=860
force consts., machine computation 7=13714
formaldehyde, rotation-vibration spectra 7=4109

Franck-Condon factors from photoelectron spectra 7=13829

Franck-Condon factors and radiationless transitions 7=10476 furfurol rotational spectra in excited vibr. states 7=6711 generalized mean square amplitudes and Coriolis consts calc. for XY<sub>3</sub> type pyramids at 300°K 7=10467 germylacetylene 7=10536

halides, amplitudes and Coriolis consts.calc.for XY, type pyramids 7=10467

hexafluoroacetylacetone, enol forms 7=4101 intensities, error treatment 7=4115

internal displacement coordinates redundancy condition computer calc. 7=13713

Jahn-Teller effect in strong coupling, dynamical theory. 7=4058 ketene, and shrinkage constants at 300°K 7=13761

Molecules-contd

vibration-contd

```
Molecules-contd
        vibration-contd
                linear chain model, aperiodic systems, coarse-grained
                quantities 7=11101
melamine 7=907
                 metal-metal oxide-metal tunnelling junctions, spectra
                metal-metal oxide-metal tunnelling junctions, spect in barrier 7=5019 methane, relax. times 7=10481 methyl halides, intensities 7=4115 methyl iodide, trideuterated, vibr.-rot. band \nu_1 + \nu_4 = 7=6712 methylcyclopentadienyl ring 7=4113 mitrobenzene, calc. 7=910 nitroethylene 7=13767 nitrogen heterocyclics, vibronic interaction 7=8513 nitrosobenzene 7=6716 in organic crystals, struct, of crystal effects on
                  in organic crystals, struct.of crystal effects on
spectrum 7=18198
                  overlap integral of wavefunctions of harmonic oscillators 7=5932
                 oxalate aqueous ion potential field and force consts. calc. 7=10801
oxide ions, amplitudes and Coriolis consts. calc. for XY<sub>3</sub>
type pyramids 7=10467
                  pentaerythritol tetrahalides 7=13768
phenanthrene-d<sub>10</sub>, assignment 7=10543
phenol, in-plane vibr. 7=6718
                 polyatomic, intensity distribs, in electronic spectra 7=6614 polyatomic XY<sub>2</sub> and Z<sub>4</sub>, nonlinear coordinate transformations 7=6615
                   polyoxymethylene, crystalline, thermal twisting motion
                           obs. 7=4607
                 polyoxymethylene, low-energy modes, by neutron scatt. 7=943
pyramidal XY<sub>3</sub> mols., force consts. calc. 7=10538
pyramidal ZXY<sub>2</sub> mols., force consts. calc. 7=10539
quadratice force consts. calc., multiple solns. 7=9018
                   Raman scatt., semiclassical and quantum-mech.
theories 7=4055
relaxation of gas of harmonic oscillators 7=17195
                  relaxation times meas by spectrophone 7=10481
resonant transfer of vibr. energy in collisions 7=10556
symmetric tops, Coriolis interactions about
X-Y axes 7=10466
                  symmetric tops, P-R separations and Coriolis consts. 7=6686
                   10 linear symmetrical triatomic ions 7=6607
                  tetrahalogens cpds., square-planar, mean amplitudes 7=6635
                  amplitudes 7=6535
thermally pumped, poss. of maser action 7=12592
torsional, determ. from electron diffr. 7=6608
trapped in molecular cages, localised vibrations
obs. 7=4614
                  unimolecular reaction theory, limited intramolecular
energy exchange 7=16969-70
                   vibronic coupling, trimers and trigonal mols. 7=13757
vibronic effect on amplitudes of internuclear
distances 7=6605
                   vibronic interaction, config. interaction appl. 7=13715
                  vib-rot, transitions, laser action after selective excitation 7=13712
                  vinylene carbonate 7=13771
14 XY<sub>3</sub> ions and molecules of planar trigonal
symmetry, 298°, 500°K calc. 7=10468
                 XY<sub>3</sub> isoelectronic sequences of pyramidal symmetry, 14 ions and molecules analysed 7=13711
XY<sub>4</sub> pyramidal model, mean amplitudes 7=6606
Ag(CN)<sub>2</sub>, mean amplitude 7=6672
AsBr<sub>3</sub>, force consts. calc. 7=10538
                AsBr<sub>3</sub>, force consts. calc. 7=10538
As(CH<sub>2</sub>)<sub>3</sub>, force consts. calc. 7=10538
AsCl<sub>3</sub>, force consts. calc. 7=10538
AsF<sub>3</sub>, force consts. 7=6686
Au(CN)<sub>2</sub>, mean amplitude 7=6672
B trihalides, in-plane freqs. and force consts. 7=10482
B<sup>11</sup>Br<sub>2</sub>H generalized mean amplitudes and Coriolis const. approx. at 300°K 7=10484
B<sup>11</sup>Cl<sub>2</sub>H generalized mean amplitudes and Coriolis consts. approx. at 300°K 7=10484
                 consts. approx. at 300 K. 7=10404
B<sub>2</sub>D<sub>2</sub>, boron skeleton, mean amplitudes calc. 7=6606
B<sub>3</sub>H<sub>2</sub>, boron skeleton, mean amplitudes calc. 7=6606
B<sub>3</sub>O<sub>3</sub>ClF<sub>2</sub> 7=15312
C = N vibr. freq. shifts, source of 7=16942
C<sub>2</sub> relaxation in excited d^3\pi_e state obs. 7=6643
C<sub>2</sub>; Swan band, shape and breadth of lines 7=6645
(C) A 25 (N=C) Rp force consts and 7=10500
                C<sub>2</sub>, swan band, snape and breadth of lines 7=6645 (CH<sub>3</sub>)<sub>2</sub>AsX, (X = Cl, Br), force consts. calc. 7=10539 CH<sub>3</sub>AsX<sub>2</sub>, (X = Cl, Br), force consts. calc. 7=10539 CO<sub>2</sub>, overtone intensities 7=876 CO<sub>2</sub>, difference bands, intensity 7=6653 CO<sub>2</sub>, laser transition probabilities calc. 7=280 CO<sub>2</sub>, relax. times 7=10481
                 {\rm CO_2}, relaxation in mixtures with He 7=16943 {\rm C_3O_2}, condensed phases 7=2280
```

COS, relax. times 7=10481

```
CdCl spectrum, B^2\Sigma - X^2\Sigma emission bands obs. 7=10492
           ClF<sub>3</sub> generalized mean amplitudes and Coriolis
const. approx. at 300°K 7=10484
          CINF<sub>2</sub> 7=4075
Cr(III) acetylacetonate 7=16961
CsH, numbering of A'\Sigma state 7=6655
          D<sub>2</sub>, effect on mag. and elec. props. D<sub>2</sub>*, energy of vib. levels 7=6657 D<sub>2</sub> and H<sub>2</sub>, vibr. relax. 7=6748
          D<sub>2</sub>, series solns and rotationless states 7=10497 D<sub>2</sub>O, anharmonicity successive approx. calc. 7=4060 D<sub>2</sub>S, \nu_1 and \nu_2 fundamentals 7=879 H<sub>2</sub>, effect on mag. and elec. props. 7=4083
           H<sub>2</sub> spectrum rotation-vibr. bands lines calc. 7=4082
           H<sub>2</sub>, excited vibr. states, theory 7=6666
          L_0, series solns, and rotationless states 7=10497 HCN, relax times 7=10481 HCl, \nu_0 \rightarrow 2, 3 bands obs. 7=10501 HCl, vib. rot. spectrum 7=882
           HD effect on mag. and elec. props. 7=4083
           HD+, series solns, and rotationless states 7=10497 HF in inert-gas lattices, vibr.-rot. 7=5260
           {\rm HN_3} and {\rm DN_3}, Coriolis-coupled bending 7=13733 HNF free radical 7=11958 {\rm H_2O}^* 7=17028
           \rm H_2^{\circ}O, anharmonicity successive approx. calc. 7=4060 \rm H_2^{\circ}O, in crystals 7=4444
          H<sub>2</sub>O, in crystals 7=4444

H<sub>2</sub>O, liq., fundamental stretching 7=14035

H<sub>2</sub>O<sub>2</sub>, retardation pot., torsional vibrs., thermodyn.

junctions 7=16951

Hg(CN)<sub>2</sub>, mean amplitude 7=6672

Hg* + CO, electronic-to-vibr. energy transfer 7=10503

Hg* + NO, electronic-to-vibr. energy transfer 7=10504
           HgF bands in 2230-2100Å region 7=13735 K<sup>39</sup>H and K<sup>39</sup>D 7=6673
           KrF<sub>2</sub> mean amplitudes calc. 7=10507

LiO<sub>2</sub> 7=6674

Li<sub>2</sub>O 7=6674

Li<sub>2</sub>O<sub>2</sub> 7=6674
           Mn(III) acetylacetonate 7=16961
N<sub>2</sub>, shock-heated, vac. u.v. absorpt. 7=16953
NF<sub>3</sub>, force consts. 7=6686
           Nr<sub>3</sub>, 10rce consts. 1=0000
cis N<sub>2</sub>F<sub>2</sub> 7=13740
NH, stretching vibrations, effect of strong hydrogen
bonding 7=4081
NH<sub>3</sub>* 7=17028
           NH<sub>3</sub>, inversion, potential function 7=6685
           NH3, relax. times 7=10481
           NO, from near i.r. spectrum 7=6681
           NO, overtone intensities 7=876
            NO, vibrational-rotational transitions, laser
                  action 7=3149
            N<sub>2</sub>O, relax. times 7=10481
           N_20, relax. times '7=10481

(NPBr<sub>2</sub>)<sub>3</sub> and (NPBr<sub>2</sub>)<sub>4</sub> 7=13743

(NPCl<sub>2</sub>)<sub>4</sub> 7=13743

Ni(CO)<sub>4</sub>, 1.f. fundamentals 7=16955

O<sub>2</sub> Herzberg I system, \nu''=0,1,2 bands calc. 7=13745

O<sub>2</sub>, shock wave relaxation zone struct. 7=4286

O<sub>2</sub> 'first negative system, rel. to transition probabilities 7=893
           OH stretching vibrations, effect of strong hydrogen bonding 7=4081
PF<sub>3</sub>, force consts. 7=6686
PO, study of C'-2Π, system 7=6692
RbH, numbering of A<sup>1</sup>Σ state 7=6694
SE relaxation u.s. obs. -100° to 150°C. 7=12447
           SF<sub>6</sub> relaxation u. s. obs., -100° to 150°C 7=12447
            SH and SD 7=4098
            SO2, relaxation 7=13985
           SO_4 ion, mean amplitudes calc. 0°-300°K 7=6698 S_2O_3 ion, mean amplitudes calc. 0°-300°K 7=6698
           \rm S_2O_4ion, mean amplitudes calc. 0°-300°K 7=6698 \rm S_2O_6ion, mean amplitudes calc. 0°-300°K 7=6698
            SO2-Ar mixtures, relaxation 7=13985
            SnH<sub>4</sub> and SnD<sub>4</sub> 7=13751
VCl<sub>4</sub>, vibronic interactions 7=6701
            ZrO, C→X band system, Franck-Condon factors and r centroids 7=13753
Molecules, mesic and muonic
            muonic, levels shift rel to nuclear scatt lengths 7=6287
Mollier diagrams. See Thermodynamic properties.
Molybdenum
           adsorption of CO, electron probe mass spectra \, 7=1286 diffusion in Fe and FeMo alloy \, 7=4671
            dislocation mechanism in single cryst., up to
                  620°K 7=14597
            easy glide in crystals 7=14601
            elastic consts. of third order, u. s. velo. under stress
                  obs. 7=11298
```

electrical breakdown of wire, m.h.d.instabilities

for evaporation of compounds, in heated honeycombed block

energy losses, temp. dependence 7=1819

obs. 7=965

in vacuo 7=4418

Molybdenum-contd films, adsorption of Kr and Xe 7=17407 films f.c.c. -b.c.c. transformation as thickness increases in growth obs. 7=7285 flow and fracture, effect of low pressures 7=14746 flow stress, temp. and strain rate depend. 7=17722 for glass sealing, chromizing 7=4307 grain boundary relax, and interstitial impurity rel. to brittleness obs. 7=4791 irradiated with 2.5 MeV electrons, resistivity meas. 7=11156 magnetic susceptibility and electronic specific heat calc. 7=11127 calc. 7=11127
magnetoelectric anisotropy at low temps. to 25 kOe 7=7861
metallic impurities determination by ion exchange—
X-ray spectrographic method 7=2493
morphology and texture of deposit from carbonyl
decomposition 7=7364
n irrad., influence of temp. on damage structure 7=14537 neutron-irradiated, annealing-induced softening of single cryst. 7=7680

cryst. 7=7680
oxide-contaminated, brittleness 7=4790
phonon dispersion, theory and expt. 7=11107
plastic flow, orientation dependence meas. 7=17720
plastically deformed relaxation damping maxima 7=14747
proton scatt. shadow effect, 5-40 keV 7=11225
sputtering by Cs, yield and ang. distrib. meas. 7=14642
sputtering on oxidized Si obs. 7=1279
superconducting specific heat jump overlapping bands superconducting, specific heat jump, overlapping bands interpretation 7=11470 work function of crystal faces obs. 7=2053

work function for electrons, anisotropy 7=2051 zone melting by electron beam, purity, perfection and orientation obs. 7=14328 in  $\mathrm{Al_2O_3}$ , dispersion addition for strengthening 7=7688

C solubility 7=7208

for CdS evaporation, in heated honeycombed block in vacuo 7=4418

Mo5+ in rutile-type crystals, electronic structure 7=2218  $\rm Mo^{5*}(4d^{1})$  h.f.s. and core polarization obs., from e.s.r. in  $\rm K_2SnCl_6$   $\rm 7{=}10929$ 

Molybdenum compounds

 $\rm Mb_{0.8}Nb_{0.2}Fe\,(0.2-2.3\%)$  magnetoresistance and resistivity obs.  $7{=}1835$ 

obs. 7=1835
Mo-Permalloy, hysteresis, structure of series of symmetrical loops 7=5163
Mo thiourea 2013, 2E → 4A<sub>2g</sub> phosphorescence 7=11921
Mo urea 3Br 3, 2E → 4A<sub>2g</sub> phosphorescence 7=11921
Mo-C, solid soln. of f.c.c. phase in Mo by reduction of carbonyl 7=11036

MoC superconductivity, Mn, Cr, and Fe replacement of Mo effects on transition temp. 7=17911 β-Mo<sub>2</sub>C cryst., ionization of C atom 7=7434 Mo<sub>2</sub>C, microhardness anisotropy, slip and

twinning 7=7718 MoCl<sub>5</sub>-graphite crystal atomic structure obs. 7=1429

 ${\tt MoF_6, n. m. r.}$  in liquid, rel. to molecular struct. and spin-rotation interaction 7=14129

Mo-Nb, mechanical props. of single crystals

obs. 7=17721

MoO<sub>3</sub> films, optical, elec. and colour centre props. 7=11787

Mo-Re alloys, supercond., low temp. mag. props. 7=14917

MoSi<sub>2</sub>, role of Fe in oxidation above 600°C 7=15426

Mo-Ti-Zr-C alloy, precipitation hardened, substructural strengthening 7=17719

Monitoring. See Radiation monitoring.

## Monochromators

See also Filters, optical; Light sources; X-ray monochromators.

double-grating, without tracking error 7=16263-4 with Echelle grating, high resolution, characts. 7=3255 fluorometer, tunable, using tilting interference filter 7=3238 for irradiance meas., calibration 7=3198 normal incidence, for vacuum u.v. radiation from electron synchrotron 7=12709

prism, for polarimetric meas., construction 7=9593 resonance lamps appl. in atomic absorption spectroscopy 7=6521 semi-automatic, for excitation meas. 7=12710

Monolayers. See Adsorbed layers. Monomers. See Molecules.

Monomolecular layers. See Adsorbed layers. Monte Carlo method. See Statistical analysis.

Moon

altitudes of formations, shadow projection method 7=2700 astronomical observatory, projected 7=18464 atmosphere, molecular fluxes 7=8914 chemical analysis of surface, instrument 7=8913 colour contrasts on surface obs. 7=8917 convection, and existence of core 7=12207 convection, in the surface of core 7=12207 convections of the surface of crater diameter-depth relationship from Ranger photographs 7=12217 crater distribution rel. to impact hypothesis 7=15756

```
Moon-contd
```

SUBJECT INDEX S 231 craters, primary and secondary, diameter distrib., approx. 7=15755 craters, size distrib. 7=8919 craters, stochastic model of formation and survival 7=2701-3 dark radial bands, survey 7=8918 distance from earth, time variance 7=8903 dust on the surface? 7=8912 eclipse on 19 Dec. 1964, 3.3 mm wavelength obs. 7=18465 eclipsed, brightness, rel. to geomag. planetary index 7=8907 eclipsed, cooling, nonuniform behaviour 7=8905-6 electrical cond. of interior, rel. to olivine obs. 7=12211geomagnetic variations 7=8921 gravitational field from motion of Luna-10 7=12203 gravitational field from tracking data of Orbiter I 7=15758 history of lunar orbit 7=12202 i.r. and visible images, during eclipse 19-12-1964 7=12220 infrared obs. of differential surface processes 7=12213 intersection with tail of magnetosphere 7=12223 ionosphere, results from Luna-10 7=15759 luminescence, spectrometric and colorimetric methods and obs. 7=12212 lunar disturbing function, tenth-order expansion 7=8900 lunar international laboratory conference, Athens 1965 7=18459 lunar scientific laboratory, research and system requirements 7=18460-1 magnetic field meas. by Luna-10 7=12222 magnetohydrodynamic wake, comment and reply 7=5585-6 marginal zones photometry rel. to microrelief 7=8916 mass and distance rel. to earth and sun 7-8904 meteor bombardment evidence and effects 7-12210 meteor prod. of craters 7-12209 meteorological observatory for studying Earth, projected 7=18357 moments of inertia differences obs. 7=12204 names of reverse side formations 7=5584 observation projects of interplanetary medium 7=18470 outgassing process 7=15749 overlay depth 7=8920 particle ejection, contrib. to earth's dust belt 7=12041 photoelectric photometry, three-colour 7=12219 photography, high resolution 7=2699 photography of surface by Lunar Orbiter 7=8908 physics programme for lunar laboratory 7=18463 polarization, high altitude balloon obs. 7=18424 polarization, high altitude balloon obs. 7=184 r.f. polarization, linear, at 6-21 cm 7=12218 radio brightness distribution obs. 7=12215 radio mapping at 3mm, temp. var. during lunation rel. to surface model 7=8915 radio obs.,1-3 mm 7=12214 Ranger pictures 7=12216 rotational motion, Cassini's second and third laws 7=8901 satellite orbits calc. 7=12110 satellites, orbit meas. of classical binary star method using Doppler radio obs. 7=8902 shape, moments of inertia, and internal structure 7=12205 shape, thermal effects 7=12206 solar eclipse observation projects 7=18471 solar observation techniques 7=18472 surface, depth of loose material 7=15757 surface models, temp. depend. thermal props. 7=12221 surface, penetrating radiation intensity obs. 7=2698surface roughness, small scale, cm and mm scale 7=15754 surface, solar proton activation 7=15753 surface, surveyor I photographs 7=8909 surface, two-layer model 7=8910 thermal obs. of surface, review 7=12224

thermal and optical props. of soil, data available 7=18462 thermoluminescence, terminator at dawn 7=15752 tidal friction importance in early history 7=12208 topography 7=8911

topography 7=3911
trajectories originating at surface 7=2704
transient changes obs. 7=15750
transient lunar brightening 7=15751
weighing, by vector analysis of tides meas. 7=8922
Morse potential. See Kinetic theory; Molecules/intermolecular

mechanics. Mosaic structure. See Crystal structure/microstructure. Mössbauer effect

See also Gamma-rays/absorption; nuclear excitation. application to crystal atomic structure study 7=11045 disperse systems, effect of Brownian motion 7=14131 drive, acceleration controlled and const. 7=14175 drive, electromechanical 7=1212 experimental techniques for obs., design of apparatus 7=4439

ferric hemin, spin-spin relaxation 7=14181 ferric ions, in Y-Fe<sub>2</sub>O<sub>3</sub>, hyperfine mag. field 7=4435 ferro- and ferricyanide supercomplexes with 3d transition elements 7=17337

```
Mössbauer effect-contd
                   h.f.s. due to asymmetric local fields calc. 7=7195
                  high pressure apparatus 7=1213 impurity complexes in crystals, effect of diffusion 7=10919 magnets, permanent 7=2098
                  measurement of f with black absorbers and resonance 7=17333 measurement by scattering 7=17329-30
                  measurement by scattering 7=17329-30 paramagnetic materials, Zeeman splitting 7=10920 for particle mass meas. 7=2758 pressure var. of coeff. 7=14177 relaxation effect on spectra, theories compared 7=10921 review, with applications 7=7194 review of recent appls. 7=17328
                     source-absorbent geometry effects 7=17332
                   spectrometer 7=10922
spectrometer, automatic 7=7196
                    spectrometer calibration using Fe<sup>57</sup> enriched Fe 7=4440
                    spectrometer, derivative 7=14176
spectrometer design 7=4438
spectrometer with electromechanical transducer
                              and multichannel pulse-height analyzer 7=17331
                     spectrometer, use of permanent magnets 7=3015
                     "thermal" shift of lines in complex crystal compounds,
theory 7=1214
                  theory (=1214
X-ray intensity calc, due to internal conversion 7=16695
4-CaO, Al<sub>2</sub>O<sub>3</sub>, Fe<sub>2</sub>O<sub>3</sub>, elec. field gradient obs. 7=18137
Co<sup>57</sup>, absorption in glycerol rel. to diffusion process 7=4341
Co<sup>57</sup>, Fe<sub>2</sub>Si obs. 7=1215
CoCl<sub>1</sub>nfl<sub>2</sub>O, non-existence of Auger after effects 7=4441
                   CoO<sub>x</sub> non-existence of Auger after effects 7=4441
Cr<sup>52</sup> in VOCl<sub>3</sub> gas, nuclear reson. fluoresc. 7=10550
                    Cs halides, meas. of Debye-Waller factors 7=7471
                   Us nalides, meas. of Debye-Waller factors 7=7471

CuFeO<sub>2</sub>, study of mag. props. and structure 7=11666

Er<sup>106</sup> in ErFeO<sub>3</sub>, spin-relax. in mag. ordered system 7=14178

Fe(dimethyl glyoxime)<sub>2</sub> pyridine derivative complexes,
bonds obs. 7=16964

Fe-1. 85 at. %C, clustering of C during ageing, Mössbauer
study obs. 7=4468

Fo. in K-p(CN). Struct of garageing traction 5, 1916.
                    Fe<sup>57</sup>, in CdFe<sub>2</sub>O<sub>4</sub>, quadrupole splitting model 7=17327
Fe<sup>57</sup> chemical shifts standardization using Na
                               nitroprusside 7=17334
                      Fe<sup>57</sup> chemical shifts standardization using Na
                                nitroprusside 7=17335
                     Fe<sup>57</sup> in D5<sub>3</sub>-structure-type sesquioxides 7=7197
                     Fe<sup>57</sup> in Fe containing series III transition elements 7=10911
                   Fe<sup>57</sup> in \alpha-Fe and Fe<sub>2</sub>O<sub>3</sub>, following Coulomb excitation 7=17336
                     Fe<sup>57</sup> in Fe<sub>1*15</sub>Ga<sub>0.85</sub>O<sub>3</sub> 7=7424
Fe<sup>57</sup> in FeI<sub>2</sub>, internal mag.field 7=4442
                    Fest (Fe, Mn, __)TO<sub>3</sub> (T=rare earth or Y, 0< x < 1) obs. 7=14182
Fest in Fe, Zn, __Fe, h.f.s. rel. to Néel temp. 7=8356
Fest in ferrichrome A, paramag. h.f.s. and relaxation, 0.98°-300°K 7=7198
                     Fe<sup>57</sup> in GaSb, rel. to behaviour of impurity atoms 7=11106
                     Fe<sup>57</sup> in InSb, rel. to behaviour of impurity atoms 7=11106
Fe<sup>57</sup> in martensite, hyperfine field rel. to C content 7=14179
Fe<sup>57</sup> in inckel hydride 7=14183
                     Fe<sup>57</sup>, nuclear Zeeman splitting meas. 7=10923
Fe<sup>57</sup> obs. 7=14176
                      Fe<sup>57</sup>, rel. to time dependence of decaying states 7=6339
                   Fe<sup>57</sup>, ref. to time dependence of decaying states 7=0000 Fe<sup>57</sup> in SrTiO<sub>3</sub>, Fe clusters obs. 7=17473 Fe<sup>57</sup>: V<sub>2</sub>O<sub>3</sub>, 4. 2°-300°K, antiferromag. order < ~140°K 7=15199 Fe<sup>57</sup>, in ZnFe<sub>2</sub>O<sub>4</sub>, quadrupole splitting model 7=17327 Fe<sub>2</sub>B(2-10% Mn), conduction electron polarization 7=11390 Fe-C, interstitial solid solns. 7=10924
                     Fe-C martensite, tempering obs. by Mössbauer
effect 7=17360
Fe<sub>3</sub>C, hyperfine field, electronic exchange and isomer
shifts 7=14180
                     \mathrm{Fe}_5\mathrm{C}_2, hyperfine field, electronic exchange and isomer shifts 7{=}14180
                    shitts 7=14180
Fe<sub>3</sub>C<sub>1-x</sub>B<sub>x</sub>, hyperfine field, electronic exchange and isomer shifts 7=14180
FeCo(3%V), conduction electron polarization 7=11390
FeCuO<sub>2</sub> obs. 7=14383
Fe-N, interstitial solid solns. 7=10924
α-Fe<sub>2</sub>O<sub>2</sub>, antiferromag.props. 7=1217
FePd allows hyperfine modified the property and solve the property and the prope

    α-Fe<sub>2</sub>O<sub>3</sub>, antiterromag, props. 7=1217
    FePd alloys, hyperfine mag. field, temp. and conc. depend. 7=4436
    FeSn, of both nuclei, -196° to 300°C 7=8255
    Fe<sub>5</sub>Sn, of both nuclei, -196° to 300°C 7=8255
    Fe<sub>7</sub>Ti spinels, trigonal distortion obs. 7=8235
    FeV<sub>2</sub>O<sub>4</sub>, spectra, Fe<sup>**</sup> properties, 5.5°K 7=10925
    for FeV<sub>2</sub>O<sub>4</sub> spinel crystallographic and mag. transitions obs. 7=7235
```

Gdls7, of 64 keV state, hyperfine structure in  $\rm Gd_2O_3$  7=10926  $\rm GeFe_2O_4$ , meas. of trigonal field splitting of  $\rm Fe^{2+}$  7=7180

```
Mössbauer effect-contd
       {
m Ho^{168}}, rel. to decay period of 95 keV level 7=16734 {
m MgAl_2O_4}; {
m Fe^{2^*}} (2. 4°&), quadrupole splitting, 4°-300°K 7=17338 {
m MnF_2}, Eu2* doped 7=4624
        Mn_{2-x}Fe_xO_3, rel. to mag. transitions in Mn_2O_3 7=18094
        Na nitroprusside, quadrupole splitting and isomer shift obs. 7=4440
        Si, optical analogue 7=8491
       Sn compounds meas., vibration errors calc. 7=1218 Sn<sup>119</sup> isomer shift in Pd-H, Pd-Ag, composition var.
           obs. 7=7199
        \mathrm{Sn^{119}} in (\mathrm{BrF_4})_2\mathrm{SnF_6} and (\mathrm{BrF_2})_2\mathrm{SnF_6} for chemical structure obs. 7{=}16941
        Sn<sup>119</sup> in Cr, Zeeman effect rel. to hyperfine fields 7=4443
       Sn<sup>119m</sup> in Mg<sub>2</sub>Sn<sup>118</sup>O<sub>4</sub> on neutron irradiation, damage due to recoiling Sn<sup>119m</sup> obs. 7=1577 for Tb<sup>159</sup> 58 keV level obs. 7=6351
        Yb171 levels quadrupole moments obs. 7=10157
        Yb171, 75.9 keV level, Mössbauer effect and mag.
Muonium
        No entries
       energy spectrum from neutrino interactions 7=16518 \mu , anomalous magnetic moment 7=16534
        μ, magnetic moment 7=531
        \mu^* mag. moment, in aqueous soln., chemical corrections 7=532
        in nuclear emulsion, Coulomb scattering, mean multiple,
           limits on lateral displacement 7=3402
        polarization in K_{\mu 3}, and K-\pi resonances 7=3615 propagation through laminated medium, high
            energy 7=6132
    capture
        by atoms of oxides and halogens, probability obs. 7=6597
        by hydrogen, coupling constants 7=6130 n emission asymmetry calc. 7=3879
        nuclei, complex, Primakoff plot 7=13404 radiative, calc. 7=6069
        review of recent developments 7=6416
        weak interactions, review 7=16536
by C<sup>12</sup>, coupling constants 7=6130
by He<sup>3</sup>, coupling constants 7=6130
by He<sup>3</sup>, nuclear form factor obs. 7=6267
        in He3, rate, calc. from current commutation
            relations 7=16535
       \mu, disintegration, polarization effect 7=3537 \mu \rightarrow e , Michel parameter obs. 7=6129 \mu, polarized, energy depend of asymm. meas. 7=3538
        vector meson emission in nuclear Coulomb fields 7=9879
    detection, measurement
        density in EAS, multiplicative effect 7=16668
        momentum determ. with counter tube telescope 7=10049
        time gate circuit, transistorized 7=16537
    interactions
        anomalous, and new neutral vector boson 7=6131
        bremsstrahlung and pair prod. losses calc. for soils and water, 5\times 10^{10}{-}10^{14}~\text{eV}~7{=}12992
        time gate circuit, transistorized 7=16537
    production
        pair photoproduction in H, asymm., test of small-distance quantum electrodynamics 7=3539
        pair prod. by 12 GeV/c \pi^- in Fe, obs. 7=3925
        pairs, photoprod., and test of quantum electro-
dynamics 7=730
    scattering
        cosmic-ray, in Pb 7=10230
        vector meson emission in nuclear Coulomb fields 7=9879
Music. See Acoustics/musical.
Musical instruments
        pipe organ, external-surface absorption cross-
section 7=15951
        trumpet sounds analysis using electronic calculator 7=2912 trumpet sounds, synthesis with aid of electronic calculators 7=133
        wind-instrument tones, synthesis 7=15952
```

Navier-Stokes equations. See Flow; Hydrodynamics. Nebulae See also Galaxies.

Carina, 1410 and 2650 Mc/s obs. 7=12167 η Carinae, radio, X- and γ-fluxes calc. in synchrotron model 7=12168 Crab, small diameter components, 1422 Mc/s 7=15712 Crab, state of polarization of radiation 7=15713 Crab X-ray source size and position obs. 7=18438 emission, associated with O-type star, law of interstellar extinction 7=15652

```
Nebulae-contd
```

gas ionization and thermal equilibrium in u.v. synchrotron radiation, calc. 7=17010

gaseous, escape of Lyman-line radiation 7=5552 NGC 226 cometary nebula spectrum with associated

star R Mon 7=5553 near NGC 3242, faint filamentary nebulosity 7=2668

Orion, i. r. star obs. 7=12169

planetary nebulae 7=8865 planetary, origin 7=8866

radiation pressure on dust grains rel. to holes in H<sub>11</sub> regions production 7=15719 radio spurs in high galactic latitude 7=8867

reflection, light, dielectric versus metallic particles 7=15710 reflection, obs. 7=12166

W80, galactic, hydrogen emission line 253α at 403.681 Mc/s obs. 7=18439
 H, β-transitions in recombination spectrum, near 9 cm wavelength 7=15714

Ho Lyman continuum, optical thicknesses obs. 7=15711 He³ II emission calc. 7=8868

Néel temperature. See Magnetic properties of substances.

Negatons. See Electrons. Negatrons. See Electrons.

Nematic phase. See Liquid crystals.

Neodymium

glass laser, amplified emission in non-resonant system 7=5898

glass laser, operation with saturable liquid Q-switch 7=3181 glass rods, giant pulses by Q-switching 7=16200 ion Nd³\* in lanthanum-borate glass, absorpt, and fluoresc. 7=11875

fluoresc. 7=11875 ion, Nd3\*, spectrum in crystal field, group theory analysis 7=10927 ions, Nd3\*, in glass laser, mode locking with Q spoiling 7=3183 laser, glass, picosec. pulse width meas. by GaAs surface second harmonic prod. 7=12601

laser glass rod length effects on inversion population and

power for single pulse calc 7=9517 laser, glass with square cross-section, description 7=304 laser, intense pulses at 5300 Å generation obs. 7=3182 laser oscillator, cavity dumping using time variable reflection 7=303

laser thresholds, and temp. dependent fluorescence parameters 7=2393
recoiled into Fe. Ni and Co. mag. hyperfine field 7=8167
and silicate glasses luminescence, nonradiative excitation energy transfer between Yb3, Nd3+ and Pr3+ 7=11879
in BF<sub>2</sub> glass, luminesc. and stimulated emission 7=8490

Nd-doped CaWO<sub>4</sub> laser 7=9526 Nd3+ coupled ions absorption spectra in NdCl3 and NdBr3 7=8427

 ${\rm Nd^{3^+},e.s.r.}$  in CaMoO $_4$  7=15245  ${\rm Nd^{3^+},e.s.r.}$  in  ${\rm SrMoO_4}$  and LaNa( ${\rm MoO_4}$ ) $_2$  obs. 7=15244  ${\rm Nd^{3^+},fluoresc.}$  and laser action in organic liq. soln. 7=16206

Nd3+ in glass, stimulated emission, mode selection 7=3180 Nd<sup>3</sup> in solids, energy transfer from Cr<sup>3</sup> ions 7=15393 Nd<sup>3</sup> in CaWO<sub>4</sub>, cryst. field term symbols 7=7188

Nds':CaWO4 laser, internal losses effects on threshold obs. 7=16180

obs. 7=16180

Nd³-: CaWO<sub>4</sub>, paramag. res, effect of uniaxial compression 7=11712

Nd³- in CaWO<sub>4</sub>, tetragonal crystal field splitting calc. 7=4437

Nd³- in CaWO<sub>4</sub> and CaF<sub>2</sub>, mag. field var. of single-phonon spin-lattice relax. obs. 7=2221

Nd³- in LaCl<sub>2</sub>, e.p.r. pair spectra obs. 7=2210

Nd³- in LaCl<sub>2</sub>, e.p.r. pair spectra obs. 7=2210

Nd3\* in PbMoO4, Stark effect due to crystal field calc. 7=8428

Nd<sup>3</sup>\*:SeOCl<sub>2</sub> liquid laser, characts. 7=308 Nd<sup>3</sup>\*:SeOCl<sub>2</sub> liquid laser, prep. 7=307

Neodymium compounds

glass, laser, modulation of cavity losses by fast liquid shutter 7=3184

monochalcogenides magnetism, 4. 2-1300°K 7=11665 NF(g) stability 7=4424

Nd ethyl sulphate, e.p.r. lattice-bath relax. 7=11711

Nd3+:glass laser, characts. 7=3152 Nd3\*-glass laser, generation of sum freq. with ruby laser by KH<sub>2</sub>PO<sub>4</sub> 7=12651

Nd\* glass, laser, radiation coupling with ruby laser 7=3178 Nd\*:glass laser, single-pulse selection 7=5897

Nd monochalcogenides, magnetic properties, 4.2-1300°K 7-2079

NdAl<sub>2</sub> magnetic props. obs. 7=8108 NdBr<sub>3</sub>, Nd<sup>3\*</sup> coupled ions absorption spectra obs. 7=8427 NdCl<sub>3</sub>, fluorescence and intensity-dependent attenuation at 1.06µ 7=2394

NdCl<sub>3</sub>, Nd<sup>3</sup>\* coupled ions absorption spectra obs. 7=8427 NdF<sub>3</sub>, n. m. r. and hyperfine interact. of F<sup>19</sup> 7=8326

NdF<sub>3</sub>, sublimation pressure 7=4424 Nd<sub>2</sub>O<sub>3</sub>, phase transformations 7=14231

Neodymium compounds-contd

NdS, antiferromagnetism, 4. 2-150°K 7=8261 NdSe, antiferromagnetism, 4.2-150°K 7=8261 NdTe, antiferromagnetism, 4. 2-150°K 7=8261

adsorption by solid condensed gases 14-20°K 7=14287 adsorption on solid CO<sub>2</sub>, N<sub>2</sub>, Ar, methane 7=14291 atom, ten 2p levels excitation meas. 7=16918 atomic spectra, g-value for strong lines obs. 7=16910 atomic spectrum specific isotope displacements calc. 7=6546

atoms excitation He-Ne hollow cathode discharge obs. 7=10578

atoms, excitation by metastable He atoms 7=834 atoms, lifetime of  $2p^53p(2p_4)$  state 7=4028 atoms, Ne II, u. v. multiplets 7=10400conductivity, thermal, 1500-5000°K 7=1083 crystal structure 7=14388

discharge, diffusion theory with Druyvesteyn distrib. 7=16998

discharge, energy distrib. function for electrons 7=16999 excitation cross-section in electron-atom collision 7=13687 flash tubes, optical and elec.characteristics 7=16266 glass, laser self-excitation and other props. 7=16201 ion, Ne\*, charge-transfer collisions, small-angle scatt meas. 7=13830

ion, Ne\*, neutralization in gas targets 7=13838 ionization in shock tube, mag. interaction effect on plasma luminosity obs. 7=985 ionization, Townsend's  $\alpha$ , meas. 7=17031

ions, exothermic reactions with molecules 7=8537 isotope separation by Hg mass-diffusion column 7=849 isotopes, history, rel. to theory of atomic structure 7=2751 laser, ring, amplitude and freq. rel. to tuning obs. 7=5887 laser, travelling wave pulse current excitation 7=12641 in lasers, He-Ne Michelson type, single frequency

in lasers, He-Ne Michelson type, single frequency output 7=3142 lasers, Q-switched 7=3179 liquid, motion of  $H_2$ , diffusion const. and freq. of vibration 7=7056 maser transition,  $3.39~\mu$ , isotope shift 7=10436 photoionization of atoms, multichannel theory 7=10600 plasma, decay, process time dependence 7=6869plasma, kilovolt, production and diagnostics 7=13842

pressure effects on excited states, using He-Ne laser 7=16172 quantum radial distrib. function, WKB approx. 7=10690 radiogenic and spallogenic in meteorites 7=2714 relativistic electron ionization loss 7=3529 solid, interatomic potential parameters 7=7181 solid, isotopic diff. in 0°K vol. and sublimation energies 7=7162

solid-liquid transition, quantum effect in theory 7=10893 specific heat of solid, lattice vibr. calc., zero-point-energy effect 7=11122

spectra, excited by collisions of Ne<sup>2\*</sup>, ion with C foil 7=6569 spectra, He-like 7=6536

spectrum isotope shift for 6328A obs. by interferometer laser 7=279 trapped in meteorites 7=12243

triple point calibration apparatus for thermo-couples 7=15979

type ions, polarizability and shielding factors 7=13669 Ne $^{20}$  spectrum,  $2p_4 \rightarrow 3s_2$  transition freq. shifts due to press. and current obs.  $7{=}13795$ Ne $^4$  on Ar, charge exchange,  $0.06{-}10$  eV  $7{=}6816$ 

Ne-Ar glow-discharge tubes, spectral-noise

characteristics 7=13806
Ne-CO<sub>2</sub> mixtures, viscosity and binary diffusion coeff. 7=17215

Ne-He electrodeless ring discharges spectra obs. 7=10579

Ne\*-He ionizing collisions, electron energy distribs. 7=6594

Ne'-Ne collisions coincidence obs. 7=10628

Neon compounds

No entries Neptunium

Np3+ energy levels in LaBr3 7=11783

Neptunium compounds

No entries

Nernst effect. See Magnetothermal effects.

Nernst-Ettingshausen effect. See Magnetothermal effects. Neumann algebra. See Algebra; Elementary particles; Field theory, quantum.

Neutrettos. See Neutrinos and antineutrinos.

Neutrinos and antineutrinos

See also Nuclear reactions due to/neutrinos. absorption in celestial bodies at superhigh temp. 7=12142 accelerator, weak interactions conference, Argonne, USA, 1965 7-471

beam prod. using mag. mirror on mesons 7=6122  $\chi^{o}$  prod. by  $\nu$ , second-class currents poss. effect 7=9873 and double  $\beta$ -decay 7=708 e v direct weak interaction, astrophysical evidence 7=8811

e-v scattering radiative corrections calc. 7=8810

Neutron diffraction examination of materials-contd

obs. 7=14430

NaF lattice mechanics, neutron inelastic scatt.

Neutrinos and antineutrinos-contd

 $e-\nu_{e}$  resonance interaction in cosmic rays,  $\mu^{e}$  prod.

```
calc. 7=12975
             e - \overline{\nu}_e scattering at low energies, meas. proposal 7=3517
             \eta prod. by \nu, second-class currents poss. effect 7=9873 form factor, e. m. calc. 7=3514
              hadronlike behaviour of cross.
                                                                                              7=10222
             helicity rel. to \beta - \nu correlation 7=3844
            helicity rel. to \beta-\nu correlation 7=3844 helicity meas. method without coincidence 7=16520 high energy meas. at accelerators rel. to weak interactions 7=12973 high energy meas. rel. to semileptonic interact. theory 7=12921 high-energy physics conference, Dubna, USSR, (1964) 7=3413 interaction with polarized N, production of electron and polarized baryon 7=12976 interactions, baryons in SU(3) octet prod. in \mathbb{U}(12) at high energies 7=12974 interactions in heavy liquid bubble chamber 7=12972 light theory, fermion and boson operators 7=5696 liquid scintillation detector slab, large-area 7=514
              liquid scintillation detector slab, large-area 7=514 mass, rest, rel. to recoil \beta-decay or K-capture 7=3841
              on n (in Al), elastic prod. of \mu and e obs. 7=\nu + d \rightarrow p + p + e^-, 4-20 MeV calc. 7=6263
                                                                                                                      7=3872
             p+d \to p+p+e^-, 4-20 MeV calc. 7=6263 \nu-N collision, circular polarization of emitted bremsstrahlung 7=9870 v_3+C1^{37}\to A^{37}+\beta^- obs. 7=707 \widetilde{v}_3+d\to\beta^++n+n obs. 7=707 \widetilde{v}_3+p\to\beta^++n obs. 7=707 or p at high energy, \mu^-e^+ pairs search, and W mass 7=3516 pair prod. in bound-bound transitions calc. 7=8813 in photon theory, Pryce theorem difficulties 7=6107 radiation, synchrotron, and its astrophysical
              radiation, synchrotron, and its astrophysical
              significance 7=16519 recoil obs. 7=3842
             review of experiments reported at high energy physics conference in 1964 at Dubna 7=3515
              for solar temperature distrib. obs. 7=5608
               spark chamber, electron shower meas. 7=6275
              from stars, neutron, vibrating, energy loss calc. 7=15672 in stars of superdensity, gravitational binding 7=18425 and supercharged particles 7=16455
Neutron diffraction
mag.configs.from deutron diffr.results 7=8096
Neutron diffraction crystallography
                     See also Crystal structure, atomic.
              angle calcs., 3- and 4-circle diffractometers 7=17486 apparatus for thermal neutron elastic scatt. equipment
                     review 7=3655
               automatic, at Argonne 7=14367
              Debye-Waller factor of films, substrate effect 7=14268 hydrogenous cpds., signal-to-background ratio enhancement 7=14368
               non-stoichiometric compounds 7=1546
with nuclear orientation, resonance reorientation of n spin
in a.c. mag.field 7=7190
               powders, at 2.6Å 7=4573
               structure refinement, powder diffr. peaks 7=7403
              time-of-flight fast n chopper 7=7405
Si diode detectors 7=7404
Neutron diffraction examination of materials
               automatic, at Argonne 7=14367
               β-brass, disordered, pair-correlation function
                       obs. 7=14379
              \beta\text{-brass} long range order temp. var. below transition temp. obs. 7\text{=-}14381 \beta\text{-brass} short range order 2°-25°C above transition obs. 7\text{=-}14380
                carbides, high temp. furnace, for up to 2500°C 7=4541
              defect clusters, by scatt, of long wavelength n 7=14514 high temp. furnace, for up to 2500°C 7=4541
              high temp. furnace, for up to 2000 0 7-7, liquids, diffusion processes role 7-7025 mag. configs. of materials 7-8096 magnon spectrum 7-8126 metals, liquid, monatomic 7-1110
             metals, liquid, monatomic 7=1110
methane crystals phases lattice mechanics 7=11110
phonons, high press. vessel for shift meas. 7=4615
rare earth chromites mag. 7=8099
solids, magnetic and nonmag., review 7=14422
Cr alloys, antiferromagnetism 7=5177
Cr-Fe alloys, mag. structure, temp. depend. 7=15193
Cr<sub>2</sub>NiS<sub>4</sub> magnetism and crystal atomic struct. 7=11667
CuCr<sub>2</sub>Se<sub>4</sub>, mag. props and structure 7=15135
CuCr<sub>2</sub>Te<sub>4</sub>, mag. props. and structure 7=15135
D<sub>2</sub>O, molecular aggregates search 7=7002
               D2O, molecular aggregates search 7=7028
              \Sigma_20, indectain aggregates search t=7028 DyAl<sub>2</sub> magnetism t=8108 \alpha-Fe phonon dispersion rels. t=717546 FeCuO<sub>2</sub> t=14383 Fe<sub>3.x</sub>Ga<sub>x</sub>O<sub>4</sub>, mag. structure t=711661 FeGe, antiferromag. lines detection t=8253 Fe<sub>2.O<sub>3</sub></sub>. CaO t=8233
```

H<sub>2</sub>O, self-diffusion obs. 7=10825

Ho<sub>2</sub>C 7=7430

Ho magnetic structures, transitions 7=5126

NaCl solution, H<sub>2</sub>O self-diffusion obs. 7=10825

NdAl<sub>2</sub> magnetism 7=8108 NiMn<sub>2</sub>O<sub>4</sub> cubic spinel, mag. structure n diffraction obs. 7=2151 U<sub>2</sub>C<sub>3</sub> 7=7450 Se, amorphous, atomic radial distrib. 7=10985 Si diode detectors 7=7404 UO<sub>2.12</sub> crystal imperfection complexes, 800°C 7=1546 YCrO<sub>3</sub> magnetism 7=8099 Neutron sources. See Neutrons/production. Neutron spectra accelerator shields, high-energy, leakage spectra 7=16390 correction factors for Li<sup>6</sup>, He<sup>3</sup> spectrometer meas. 7=16636 in (d, n), (d, np) on light nuclei at 50 MeV 7=13578 in (a, n), (a, np) on right nuclei at 50 MeV 7=13578 (d, n) on medium weight nuclei at 11.7 MeV 7=3942 in fast reactor at centre, 1 keV-1 MeV 7=10356 in graphite, 2-12 MeV 7=10352 inside nuclear reactors, resonance detector obs. 7=803 in moderation in incoherent solids, asymptotic and transient 7=10005 from (p, n), continuous, obs. analysis 7=13422 from (p, n) reactions, continuous 7=3884 RO reactors, epithermal indices, meas., (3 methods) 7=16869 secondary, from 14.1 MeV n reactions 7=10257 single-particle energy spectrum in Yb isotopes obs. 7=3805 solids, magnetic and nonmag., review  $~7{=}14422$   $B^{{\rm _{11}}}({\rm He^3}$  , n)N  $^{{\rm _{2}}}$  , 1.5 to 5.5 MeV  $~7{=}768$  in  ${\rm H_2O}$  , 2-12 MeV  $~7{=}10352$ Li<sup>7</sup>(d, n)Be<sup>8</sup>, 200 keV E<sub>g</sub>, meas. 7=10292 Li<sup>7</sup>(He<sup>3</sup>, n)B<sup>9</sup>, 1.5 to 5.5 MeV 7=768 Lu activation meas in reactors 7=6489 Neutron spectrometers based on Si surface-barrier counters with Li<sup>6</sup>F 7=16637 based on X-ray goniometer 7=16638 contamination, second-order, calc. and meas. 7=13102 detectors for time-of-flight, B polyester scintillator rel. to BF<sub>3</sub> obs. 7=13101 p recoil for 50-450 MeV 7=10029 p recoil proportional counting in reactors, 1 keV-1 MeV 7=10368 polarization, for nuclear polarization expts. 7=3722 polarized beam production apparatus, monoenergetic 7=10016 for reactor meas, on fast n using Li<sup>6</sup>(n,  $\alpha$ )T 7=13655 scintillation, deuterated organic crystals appl. 7=6238 time-of-flight, using deflection bunching at Karlsruhe isochronous cyclotron 7=12823 time-of-flight, gated start-stop appl. at 14 MeV 7=16639 time-of-flight, for 0.1 to 14 MeV 7=3657 triple axis meas. procedures 7=14423 velocity, calibration of energy 7=10255 He³ ionization high-press, detector for slow n time-offlight 7=3656 Li<sup>6</sup> and He<sup>3</sup> semiconductor, for fast-neutron spectrum in thermal reactors obs. 7=3986 Lie, He<sup>3</sup> types, fast neutron spectra, correction factors 7=16636 Si surface barrier detectors, use 7=10028 Neutrons and antineutrons See also Cosmic rays/neutrons; Nucleons and antinucleons. beam of thermal polarized n prod. using Co mag. mirrors 7 = 10017beams with accurate collimation from  $D(d,n)He^3$  at  $E_d=50$  keV  $7{=}10018$   $\beta{-}decay$  coupling consts. ratio theory  $7{=}12922$ charge, experimental limit, free and monoenergetic 7=16613 chopper-monochromator for slow n, with curved slits 7=10019 cross section, total, from P204,208 + n obs. 7=13562 energy-dependent transfer, equiv. with nongrey radiative transfer 7=9992 fast-neutron spectrum in thermal reactors, Li<sup>a</sup> and He<sup>a</sup> spectrometers obs. 7=3986 form factors from e-t and e-He3 inelastic scattering 7=3527 form factors meas. from d polarization in elastic e-d scatt. 7=10046 form factors, meson current role in determn.from elastic e-d scatt. 7=602 gravitational acceleration for free neutrons 7=9989 image intensification system for thermal neutrons 7=13098 interactions, CERN bubble chamber 7=16518 mass difference with protons, sign, rel. to ghost scalar meson 7=3630 n³, unbound state obs. 7=13072 neutron generation, by H ion accelerator 7=16393 n-p mass difference, inelastic model 7=16612 n-p mass difference rel. to N\*(1238 MeV) mass splittings 7=6220

```
Neutrons and antineutrons - contd
```

for nuclear struct, study, Antwerp 1965 conference summary 7=13200 p-i-n diode obs. of fast flux 7=6235 sources, review of four groups 7=606

star, matter, nuclear binding energy 7=15669 stars gravitational radiation calc. 7=18435 stars, spectra absorption lines calc. 7=12151 stars vibrating, neutrino energy loss calc. 7=15672 thermalization in reactor elementary cell 7=779

transport, theory, central limit 7=13092 trineutron, p-wave formalism 7=3620

UC rod clusters, D<sub>2</sub>O moderated, thermal neutron hyper-fine structure 7=10353

See also Nuclear excitation; Nuclear reactions due to/ neutrons.

in air, Monte-Carlo calc. 7=10009 cross-section for thermal neutrons, meas. in presence of epithermal neutrons 7=6478

fast neutron build-up rel. to shield-detector distance 7=13089

helical steel plug in duct, attenuation meas. 7=16630 Milne problem for thermal n 7=10004

radiation widths in mass number range 60-100 obs. 7=13447 resonance absorption "flux bump" approx. 7=10256

resonance absorption "flux bump" approx. 7=10256 resonance absorption, thermal utilization factor and fast fission factor, bibliography 7=13637 transmission for Mo, Sb, Te, Pr, Ta, U<sup>235</sup>, 5 eV-10 keV 7=13443

Ag109 transmission, resonance widths and S-wave strength function, 55-2000 eV 7=13504

Bal<sup>15</sup> resonances widths and spins < 400 eV 7=16801 Cl<sup>26</sup> 405 eV resonance Doppler broadening, search for effect of bonds in NaCl, CCl<sub>4</sub>, PbCl<sub>2</sub> 7=16816 Fe, concrete and water shields, high energy flux 7=786

by Fe layer in light water in nuclear reactor 7=13088
Fe-water shield configurations, attenuation
meas. 7=16628

Pu<sup>242</sup> transmission, resonance widths and S-wave strength function, 4-2000 eV 7=13516

 $\begin{array}{c} U^{238} \, p\text{-wave resonances obs. in transmission,} \\ < 200 \, \text{eV} \quad 7\text{=-}13512 \\ Y b^{171-4,178} \, \text{to } 150 \, \text{eV}, \text{resonances obs.} \quad 7\text{=-}16802 \end{array}$ 

#### angular distribution

concrete, differential ang. thermal n albedos 7=9991 correlation in reactors taking into account space-energy distrib. 7=777

(d,n) on medium weight nuclei at 11.7 MeV  $\,$  7=3942 elastic scatt. 5 MeV neutrons, meas of ang distrib. 7=604

rescaping from LiH plates and H<sub>2</sub>O layers, 70.7 MeV 7=13090 in scattering by cylinders, correction, computer code 7=3974

in scattering from slab leakage < 5 eV, rel.to calcs. 7=9988 B<sup>11</sup>(He<sup>s</sup>, n)N<sup>13</sup>, 1.5 to 5.5 MeV 7=768 F<sup>19</sup>(d, n)Ne<sup>20</sup>, differential cross-sections and exchange effects 7=3937

effects I=3937Li7(d, n)Be<sup>8</sup>, 200 keV E<sub>d</sub>, meas. 7=10292 Li7(He<sup>3</sup>, n)B<sup>3</sup>, 1.5 to 5.5 MeV 7=768 N<sup>14</sup>(d, n)O<sup>15</sup> 7=16837 from U<sup>233,235</sup> fission, and energy distrib. obs. 7=10330 from U235 triple fission obs. 7=10331

capture See Nuclear reactions due to/neutrons.

# detection, measurement

See also Dosimetry; Neutron spectrometers. absolute dose of fast n, Hurst-type proportional counter with digital equipment obs. 7=3653 bubble chamber np film traces geometric reconstruction obs. 7=3388

capture cross., review of recent advances, 5-100 keV  $\,7{=}13474$  chopper for  $\mu{\rm eV}$   $\,7{=}10020$ 

cold n facility at FiRI reactor 7=13095 cold n scatt. flight time using reactor 7=3910

counters with flat response development by adjoint transport calcs., hole drilling 7=10022

diffusion length meas, in time decaying fields 7=6234 divergent, by multiwire spark counters 7=628

dose equivalent rates, multi-detector method, orthonormal expansion theory 7=3650

dosimeters using glasses of Na-Ni and Li-Ni 7=3374 fast, flux by GM counters with activable cathodes 7=10023

fast neutron build up rel. to shield-detector distance 7=13089

fluctuation statistics, detector effects 7=10021  $\gamma$ -n discriminator, effect of last dynode capacity obs. 7=13099

in generator, flux density close to target 7=16617 ionization chamber for thermal flux with y background 7=3652

ionization chambers, frequency response 7=609 low-background semiconductor counter telescope for reactions 7=608 Neutrons and antineutrons-contd detection, measurement-contd

monitor for multiplicity studies 7=16634

multiple spatial detector, design 7=9874 (n,  $\gamma$ ) angular correlation data accumulation prevention at high reaction rates 7=728

nigh reaction rates 7=728 neutron camera, quantitative particle counting 7=12794 nuclear reactor shield meas, 7=13647 plastic Pilot B scintillator efficiency, 0.2-3 MeV 7=13100 plastic scintillator at 2.55 MeV 7=10018

sky-shine meas. 7=13077

slow-neutron detector, flat 7=16634

sources, abs. calibration by MnSO4 activation 7=607 spectra anal. by orthonormal expansion methods 7=3649 spectra and dose equivalent rates, meas, with BF,

proportional counter 7=3651 spectra inside nuclear reactors, resonance detector 7=803 for spectra, time-of-flight, B polyester scintillator rel. to BF, obs. 7=13101 spherical dose equivalent 7=3648 strength functions 7=13446

thermopiles for reactors 7=6488

time-of-flight, fast, pulsed source using sector focused cyclotron 7=13094
time-of-flight, fast, pulsed source using synchrocyclotron p on W 7=13097
B<sup>10</sup>-glass scintillators, multiple scatt. Monte Carlo calc.,

1-500 keV 7=3644

BF<sub>3</sub> gas-filled ionization chamber effects on fluctuation statistics 7=10021

by BF<sub>3</sub>-gas-filled proportional counter, detection efficiency 7=10026

 ${\rm BF_3}$  proportional counter, sensitivity with paraffin moderation  $7{=}10025$ 

C<sub>6</sub>I<sub>6</sub> as threshold foil for fast n 7=6236

Dy-Al foils thermal flux perturbation prod. in H2O and  $UO_2F_2$  solns. 7=10027  $Fe^{54}(n,p)Mn^{54}$  for fast n monitoring 7=6237

by Gd capture conversion e 7=10024 in H<sup>3</sup>(d, n)He<sup>4</sup> by associated particle counting for 14 MeV n 7=3677

He<sup>3</sup> gas scintillator, high press. 7=610

He<sup>3</sup> tonization high press, chamber for slow n time-of-flight spectrometry 7=3656 Lu activation meas, in reactors of thermal spectrum 7=6489

Si surface barrier detectors, use 7=10028 Si^{28}(n,  $\alpha$ )Mg $^{25}$  meas, of total cross. 7=13449 diffusion

accelerator shields, high-energy, leakage spectra 7=16390 air, transport data calc. for protection design 7=16629 albedo meas., differential, on finite slabs 7=16633 anisotropic transport integral eqn. eigenvalues 7=9994 asymptotic space-time decay of monoenergetic n in

homogeneous medium 7=13639 Boltzmann eqn. with cut-off rel. to transients 7=9996 Boltzmann eqn. time and space eigenvalues 7=9995 computer programme DUNDEE for multigroup transport 7=781

concrete ducts, dose rates, Monte Carlo calc. 7=16623 discrete decay consts. disappearance in slabs 7=10007 equation, reactor cylindrical cell approximation 7=16867 ferromagnetic, effect of nonmag. impurity, theory 7=2092 in glass, organic, and epoxy resin, pulsed meas. 7=4742 graphite spectra, 2-12 MeV 7=10352

invariant imbedding method for deep penetration 7=16625 light water moderated lattice, group calcs. 7=10341 Markov matrix method in thin slabs 7=16632

measurement of length in time decaying fields 7=6234 Milne problem for thermal n with absorption 7=10004 monoenergetic transport operator for homogeneous

medium, real eigenvalues 7=9999 Monte Carlo calcs., statistical estimators comparison 7=9993

multi-dimensional spherical harmonics method

for energy dependent problems 7=10003 multi-dimensional spherical harmonics method, vacuum boundary conditions 7=6466 multigroup transport computer calc. 7=13641 multiple collision method,generalization 7=9137 one-dimensional geom., few-group and multigroup

calc. 7-16631
one-dimensional transport elementary solns.
completeness 7-9998
one-velocity, slab geom., transfer matrix 7-16868

Ph multidimensional approxs., cavity and vacuum boundary conditions 7=10002

pulsed multiplying assemblies flux time var. 7=10342 in reactor, one-dimensional, solution to equation 7=6469 reciprocity theorem for time and velo. dependent transport

theory 7=9997
scattering resonances in slab geometry 7=10006
slab eqn. approxs. relaxation lengths reality 7=9140
tensor heterogeneous periodic medium with arbitrary
scattering law 7=6467

Neutrons and antineutrons-contd

effects-contd

```
S 236 SUBJECT INDEX
Neutrons and antineutrons-contd
    diffusion-contd
        transport eqn. asymptotic approx. 7=9136
        transport, half-space one-speed time-independent
            solns. 7=9139
        solns. 7=3139
transport theory in plane geometry, energy-
dependent 7=16624
transport theory, space-time flux distribution 7=13091
water-Fe shieldings, spectra and doses distrib.obs. 7=787
        water shields, fast-neutron flux, spectral and spatial
            details 7=16626
        Al-H<sub>2</sub>O mixtures, age to In resonance obs. 7=799
        C, fission neutrons, uncollided spectra and total cross-
section minima 7=16627
        H<sub>2</sub>O layers, escaping n ang. distrib. > 0. 7 MeV 7=13090 H<sub>2</sub>O, obs. and calc., 10°C 7=10010 H<sub>2</sub>O spectra, 2-12 MeV 7=10352
        LiH plates, escaping n ang. distrib. >0.7 MeV 7=13090
        N, fission neutrons, uncollided spectra and total cross-
section minima 7=16627
        O, fission neutrons, uncollided spectra and total cross-
section minima 7=16627
         Pb, decay of fast n pulse obs. 7=10012
        Pb, fission neutrons, uncollided spectra and total cross-
section minima 7=16627
Pb self-shielded cross., 7.5, 30 keV 7=10265
U<sup>236</sup> self-shielded cross., 7.5, 30 keV 7=10265
    effects
        See also Nuclear reactions due to/neutrons. calcite, P impurity centres 7=7549
        concrete, refractory, obs. 7=4738 glass, evolution of helium 7=4740
        graphite, dimensional changes, 540°-1060°C, rel. to
            theories 7=17641-3
        graphite, stress effects obs. 7=7693
graphite, stored energy release, irradiation temp.rel. to
            flux intensity and start temp. 7=4737
        Heusler alloys, rel. to mag. props. 7=8161 interstitial dislocation loops in Cu 7=14582
        metals, interstitial clustering, kinetic description 7=14543
        optical density of glasses in photomultipliers 7=12548
        oxides irradiated at 80°C, crystalline structure and
        behaviour 7=1661
phase transformations, and high press. effects, combined
            obs. 7=1251
        quartz, crystal imperfections prod., rel. to impurities
            obs. 7=1545
        \frac{1}{2} quartz, dose >10^{20}, \frac{1}{2} prod. of amorphous structure 7{=}14643 quartz, fast n prod. expansion calc. 7{=}7733
        quartz, form. of small point defect clusters 7=14507
        quartz, on scatt. and absorption of light 7=11807
        reactor fuel rods, growth and swelling stresses calc. 7=784
        stainless steel, form, of dislocation loops or voids rel. to
            temp.7=14557
        steel, \alpha-carbon, anisotropy of displaced atoms 7=7537 steel, brittleness prod. at high temp., phase-transition effect obs. 7=14735
        steel plastic deformation, obs. 7=4784
        steel, response rel. to plastic deformation obs. 7=17646
        steels, stainless, surface structure, thermal annealing 7=17645
        transport operator spectrum, effect of delayed
neutrons 7=13076
        tritium diffusion from LiF 7=7521
        Al, annealing-induced softening of irrad. single
        cryst. 7=7680
Al, critical shear stress, dispersed interstitial atoms 7=7679
       Al, Frenkel defects prod., elec. cond., volume and energy obs. 7=1565
        Al, reaction kinetics of stage III recovery 7=7534
        Al, stage III recovery kinetics 7=7534
Al, stored energy, volume and resistivity change 7=1550
        B, determination by thermal neutron capture γ-ray analysis 7=18341
       BeO, sintered, 110°, 650°, 1100°C 7=11221
CO<sub>2</sub>, recoil nuclei, average energy to produce ion
            pair 7=17023
       CdS, photoelectricity, electron states, thermoelec. and luminescence, rel. to \gamma 7=2027 CdTe, impurities obs. by elec. and optical props.
            var. 7=17602
       Co, hyperfine field at Coso formed obs. by \gamma\text{-anisotropy} at 0.012°K 7=7177
```

Co, on magnetization curve 7=8159

Cu, strengthening mechanism 7=1712

obs. 7=18235

Ge, low-temp. damage 7=4739

Fe, doped, prod. of point defects 7=1539

Cu, annealing-induced softening of irrad. single cryst. 7=7680

Cu, cluster formation, effect of irrad.temp. 7=14501

Fe, response rel. to plastic deformation obs. 7=17646 GaAs optical edge absorption and photoluminescence,

Ge, dislocations prod. deformation effect obs. 7=7582

```
Ge, n-type, impurity conduction, annealing study 7=11507
     KBrO<sub>3</sub>, annealing of radiolytic and recoil products 7=2481
     LiF, colour centres absorption in i.r. obs. 7=11214
    LiF, F centre prod. and density var. obs. 7=11215
MgO, crystal imperfections behaviour obs. 7=1542
    Mg<sub>2</sub>Sn<sup>118</sup>O<sub>4</sub>, damage due to recoiling Sn<sup>119m</sup>, Sn<sup>119m</sup> Mössbauer effect obs. 7=1577
    Mo, annealing-induced softening of irrad. single cryst. 7=7680
    Mo. influence of irrad.temp. on damage structure 7=14537
    N<sup>14</sup> disintegration by fast neutrons, 14. 7 MeV 7=10268
NaCl creep of single crystals obs. 7=7719
    No. Sn superconducting current capacity, obs. 7=1884
Ni, response rel. to plastic deformation obs. 7=17646
Ni-Cr(21 wt. %) mechanical props., rel. to
transformation 7=7723
    Ni<sub>3</sub>Fe<sub>N<sub>2</sub></sub>Mn<sub>N<sub>2</sub></sub> radiation ordering 7=14505
Ni<sub>3</sub>Mn, radiation ordering 7=14505
Pt, stage III recovery, removal of single interstitials 7=7548
    Si, atomic displacement number 7=4697 Si, carrier removal energy var. obs. 7=17593 Si minority carrier lifetime, rel. to \gamma effects obs. 7=1527
    Si, spectral i.r. absorption bands rel. to
    divacancies 7=8435
Si:O,O-defect complex i.r.absorption bands obs. 7=1574
U nuclear fuel bars with helical crystallographic texture,
         axial and torsional stresses calc. 7=7735
    UC/SiC dispersed fuels obs. 7=6485
    W dislocation voids obs. by field ion microscope 7=17617
    ZrO2, phase transformations, and high press. effects,
         combined obs. 7=1251
interactions
    capture by p, d at 14.4 MeV, d or t prod.
spectrum 7=13074
charge-independent pairing interaction, BCS ground
    state analysis 7=3709 d(n, \gamma)H<sup>3</sup> 7=3675
    intense generator appl. 7=13073
    K^-p \to K^\circ n high energy complex angular momentum
    theory 7=6178 K^*°-n, elastic and total cross-sections 7=6179 K^*n \rightarrow K^*p high energy complex angular momentum
        theory 7=6178
    n-\alpha, 14.4 MeV meas. 7=6268
    n + d → n + n + p, proton spectrum, exact three-body theory 7=3676
    n-n rel. to He³ and nuclei Coulomb energy calc. with
         proton finite size and hard core 7=13122
    n-n, inelastic, one particle exchange contribution 7=16618 n-p, short-range effect on pairing model 7=655 \nu + n (in Al), elastic prod of \mu and e obs. 7=3872
    p, capture \gamma circular polarization obs. 7=13536
    radiative capture by p at 14.4 MeV 7=13075
    H^2(n, \gamma), parity, non-conservation search 7=13112
    H<sup>3</sup>(n, d)nn, final state interaction, 14.4 MeV n 7=13123
    \rm He^3(n,d)np, final state interaction, 14.4 MeV n 7: \rm He^3(n,d)np, 14.4 MeV, d spectrum meas. 7=6268
    He<sup>3</sup>(n,p)T at 5-300keV, from T(p,n)He<sup>3</sup> up to 1.4 MeV 7=13118
    He3(n,p)t, spin var. at 0.11 eV obs. 7=13124
moderation
    Boltzmann eqn. time and space eigenvalues 7=9995 book 7=6464
    DIDO, beam intensity meas. 7=13648
    dispersion law 7=10001
    heavy element, numerical comparison of
        description methods 7=10008
    howitzer, versatile and inexpensive 7=10015
    incoherent solids, asymptotic and transient
         spectra 7=10005
    iterative soln. convergence 7=10000
Monte Carlo calcs., statistical estimators
comparison 7=9993
by paraffin in BF, proportional counter 7=10025
    thermalization, characteristic spectra, improved base
        functions for orthogonal expansion 7=13087
    in H_2, D_2, space-, time-, energy-dependence 7=13086 LiH, 0.01-600 eV, rel. to calcs. 7=10011
    Zr-H, time-dependent spectrum calc. 7=10013
polarization
    beam production, monoenergetic, apparatus 7=10016
    beam of thermal polarized n prod. using Co mag.
        mirrors 7=10017
    production, 0-100 keV 7=13200
   production, 0-100 keV '1=13200 production, from polarized p 7=13096 in scattering, for meas, optical potential 7=13459 thermal neutron polarizer with mag, mirror 7=16621 C<sup>12</sup>(d, n)N<sup>3</sup> (g.s.), E<sub>s</sub> = 3, 9-5 MeV, ang, depend, 7=3936 C<sup>12</sup>(d, n)N<sup>15</sup>, 1, 7-2, 8 MeV deuterons, meas, 7=3934 from H<sup>2</sup>(d, n)He<sup>8</sup> at E<sub>d</sub> = 350 keV, cloud chamber one 7-3647
        obs. 7=3647
```

## Neutrons and antineutrons -- contd production

accelerator based very intense sources, comparison 7=13093

beam for small-angle scattering cross-section meas, 7=16804

chopper for  $\mu$ eV meas. 7=10020

cyclotrons, sector focused, use as pulsed sources for fast time-of-flight meas. 7=13094 in D-D and D-T reactions obs. 7=622

e-heavy target ineteraction, Monte Carlo calc. 7=3875 14 MeV generator, dosimetry and shielding 7=16616 from  $\gamma$  + p, total n yield at high energies 7=6108

howitzer, versatile and inexpensive 7=10015 intense generator appl. 7=13073

point source, ang. and energy distrib. at small distances 7=16504

polarized beam, monoenergetic, apparatus 7=10016 polarized, 0-100 keV 7=13200 polarized, 0-100 keV 7=13200

polarized, from polarized p 7=13096 in pp \rightarrow mn, total and diff. cross-sections 7=3642 pulsed generator 7=10014 in reactor, multiplication factor changes rel. to inverse solution of kinetic equations 7=778

in stars 7=5528

synchro-cyclotron use as pulsed source for fast time-of-flight meas. 7=13097 in t + d, energy spread corr. to Mg<sup>25</sup> level widths calc. from Si<sup>26</sup>(n, α) 7=13258 thermal neutron polarizer with mag. mirror 7=16621 Ho<sup>165</sup>(γ, 2n), cross-section 7=6409

#### reflection

albedo meas., differential, on finite slabs 7=16633 concrete, albedos for 0.5 eV-200 keV, doubly differential, calc. 7=16622

concrete, differential ang. thermal n albedos 7=9991 concrete ducts, dose rates, Monte Carlo calc. 7=16623 dose-albedo for various screens 7=9990

Co magnetic mirrors for prod. beam of polarized thermal n 7=10017

## scattering

 $\alpha$ -n, E<sub>n</sub> = 8-29 MeV 7=13084 by  $\alpha$ -particles, polarized n 7=3682

antiferromagnetics, uniaxial, cross-section 7=15189 apparatus for thermal neutron elastic scatt, equipment review 7=3654

apparatus for thermal neutron elastic scatt, equipment review 7=3655

cold n facility at FiRI reactor 7=13095 complex hydrogenous liquids, quasi-elastic, rel. to proton motions 7=7026

critical magnetic scatt. by ferro- and antiferro-magnet 7=11634

cross-sections, small-angle, meas., beam production 7=16804

crystals, molec. motions determ. 7=4444

cylinders, ang. distrib. correction, computer code 7=3974 d-n, elastic,  $E_n=5.5-12$  MeV 7=13081 d-n, inelastic, for 14 MeV n, benzene as detector and

d-n, inelastic, for 14 MeV n, benzene as detector a scatt. in time-of-flight obs. 7=13082 d-n with slow n, three particle calc. of quartet and doublet scatt. lengths 7=13083 doorway rel. to isobaric analogue states 7=13235 Doppler broadening of resonance 7=16808 dose-albedo for various screens 7=9990 8 nuclei, 14 MeV 7=13496

elastic, optical model analysis at 0.8 MeV 7=16812 energy distribs, of inelastic and elastic slowed down fast neutrons 7=6233

ethylene double differential cross., spectrometer resolution effects 7=10540

in ferromagnet, information deduced 7=8128 in ferromagnets, rel. to fluctuations of props. 7=1810:  $\gamma$  angular distribs from inelastic scatt. obs. 7=13480

γ angular distribs, from inelastic scatt, obs. 7=13480
γ from inelastic scatt, meas, at high resolution by Ge: Li drifted detectors 7=13455
γ-spectra from inelastic scatt, obs., 5-6 MeV anomaly search 7=13454
γ spectrometer for pulsed (n, n'γ) meas. 7=3911
gases, amplitude of one-quantum term 7=10734
inelastic, fast neutrons, simple model 7=16619
inelastic, 14.1 MeV 7=10257
inelastic, Ge(Li) x spectrometer. 7=6433

inelastic, Ge(Li)  $\gamma$  spectrometer 7=6433 inelastic, La to Bi, 90° spectra for incident

5, 6, 7 MeV 7=13458

inelastic, rel. to levels and reactions 7=16807 inelastic on light to medium nuclei, Hauser-Feshbach calcs.~ MeV 7=13453

inelastic, from 30 elements, obs. rel. to calcs. 7=13457 intermediate resonance struct. obs. 7=13445

and lattice dynamics 7=1449

liquids, diffusion processes role 7=7025

magnon spectrum meas. 7=8126

use to measure phonon distribution function 7=14405

Neutrons and antineutrons-contd

scattering-contd

measurement of flight time of cold n using reactor 7=3910

methane, double differential cross., spectrometer resolution effects 7=10540

methane, gaseous, expt. and theory 7=4112 methane, liquid, rel. to i.r. and Raman spectra 7=17246 molecules, effect of rot. levels 7=10480 multiple collision method, generalization 7=9137 n-α, coupled-channel Schrödinger-equation model 7=3646 n-d doublets and quartet lengths 7=13078 n-d, lengths obs. 7=13080 n-d, polarization obs., elastic 7=13079 n-d zero-energy three-body formalism with teasure.

n-d, zero-energy, three-body formalism with tensor forces 7=9987 (n, n'γ), rel. to level spins 7=13493

non-spherical nuclei, Schey model calc. 7=13456

nuclear spin effect, 5 MeV neutrons 7=604

for nuclear struct. study, Antwerp 1965 conference

summary 7=13200 nuclei, single-particle wave functions, extreme damping in interior 7=16805

nuclei, spin-spin interaction effect, elastic 7=13481 nuclei system scatt. of thermal n, van Hove-Glauber formula derivation 7=605

and nuclei temps, and level densities,  $12 \le A \le 209 \ \ 7{=}16800$  nuclei, transformation matrices  $T_{LL}^{\ n}$ , explicit

forms 7=10209

nucleus, optical potential, complex symm. term meas. 7=10073

optical model, giant resonances vanishing into compound-elastic channel 7=13460

optical potential for light nuclei, rel. to p 7=13462 PM-2A reactor vessel, exposure profile 7=16880 pentane, quasi-elastic, theory and expt. 7=7027

phonon spectra, meas. by coherent neutron scattering 7=14408

phonons 7=14423

phonons, high press. vessel for shift meas. 7=4615

point source, ang. and energy distrib. at small distances 7=16504

polarised neutrons elastic scatt. on medium nuclei 7=16806 polarizarion meas. of optical potential 7=13459 polyethylene, freq. distrib. determ. 7=7479

polymer solutions, quasi-elastic, free-draining limit 7=14045

polyoxymethylene, low-energy vibr. modes determ. 7=943 n-propyl alcohol, quasi-elastic, theory and expt.

radiation total widths for  $50 \le A \le 201$  7=13239 radiation widths in mass number range 60-100 obs. 7=13447

rare even-even isotopes 7=13452 resonance absorption "flux bump" approx. 7=10256

resonance parameters 7=13436

resonance parameters least square analysis, computer programmes 7=13438

resonance spacing in statistical shell model 7=13240 resonances and strength functions, U.S.S.R. work 7=16799

resonances in total cross.for F, Na, Mg, S, Cl and K, 200-600 eV 7=13437

S-wave strength functions for Ca43, Ti47.49, Cr33, Fe57, Ni61, Cu63.65  $\sim$  keV obs. 7=13518 sky-shine meas. 7=13077

slab geometry resonances 7=10006 slab, leakage ang. distrib. < 5 eV rel. to calcs. 7=9988 small-angle by nuclei, n elec. dipole contribution calc. 7=13514

small angle by nuclei, phase shift analysis 7=13461

small angle, review of Antwerp 1965 conference papers 7=13199 spin orbit near thermal absorption resonance, n spin

spin orbit near thermal absorption resonance, n spin asymmetry 7=745 spin wave investigation 7=8127 strength function spin var.for As, Ga, Br, Ba, Au, Cu obs. 7=13440 strength functions, A ~ 55, ~95, ~145, ~195 7=13441 strength functions rel. to "doorway states" 7=13442 strength functions J var. search in rare earth region 7=13439

strength functions most probable value meas. 7=13446 strength functions and nuclear size, summary of Antwerp 1965 conference papers 7=13204

in superconductor, slow neutrons, by cond. electrons 7=14899 theory, coherent, incoherent and by crystals 7=14423 from 36 elements, elastic, 3.2 MeV, optical model

calc. 7=3912 total cross intermediate struct. search, 2-3 MeV 7=13444

total cross. meas. by velo. spectrometer, calibration of energy 7=10255 transmission for Mo, Sb, Te, Pr, Ta, U<sup>235</sup>, 5 eV-10 keV 7=13443 Ag107.109 resonances, 10-400 eV 7=13563

```
Neutrons and antineutrons-contd
       scattering-contd
            Ag<sup>100</sup> transmission, resonance widths and S-wave strength function, 55-2000 eV 7=13504
             Al, fluctuations in total cross., 6-9 MeV 7=13449
              A1, 0.3-1.5 MeV, level excitation at 0.84 and 1.01 MeV 7=10264
            1.01 MeV 7=10264
Al, polarization and differential cross., 0.2-2.2 MeV 7=13491
Al<sup>27</sup>(n, n'\gamma), E<sub>n</sub> = 0.8-3.7 MeV 7=16815
Al<sup>27</sup>(n, n\gamma), 1.1-2.1 MeV 7=13495
Au<sup>197</sup> resonances, 10-400 eV 7=13563
in B<sup>10</sup>-glass scintillators, multiple, Monte Carlo calc., 1-500 keV 7=3644
Bro.n., 10-500 keV 7=13527
             Balss resonances widths and spins < 400 eV 7=16801
Be, 0.3-1.5 MeV 7=10264
Bee, with 2.43 MeV level excitation, ang. distrib. 7=13484
C, coherent scatt. length for free neutrons 7=9989
C, differential elastic; 0.2-140 MeV 7=13448
             C, elastic at 96, 136 MeV, no long-range potential needed 7=13488
              C, total cross-section minima from transport
                    meas. 7=16627
             meas. 7=16627
C12, elastic, 4.5 MeV, Feshbach's unified reaction theory 7=13487
C12, elastic, virtual 2* level excitation < 4 MeV 7=13485
C12 at 14.1 MeV, with excitation 7=13486
C12, virtual excitation of 2* level 7=16813
              from CD4, liquid 7=1114
              CO<sub>2</sub> above critical temp., density fluctuations obs. 7=10708
              Cl, coherent scatt. length for free neutrons 7=9989 on Cl, rel. to energy levels 7=3768
              Class 405 eV resonance Doppler broadening, search for effect of bonds in NaCl, CCl<sub>4</sub>, PbCl<sub>2</sub> 7=16816 Class, (n, n'\gamma) cross-sections 7=3916
             Cls.,37 (n, n'\gamma) cross-sections 7=3916

Co, total cross., 1-100 keV 7=13498

Co, 0, 1-Fe, 0, 0, by spin waves 7=8157

Cu, ang. distrib. elastic, 1.5-4.6 MeV 7=13547

Cu differential cross., 0.57-8.4 MeV, 2.5°-23.8°, optical model deviations 7=13515

Cu, elastic ang. distribs., 1.5-4.5 MeV 7=13501

Cus, optical model analysis 7=13499

D<sub>2</sub>O at 540°K, S(\alpha, \beta) values 7=16615

Dyles (n, \gamma)Dyles level structure obs. 7=10156

Er isotopes, 0.007-100 eV 7=13452

F, polarization and differential cross.,

0.2-2.2 MeV 7=13491

Fig. 14 MeV, differential cross-sections 7=746
               F19, 14 MeV, differential cross-sections 7=746
               F19, intermediate structure in cross-section
                    analysis 7=13490
               Fe, elastic scattering of 1-2 MeV neutrons 7=13500
              Fe, temp. dependence rel. to mag. susceptibility 7=5153 Fe<sup>56</sup>, optical model analysis 7=13499
               Fe: Mn virtual magnon state obs. 7=11647
              \alpha\text{-Fe}_2\text{O}_3, magnetic interactions, obs. by neutron scattering by spin waves 7\text{=}18147
               Fe3O4, meas. of acoustic branch of spin-wave
                     spectrum 7=18120
               H, coherent scatt. length for free neutrons 7=9989
              \rm H_2, ortho and para, using Fadeev's eqns. 7=10495 \rm H_2O, self-diffusion obs. 7=10825 He liquid, inelastic obs. 7=5770
              He<sup>4</sup> liquid, high energy expt. proposal 7=5749
Ho<sup>165</sup>, 14 MeV total cross-section, nuclear alignment
effect 7=3917
             Holes, oriented, by polarized n at 350 keV, nuclear deformation obs. 7=13507

Holes, resonances spin obs. 7=13096
Holes resonances, 10-400 eV 7=13563
Ir, resonance spins up to 20 eV 7=13317
              KH2PO4, anisotropy and phase transition effects 7=18048
             KH_PO<sub>4</sub>, anisotropy and phase transition effect La<sup>158</sup>, S-wave strength function obs. 7=13506 Li<sup>6,7</sup>, cross-sections, 10 MeV 7=13482 Li<sup>7</sup>, excitation of 0. 48 MeV level by n from 1 to 9 MeV 7=13483 Mg, polarization and differential cross., 0.2-2.2 MeV 7=13491 Mg at 6 MeV 7=13494 on Mg<sup>24</sup>, preparation from Mg<sup>24</sup>O 7=377 Mn, spectrum obs. 7=3657 Mn, total cross., 1-100 keV 7=13498 Mn<sup>56</sup>, optical model analysis 7=13499 MnF., near Néel point, ang. distrib, and crosses.
               MnF2, near Néel point, ang. distrib. and energy
                     spectrum 7=11672
               from Mo, elemental, fast 7=16817
              Mo, intermediate structure analysis rel. to level parameter
                     statistics 7=16823
               from N, elastic, 7-14 MeV 7=16814
              by N, liquid, rel. to dispersion law for quasi-phonons 7=1115
              by N, review 7=16620
              N, total cross-section minima from transport
                    meas. 7=16627
              NH3, gaseous, expt. and theory 7=4112
```

```
Neutrons and antineutrons-contd
      scattering-contd
           Na, elastic ang. distrib. at 2 MeV 7=13492
Na, 0.3-1.5 MeV, level excitation at 0.44 MeV 7=10264
            Na, polarization and differential cross.,
                  0.2-2.2 MeV 7=13491
            Na, total cross., 0.2-140 MeV 7=13448
NaCl solution, H<sub>2</sub>O self-diffusion obs. 7=10825
            Nb, S_1 and S_0 strength functions, 30-4000 eV 7=13451
            O, total cross-section minima from transport
meas. 7=16627
            O<sup>16</sup>, intermediate states obs. 7=13246
            O<sup>17</sup>, d<sub>3/2</sub> resonance shell model analysis 7=13489
P, polarization and differential cross.,
0.2-2.2 MeV 7=13491
P at 6 MeV 7=13494
            Pb, decay of fast n pulse obs. 7=10012
Pb differential cross., 0.57-8.4 MeV, 2.5°-23.8°, optical
model deviations 7=13515
            Pb, liquid, collective motions obs. 7=7029 Pb(n, n_Y) at 7.4 MeV 7=13509
            Pb, phonon freq. shifts under press., inelastic
             neutron meas. 7=7474
Pb self-shielded cross., 7. 5, 30 keV 7=10265
            Pb, small-angle, n elec. dipole contribution possible obs. 7=13514
            Pb, total cross-section minima from transport meas. 7=16627
Pb<sup>208</sup>, intermediate states obs. 7=13246
Pd<sup>106,106,108,110</sup>, resonances up to 100 eV 7=13502
            Pu<sup>239</sup> resonance parameters 7=16826
            Pu<sup>239</sup> total cross. resonances, 100-300 eV 7=13568
            Pu^{242} transmission, resonance widths and S-wave strength
                  function, 4-2000 eV 7=13516
            RbMnF<sub>3</sub>, paramag., energy distrib. 7=8111
Re, resonance spins up to 20 eV 7=13317
Rh<sup>108</sup> resonances spins obs. 7=13339
S at 6 MeV 7=13494
            from Sb, elemental, fast 7=16817
Si, elastic ang. distribs., 0.60-2.28 MeV 7=13497
            Si, fluctuations in total cross., 6-9 MeV 7=13449
Si at 6 MeV 7=13494
            Si at 6 MeV ^{\prime} =13494 Si<sup>28</sup>(n, \alpha)Mg<sup>25</sup> meas. of total cross. 7=13449 Sm, resonance spins up to 20 eV 7=13317 from Sn, elemental, fast 7=16817
            Sn, intermediate structure analysis rel. to level parameter
            statistics 7=16823
Sn<sup>118,120,124</sup>, p-wave strong resonances obs. 7=13505
            Sh<sup>1180180</sup>, p-wave strong recommendation of This presonances, 10-400 eV 7=13563 from Te, elemental, fast 7=16817 Th, elastic ang. distrib. at 2 MeV 7=13492
            The resonances neutrons and radiative widths up to 3 keV 7=16803

The resonances neutrons and radiative widths up to 3 keV 7=16803

The resonances neutrons and radiative widths up to 3 keV 7=13510
            Tim 150, 30 eV resonance 7-13328
U differential, cross., 0.57-8.4 MeV, 2.5°-23.8°, optical model deviations 7-13515
U hydrides, vibr. spectrum 7-1478
U, optical model and Hauser-Feshbach theory
                  analysis 7=13513
             U, polarization and differential cross., 0, 83 MeV.
                   1.65°-23° 7=13514
             U and U compound rods resonance integral correlation 7=10363
             U<sup>238</sup> p-wave resonances obs. in transmission,
<200 eV 7=13512
            U<sup>238</sup> self-shielded cross., 7. 5, 30 keV 7=10265
U<sup>238</sup>, 75-1620 keV 7=13511
V, total cross., 1-100 keV 7=13498
            V, total cross., 1-100 keV 7=13498 Vs1, up to 4 MeV, low levels obs. 7=13273 V_{0.987}Be_{0.693} lattice vibr. spectrum obs. 7=7477 V_{0.98}Ni_{0.05} Lattice vibr. spectrum obs. 7=7477 V_{0.98}Pt_{0.06} lattice vibr. spectrum obs. 7=7477 W_{1.98}Pt_{0.06} lattice vibr. spectrum obs. 7=1477 W_{1.98}Presonances partial radiative widths anti-correlation effect obs. 7=13508
             Y hydrides, vibr. spectrum 7=7478
Y<sup>99</sup>, up to 4 MeV, low levels obs. 7=13273
Yb<sup>171-4.176</sup> to 150 eV, resonances obs. 7=16802
Zr even isotopes S-wave strength function 7=13450
       scattering, proton-neutron
             charge exchange, high energy complex angular momentum theory 7=6178
            phase shift analysis at 630 MeV 7=13085
R<sub>pp</sub> parameter, elastic, 605 MeV 7=6232
small angle at 14.1 MeV 7=16614
n spectroscopy in reactors using p recoil proportional counting, 1 keV-1 MeV 7=10368
             n spectrometer using p recoil for 50-450 MeV 7=10029
             spin-correlation parameter, C NN, large-angle at
 23.1 MeV 7=603
triple scattering parameter R<sub>t</sub>, 203 MeV meas. 7=3645
Newtonian fluids. See Fluids.
```

#### Nickel

adsorption of O on (110) surface, grazing incidence high energy electron reflection obs. 7-1287  $\alpha$ -particle energy loss and energy straggling rel. to foil thickness obs. 7=3683

anisotropy energy constants determ from magnetisation curve 7=8205 atomic spectrum specific isotope displacements calc. 7=6546

Barkhausen effect, effect of temp. and internal

stresses 7=15152

cold worked, recovery stages obs.from elec. cond. 7=14756 creep characts., and recrystallization 7=1731 creep, first-stages, eqns. 7=7653

creep, "linear" limit temp. dependence, single crystals, sintered and cast 7=4773

creep, preliminarily deformed, with Cr and Al additions 7=4797

creep strength at 1000°C, plastic deformation at 4.2,

300°K effects 7=17728 creep, work hardening and recovery 7=4798

crystal growth by zone fusion method and purification 7=4504

Curie temp., hydrostatic pressure effects 7=18122 Debye-Waller factor calc. 7=7438 Debye-Waller factor calc. from phonon states 7=14389 defect clusters formed by Xe ion bombardment 7=14498

defects of cryst. struct. effect on magnetisation processes 7=8201 detuerons deposition and diffusion obs. 7=14638 diffusion in Ni-Ti at 929-1228°C, radioactive tracer obs. 7=7524

diffusion and solubility of  $\rm H_2$  7=17588 diffusion and solubility of  $\rm H_2$ , isotope effects 7=17587 dislocation stresses, and mechanical props., 100°-600°C 7=17613

domain struct. of single crysts. 7=8197 domain structure, temp. effects 7=15155 elastic consts. of second, third and fourth orders calc. 7=7698

electrical cond. of films 7=7863 electrical cond. recovery after electron irradiation, impurity effects obs. 7=7862

electrical cond. var. on plastic deformation obs. 7=14878 electrical conductivity and Hall effect of films, effect

of adsorption and elec. fields 7=14887 electrodeposited on Cu, interfacial dislocations 7=1604 electron emission microscope, image contrast 7=12543

epitaxial film growth on (111) Cu to several monolayers, low energy electron diffr.obs. 7=1363

epitaxial films 7=14330

epitaxial growth, by sputtering, on NaCl 7=4528 epitaxy on NaCl and KCl cleaved in vac., nuclei

orientation 7=11019 ferromagnetic, de Haas-van Alphen effect 7=1786 ferromagnetic resonance in films, magnetoelectric effects obs. 7=7844

ferromagnetic resonance linewidth, 300 to 4°K 7=5190 film, change in coercive force when detached from substrate 7=18115 film, origin of M-induced anisotropy 7=2123 film, vacuum deposited, elec. resistivity 7=14890 films, condensed, structure rel. to mag. props. obs. 7=7280 films, ferromagnetic props. depend. on struct. and

temp. 7=8203 films, ferromagnetic resonance 7=5189

films, ferromagnetic and spin-wave resonance 7=15205 films mounting without substrates by edges 7=17380 films, vacuum deposited, mechanical props. 7=4778

foils, weakly deformed, annealing in electron

microscope 7=11226 grain-boundary relaxation 7=14342 Hall effect theory in initial magnetic saturation range 7=14889

range 7=14889
hexagonal phase 7=7243
hydrogenated, reduction of stacking fault energy 7=14610
hyperfine field on W or Nd recoiled into lattice 7=8167
internal friction damping peaks after deformation 7=11314

interstitial calcs., comparison with Cu 7=14546 interstitial dumb-bells relaxation obs. 7=1567 ion, Ni2+, optical and e.s.r. spectra in Sr<sub>2</sub>(NiW)O<sub>6</sub> 7=5183

ion, Ni2+, spectrum in spinels, calc. 7=11792 magnetic domains in single crystals obs. 7=8199 magnetic domains boundary thickness, magneto-optical 7=8198

mag. field effect on sp. ht. 7=7496

magnetic film, evap., perpendicular anisotropy 7=8178 magnetic film anisotropy obs. from transverse initial susceptibility 7=15127

magnetic mag.eqns. of state near Curie point 7=18113 magnetic props. rel. to electron states interpolation scheme 7=7774

magnetic props. of single crystals 7=15139

Nickel-contd

magnetic relax, in strips and multiple films. 0.005-2 c/s, 297°-4.2°K 7-8183 magnetic reversals, texture prod.by stress effect

obs. 7=18126

magnetization of films, e.s. charge effects 7=11655 magnetization and magnetostriction, temp, and deformation

depend. 7=18124 magnetization process, single crystals 7=2122

magnetozation process, single crystals (=2122)
magnetocrystalline anisotropy, plastic deformation
imperfection effects obs. 7=8202
magnetomechanical damping, influence of H 7=8204
magneto-optical longitudinal effects obs. in films 7=8366
magneto-optics and optics of ferromag. Ni in i.r.
calc. 7=5269

magnetoresistivity and Hall effect 7=14888 magnetostriction anisotropy volume and temp. var. obs. 7=11649

magnetostriction obs. 7=11654 Matteucci effect in wires 7=7857

n-irradiated, decay of vacancy agglomerates 7=1560 optical densities of states 7=7798

oxidation film thickening obs., rel. to short-circuit diffusion paths 7=15428

photoelectric yield below 1000 Å, meas. by H
photoionization 7=8075
plastic deformation rel. to response to n radiation 7=17646

point defects recovery rel to coercive field, -250° to 0°C 7=8200 recovery of elec. resist. after plastic deform. 7=11437

recrystallisation kinetics rel. to deformation, single, obs. 7=17443 single-domain grains, n.m.r. 7=5214 size effect of galvanomag. props. 7=17875

specific heat near Curie point 7=1480 specific heat, magnetic 7=4646

spin polarization anisotropy, from annihilation quanta 7=18123 spin wave energy 7=15154

spin-wave spectrum. anomaly 7=8114 stacking fault energy from electron microscope diffr. contrast 7=11189 surface reaction with F 7=2456

thermoelectric power, diffusion and phonon drag components, 1°-120°K 7=5087 thermoelectricity, interband transitions effect 7=2015 u. s. attenuations rel. to interact of elastic and spin waves 7=15153

ultrasonic attenuation peak 7=7486 vacancies, single and multiple 7=1554

vacancy agglomerates enhancing critical shear stress, annealing 7=14538 vacancy and interstitial clusters calc. 7=11158 wires, explosions in air and vacuum 7=9182 X-ray Debye temp. 7=4647

X-ray double reflections, intra- and inter-granular 7=7356

X-ray double reflections, intra- and inter-granular 7=735(109/120°) Bloch wall 7=8132 Ct ons charge distrib. at 8 MeV in foils 7=12553 Cr diffusion isotope effect obs., criticism 7=17586 in Fe, field depend of nuclear relaxation of Ni<sup>61</sup> 7=8321 H, sputtering and implantation at 35 keV 7=14293 Ni(II) in KMgCl<sub>3</sub>, absorpt. spectrum 7=8429 Ni<sup>21</sup> in alkali tetraborate glasses optical spectra 7=15344 Ni<sup>22</sup>, potical absorption in AgCl, temp. var. calc. 7=8445 Ni<sup>23</sup>, in MgO, diffusion along grain boundaries 7=4675 Ni<sup>63</sup> for Penning discharge triggering 7=1095 Ni-SiO<sub>2</sub>-Fe film, coupled walls, electron microscope exam. 7=2117

exam. 7=2117

# Nickel alloys

See also Nickel compounds.

Alnico alloy permanent magnets, high temp. props. 7=5160

Alnico alloys of high mag. performance 7=2126

Alnico- and Alni type alloys, struct. study 7=1224

Alnico bars cryst. oriented, continuous casting 7=4509

Alnico, containing Ti, effect of admixtures on cryst. 7=1225

Alnico, effects of added elements 7=2124 Alnico, kinetics of  $\alpha \rightarrow \gamma$  reaction 7=1247 Alnico magnets, crystal oriented, props. 7=4523

Alnico magnets, for hysteresis motor 7=9327 Alnico magnets, irreversible prop. changes with temp.

and time 7=5161 Alnico magnets produced by electro-slag remelting, props. 7=2125

Alnico, metallography 7=1226 Alnico type alloys of high coercivity, phase changes 7=1248

cavity development during creep 7=17729 dendrite struct, and grain size of undercooled melts obs. 7=11032

ears observed after deep drawings 7=1302 f.c.c., stacking faults 7=14609

graphite crystal growth, scanning electron micr. 7=14344 Invar, Curie point shift, up to 60 kb. 7=5154

Nickel alloys-contd

magnetoresistivity and Hall effect 7=14888

Nichrome wires underwater explosions scaling to TNT 7=9181

Permalloy, ferromagnetic resonance in films, magneto-electric effects obs. 7=7844 Permalloy films, coercivity rel. to porosity 7=2134

Permalloy films, condensed, structure rel. to mag. props. obs. 7=7280

Permalloy films, domain growth, by Lorentz micr. 7=11653

Permalloy films, hysteresis loops of plane Hall effect rel. to domain boundary structure 7=2129

Permalloy films, H<sub>k</sub> and H<sub>c</sub>, γ-ray effects 7=8218 Permalloy films magnetoelasticity, struct. var. obs. 7=7727

Permalloy films magnetoresistance effect thickness var. 7=18131

Permalloy films, multiple electron diffr., annealing effects 7=14350

Permalloy films, permeability, effective, rel. to amplitude of r.f. fields 7=8220

Permalloy films planar Nernst effect obs. 7=8217 Permalloy films, vacuum-deposited, mag. props. 7=18127

Permalloy films, vacuum deposited, mechanical props. 7=4778

Permalloy, mag. domain wall movement in annealed and cold-worked 4-79 Mo Permalloy foils 7=8209
Permalloy mag. film domain wall interaction with supercond. In film obs. 7=14916

Permalloy mag. films coercive force, thickness var. obs. 7=18129

Permalloy mag. films wall motion and rotational magnetization rel. to external fields obs. 7=15158

Permalloy magnetic films, domains vector orientation, magneto-optical obs. 7=8198
Permalloy mag. films anisotropy prod. on mag. annealing, vacancy and interstitial effects obs. 7=8214

Permalloy mag. films large uniaxial anisotropy mechanism 7=8213

Permalloy mag. films noncoherent rotation 7=8211 Permalloy mag. films props. tension var. l. f. ferromag.

resonance obs. 7=8216 Permalloy mag. films reversal and domain wall motion

obs. 7=8210 Permalloy-Mo magnetization large jumps obs. on irradia-

tion obs. 7=18132

Permalloy, props. 7=8219 Permalloy 65N, magnetic properties on recrystallization 7=5164

Permalloy units for mag.field meas., coercivity var. with mag.field change rate 7=3008

Rene 41, y precipitation, effect of hydrostatic press 7=14238

specific heat, low temp. meas. 7=17569
Ni-Ag, anisotropies and low-temp. annealing, coldrolled 7=1732

Ni-Al, aged, modulated structure 7=1246 NiAl, coarsening of  $\gamma^1$  7=7244

Ni-4.2% Al, effect of cold-drawing on creep 7=7722

NiAl, slip system and general plasticity 7=4799

Ni-Al magnetic reversals, texture prod. by stress effect 7=18126 obs.

Ni-Al(97.3-12.7), precipitation of  $\gamma'$ (Ni<sub>3</sub>Al) 7=4473 NiAl, reflectivity 7=11793  $\beta$ -NiAl vacancies non-randomness, X-ray obs. 7=1561

Ni3Al with or without Ti, Cr or W, X-ray diffraction obs. 7=1431

Ni-Au, phase dissolution in isothermal annealing 7=14239 Ni-Be, X-ray diffr. anomalous var. during ageing at 500-550°C 7=7245

Ni-Co films, mag. anisotropy induced at low temp. 7=2127

Ni-Co films, oblique incidence anisotropy and domain configuration 7=18125

Ni-Co magnetic films domain struct. temp. var. rel. to polishing or condensation obs. 7=15161 Ni-Co, phase transformation phenomena 7=14240

Ni-Co, stacking-fault dipoles, plastically deformed

single crysts. 7=7597
Ni-Co(40, 60, 67%), stacking fault energy from electron microscope diffr. contrast 7=11189

Ni-Co-Al-Ti-Cu-Fe, cryst. struct. in mag. optimal state 7=14390

Ni-Co-Si magnetic reversals, texture prod. by stress

effect obs. 7=18126 Ni-Cr, creep and fracture props., 600°C 7=17730 Ni-Cr, stacking faults 7=14609

Ni-Cr(21 wt. %) mechanical props., neutron irradiation effects obs.rel.to transformation 7=7723

Ni-Cr (0-34 at. %) thermo-e.m.f., plastic deformation and

heat treatment effects obs. 7-8046 Ni-Cr wire, Nb<sub>2</sub>Sn deposition, device 7-15836 Ni-Cr-Al, creep strength rel. to X-ray struct. parameters 7-7724

Nickel alloys-contd

Ni-Cr (23 at. %)-Al (1-7 at. %) thermo-e.m.f., plastic deformation and heat treatment effects obs. 7=8046
77Ni-20Cr-1Al-C-Mn-Si, deformation and annealing,
X-ray diffraction obs. 7=7365
NiCrAl + Ni<sub>3</sub>Al recrystallization, effect of coherent
Ni<sub>3</sub>Al particles 7=1337

Ni-Cr-Co base, deformation behaviour 7=1733

Ni-Cr-Co-Mo austenite, hardening by ordered precipitates 7=14673

Ni-Cr-Fe, susceptibility of paraprocess 7=15110
Ni-Cr-Fe, susceptibility of paraprocess 7=15110
Ni-Cr (23 at.%)-Mo (1-8 at.%) thermo-e.m.f., plastic deformation and heat treatment effects obs. 7=8046
Ni-Cr (23 at.%)-Tl (1-4 at.%) thermo-e.m.f., plastic deformation and heat treatment effects obs. 7=8046

Ni-Cu (dilute), thermoelectric power, diffusion and phonon drag components, 1°-120°K 7=5087

Ni-Cu, elastic and shear moduli temp. dependence 7=4800 Ni-Cu, electrical resist. meas. in mag. field, low

temp. 7=11438
Ni-Cu(>40%), piezoresistance of films obs. rel. to mag. domains stress var. 7=14883

Ni-Cu(4.5-28.7at.%), ferromagnetic moments to  $15~\rm kbar~7{=}15134$ 

Ni-Cu thermoelectricity, interband transitions

effect 7=2015

Ni(80%) Fe (20%) based alloys, initial permeability 7=11656 Ni-Fe, cold worked, recovery and ordering 7=7246

Ni-Fe, corrosion rates, meas. by polarization method 7=7728

Ni-Fe cylindrical films, electrodeposited, influence of substrates on anisotropy 7=2139

78-85%Ni-Fe ferromag. films, coercive force 7=15159

Ni-Fe(18%), ferromagnetic resonance of films, pinning 7=2178 obs.

Ni-Fe film, oblique-incidence anisotropy, temp. dependence 7=2138

Ni-Fe, 81/19, film, origin of M-induced anisotropy 7=2123 Ni-Fe films, oblique-incidence anisotropy, substrate

temperature dependence 7-18128
Ni-Fe film, vapour-deposited, effect of gases on magnetic properties 7-2130

76% Ni-Fe films, effect of gases during deposition on perpendicular anisotropy 7=2135

Ni-Fe films flux reversal, laminated 7=15160 Ni-Fe films, glass substrate temp. meas. and control 7=1279

Ni-Fe, films, magnetic props. 7=2133

Ni-Fe films, stripe domains with zero and positive magnetostriction 7=2128

Ni-Fe, fluorescent X-ray intensity in spectrochem. anal. 7=2492

Ni-Fe(19%), hysteresis in films, randomly oriented crystal anisotropy effects on cusps  $> 13^\circ$  7=18130

NiFe, magnetic domain wall creep in unipolar nanosec pulsed fields obs. 7=8207
Ni-Fe magnetic films domain struct.temp.var.rel.to polishing or condensation obs. 7=15161

Ni-Fe magnetic film with stripe domains and magnetic

colloid overlayer as diffraction grating 7=9615
Ni-Fe magnetic films domain splitting angle 7=8206
Ni-Fe magnetic films domain wall motion, film thickness var.obs. 7=2132

Ni-Fe magnetic films domain wall velos. obs. 7=8208 Ni-Fe magnetic films laminated with SiO, reversal speed 7=8212

Ni-Fe magnetic films, substrate residual gas effects obs. 7=15156

Ni-Fe, mag. struct. 7=2142

Ni-Fe(20%), magneto-optical longitudinal effects obs. in films 7 = 8366

Ni-Fe, nsec switching, meas. by Kerr magneto-optic apparatus 7=2131

Ni-Fe and Ni-Cu f. c. c. alloys, anisotropy energy of mag. C after-effect 7=8215

Ni<sub>3</sub>Fe, galvano- and thermo-magnetic effects, longitudinal, Ta content effects 7=4905

Ni<sub>3</sub>Fe, kinetics of ordering 7=4475

 $\rm Ni_3Fe$  , order and disordered tensile results  $~7{=}17726$   $\rm Ni_3Fe$  surface order var.  $~7{=}7257$ 

Ni<sub>3</sub>Fe surface order var. I=1251 Ni<sub>3</sub>Fe, strain-ageing effect rel. to ordering obs. 7=17727 Ni-Fe(20%)-Co(20%), coercive force, effect of crystallite size 7=2140 Ni-Fe(19 wt. %)-Co(11 wt. %) magnetic double-layered thin films, biaxial anisotropy 7=2141 Ni-Fe-Co magnetometer film etched as Wheatstone bridge, with nanosec risetime 7=184

Ni-Fe-Co, triple-layered thin mag. films, triaxial

anisotropy 7=15162
Ni-Fe-Cr, fluorescent X-ray intensity in spectrochem.
anal. 7=2492

Ni<sub>3</sub>(FeCr), strain-ageing effect rel. to ordering obs. 7=17727

NiFeCu magnetic films large oblique-incidence anisotropy mechanism 7=8221

S 241

## Nickel allovs-contd

NiFe-Cu-NiFe multilayer storage elements pulsed obs. 7=5816

Ni<sub>3</sub>(FeMn), strain-ageing effect rel. to ordering obs. 7=17727
Ni<sub>3</sub>Fe<sub>y</sub>Mn<sub>y</sub> radiation ordering 7=14505
Ni(80%)-Fe(17%)-Mo ferromag. films, anisotropy dispersion, thickness and coercive force obs. 7=15157

NiFe-SiO-NiFe magnetic films sandwich, fast domain wall mobility obs. 7=15163

Ni-Fe-V magnetostriction and crystal energy,

composition and ordering var. obs. 7=8222
Ni-Mn(dilute), Mn nuclear mag. relax, times obs. 7=15277
Ni-Mn, mag. domain structure obs. 7=5162
Ni-Mn, mag. struct. 7=2142

Ni<sub>s</sub>Mn, radiation ordering 7=14505

Ni<sub>3</sub>Mn solid soln., strain hardening 7=7726 Ni<sub>3</sub>Mn solid soln., yield point, temp. depend. 7=7725

Ni-Mo, Hall effect near Curie point 7=1837 Ni-16 wt %Mo-7 wt %Cr-5 wt %Fe, specific heat, 50-700°C 7=4645
Ni-Mo-Fe, stacking faults 7=14609

Ni-P, comp. and resist of electrode for BaTiO<sub>3</sub> semi-conductor 7=5017

Ni-Si oxidation internal electron microscope and energy analysis obs. 7=8541

Ni 1-x Te, electrical and mag. props. obs. 7=14964 Ni-Th sheet, cold-rolling and annealing behaviour rel.

to preferred-orientation development 7=11813
Ni-Tl, diffusion of Ni at 929-1228°C, radioactive tracer obs. 7=7524
NiTi elastic consts. and internal friction -180° to +600°C, ~ kc/s 7=11312

Ni-V, diffusion and solubility of H<sub>2</sub> 7=17588

Ni-V, electronic structure 7=1787

Ni-Zr, Ni-rich, solvus composition 7=14188

# Nickel compounds

See also Nickel alloys.

Perminvar ferrites, hysteresis shape var., domain wall motion model 7=8238 Ni ferrite, anomalous shock prod. demag.obs. 7=2152

Ni ferrite, fine-grain, for microwave applications at high power 7=241

Ni-glyoxime crystal and molecular struct. 7=17529 Ni-hydride, Mössbauer effect of Fe57 7=14183 Ni, oxidized, as vacuum heating element 7=4662

NiBr<sub>2</sub>, electronic-absorpt. spectra 7=13744 Ni(CO)<sub>4</sub>, l.f. vibr. fundamentals 7=16955 Ni<sub>1</sub>\_Cd<sub>4</sub>Fe<sub>2</sub>O<sub>4</sub> (x = 0.1-0.8), mag. props., temp. depend. 7=5171

depend. 7=3111

NiCl<sub>2</sub>, electronic-absorpt. spectra 7=13744

NiCl<sub>2</sub> solution, structure and viscosity 7=14036

NiCl<sub>2</sub> Solution, structure and viscosity 7=14036

NiCl<sub>2</sub> Solution, structure and viscosity 7=15210

Ni-Co ferrite, magnetocrystallographic anisotropy 7=8237

NiCo ferrites, thermomagnetic treatment 7=15184

NiF<sub>2</sub>, near i.r.fluoresc. and absorption 7=15392

NiF<sub>2</sub>O<sub>4</sub>, Co substitution effect on resistivity 7=1946

NiFe<sub>2</sub>O<sub>4</sub>, thermal conductivity 7=14475 Ni<sub>0.69</sub>Fe<sub>2.31</sub>O<sub>4</sub>, Hall and Nernst-Ettingshausen effects 7=5003

NiI<sub>2</sub>, electronic-absorpt. spectra 7=13744 Ni<sup>2</sup>\*:MgO, acoustic paramag. resonance, saturation effects 7=18175

Ni<sub>8</sub>Mn, intermediately ordered, superparamag. obs. 7=8223 NiMn<sub>2</sub>O<sub>4</sub> cubic spinel, mag. structure n diffraction obs. 7=2151

NiMn<sub>2</sub>O<sub>4</sub>, model with three magnetic sublattices, thermal variations of moments 7=8145 Ni(NH<sub>3</sub>)<sub>6</sub>(ClO<sub>4</sub>)<sub>2</sub>, proton contact shifts in liq.NH<sub>3</sub> 7=1176 NiO, antiferromagnetism, ΔE-effect, pulsed mag. field 7=11675

NiO, drift mobility of carriers 7=14965

NiO, electronic transport, single crystal 7=7799

NiO films short-circuit diffusion paths rel. to

oxidation thickening obs. 7=15428
NiO, magnetostriction, single-ion contrib, from
e.p.r. 7=15164
NiO, Néel temp. and lattice parameter, effect of Li
additives 7=18151

NiO, optical props.  $100-1000~\mu$ , of monocryst. antiferromag. 7=18259NiO, X-ray spectra,  $13-22\text{\AA}~7=11741$ NiO-Al<sub>2</sub>O<sub>3</sub>, i. r. spectra of adsorbed water 7=8402

NiO, Li-doped, Hall effect, influence of native defects 7=7955

41NiO-3ZnO-1CoO-55Fe2O3 (mol. %) mag. and elec.props., sintering temp. effect 7=18140 Ni(OH)<sub>2</sub>, metamagnetic 7=18152

NI(OH)<sub>2</sub>, metamagnetic '=16152' NI(OH)<sub>2</sub> metamagnetism obs. 7=15198 Ni<sub>x</sub>SLi<sub>x</sub>, stability of hexagonal phase 7=4474 NiSO<sub>4</sub>, 6D<sub>2</sub>O, cryst. struct., neutron diffr. 7=4591 NiSO<sub>5</sub>6H<sub>2</sub>O, etch pits on cleavage faces 7=11185 NiSiF<sub>8</sub>. 6H<sub>2</sub>O, ht. capacity in mag. field, 0.35°-4.2°K 7=11123 Ni<sub>2</sub>SlO<sub>4</sub>, antiferromag. props. at low temp. 7=11673

Nickel compounds-contd

Ni-Zn ferrite, Co-bearing, internal demagnetization factor 7=5172

Ni-Zn ferrite, low-loss with high saturation, mm appls. 7=8239

Ni-Zn ferrites, coercive force, initial permeability and saturation magnetization 7=5173 Ni-Zn ferrites elec.cond.rel.to X-ray spectrum 7=1997

Ni-Zn ferrites with high saturation magnetization rel. to

NI-Zn retrites with high saturation magnetization mm waves 7=15185

NiZnCr ferrites, ferromag. reson., effect of Co<sup>2</sup> admixture 7=5188

NiZn\_\_Fe\_00, thermal conductivity 7=14475

Night sky. See Airglow.

Night glow. See Airglow.

Nilsson's model. See Nucleus/models.

Niobium

crystal imperfections, growth effects obs. 7=11192 cylinder, hollow, screening of mag. fields 7=11480 e\* annihilation spectra obs., annealed and plastically

deformed 7=1817 e-irradiated at 20°K, resistivity recovery 7=1836 elastic stiffness coeffs., temp. dependence 7=7721

elastic stiffness coefficient, temp. dependence 1=1121
electron states, singularity in density at Fermi energy,
tunneling obs. 7=4875
energy losses, temp. dependence 7=1819
films, H<sub>2</sub> sorption at 77°K and 293°K 7=4494
flux line pinning by twin boundaries 7=1880
laminated superconducting strips 7=14933 magnetic susceptibility and electronic specific heat calc. 7=11127

mixed state 1.f. high-Q resonances obs. 7=11473
phonon dispersion, theory and expt. 7=11107
plastically deformed relaxation damping maxima 7=14747 pure, deformation and stress-strain curves 7=14755 recrystallisation kinetics rel. to deformation, single, obs. 7=17443

relaxation due to diffusion of interstitial H atoms 7=1521

strain ageing, stress effects 7=1720

stress measurements during gaseous oxidation at 400 and 425°C 7=7736

structure of (110) surface 7=7260

superconducting critical temp., effect of interstitial N, H or O obs. 7=1882

superconducting, dislocation density and hysteresis,

torsion ang. var. obs. 7=11474 superconducting, high current capacity rel. to flux trapping, network model 7=4967 superconducting, hysteretic, surface effects 7=4955

superconducting, impure, u. s. attenuation at low magnetic field 7=11472

superconducting, magnetic flux motion obs. 7=4951 superconducting magnetothermal effects obs. 7=4948 superconducting props., effect of deformation 7=11471 superconducting, rotating, flux-trapping 7=11479 superconducting, specific heat jump, overlapping bands interpretation 7=11470 superconducting, transition of rotating hollow cylinder

obs. 7=1909

superconducting, type II, mag. field distrib.,

n.m.r. 7=4953 superconducting, u. s. absorption, 290-1280 Mc/s 7=7903 superconducting upper critical field temp.var., obs.rel. to theory 7=7904

superconducting vortex lines obs. by neutron diffr. 7=1878 superconducting wire, longitudinal paramagnetic oscillations obs. 7=4947 superconductivity rel. to microstructure, foils 7=14930

superconductor, hysteretic, flux retention processes 7=1881

superconductor, microwave losses obs. 7=4957 superconductor, u. s. attenuation near Hc2 7=11475 thermite reaction 7=5327 thermodynamic props., 0-2740°K 7=1469

unannealed, type II supercond., Faraday unipolar induction 7=1879

work function reduced by alloying with Hf 7=8067 yield point and associated parameters rel. to oxygen

content 7=17725
Nb-Sn junction, two-band model, tunnelling currents 7=7879 Niobium compounds

hardness of solutions with Ta, V, Zr and W, conc. var. obs. 7=11311

No oxides crystal atomic structure, electron diffr.

obs. 7=1406
Nb-Al, superconducting, high transition temps. obs. 7=4949 Nb<sub>3</sub>Al, supercond., elastic softening on cooling 7=17915

Nb<sub>2</sub>Al, superconducting, n. m. r. of Nb<sup>20</sup> and Al<sup>27</sup> obs. 7=17912
Nb<sub>2</sub>Al, superconductivity degradation on high tempannealing due to new phase obs. 7=4956
Nb<sub>2</sub>Al-Nb<sub>2</sub>Sb superconducting transition temps. and lattice struct.obs. 7=7905

NbB<sub>2</sub>, specific heat superconductive anomaly 7=17913 Nb-C, solubility of C, 1500°C to eutectic 7=10933

SUBJECT INDEX S 242 Niobium compounds-contd um compounds—cond NbC-NbN, superconductivity, effect of composition 7=14918 Nb-Cu at 4.2 K, 50 c/s a.c.losses 7=1883 Nb<sub>3</sub>Ga, supercond., elastic softening on cooling 7=17915 Nb-Mo(10at.%), superconducting, surface effects on Nb-Mo(10at.%), superconducting, surface effects on resistance obs. 7=17914
Nb-NbO<sub>2</sub>-In, Sn or Pb, superconducting d.c. pair tunnelling at finite voltages obs. 7=4973
Nb-Nb<sub>2</sub>O<sub>8</sub>-metal diodes, photocurrent spectrum rel. to interference in films 7=8062
Nb-Nb<sub>2</sub>O<sub>8</sub>-Au diodes, hole and electron injection and impurity band obs. 7=8519 NbO, cryst. struct. 7=4590 NbO, superconducting transition temp. obs. 7=4944 Nb<sub>2</sub>O<sub>5</sub>-based ceramics, negative differential resistance due to microheating obs. 7=7954 Nb<sub>2</sub>O<sub>5</sub> with F<sup>-</sup> and OH<sup>-</sup> substituted for O<sup>2</sup>-, crystal atomic structures 7=1572 Nb<sub>2</sub>O<sub>5</sub> films on Nb, exam. of heat treatment effect by dielec. meas. 7=15021 Nb2O5 films, negative differential resistance due to microheating obs. 7=7954 Nb<sub>2</sub>O<sub>5</sub> with Ti<sup>4\*</sup> or W<sup>8\*</sup> substituted for Nb<sup>5\*</sup>, crystal atomic structures 7=1573 Nb<sub>2</sub>O<sub>5</sub>-WO<sub>3</sub> system, phase equilib. rel. to structure 7=7242  $NbO_xN_y$  superconductors with high transition temps. obs. 7=4952 NbS<sub>2</sub>, specific heat superconductive anomaly 7=17913
Nb-Sn alloys, multiphase, superconducting
properties 7=11478
Nb-Sn, superconducting, high transition temps. obs. 7=4949 Nb-Sn superconducting plates, mag. shielding obs. 7-12818 Nb-Sn, superconducting transition, magnetic field effects with high currents obs. 7=4950 Nb-Sn system, composition range obs. 7=1245 Nb<sub>3</sub>Sn, anomalous, specific heat, liquid He region 7=1479 Nb<sub>3</sub>Sn, deposition device, on wire 7=15836 Nb<sub>3</sub>Sn, low field mag. behaviour 7=11476 Nb<sub>3</sub>Sn ribbon magnets of large bore, iterative design 7=9355 Nb<sub>2</sub>Sn ribbon superconducting quadrupole lens 7=9378 Nb<sub>3</sub>Sn, supercond., elastic softening on cooling 7=17915 Nb3Sn, supercond., transition temp. and phase comp. 7=14919 Nb<sub>5</sub>Sn, superconducting critical current density var. on p-irradiation 7=11477
Nb<sub>5</sub>Sn superconducting current capacity, neutron prod. defects effect obs. 7=1884 Nb<sub>3</sub>Sn, superconducting ring disks, mag. field penetration obs. 7=4974 Nb<sub>3</sub>Sn, superconductivity degradation on high temp.
annealing due to new phase obs. 7=4956
Nb<sub>3</sub>Sn tape fabrication 7=11489
Nb<sub>3</sub>Sn tape, superconducting, diffusion processed 7=14920 Nb<sub>3</sub>Sn, u.s. absorption and elastic consts. anomalous low temp. var. obs. 7=17558 Nb<sub>6</sub>Sn<sub>5</sub>, superconducting properties 7=11478 Nb-Ta, elastic properties rel. to alloying effect on bond strength 7=4795 strength 7=4785 Nb-Ta superconducting cylinders in a.c. and d.c. mag. field obs. 7=7911 Nb-Ta superconducting upper critical field temp.var., obs.rel.to theory 7=7904  $Nb_{50}Ta_{50}$ , superconducting, magnetic flux motion obs. 7=4951 Nb-Ti alloys, supercond., magnetoacoustic attenuation 7=17917 Nb-Ti, elastic properties rel. to alloying effect on bond strength 7=4795 Nb-Ti, low field mag, behaviour 7=11476
Nb-Ti(50%), superconducting flux jumps in superposed a.c. and d.c. mag, fields obs. 7=7906 Nb-Ti wire, supercond., re-estab. of normal state 7=4954 Nb-V, elastic properties rel. to alloying effect on bond strength 7=4795 Nb-Zr alloys, supercond., magnetoacoustic attenuation 7=17917
NbZr alloys, Young's modulus, non-temp. depend., decomp. β-phase 7=4796 Nb-Zr, low field mag. behaviour 7=11476 Nb-25% Zr, supercond., losses in alternating state 7=14921 NbZr, supercond., peak effect due to d irrad. 7=7907 Nb-Zr superconducting coil magnet, field fluctuations 7=9357 Nb-Zr superconducting cylinders in a.c. and d.c. mag. field obs. 7=7911 Nb-Zr(31%) superconducting magnetothermal effects obs. 7=4948 NbZr superconducting magnets for n.m.r. and e.s.r., with high homogeneity 7-9463 Nb-Zr superconducting quadrupole lens 7-9377 Nb-Zr superconducting stabilized strip appl. to magnets 7-9354

Niobium compounds-contd Nb-Zr(25%) superconducting wire, persistent current loops obs. 7=14922 Nb-25%Zr, superconductivity internal surface, resistive and bulk upper critical fields 7=1885 Nb-Zr superconductors, surface layer induced critical currents 7=1886 Nb-Zr wire, supercond., re-estab. of normal state 7=4954 Nb<sub>0.75</sub>Zr<sub>0.25</sub>, supercond. tube, power dissipation 7-17929 Nb-Zr-N superconducting critical fields, currents and temps. 7=7908 Nb-Zr-Re oxidation, internal, simultaneous with external scaling, steady kinetics in O<sub>2</sub> at 1000°C 7=11936 Nb-Zr(5-50 wt.%)-Ti(10-20 wt.%) structure and phase diagram 7=7437 Zn-Zr oxidation, internal, simultaneous with external scaling, steady kinetics in  $O_2$  at 1000°C 7=11936 Nitrogen active, absorpt. spectrum 600-1100Å 7=4090 active, luminesc. excitation in CO, CO $_2$ , N $_2$ O 7=13728 adsorption by C and silica gel granules at liquid N $_2$  temp. 7=14290 adsorption on evap. B films 7=10974 adsorption on (113) plane of W single cryst. 7=14301 adsorption on Re 7=7292 adsorption on Re of H, obs. with field emission microscope 7=14296 adsorption on W(100) surface 7=10982 arc column temp. decay following interruption 7=6787 arc transition, high-voltage, containing water vapour 7=17007 in atmosphere, N<sub>2</sub>, 100-200 km 7=12028 atmosphere, regulation 7=15481 atom collisions with  $N_a$ ,  $O_2 \sim 1~keV~7=16983$  atom, comparison of calc. and meas. Stark effect 7=10414atom, continuum radiation, analysis rel. to ionization 7=6547 atom recombination 7=928 atom, 78 lines in vac.u.v. 7=13683 atomic, bremsstrahlung absorption cross-section 7=13695 atoms, transitions 2P-4S of ground configuration atoms, transitions <sup>2</sup>P - <sup>4</sup>S of ground configuration 2s<sup>2</sup>2p<sup>3</sup> 7=13684 auroral excitation and photon emission rates of first positive group 7=18384 breakdown voltage, high press. 7=4152 chemisorbed β-phase on W 7=11940 crystalline, far i.r. spectra 7=8421 in diamond, e.s.r., Jahn-Teller distortion 7=15242 in diamond, endor 7=5211 dielectric constants 7=10748 diffusion into SiC 341 2000-2550°C 7-4676 diffusion, into SiC:Al, 2000-2550°C 7=4676 discharge, increase in current due to Na 7=10583 discharge plasma ion sampling 7=1024 discharges, flow, charge carriers 7=16997 e s.r.in SiC, rel.to elec.props. 7=15243 electron collisions, ionization and dissociation 7=4172 flow visualization using electron-beam afterglow 7=10713 gas discharges at up to 9000 Torr, oscillographic study 7=10584 gaseous S-state atoms, spin-relax, effects on e.p.r. 7=10413 ion, NIV, oscill, strengths calc, with config. mixing 7=10410 ion, NIV, oscill. strengths calc. with config. mixing  $7{=}10410$  ion, NIV, oscill. strengths calc. with config. mixing  $7{=}6545$  ion,  $N_2^*$ , broadening of electronic-vibr. system, calc.  $7{=}13746$  ions, charge-transfer reactions with CO and CO<sub>2</sub>  $7{=}6813$ ions, pulsed laser transition, 0. 4 µ 7=5885 laser with coaxial transmission line, pulsed 7=288 Laser, travelling wave pulse current excitation 7=12641 liquid automatic transfer circuit 7=12485 liquid, cold n scatt.rel.to dispersion law for quasi-phonons 7=1115 liquid, dielec. characts and refractive index at 2.3 mm 7=1164 liquid, diffusion of  $\rm H_2$ , concn. depend. meas. 7=14069 liquid, flowmeter, true-mass 7=14014 liquid level control for cold traps 7=1097 liquid, level controller circuit 7=9272 liquid, level indicator, continuously monitoring 7=9271 liquid, viscosity 7=14053 liquid, viscosity, 1-100 atmospheres 7=7049 luminescence spectrum, electron beam excited, 50 keV 7=6676 metastable states quenching by atmospheric particles 7=10437 molecular gas, ionization in transverse mag. field 7=6810 molecular spectrum, electron beam excited, 0. 1-20 keV, rel. to 37 keV p and aurora 7=10508 molecule, broadening of electronic-vibr. system, calc. 7=13746 molecule, laser, pulsed, emission lines meas. 7=16176 molecule, recomb. rate and afterglow intensity 7=6740 molecules collision in  $O_2,\,N_2,\,Ar,\,0.\,6-4$  keV, short range forces 7=16984

### Nitrogen-contd

molecules electron scatt., low-energy resonances and

formation of  $N_z$  7-4093 molecules, excitation by electron collision 7-6675 molecules, laser excited, 3-8.5 $\mu$  emission 7-4091 molecules post luminescence in tetrafluorethylene, maxima mechanism 7=13739

molecules, stimulated emission spectra 7=12631

neutron transmission spectra and total-cross-section minima 7=16627

plasma, afterglow, radiation temp. obs. 7=962 plasma composition calc., 1000°-12000°K, 1-50 atm 7=17045 pumping speed of getter-ion pumps at low press. 7=17217

solid, adsorption of H<sub>2</sub>, He, Ne 7=16953 solid, adsorption of H<sub>2</sub>, He, Ne 7=14291 solubility in Fe alloy multicomponent liquids, mutual interaction effects obs. 7=10812

solubility in glass melts, physical and chemical, obs. 7=7035

solubility in liquid Co, Co-Ti and Co-Mo 7=7034 sorption on Ir, Rh 7=1285

spectra of atoms, extreme u.v. absorption in He-N discharge obs. 7=4008 spectra, He-like 7=6536

in stars, abundances in M and S types obs.from molecular spectra 7=5532

in stars of 20M<sub>ey</sub> burning calc. 7=5526 vapour pressure obs. 7=1202

in Cr. diffusion under stress, temp. var. obs. 7=17579 in Cr-Y alloy, behaviour rel. to ductility 7=14704 in GaP, isoelectronic traps 7=2389

N II, N IV ions, Grottrian charts 7=4009
N II-V u. v. multiplets radiative lifetimes obs. 7=10434

N\*, proportional counter response, 5-40 keV 7=3055  $\rm N^{4^*}$  autoionization rates in (1s, 2s, 2p)\*P\_{93} state 7=4173  $\rm N_2$  bremsstrahlung and elastic scatt. 7=12968

N<sub>2</sub> collision with electrons, ionization cross-section obs. 7=17030

 $N_2$ , electron excitation of  $C^3\pi o B^3\pi$ , apparent crosssections 7=13738

 $N_2$  electron-impact spectrum, allowed transitions  $\,$  7=4092  $\,$   $N_2,\,$  radiative lifetimes in Vegard-Kaplan system  $\,$  7=10510  $\,$ 

N2, solubility in polystyrene films, direct sorption 7=10984 N<sub>2</sub> spectrum first positive band electronic transition

strength, shock obs. 7=10509 N2, drift velocities in air 7=10611

 $N_2^*, emission of (0,0) neg. band in dayglow 7=8704 <math display="inline">N_2^*$  emission in twilight 7=8706

 $\rm N_2^+$  emission in twilight '/=8706  $\rm N_2^+$  spectrum, proton excited, 20-600 keV '7=13737  $\rm N_2$ -Ar heat of mixing calc., 169°K, up to 130 atm. '7=10742  $\rm N_2$ -Ar heat of mixing 150°-293°K up to 130 atm. '7=10741  $\rm N_2$ -Ar system, phase equilibrium data at 83.82°K, and theory '7=4414  $\rm N_2(C^3\pi-B^3\pi)$  bands intensity in pulsating torch discharge, time var. '7=6770

time var. 7=6770  $N_2$ -CH $_4$  system, phase equilibrium data at 90.67°K, and theory 7=4414

 $\rm N_2\text{-}CO_2$  laser action from vib-rot transitions of  $\rm CO_2$   $\,$  7=13712

 ${
m N_2-CO_2}$  laser, mechanism ensuring level population inversion 7=12629

 $\rm N_2\text{-}CO$  system, phase equilibrium data at 82.82°K, and theory 7=4414

 $N_2-H_2,$  volume change on mixing, up to 100 atm. 7=10709-10  $N_2-H_2$  mixture, diffusion coeff. rel. to temp. and concentration 7=4303

N<sub>2</sub>+He+ charge transfer emission 7=13834

N2-Hg collisions, Hg 73S1 and 63D1 levels extinction

obs. 7=13702 $N_2 + N_2$  reaction 7=15427

 $N_2 + N_2$  reaction l=13421 N=O atom mixtures, chemionisation 7=8540 NO<sub>3</sub> ion pairing with Zn<sup>2+</sup> in H<sub>2</sub>O 7=7085 N<sub>2</sub>-O<sub>2</sub>, luminescence spectrum, electron beam excited, 50 keV 7=6676

 $N_2$ - $O_2$  mixtures, meas, of ion-ion recombination coeffs. 7=17018

in Th, diffusion prod. by d.c. obs. 7=4677

# Nitrogen compounds

azides, chemical dissociation yields from

N14(n, p)C14 7=2482

hydrated double nitrates, Co divalent ions spin-lattice relax. calc. 7=8285

nitrates, chemical dissociation yields from

N14(n, p)C14 7=2482

HN<sub>3</sub>, dipole moment from mm-wave Stark spectra 7=10513

HN3, vac.-u.v. photolysis 7=8570
HNCO and DNCO, dipole moments from mm-wave Stark spectra 7=10513
HNF free radical, vibr. and electron spectra 7=11958
NCI, the bloc-use band system 7=16954

ND,  $d^1\Sigma^*-c^1\Pi$  system,  $\Delta\nu=0$  sequence 7=13741 N<sub>2</sub>D\* formation 7=6802 ND<sub>4</sub>Br, deuteron mag. reson., line width 7=11718 ND<sub>4</sub>Cl, deuteron mag. reson., line width 7=11718 Nitrogen compounds-contd

ND<sub>4</sub>I, deuteron mag. reson., line width 7=11718 ND<sub>4</sub>NO<sub>3</sub>, polycrystalline deuteron mag. reson., 100-403°K 7=15275 NF, band system 7=4094

NF spectrum,  $a^{\perp}\Delta - X^{2}\Sigma^{-}$  O-O band obs. 7=10512 NF<sub>3</sub>, enthalpy of dissociation 7=16977 NF<sub>3</sub>, force consts. 7=6686

NF3, solid, molec. rot. and diffusion 7=5208

cls  $N_2F_2$ , vibr. spectrum 7=13740 NH( $A^3\Pi \to X^3\Sigma^-$ ) oscill. strengths, shock tube meas. 7=6684

NH, dissociation energy meas, by shock-tube 7=4124 NH,  $d^{1}\Sigma^{+}\!-\!c^{1}\Pi$  system 7=10511

NH,  $d^1\Sigma^*-c^1\Pi$  system,  $\Delta\nu=0$  sequence 7=13741 NH<sub>2</sub> ion-molecule reactions, energy depend. 7

NH mol., rot. distortion of 3 II states 7=4095

NH stretching vibrations, effect of strong hydrogen bonding 7=4081 NH<sub>2</sub> in alkali halides, optical props. 7=5267

 $N_2H_4$  decomp. by H atoms 7=8538  $N_2H_4$ \* e.s.r. in  $\gamma$ -irradiated  $N_4PF_6$  7=11710  $N_2H_4$ , n.q.r. of  $N^{14}$ , coupling consts. meas. 7=8345

 $N_2H_4$ .  $H_2O$ , crystallization from supercooled mixtures 7=11009 N-N bonds, single, double, and triple, theory 7=890

NO, chemisorption on W 7=2461

NO, conc. in ionospheric D-region 7=2581 NO, dispersion in fundamental vibr.-rot, band 7=6682 NO ionization and dissociation, 600-950Å 7=10627

NO, laser action, 5.84-6.43 $\mu$  7=3149 NO, lifetime of the a<sup>4 $\pi$ </sup> state 7=10514 NO, molec.consts. 7=6681

NO molecule, broadening of electronic-vibr. system, calc. 7=13746

NO molecules fundamental vibration-rotation band integrated intensity obs. 7=13742
NO, overtone intensities 7=876

NO spectra, <sup>2</sup>Δ states interactions obs. 7=6679 NO spectrum, absorption bands < 1600Å 7=891

NO spectrum, γ-band intensities var. with r-centroid obs. 7=6680

obs. 7=0600 NO, transition-moment variation in γ system 7=6678 NO, transition-moment variation obs. 7=6814 NO, in upper atmosphere, laser meas. 7=18376 NO, photolysis, deactivation of excited O atoms 7=2473 and proceed that the process of the control of the co

NO<sub>2</sub>, upper atm., chemiluminescent radiation during PCA events 7=18380

NO<sub>3</sub>, in alkali halides, optical props. 7=5267 NO<sub>3</sub>, radiation-induced form. in aqueous solns. 7=15448

N2O, in atmosphere 7=15478

 $N_2$ 0, in almosphere 7-10710  $N_2$ 0 decomposition on Ge cleavage planes, kinetics 7=1284  $N_2$ 0 ionization with dissociation by p and H atoms, slow ions mass spectra obs. 7=6815

 $\rm N_2O, relationships$  between molec.props. 7=6663  $\rm N_2O, spontaneous$  emission probability, i.r. 7=6677

 $N_2^{\prime}$ O, vibr. luminesc. excited by active  $N_2$  7=13728  $N_2^{\prime}$ O, vibr. relax. 7=10481  $N_2^{\prime}$ O-CO<sub>2</sub> flow, diffusion-viscosity coupling theory 7=10717

NoF, hyperfine quadrupole structure in microwave spectrum 7=4096
NoF-therefore to-vibr. energy transfer 7=10504
NoF-the

 $N^{14}O^{16}O^{17}$ , microwave spectrum 7=6683 (NPBr<sub>2</sub>)<sub>3</sub> and (NPBr<sub>2</sub>)<sub>4</sub>, vibr. spectra 7=13743 (NPCl<sub>2</sub>)<sub>4</sub>, vibr. spectra 7=13743

crystals plastic deformation and fracture obs. 7=11307 decomposition on W, mechanism 7=2463 deuteron spin-lattice relax. meas., bonding data 7=7117

e.s.r. maser spectrometer improvements 7=3099

maser, frequency accuracy 7=3112
maser, single cavity, molecular ringing 7=9473
molecules, inversion, potential function 7=6685
neutron scatt. calc. 7=4112

photoionization, mass spectrometric study 7=17028

radiolysis in wide-range source 7=8579 thermal diffusion and self-diffusion 7=1093 thermal expansion, 24-175 % 7=1488

vibrational relax. times 7=10481

ND<sub>3</sub>, polycryst, deuteron mag. reson. 7= ND<sub>3</sub>, reaction with powdered U 7=8547 NH<sub>3</sub>, creep of solid (130-180 K) 7=14748

 $\rm NH_3^{2*},$  one-centre-expansion SCF calc. 7=13726  $\rm NH_3^{-+},$  one-centre-expansion SCF calc. 7=13726  $\rm NH_3-H_2O$  systems at 77°K, e.s.r. study of  $\gamma$  radiolysis and photolysis 7=8578

Na-NH<sub>3</sub> solns., elec. cond. at high press. 7=14124 ammonium compounds

ADP, light modulation indices at 7 GHz, meas. 7=15338 ADP, u. s. waves, secondary harmonic obs. by optical diffraction 7=11112

alum crystal growth, supersaturation effect on shape 7=1336 ammonium Zn fluoride hydrate non-stoichiometry 7=1439

for nuclear reaction kinetics, smoothed points 7=6397 triple-lens systems, pre-calculation 7=16232 for tunnel diode monostable circuits design 7=165 Non-crystalline state. See Amorphous state; Vitreous state. Non-Newtonian fluids. See Fluids. See also Stars. luminescence theory, appl. of light scatt. in nonstationary medium 7=12393

Novae

Physics Abstracts 1967 - Part I (Jan.-June) Novae-contd Nova GK Persei 1901, 3-colour observations 7=8855 Nova Herculis 1963, 3-colour observations 7=8855 old, near X-ray source Sco X-1, possibility 7=5507 spectrum of old nova v 603 Aql 7=15683 spectrum of oid nova v 003 Aq1 (=13083)
supernova explosion resulting from pair
formation 7=15684
supernova in NGC 4573, spectrum 7=8853
supernova remnant W44, 8350 Mc/s obs. 7=8854
supernovae found with Palomar Schmidt telescope 7=12157 supernovae light echoes search 7=8851 supernovae, 1965 Palomar search 7=8852 supernovae remnants He<sup>3</sup> abundance approx. 7=8868 supernovae, spectra of Chavira and Rosino 7=5536 Novoids . See Novae Nuclear acoustic resonance. See Absorption/acoustic waves, ultrasonic; Nuclear magnetic resonance and relaxation.

Nuclear alignment. See Nuclear orientation. Nuclear angineert. See Nuclear orientation.

Nuclear bombardment targets
emulsion camera for scatt. from gas and solid
targets 7=12809 gas, y angular distribs., nuclear lifetime effects calc. 7=13385 isotope, preparation for nuclear research 7=3349 polarized -why? 7=13383 p, polarized 7=6223 p, polarized, test by p-p scatt. at 600 MeV 7=6224 production on thin supports and meas, of mass deposited per unit area 7=16342 scattering chamber with semiconductor detectors 7=13479 thickness meas., Am²41  $\alpha$  source, dual method, semicond. detector gauge 7=9007 B self-supporting films prod. 7=3350 Be thin films manufacture 7=17385 C thin films manufacture 7=17385 H liquid jet injected into accelerator, proposal 7=6226 H, liquid, nonboiling 7=9687 H, liquid, thin walled 7=16344 H, polarized, for p-scatt., design and construction 7=9973 He³ liquid for photodisintegration meas. 7=625 Mg, reduction from MgO by  $\rm Zr<1010^{\circ}C$  7=16343 Mg<sup>24</sup> preparation from Mg<sup>24</sup>O 7=377 S, production method 7=3351 Nuclear decay schemes. See Radioactivity/decay schemes. Nuclear decay theory See also Beta decay theory; Nucleus/theory.
α-decay barrier penetrabilities with Igo potential for oddmass nuclei 7=6372  $\alpha$ -decay and  $\beta$ -vibrational states, calc. 7=16744 alpha decay, nonlocal potential barrier and Pereyeffect 7=10177 alpha-decay, review 7=6371 angular momentum effect on n,p, and a evaporation 7=10176 βγγ correlations, rel. to CP-parity conservation 7=13353 Coriolis forces, influence on  $\gamma$ - and  $\alpha$ -transitions 7=6373 double hypernuclei with  $\Sigma$  emission calc. 7=3724 three particle, kinematics 7=483 Po<sup>212m</sup>, coupled channel  $\alpha$ -decay rate theory appl. 7=16756 Nuclear emulsions. See Nuclear track emulsions. Nuclear excitation See also Mössbauer effect; Nucleus/energy levels. by  $\alpha$  scatt., even nuclei, surface interaction mechanism for mag. substate  $\ 7{=}10305$ Bohr's collective Hamiltonian, complete numerical soln. 7=13212 closed shell nuclei, deformed excited states 7=10096 coherence width of cross-section fluctuations and maxima 7=13218

collective levels by scatt., nonsphericity higher approxs. 7=10100

collective 0\* coherent pairing fluctuations 7=3743

collective quadrupole, rel. to mag. moment 7=3742

compound statistical model. Fearning approximately ap compound-statistical model, Fermi gas parameters rel. to calc. excitation functions 7=16767 compound-statistical model, Monte Carlo calc. of excitation functions 7=16766 Coulomb with γ emission, review of studies since World War II 7=6306 even-even, collective quadrupole excit. models, mag. dipole transition operator 7=6324 giant collective multipole states, excitation by electron scatt. 7=10102 high-spin states, ang. distrib.. collective model 7=3744 isobaric analogue states in (d, n) 7-16709 monopole correction to elastic electron scattering 7-3873 in n scattering from 30 elements, obs. rel. to calcs. 7=13457 nucleon-phonon interaction, Schröd. eqn. soln. 7=10092 particle-hole, complete single-particle basis, point spectrum 7=6322

particle-hole, rel. to isospin impurity study 7=13223

collective theory 7=13230

quadrupole giant resonance in deformed nuclei, dynamic

Nuclear excitation-contd

(p, 2n) réactions, vibr. and rot. levels, conversion electron (p, 2n) réactions, vibr. and rot. levels, conversion electron anisotropy 7=10108 vibrational, photon scatt., giant resonance, theory 7=10221 Ag<sup>107,108</sup>(O<sup>18</sup>, O<sup>18</sup> $\gamma$ ), levels of Ag 7=13297 Al at 0. 84 and 1. 01 MeV by n scatt. 7=10264 Al +  $\rho$  reaction, function obs. 7=3890 Al<sup>27</sup> by (n, n' $\gamma$ ),  $E_{\pi}=0.8-3.7$  MeV 7=16815 Al<sup>27</sup>, by n scattering, 1. 1-2. 1 MeV 7=13495 Al<sup>27</sup>, by n scattering, 1. 1-2. 1 MeV 7=13495 Al<sup>27</sup>, D<sup>10,11</sup> and Li<sup>8</sup> induced reaction, calc. 7=3962 Al<sup>27</sup> (n) Mg<sup>24</sup>, functions obs. 7=13428 Ar<sup>36</sup> by K<sup>41</sup>(p,  $\alpha$ ) Mg<sup>24</sup>, functions obs. 7=13428 Ar<sup>36</sup> by K<sup>41</sup>(p,  $\alpha$ ) at 7. 5 MeV 7=743 Ar<sup>40</sup>, by 4. 1 and 7. 3 MeV protons 7=3891 Bl<sup>0</sup>. in B<sup>11</sup>(He<sup>3</sup>,  $\alpha$ )Bl<sup>0</sup>, direct-interaction 7=3953

Ba<sup>130</sup>, quadrupole moment meas. 7=16727
Ba<sup>134-8</sup>, deformation parameters 7=13703
Be<sup>8</sup> by d scatt, at 14 MeV, rel. to p and a scatt. 7=13581

Be® by d scatt, at 14 MeV, rel. to p and  $\alpha$  scatt, 7-13581 Be® 2.43 MeV level by n scatt., ang. distrib. 7-13484 Bi²¹°, particle-particle excitation spectrum 7-13347 C¹² by d scatt, at 14 MeV, rel. to p and  $\alpha$  scatt. 7-13581 C¹², by n scatt, at 14.1 MeV 7-13486 C¹² photoreactions particle-hole excitation calc. 7-16778 C¹² virtual 2\* level in n elastic scatt. < 4 MeV 7-13485

Ca40 photoreactions particle-hole excitation calc. 7=16778 Ca<sup>40</sup>, by 13 MeV protons, simple configurations obs. 7=16792

Cd<sup>114</sup>, quadrupole moment meas. 7=16727 Co<sup>58g, m</sup> production ratios in Co<sup>59</sup>(n, 2n) and Ni<sup>58</sup>(n, p),

13.2-15.7 MeV 7=13544
Holes, 14 MeV neutrons, total cross-section, nuclear

alignment effect 7=3917 In<sup>115</sup> (He³, d)Sn<sup>116</sup>, prelim. results 7=3791

In the first of the first series from 1 to 9 MeV 7=13395 Li $^{9}$  in Li $^{9}$ ( $^{9}$ , mp)He $^{4}$  resonance at E $_{\rm p}=1.9$  MeV 7=13395 Li $^{7}$ 0.48 MeV level by n scatt.from 1 to 9 MeV 7=13483 Li $^{7}$ , and Li $^{7}$ ( $^{9}$ , n) peaks, 7.25-50 MeV 7=16774 Mg $^{24}$ .26, 7-15 MeV levels, by electrons 7=6414 Mg $^{28}$ , 21.3-hour function from U fission with He $^{3}$ .4

ions obs. 7=3968

Na at 0.44 MeV by n scatt. 7=10264 Ni<sup>58</sup>, by 9.1-9.5 MeV protons, resonance structure 7=3894 O\* states, by (t, p) reactions, shell effects 7=13580

 $O^{18}$  by d scatt. at 14 MeV, rel. to p and  $\alpha$  scatt. 7=13581

 $O^{16}$ , in stars, reduced  $\alpha$ -width 7=5521 Pb, by n scattering at 7.4 MeV 7=13509

Pb<sup>208</sup>, particle—hole theory 7=3817 Pt<sup>190</sup>-<sup>198</sup>, Coulomb, by 36-MeV O<sup>16</sup> ions 7=3813

Ru<sup>99,101</sup> by  $\alpha$  of 4-7 MeV, Coulomb 7=16725 S<sup>38</sup>, 2. 9-hour function from U fission with He<sup>3,4</sup> ions

obs. 7=3968 Sb121,123, by deuterons, quadrupole vibr. 7=10304

Sc<sup>44</sup> by (n, 2n),  $(\gamma, n)$  and  $(\gamma, pn)$  obs. 7=13268 Si<sup>28</sup> isobaric analogue states in Al<sup>27</sup>(d, n) 7=16709

Sm<sup>148, 150</sup>, quadrupole moment meas. 7=16727 Sn<sup>154</sup>, dynamical shape fluctuations 7=13213

T1 at 7.64 MeV by  $\gamma$  resonant scatt., temp.var. and self-absorption 7=13392

Tl<sup>206</sup>, particle-particle excitation spectrum 7=13347 Zr<sup>29</sup> in Y<sup>20</sup>(p, n), 3.5-6 MeV 7=13434

Nuclear explosions. See Explosions/nuclear.

Nuclear field theory. See Field theory, quantum. Nuclear fission

See also Explosions/nuclear; Nuclear reactors, fission. cross-section meas. analysis rel. to reference cross., 1 keV-10 MeV 7=6454

Doppler-broadening calc. from multilevel interference of resonances with same spin and parity 7=16850 Doppler effect calc. from unresolved energy region 7=782

drop, uniformly charged, saddle-point normal modes 7=17241

γ-radiation from fragments obs. 7=3969

heavy nuclei, solid ionographic detector obs. 7=386 multiparameter expts., and semiconductor detectors,

review 7=3965

by n, channel theory and quasi-resonances 7=16851 neutron resonance parameters 7=13436 photon prod. < 260 MeV, of Bi, Pb, Au, Pt, Os, Re, Ta,

Hf 7=10324

resonance integrals meas.,  $\rm H_2O$  molecular binding effects  $7{=}10258$ 

resonances and strength functions, U.S.S.R.

work 7=16799

single-particle calc. 7=3966

ternary, data inconsistent with scattering theory 7=16848 ternary at lower energies 7=3968

total width distribution 7=16847

and unresolved levels correction 7=16690

Ag by p at 460 MeV, recoil nuclei velo. 7=6457 Am<sup>294</sup>, spontaneous 7=13632 Am<sup>241</sup> by n, 0.02-50 eV 7=3967

Am<sup>242</sup> isomers, spontaneous, obs. 7=6453

Am<sup>242</sup> spontaneously fissionable isomer prod.from U<sup>233</sup> + B<sup>11</sup> obs. 7=10321 Bi<sup>209</sup>(p) competition fission-evaporation of n 7=3909

Br by p at 460 MeV, recoil nuclei velo. 7=6457

Nuclear fission-contd

Cf<sup>246</sup> isomer with spontaneous half life  $\sim 10^{-7}$  sec 7=16849 Cf<sup>266</sup> isomer with spontaneous half life ~ 10<sup>-7</sup> sec 7=1684 Lu, He-ion-induced, excitation functions obs. 7=13631 Np<sup>235</sup>, induced by α, 20-50 MeV 7=13603 Np<sup>237</sup> cross-section meas, analysis rel. to reference cross., 1 keV-10 MeV 7=6454 Pa<sup>233</sup> by fission n from U<sup>253</sup>, fast fission cross. 7=10322 Pp<sup>266,267,266</sup> by γ, 100-260 MeV 7=6455 Pu<sup>238</sup>, evidence for slow-neutron, gamma-fission reaction 7=10323

reaction 7=10323 Pu<sup>238</sup> by n, 0.02-400 eV 7=3967 Pu<sup>238</sup> + n, resonance, 2-300 eV 7=16852 Pu<sup>239</sup> by n, 0.08-1.5 MeV, fragments ang. distrib. 7=3973 Pu<sup>239</sup> neutron total cross, resonances, 100-300 eV 7=13568

Pu<sup>239</sup> resonance parameters 7=16826
Pu<sup>239</sup> resonance parameters 7=16826
pu<sup>239</sup>-242 cross-section meas. analysis rel. to reference cross., 1 keV-10 MeV 7=6454
Pu<sup>244</sup> spontaneous fission half-life obs. 7=13378

Re, He-ion-induced, excitation functions obs. 7=13631  ${
m Re^{185.187}}$  by 40.9 MeV  ${
m He^4}$  ion, cross-sections obs. 7=13630 Th<sup>230</sup>, by 690-1230 keV neutrons 7=13627

Th232 cross-section meas. analysis rel. to reference cross., 1 keV-10 MeV  $^{-1}$ 6454
Th<sup>232</sup>, by 0.6-3.0 MeV neutrons 7=13628
Tl by  $\gamma$ , 100-260 MeV  $^{-2}$ 6455
Tm, He-ion-induced, excitation functions obs. 7=13631

U<sup>234-6,238</sup>, induced by d, 5-25 MeV 7=13603 UO<sub>2</sub>, fission gas release and bubble movement 7=10361

W, by 600 MeV protons 7=13629

products

angular distribution of fragments 7=16853 deposition from flowing gas, theory 7=785 even-even nuclei, theory of mean primary charge

distrib. 7=6456 heavy nuclei, high-energy p bombard., mica detectors obs. 7=10325

heavy nuclei, spallation and fragments, 18 GeV p induced, solid plastic detectors obs. 7=10326 level density parameter and thermal capacity rel. to

fission-neutrons spectra data obs. 7=10328 liquid surface e.s. precipitator 7=16854 molecular sieve 4A for decontamination 7=10369

neutrons, transmission spectra through N, O, C, Pb 7=16627

photon prod. < 260 MeV, ang. distribs. 7=10324 plastic scintillation detectors with large area and fast

response 7=6462
recording of fragments, synchronous, two channel system 7=6461

stiffness var. with N and Z, low energy 7=16855

track visualization by etching in mica, olivine and makrofol 7=10327

Am<sup>242m</sup>, average n yield per fission obs. 7=10335

Aulse from U<sup>282</sup> by Ne<sup>22++</sup> bombard., anomalous yield obs. 7=773

Bi<sup>209</sup> by bremsstrahlung at 250 MeV, kinetic energy 7=10329 Cf<sup>262</sup>, prompt electron yield obs., spontaneous 7=10337

Cf<sup>252</sup> spontaneous fission light products with Z = 1-4 obs. 7=16856

Cfrss spontaneous fission long range particles with Z=1-4 obs. 7=16857 Cm<sup>244</sup> spontaneous ternary and binary fission n,  $\gamma$  and  $\alpha$  obs. 7=10336

Np<sup>237</sup>, charge distrib., 40.5 MeV He ions induced 7=10333 Np<sup>237</sup>, mass distrib., intermediate-energy He ions induced 7=10334

Pu + n at 14 MeV, n spectrum obs. 7=13635 Pu<sup>239</sup>, charge distrib. 32.0 MeV He ions induced 7=10333 Pu<sup>239</sup> (d, pf), fission fragment ang. anisotropy 7=6459 Pu<sup>239</sup>, mass distrib., intermediate-energy He ions

induced 7=10334

Pu<sup>239</sup> by n, 0.08-1.5 MeV, ang. distrib. 7=3973 Pu<sup>241</sup>, thermal n fission, kinetic energy of fragments 7=6460

Th<sup>232</sup> by bremsstrahlung at 250 MeV, kinetic energy 7=10329 U, fissionable impurities, micromaps techniques 7=7553

U, rissionable impurities, interemaps techniques in U foils, ejection of U atoms obs. 7=1664
U + n at 14 MeV, n spectrum obs. 7=13635
U<sup>233</sup> by n, 0.08-1.5 MeV, ang. distrib. 7=3973
U<sup>233,235</sup>, energy and ang. distrib. of neutrons obs. 7=10330 U235(d, pf), fission fragment ang. anisotropy 7=6459

U<sup>255</sup>, mean penetration ragment ang. anisotropy 7=5459 U<sup>255</sup>, mean penetration range through gases obs. 7=774 U<sup>235</sup>, n and α ang. correl. obs. 7=10331 U<sup>235</sup> by n, 0.08-6 MeV, ang. distrib. 7=3973 U<sup>235</sup>, photofission asymmetry rel. to max. bremsstrahlung

energy 7=772 U<sup>236</sup> by bremsstrahlung at 250 MeV, kinetic energy 7=10329

U<sup>238</sup>, ranges and kinetic energies, by 14.5 MeV neutrons 7=3972

in  $\rm UO_2$  sintered discs, ejection of U atoms obs. 7=1663 W, by 600 MeV protons 7=13629

fissionable impurities, micromaps techniques 7=7553 by n at 14 MeV, n spectrum obs. 7=13635

Ag<sup>110</sup>m magnetic moment obs. 7=16726 Am<sup>242</sup>, from Pu<sup>242</sup> (d, 2n), (d, f) obs. 7=6453

Au<sup>196</sup> spin 12 isomer 7=16737 Bi<sup>208</sup>, 2.6 msec, from Bi<sup>209</sup>(n, 2n)Bi<sup>208m</sup> obs. 7=3818

 $Cf^{246}$  with spontaneous fission half life  $\sim 10^{-7}$  sec 7=16849

```
Nuclear isomerism-contd
                                                                                                                            C_0^{58g,m} production ratios in Co^{59}(n,2n) and Ni^{58}(n,p), 13.2-15.7 MeV 7=13544
Nuclear fission-contd
    uranium-contd
        spontaneous and by thermal n, rel. to mineral
                                                                                                                            Co60 and Ni60, isobaric analogue states 7=13433
        age 7=8615
U<sup>223</sup> by n, 0.08-1.5 MeV, fragments ang. distrib. 7=3973
U<sup>233</sup>, and unresolved levels correction 7=16690
                                                                                                                            Fe<sup>53</sup>, high-spin high-energy isomer 7=6338
Hf<sup>177</sup> 1.1 sec isomer half-life obs. 7=13333
         U233,234,235,238 cross-section meas analysis rel. to reference cross., 1 keV-10 MeV 7=6454
                                                                                                                            Hf179m 7=6357
                                                                                                                            Hg, and isotope shifts obs. 7=3814 In<sup>117</sup> ratio and Sn<sup>118</sup>(p, 2p)In<sup>117</sup> excitation function 7=10252
         U^{235}, \alpha-particles and tritons yield and energy
                                                                                                                            Ir187m half-life and decay schemes 7=6346
             spectrum obs. 7=3970
        spectrum obs. 7=3970 Uzss, fission neutron spectrum 7=6458 Uzss n capture-to-fission ratio obs.in reactor 7=10280 Uzss by n, 0.08-6 MeV, fragments ang. distrib. 7=3973 Uzss + n with Uzss(n, \gamma), S_0 and S_1 strength functions for E_n = 0.3-30 keV 7=16825 Uzss, prompt, \gamma-ray effective spectra meas. 7=16742 Uzss, thermal-neutron, energy and mass yields calc. 7=3071
                                                                                                                             La137m half-life and decay schemes 7=6346
                                                                                                                             Lu172m half-life and decay schemes 7=6346
                                                                                                                             Mo<sup>103</sup>, 5. 3 hr 7=3852
                                                                                                                             Os, short-lived, n-deficient 7=3811
                                                                                                                            Os, snort-itved, in-deficient 1-3581 7=16721
Ta<sup>182m</sup>, γ and conversion β spectra obs. 7=6
Te<sup>119g</sup>, 16h, and 4. 7d Te<sup>119m</sup> decay, spin
assignments 7=10147
              calc. 7=3971
         U235, by thermal neutrons, long-range charged
                                                                                                                             U<sup>235m</sup>, transition energy 7=3820
             particles 7=13633
                                                                                                                            U^{\rm 285m} , very low transition energy determination 7=16740 {\rm Yb^{177m}} 7=6357
         \rm U^{286} by n, multilevel analysis, 0-37 eV 7=13565 \rm U^{238}, Au^{199} anomalous yield by Ne<sup>22++</sup> bombard. obs. 7=773
         U<sup>238</sup>, cumulative yields of Mo<sup>99</sup>, Rh<sup>108</sup> and Te<sup>132</sup> 7=13634
U<sup>238</sup>, by 14.5 MeV neutrons, ranges and kinetic
energies of fragments 7=3972
                                                                                                                   Nuclear magnetic resonance and relaxation
                                                                                                                            See also Molecules/nuclear coupling.

AA'BB'X mols., sub-spectral anal. 7=13774

AA'XX'M mols., sub-spectral anal. 7=13774

3-acetylpyridine, coupling between protons 2 and 6, by

INDOR technique 7=4117
         UO<sub>2</sub>(NO<sub>3</sub>)<sub>2</sub> solutions of supercritical vol., fission yield calc. 7=800
                                                                                                                             alcohols, proton spin-lattice relax. calc. alkali halide solns., proton shifts 7=7120
Nuclear fission reactors. See Nuclear reactors, fission.
                                                                                                                                                                                               7=13775
Nuclear forces
              See also Field theory, quantum/meson field.
                                                                                                                             analysis of spectra by damped least squares 7=9466
                                                                                                                            antiferromagnets, quadrupole splitting theory. 7=8312 apparatus JNM-3H-60, expt. data and fundamental performance obs. 7=17212 aqueous electrolyte solns., proton shifts 7=7121 aqueous proton shifts in alkali halide solns. 7=7120
         Bethe-Faddeev eqns. solns. accuracy 7=16678
         Bethe-Faddeev equations, improved solutions 7=3707 deuteron-nucleus optical potential 7=16829 effective forces from free N-N interaction 7=13194 effects on neutron-star models 7=2663
         four-parameter potentials from He3,4 scatt. 7=13607
                                                                                                                             azulene derivatives 7=6729
          hard core, possible origin 7=3712
                                                                                                                             Bloch eqn. simple derivation 7=9468
         A binding energy in nuclear matter higher-order corrections 7=6299
                                                                                                                            bounded medium, study of self-diffusion 7=7513 butyl phthalate spin-lattice relax. obs. 7=11715 cations in aq. soln., hydration no. determ. 7=10798-9 chemical analysis, using uncertainty principle 7=2487 chemical shifts and spin-spin coupling calc., multiple
          Lippman-Schwinger, quasiparticles and eigenvalues 7=12883
          multipole forces in spherical nuclei 7=16672
         and muonic molecules levels shift 7=6287
non-local potential 7=10212
nucleon separation energy from (p, 2p) and (e, e'p)
                                                                                                                                  solns. 7=9018
                                                                                                                             conference, Bombay, 1964 7=16121
                                                                                                                             copolymers, anal. by p.m.r. 7=942
               reactions 7=3710
                                                                                                                             coupled electron-nuclear magneto-static modes 7=18181
          one-meson exchange, tensor forces, in SU(6)<sub>W</sub> 7=3424 optical potential, complex symm. term meas. 7=10073
                                                                                                                             coupled spin system mag. moment, relaxation equations 7=17287
          parity non-conserving internucleon potentials meas. by
                                                                                                                             couplings between nuclear and electron spins 7=8315
               (n, γ) 7=13224
                                                                                                                             cryostat, continuous flow 7=16138
          n-p pairing together with long range residual interaction 7=10106
                                                                                                                             crystalline hydrates, structural data 7=8316 deuteron, in benzene, spin-lattice relax. meas. 7=7117
          and saturation curves, of nuclear matter, calc. 7=13193 smooth velocity-dependent potential, appl. to nuclear
                                                                                                                             deuteron, in bromobenzene, spin-lattice relax.
               matter 7=3716
                                                                                                                                  meas. 7=7117
          soft-core potentials in momentum space 7=6292
                                                                                                                              deuteron, in liquid ammonia, spin-lattice relax.
          surface tension of nuclear matter, calc. in Fermi-gas
                                                                                                                                  meas. 7=7117
          model 7=10080
symmetry term rel. to Coulomb correction term 7=10072
                                                                                                                             deuteron, in water, spin-lattice relax. meas. 7=7117
                                                                                                                              diketonate complexes, rel. to laser props. 7=4391
          three-nucleon states, p-wave formalism 7=3620
                                                                                                                             dimethylaniline, polycrystalline, -190 to -1.5°C 7=5210
          two-body interaction, modified 7=16671
                                                                                                                             dislocation dipole effects on line shape calc. 7=8313
          two-nucleon interaction, long-range 7=16677 two-nucleon potential obs. by inelastic scatt.
                                                                                                                             double, line profiles 7=16131 double reson, with incoherent r.f. field 7=5867
          Be<sup>10</sup>, neutron binding energy meas. 7=6294
C<sup>12</sup>, two-nucleon potential obs. by inelastic scatt. 7=3711
                                                                                                                             dynamic nuclear polarization by adiabatic passes on a forbidden line 7=2222
          Na<sup>24</sup>, neutron binding energy meas. 7=6294 O<sup>16</sup>, binding energy calc. 7=648
                                                                                                                              ethane, 1, 2-disubstituted, rotational isomerism 7=13762 ethylene critical region obs. 7=10749
          Pb<sup>208</sup> potential shape obs. 7=13602
                                                                                                                              ethylene oxide polymers, glass transition temps.
obs. 7=1293
 Nuclear fusion
               See also Explosions/nuclear; Nuclear reactors, fusion;
                                                                                                                              F in paramagnetic spinels 7=15267
               Thermonuclear reactions.
                                                                                                                              fast adiabatic passage 7=15255
          controlled, review of research 7=10338
                                                                                                                              fluoroalcohols non-equivalence obs.
          review of progress towards power 7=13897 review of research rel, to confinement and stability of hot
                                                                                                                              free radicals in soln., relax. 7=14128 gas hydrates, p.m.r. 7=15259
                                                                                                                             gas nydrates,p.m.r. 'I=10209
hexadecapole interactions calc. 7=8346
hexafluorides,cryst.,molec.struct.and motion 7=2233
hydrate crystals,p-p rel.to metal-0 distances
obs. 7=17506
hydrogen polysulphides in molten S, anal. by n.m.r.
technique 7=7122
              plasmas 7=4225
          thermonuclear reactions in mag. mirror calc. 7=6463
 Nuclear induction. See Nuclear magnetic resonance and relaxa-
 Nuclear interactions. See Collision processes; Field theory,
      quantum/interactions; Elementary particles; Nuclear
      reactions; Scattering, particles.
                                                                                                                              isolated groups of nuclei and molecular interaction 7=14172
 Nuclear isomerism
                                                                                                                              isotopic substitution, effect on chemical shifts 7=16133
Knight shift effect, anisotropic, for rot samples 7=15255
               See also Nucleus/energy levels.
          cross-section ratios, calc. with gamma-ray cascade
                                                                                                                              Knight shift in metals and semiconductors, temp. and field
               model 7=6317
                                                                                                                                  dependences 7=15257
          cross sections ratio calc. method 7=10218
                                                                                                                              line-shape recording by pulsed magnetic field
         decay period meas, up to 1 sec., accidental coincidence effects theory 7=13333 isomer shift rel. to charge densities 7=3734 short-lived, by \alpha bombard, of natural elements 7=770
                                                                                                                                   modulation 7=16132
                                                                                                                              liquid crystals, equivalence of nuclear spins 7=17288
                                                                                                                              liquid, microscopic theory with elec. quadrupole inter-
actions between nuclear spins 7=7115
```

liquids, equivalence of nuclear spins 7=17288 liquids, intermolecular double resonance and

low field, appl. to spin-coupling assignment 7=10547

Overhauser effect 7=1173 liquids, saturation 7=17289

```
Physics Abstracts 1967 - Part I (Jan.-June)
Nuclear magnetic resonance and relaxation-contd
        magnetic field meas. and control, oscillator technique
        with aid of n.m.r. 7-9348
magnets, permanent, for nuclear mag. reson. spectrometer 7-267
        meta-fluorotoluene, Overhauser effect, 3-spin
            system 7=4118
        metal, polyvalent, Knight shift mag. field var. 7=2223
metals, acoustic nuclear spin resonance 7=2225
metals, frequency distribution associated with
dislocations 7=5203
        metals, Knight shift changes rel. to electronic screening
            of impurities 7=2225
        metals, paramag. additions, effect on oscill. of Knight shift 7=15107
        methane, nuclear spin relax. 7=4119 methyl groups in crystals, line profile 7=15273
        methylchloride, C<sup>43</sup>-H coupling consts. 7=13777
3-methylpyridine water solns., proton spin echo rel. to
association 7=14037
        moment with rotating samples, theory 7-5871 n.m.r. magnetometer, use with water 7-14126 napthalene, transition through weak field,
            irreversibility 7=18189
        noise limiter, freq.-selective, using n. m. r., 30 HMz 7=16006
       nylon 66, wideline studies 7=2244
       organic solvents effect on proton chemical displacement of dissolved gases 7 = 17290
       Overhauser effect, 3-spin system 7-4118
Overhauser, and relax. processes, analogy with chem.
exchange 7-263
       oxalic acid dihydrate single cryst. 7=8337
para-difluorobenzene, Overhauser effect, 3-spin
system 7=4118
       paramagnetic ions, dilute solns., proton mag. relax. 7=7119
       pentafluoro-iodobenzene, spin-coupling assignment 7=10547
polar gases, pure and with solvents, dipole interactions
obs. 7=916
       polar liquids, elec.field induced dipole-dipole
            couplings 7=1172
       polychlorotrifluorethylene line width, -150° to
            +80°C 7=15028
       polycrystalline samples, quadrupolar and dipolar
       broadening 7=8311
polycyclic hydrocarbons, high resolution 7=6733
       polyethylene, drawn and undrawn, solvent sorption
            effects, meas. 7=14303
      polyisoprenes, microstruct.obs. 7=11038
for polymerization meas., theory 7=15435
polymers, line ordering and multiplicity due to tactic
structs. 7=10567
       polymethylacrylonitrile, rel. to tacticity 7=2241
polymethylmethacrylates, "rotating frame" proton spin-
lattice relax.obs. 7=8332
      polyoxymethylene, crystalline, thermal twisting motion obs. 7=4607
polyvinylacetate 7=17291
polyvinylalcohol 7=17291
      poly(vinyl chloride-vinyl acetate) copolymer,
tacticity 7=2247
preamplifier for spectrometer, microwave planar
triode appl. 7=16139
       proton, in azulene, chemical shifts calc. 7=6728
      proton, in epichlorohydrin, spectrum calc. 7=6732
      proton magnetic resonance spectra, INDOR
           technique 7=4117
      proton, in triglycine sulphate 7=15269
pyridine 7=10549
      quadrupole broadening, sample rotation effect
           theory 7=5872
      quadrupole effects, rel. to correl. of crystal field
      parameters 7=15211 rare-earth metals and alloys, metallic shifts 7=15258
       relaxation by intermolec. dipole-dipole interactions 7=4119
      shielding consts. in simple systems 7=13773 single crystal, analysis of lines 7=8337 in solids, calc. of rigid-lattice dipolar line shapes 7=8310 spectroscopy review 7=5346
      spin diffusion barrier anisotropy 7=2238
      spin-echo experiments, thermostat 7=16137
      spin-lattice relax., phonon-bath bottleneck effect
calc. 7=8314
      spin-lattice relaxation in liqs. 7=14127
spin oscillator, for earth's mag. field meas. 7=16136
spin relax. in rotating tilted reference frame 7=12586
      subspectral analysis, limitations of generalization 7=6726
      superconducting alloys, dirty, spin-lattice relax. 7=7886
      superconductors static spin susceptibility obs. by
Knight shift 7=14906
      theory of hyperfine structure 7=3720 toluene, liq., spin-lattice relax. 7=7124 transient response of nuclear spin system in pulsed e.m. field calc. 7=266
      transition metals, ferromag., relaxation itinerant electron,
           contrib. 7=5204
```

```
Nuclear magnetic resonance and relaxation-contd
                  transition metals, metallic shifts 7=15258
                triglycine sulphate, deuterated, ferroelec. transition
by D n.m.r. 7=15039
trimethylamine, C<sup>13</sup>-H coupling consts. 7=13777
water, and aq. solns., chem. shift 7=4390
p-xylene, liq., spin-lattice relax. 7=7124
                   Zeeman-dipolar cross. relax. time obs. 7=11716
                 Al, Knight shift calc., direct and core-polarization
                           contributions 7=8317
                contributions 7=8517
Al27 in Nb<sub>3</sub>Al, superconducting 7=17912
Al27, in ruby, nuclear acoustic resonance 7=15260
Al:Cu dilute alloys 7=15261
Al:Fe dilute alloys 7=15261
Al:Mn dilute alloys 7=15261
                B-F spin-spin coupling in tetrafluoroborate
anion 7=1174
                Ba salts, hydrated cryst., proton spin-lattice relax. 7=8318
BaF<sub>2</sub>, spin-lattice relax. of F<sup>19</sup>, and point defects 7=8319
Bi, magnetoacoustic geometric, high ql 7=1779
                Br<sup>79</sup> in Br<sub>5</sub>C<sub>6</sub>F, phase transform. obs. 7=17369
C<sup>13</sup> in paramag. Fe-group cyanides 7=11695
CH<sub>5</sub>COOH-CCl<sub>4</sub> liquid system spin-lattice relax. 7=7118
                 CHF3, liq., relax. and Overhauser effects 7=17292
                CHFCl<sub>2</sub>, Overhauser effect, 3-spin system 7=4118
CaF<sub>2</sub> Zeeman-dipolar cross. relax. time obs. 7=11716
Cd<sup>111</sup> rel. to Hg<sup>190</sup> obs. in vapour 7=6563
              Cd<sup>11f</sup> rel. to Hg<sup>196</sup> obs. in vapour 7=6563

CeF<sub>3</sub>, of F<sup>19</sup>, and hyperfine interaction 7=8326

Cl<sup>35</sup> in aqueous HCl solutions of Fe(III) 7=1177

Cl<sup>35</sup> in Cl<sub>2</sub>C<sub>4</sub>F, phase transform. obs. 7=17369

Cl in DCl liquid, elec. field gradient at D obs. 7=10870

Cl in MnCl<sub>2</sub>. 4H<sub>2</sub>O, antiferromag. obs. 7=2164

Co, oscillatory spin echo decay obs. of quadrupole splitting in h.c.p. Co 7=11717

Co in Co-Os, dilute, f.c.c. 7=15262

Co<sup>2+</sup>: MgO, ENDOR line, strain broadening 7=8289

Co<sup>50</sup> in Co, field depend. of relaxation 7=8321

Co<sup>50</sup>, dispersion and absorption signals rel. to current theory 7=8320
                                                                                                                                                                    7=10870
                theory 7=8320
Co<sup>60</sup> in Fe, polarized Co nuclei 7=5205
                Crss in Cr<sub>3</sub>As<sub>2</sub>, internal mag. field meas. 7=8322
CrBr<sub>3</sub>, ferromag., rel. to magnetization near Curie
              Crofts, terromag, rel. to magnetization near Curie point 7=2229
Cs metal 7=15279
Cs metal, Knight shift, line shape and width 28.5-
1.6°K obs. 7=2230
Cu acetate, spin relaxation, theory 7=15263
Cu, in Cu-Mn alloy, quadrupole effects meas. 7=5206
Cu, in FeCu alloys, hyperfine fields, temp. depend. 7=4433
Cu sheets, Knight shift 7=2228
               Cu, spin-density oscs. in vicinity of Mn impurities 7=1812
              Cu<sup>85</sup> and Cu<sup>85</sup> in Cu foils 7=3324

Cu(NH<sub>3</sub>)<sub>6</sub>(ClO<sub>4</sub>)<sub>2</sub>, proton contact shifts in liq.

NH<sub>3</sub> 7=1176

CuSO<sub>4</sub>, 5H<sub>2</sub>O, anomalous doublet structure below 1°K 7=8323

D in CD<sub>4</sub>, 1. 4-73°K 7=5207
              D in Cu acetate hydrate, mag. structure deriv. 7=11719
D in DCl liquid, elec. field gradient at D obs. 7=10870
DCl liquid, elec. field gradient at D obs. 7=10870
D in ND<sub>4</sub>NO<sub>3</sub>, phase transforms. and elec. field gradient at D, 100°-403°K 7=14236
              Erise in ErFeO<sub>3</sub>, spin-relax. in mag. ordered system 7=14178
Eu<sup>2</sup>*:BaF<sub>2</sub>, spin-lattice relax. 7=15264
F, in (NH<sub>4</sub>)<sub>3</sub>ZrF<sub>7</sub>, spin absorption and relax. 7=15266
F, Overhauser effect and molec. motion
                       in liqs. 7=1175
              Fig. in Solid chloropentafluorobenzene 7=8327
Fig. in Solid chloropentafluorobenzene 7=8327
Fig. in CaF<sub>2</sub>, line shape problem 7=15265
Fig. in CaF<sub>2</sub>, mag. induced by ocsillating field 7=2231
Fig. in CaF<sub>2</sub>: (Tb<sup>3</sup>*, Tm<sup>3</sup>*, Sm<sup>3</sup>*), 28-300°K obs. 7=2232
             Fig. in LaF<sub>3</sub>, mag. screening anisotropy obs. 7=8328
Fig. in NaF, double reson. 7=5212
Fig. in visonite structure crystals 7=8326
F in UF<sub>4</sub>, 78-400°K, 500-4000C, rel. to susceptibility 7=15268
Fe(III) dithiocarbamate complexes 7=2234
              Fe, in FeCu alloys, hyperfine fields, tempo depend. 7=4433
             Fe, in Pd, hyperfine field, spin degeneracy of giant moment 7=5209

Fe<sup>57</sup> in Fe-Mn and Fe-V alloys, hyperfine field
                       spectra 7=4434
             Ga, liquid Knight shift and relax. temp. var. obs. Ga<sup>3*</sup> in aq. soln., hydration no. determ. 7=10800
             GdX<sub>2</sub>, Laves-phase cpds. meas. of Gd hyperfine field 7=11706
            H, in Cu acetate hydrate, mag. structure deriv. 7=11719
H, liquid, spin-lattice relax., effect of He 7=14070
H<sup>1</sup> in (NH<sub>2</sub>)<sub>2</sub>CrF<sub>2</sub>, spin absorption and relax. 7=15266
H<sub>2</sub> liquid flow rate, meas. 7=7001
             \overline{\text{HD}}, solid, proton relax, time rel to ortho-\overline{\text{H}_2}
             conc. 7=11720
HF<sub>2</sub> ion in soln., chem shift 7=17293
```

```
Nuclear magnetic resonance and relaxation-contd
Nuclear magnetic resonance and relaxation—contd
             H<sub>2</sub>O adsorbed on edingtonite, H<sub>2</sub>O molecules rotation obs. 7=10975
                                                                                                                                                                                   Os<sup>187</sup> nuclear moment meas, by detection of very weak signals 7=11722
                                                                                                                                                                                   weak signals (=1162)
Ps1, chem. shifts, theory 7=922-3
Pb, press. dependence of Knight shift 7=8339
Pb, superconducting, Knight shift rel. to particle
            H<sub>2</sub>O adsorbed on MgO, proton reson. 7=14292
H<sub>2</sub>O sorbed on Na polymetacrylate 7-8330
Hg, relaxation temp. var. obs. 7=10871
                                                                                                                                                                                          size 7=14924
             Hg198, Zeeman transitions, double resonance, freq.
                                                                                                                                                                                   Pb<sup>207</sup> in Na<sub>18</sub>Pb<sub>4</sub>, Knight shift 7=8338
Pb<sup>207</sup> in Na<sub>15</sub>Pb<sub>4</sub>, temp, depend, of Knight shift 7=15278
PrF<sub>3</sub>, of F<sup>19</sup>, and hyperfine interaction 7=8326
Pt, press, dependence of Knight shift 7=8339
Pt, press, dependence of Knight shift 7=8339
                   shifts 7=4007
             Hg199 rel. to Cd1116 obs. in vapour 7=6563
             In115 in InBi, meas. 7=15270
             In 116, spin-lattice relax. from \beta-decay anisotropy 7=3854
                                                                                                                                                                                    Rb, bulk, enhancement in size-effect regime 7=2245
             n-InSb, plasmon excitation in spin-flip rel.to relaxation
                                                                                                                                                                                    Rb metal 7=15279
             rate peak 7=18182

K<sup>30</sup>, Ramsey resonance, mag. field depend. 7=4049
                                                                                                                                                                                   Sb, in CoMnSb, cubic ferromag. 7=5215
             KCl F centers electron-nuclear double resonance
                                                                                                                                                                                   Si, ENDOR of ionized impurity-pairs at 4.2 and
                                                                                                                                                                                    1.3°K 7=15280
Sn, in Co<sub>2</sub>MnSn, cubic ferromag. 7=5215
                    obs. 7=8331
             KCl, F-centres, ENDOR 7=2235

KD<sub>2</sub>PO<sub>4</sub>, ferroelec. transition by D n. m.r. 7=15039

K<sub>3</sub>Fe(CN)<sub>8</sub>, C<sup>13</sup> shifts 7=11695

KMn cyanides, C<sup>13</sup> shifts 7=11695

KMnF<sub>3</sub> hyerpfine interaction consts. obs. 7=18183

KSO<sub>3</sub>NH<sub>2</sub>, interproton vector 7=2236

Kr, solid, local mag. field shift 7=2237

La<sup>139</sup> in (La<sub>1-x</sub>Sr<sub>x</sub>)MnO<sub>3</sub> obs. hyperfine fields deduced 7=15271

LaF<sub>2</sub>, n. m.r. study of F diffusion 7=14491
              KCl, F-centres, ENDOR 7=2235
                                                                                                                                                                                    β-Sn, press. dependence of Knight shift 7=8339
                                                                                                                                                                                    Sn, superconducting, and spin-reversing scatt.
                                                                                                                                                                                    obs. 7=11483
Sn<sup>129</sup> in V<sub>3</sub>Sn, superconducting 7=17912
Ti-V-Fe 7=15281
                                                                                                                                                                                    Tl205 in Tl halide-Co halide solid solutions chemical
                                                                                                                                                                                    shift and covalency 7=8340
TlCl, electron-coupled internuclear interactions 7=8341
              LaF3, n.m.r. study of F diffusion 7=14491
                                                                                                                                                                                    UF<sub>3</sub>, of F<sup>19</sup>, and hyperfine interaction 7=8326
                                                                                                                                                                                   Ur<sub>3</sub>, of F<sup>13</sup>, and hypertine interaction '7=8326 UF_\delta liquid, rel. to molecular struct, and spin-rotation interaction '7=14129 V^{51} in VO_2, 418°K to room temp., shift and elec. field gradient '7=18190 V^{51} in V_3Si, Knight shift, phase transformation effects obs. 7=2246
              La<sub>2</sub>Mg<sub>3</sub>(NO<sub>3</sub>)<sub>12</sub>. 24H<sub>2</sub>O, orientation of H<sub>2</sub>O 7=4586
Li small particles in n-irrad LiF 7=11721
              Li<sup>7</sup> in dilute Li alloys, meas. 7=15272
Li<sup>7</sup> in Li,N cryst. 7=2240
LiCd, Zintl intermediate phase 7=2239
              LiZn, Zintl intermediate phase 7=2239
                                                                                                                                                                                    ons. ^{1=2240} Vsi in V<sub>3</sub>Sn, superconducting 7=17912 V<sub>3</sub>X cpds, relax, in supercond. and normal states 7=15282 WF<sub>6</sub> liquid, rel. to molecular struct. and spin-rotation interaction 7=14129 wiss in Na_WO<sub>3</sub>, transients, 1-4°K, rel. to cond. band 7=7797
              MgO F centers electron-nuclear double resonance
obs. 7=18184
               Mn(III)tris(acetylacetonate), O17 reson. 7=10548
              Mn in Ni-Mn (dilute), relax. times obs. 7=15277 Mn in Ni-Mn (dilute), relax. times obs. 7=15277 Mn<sub>1-x</sub>Co<sub>x</sub>O, expt. test for Suhl-Nakamura interact. Mn<sub>1-x</sub>Ni<sub>1</sub>O, expt. test for Suhl-Nakamura interact. Mr<sup>2</sup> solns. proton relaxation 7=7123
                                                                                                                              7=18186
                                                                                                                                                                                    Xe, solid, local mag. field shift calc. 7=2249

Xe<sup>129</sup>, liquid and solid, local mag. field shift obs. 7=2248

Xe<sup>129,131</sup> in solid Xe, transient nuclear free-precession

signals 7=18191
              Mn<sup>2</sup>:BaF<sub>2</sub>, spin-lattice relax. 7=15264
Mn<sup>64</sup> in (Ce-La)Mg-nitrate, spin-lattice and cross-
relaxation 7=18185
                Mn55 in Fe-Mn alloys, hyperfine field spectra 7=4434
                                                                                                                                                                                     Zr-Nb-Mo 7=15281
               Mn<sup>S5</sup> in Mn impurity in Fe, field depend of
relaxation 7=8321
                                                                                                                                                                               measurement
                                                                                                                                                                                     analysis of spectra by double-resonance data 7=265
               Mn<sup>55</sup>, in Mn<sub>4</sub>N, temp. depend. 7=15274
MnCl<sub>2</sub>.4H<sub>2</sub>O, of p and Cl, antiferromag.obs. 7=2164
MnFe<sub>2</sub>O<sub>4</sub>, rel. to metal ion distribution, prep. from aqueous soln. 7=15178
                                                                                                                                                                                     broad-line nuclear resonance apparatus 7=9464
                                                                                                                                                                                     complex signals, mathematical anal. 7=9467 computer programme for chemical shifts and spin-spin
                                                                                                                                                                                     coupling consts. calc. from spectra 7=5869
double electron-nuclear spectrometer for paramagnetic
               MnO in paramagnetic state 7=8333
                                                                                                                                                                                     solns. 7=4389
double, r.f. weak perturbing field effects calc. 7=264
               MnO in paramagnetic state 7=8333
α-MnS in paramagnetic state 7=8333
α-MnSe in paramagnetic state 7=8333
Mn<sup>2</sup>":SrF<sub>2</sub>, spin-lattice relax, 7=15264
MoF<sub>6</sub> liquid, rel. to molecular struct, and spin-rotation interaction 7=14129
                                                                                                                                                                                     double resonance, multiple solid echo trains 7=5212 J and T, determ. by spin-echo method 7=5870 l.f. internal-lock spectrometer system 7=10547 for magnetic field discriminator 7=5805 pulsed, simple single-coil probe 7=3103
                N, in diamond, endor 7=5211
                ND, polycryst., D reson. 7=8325
                                                                                                                                                                                      reference methods, substitution and external 7=16134 rotational relaxation, by double reson. 7=262
                ND4Br, deuteron mag. reson., line width 7=11718
               ND<sub>4</sub>Br, deuteron mag. reson., line width 7=11718 ND<sub>4</sub>Cl, deuteron mag. reson., line width 7=11718 ND<sub>4</sub>I, deuteron mag. reson., line width 7=11718 ND<sub>4</sub>NO<sub>3</sub>, polycrystalline deuteron mag. reson., 100-403°K 7=15275 (ND<sub>2</sub>)<sub>2</sub>SO<sub>4</sub>, ferroelec., d.m.r. 7=15276 NF<sub>3</sub>, solid, molec. rot. and diffusion 7=5208 (NH<sub>4</sub>)<sub>2</sub>Cd<sub>2</sub> (SO<sub>4</sub>)<sub>3</sub>, proton spin-lattice relax. 7=8334 NH<sub>4</sub>Cl, spin-lattice relax. at \lambda-point 7=14235 (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>, ferroelec., proton relax. 7=15276 Na in liquid NH<sub>3</sub>, Knight shifts 7=1176 NaBr, gradient-elastic tensor meas. 7=2243 NaCl aq. soln., hydration number determ. 7=7121 NaCl, gradient-elastic tensor meas. 7=2243
                                                                                                                                                                                      signal to noise ratio improvement by double inte-
                                                                                                                                                                                             gration 7=22
                                                                                                                                                                                      solid transients, "boxcar" integrator 7=2226
                                                                                                                                                                                      use of solvent effects in high-resolution n.m.r. 7=7116 spectrograph with high resolution in strong mag. fields 7=5868
                                                                                                                                                                                       spectrometry, literature survey 1963-65 7=3102
                                                                                                                                                                                      spinning sidebands in coaxial cells, appl. to bulk susceptibility meas. 7=9465
                                                                                                                                                                                       temperature meas. simultaneously 7=16135
                                                                                                                                                                                       transistorized autogenerator with capacitive feed-
                                                                                                                                                                                             back 7=3104
                NaCl, gradient-elastic tensor meas. 7=2243
NaCl, spin locking, a.m. of r.f. fields obs. 7=18188
                                                                                                                                                                         NDZr superconducting magnet with high homogeneity 7=9463
Nuclear matter. See Nucleus/theory; Quantum theory/many-particle systems.
                NaFHF, F-centres and imperfections prod.by \gamma-rays obs.by n.m.r.and e.s.r. 7{=}1639
                {\rm NaH_s(Seo_s)_2}, {\rm proton~distrib.meas}.~7=18187 {\rm NaN_3}, {\rm F-centres~and~imperfections~prod.by~\gamma-rays~obs}.
                                                                                                                                                                          Nuclear orientation
                                                                                                                                                                                       crystals, neutron diffr., resonance reorientation of n spin in a.c. mag.field 7=7190
                       by n.m.r.and e.s.r. 7=1639
                Na<sup>23</sup> in NaCl, rotated, relax. obs. 7=8335
Na<sup>23</sup>, in NaF, double reson. 7=5212
                                                                                                                                                                                       dynamic polarization, new effect 7=14173
ferromagnetic dilute alloys method 7=7192
hot electrons prod. polarization theory 7=7191
                Na<sup>23</sup> in NaHg<sub>2</sub>, NaHg and Na<sub>3</sub>Hg<sub>2</sub>, quadrupole splittings 7=5213
                splittings 7=5213

Na<sup>25</sup> in Rochelle salt, quadrupole splitting obs. 7=8336

NaOCN, F-centres and imperfections prod. by γ-rays obs. by n.m.r.and e.s.r. 7=1639

Nb<sup>95</sup>, in supercond. Nb powder 7=4953

Nb<sup>95</sup> in Nb<sub>2</sub>AI, superconducting 7=17912

NdF<sub>3</sub>, of F<sup>19</sup>, and hyperfine interaction 7=8326

Ni, single-domain grains 7=5214

Ni(NH) (CO) protop corpus thifts in large
                                                                                                                                                                                       and neutron reaction average cross. 7=13475
                                                                                                                                                                                       polarization, apparatus using polarized neutrons 7=3722
                                                                                                                                                                                       polyethylene, dynamic polarization of protons by solid
effect, radiation-damaged 7=1211
spin, nuclear or ionic, indirect interaction 7=7821
                                                                                                                                                                                       spin, indicated or folice, indirect interaction 1=621 Ag ^{100m} in Fe, \gamma anisotropy at 0.014°K ^{-2}H177 Coe, dynamic, by forbidden e.s.r. transitions, meas. 7=11698
                 Ni(NH<sub>3</sub>)<sub>6</sub>(ClO<sub>4</sub>)<sub>2</sub>, proton contact shifts in liq.
NH<sub>3</sub> 7=1176
                 {
m NH_3}^{7} 7=1176 {
m Ni^{61}} in Ni impurity in Fe, field depend of
                                                                                                                                                                                         F in LiF with paramagnetic V<sub>K</sub> centres, dynamic polarization enhancement at 80°K 7=10917
                 relaxation 7=8321
O<sup>17</sup> in aq. solns. of Cu(en)(H<sub>2</sub>O)<sub>4</sub><sup>2+</sup> 7=7114
                 O17 in aqueous HCl solutions of Fe(III) 7=1177
                                                                                                                                                                                         F<sup>19</sup> in CaF<sub>2</sub>, dynamic nuclear polarization effect 7=10916
Fe dilute alloys 7=7192
```

```
Nuclear orientation-contd
```

He<sup>3</sup> adsorbed on Pb-zeolite powder, 0.05-1°K, to

16 kOe 7=13124

He³, propag. of nuclear spin polarisation 7=10430

Hg¹99 and Cd¹11 together in vapour, n. m. r. ratio obs. 7==6563

Hol65, polarized n scatt. at 350 keV, nuclear deformation obs. and spin-spin interaction search 7=13507

(La, Ce)<sub>2</sub>Mg<sub>8</sub>(NO<sub>3</sub>)<sub>12</sub>, 24H<sub>2</sub>O, dynamic polarization of p, effect of phonon bottleneck 7=14174 La<sub>2</sub>Mg<sub>3</sub>(NO<sub>3</sub>)<sub>12</sub>, dynamic polarization of p, field modulation and temp. var. obs. 7=7193

 $\text{La}_2\text{Mg}_3(\text{NO}_3)_{12}$ .  $24\text{H}_2\text{O}:\text{Dy}^{3+}$ , dynamic polarization of protons  $7{=}10918$ 

NaCl spin locking, a.m. of r.f. fields obs. 7=18188 (Yb, Y)(C<sub>2</sub>H<sub>3</sub>SO<sub>4</sub>)<sub>3</sub>, 9H<sub>2</sub>O rotating proton spin refrigerator theory 7=9267

Nuclear photoeffect. See Gamma-rays/effects; Nuclear reactions

due to photons; Photons/interactions.

Nuclear physics

computer time-sharing for several meas. 7=5952 data handling at high energy, review of post-1962 progress 7=5953

executive program for time-shared on-line computer system 7=9682 foil thickness meas., Am<sup>24</sup>  $\alpha$  source, dual method, semicond. detector gauge 7=9007

instrumentation at high energy novelties, comments 7=5954 multichannel data acquisition and digital computers at low energy, review 7=3346

polarization meas., instrumental symmetry defects 7=3344-5 pulse height spectra dead-time correction using computer 7=3834

review of 1963-6 nucleonics developments 7=16670

Fe magnets appl. 7=5951

Nuclear polarization. See Nuclear orientation. Nuclear power. See Nuclear reactors, fission.

Nuclear quadrupole resonance

alkali metals, in alkali halide lattices, relaxation time calc. 7=5216

d-3-bromocamphor, Zeeman effect 7=5217 p-chlorobenzene growth on p-bromo- and p-iodobenzene 7=7326

rel. to crystal field parameters, correl. 7=15211 diazines, solid 7=15286

2,5-dibromonitrobenzene Zeeman spectrum 7=2250 para-dichlorobenzene, temp. depend. 7=5218

formamide, solid 7=8344

quadrupolar echoes, phase depend. calc. 7=8342 relaxation, determ. of lifetimes of torsional vibr. 7=18192 spectrometer operational amplifier control 7=16140 spin-echos 7=11723

1, 3, 5-tribromobenzene, Zeeman spectrum obs. 7=15284 As<sup>75</sup> in CuAsS, spectrum and freq. obs. 7=8343 Br<sup>76</sup>, in solid p-bromophenol and p-bromoaniline, 90°-303°K meas. 7=2251 Br<sup>76,81</sup> spectra in substituted benzenes meas. 7=6730

C<sub>6</sub>D<sub>6</sub>, d coupling constant, 263°K 7=15283

Cl in 2, 5-dichloronitrobenzene and 6-chloro-2-nitrotolutemp.var.obs. 7=15285
Cl, solid, molecular motion and intermolecular forces 7=17322
Cl, in HgCl<sub>2</sub> 7=2255
Cl in NaClO<sub>3</sub> and KClO<sub>3</sub>, point charge approx. 7=10915
Cl<sup>36</sup> in HgCl<sub>2</sub> Zeeman effect 7=2252
Co<sup>59</sup> in Co complex cpds. 7=11724
Cu<sup>63-06</sup> in Cu<sub>2</sub>O<sub>3</sub>350-4 K obs. 7=2254 Cl in 2,5-dichloronitrobenzene and 6-chloro-2-nitrotoluene,

Cu<sub>2</sub>O 7=2253

Fe(ClO<sub>4</sub>)<sub>2</sub>. 6H<sub>2</sub>O, elec. quadrupole splitting, temp. depend. 7=5219

In<sup>115</sup> in In, nuclear spin-lattice relax. obs. 7=5220 La<sup>159</sup> in LaF<sub>3</sub>, 88-447°K obs. 7=2256 Li<sup>7</sup> in alkyllithium cpds. 7=5221 N<sup>14</sup> in N<sub>2</sub>H<sub>4</sub>, coupling consts. meas. 7=8345

# Nuclear reactions

See also Chemical analysis/by nuclear reactions; Fallout; Nuclear bombardment targets; Nuclear excitation; Nuclear fission; Nuclear fusion; Nuclear spallation; Radioactivity; Thermonuclear reactions. A(x, y)B pole mechanism testing 7=10215

angular distrib. of secondaries asymmetry due to fluctuations calc. rel. to cosmic ray shower obs. 7=13151

angular distribution spectrometer, mag., using emulsions 7=727 angular distributions J dependence obs. 7=6444 artificial disintegration of nuclei, theory 7=3860 atomic nuclei, light, disintegration in Coulomb

field 7=3866 bound states coupled-channel calcs. 7=16685 calibration energies, meas. > 1:10<sup>4</sup> 7=3906 charged particles, interaction mechanism, review 7=6005 (charged particle, n), Antwerp 1965 conference papers 7=13465

Nuclear reactions-contd

competing, simultaneous obs. by scintillation spectrometer 7=397

compound-statistical model, Fermi gas parameters rel. to calc. excitation functions 7=16767 compound-statistical model, Monte Carlo calc. of excitation

functions 7=16766 compound, as test of T-invariance 7=3863

cosmic rays, 1011 to 1013 eV, expt. techniques 7=3867 cross-section max. and min., probability distrib. 7=721 cyclotron beam props. effect on experiments 7=12835 cyclotrons prod., research with AVF in Europe 7=16768 direct, complex singularities in amplitudes

meas. 7=6396 direct, distorted wave theory with one basic

assumption 7=13382 direct interaction, high energy limits 7=462 direct, polarization and correlation, semiclassical

theory 7=6395 direct, virtual scatt. effects in dispersion theory 7=6393 doorway state, fine structure 7=13233

doorway state, the structure 7=13233
doorway states 7=16769
doorway states fine struct. modulation by analog.
resonance 7=16788
in emulsion, energy meas, at high energy 7=12808
energy dependence of average direct reaction cross
sections and level densities 7=13606
enhancement of T violation effects 7=3336

excited levels lifetimes meas. by stopping foil and e.s. methods 7=3825

extensive air showers obs.,  $10^{15}$ - $10^{18}$  eV 7=13148 fluctuations in cross., Ericson and intermediate struct.

theories 7=16770 formalism, comprehensive, derivation of existing theories 7=3861

γ angular distribs., nuclear lifetime effects for gas targets calc. 7=13385 γ emission, review of studies since World War II 7=6306

graphs, ladder and complex, in theory 7=13380 intranuclear cascade theory, 1010-1012 eV 7=13386 isobaric analogue resonances, fine struct. 7=3864

isobaric analogue resonances, Lane's model appl. 7=3865 isobaric analogue states spreading width due to Coulomb interaction 7=6421

isomeric cross sections ratio calc. method 7=10218 isotope separation analyser calc. 7=3868 kinematics, use of nomograms of smoothed points 7=6397 matrix theory, appl. 7=13384

 $(n, \gamma)$  angular correlation data accumulation prevention at high reaction rates 7=728

n pickup, J dependence obs. 7=16798 (N, N'd), virtuality effects of intermediate particle in graph theory 7=10210 N-nucleus, 100-1000 GeV in cosmic rays 7=3881

N prod., multiple mechanism at high energy rel. to cosmic N prod., multiple mechanism at high energy ref. to or ray showers obs. 7=13408 N prod. of  $\pi$  in cosmic rays, phenomenological inter-

pretation 7=6419

N prod., polarization phenomena elementary

description 7=13058 N prod., secondary π prod. mechanisms, ~ 100-1000 BeV 7=13407

for nuclear structure studies 7=10071

due to nucleons, secondary nucleon prod. cross-sections, empirical formulae 7=16782

Perey effect rel.to analytic props. of wave function 7=16760  $\pi^{\circ}$  production at 10<sup>13</sup> eV 7=10219

p emission for meas.p momenta in nucleus 7=13201

polarization phenomena elementary description 7=13058 polarized targets-why? 7=13383

pulse height spectra analysis, computer programme 7=16765 quasi-elastic interactions, diffraction theory 7=13381 rearrangement collisions channel eqns. 7=6398 rearrangement, effective single particle states 7=720 recoil nuclei distributions in angle and energy

meas. 7=3869 resonance behaviour of isospin forbidden reactions 7=726

resonance, Regge poles and polarization effects 7=10217 resonance theory wave functions nonorthogonality 7=3862 review of AVF cyclotrons research in USA 7=16759 scattering transformation matrices  $T_{\rm LL}$ , explicit forms 7=10209 shell-model approach, continuum—continuum

interaction 7=10208 shell model calc. in continuum 7=3732

spark chamber for high energy meas., isotropic 7=5990 spherical harmonics problems, graphical soln. 7=10207 statistical model, summary of 18 Antwerp 1965 conference

papers 7=16771 during stellar collisions obs. 7=15646 stripping calcs., new approach to replace DWBA 7=6399 three particle, "complete experiment" 7=10214

three-particle prod., apparent ghosts 7=725

 $C^{12}(d, n)N^{13}, 1.7-2.8 \text{ MeV}, n \text{ polarization meas. } 7=3934$ 

```
Nuclear reactions due to-contd
Nuclear reactions-contd
            transfer reaction products ang. distrib., diffr.
effect 7=10216
                                                                                                                                                                      cosmic rays-contd
                                                                                                                                                                             N-nucleus interaction model rel. to extensive air
                                                                                                                                                                             shower average calc. 7=13154
N-nucleus, 100-1000 GeV 7=3881
            vertex parts in a potential model 7=6394
           virtuality effects of intermediate particle in quasielastic scatt, in graph theory 7=10210 Ca48, single-nucleon-transfer reactions, core-polarization
                                                                                                                                                                             N prod., multiple mechanism at high energy rel. to shower
                                                                                                                                                                                   obs. 7=13408
            effects 7=13390

Li<sup>6</sup> + Li<sup>6</sup> + 3α prod., apparent ghosts in energy

plot 7=725

O<sup>16</sup>, giant resonance, effect of deformed mean
                                                                                                                                                                             N prod. of \pi, phenomenological interpretation 7=6419
                                                                                                                                                                             N prod., secondary \pi prod. mechanisms, \sim 100-1000 BeV 7=13407
                                                                                                                                                                             nucleons, with target nuclei, rel. to K° meson and
                  potential 7=6332
                                                                                                                                                                                   hyperon prod. 7=723
            S36, single-nucleon-transfer reactions, core-polarization
                                                                                                                                                                             "star" intensity anomalous var. with dense absorber thickness 7 = 13172
                  effects 7=13390
            Si32 prod. by nuclear bomb, evidence 7=10220
                                                                                                                                                                             Bi(\mu, n) asymmetry obs. 7=13406 on C, inelasticity > 100 BeV obs.
            on V^{51}, single-nucleon transfer, multipole sum rule
                                                                                                                                                                                                                                                       7=13388
                                                                                                                                                                             on C, \Lambda^0, K_1^0 \Sigma^{\pm} prod. obs. 7=13389 on Cu, \Lambda^0, K_1^0 \Sigma^{\pm} prod. obs. 7=13389 Cu(\mu^-, n) asymmetry obs. 7=13406 Fe(\mu^-, n) asymmetry obs. 7=13406
                  analysis 7=16839
      chemical effects
                  See also Chemical effects of radiations/ionizing
                   radiations.
                                                                                                                                                                             on Pb, \Lambda^{\circ}, K_1^{\circ} \Sigma^{\pm} prod. obs. 7=13389 Pb(\mu, n) asymmetry obs. 7=13406
             No entries
Nuclear reactions due to
                                                                                                                                                                      deuterons
      alpha-rays
             (\alpha,2n) reaction, population of vibrational levels of Sm152 and Gd154 \,7{=}3801
                                                                                                                                                                             (d, \alpha), theory 7=10300 deformed nuclei, stripping, interference of transition amplitudes 7=3929
              (α, 3n) type, removal of ang. momentum by emitting n and photons 7=3946
                                                                                                                                                                              isospin mixing theory 7=3927
            (\alpha, p), energy dependence of average direct reaction cross sections and level densities 7=13606 even nuclei, surface interaction mechanism for mag.
                                                                                                                                                                              measurement simultaneously of (d, t), (d, \mathrm{He^3}) and (d, \alpha),
                                                                                                                                                                             for 28.5 MeV d 7=3928
(d, n) Coulomb stripping, remark on amplitude 7=752
(d, n), (d, np) on light nuclei at 50 MeV, n spectra
obs. 7=13578
            substate 7=10305
isomer yield ratios, statistical-model calc., γ-ray
competition effect 7=16842
short-lived isomers obs. bombard. of natural
                                                                                                                                                                             (d, n), isobaric analogue states excitation \ 7{=}26709 (d, n) on medium weight nuclei at 11.7 MeV, n spectra
                  elements 7=770
                                                                                                                                                                                    and ang. distrib. 7=3942
            elements ^{7}=^{12}(0, p)Si<sup>30</sup>, ang. correl. and lifetime in Si<sup>30</sup> obs. 7=10129 Al<sup>27</sup>(\alpha, p)Si<sup>30</sup>, 12-16 MeV meas. 7=16845 Au<sup>197</sup>(\alpha, 2n or 4n), isomeric cross-sections 7=13621 Au<sup>197</sup>(\alpha, xn), 23 to 52 MeV, excitation functions 7=13622 Bi<sup>20</sup>(\alpha, \alpha)Li<sup>7*</sup>, rel. to Li<sup>7</sup>(477 keV) levels half-lives obs. 7=10112
                                                                                                                                                                              (d, 2n), compound nucleus and stripping-evaporation
                                                                                                                                                                             mechanism 7=760
(d,p), angular distributions J dependence obs. 7=6444
                                                                                                                                                                              (d, p), D-state of d effect 7=10287
                                                                                                                                                                              (d, p), j-forbidden, knockout mechanism inadequacy 7=16830
                                                                                                                                                                              (d, p) l_n = 0, polarization diffraction model treatment 7=10289
             B^{11}(\alpha, n)N^{14}, 2.5-5 \text{ MeV}, \text{mechanism } 7=13613
            B<sup>6</sup>(α, η)N<sup>1-3</sup>, z, o-5 MeV, mechanism '7=13013
Be<sup>9</sup>(α, 2α)He<sup>5</sup>, rel. to α-particle model of Be<sup>9</sup> 7=6290
Be<sup>9</sup>(α, η)C<sup>12+</sup>, rel. to C<sup>12</sup>(440 keV) levels half-lives
obs. 7=10112
Be<sup>9</sup>(α, η)C<sup>12</sup>, and C<sup>13</sup> levels 7=3951
C<sup>12</sup>(α, d)N<sup>14</sup>, isospin conservation obs. 7=16844
C<sup>12</sup>(α, p)N<sup>15</sup>, direct exchange contributions,
20-40 MeV 7=769
                                                                                                                                                                              (d, p) and (p, p'), average cross-section rel. to inter-
mediate-structure strength function 7=3926
(d, p) stripping, effect of charge exchange on DWBA 7=6446
                                                                                                                                                                              (d, p) stripping, neutron capture by nonspheroidal potential 7=6445
                                                                                                                                                                             (d, p) stripping reactions, particle states 7=16688 (d, p), study of p polarization by triple coincidences 7=10288 (d, py), \gamma ray intensity anomaly near E_{\gamma}=5 MeV 7=13577 (d, t) and (d, He<sup>3</sup>), comparison of cross-sections 7=751 optical potential 7=16829
             Ca<sup>40</sup>(\alpha, d) at 29.0 MeV, d spectra and excitation 7=13615
Ca<sup>40</sup>(\text{He}^4, p)Sc<sup>43</sup>, levels mode of decay and spin, below
1.7 MeV obs. 7=10137
                                                                                                                                                                              stripping and elastic scatt., exact solution of three body
             Cr^{52}(\alpha, pn) and Cr^{53}(\alpha, p2n), Mn^{54} yields in cyclotron
                                                                                                                                                                             problem calc. 7=10284
stripping, low-energy, distorted wave calc. 7=755
                              7=3958
              Er<sup>164</sup>(\alpha, xn) YD<sup>165-7</sup>, x=1-3, 16-40.5 MeV 7=10315
Er<sup>166</sup>(\alpha, 3n), (\alpha, 4n), (\alpha, pn), 16-40.5 MeV 7=10315
Er<sup>167</sup>(\alpha, 4n), (\alpha, p2n), 16-40.5 MeV 7=10315
                                                                                                                                                                              stripping mechanism saddle-point treatment
                                                                                                                                                                                     validity 7=10290
                                                                                                                                                                              stripping reaction, as special case of three-body
              F^{19}(\alpha, p), fluctuation studies 7=13614
                                                                                                                                                                                    problem 7=6447
             F<sup>19</sup>(α,py)Ne<sup>22</sup>, 4, 47, 5, 14, 5, 63 and 6, 35 MeV states ang. correl. obs. 7=13255
F<sup>19</sup>(Po<sup>31</sup>0a, n)Na<sup>22</sup>, and g factor of 1 + 583 keV state in Na<sup>22</sup> 7=3764
                                                                                                                                                                             stripping with spin orbit distortions, DWBA 7=13576 stripping, theory of Butler and Tanifuji, comments 7=750
                                                                                                                                                                              subcoulomb stripping, analytic theory
                                                                                                                                                                                                                                                                  7=13583
                                                                                                                                                                              Al<sup>27</sup>(d, \alpha)Mg<sup>25</sup> at 20. 9 MeV 7=10299
             Fe<sup>56,58</sup>, 22 MeV.obs. 7=13619
Hf<sup>178,169</sup>, rel.to W<sup>180m</sup> energy levels 7=3960
Ho<sup>185</sup>(\alpha,xn)Tm<sup>185-8</sup>,x=1-4,16-40.5 MeV 7=10315
                                                                                                                                                                              Al<sup>27</sup>(d, n), Sl<sup>28</sup> isobaric analogue states excitation 7=16709
Al<sup>27</sup>(d, n) at 3 MeV, Sl<sup>28</sup> isobaric analogue states
obs. 7=13594
              La139 (\alpha,\gamma)Pr143, excitation functions and radiative capture obs. 7=13620
                                                                                                                                                                             Ar^{40}(d,p\gamma),Ar^{41} levels obs. 7=16712 Au^{197}(d,p)Au^{198},27.5 MeV, excitation function 7=3944 B^{10}+d\rightarrow\alpha+\alpha+\alpha at 0.4 MeV,Bes sequential decay 7=6449
              La139(\alpha, n)Pr142, excitation functions and radiative capture
             where (\alpha, n) P_1^{-\gamma}, excitation functions and radiative capture obs. 7=13620 Mg<sup>24</sup>(\alpha, d) at 29.0 MeV, d spectra and excitation 7=13615 Mg<sup>24</sup>(\alpha, p)Al<sup>27</sup>, test of time reversal invariance 7=758 Mg<sup>26</sup>(\alpha, p)Al<sup>29</sup>, 12-16 MeV meas. 7=16845
                                                                                                                                                                              B<sup>10</sup>(d, n)C<sup>11</sup> 7=13586
                                                                                                                                                                             B^{10}(d, n)C^{11} 4z 2-3 MeV, n spectra and ang. distribs. obs. of C^{11} levels spins 7=13612 B^{10}(d, p)B^{11}, low Q-value rel. to cross section, below E_q=3.0 MeV 7=10294 B^{10,11}(d, n_p)C^{11,12} at 6.3 MeV, C^{11,12} levels obs. 7=13588 B^{10,12}(d, p)B^{11*}, subcoulomb stripping analytic theory verification 7=10295
              Na^{23}(\alpha, p), fluctuation studies 7=13614
             Na**(r,p), increation studies r=13014
Ni region, anomalous dip in total cross-section 7=10247
Ni**, 22 MeV, obs. 7=13619
on Np2**7, 20-50 MeV 7=13603
P3*1(\alpha, d<sub>0.1</sub>)S3* at 18.7 MeV, differential cross sections obs. 7=13618
            P^{31}(\alpha, d_{0,1})S^{33} at 18.7 MeV, differential cross sections obs. 7=13618 ps.1(\alpha, p), fluctuation studies 7=13614 Ss2(\alpha, d) at 29.0 MeV, d spectra and excitation 7=13615 Si26(\alpha, d) at 29.0 MeV, d spectra and excitation 7=13615 Si20(\alpha, \gamma)Ss3, energy levels obs. 7=10132 Si30(\alpha, n)Ss3, ang. distrib. at resonances obs. 7=10132
                                                                                                                                                                              B^{11}(d,\alpha),12.5 MeV cross-section and mechanism \ 7{=}16833 B^{11}(d,n)C^{12} \ 7{=}13586
                                                                                                                                                                              B^{11}(d,p)B^{12}, nuclear polarization obs. 7=13585
                                                                                                                                                                              B<sup>11</sup>(d, t)B<sup>10</sup>, ang. distrib., isospin dependence, obs. 7=16834
Ba<sup>158</sup>(d, γ)La<sup>140</sup>, compound-statistical features, 4 to
15 MeV 7=759
       cosmic rays
                                                                                                                                                                               Be9(d, α), 12.5 MeV cross-section and mechanism 7=16833
                   See also Cosmic rays/effects and interactions.
                                                                                                                                                                              Be<sup>8</sup>(d, n)B<sup>10</sup>, ang. distrib., isospin dependence, obs. 7=16834
Be<sup>8</sup>(d, n)B<sup>10</sup>, 3.0-5.5 MeV 7=10113
Be<sup>9</sup>(d, p)Be<sup>10</sup>, polarization of protons, 1-6 MeV 7=10293
Be<sup>10</sup>(d, α)Be<sup>10</sup>, asymm. rel. to Be<sup>8</sup> levels interference 7=3752
C<sup>12</sup>, 1-5 MeV, by optical model, Hauser-Feschbach and
             angular distrib. of secondaries asymmetry due to fluctuations calc. rel. to cosmic ray shower obs.
              giving bursts of large ionization, inelasticity and \pi^{\circ}
                    prod. 7=13152
             errors in primary energy meas, effects on multiplicity and inelasticity obs. 7=13387 extensive air showers obs. 7=6400
                                                                                                                                                                                     distorted-waves theories 7=13592
                                                                                                                                                                              C12(d, \alpha), 12.5 MeV cross-section and mechanism 7=16833 C12(d, \alpha), B10 7=3933 C12(d, \alpha), N13 (g.s.), 3.9-5 MeV, neutron polarization, ang. depend. 7=3936
             extensive air showers obs., 1015-1018 eV 7=13148
             inelasticity, rel.to reduction of expt. data 7=724
```

S 251

# Physics Abstracts 1967 - Part I (Jan.-June) Nuclear reactions due to-contd clear reactions due to—contd deuterons—contd C¹²(d, n)N¹³, resonance and direct reaction interference ?=16835 C¹²(d, n)N¹³, 3.8-5.0 MeV, cross-section meas. 7=3935 C¹²(d, p)C¹³ ground state, p polarization obs. 7=3932 C¹²(d, p)C¹³ ground state reaction, p ang. distrib. obs. 7=3931 C¹²(d, p)C¹³, low Q-value rel. to cross section, below E<sub>d</sub>=3.0 MeV 7=10294 C<sup>12</sup>(d, p)C<sup>13\*</sup>, subcoulomb stripping analytic theory verification 7=10295 C13(d, Li7)at 15 MeV, ang. distribs. DWBA analysis 7=16836 C<sup>13</sup>(d, n)N<sup>14</sup>, ang. distrib., isospin dependence, obs. 7=16834 C<sup>13</sup>(d, n)N<sup>14</sup>, kmock-out process, DWBA calc. 7=13587 C<sup>13</sup>(d, n)N<sup>14</sup>, 6 MeV, rel. to shell-model states in N<sup>14</sup> 7=3756 Ca<sup>40</sup>(d, He9)K<sup>29</sup>, ang. distribs. at 34.4 MeV, DWBA analysis 7=16838 Ca40 (d, p)Ca41 ground state, p polarization obs. 7=3932 Ca40 (d, p)Ca41 ground state reaction, p. ang. distrib. obs. 7=3931 obs. $^{7}$ =3931 Ca<sup>48</sup>(d, $\alpha$ )K<sup>46</sup>, 115 sec. K<sup>46</sup> obs. 7=761 Ce<sup>142</sup>(d, n)Pr<sup>143</sup>, up to 14, 2 MeV 7=13600 Ce<sup>142</sup>(d, p)Ce<sup>143</sup>, up to 14, 2 MeV 7=13600 Ce<sup>143</sup>(d, 2n)Pr<sup>142</sup>, up to 14, 2 MeV 7=13600 Cr<sup>50</sup>(d, n)Mn<sup>51</sup>, and Mn<sup>51</sup> half-life 7=715 Cr<sup>50</sup>(d, p), Cr<sup>51</sup> levels spins obs. from ang. distribs. J var. 7=16714 Cr<sup>50-54</sup> (d, p), 10 MeV 7=3777 Cr<sup>52</sup>(d, p)Cr<sup>53</sup>, ang. distrib.,zero-range DWBA calc. 7=762 Cr<sup>52</sup>(d, p)Cr<sup>53</sup>, finite-range distorted wave calc. 7=763 Cu63,65, analysis 7=10301Cu63,65(d, $\alpha$ ), analysis 7=10300F19 (d, Be7.9 or Li7) at 15 MeV, ang. distribs. DWBA analysis 7=16836 F19(d, n)Ne20, differential cross-sections and exchange effects 7=3937 F<sup>19</sup>(d, n) at 3 MeV, Ne<sup>20</sup> isobaric analogue states obs. 7=13495Fe<sup>56</sup>(d, $\alpha$ ), analysis 7=10300 $Fe^{58}(d,p)$ , $Fe^{59}$ levels spins obs.from ang.distribs. J var. 7=16714 In<sup>115</sup>, inalysis 7=10303 In<sup>15</sup>(d, p)In<sup>16</sup>, levels obs. 7=3792 $K^{39}(d, \alpha)Ar^{37}$ , 10-11 MeV 7=3769 Li<sup>6</sup>(d, w)H<sup>6</sup>, vector analyser resolution for polarized deuterons 0.7-2.2 MeV 7=16832 Li<sup>6</sup>(d, w)He<sup>6</sup>, ang. distribs., 1-2 MeV 7=10291 Li<sup>6</sup>(d, n)Be<sup>7</sup>, 0.2-0.8 MeV, stripping and PWBA theory 7=3930 Li\*\*(d, p)Li\*\* ang. distribs. obs. 7=10291 Li\*\*(d, p)Li\*\* ang. distribs. obs. 7=10291 Li\*\*(d, n)Be\*\*, 200 keV, spectrum and ang. distrib. 7=10292 on Mg, Na $^{22}$ prod. yield in cyclotron to 20 MeV $\,$ 7=13596 Mg $^{24}$ (d, n)Al $^{25}$ , and Al $^{25}$ levels $\,$ 7=757 Mg $^{24}$ (d, p)Mg $^{25}$ , and Mg $^{25}$ energy levels $\,$ 7=3888 N<sup>14</sup>(d, $\alpha$ ), 12.5 MeV cross-section and mechanism 7=16833 N<sup>14</sup>(d, $\alpha$ )O<sup>15</sup>, ang. distrib. of neutrons 7=16837 N<sup>14</sup>(d, $\alpha$ )O<sup>15</sup>, distorted wave analysis, low-energy 7=756 N<sup>15</sup>(d, $\alpha$ )O<sup>13</sup>, at deuteron energies of ~1 MeV 7=10296 $N^{15}(d, p)N^{16}$ and $N^{16}$ energy levels 7=3755 $Na^{23}(d, n)$ at 3 MeV, Mg<sup>24</sup> isobaric analogue states obs. 7=13594 Ne $^{20}(d, \alpha)F^{18}$ , absolute differential cross section obs. 7=3938 obs. $^{7=3938}$ Ne $^{20}$ (d, p)Ne $^{21}$ , absolute differential cross section obs. $^{7=3938}$ Ne $^{22}$ (d, $\alpha$ )F $^{20}$ at 2 MeV $^{7=3939}$ Ne<sup>22</sup> (d, p)Ne<sup>23</sup>, at 2 MeV 7=3939 $Ne^{22}(d,p_{\gamma}), Ne^{23}$ levels spins obs. 7=16705 Ni region, anomalous dip in total cross-section 7=10247 Ni<sup>ss</sup>(d, p)Ni<sup>ss</sup>, p polarization var. with ang. momentum transfer obs. 7=16840 Ni<sup>ss, co</sup>(d, a), analysis 7=10300 Ni64(d, p), Ni65 levels spins obs.from ang.distribs. Ni<sup>84</sup>(d, p), Ni<sup>85</sup> levels spins obs. from ang. distribs. J. var. 7=16714 O<sup>16</sup>(d, d), 12.5 MeV cross-section and mechanism 7=16833 O<sup>16</sup>(d, He<sup>3</sup>)N<sup>15</sup>, ang. distribs. at 34.4 MeV, DWBA analysis 7=16836 O<sup>17,18</sup>(d, Li<sup>7</sup>) at 15 MeV, ang. distribs. DWBA analysis 7=16836 O<sup>18</sup>(d, a)N<sup>18</sup> and N<sup>16</sup> energy levels 7=3755 P<sup>31</sup>(d, n), at 3 MeV, S<sup>23</sup> isobaric analogue states obs. 7=13594 obs. 7=13594 Pb<sup>206</sup>(d,p)Pb<sup>206</sup>, nuclear potential shape 7=13602 Pu<sup>235</sup>, 5-25 MeV, rel. to fission 7=13603 Pu<sup>242</sup>(d, 2n), (d, f), Am<sup>246</sup> isomers obs. 7=6453 Sb<sup>121,123</sup>, analysis 7=10304 Sc<sup>45</sup>(d, p)Sc<sup>46</sup> stripping analysis 7=3941 Sj<sup>26</sup>(d, n)P<sup>26</sup>, and P<sup>26</sup> levels 7=757

```
Nuclear reactions due to-contd
         \begin{array}{c} \textbf{deuterons-} \\ \textbf{contd} \\ \textbf{Si}^{30}(\textbf{d},\gamma) \textbf{P}^{32}, \textbf{compound-statistical features, 4 to} \\ 15~\text{MeV} ~~7 \\ = \\ 759 \end{array} 
                 Ti<sup>40,48,50</sup> (d, p), Ti<sup>47,49,51</sup> levels spins obs, from ang. distribs. J var. 7=16714 on U<sup>22+6</sup>.2<sup>28</sup>, 5-25 MeV, rel. to fission 7=13603 U<sup>22+6</sup>(2, p) U<sup>23+9</sup>, and levels in U<sup>23+9</sup> 7=3821 V<sup>50</sup>(d, \alpha), 7.50 MeV, rel. to Ti<sup>48</sup> levels 7=13272
                  on V51, single-nucleon transfer, multipole sum rule
                      analysis 7=16839
                 analysis (=10039
Yb even mass nuclei, (d, p), (d, t) obs. at 12 MeV of levels
in odd mass Yb nuclei 7=6354
Zr(d, p) and (d, n), rel. to coupling of analogous channels
leading to 91Nb' states 7=6450
Zr<sup>90</sup>(d, He<sup>3</sup>)Y<sup>99</sup>, distorted wave predictions of J
dependence 7=764
                  Zr^{90}(d,p) ang. distrib., coupling of (d,p) and (d,n), calc. 7=16841
                   Zr<sup>90</sup>(d, p)Zr<sup>91</sup>, 3.5-5.5 MeV, ang. distrib. 7=10302
          electrons
                  complex nuclei, rel. to prod. of pions 7=13402
                  cross section, gen. form rel. to e.m. inelastic
vertex 7=3498
                   (e, e'p), widths of resonances and nucleon separation
                           energy 7=3710
                  heavy target, heat generation distrib; and n prod., Monte
Carlo calc. 7=3875
light nuclei, rel. to photons, for exchange currents
                          test 7=3670
                  quasielastic knock-out of protons, theory 7=10228 time-dependent correlations in nuclei 7=13401
                  C^{12}, prod. obs. 7=6404

C^{12}, prod. of pions 7=13402

C^{12}, transition widths of excited states obs. 7=10114
                   Ca (e, e'p), spectrum of e-p coincidences 7=733
                   Li^{6,7}, \pi^{\pm} prod. obs. 7=6404 O^{16}, prod. of pions 7=13402
                   Pb, prod. of showers, cascade curves and ang.
                            distrib. 7=6415
                   S^{32}(e, e'p) levels obs. 7=732
          gamma-rays. See Nuclear reactions due to/photons. heavy ions. See Nuclear reactions due to nuclei of Z \ge 2.
                   (He<sup>3</sup>, Be<sup>7</sup>, x), excitation functions obs. 7=3954
(He<sup>3</sup>, d), Sb<sup>121,123</sup> levels structure obs. 7=686
(He<sup>3</sup>, p), differential cross section absolute value 7=13593
                   (He<sup>3</sup>, p) rel. to (t, p) on 1p-shell nuclei, diagrams 7=6448
                  (He³, p) rel. to (t, p) on 1p-shell nuclei, diagrams 7=6448 Ar^{40}(He^3, \alpha)Ar^{39} 7=16710 B^{10}(He^3, n)N^{12}, N^{12} decay obs. 7=13355 B^{10}(He^3, n) at 2-3 MeV, N^{12} levels obs. 7=13612 B^{10}(He^3, p\alpha\alpha\alpha) obs. 7=3952 B^{10}(He^3, t)C^{10}, C^{10} level structure obs. 7=3750 B^{11}(He^3, \alpha)B^{10}, 1.0-2.15 MeV, ang. distrib. 7=3953 B^{11}(He^3, n)N^{13}, 1.5 to 5.5 MeV 7=768 B^{11}(He^3, n)N^{13}, 1.5 to 5.5 MeV 7=768
                   Be<sup>9</sup>(He<sup>3</sup>, n) at 2-3 MeV, n spectra and ang. distribs. obs. of C<sup>11</sup> levels spins 7=13612
Be<sup>9</sup>(He<sup>3</sup>, p)B<sup>11</sup>, 1-3 MeV, ang. distribs. and excit. fractions 7=10309
                   Be^9(He^3,t)B^9, excitation functions, ang. distrib. and absolute cross section obs. \ 7{=}10308
                   C12 (He³, \alpha)C11 7=3948
C12 (He³, \alpha)C11, angular correlation study of C11
                            levels 7=3955
                  levels 7=3955 C<sup>12</sup>(He<sup>3</sup>, \alpha)C<sup>11</sup>, rel. to C<sup>11</sup> energy levels 7=13609 C<sup>12</sup>(He<sup>3</sup>, \alpha)C<sup>11</sup>, 1.4 to 6.0 MeV 7=13591 C<sup>12</sup>(He<sup>3</sup>, \alpha)C<sup>11</sup>, 2 to 6.2 MeV 7=13590 C<sup>12</sup>(He<sup>3</sup>, \alpha)C<sup>13</sup>, 1.4 to 6.0 MeV 7=13591 C<sup>12</sup>(He<sup>3</sup>, \alpha)O<sup>14</sup>, 1.4 to 6.0 MeV 7=13591 C<sup>12</sup>(He<sup>3</sup>, \alpha)O<sup>14</sup>, 3.95 and 7.03 MeV levels e.m. decay schemes obs. 7=16700 C<sup>12</sup>(He<sup>3</sup>, \alpha)N<sup>14</sup>, 2 to 6.2 MeV 7=13590 C<sup>13</sup>(He<sup>3</sup>, \alpha)C<sup>12</sup>, complete ang. distrib., 12, 15, 18 MeV 7=10311 C<sup>13</sup>(He<sup>3</sup>, \alpha)N<sup>14</sup> N<sup>15</sup> to the \alpha T = 10117
                   C13 (He3, d)N14, N14 study 7=10117
                   Ca<sup>46</sup>(He<sup>3</sup>, d)Sc<sup>47</sup>, levels structure up to 7.5 MeV obs. 7=13271
                   obs. 7=13271
Cl<sup>35</sup>(He<sup>3</sup>, p)Ar<sup>37</sup>, 11.5 MeV 7=3769
                   Cu65, recoil ranges of products, 11-33 MeV He3
                   Cu<sup>55</sup>, recoil ranges of products, 11-33 MeV He<sup>55</sup> ions 7=3959

F<sup>15</sup>(He<sup>3</sup>, a)F<sup>15</sup>, F<sup>15</sup> states at 3.06 and 3.13 MeV 7=10307

Fe<sup>54</sup>(He<sup>3</sup>, d)Co<sup>55</sup>, up to 12 MeV 7=3778

Fe<sup>54</sup>, e<sup>56</sup>(He<sup>3</sup>, d)Co<sup>55</sup>, vp to 12 MeV 7=16718

Fe<sup>55</sup>(He<sup>3</sup>, d)Fe<sup>55</sup>, J dependence at 30, 40 MeV 7=16798

(He<sup>3</sup>, d) stripping reactions, particle states 7=16688

In<sup>115</sup>(He<sup>3</sup>, d)Sn<sup>115</sup>, rel. to Sn<sup>115</sup> energy levels 7=3791

K<sup>36</sup>(He<sup>3</sup>, p)Ca<sup>41</sup>, 13.0 MeV 7=6451
                    K<sup>50</sup>(He<sup>3</sup>, p)Ca<sup>51</sup>, and two-particle, one-hole states 7=10314
Li<sup>6</sup>(He<sup>3</sup>, n)B<sup>3</sup> at 3, 5-5.5 MeV, B<sup>3</sup> level at 0.77 MeV
obs. 7=13611
Li<sup>6</sup>(He<sup>3</sup>, t)Be<sup>6</sup>, Be<sup>6</sup> level structure obs. 7=3750
                     Li<sup>6</sup>(He<sup>3</sup>, t)Be<sup>6</sup> meas. of Be<sup>6</sup>-Li<sup>6</sup> mass diff. 7=3950
                    Li6(He3, t)Be6, 10-12 MeV, triton spectra, mag.
                   anal. 7=3950
Li<sup>7</sup>(He<sup>3</sup>, n)B<sup>9</sup>, 1.5 to 5,5 MeV 7=768
```

```
Nuclear reactions due to-contd
        helium-3-contd
               Li<sup>7</sup>(He<sup>3</sup>, pn)Be<sup>8</sup>, 2. 2 MeV 7=10180
Mg<sup>24</sup>(He<sup>3</sup>, n)Si<sup>26</sup>, energy levels obs. 7=13616
               O16 (He3, α)O15, angular correlation study of O15
                       levels 7=3955
             O<sup>16</sup>(He<sup>3</sup>, n)Ne<sup>18</sup> 7=3956

O<sup>16</sup>(He<sup>3</sup>, p) and (He<sup>3</sup>, d) pick-up reactions 7=10306

O<sup>16</sup>(He<sup>3</sup>, py)F<sup>18</sup> and F<sup>18</sup> energy levels 7=3762

O<sup>16</sup>(He<sup>3</sup>, py)F<sup>20</sup>, directional py correl. obs. 7=10312

S<sup>22</sup>(He<sup>3</sup>, \alpha)S<sup>21</sup>, and energy levels obs. 7=3957

S<sup>22</sup>(He<sup>3</sup>, \alpha) rel. to energy levels 7=3767

S<sup>22</sup>(He<sup>3</sup>, n)Ar<sup>24</sup>, energy levels obs. 7=3957

S<sup>22</sup>(He<sup>3</sup>, \alpha)S<sup>127</sup>, and energy levels obs. 7=13616

S<sup>128</sup>(He<sup>3</sup>, \alpha)S<sup>127</sup>, ang. distrib., at 15 MeV 7=10313

S<sup>128</sup>(He<sup>3</sup>, \alpha)S<sup>20</sup>, rel. to proton widths of excited states in

P<sup>20</sup> 7=10130

S<sup>128</sup>(He<sup>3</sup>, n)S<sup>30</sup> energy levels obs. 7=13616
               O16 (He3, n)Ne18 7=3956
               Si<sup>28</sup>(He<sup>3</sup>, n)S<sup>30</sup>, energy levels obs. 7=13616
               on V<sup>51</sup>, single-nucleon transfer, multipole sum rule
analysis 7=16839
              See also Cosmic rays/effects and interactions. K at rest in CF_3Br, \Lambda production 7=13574 K_2^\circ total cross. for C, Fe, U 7=3598
              π, intranuclear-cascade calc. results 7=734
π, N emission after inelastic scatt., test for nuclear shell
model 7=13569
               (\pi, N), single N emission after free \pi absorption, perturb. theory 7=10281
               (\pi, p) for meas.p momenta in nucleus 7=13201 \pi production of wide angle electron pairs, mechanism 7=748 \pi^- absorption, correlation function 7=13570
               π-, 50-176 MeV, double charge exchange in emulsion 7=13571
               \pi^-, 16 GeV, coherent prod. of \pi^+2\pi^- 7=10282 \pi^+, 830 MeV/c, electron pair production 7=13573
               \pi , 80 MeV, double charge exchange obs. B<sup>10</sup>, \pi^- charge exchange at rest 7=13572 C<sup>12</sup>(\pi, N), perturb theory 7=10281
               C^{12}(\pi^-, \pi^- n), 0. 70-1. 80 GeV rel. to (X, XN) model 7=16827
              C<sup>12</sup>(\pi^-, \pi^-n), 0. 70-1. 80 GeV rel. to (X, XN) model 7=16827 Cl<sup>25</sup>, \pi^- charge exchange at rest 7=13572 Fi<sup>20</sup>(\pi^-, \pi^-n), 0. 70-1. 80 GeV rel. to (X, XN) model 7=16827 Fe + \pi^- at 12 GeV/c, \mu pair prod. obs. 7=3925 Li<sup>6</sup>, absorption of stopped neg. pions, emission of 2 nucleons 7=10283 Ni<sup>4</sup>, \pi^- charge exchange at rest 7=13572 Oi<sup>20</sup>(\pi, N), perturb. theory 7=10281 Ke(\pi^-, \gamma), 5 and 9 GeV/c mesons 7=13575 Xe, by \pi^- rel. to n-p ratio in periphery 7=10087 Xe + \pi^-, \Lambda and K° prod. obs. 7=6442
               capture by complex nuclei, Primakoff plot 7=13404 capture, coupling constants 7=6130 capture, n emission asymmetry calc. 7=3879
               capture Hamiltonian, corrections of order
                       (1/M)<sup>2</sup> 7=10232
               capture, review of recent developments 7=6416 giant dipole resonance excitation 7=13231 B<sup>11</sup>(µ, e)Be<sup>11</sup>, to two lowest levels, simple shell model 7=10231
                Bi(\mu^-, n) asymmetry obs. with cosmic ray \mu 7=13406
               C<sup>12</sup>, capture, coupling constants 7=6130 C^{12}(0^*) \rightarrow B^{12}(1^*) from \mu-capture, corrections of order (1/M)^2 to transition prob. 7=10232
                Cu(\mu^-, n) asymmetry obs. with cosmic ray \mu 7=13406
               Fe(\mu-, n) asymmetry obs, with cosmic ray \mu 7=13406 O16, capture rates, neutron emission and dipole resonances 7=13405
               resonances (=13405

Ols, capture and supermultiplet symmetry

breaking 7=3880

Ols (0°) → Nls (0°) from µ-capture, corrections of order

(1/M)² to transition prob. 7=10232
                Pb(\mu, n) asymmetry obs. with cosmic ray \mu 7=13406
               S, capture, n ang. distrib. asymmetry at high energy 7=6417
        neutrinos
               in heavy liquid bubble chamber 7=12972
                in Al on n, elastic prod. of \mu and e obs. 7=3872 \nu_{\beta} + Cl<sup>37</sup> \rightarrow A<sup>37</sup> + \beta<sup>-</sup> obs. 7=707
        neutrons
                       See also Nuclear fission.
               capture cross.,review of recent obs. and meas. techniques, 5-100 keV 7=13474 capture cross-sections, rel. to level densities and \alpha parameter 7=6326
               capture \gamma resonant scatt, for meas, radiation widths of low levels 7=13238
               capture \gamma resonant scatt. obs. 7=13392 capture, s and p, levels for A \sim 100 7=16810 capture, slow n in thermal and resonance region 7=13517
               capture spectrometer, telescopic scintillation pair, for
                      E_n = 14 \text{ MeV } 7 = 3913
               capture in V, Ga, Y, Zr, Mo, Te, W < 50 keV 7=13476
               central collisons above 1012 eV, 220 cases analysis 7=10233
```

```
Nuclear reactions due to-contd
    neutrons—contd
d-neutron strength functions for even-even nuclei from
             radiative capture obs. 7=10260
         Doppler broadening of resonance 7=16808
         even-odd nuclei near 3s strength-function resonances,
total cross-section 7=3915
         hadronlike behaviour of cross.
         intense generator appl. 7=13073
         interaction mechanism, review 7=6005
         intermediate resonance struct. obs. 7=13445
         intermediate three quasi-particle states widths approx. in
Fermi liquid model 7=16811
         intranuclear-cascade calc.results 7=734
         isomer pair cross-sections, 13.4-15.0 MeV 7=13477
         with Maxwellian distribution of nuclei rate 7=10261
         multiple capture starting from U328 in thermonuclear
             explosions for prod. nuclei up to A = 257 7=13566
          n-activated cross-section at 24 KeV, statistical theory.
              testing 7=10262
          (n, \alpha) \alpha spectra and level densities of medium weight
         nuclei obs. 7=13242 (n, \alpha), at 14.7 MeV, cross-sections meas. 7=13478 (n, \alpha) in heavy nuclei \sim 13-23 MeV 7=13472
         (n, α) on heavy nuclei at 14, 2 MeV, α spectra 7=13466 (n, α), (n, p), (n, 2n), shell effects 7=13468
         (n, charged particle), Antwerp 1965 conference papers 7=13465
         (n, \gamma), \gamma spectrometer using bent-crystal diffr. with Ge
             detector 7=13467
         (n,\gamma)\,\gamma spectrometer crystal diffr with Ge diode detector for high resolution 7=16809
         for high resolution 7=16809
(n, γ), low-energy transitions, obs. γ-ray meas. 7=6119
(n, γ) meas., γ absorption tank sample changer, on-line computer controlled 7=13464
(n, γ) in Ni, Ag, I, Au, Pb, Bi, U at 7.5 MeV, γ-spectra 7=13521
(n, γ) for parity non-conserving internucleon potentials meas. 7=13224
(n, γ) resonances γ-spectra in 2s1d shell nuclei obs. 7=13473
             obs. 7=13473
         (n, \gamma) with slow n, meas, and levels 7=16693
         (n, p), at 14.7 MeV, cross-sections meas. 7=13478 (n, p), 14.7 MeV, 11 nuclei meas., mass number
              depend. 7=10263
         (n, p), (n, \alpha), (n, 2n), shell effects \approx 14 MeV 7=13469 (n, 2n) cross, rel. to N-Z symmetry parameter 7=13470 (n, 2n) cross.for Rb<sup>85.87</sup>, Se<sup>86</sup>, Y<sup>80</sup>, Zr<sup>90</sup>, Nb<sup>93</sup>, Ru<sup>96</sup>, 14.05, 14.70 MeV 7=13520
         (n, 2n) fluctuations, for N<sup>14</sup>, F<sup>19</sup>, Ni<sup>58</sup>, Cu<sup>63,65</sup>, Mo<sup>92</sup>, Ag<sup>107</sup>, Ta<sup>181</sup>, 13.5-14.7 MeV 7=13519
         (n, 2n) at 14 MeV and nuclei temps.and level densities,
         (n, 2n) at 14 MeV and note temps and level densities 12 < A < 209 \quad 7=16800 (n, 2n) at 14.8 MeV on 10 nuclei 7=3914 (n, 2n), at 14.7 MeV, cross-sections meas. 7=13478 (n, 2n), shell and pairing effects at 14 MeV 7=13471
         for nuclear struct. study, Antwerp 1965 conference
             summary 7=13200
         nuclear structure study, conference, Antwerp, 1965 \, 7=10070 nuclei, obs. \, 7=10340 \,
         oriented nuclei average cross. 7=13475 pneumatic transfer device for 14 MeV irrad. 7=13522 radiation total widths for 50< A <\!201\! 7=13239
         radiation widths in mass number range 60-100 obs. 7=13447
         rare even-even isotopes 7=13452 resonance absorbers fine group cross. 7=10259
         resonance absorption "flux bump" approx. 7=10256
         resonance captures, few-group approximation calc. 7=3975
         resonance integrals meas., H_2O molecular binding effects 7{=}10258
         resonance parameters 7=13436 resonance parameters least square analysis, computer
             programmes 7=13438
         resonance spacing in statistical shell model 7=13240
         resonances, area anal. including effect of Doppler
             broadening 7=13463
         resonances and strength functions, U.S.S.R.
             work 7=16799
         resonances in total cross. for F, Na, Mg, S, Cl and K,
              200-600 eV 7=13437
         S-wave strength functions for Ca43, Ti47,49, Cr53, Fe57, Ni61,
             Cu^{63.66} \sim \text{keV obs. } 7 = 13518
          scattering chamber with semiconductor detectors 7=13479
          rel. to scattering of n, inelastic 7=16807
          spectra of secondary neutrons, 14.1 MeV 7=10257
          in stars 7=18429
          steel, stainless, type 304, (n, \gamma), capture, effective spectra
              meas. 7=16742
         strength function spin var. for As, Ga, Br, Ba, Au, Cu obs. 7 = 13440
         strength functions, A\sim55, \sim95, \sim145, \sim195 7=13441 strength functions rel. to "doorway states" 7=13442 strength functions J var. search in rare earth region 7=13439
```

Nuclear reactions due to-contd

```
Physics Abstracts 1967 - Part I (Jan.-June)
Nuclear reactions due to-contd
           neutrons-contd
                     strength functions most probable value meas. 7=13446 thermal n capture, intensive y-transitions 7=6436 total cross intermediate struct. search, 2-3 MeV 7=13444
                       total cross. meas. by velo. spectrometer, calibration of energy 7=10255
                      total neutron cross sections of isotopes and isobaric spin in nuclear potential 7{=}13545
                     spin in nuclear potential ^{\prime}=13545 transmission for Mo, Sb, Te, Pr, Ta, Uzes, 5 \text{ eV} - 10 \text{ keV } ^{\prime}=13443 Ag(n, \alpha), \alpha ang. and energy distribs. at 14.0 MeV 7=13532 Al, fluctuations in total cross., 6-9 MeV 7=13449 Al<sup>27</sup>(n, \alpha), \alpha ang. and energy distribs. at 14.0 MeV 7=13532 Al<sup>27</sup>(n, \alpha)Na<sup>24</sup>, average cross section, spin and parity, statistical-theory analysis 7=10269
                       Al^{27}(n,p)Mg^{27},p spectra and ang. distribs. for E_n \sim 8,14, 22 MeV 7=13546
                        Au(n, \gamma), interference between potential and resonant
                                   capture obs. 7=13560
                       Au<sup>197</sup>(n, \gamma), resonance and non-resonance, mechanism obs. 7=13539
                       Au<sup>197</sup>(n, \gamma), thermal and resonance capture, \gamma-rays meas. 7=13561
                        B, determination by thermal neutron capture \gamma-ray
                       analysis 7=18341 B<sup>10</sup>(n, \alpha/)B<sup>10</sup>(n, \alpha/)P<sup>10</sup>(n, \alpha
                       \rm B^{11}(n,p)\rm Be^{11}, cross-section for 14.7-16.9~MeV~7=10266~Bal^{15}(n,\gamma)~hard~\gamma~rays~abnormal intensities~obs.~7=13555
                       Balss (n,\gamma) resonances widths and spins < 400 eV 7=16801 Be^{\rm o}(n,\gamma), thermal, neutron binding energy meas. 7=6294 Be^{\rm o}(n,2n), disagreement of obs. with ejection
                      theory 7-13484

Be<sup>9</sup>(n, 2n) at 14 MeV, mechanism and Be<sup>9,8</sup> levels 7=13525

Bi<sup>20</sup>, fine struct. in total cross., 0. 43-0.57 MeV 7=13564
                        Bi<sup>200</sup>(n, α) at 14.6 MeV obs.of nuclear surface
                       \alpha -clusters 7=13205 Bi<sup>209</sup>(n, 2n)Bi<sup>209m</sup>, 2. 6 msec isomer obs. 7=3818 C<sup>12</sup>(n, n')3\alpha at 14.1 MeV, time-of-flight obs. 7=13528
                       Ca, capture \gamma circular polarization obs. 7=13536 Ca40(n, \alpha)Ar^{\rm s7}, 6 MeV \, 7=747

    Ca<sup>40</sup>(n, α), compound nucleus process 7=13535
    Cd, capture γ circular polarization obs. 7=13536
    Cd<sup>113</sup>(n, γ) γ spectrum from 30 keV to 9 MeV, and Cd<sup>114</sup> levels 7=13551

                       Cd^{113}(n,\,\gamma) , parity non-conservation search \,7\!=\!13112 Cd^{113}(n,\,\gamma) , Cd^{114} levels obs. \,7\!=\!13467 Cd^{114} thermal cross, and resonance integrals \,7\!=\!6438
                       Cls 405 eV resonance Doppler broadening, search for effect of bonds in NaCl, CCl4, PbCl2 7=16816 Cls (n, \gamma)Cls 7=13537
                        Cl^{36}(n, \gamma), Cl^{36} levels spins obs. from ang. correls. with
                                    thermal n 7=13263
                         Co capture resonances, 1-50 keV 7=13543
                       Co, total cross., 1-100 keV 7=13498
Coss, intermed. structure, 0 to 500 keV 7=10271
                        Co^{59}(n, \gamma)Co^{60} and Co^{60} levels 7=3920
                         Co^{59}(n, \gamma)Co^{60}, rel. to Co^{60} levels obs. 7=3921
                        Co^{59}(n,\gamma)Co^{80}, evidence of direct n capture 7=6437 Co^{59}(n,\gamma) \gamma spectrum for En = 14.1 MeV 7=13540
                        Co59 (n, 2n)Co58g,m isomers prod. ratio, 13.2-
                                     15.7 MeV 7=13544
                          Coso(n, 2n) excitation functions obs. rel. to statistical
                                     compound nucleus model 7=13541
                         Cr^{52}(n, \gamma) \gamma spectrum for En = 14.1 MeV 7=13540
                        Cr(n, \gamma), resonance and non-resonance, mechanism
                                    obs. 7=13539
                        Cu<sup>83,85</sup>(n, d), d spectra obs. 7=13548
Cu<sup>83,85</sup>(n, 2n) excitation functions obs. rel.to statistical
compound nucleus model 7=13541
                       Cuts(n, q), Dy<sup>162</sup> low levels obs. 7=13322 Dy<sup>162</sup>(n, \gamma), Dy<sup>162</sup> levels obs. 7=13323 Dy<sup>162</sup>(n, \gamma), Dy<sup>163</sup> levels obs. 7=13323 Dy<sup>164</sup>(n, \gamma), Dy<sup>165</sup> Nilson Cay. 7=13452
                        Er isotopes, 0.007-100 eV 7=13452
                        Er 187(n, \gamma), Er 188 levels obs. with slow n 7=13326 F^{19}(n, \alpha)N^{18}, 6 MeV 7=747 Fe capture resonances, 1-50 keV 7=13543
                         Fe<sup>54</sup>(n, p) or \alpha) at 14.4 MeV 7-16822
Fe<sup>54</sup>(n, p)Mn<sup>54</sup> for fast n monitoring 7-6237
Fe<sup>56</sup>(n, \gamma) \gamma spectrum for En = 14.1 MeV 7-13540
                          Fe<sup>57</sup>, thermal n capture, intensive \gamma-transitions 7=6436
                         Gd capture conversion e for n detection 7=10024 Ge<sup>70,76</sup>(n, 2n)Ge<sup>60,75</sup> cross. at 14.4 MeV 7=16821
                        Ge<sup>72,73,74</sup>(n, p)Ga<sup>72,73,74</sup> cross. at 14. 4 MeV 7=16821 Ge<sup>72,74</sup>(n, \alpha)Zn<sup>69m+g,71m+g</sup> cross. at 14. 4 MeV 7=16821 Ge<sup>73</sup>(n, \gamma), Ge<sup>74</sup> vibrational levels rel. to multiple phonons
                        obs, with thermal n 7=13289

Hi<sup>171</sup>, <sup>178</sup>, <sup>179</sup> (n, γ) obs. with thermal n 7=13557

Hi<sup>179m</sup> prod. 7=6357

Hg<sup>199</sup> (n, γ)Hg<sup>197</sup>, isomeric cross-section ratio calc. 7=10218
```

 $Hg^{199}(n,\gamma)$ ,  $Hg^{200}$  levels spins obs. 7=13344

```
neutrons-contd
          Ho(n, \gamma) to 50 keV, S_0, S_1 strength functions 7=13556
         {
m Ho^{185}(n,\gamma)}, {
m Ho^{186}} levels obs. with thermal n 7=13325 {
m Ho^{185}}, {
m polarized spin-spin interaction}, 0.92 MeV 7=10275
        Holis, polarized spin-spin interaction, 0.32 MeV ^{-1} ^{127}(n, \gamma) calc. in Fermi-gas-model for levels, 1 keV- ^{14} MeV ^{7}=13554 ^{127}(n, \gamma)^{1128}, 24 keV and thermal obs. ^{7}=13553 ^{115}(n, \beta), anisotropy rel. to neutron polarization ^{7}=3854 ^{88}(n, \gamma)^{89}(n, \gamma)^{80}, M1 and E1 strength in ^{1}=1 and ^{1}=3 levels ^{7}=6435
         La<sup>189</sup> (n,\alpha) at 14.6 MeV obs. of nuclear surface \alpha-clusters 7=13205
La<sup>189</sup> (n,\gamma)La<sup>140</sup>, level structure obs. 7=6347
         {
m Li^6(n,\alpha)T} for fast-n spectrometer for reactor 7=13655 {
m Li^6(n,\alpha)T} to 600 keV, ang. distribs. obs. of {
m Li^7} levels spins
         and parities 7=13243

\operatorname{Li}^6(n,\alpha)T, 10-135 keV, resonances at 35,55 keV 7=13531

\operatorname{Li}^6(n,d)\operatorname{He}^5 at 14.4 MeV, d ang. distrib. 7=13538

\operatorname{Li}^6(n,d)\operatorname{He}^5 4600 keV, complex eigenvalue theory
        Li<sup>6</sup>(n, H<sup>8</sup>)He<sup>4</sup> < 600 keV, complex eigenvalue theory analysis 7=13523 Li<sup>6</sup>(n, t)He<sup>4</sup> at 250, 390, 600 keV, t ang. distribs. 7=13524 Lu(n, \gamma) to 50 keV, S<sub>0</sub>, S<sub>1</sub> strength functions 7=13556 Mg<sup>24</sup>(n, \alpha)Na<sup>24</sup>, average cross section, spin and parity, statistical-theory analysis 7=10269 Mn direct capture search 7=13542 Mn, total cross., 1-100 keV 7=13498 Mn, total cross., 1-100 keV 7=13498 Mn, total cross., 1-100 keV 7=13498 Mn, total cross., 1-100 keV 7=13540 Mn, total cross.
          Mn^{55}(n, \gamma) \gamma spectrum for En = 14.1 MeV 7=13540
         Mn<sup>50</sup>(n,γ), resonance and non-resonance, mechanism obs. 7=13539
Mn<sup>55</sup>(n,γ)Mn<sup>59</sup>, resonance capture calc. 7=13517
Mn<sup>55</sup>(n,ρ)<sup>75</sup>, Mn<sup>56</sup>(n,ρ)V<sup>52</sup> cross-sections, 14.7 MeV neutrons 7=16820
          Mn55(n, 2n) excitation functions obs rel. to statistical
         compound nucleus model 7=13541 Mo (n, p), (n, \alpha), (n, 2n), shell effects \approx 14 MeV 7=13469
        Mo (n, p), (n, \alpha), (n, 2n), shell effects \approx 14 MeV 7=13469 Mo, intermediate structure analysis rel. to level parameter statistics 7=16823 N<sup>14</sup>(n, \alpha)B<sup>11</sup>, N<sup>14</sup>(n, p)C<sup>14</sup> and N<sup>14</sup>(n, np)C<sup>13</sup> 7=10268 N<sup>14</sup>(n, \alpha)B<sup>11</sup> obs. with gridded ionization chamber 7=6434 N<sup>14</sup>(n, t)C<sup>12</sup>, t ang. distrib. obs. 7=13529 N<sup>14</sup>(n, 2\alpha)Li<sup>7</sup>, energy distrib. curves of Li<sup>7</sup> ions 7=10267 N<sup>14</sup>(n, p)C<sup>14</sup> in gaides and nitrates chemical disconition
          N14(n, p)C14 in azides and nitrates, chemical dissociation
                   yields 7=2482
         N^{16}(n,t)C^{12} obs. with gridded ionization chamber 7=6434 N^{15} + n total cross-section obs. of N^{16} levels 7=10118
         Na(n, \gamma), capture, effective spectra meas. 7=16742
Na, total cross., 0. 2-140 MeV 7=13448
         Na<sup>23</sup> (n, \gamma), thermal, neutron binding energy meas. 7=6294 Nb (n, \gamma) for 0.05, 1.0, 1.5 MeV n 7=3922
          No, S, and So strength functions, 30-4000 eV 7=13451
         Nb<sup>3</sup> neutron resonances obs. 7=13550 Ne(n, p)F at 14.1 MeV, p ang. distrib. Ne<sup>20</sup>(n, \alpha)O<sup>17</sup>, 14 MeV 7=3918
          Ni, capture \gamma circular polarization obs. 7=13536
         Ni (n,\gamma), capture, effective spectra meas. 7=16742 Ni ^{10}(n,p)Cos p spectra and ang. distribs. for E_n \sim 8,14, 22 MeV 7=13564
         Ni^{58}(n,p)Co_5^{58g,m} isomers prod. ratio, 13.2-15.7 MeV 7=13544
         Nisa(n, 2n) excitation functions obs. rel. to statistical compound nucleus model 7=13541
          Ni^{58.80.62} (n, \gamma) \gamma spectra with thermal n 7=16720
         Nies thermal n capture, intensive \gamma-transitions 7=6436 O<sup>16</sup>(n, \alpha)C<sup>13</sup>, 14 MeV 7=3918 O<sup>16</sup>(n, d)N<sup>14</sup> at 14.4 MeV, d ang. distribs. 7=13538
        Ois (n, d)Nus at 14.4 MeV, d ang. distributions O^{13}(n, d)Cus, eff. cross-section in range 7.52-8.63 MeV 7=16818 Psi (n, \alpha), compound nucleus process 7=13535 Pb, capture \gamma circular polarization obs. 7=13536 Pb<sup>204.202</sup>, neutron total cross section obs. 7=13562 Pb<sup>208.207</sup> (n, \gamma) resonances obs. 7=13563 Pb<sup>208.207</sup> resonance capture followed by radiative transitions obs. 7=16739
          transitions obs. 7=16739
Pr<sup>141</sup> (n, \alpha) at 14.6 MeV obs. of nuclear surface
          \alpha -clusters 7=13205 {\rm Pr^{141}}(n,\gamma){\rm Pr^{142}}, level structure obs. 7=6347
        Priss(n, \gamma) resonances partial radiative widths obs. 7=13559

Pu<sup>239</sup> resonance parameters 7=16826

Pu<sup>239</sup> resonance parameters 7=16826

Pu<sup>239</sup> total cross. resonances, 100-300 eV 7=13568

Rb (n, \gamma) for 0. 05, 1. 0, 1. 5 MeV n 7=3922

Re(n, \gamma), 30-170 keV 7=13558

Re<sup>185,187</sup>(n, \gamma) and (n, 2n) obs. 7=10278
         {\rm Rh^{103}} resonances spins obs. 7=13339 {\rm Rh^{103}}(n,{\rm He^3}){\rm Tc^{101}} 7=10273
         S, capture \gamma circular polarization obs. 7=13536 \rm S^{32}(n,\,\alpha), compound nucleus process 7=13535
         S^{s2}(n,\alpha_p) ang, distribs for E_n=4,5.1 MeV \,7{=}13429 S^{s2}(n,\gamma)S^{s3}, by thermal capture, \gamma{-}\gamma ang. correl. 7{=}10270 Sb^{124}, reactor n capture cross-section \,7{=}6439
         Sc4s caputre, \gamma-\gamma delayed coincidence obs. 7=13269 Sc4s (n,\gamma) \gamma spectrum, Sc4s levels spins and parities obs. using thermal n 7=13270
```

Nuclear reactions due to-contd

nuclei of Z > 2-contd

```
Nuclear reactions due to-contd
      neutrons-contd
             Sc45 (n, 2n), Sc44 excitation at 14 MeV 7=13268
             on Se at 14.4 MeV 7=16822
              Se^{74.76.78}(n, p), p ang. distrib. obs. 7=10272
             Si, fluctuations in total cross., 6-9 MeV 7=13449
             SI, fluctuations in total cross., 0-9 MeV i=10449 Si<sup>28</sup>(n, \alpha), Mg<sup>25</sup> levels widths calc., corr. due to n energy spread from t + d reaction 7=13258 Si<sup>28</sup>(n, \alpha)Mg<sup>25</sup> meas. of total cross. 7=13449 Si<sup>28</sup>(n, p)Al<sup>28</sup> at 9.1, 14.1, 21 MeV, p ang. distribs. 7=13533
             Si<sup>20</sup>(n, \alpha)Mg<sup>20</sup> excitation function, En = 13.5-15.0 MeV 7=13534 Sm<sup>149</sup>(n, \gamma) coincidences obs. of Sm<sup>150</sup> levels 7=6349
              Sm 150(n, \alpha)Nd 146 fine structure obs. 7=13315
              Sn, intermediate structure analysis rel. to level parameter
              statistics 7=16823 Sn'17.118.120(n, \gamma), thermal and resonances obs. 7=13552 Sr (n, \gamma) for 0.05 MeV n 7=3922
              Sr^{87}(n, \gamma), Sr^{88} levels obs. with thermal n 7=13291
              {
m Ta}(n,\gamma), capture, effective spectra meas. 7=16742 {
m Ta}(n,\gamma), 30-170 keV 7=13558 {
m Ta}^{181}(n,\alpha), \alpha ang. energy distribs, at 14.0 MeV 7=13532
              {\rm Ta^{181}(n,\gamma)}, {\rm resonance} and non-resonance, mechanism obs. 7=13539
               Tb169 (n, a) at 14.6 MeV obs. of nuclear surface
              Tb1e9 (n, \alpha) at 14.6 MeV obs. of nuclear surface \alpha-clusters 7=13205 Te(n, \alpha), nuclear shell-behaviour and cross-section trends, for 14 MeV n 7=6440 Te(n, \alpha), shell effects obs. at 14 MeV 7=13468 Te123(n, \alpha)Sn1e9, thermal 7=10274 Th(n, \gamma)S-wave resonances radiation widths, E_n = 20-222 eV 7=16824 Th resonant capture, Doppler coeffs. of rods with non-uniform temp. distribs. obs. 7=798
                Th<sup>232</sup> resonance integral Monte Carlo calcs. 7=10279
                Th232 resonances neutron and radiative widths up
                      to 3 keV 7=16803
                ThO2 resonant capture, Doppler coeffs. of rods with non-
                      uniform temp.distribs.obs. 7=798
                {\rm ThO_2} rods resonance capture integral, 20-1550°C 7=10362
                Ti(n, p), 13.6-19.5 MeV, cross-sections for
                      5 isotopes 7=3919
               5 isotopes 7=3919  
Ti<sup>48</sup>(n, d)Sc<sup>47</sup> at 14.4 MeV, d ang. distrib. 7=13538  
Tm<sup>169</sup> capture, \gamma - \gamma delayed coincidence obs. 7=13269  
U<sup>235</sup> capture-to-fission ratio obs. in reactor 7=10280  
U<sup>235</sup>(n, \gamma)with U<sup>235</sup> + n fission, S<sub>0</sub> and S<sub>1</sub> strength functions for E<sub>n</sub> = 0.3-30 keV 7=16825  
U<sup>236</sup>, multilevel analysis, 0-37 eV 7=13565  
U<sup>236</sup> capture self-shielded cross., 7.5, 30 keV 7=10265  
U<sup>238</sup>(n, \gamma)U<sup>239</sup> \gamma spectrum for E<sub>n</sub> = 30 keV 7=13567  
V, total cross., 1-100 keV 7=13498  
V(N, \gamma) \gamma spectrum, V<sup>52</sup> levels spins and parities obs. using thermal n 7=13274  
V<sup>51</sup>(n, \alpha), \alpha ang, and energy distribs, at 14.0 MeV 7=1353:
                 V<sup>51</sup>(n, \alpha), \alpha ang. and energy distribs. at 14.0 MeV 7=13532 V<sup>51</sup>(n, \gamma) \gamma spectrum for En = 14.1 MeV 7=13540
                \begin{array}{l} V^{\text{sl}}(n,\gamma), \text{ resonance and non-resonance, mechanism obs. } 7=13539 \\ V^{\text{sl}}(n,\gamma)V^{\text{s2}} \text{ and } V^{\text{s2}} \text{ energy levels } 7=16819 \\ W(n,\gamma), 30-170 \text{ keV } 7=13558 \\ W^{\text{182.183.184.186}} \text{ capture, 0.01-10 eV } 7=10276 \end{array}
                 Wiss(n, \gamma)Wissm obs. in reactor 7=10277 Y (n, \gamma) for 0.05, 1.0, 1.5 MeV n 7=3922 Ysg(n, \gamma)Ygog, 90m, and spin dependence of level
                       density 7=16724
                 Yb^{171-4.176}(n,\gamma) to 150 eV, resonances obs. 7=16802 Yb^{177m} prod. 7=6357
                 Zn(n,d),d spectra obs. 7=13548
                 Zn64(n, 2n) excitation functions obs.rel.to statistical
                        compound nucleus model 7=13541
                 Znes thermal n capture, intensive \gamma-transitions 7=6436 Znes.e8(n, d) 7=13549
                 Zr, cross-sections, 0.0001 eV to 6 keV 7=3923 Zr even isotopes S-wave strength function 7=13450 Zr (n,\gamma) for 0.05, 1.0, 1.5 MeV n 7=3922
           nuclei of Z > 2
                  See also Ions/scattering.
complex nuclei Coulomb disintegration, theory 7=10316
                 with neutron exchange, formalism and comparison of
                        theories 7=3961
                  Al27, B10.11 and Li6 induced, excitations calc. 7=3962
                 Al<sup>27</sup>(C<sup>12</sup>, N<sup>13</sup>)Mg<sup>25</sup>, diffraction effects 7=13625
Au(N<sup>14</sup>, N<sup>17</sup>), 87. 2 and 97. 5 MeV, ang. distrib. meas. 7=3963
Au<sup>197</sup>(N<sup>15</sup>), neutron pick-up obs. 7=10320
                  B^{10}(N^{14},C^{11})C^{13}, range, ang. distrib. d\sigma(\theta)/d\Omega and total cross section obs. 7=10319
                  B^{10}(N^{14},N^{13})B^{11}, range, ang. distrib. d\sigma(\theta)/d\Omega and total cross section obs. 7{=}10319
                 Ba130, excitation with O and S, and quadrupole
```

moment 7=16727 Be<sup>9</sup>(O  $^{16}$ ,  $\alpha\gamma$ )Ne<sup>21</sup>, levels lifetimes obs. 7=10125 C<sup>12</sup>(C<sup>12</sup>, N<sup>13</sup>)B<sup>11</sup>, diffraction effects 7=13625

(C12, N12) proton transfer mechanism, meas. 7=13623 Ca<sup>40</sup>(N14, N13)Ca<sup>41</sup>, range, ang. distrib.  $d\sigma(\theta)/d\Omega$  and total cross section obs. 7=10319

```
Cd114, excitation with O and S, and quadrupole
   moment 7=16727 Cd^{114.116}(C^{12}, C^{121}), (O^{16}, O^{161}), energy levels obs. 7=13298 <math>F^{19} + Er^{166}, Ir alpha-active isotopes decay character-
   istics obs. 7=13372 Ho<sup>165</sup>, with B<sup>11</sup> ions, 56 MeV, rel. to levels in W<sup>180m</sup> 7=3960 Ho<sup>165</sup>, heavy ions, rel. to energy levels obs. 7=13340 I<sup>127</sup>(B<sup>11</sup>, 4n\gamma), Ce<sup>134</sup> levels obs. 7=16730 IIn<sup>115</sup>(B<sup>10</sup>, xn\gamma), (B<sup>11</sup>, 4n\gamma), (N<sup>14</sup>, xn\gamma), Xe<sup>120,122</sup> levels
    obs. 7=16730
In<sup>115</sup> + N<sup>14</sup> or C<sup>15</sup> with nucleon transfer,
systematics 7=16846
                     7=16730
    Lie, Coulomb disintegration, theory 7=10316
Lie(C)<sup>2</sup>, d)O<sup>16*</sup>, d ang. distrib. 7=13624
Lie + Lie, ang. distrib. and total cross sections 7=10318
    Li<sup>6</sup>(Li<sup>6</sup>, \alpha)Be<sup>8</sup>, and Be<sup>8</sup> levels at 16.62 and 13.92 MeV 7=3751
   MeV 7=3751
Lu<sup>175</sup>—heavy ions, rel. to energy levels obs. 7=13340
Mnss(B<sup>11</sup>, p4n)Cu<sup>51</sup>, de-excitation props. of compound
nucleus obs. 7=13626
Mo<sup>20,20</sup>(Ne<sup>20</sup>), delayed proton emission obs. 7=10188
Ne<sup>20</sup> 200 MeV beam in emulsion obs. 7=771
O<sup>21</sup> + ½0B → ½Li + ½He + 2.8 MeV 7=4740
O<sup>18</sup>(Li<sup>7</sup>, α)P<sup>21</sup>, lifetimes of 0.279 and 1.10 MeV states
obs. 7=10123
          obs. 7=10123
     (O)<sup>16</sup>, Ol<sup>16</sup>\gamma), Sbl<sup>21</sup>, l<sup>23</sup> levels structure obs. 7=686 Ol<sup>18</sup> + Tm<sup>169</sup>, Ir alpha-active isotopes decay character-
          istics obs. 7=13372
     Sm148, 150, excitation with O and S, and quadrupole
          moment 7=16727
     Sn<sup>1.6</sup>(C<sup>12</sup>, 4n<sub>7</sub>), Ba<sup>124</sup> levels obs. 7=16730
Ta(N<sup>14</sup>, N<sup>17</sup>), 87. 2 and 97. 5 MeV, ang. distrib.
meas. 7=3963
     Ta^{181}-heavy ions, rel.to energy levels obs. 7=13340 Ta^{181}(N^{15}), neutron pick-up obs. 7=10320 Th^{280}+B^{10,11}\rightarrow Am^{234}(fissile) 7=13632
     Th^{232}(N^{15}), neutron pick-up obs. 7=10320
     Tm169-heavy ions, rel. to energy levels obs. 7=13340
     U<sup>238</sup> + B<sup>11</sup>, Am<sup>242</sup> spontaneously fissionable isomer levels
     photons
      cross sections rel. to non-local potential 7=10212
      e, electron pair prod., 600-2000 MeV meas. 7=16776 fission <260 MeV of Bi, Pb, Au, Pt, Os, Re, Ta,Hf 7=10324
      (\gamma, n) cross section, mono-energetic n-capture \gamma rays
     (y, n) cross section, mono-energetic n-capture \gamma rays obs. 7=13394 hadronlike behaviour of cross. 7=10222 interaction mechanism, review 7=6005 light nuclei, rel. to electrons, for exchange currents test 7=3670 \pi production amplitudes and cross-sections obs. 7=6403 \pi^\circ production calc. 7=10223
      \pi^{\, t} production followed by nucleon emission test for nuclear
            shell model 7=13569
      yield meas, by multichannel counting system ~7{=}16772~B(\gamma,3p){\rm He^8}~7{=}3685
      Be + bremsstrahlung from e at 16 GeV, \pi small angle flux from thick target \, 7=16775 \,
      \mathrm{Bi}(\gamma, \mathbf{n}) cross-sections near threshold, rel. to energy levels 7{=}683
      \gamma -C, \eta -mesons production, near threshold obs. 7=6406 C + \gamma , \pi^\circ prod., and nucleon + \gamma \pi^\circ prod. spin-independent
            isovector part 7=12954
       C, μ pair prod. and test of quantum electrodynamics 7=730
       C, \pi^{\pm} prod. obs. 7=6404
      C12(y, n)C11 with 25-33 MeV bremsstrahlung, n spectra
             with self-absorption elimination 7=13396
       C12, particle-hole excitation, calc. 7=16778
Ca<sup>40</sup>, particle-hole excitation, calc. 7=16778
Ca<sup>40</sup>, total photoneutron cross-section 7=10225
       Fe(\gamma, n) cross-sections near threshold, rel. to energy
       levels 7=683 Ho^{165}(\gamma, d), 70 MeV 7=3871
       Ho<sup>185</sup>(\gamma, p), 70 MeV 7=3871
Ho<sup>185</sup>(\gamma, t), 70 MeV 7=3871
       Ho165, photodisint of deformed nucleus 7=6409
       {\rm Li^6}\langle\gamma,{\rm np}\rangle{\rm He^4},{\rm resonance\ mechanism\ at} \ {\rm E_p}=1.9\ {\rm MeV}\ 7{=}13395
        Li<sup>6</sup>, one d prod. at high energy obs, rel. to impulse approx. 7=6405
        \text{Li}^{6,7}, \pi^{\pm} \text{ prod. obs. } 7=6404.
       Li^7(\gamma,n), 7.25-50 MeV, excitation peaks ~7{=}16774 Mn^{52} production, isomeric yield ratios ~7{=}3870
        Ni(\gamma, t), yields, 36. 2 and 49. 2 MeV 7=13398
       O16(γ, n)O15 particle-hole description 7=13397
        O<sup>16</sup> photodisintegration 7=10224
        O^{16}(y, n)O^{15}, giant resonance states, decay branching 7=6407
```

```
Physics Abstracts 1967 - Part I (Jan.-June)
Nuclear reactions due to-contd
          photons-contd
                    O^{16}(\gamma, n)O^{15}, one-step calculation 7=13247
                   O<sup>16</sup>(\gamma, p)N<sup>15</sup>, giant resonance states, decay branching 7=6407 O<sup>16</sup>(\gamma, p)N<sup>17</sup> rel. to determination of oxygen in metals 7=8597
                   metals 7=0597 Pd(\gamma, t), yields, 36. 2 and 49. 2 MeV 7=13398 S<sup>22</sup>(\gamma, p), ang, and energy distrib. of P 7=6408 Sc<sup>44</sup> production, isomeric yield ratios 7=3870
                  Sc<sup>45</sup>(γ, n), Sc<sup>44</sup> excitation by 48 MeV bremsstrahlung 7=13268 γ, Si<sup>38</sup>(γ, n), high energy peaks obs. rel. to giant dipole resonance 7=16779
Ti<sup>46</sup>(γ, pn), Sc<sup>44</sup> excitation by 48 MeV
                    Dremsstrahlung 7=13268
Tl(γ, n) up to 105 MeV, mechanism 7=13399
Y<sup>8</sup> production isomenia wield
                                 production, isomeric yield ratios 7=3870
                  analogue resonances, isobaric, fine structure and neutron decay 7=16789 isobaric analogue resonances, one-level approx, and isospin purity 7=13234 isobaric analogue states spreading width due to Coulomb interaction 7=8421
                              interaction 7=6421
                    meson prod. in nanosec bursts, spectrometer 7=13410
                  meson prod. in hanosec ourses, spectrometer 7=134.
on nucleons in emulsion, multiple meson prod. ang.
distrib. at 20 GeV/c 7=16790
(p, α), nuclear level-density fluctuations and tests of
compound statistical model 7=13282
(p, d), D-state of d effect 7=10287
(p, d), J dependence obs. 7=16798
(p, d), greations, bela states 7=16698
                    (p,d) reactions, hole states 7=16688
                    (p, \gamma \gamma) triple ang. correl. contour plots calc. 7=13412
                   (p, \gamma), internal pair prod. meas. 7=13261 (p, \gamma), internal pair prod. meas. 7=13261 (p, \gamma), resonance strengths in s-d shell obs. 7=3902 (p, n), cross-sections of 9 elements, 7.0-15.0 MeV 7=16795 (p, n), on heavy nuclei, structure of isobaric analog states 7=13409
                    (p,n) isobaric analogues rel.to doorway states 7=13235 (p,n) isobaric states theory rel. to \beta-decay hindered Fermi matrix elements theory 7=6377
                    (p,n) in medium nuclei at 14,2 MeV 7=13421
                    (p, n), n continuous spectra obs. analysis 7=13422
                    (p, n), n spectrometer using p recoil for 50-450 MeV 7=10029
                   (p, n), p strength functions obs. 96 \le A \le 209, 5.5-9.5 \text{ MeV} \quad 7=13411
                    (p, n) reactions, continuous n spectra 7=3884
                   (p, n) thresholds at tandem energies obs. 7=741
                   (p, 2n), conversion electron anisotropy from excited states 7=10108
                  (p, 2n) cross-sections of 9 elements, 7.0-15.0 MeV 7=16795 p-nucleus and p-N scatt. at 20 GeV, relations 7=16784 (p, p<sub>0</sub>) and (p, p'), analogue state resonances 7=735 (p, 2p), di-proton model 7=10235 (p, 2p), distorted-wave t-matrix approx. 7=3885
                    (p, 2p), widths of resonances and nucleon separation
                              energy 7=3710
                   secondary nucleon prod., cross-sections, empirical
                             formulae 7=16782
                    single-particle potentials and wave functions in the 1p and
2s-Id shells 7=16673
                    "star" intensity anomalous var. with dense absorber
                  thickness 7=13172
Ag in emulsion, Li<sup>8</sup>, Be, B, C prod., 2, 3, 6, 9 GeV 7=10251
Ag in emulsion, 25 GeV/c 7=10250
                Ag at 460 MeV, recoil nuclei velo. 7=6457 Ag nuclei in emulsions, fragmentation and stars 7=6430 Ag (\bar{p}), emission of Li<sup>8</sup> fragments 7=6431 Ag (\bar{p}), emission of Li<sup>8</sup> fragments 7=6431 Ag (\bar{p}), \bar{p}), \bar{p}0, \bar{p}1, \bar{p}2, \bar{p}2, \bar{p}3, \bar{p}4, \bar{p}4, \bar{p}7, \bar{p}7, \bar{p}8, \bar{p}8, \bar{p}9, \bar{
                  Ag at 460 MeV, recoil nuclei velo. 7=6457
                  Al<sup>27</sup>(p, n)Si<sup>27</sup>, n thermal pair prod. lineas. 7=13201 Al<sup>27</sup>(p, n)Si<sup>27</sup>, n thresholds absolute energy calibration 7=742 Ar<sup>40</sup>(p, n)Cl<sup>27</sup>, 1.63-2.60 MeV, cpd. nucleus study 7=10134 Ar<sup>40</sup>(p, n)K<sup>40</sup>, 2.34-2.60 MeV, cpd. nucleus study 7=10134 Au<sup>107</sup>, production of \alpha-emitters by p > 600 MeV 7=16754 B<sup>11</sup>(p, n)C<sup>11</sup>, cross sections, 150 MeV-3 GeV 7=10243
                  Be<sup>7</sup> production by 156 MeV p in N<sup>15</sup>, O<sup>18</sup> and F<sup>16</sup>, obs. cross-section obs. 7=3901 Be<sup>7</sup> (p, \gamma)B<sup>6</sup>, cross-sections me as., 483-1932 keV 7=3898 Be<sup>8</sup> (p, \alpha)Be<sup>7</sup>, 7-9 MeV 7=3899 Be<sup>8</sup> (p, d)Be<sup>8</sup>, low levels line shapes obs. with 5, 2 MeV 7=16699 Be<sup>6</sup> (p, d)Be<sup>8</sup>, 7-9 MeV 7=3899
                   Be<sup>9</sup>(p, He<sup>3</sup>), Mass 5 and 7 nuclei study 7=10242
                  Bi, (p, own) and p, pown), and alpha substructures 7=6432
```

```
Nuclear reactions due to-contd
                  protons-contd
                              Bi<sup>200</sup>(p,xm), competition fission-evaporation of n,
100-150 MeV 7=3909
Br in emulsion, Li<sup>8</sup>, Be, B, C prod., 2, 3, 6, 9 GeV 7=10251
Br in emulsion, 25 GeV/c 7=10250
                                   Br at 460 MeV, recoil nuclei velo. 7=6457
                              Br at 460 MeV, recoil nuclei velo. 7=6457
Br nuclei in emulsions, fragmentation and stars 7=6430
Br(p), emission of Li® fragments 7=6431
C(p, n), 215 MeV, asymmetry meas. 7=3674
C(p, pd), 2 and 3.66 GeV protons 7=13424
C + p,t prod., 450, 550, 660 MeV 7=10244
C<sup>12</sup>(p, pd)C<sup>11</sup> at 155 MeV, DWBA calc. 7=13425
C<sup>12</sup>(p, po)Be®, identification of particles by photometry in bubble chamber 7=12802
C<sup>12</sup>(p, 2p)B<sup>11</sup>, cross section rel. to recoil momentum of residual nucleus. 159 6 MeV 7=10245
                                                     residual nucleus, 159.6 MeV
                                    C12(p, x)Be7 reactions, 20-155 MeV 7=16796
                                 C13(p, n)N13, n thresholds absolute energy calibration 7=742
                                 Ca^{40}(p, \alpha)K^3, 11 MeV, Q value 7=3769 Ca^{40}(p, n\gamma)Sc^{48} at 1.9-4.3 MeV, Sc<sup>48</sup> levels 7=13430 Ca^{40}(p, t)Ca^{38} 7=6336
                              Ca<sup>48</sup>(p,\gamma)Sc<sup>49</sup>, branching from analogue to Ca<sup>49</sup> ground state 7=16713 Ce<sup>140</sup>(p, 2n)Pr<sup>189</sup>, excitation functions, 5-15 MeV 7=10253 Ce<sup>140</sup>. <sup>142</sup>(p, n)Pr<sup>140</sup>. <sup>142</sup>, excitation functions, 5-15 MeV 7=10253
                                Ce<sup>142</sup>(p, γ)Pr<sup>143</sup>, excitation functions, 5-15 MeV '[-11 Ce<sup>142</sup>(p, γ)Pr<sup>143</sup>, excitation functions and radiative capture obs. 7=13620 Ce<sup>142</sup>(p, n)Pr<sup>142</sup>, excitation functions and radiative capture obs. 7=13620 Cl<sup>35</sup>, 37 (p, α), 1.3-3.0 MeV, Ar<sup>36</sup>, 38 levels obs. 7=6335 Cl<sup>37</sup>(p, α<sub>0</sub>)S<sup>34</sup>, T-forbidden excitation of analogue states 7=10246
                              states 7=10246 (Cl<sup>37</sup>(p, \gamma)Ar<sup>38</sup>, Ar<sup>38</sup> levels spin and parity obs. 7=3770 (Co<sup>50</sup>(p, \gamma)Ar<sup>38</sup>, Ar<sup>38</sup> levels spin and parity obs. 7=3770 (Co<sup>50</sup>(p, \gamma)Ni<sup>50</sup>, neutron time-of-flight meas. 7=13433 (Cr<sup>50</sup>(p, \alpha)Vi<sup>50</sup>, neutron time-of-flight meas. 7=13433 (Cr<sup>50</sup>(p, \alpha)Vi<sup>60</sup> 7=16716 (Cr<sup>52</sup>(p, \alpha)Vi<sup>60</sup> 7=16716
                              Cr<sup>52</sup>(p, \alpha)V<sup>49</sup> 7=16716

Cr<sup>52</sup>(p, \gamma)Mn<sup>53</sup> resonances at 1724,1788 and 2149 keV obs. 7=13276

Cr<sup>53</sup>.64(p, \gamma)Mn<sup>54</sup>.55 resonances \gamma de-excitation obs. 7=6337

D(p, n), 215 MeV, asymmetry meas. 7=3674

F<sup>19</sup>(p, \alpha)O<sup>16</sup>, 5. 28 MeV, Doppler-shift atten. 7=10122

F<sup>19</sup>(p, \alpha)O<sup>16</sup>, 2, 2-3. 4 MeV 7=13426

F<sup>19</sup>(p, d)F<sup>18</sup>, 155. 6 MeV 7=3900

F<sup>19</sup>(p, He³)O<sup>17</sup>, absolute differential cross sections, 30. 5 MeV, level obs. 7=13431

F<sup>19</sup>(p, \gamma)O<sup>16</sup>, absolute differential cross sections, 30. 5 MeV level obs. 7=13431

F<sup>19</sup> radiative capture and Ne<sup>20</sup> giant dipole
                                   F<sup>19</sup> radiative capture and Ne<sup>20</sup> giant dipole
                                 resonances 7=13427
Fe + p,t prod., 130, 450 MeV 7=10244
                              Fe<sup>54</sup>(p, α)Mn<sup>51</sup>, 12 MeV 7-16715
Fe<sup>56</sup>(p, α)Mn<sup>53</sup>, 12 MeV 7-16715
Fe<sup>56</sup>(p, α)Fe<sup>57</sup>, J-dependence 7-744
Fe<sup>56</sup>(p, γ)Co<sup>57</sup>, p resonances at 1248 and 1349 keV
obs. 7-13432
                                 Ge74(p, n)As74, excitation function and Coulomb displace-
                                                 ment energies obs. 7=10249
                                 He > 50 MeV from nuclear cascade in emulsion,
                              The > 50 MeV Tell3413 _{\rm Lic} [p, n)Sn; is, excitation function and analogue resonances obs. 7=3792 _{\rm K}^{41}(p, \alpha)Ars*, 7.5 MeV 7=743 _{\rm Lic}^{6}(p, \alpha)Hes 7=3886
                                Lie (p, a)He<sup>3</sup> -13080

Lie (p, a)He<sup>3</sup> , 50-190 keV, ang. distrib. and eff.

cross-section 7=3897

Lie (p, n)Be<sup>6</sup>, n threshold technique obs. 7=10241
                              Li<sup>7</sup>(p, n)Be<sup>7</sup>, energy precision meas. > 1:10<sup>4</sup> 7=3906

Li<sup>7</sup>(p, t), Mass 5 and 7 nuclei study 7=10242

on Mg, Na<sup>22</sup> prod. yield in cyclotron to 20 MeV 7=13596

Mg<sup>26</sup>(p, \gamma)A le<sup>7</sup> levels spins and parities obs. 7=6425

Mg<sup>26</sup>(p, \gamma)A le<sup>7</sup>, resonance strength obs. 7=3905
                              Mp5s(p, n)Fe5s, rel. to low-lying states of Fe5s 7=10141
N<sup>14</sup>(p, d)N<sup>13</sup>, 155. 6 MeV 7=3900
                                 Na^{23}(n, p_{\gamma})Ne^{23} at 8. 0, 8. 8, 14 MeV, Ne^{23} levels obs. 7=13256
                                Na<sup>23</sup>(p, \alpha_7)Ne<sup>20</sup>, even parity in 308 and 738 keV resonances 7=3904 Na<sup>23</sup>(p, \alpha)Ne<sup>20</sup> and Na<sup>23</sup>(p, \alpha)Ne<sup>20</sup> a
                              scintillation spectrometer obs. 7=397 Na<sup>23</sup>(p,\gamma)Mg<sup>24</sup>, < 500 keV 7=3903 Nd<sup>148,150</sup>(p,t) rel.to energy levels 7=3908
                              Ni region, anomalous dip in total cross-section 7=10247
Ni<sup>58,80</sup>(p, n)Cu<sup>58,60</sup>, n thresholds absolute energy
calibration 7=742
                                Pb, Li<sup>9</sup>, Be, B, C prod., 9 GeV 7=10251
Pb<sup>204,208,207,208</sup>(p, t), energy spectra of tritons obs. 7=13435
Pb<sup>208</sup>(p, n), p-n hole interaction interpretation 7=10254
                                Pr141(p, n)Nd141, excitation function and Coulomb dis-
                                              placement energies obs. 7=10249
                                 S^{34}(p, \gamma)Cl^{35} resonances decay and spin and parity
                             obs. 7=6429
Si<sup>28</sup>(p,\gamma)P<sup>29</sup> and P<sup>29</sup>: lowest T = \frac{3}{2} state 7=682
```

### Nuclear reactions due to-contd

protons-contd

Sm150.152(p, t) rel. to energy levels 7=3908 Sn<sup>118</sup>(p, 2p)In<sup>117</sup>, excitation function and isomeric ratio 7=10252

Sr88 (p, n), and mechanism via isobaric spin-analogue

resonances 7=3907

resonances 1-3501 Spas(p,n)Yss, analog-state resonances obs. 7=13292 Ta, Lis, Be, B, C prod., 9 GeV 7=10251 Th, Pa prod. at 15 to 70 MeV, in conference, Orsay (1965) 7=10203

 $V^{51}(p, n\gamma)Cr^{51}$ , energy level at 803 keV obs. 7=13275

on W using p synchro-cyclotron, as pulsed n source for fast time-of-flight meas. 7=13097 Y<sup>20</sup>(p,  $\gamma$ )Zr<sup>20</sup>m, isobaric states in Zr<sup>20</sup> obs. 7=13294 Y<sup>20</sup>(p,  $\gamma$ )Zr<sup>20</sup>, isobaric states in Zr<sup>20</sup> obs. 7=13294 Y<sup>20</sup>(p,  $\gamma$ )Zr<sup>20</sup>, isobaric states in Zr<sup>20</sup> obs. 7=13294

Y80 (p, n), and mechanism via isobaric spin-analogue resonances 7=3907

resonances 7=3907 Y<sup>89</sup>(p, n), 3. 5-6 MeV, Zr<sup>89</sup> isobaric analogue states spin impurity mixing 7=13434 Y<sup>89</sup>(p, n)Zr<sup>89</sup>, analog-state resonances obs. 7=13292 Y<sup>89</sup>(p, n)Zr<sup>89,89n</sup>, isobaric states in Zr<sup>90</sup> obs. 7=13294

Yes(p, n)Zrs. ssn., isobaric states in Zrso Obs. '[=13294' Yb<sup>172</sup>(p, n)Lu<sup>171</sup>, and decay to excited states of Yb<sup>171</sup> 7=692
Zn<sup>64,66,57,68,70</sup>(p, d) ang. distrib. of differential crosssection, 17. 5 MeV 7=10248
Zn<sup>64,66,768,70</sup>(p, t), ang. distrib. of differential crosssection, 17. 5 MeV 7=10248
on Zrso. 44 at 19. 4 MeV 7=3896

#### tritons

(t,d) stripping, absolute cross-sections 7=13579

(t, p) excitation of collective 0+ coherent pairing fluctuations calc. 7=3743

calc. 7=3743
(t, p), excitation of O\* states, shell effects 7=13580
(t, p) rel. to (He³, p) on 1p-shell nuclei, diagrams 7=6448
(t, p) stripping, absolute cross-sections 7=13579

C¹²(t, p), DWBA analysis 7=13589

Ca⁵(t, p), DWBA analysis 7=13589

Mg²⁴(t, p), DWBA analysis 7=13589

Mg²⁴(t, p), DWBA analysis 7=13589

N¹²(t, p)N¹² and N¹² energy levels 7=3755

Ni(t, He³), and energy levels of Co⁵⁻.59.61.63 7=3943

O¹²(t, p), DWBA analysis 7=13589

Pb²³²(t, p), DWBA energy levels obs. 7=6361

Sb¹²³.1²²²(t, p), strongest transitions deriv. 7=13599

Si²²(t, p), DWBA analysis 7=13589

Si<sup>29</sup>(t, p), DWBA analysis 7=13589 Sm<sup>144,148,150,152,154</sup>(t, p) and levels obs. 7=765 V<sup>51</sup>(t, p)V<sup>53</sup>, p ang. distrib. and V<sup>53</sup> levels obs. 7=13598

X-rays. See Nuclear reactions due to/photons.

Nuclear reactors, fission activities of isotopes in cooling water 7=790 ANNA, pulse neutron source meas. 7=3981

ANNA, static meas. 7=3980

ANNA zero power, control and safety system 7=3982

ANNA zero power, critica- experiments 7=3979

cold n facility at FiRI 7=13095 for cold n scatt. flight time meas. 7=3910

control by electron-collection gas detectors 7=3985 core optimization, design formulae and programs 7=16872 corrosion products, activation 6=6482

cross and auto spectra of reactor fluctuations 7=13640

development and construction, irradiation arrange to fuel elements review 7=10340 DIDO, neutron beam intensity meas. 7=13648 dosimetry, in-pile, review 7=10366 Dragon expt., design features 7=16874

Dragon project, organization and construction 7=16875 error detector for automation, mag. and transistor amplifiers 7=6490

EWA power determination by N<sup>16</sup> activity monitoring 7=792 fast, dilute, n spectrum at centre, 1 keV-1 MeV 7=10356

fast, Doppler coeff. rel. to Na void fraction, semi-empirical formula 7=16866

fast-n spectrometer using Li<sup>6</sup>(n,  $\alpha$ )T 7=13655 fast-neutron spectrum in thermal reactors, Li<sup>6</sup> and He<sup>3</sup> spectrometers obs. 7=3986

fast reactor FRO, central reactivity meas. 7=13649 flux measurements in mock-up power cycling rigs (Pluto 7V type) 7=10357

fuel element fabrication for Dragon expt., tech-nology 7=16885 fuel element, gamma analysis by Ge(Li) spectrometer

with plastic anticoincidence mantle 7=10367 fuel utilization, efficiency criterion 7=6480

heavy water use in radial reflector, Polish high-flux reactor 7=788 high-temperature, conference, London, 1966 7=16861

high-temperature gas cooled, design concepts 7=16873 high temperature gas-cooled, Dragon expt. 7=16862 high temperature gas-cooled, Peach Bottom prototype 7=16877

high temperature prototype combined with gas turbine 7=16878

high temperature, review of technology and costs 7=16863

# Nuclear reactors, fission-contd

hygrometer, Goldsmith-Cox, pressurized, for ultra-low-humidities 7=10706

IGR pulsed reactor, SGD-8 glasses for  $\gamma$ -dosimetry 7=6487 inert gas discharge chemical analysis for VVR-M 7=13656 isotope change, long-term, mathematical model and its analogue solution 7=16865

kinetics 7=3976

hight water moderated lattice, group diffusion calcs. 7=10341 moderator vessel construction 7=6481 molecular sieve 4A for decontamination 7=10369 n spectroscopy using p recoil proportional counting for 1 keV-1 MeV 7=10368

neutron distribution as Polya model obs. 7=10351

neutron resonance absorption, thermal utilization factor and fast fission factor, bibliography 7=13637 neutron thermalization, characteristic spectra, improved base functions for orthogonal expansion 7=13087 neutron thermopiles 7=6488

for  $\bar{\nu}_{\rm e}-{\rm e}$  scattering at low energies meas, proposal 7=3517 1R-100 for research and training 7=13646

optimum fuel utilization in power generating, Japan 7=16890

PM-2A vessel, neutron exposure profile 7=16880 pebble bed, AVR, review 7=16876 pluto type, thermal-flux variation 7=6479

pressure-tube insulation with compressed powders, thermal cond. obs. 7=10359 Rossi-α experiment in noise obs., theory 7=10364

rossi-a experiment in hoise obs., theory 1=10004 shielding calculations 7=13647 in space vehicles, protection of transistors from reactor n and y 7=18405 stability, circulating fuel, without delayed neutrons 7=6471 Tokai reactor commissioning tests 7=16870-1

water circuits, detection of microorganisms 7=2743 world power prospects 7=16859
Lu activation meas of thermal spectrum 7=6489

U-graphite lattice, in RB-1,  $k_{\infty}$  meas. by null reactivity method 7=10354

 $\rm U^{285}$  slightly enriched in U,  $\rm H_2O$  -moderated lattice cells, fast n flux space var. 7=10355

UO2-H2O lattices, thermal disadvantage factor 7=10358 materials

alloys cathodic polarization appls. 7=8563 concrete shielding, diffusion of water 7=11139 fission product deposition from flowing gas, theory 7=785 fuel cans deformation meas., microscope, vacuum hot

stage straining 7=6486 fuel consumption under high burn-up in VVR-S IFA 7=13651

fuel cost and thermal n flux 7=3983

fuel cycle calculations of performance and cost 7=16886 fuel elements burn-up obs. 7=13653

fuel elements thermal deformation obs. 7=796 fuel plate element with fuel-clad bonding defects, max. temp. calc. 7=10360

fuel rods, radiation growth stresses calc. 7=784 granular structure effective thermal neutron cross. 7=6465

graphite, reactor irradiation under stress obs. 7=7693 HELENA subcritical assemblies, buckling determination 7=789

mination '='789 high temperature reactors, graphite and fuel 7=16884 lifetime, subject to intense irrad., rel. to time of meas. of mechanical props. 7=14728 metals cathodic polarization appls. 7=8563 resonance escape in heterogeneous fuel, spatial depression of resonance flux 7=6475

shielding, capture and fission  $\gamma$ -rays, effective spectra 7=16742 Al-Mg-Si alloy, hardness and ductility change obs. 7=1701

BeO, sintered, n damage, 110°, 650°, 1100°C 7=11221 Fe layer in light water, neutron attenuation 7=13088

Fe-water shield configurations, attenuation meas. 7=16628

meas. 7=16628 Mg-Mn (0.55-1.5 wt.%), creep rel. to denuded Mn-rich precipitate zones 7=14742 Pu, fast breeder fuel, high burn-up irradiations obs. 7=797

Pu non-U diluents in fast reactors 7=3984 Pu, in thermal reactors 7=16893

SiC ceramic dispersed U fuels for advanced gas-cooled reactor 7=6483

Th, Doppler coeffs. of rods with non-uniform temp. distribs. obs. 7=798
Th fuels, irrad., radioactivity due to U<sup>232</sup> and Th<sup>228</sup> 7=16894

Th, high-temperature prototype characteristics 7=16879 Th<sup>232</sup> resonance integral Monte Carlo calcs. 7=10279 ThO<sub>2</sub>, Doppler coeffs. of rods with non-uniform temp. distribs.obs. 7=798

ThO<sub>2</sub> microspheres prod. 7=802

ThO2 rods resonance capture integral, 20-1550°C 7=10362 ThO2-UO3 microspheres prod. 7=802

U bars of magnox clad fuel elements, helical crystallographic texture obs. 7=7735

U, depleted for charging heavy-water reactors 7=16887

### Nuclear reactors, fission-contd

materials-contd

U, liquid, penetration of Armco Fe, 740-1300°C 7=4673 U<sup>255</sup> capture-to-fission ratio obs. in reactor 7=10280 from U<sup>236</sup> + thermal n, β spectrum time var. obs. 7=10332 U<sup>237</sup> enriched, production and specific activity obs. 7=16889 UC rod clusters, D<sub>2</sub>O moderated, thermal neutron hyper-fine structure 7=10353

UC/Sic dispersed fuels irradiation obs. 7=6485 U-Fe(34,77 at. %), liquid, penetration of Armco Fe, 740-1300°C 7=4673

UO2, fission gas release and bubble movement 7=10361 UO<sub>2</sub> fuel problems 7=16891 UO<sub>2</sub> (NO<sub>3</sub>)<sub>2</sub> solutions of supercritical vol., fission yield calc. 7=800

U-Pu alloy cladded rods, fabrication rel. to study of Pu recycling 7=16888

U and U compound rods resonance integral correlation 7=10363

Xe-induced oscillations calc. 7=6473

operation

cladding failure det.from cooling water activity 7=13652 control rods, multiple, effectiveness, approx. soln. 7=794 control and safety, instrumentation 7=801 Dragon expt., initial experience 7=16883 fuel consumption under high burn-up in VVR-S IFA 7=13651

fuel temp. and thermal time const. meas. with W-Re thermocouples 7=13654

heating infinite cylinders, by uniform gamma sources 7=16488

high temperature, He cooling technology 7=16882 RO reactors, epithermal indices, meas., (3 methods) 7=16869 rod regulator both in core and reflector calc. 7=13650 in space 7=13636

stability of power plant with circulating fuel 7=795 thermal n flux and fuel cost 7=3983 time optimal computer control system 7=793 U single-rod heavy-water lattice obs. 7=6484 VVR-S in Rumania automatic control system 7=16881 ZED-2, fuel rods, buckling meas. 7=16892

burnout equation and location of burnout points 7=10349 control rod both in core and reflector calc. 7=13650 coupled reactors kinetics eqns. 7=10344 criticality calculations, 2-D, DIFIGREC codes 7=780

cross and auto spectra of fluctuations, statistical comparison 7=13640
Doppler temp. coeff. of reactivity calc. 7=776
Doppler temp. coeffs. of reactivity calc. for homogeneous reactors 7=13644

Dragon expt., rel. to fuel element testing 7=16864 effective thermal neutron cross. for granular struct. 7=6465

F.D.2 group averaged cross-section set for fast reactor calc. 7=3978 fine struct. calcs., gross leakage 7=6474

first-flight collision probability, generalized, approx. 7=6477

fission product deposition from flowing gas 7=785 kinetic equations inverse solution rel. to n multiplication factor changes 7=778

kinetic equations solution by BWK approximation 7=10347 Lie series for multigroup-multizone eigenvalue problems calc., analytical continuation 7=10343

local pile oscillators 7=6478 matrix calculations 7=3977

multi-dimensional spherical harmonics method for energy dependent problems 7=10003 multi-dimensional spherical harmonics method, vacuum boundary conditions 7=6466

multigroup n transport computer calc. 7=13641
multiple collision method, generalization 7=9137
n flux time var. in pulsed multiplying assemblies 7=10342
neutron diffusion equation, cylindrical cell approximation 7=16867

neutron distribution as Polya model obs. 7=10351 neutron flux distribution, perturbation 7=13642 neutron streaming in an eccentric reactor channel 7=13643 neutron thermalization in elementary cell 7=779 neutron transport, space-time flux distribution 7=13091 numerical methods of reactor analysis, book 7=6468 one-dimensional, diffusion equation solution 7=6469 perturbations, mass and critical mass transport rels. for nonuniform reactors 7=10350

pulsed n experiments in multiplying systems, space-dependent kinetic eqn. soln. 7=13638 resonance absorption in circularized cell calc. 7=6476

resonance captures, few-group approximation calc. 7=3975 resonance escape in heterogeneous fuel, spatial depression of resonance flux 7=6475 review of Polish work 7=775 Rossi-a experiment in noise obs. 7=10364

Nuclear reactors, fission-contd theory-contd

space phenomena in dynamics, quasistatic treatment 7=10345-6 stability, appl. of Liapunov's second method 7=6472 stability extrema with design uncertainties 7=10348 thermal n flux and fuel cost 7=3983 transfer functions, space dependent, statics

calc. 7=6470

transport, central limit 7=13092 vibrations of components calc. 7 Pu fast, fuel cost calc. 7=13645 Xe-induced oscillations calc. 7=

Nuclear reactors, fusion noise, uncorrelated, for transfer function of ionization chambers meas. 7=10365

Nuclear relaxation. See Nuclear magnetic resonance and relaxation.

Nuclear-solid interactions. See Mössbauer effect; Solids. Nuclear spallation
U284-0.238(d, 2n), (d, 3n), (d, 4n), 5-25 MeV 7=13603

Nuclear track emulsions
camera for scatt. from gas and solid targets 7=12809
charge meas. from thin-down track width 7=3403
Coulomb scattering, mean multiple, limits on lateral
displacement 7=3402
Dalitz pair origins detection by intermediate micro-

photography 7=9715 diamond loading 7=9717 distortions and spurious scattering 7=16387

electronic scanning method 7=9718 heavy low-velo ions range-momentum rels. obs. 7=5994 interactions energy meas, at high energy 7=12808 irradiation with spark chamber in p synchrotron 7=5998 microscope, for particle track meas. 7=16386 microscope stages, magnetically geared 7=3404 physico-chemical and instrumental effects in making and investigation 7=423 polymers characteristics 7=12810 side-viewing slicing method 7=9716

simultaneous irradiation with spark chamber 7=3401 singly-charged particle identification from residual range and ionization 7=16388

and ionization 7=16388

slicing technique, for heavy cosmic ray nuclei 7=10054

AgBr, \( \pi\) interaction at 17.2 GeV 7=16828

Ar\*0 400 MeV ions range-momentum rel. obs. 7=5994

CNO, \( \pi\) interaction at 17.2 GeV 7=16828

Ne\*0 200 MeV ions range-momentum rel. obs. 7=5994

Nucleation. See Clouds; Crystallization; Freezing.

Nucleic acids. See Macromolecules.

Nucleons and antinucleons

See also Neutrons and antinucrons: Protons and arti-

See also Neutrons and antineutrons; Protons and anti-

bound state model, radius 7=9969 current density, commutation relations 7=6211 electric polarizability, from SU<sub>3</sub> algebra of current components 7=9764 electromagnetic form-factor data analysis modification 7=6210 electromagnetic form factors in Quark model 7=6204

energy, from Dirac's eqn. in Riemann space 7=15879 form factor decay, derivation by local quantum field theory 7=3432

form-factor sum rules from nonforward retarded commutator 7=16595

form factors, review 7=16594
4N system levels calc. 7=6271  $\gamma+d\to\pi+N+N_s^*$ , sur rule 7=3672
isobar prod. in pp scatt., absorption and Regge pole
models, 5.5-30 GeV/c 7=6261

isobar subtracted masses rel. to heavy bosons 7=6260

isobars, prod. in p-p collisions 7=597 magnetic moment, anomalous, and hard core 7=3621

magnetic moments sum rules from current commutation and representation mixing 7=13059

mass calc. in euclidean sub-space 7=12995

moments, almost exact sum rules from infinite-dimensional algebra 7=3622

algebra  $_{t=0.022}$  N + N +  $_{\odot}$  5  $_{\pi}$  or  $_{\pi}$  +  $_{\pi}$  + V calc.  $_{7=16600}$  N\*(1236), current commutator analysis 7=10039 N\*(1470), possible prod. in K + p  $_{\odot}$  K + p +  $_{\pi}$ ° 7=3666 N\*+ $_{\pi}$ (K) prod. in  $_{\pi}$ (K)+p, N\* decay test of one-particle exchange 7=9911 N\*(1688), SU(3) assignments and couplings 7=3666

N\*(1688), SU(3) assignments and couplings 7=3665 N $_{3/2}^{3}$  yroduction by one-rho-exchange 7=10040 as  $\pi N$  bound state 7=9968  $\pi N$  first resonance pionic form factor 7=6259 n-p mass difference, feedback mechanism 7=9970 rel. to  $\pi$ -N scattering in P<sub>11</sub> state 7=9925 polarization phenomena elementary description 7=13058 resonances production, in p +  $\tilde{p} \rightarrow \tilde{N} * - N * * - N * * - N * * - N * + N * * + N * +$ 

S-matrix theory 7=3626

# Nucleons and antinucleons contd

SU(2) static model saturation, dynamical

symmetries 7=16596 three-nucleon, angular functions 7=6265

three-nucleon states, p-wave formalism 7=3620 transfer reactions, isospin dependence of ang. distrib.

obs. 7=16834 vector form factors,  $\bar{\nu}$  interaction obs. 7=12972

#### interactions

effect of velocity dependence 7=13052

meson photoproduction, harmonic, for photon energy < meson protoproduction, harmonic, for photon energy < meson rest energy 7=9891 meson photoproduction, rel. to SU(6) symmetry 7=16540 with mesons, vector meson prod. at high energy 7=6193 η-N coupling const. calc. in Heisenberg's non-linear theory 7=6143-4

e-N, inelastic, model for particle prod. 7=9881  $\gamma NN^*$  form factor obs.from e^+ p  $\rightarrow$  e^- + N\* 7=13109  $\gamma NN^*$  vertices T invariance for all N\* and real or virtual photons 7=12907

 $\gamma+N,\pi^\circ$  prod. spin-independent isovector part 7=12954  $K+N\to K^*+N,$  explicit calc. of cross-section 7=565

A-N book 7=6245

ANN forces rel. to  $\Lambda$ -N scatt. lengths 7=10089  $\Lambda$ -N, one-boson-exchange model obs. 7=3659

 $\Lambda N \to NN$  spin and isospin var. 7=6246  $\Lambda + N \to N + N$ , weak meson-exchange term vertices,

rel. to RP invariance 7=6303 N-lepton, rel. to double  $\beta$ -decay 7=708

 $N_{\nu_2}^*$  (3690), first obs. 7=13108

N-N, quasi-two-body, Regge-pole formulas for differential cross-sections 7=16554

N-N\* coupling, weak consts., saturation of charge-current algebra 7=13053

ν-N collision, circular polarization of emitted bremsstrahlung 7=9870

p-N,  $\mu$  prod. with high energy at large angles search for W intermediate boson 7=13050-1 pN and  $\pi$ N, secondary p energy distrib., **4**-20 GeV 7=6212

 $\pi$  -N, inelastic, one particle exchange contribution  $~7{=}16618$   $\pi$  + N  $\rightarrow$   $\pi$  +  $\gamma$  + N obs.  $7{=}6149$ 

 $\pi$ -N, quasi-two-body, Regge-pole formulas for differential cross sections 7=16554 with p in emulsion, multiple meson prod. ang. distrib. at 20 GeV/c 7=16790

with photon, prod. of vector meson 7=9948

photons, prod. of vector mesons 7=9949 π prod. in cosmic rays, phenomenological interpretation 7=6419

π prod. momentum spectra in hundred BeV range 7=3623 polarized, with  $\nu$ , production of electron and polarized baryon 7=12976

single nucleon states in model with fixed sources 7=10038 Treiman-Yang angle freq. distrib. and N exchange 7=3625 two-pion-exchange potential 7=3624

#### interactions, nucleon-nucleon

equivalent nucleon-nucleon potentials, determ. 7=16597 experimental data, review 7=9971 long range, rel. to nuclear matter 7=16677

N-isobars production in 10-30 GeV range 7=6213  $\overline{N}$  + N  $\rightarrow$  5 $\pi$  or  $\pi$  +  $\pi$  + V calc. 7=16600

nuclear matter, Hartree-Fock calc., phenomenological search 7=10083

 $1f\frac{7}{2}$  and  $2p\frac{9}{2}$  shell in nuclei A = 40-60 7=16688three-nucleon states, p-wave formalism 7=3620

three-nucleon virtual state, evidence 7=6268 two-pion exchange potential with pair effects 7=13054

interactions, pion-nucleon. See Pions/interactions, pion-

## scattering

on A=3 nuclei, charge-invariant anal. of expts. 7=621 Compton, sum rules from algebra of currents 7=12953 Compton, sum rules for i sovector amplitudes 7=12952

exact sum rules from low-energy theorems and unsubtracted dispersion relations 7=9972

isovector current conservation and e.m. amplitudes 7=16462 isovector-vector bosons, non-Abelian Compton effect 7=3629

Mandelstam representation and πNN vertex function 7=3490 with mesons, inelastic, quark model 7=6138

d-N, elastic, phase shift analysis 7=13057 e + N + e' + N\*  $\rightarrow$  e' + N +  $\pi$ , T-noninvariant effects 7=6126

K-N, rel. to axial-vector coupling const. renormalization 7=9895

K-N, implications of PCAC hypothesis 7=9940 K-N, scatt.lengths 7=566

K-N, Regge pole analysis, using forward dispersion relns. 7=3546

KN, rel. to  $Y_0*(1405)$  resonance state calc. 7=16650  $\Lambda$ -N lengths rel. to  $\Lambda$ NN forces 7=10089

 $\pi$ -N, effects of  $\pi\pi$  interactions, low energies 7=13011  $\pi-N$  elastic and inelastic props. direct correl, rel. to energy var. of baryon 7=6162

Nucleons and antinucleons-contd

scattering—contd  $\pi$ -N, P( $\frac{1}{2}$ ,  $\frac{1}{2}$ ) resonance at low energy 7=618

 $\pi$ -N, P<sub>11</sub> phase shifts calc. 7=3565  $\pi$ -N phase shift analyses, comparison 7=3567  $\pi N$ , u-channel exchange potential,  $J \leq \frac{3}{2}$  resonances

contrib. 7=16565  $\pi NP_{33}$  partial-wave amplitude, superconvergent consistency conditions 7=13010

0-N, condition for inelastic and elastic 7=9938 0-N, exact Breit-Wigner formula, and V-particle instability 7=12878 by n, review 7=16620 on nuclei, appl. of Feshback's unified reaction theory 7=6418

nuclei, central collisions above 1012 eV, 220 cases analysis 7=10233

on nuclei, polarized N elastic scatt. optical model 7=16781 by nucleus, antisymmetrized distorted-wave approximation 7=16780

p-nucleus and p-N scatt. at 20 GeV, relations 7=16784 by p, both polarized, spin correlation tensor

meas. 7=13056

polarization phenomena elementary description 7=13058 potential, by non-spherical nuclei 7=10234 two-nucleon potential obs. by inelastic scatt. 7=3711

C12, two-nucleon potential obs. by inelastic scatt. 7=3711 scattering, nucleon-nucleon

calculation of partial wave absorptions and moduli of

elastic amplitudes, 800-1400 MeV 7=13055 dynamical conditions 7=6215

elastic, smooth velocity-dependent potential, appl. 7=3716

local potential and effects of heavy mesons 7=6214 M(12) potential model, including kinetic energy and SU(3) breaking effects 7=593

phase-shift anal., unique soln. 7=6217 phase shift analysis at 400 MeV 7=16598

phase shifts, one-boson exchange model 7=16599  $\pi N$  scatt. and two- $\pi$ -exchange effects 7=594

relativistic reconstruction of matrix 7=6216 SU(4) symmetry 7=3628

subsidiary Regge trajectories with singular residues 7=12946

three-nucleon states, p-wave formalism 7=3620 two-pion exchange potential with pair effects 7=13054 vector-meson-nucleon coupling const. deriv. 7=6196 'S<sub>0</sub> state and its iso-symmetry breaking 7=3627

scattering, pion-nucleon. See Pions/scattering, pion-nucleon. antinucleons

No entries

### Nucleus

See also Elements/origin; Hypernuclei; Radioactivity; Scattering, particles.  $\alpha$ -decay transuranic elements, structure of surface 7=3836

binding energy, appl. of non-degenerate statistical relation 7=6293

Brownian movement of surface rel. to atomic electron shell ionization 7=10604

collective degrees of freedom, interaction 7=668 Coulomb displacement energies 7=10082

deformed, even, parity and the asymmetric top

model 7=664 disintegration of light atomic nuclei in Coulomb field 7=3866

element 102, mass 251-8, production and props. 7=16758 even-odd nuclei near 3s strength-function resonances, total cross-section for keV neutrons 7=3915 A binding energy to nuclear matter 7=3723 light nuclei, four-particle correlations 7=10074

mass formula, rel. to isobar and isotope
energies 7=16679
moments of inertia and quadrupole moments, closely-packed
spheron model 7=10084
muonic h.f.s., deformed, rel. to charge distribution 7=661

non-axial moments of inertia, superfluidity model calc. 7=10085

nuclear pair-spherical pair quadrupole and octupole excitations near closed shells 7=767 nuclear surface and Pb<sup>208</sup>, self-consistent field

calc. 7=13206 1f<sup>7</sup>/<sub>2</sub> shell, eqn. for effective field 7=6321

projection techniques formulation and analysis in structure 7=6319

p momenta meas, by p emission reactions at high energy 7=13201 rare earth, moments of inertia, BCS states 7=10090

spherical, isotopic shift 7=6298 structure analysis, use of computers, review 7=3706

structure studies using elementary particles 7=10071

structure study by n. Antwerp 1965, conference summary 7=13200 surface tension and surface density thickness of nuclear matter 7=10080

2s-1d shell, group theory and particle-hole states 7=13221

"Nucleus-contd

> N, ground-state masses and charge symmetry 7=10081  $B^{10, 11}, \alpha$ -clusters evidence from  $(\alpha, \alpha'), (\alpha, \text{heavy ion})$ 

reaction 7=3947

B<sup>14,18</sup>, stability of new isotope 7=6286

Be<sup>8</sup>, ground state width, rel. to effective-range theory in a scatt. 7=3717

Beto, neutron binding energy meas. 7=6294 Beo-Lio mass diff.from Lio(Heo,t)Beo meas. 7=3950 Bi<sup>200</sup> surface  $\alpha$ -clusters obs.by (n,  $\alpha$ ) at 14.6 MeV 7=13205

C 12, binding energy, density and levels from Hartree-Fock calcs. 7=673 cutdy, by electron scattering 7=13403 Ca<sup>40</sup>, binding energy, density and levels from Hartree-Fock calcs. 7=673

caics. 7=673 Ca<sup>40</sup>, parity mixing in Hartree-Fock calc. 7=16680 F<sup>18</sup> and O<sup>18</sup> ground states transition 7=3739 He<sup>4</sup>, parity mixing in Hartree-Fock calc. 7=16680 La<sup>189</sup> surface  $\alpha$ -clusters obs. by (n,  $\alpha$ ) at 14.6 MeV 7=13205 Li<sup>11</sup>, stability of new isotope 7=6286 Na<sup>24</sup>, neutron binding energy meas. 7=6294 O<sup>18</sup>, binding energy, density and levels from Hartree-Fock calcs. 7=673

calcs. 7=673

O<sup>16</sup>, parity mixing in Hartree-Fock calc. 7=16680 Pb<sup>206</sup>, isobaric analogue state of ground state, partial proton widths 7=740

Pb208, and nuclear surface, self-consistent field calc. 7=13206

 $\rm Pr^{141}$  surface  $\alpha$  -clusters obs. by (n,  $\alpha$ ) at 14.6 MeV 7=13205 S32, four-particle correlations 7=10074

Si28, binding energy, density and levels from Hartree-Fock

calcs. 7=673 Tb<sup>169</sup> surface  $\alpha$ -clusters obs.by (n,  $\alpha$ ) at 14.6 MeV 7=13205 W<sup>182</sup> non-axial moments of inertia, superfluidity model calc. 7=10085

Xe, n-p ratio in periphery from  $\pi^-$  interactions 7=10087

electric moment

See also Molecules/nuclear coupling.
ground states of radioactive nuclei meas. 7=6295
multipole, crystal elec. field screening calc. 7=10913
quadrupole, static, of first 2\* state of vibration
nuclei 7=3790

Ba<sup>150</sup>, quadrupole moment meas. 7=16727 Ba<sup>154</sup>e, quadrupole, intrinsic 7=13703 Be<sup>9</sup>, from (1s<sup>2</sup>2s<sup>2</sup>p)<sup>9</sup>P states h.f. s. 7=10403 Be<sup>9</sup>, quadrupole, calc. 7=3753 Cd<sup>114</sup>, first 2° state, static quadrupole, as vibr.

nucleus 7=3790

 $ho_{-0.130}^{-0.130}$  (Cd114, quadrupole moment meas. 7=16727  $ho_{-10^7}^{-10^7}$  quadrupole 7=7203  $ho_{-10^7}^{-10^7}$  7=3854

Li<sup>7</sup>, atomic h.f.s. obs. 7=10411 Mn, quadrupole 7=15236

Sm<sup>148</sup>, 150, quadrupole moment meas. 7=16727 Sm<sup>149</sup>, 22 keV state, quadrupole moment 7=16731 Yb<sup>188</sup>, quadrupole 7=829

Yb<sup>171</sup> levels quadrupole moments, Mössbauer obs. 7=10157 energy levels

See also Radioactivity/decay schemes.

A = 40-60, 17% - 29% interactions 7=16688
A = 15, 17(T = %) and A = 16(T = 2), low-lying states, hole-particle system 7=10119
A=10 nuclei, transition rates of analog levels 7=13245 angular correlations 7=6363

angular momentum effect on n,p, and α evaporation 7=10176
BCS approximation for systems with two unperturbed levels, corrections 7=13210
BCS function, corrections on nuclear matrix elements

caused by particle-number fluctuation effect 7=6320

bound states coupled-channel calcs, 7=16685 centroid energies and widths of configurations 7=660 collective Hamiltonian self-consistent theory without

cranking 7=16694 collective in shell model, qualitative description 7=10091 collective vibrations in even-even spherical nuclei

calc 7=6328 conversion electron spectra from Ho<sup>159</sup> decay obs. 7=10194 core plus several particles, weak coupling model 7=10099 Coulomb energy systematics 7=6318

decay const., multichannel coincidence meas.

convolution calc. 7=382

decays, parity nonconservation effects 7=13225

decaying states, time dependence 7=6339 deformation Hamiltonian effective mass meas. 7=3966

deformed, giant quadrupole resonance, static theory 7=3738

deformed nuclei intrinsic states, Hartree-Fock арргож. 7=13250

deformed, octupole vibrations 7=6331 degenerate levels perturbation theory 7=12375

degree of freedom limitation in fluctuation

analysis 7=13217 densities, and the  $\alpha$  parameter, from n capture cross-sections 7=6326

Nucleus - contd

energy levels - contd densities for medium weight nuclei obs.from (n,  $\alpha$ )  $\alpha$  spectra 7=13242 densities, and n spectra obs. 7=10257

density of excited system with pairing interactions 7=13219 density fluctuations and tests of compound statistical

model 7=13282 density, partial, and  $(\alpha, p)$  reaction 7=13606

density and temp. from n scatt. and (n, 2n) at 14 MeV, 12 < A < 209 7-16800 doorway rel. to isobaric analogue states 7-13235 doorway state, fine structure 7-13233

doorway states 7=16769

doorway states fine struct. modulation by analog.

resonance 7=16788
doorway states rel. to n intermediate resonance struct.
obs. 7=13445
"doorway states" rel. to n strength functions 7=13442

Doppler-shift lifetime meas. 7=3731

doubly closed shell plus one-nucleon system, non-normal parity states 7=10107

drop, uniformly charged, saddle-point normal modes 7=17241

E2 and M1 transitions, competition in high spin nuclei 7=3745

nuclei 7=3743 electric transitions in spherical nuclei 7=3741 even—even nuclei model 7=16682 even—mass nuclei, one-phonon state, allowed  $\beta$  transition 7=10179

even nuclei, asymmetric rotor structure 7=10098 even nuclei, doubly, positive-parity states in 2s, 1d

shell 7=10101
even nuclei, electric monopole transitions and beta
bands 7=670

even nuclei, high-spin rotational states, electrical quadrupole transitions 7=13241

excitation functions synthesised by cross-section fluctuations statistical model 7=3735 extended Siegert theorem 7=13214

Fermi system density of states calc. degeneracy removal 7=13211

first excited state from  $O^{16}(He^3, n)Ne^{18}$  obs. 7=3956in fissile nuclei, correction for unresolved levels and app. to U<sup>233</sup> 7=16690

fission resonances with equal spin and parity, multilevel interference rel. to Doppler broadening calc. 7=16850 4N system calc. 7=6271

γ energies suitable for routine energy calibration

obs. 7=12959  $\gamma$  and  $\gamma \rightarrow \gamma$  sources automatic sample chamber 7=10175 in  $\gamma$  resonant scatt. obs. 7=13392  $\gamma$  transition probabilities 7=6378

gamma vibrations, test of microscopic theory in even spheroidal nuclei 7=667

giant collective multipole states, excitation by electron scatt. 7=10102 giant dipole resonance configuration splitting in 1d-2s shell nonmagic nuclei 7=10131

giant dipole resonance excitation in  $\mu$  capture 7=13231 giant resonances obs.by bremsstrahlung scatt. 7=13232

group theory appl. 7=16683 heavy deformed nuclei, rotation and vibration 7=10109-10 heavy (N ≠ Z), structure of isobaric analog states 7=13409 hindered nuclear matrix elements, commutator

method 7=10093

hydrodynamic contribution to potential energy 7=653 individual particle motions self-consistent potential for closed shells 7=16687

intermediate three quasi-particle states widths approx. in Fermi liquid model 7=16811

internal conversion high resolution obs. appls. review 7=6309

internal conversion meas review, mainly K 7=3728 isobaric analogue resonances, fine struct. 7=3864

isobaric analogue resonances fine structure and neutron decay 7=16789 isobaric analogue resonances, Lane's model appl. 7=3865 isobaric analogue resonances, one-level approx. and isospin purity 7=13234

isobaric analogue resonances in (p,n) reaction obs. 7=10249 isobaric analogue resonances polarization 7=6420

isobaric analogue states spreading width due to Coulomb interaction 7=6421

isobaric multiplet, model relating levels 7=3740

isobaric spin analogue resonances, theory 7=16787 isobaric, theory rel. to  $\beta$ -decay hindered Fermi matrix elements, theory 7=6377 L and M subshells pure  $E_2$  75. 88 keV transition, internal conversion coefficient ratios 7=3806 lifetime, table of meas. 7=659

M-subshell internal conversion coefficients, screening corrections test 7=13236

magnetic moments calc. 7=10095

```
Nucleus-contd
    energy levels-contd
        mass 15, \frac{9}{2} — \frac{1}{2} mirror transitions 7=674 metastable states, structure, and isomer shift 7=3734
        mirror nuclei, light, charge symmetry 7=10097
        neutron average spacings most probable value
            meas. 7=13446
        in neutron capture, average spacings calc. 7=13476
        neutron inelastic scatt. compound nuclei level densities
             from La to Bi 7=13458
         neutron resonance Doppler broadening 7=16808
        neutron resonance spacing in statistical shell
             model 7=13240
         neutron resonances, area anal. including effect of Doppler
             broadening 7=13463
         neutron resonances for As, Ga, Br, Ba, Au, Cu, spins
             obs. 7=13440
        neutron resonances in total cross.for F, Na, Mg, S, C1 and K, 200\text{-}600\,\,\text{eV} 7\text{=}13437
        in neutron s and p capture, A \sim 100\, 7=16810 neutron scatt giant resonances vanishing into compound-elastic channel in optical model 7=13460
         neutron study conference, Antwerp, 1965 7=10070
        neutron transmission obs., Mo, Sb, Te, Pr, Ta, U<sup>285</sup>, 5 eV-10 keV 7=13443 (n, γ) obs. 7=16693
         (n,\gamma) resonances \gamma-spectra in 2s1d shell nuclei obs. 7=13473
         n inelastic scatt.obs. 7=16807
n-p pairing and collective vibrations 7=10106
         (n-p) pairing correl rel to collective quadrupole states,
40 < A < 70 7=3747
         in non-local mean field with diffuse edge 7=13216
         in nuclear reaction cross, fluctuations, Ericson and
             intermediate struct.theories 7=16770
         nuclei, medium mass, by inelastic scattering of 155 MeV
             protons 7=13419
         odd deformed nuclei near single-quasiparticle
             state 7=13227
         odd-mass, 1p shell, rotational strong-coupling model 7=10111
         model t=10111 odd-mass spherical nuclei, extended quasi-particle-phonon coupling theory 7=6323 odd nuclei in 1f_{7/2} shell, moments and transition rates 7=13228
         1f_{\gamma 2} shell of odd-even nuclei, Coriolis coupling model 7{=}3746
         optical model, review of session at Antwerp 1965 conference 7=13199
         PNC potential, static parity, rel.to \gamma-transition 7=13226 from (p,n) reactions, continuous n spectra 7=3884 from (p,n) and (p,2n) reactions, 9 elements, 7.0-15.0 MeV 7=16795
         from (p,n) thresholds at tandem energy obs. 7=741 nairing-plus-quadrupole model calcs. 7=3810
         pairing-plus-quadrupole model calcs.
         parity-mixed \gamma-\gamma ang. correl. function 7=3737 parity mixing in Hartree-Fock calc. 7=16680
         parity non-conserving internucleon potentials meas. by
              (n, y) 7=13224
         perturbed angular correlations digital analysis 7=6307
         projection techniques formulation and analysis in
              structure 7=6319
         quadrupole plus pairing force for deformed nuclei \, 7=6325 radiation total widths for 50 \!< A \!< 201 \, 7=13239
         radiation widths of low-levels meas.using n-capture \gamma\text{-resonant} scatt. 7=13238
         rare earth, equilibrium deformations calc. with projected wave functions 7=16689 rare earth, moments of inertia, BCS states 7=10090
         rare-earth, odd-mass, \gamma-vibrations 7=666 rare earths, conversion electron spectra rel. to high-spin rot. states 7=3748
         reaction matrix elements for shell-model studies of
nuclear spectra 7=13220
         residual interaction and parity rule in collective levels of nuclei 7=16684
         resonance behaviour of isospin forbidden reactions 7=726
         resonance strengths in s-d shell obs. 7=3902 resonances at low energy 7=10211 review of AVF cyclotrons research in USA 7=16759 rotational, populated by inelastic d scattering 7=669
          sd shell nuclei, weak coupling model of particles and
              holes 7=13222
         self-conjugate 4n nuclei 0 levels model 7=6327
seniority 1 and 2 states of J = 0, T = 1 charge-independent
pairing Hamiltonian 7=16686
          shell model calc, in continuum 7=3732
          shell model, interactions, t-matrix theory 7=13215
         shell model, translationally invariant, pairing interaction, group theory 7=3733 single-particle, change due to n-p interaction 7=655
         spectroscopic averaging 7=3342
spectroscopic averaging and spectral moments, combina-
torial methods 7=3343
```

spectroscopy, evolutionary trends 7=654

```
Nucleus-contd
      energy levels-contd
           spherical nuclei low-lying states moments and transition
                probabilities 7=10094
            spin 1/2 excited states, g-factors 7=662
           spin and parity meas. from internal conversion 7=6315 spins and moments 7=6311 spins, from (n,n'\gamma) 7=13493
            spurious "intermediate resonances", randomly generated
                 cross sections obs. 7=722
            structure of ground and excited states in
                 153≤A≤187 7=13229
            supermultiplet states, Gamow-Teller matrix elements
                 exact calc. 7=3739
            table of angular correlation coefficients 7=6364
            transition rates classification 7=6308
            and two-particle Green functions 7=13198
            2s-1d shell, group theory and particle-hole states 7=13221
            unified and collective nuclear motion 7=3714
            vibrational, ground state correlation renormalization
                 effect calc. 7=6329
             vibrational states of odd-A deformed nuclei in rare-earth
                  region 7=6330
            \beta -vibrational states, structure and \alpha -decay, calc. 7=16744 {\rm Ag^{107}}, collective states 7=685
           Agrov. 109, decay schemes for low-lying states 7=13297
Agrov. 109 n scattering resonances, 10-400 eV 7=13563
Agrov. 109 neutron transmission resonances, 55-2000 eV 7=13504
Al, neutron scatt, resonances, 0, 2-2, 2 MeV 7=13491
           Al<sup>26</sup> from Mg<sup>24</sup>(d, n) reaction 7=757 Al<sup>26</sup>, (\alpha, d) obs. 7=13615 Al<sup>27</sup>, density parameter obs. 7=10269 Al<sup>27</sup>, from 185 MeV inelastic scatt. obs. 7=10237
           Al<sup>27</sup>, from 185 MeV inelastic scatt. obs. (=1023) Al<sup>27</sup>, search at 1.65, 1.83 MeV by p scatt. 7=13259 Al<sup>27</sup> spins and parities obs. by Mg^{28}(p, p'\gamma) and Mg^{28}(p, \gamma) 7=6425 Al<sup>27</sup>, s'\sqrt{2} 1.013 MeV state lifetime, excited-core model 7=13260 Al<sup>27</sup> from Mg^{28}(d, n) reaction obs. 7=10298 Ar<sup>24</sup>, from S<sup>26</sup>(He<sup>3</sup>, n) 7=13816 Ar<sup>24</sup>, from S<sup>26</sup>(He<sup>3</sup>, n) 7=13816
            Ar^{36}, T = 1 analog ^{7} =13359

Ar^{36,39} obs. by Cl^{35,37}(p, \alpha) and Cl-p scatt.,

1.3-3.0 MeV 7=6335

Ar^{37} 7=3769
           Ar<sup>39</sup>, analogue states 7=16701

Ar<sup>39</sup>, from Ar<sup>30</sup>(d, p), spin and parity assignment 7=16711

Ar<sup>41</sup>, 165 and 518 keV levels lifetimes, (f_{\gamma_2})^3 configuration 7=10133

Ar<sup>41</sup>, \frac{1}{2} level lifetime at 518 keV obs. 7=13266

Ar<sup>36</sup> from Cl<sup>37</sup> (p, \gamma), spin and parity obs. 7=3770

As<sup>75</sup> 7=13362
            As<sup>75</sup> 7=13362
             Au<sup>193,195</sup>, core-particle interaction rel. to levels 7=10099
            Au<sup>196</sup> spin 12 isomer 7=16737
Au<sup>197</sup> n scattering resonances, 10-400 eV 7=13563
Au<sup>198</sup> 7=13561
             B8, first excited 7=3898
            B10, deuteron cross section and ang. distrib. 7=10318 B10, 5.16 \rightarrow 3.59 MeV transition rates obs. 7=13245
            B<sup>10</sup>, 16 levels 7=10113
B<sup>11</sup> 7=672
             B11 7=10309
             B11, from B10(d, p), differential cross sections obs. 7=10294
             B11, proton cross section and ang. distrib. 7=10318
            B11, radiation widths of low-levels meas, using n-capture
                     -resonant scatt, 7=13238
             B12, first excited state, e.m. transition and spin and
            parity 7=10164
B<sup>10</sup> + He<sup>3</sup> system to four-body final state, from
                 B^{10}(He^3, p\alpha\alpha\alpha) obs. 7=3952
            B^{10} + He^3 systems to four-body final state, from B^{10}(He^3, p\alpha\alpha\alpha) obs. 7{=}3952 Ba^{124,128}, collective excitations 7{=}16730
             in Ba<sup>135</sup>(n,\gamma), hard \gamma rays abnormal intensities obs. 7=13555
            Ba<sup>156</sup> neutron resonances widths and spins < 400 eV 7=16801
Be<sup>6</sup> from Li<sup>6</sup> (He<sup>3</sup>, t), structure obs. 7=3750
Be<sup>7</sup> 7=3897
Be<sup>7</sup> obs. 7=3886
             Be7 production excitation functions of (He3; Be7, x)
                 obs. 7=3954
             Be7, structure by Li6(p,p')Li6* obs. 7=16697
             Be7, structure by Li6(p,p")Li6** and He4(He3,p")Li6**
                  obs. 7=16698
              Be8, interference between 16.62 and 16.92 MeV
            Be<sup>8</sup>, interference between 10. 62 and 10. 92 MeV levels 7=3752
Be<sup>9</sup>, isobaric spin mixing, 16.62 and 16.92 MeV states 7=13244
Be<sup>8</sup>, line shapes of low levels by Be<sup>9</sup>(p, d)Be<sup>8</sup> at 5.2 MeV 7=16699
Be<sup>8</sup>, parity mixing in Hartree-Fock calc. 7=16680
Be<sup>8</sup> at 16.62 and 16.92 MeV from Li<sup>6</sup>(Li<sup>6</sup>, α)Be<sup>8</sup> 7=3751
Be<sup>9</sup>, SU(3) shell model appl. 7=3753
```

```
Physics Abstracts 1967 - Part I (Jan.-June)
Nucleus-contd
         energy levels—contd
Be<sup>0.8</sup> rel. to Be<sup>9</sup>(n, 2n) at 14 MeV 7=13525
                 Be<sup>50</sup> ref. to Be<sup>5</sup>(1, 2n) at 14 MeV 7=1325
Bi, from (γ, n) cross-sections near threshold 7=683
Bi<sup>20</sup>, fine structure in n total cross section
0.43-0.57 MeV 7=13564
Bi<sup>20</sup> octupole septuplet in inelastic p scatt. obs. 7=3819
                  Bi211 first level nature 7=10166
                Bi<sup>21</sup> first level nature 7=10166
Br<sup>22</sup> \gamma-decay 7=16723
C<sup>15</sup> from Bi<sup>10</sup>(He<sup>3</sup>, t), structure obs. 7=3750
C<sup>11</sup>, from C<sup>12</sup>(He<sup>3</sup>, \alpha) reaction 7=3955
C<sup>11</sup> DWBA calc. rel. to C<sup>12</sup>(p, d)C<sup>11</sup> at 155 MeV 7=13425
C<sup>11</sup>, from (He<sup>3</sup>, \alpha) reaction 7=13609
C<sup>11</sup> spins, from Bi<sup>10</sup>(d, n) and Be<sup>3</sup>(He<sup>3</sup>, n) n spectra and ang.
                 distribs. 7=13612

C<sup>11,12</sup>, B(d, n) study 7=13586

C<sup>11,12</sup> obs. in B<sup>10,11</sup>(d, n<sub>γ</sub>)C<sup>11,12</sup> at 6.3 MeV 7=13588
                 C12(d, n)N13, resonance and direct reaction inter-
ference 7=16835
                  C12, expt. and theoretical calc. from particle-hole
                 model 7=16675

C<sup>12</sup>(4440 keV), half-lives rel. to Be<sup>9</sup>(\alpha, n)C<sup>12*</sup> obs. 7=10112

C<sup>12</sup>(\gamma, n)C<sup>11</sup> giant resonance obs. 7=13396

C<sup>12</sup>, parity mixing in Hartree-Fock calc. 7=16680

C<sup>12</sup>, surface-phonon states, giant-resonance, electro-
                           excitation 7=10229
                 excitation \gamma=10229 C<sup>12</sup>, 10.3±0.3 and 12.7 MeV states obs. 7=6379 C<sup>12</sup>, transition widths obs. 7=10114 C<sup>12</sup>, two-quasi-boson states, dipole strength distrib. RPA 7=10115
                 C<sup>12</sup>, 2<sup>2</sup>, virtual excitation in n-C<sup>12</sup> scatt. 7=16813
C<sup>13</sup>, mixing ratios in ground-state decays, 3.68 and
3.85 MeV 7=3754
C<sup>13</sup>, 170 keV, e.m. transition and spin and parity 7=10164
C<sup>14</sup>, effective interactions 7=10116
                  C^{19} in Be^{9}(\alpha, n)C^{12} reaction 7=3951 Ca, spins from n capture \gamma circular polarization
                           obs. 7=13536
                  Ca<sup>38</sup> 7=6336
Ca<sup>40</sup> 7=13358
                  Ca40 7=13360
                  Ca40, decay period of first level obs. 7=10135
                  Ca<sup>40</sup>, odd-parity and ground states 7=13265
Ca<sup>40</sup>, and total photoneutron cross-section 7=10225
                  Ca40.41.42, low-lying, as mixture of shell model and deformed states 7=13264
                 deformed states 7=13264

Ca<sup>40-42</sup>, excited states, deformed model 7=10136

Ca<sup>41</sup>, two-particle one-hole states from

K<sup>20</sup>(He<sup>3</sup>, p)Ca<sup>41</sup> 7=10314

Ca<sup>42</sup> <sup>44</sup>, second 2 state, γ-γ correl. 7=3771

Ca<sup>43</sup>, <sup>3γ</sup>/<sub>2</sub> level lifetime at 594 keV obs. 7=13266

Ca<sup>48</sup> scheme obs. 7=761
                   Cd, even, low lying positive parity states 7=13299
                  Cd, spins from n capture y circular polarization
                            obs. 7=13536
                  Collis, inelastic scatt. of Fe-capture \gamma-rays, 7.64 MeV 7=10146 Cdlis, or Cdlis(n,\gamma) obs. 7=13467 Cdlis, from Cells(n,\gamma) \gamma spectrum from 30 keV to 9 MeV 7=13551
                   Cd114, first excited state, mag. moment meas. 7=16728
                  Cd114 obs. 7=13420
                 Cd1<sup>14</sup> obs. 7=13420
Cd<sup>114</sup>.1<sup>18</sup>, first 2', static quadrupole moments obs. 7=13298
Ce<sup>134</sup>, collective excitations 7=16730
Ce<sup>137</sup> from Pr<sup>137</sup> decay, obs. 7=13366
Ce<sup>138</sup>, from Pr<sup>138</sup>(1')\beta decay, log ft value calc. 7=3856
Ce<sup>140</sup> 0'* \gamma spectra 7=689
Ce<sup>140</sup> 0'* \gamma o' transition conversion \beta spectrum obs. 7=10151
Cl, from 14 MeV n scatt. 7=3768
Cl<sup>38</sup>, from S<sup>32</sup>(He<sup>3</sup>, d) obs. 7=3957
Cl<sup>34</sup>, (\alpha, d) obs. 7=1 3615
Cl<sup>35</sup> 7=13537
                  ^{1=10302} neutron 405 eV resonance Doppler broadening, search for effect of bonds in NaCl, CCl<sub>4</sub>, PbCl<sub>2</sub> 7=16816 Cl<sup>36</sup>, spins obs. by Cl<sup>35</sup>(n, \gamma) ang. correls. with thermal n 7=13263 Cl<sup>37</sup>(p, \alpha_0)S<sup>34</sup>, T-forbidden excitation of analogue states 7=10246
                   Co neutron capture resonances, 1-50 keV 7=13543
                   Co55 7=3778
                  Co<sup>56,57</sup> 0.05s, by Fe<sup>54,58</sup>(He<sup>3</sup>, d) 7=16718
Co<sup>57</sup>, from Fe<sup>56</sup>(p, γ), p resonances at 1248 and
1349 keV obs. 7=13432
Co<sup>57</sup> obs. from Ni<sup>57</sup> decay 7=16719
Co<sup>57,56,61,63</sup>, from Ni(t, He<sup>4</sup>) reactions 7=3943
                   Co59, 1.10 and 1.29 MeV states lifetimes obs. 7=13279
                    Co60 7=3921
                   Co<sup>50</sup> from Co<sup>50</sup>(n, \gamma)Co<sup>60</sup> 7=3920 Cr<sup>50</sup>, shell model with config. mixing 7=3776 Cr<sup>50</sup>-55 7=3777
                    Crs1, 803 keV, from Vs1(p, ny) 7=13275
                   Cr<sup>51</sup>, p3/<sub>2</sub> states, centroids 7=16688
Cr<sup>51</sup> spins obs.from (d, p) prod. ang. distribs.
```

J var. 7=16714

```
Nucleus-contd
             energy levels-contd
                        Cr<sup>52</sup> from V<sup>52</sup> β-decay 7=16748
Cs<sup>131</sup>, from Ba<sup>131</sup> decay γ spectrum obs. 7=6345
Cs<sup>135</sup> 7=3797
                         Cu obs.from Zn(n,d) d spectra 7=13548
                       Cu obs. from Zn(n, d) d spectra 7=13548

Cu<sup>61</sup>, de-excitation props. from Mn<sup>65</sup>(B<sup>11</sup>, p4n) obs. 7=13626

Cu<sup>62</sup>, level scheme 7=13283

Cu<sup>63</sup>, y spectrum obs. 7=10144

Cu<sup>63</sup>, 65, d scatt. obs. 7=10301

Cu<sup>63</sup>, 65, closely spaced 7=3895

Cu<sup>65</sup>, 67, from Zn<sup>65</sup>, 68(n, d) reactions 7=13549

Pu<sup>15</sup>, conversion 6-spectrum obs. 7=10193
                       Cussif, from Zhatsolft, d) reactions by 156 conversion \beta-spectrum obs. Dy 152 from decay of Tb 152 7=3804 Dy 162, Dy 161 (n, \gamma) obs. 7=13322 Dy 162 obs. 7=13369
                        Dy^{163}, Dy^{162}(n, \gamma) obs. 7=13323
                     Dy ^{163}, Dy ^{162}(n, \gamma) obs. 7=13323

Dy ^{163} obs. by (n, \gamma), (n, e)-, (d, p), and (d, t)

reactions 7=16733

Dy ^{163}, structure from Dy ^{163}(n, \gamma) obs. 7=10156

Dy ^{163} Nilson states obs. by Dy ^{164}(n, \gamma) 7=13324

Er ^{162,167}, spacing for n 7=13452

Er ^{163,167}, ey-vibration bands and ground-state mixing obs. 7=13327

Er ^{168}, two-quasi-particle states at 1095 and 1543 keV 7=690

Er ^{169} from Ho ^{169} \gamma-decay 7=718

Er ^{168}, Er ^{167}(n, \gamma) obs. with slow n 7=13326

Eu ^{168}, and rotation-particle coupling 7=3802

F. neutron scatt, resonances, 0.2-2.2 MeV 7=13491
                    EL155, and rotation-particle coupling 7=3802 EL155, and rotation-particle coupling 7=3802 F, neutron scatt, resonances, 0, 2-2. 2 MeV 7=13491 Fi<sup>1</sup>, T = \frac{3}{2} levels T=6333 Fis, from Fi<sup>3</sup>(He<sup>3</sup>, \alpha), 3. 06 and 3. 13 MeV 7=10307 Fi<sup>18</sup> from Oi<sup>6</sup>(He<sup>3</sup>, p_{\gamma}) reaction T=3762 Fis, mixing ratios for transitions, theory and expt. 7=680 Fi<sup>18</sup>, 1. 08 and 2. 10 MeV T=13252 Fi<sup>18</sup>, 2. 10 and 1. 08 MeV, parity T=13253 Fi<sup>19</sup>, octupole deformability T=679 Fi<sup>29</sup> parity impurities, \frac{1}{2}(\alpha-1)\frac{1}{2}(\alpha-1) 110 keV \gamma transition T=3763 Fi<sup>20</sup>, from Oi<sup>20</sup>(He<sup>3</sup>, p_{\gamma}) Fi<sup>20</sup>, directional p_{\gamma} correl. obs. T=1031 Fi<sup>21</sup>, from Oi<sup>20</sup>(Li<sup>21</sup>, \alpha), lifetimes of 0. 279 and 1. 10 MeV states obs. T=10123 Fe, from (\gamma, n) cross-sections near threshold T=683 Fe neutron capture resonances, 1-50 keV T=14543 Fe<sup>55</sup>, high-spin high-energy isomer T=6338 Fe<sup>55</sup>, 10w-lying states, from Mn<sup>55</sup>(p, n) Fe<sup>55</sup> T=10141
                        Fe<sup>55</sup>, low-lying states, from Mn<sup>55</sup>(p, r)Fe<sup>55</sup> 7=10141 Fe<sup>55</sup>, shell model with config. mixing 7=3776
                         Fe<sup>56</sup> 7=10185
                         Fe<sup>56</sup> 7=13277
                       Fe<sup>58</sup>, 7=13277 Fe<sup>58</sup>, Co^{58} decay \gamma spectrum obs. 7=13278 Fe<sup>58</sup>, Co^{58} decay \gamma reactions 7=16715 Fe<sup>57</sup>, conversion coefficients in Co^{57} decay 7=16717 Fe<sup>57</sup>, Zeeman splitting, Mössbauer effect meas. 7=10923 Fe<sup>58</sup>, spins for 855, 810 keV levels from \gamma-\gamma ang. correl. 7=10142
                      correl. 7=10142
Fe<sup>59</sup> spins obs.from (d,p) prod.ang.distribs.
J var. 7=16714
Ga<sup>60</sup> gamma-ray spectra 7=3784
Ga<sup>71</sup>, half-life obs. 7=13284
Gd<sup>154</sup>, vibrational, from (a, 2n) reaction 7=3801
Gd<sup>154</sup>, vibrational, from (a, 2n) reaction 7=3801
                        Ge<sup>70,72</sup>, from deuteron scattering, low-lying states 7=13288
Ge<sup>70,72,74</sup>, low-lying O° states 7=13287
                        Ge<sup>74</sup>, vibrational rel. to multiple phonons, Ge<sup>78</sup>(n, \gamma) obs. with thermal n 7=13289
                       He<sup>3</sup>, T = ½ levels, unbound, search 7=13121
He<sup>4</sup>, 0' level at 14.8 ± 1.19 MeV prediction 7=6327
He<sup>4</sup>, single-particle states in particle-hole
model 7=6269
                       Hf<sup>177</sup>.181, vibr. states, limits of Nilsson model, meas. 7=3809
Hf<sup>178</sup> obs. 7=13371
                       Hf<sup>179</sup>, low-energy scheme 7=10159
Hg isotope and isomer shifts obs. 7=3814
                       Hg spectra, from model of holes coupled to a vibrator 7=696
                        Hg<sup>188,190</sup> ground state rotational bands 7=13340 Hg<sup>200</sup>, spins obs. by Hg<sup>199</sup>(n, \gamma) 7=13344
                        Ho165 n scattering resonances, 10-400 eV 7=13563
                       Holes neutron resonances spins obs. 7=13096
Holes, polarized n scatt. at 350 keV, nuclear deformation
obs. and spin-spin interaction search 7=13507
Holes, Holes(n, y) obs. with thermal n 7=13325
Illes, decay periods for 243 and 188 keV levels
obs. 7=10149
                        I<sup>125</sup> <sup>127</sup>, M1 and E2 transition rates obs. 7=3795 I<sup>127</sup>, low-energy states Coulomb excitation obs. 7=3796 I<sup>127</sup>(n, \gamma) calc. in Fermi-gas-model for levels, 1 keV – 14 MeV 7=13554
                         I<sup>129</sup> 7=13365
                        I<sup>151</sup> obs. 7=13307
I<sup>152</sup>, decay periods of 52 and 284 keV levels 7=10135
In isotopes, d reactions obs. 7=10303
                        In, odd, low lying positive parity states 7=13299 In<sup>116</sup> and their analogue resonances in Sn<sup>116</sup> obs. 7=3792
```

```
Nucleus-contd
      energy levels-contd
             Ir, spins of n resonances up to 20 eV 7=13317
                        7=3769
             K^{40}, from K^{39}(n, \gamma), M1 and E1 strength in 1_n=1 and 1_n=3
                   levels 7=6435
             K41, isobaric analogue resonances, high-resolution
             study 7=10134
Kr<sup>82</sup> populated by Br<sup>82</sup> decay 7=10145
             La138, spacing and neutron S-wave strength function
                    obs. 7=13506
             La<sup>139</sup>, life times of first excited levels 7=10150
            La<sup>140</sup>, from La<sup>189</sup>(d, p), seventy states, obs. 7=13311
La<sup>140</sup> and Pr<sup>142</sup> structure from (n, y) reactions obs. 7=6347
La<sup>140</sup>, quasiparticle model 7=13312.
            Li* at 10.6 MeV search in p-He³ elastic scatt. 7=16696 Lis, core deformation from tensor force 7=3749 Lis(n, \alpha)T resonances at 35,55 KeV 7=13531 Lir(477 keV), half-lives rel. to Bi0(n, \alpha)Lir* obs. 7=10112 Lir, including the first of 195 MeV, respectively.
             Li<sup>7</sup>, inelastic scatt. of 185 MeV proton obs. 7=13415 Li<sup>7</sup>, spins and parities from Li<sup>6</sup>(n, \alpha)T ang. distribs.
                   obs. 7=13243
             Lul<sup>172</sup> decay to Yb<sup>172</sup>, multipolarity of K-forbidden 1094 keV \gamma-transition obs. 7=10158
             Lu175, internal conversion, electric dipole transitions,
                  dynamic penetration effects 7=3808
             Lu175, 282 keV E1 conversion process, nuclear structure
             effects 7=13331
Lu<sup>175</sup>, 343 keV M1 transition, nuclear structure
effects 7=13332
            Mg, neutron scatt, resonances, 0.2-2.2 MeV 7=13491 Mg<sup>24</sup>, alpha-particle models 7=10124 Mg<sup>24</sup>, giant resonance, e scatt. obs. 7=16708 Mg<sup>24</sup> isobaric analogue states obs. in Na<sup>23</sup>(d, n) at
             3 MeV 7=13594
Mg<sup>24</sup>, O', T = 2 state isospin-forbidden decay,
15.43 MeV 7=16707
            Mg<sup>24</sup>, 1.368 MeV, lifetime by nuc.resonance fluorescence 7=13257
Mg<sup>24</sup>, shell model calc. 7=16706
Mg<sup>24,25,28</sup>, from 185 MeV inelastic scatt. obs. 7=10237
             Mg^{25}, and cross-section fluctuations in proton scattering and (d, p) reactions 7{=}3889 Mg^{25} obs. 7{=}10269
             Mg^{27}, from Mg^{26}(d, p_{\gamma}), low-lying, obs. 7=10128
             Mg^{25} from Mg^{26} (d, p) nad proton scattering 7=3888 Mg^{26} from Mg^{26} (d, p) Mg^{26} at E_d=8.0 MeV 7=3940
             Mg<sup>25</sup> from Si<sup>2a</sup>(n, a), widths calc., corr. due to n energy spread from t + d reaction 7=13258
             Mn<sup>51</sup>, p_2^{9} states, centroids 7=16688
Mn<sup>51,53</sup> from (p, \alpha) reactions 7=16715
Mn<sup>53</sup>, e.m. transition and spin and parity 7=10164
            Mn<sup>54</sup>, spins of first and second state ^{7}=13276 Mn<sup>54</sup>, shell model with config. mixing ^{7}=3776 Mn<sup>54</sup>, shell model with config. mixing ^{7}=3776 Mn·54.55 p resonances \gamma de-excitation obs. ^{7}=6337 Mo, from fast neutron scattering ^{7}=16817
             Mo, intermediate structure analysis rel. to level parameter
                    statistics 7=16823
              Mo®, 7/2 state evidence 7=3786
             Mo<sup>95</sup>, 204 keV 7=13295
Mo<sup>97</sup> 7=3787
Mo<sup>103</sup>, 5.3 hr 7=3852
             N^{12}, B^{10}({\rm He^3,n})n spectra obs. 7=13612 N^{12}, and decay obs. 7=13355 N^{13} rel. to 9.14 MeV resonance splitting obs. 7=736
             N14, C13(He3, d) obs. 7=10117
             N^{14}, isospin impurity upper limits obs.in C^{12}(\alpha,d)N^{14} 7=16844
             N^{14}, shell-model states by C^{13}(d, n)N^{16} study 7=3756
            N<sup>14</sup> 3.95 and 7.03 MeV levels e.m. decay schemes obs, 7=16700
N<sup>14,15</sup>, mixing ratios for transitions, theory and expt. 7=680
             N<sup>15</sup> resonances in B<sup>11</sup>(\alpha, n)N<sup>14</sup>, 2.5-5 MeV 7=13613 N<sup>15</sup>, \sqrt[3]{2} \rightarrow \sqrt[4]{2} mirror transitions 7=674 N<sup>16</sup> from \mu capture by O<sup>16</sup> 7=3880
            N=1011 \mu capture \nu N<sup>15</sup> (d, p) and O<sup>18</sup> (d, \alpha) reactions 7=3755 N<sup>16</sup>, by N<sup>15</sup> + n total cross-section obs. 7=10118 Na, neutron scatt. resonances, 0. 2-2.2 MeV 7=13491
             Na^{22} 1+583 keV state g factor from F^{19}(Po^{210} \alpha, n) Na^{22} reaction 7=3764
            Na<sup>23</sup>, mean life, 2. 98 MeV 7=10126
Na<sup>23</sup>, 0. 44 MeV, lifetime by nuc. resonance
fluorescence 7=13257
Na<sup>23</sup>(p, a<sub>7</sub>)Ne<sup>20</sup>, even parity in 308 and 738 keV
resonances 7=3904
            Na<sup>22</sup>, T = \frac{1}{2} and T = \frac{3}{2} from Ne<sup>22</sup> + p scattering 7=16791 Na<sup>24</sup>, density calc. 7=10127 Na<sup>24</sup>, h. f. s. anomaly meas. 7=3721 Nb neutron resonances, 30-4000 eV 7=13451 \frac{3}{2}Nb rel. to Zr(d, p) and (d, n) coupling of analogous channels 7=6450
```

Nd1<sup>44</sup>, 1301 keV 4\*, nuclear g-factor obs. 7=13314 Nd1<sup>46</sup>, from Sm<sup>150</sup>(n,  $\alpha$ ) fine structure obs. 7=13315

```
Nucleus-contd
     energy levels—contd
Nd<sup>148</sup>, <sup>150</sup> from (p,t) reaction 7=3908
           Ne^{19}, from Ne^{20}(He^3, \alpha), up to 5 MeV states obs. 7=13254 Ne^{20}, alpha-particle models 7=10124 Ne^{20}, from F^{19}(d, n)Ne^{20} 7=3937
           Ne20 giant dipole resonance from F19 radiative
                 capture 7=13427
           Ne20 isobaric analogue states obs. in F19(d, n) at
                 3 MeV 7=13594
           Ne<sup>20</sup>, odd parity states from core excitation 7=681
           \rm Ne^{20}, parity mixing in Hartree-Fock calc. 7=16680 \rm Ne^{21}, lifetime obs. 7=10125
           Ne<sup>22</sup>, from F<sup>19</sup>(\alpha, p\gamma), 4. 47, 5. 14, 5. 63 and 6. 35 MeV states ang. correl. obs. 7=13255 Ne<sup>23</sup>, obs.from Na<sup>23</sup>(n, p\gamma)Ne<sup>23</sup> at 8. 0, 8. 8, 14 MeV 7=13256 Ne<sup>23</sup> spins obs. by Ne<sup>22</sup>(d, p\gamma) 7=16705
           Ni isotopes core polarizations and effective interactions
                              7=13281
            Ni, spins from n capture \gamma circular polarization
           obs. 7=13536
Ni<sup>58</sup> 7=13280
           Ni<sup>59</sup>, simple-particle collective model 7=3779
            Ni60 7=3781
           Ni^{60}, from \alpha inelastic scatt. obs. rel. to coupled channel
                 calcs. 7=16843
           Ni<sup>60</sup> giant dipole resonances, collective correlations
                 appl. 7=3780
            Ni<sup>60</sup>, from p scatt., excitation and deformation
                 parameters 7=10240
            \rm Ni^{62}, \gamma inelastic scatt. obs. of 7, 64 MeV level 7=16773 \rm Ni^{62,64}, closely spaced 7=3895
           Ni^{62,64} obs.from Cu^{63,65}(n,d) d spectra 7=13548
           Ni64, from Cu65 (n, d) reaction 7=13549
           Ni65 spins obs. from (d, p) prod. ang. distribs.
                 J var. 7=16714
           O isotopes, shell-model states 7=3757 O<sup>15</sup>, excitation energy and lifetime, 7276 keV 7=10120 O<sup>15</sup>, near N<sup>14</sup>(p, \gamma)O<sup>15</sup> threshold, rel. to this reaction in stars 7=12141 O<sup>15</sup>, from O<sup>15</sup>(He³, \alpha) reaction 7=3955
           O^{16}, continuum, virtual transitions, calc. 7=16702
           O¹6 dipole resonance states 7=13247
          O<sup>16</sup>, dipole states particle decay widths 7=13249
O<sup>16</sup>, 8.88 MeV state, mean lifetime 7=10122
O<sup>16</sup>, expt. and theoretical calc. from particle-hole model 7=16674
           O<sup>16</sup>, first eight state obs. 7=13624
          O<sup>16</sup>, first excited state, deformed 2p-2h excitation 7=3758
O<sup>16</sup>, 4-particle, 4-hole state, calc. 7=16703
O<sup>16</sup>, 4-particle-4-hole state in Hartree-Fock approx. 7=16701
          approx. 1-10101
Ols, giant dipole resonance, effect of deformed mean potential 7=6332
Ols giant resonance in eigenchannel reaction theory 7=675
Ols, from Hes interactions 7=10306
Ols, intermediate states obs. by n scatt. 7=13246
           O16, mixing ratios for transitions, theory and expt.
           O^{16}, neutron emission following \mu capture 7=13405
           O16 odd-parity states using Hamada-Johnston matrix
                 elements calc. 7=10121
           O<sup>16</sup>, 4p4h state, Hartree-Fock calc. 7=10076
           O<sup>16</sup>, particle-hole states calc. 7=3759 from O<sup>16</sup> photodisintegration 7=10224
           O16, positive parity collective states 7=677
           O<sup>16</sup> structure, higher RPA calc. 7=13248
           O16, T-forbidden electric dipole transition 7=13251
           O16,17, from F19(p) reaction at 30.5 MeV obs. 7=13431
           O16,17 negative parity states energy shifts, ground state
                correl.effect 7=678
           O<sup>17</sup>, neutron scatt.d<sub>3/2</sub> resonance shell model analysis 7=13489
           O<sup>17</sup>, non-normal parity states 7=10107
           O18, decay modes, spins and mixing ratios obs. 7=3761
           O18, deformed state admixtures, shell-model 7=3760
          O<sup>18</sup>, deformed state admixtures, shell-model 7=376 O<sup>18</sup>, even parity, from inelastic e scatt. 7=3878 O<sup>20</sup>, in SU<sub>3</sub> scheme 7=676 Os, pairing-plus-quadrupole model calcs. 7=3810 Os<sup>178,180,182</sup> ground state rotational bands 7=13340 Os<sup>188</sup>, 633 keV, g-factor obs. 7=13341 Os<sup>188</sup>, 1306 keV, non-existence 7=695 Os<sup>189</sup>, 7=3857 P. pautron scatt resonances 0.2-2 2 MeV, 7=1349.
          Osi<sup>w</sup> 7=3857

P, neutron scatt, resonances, 0, 2-2, 2 MeV 7=13491

P<sup>29</sup>, proton widths of low-lying states, from

Si<sup>28</sup>(He<sup>3</sup>, d)P<sup>29</sup> 7=10130

P<sup>29</sup> from Si<sup>28</sup>(d, n) reaction 7=757

P<sup>29</sup>, lowest T = ½ state 7=682

P<sup>30</sup>, (a, d) obs. 7=13615
          P<sup>30</sup>, from \beta^* radioactivity of S<sup>30</sup> 7=3847
P<sup>31</sup>, 1. 265 MeV, lifetime by nuc. resonance fluorescence 7=13257
Pa<sup>231</sup>, 25. 6 keV E, transition obs. 7=700
           Pa<sup>234</sup> low energy excited levels, prediction and expt., in conference, Orsay (1965) 7=10167
```

"Yucleus-contd

energy levels-contd

Pb, spins from n capture  $\gamma$  circular polarization

obs. 7=13536

Pb<sup>205,206</sup>, shell-model theory of Pb<sup>205</sup> 7=13345

Pb<sup>206</sup>, final states intensities, below 4 MeV obs. 7=13601

Pb<sup>206</sup>, residual interaction in shell-model calc. 7=3816

Pb<sup>206,207,206</sup> octupole septuplet in inelastic p scatt.

obs. 7=3819

Obs. (=3819)
Pb<sup>207</sup>, 570 keV state, magnetic moment 7=693
Pb<sup>207</sup>, 208, by inelastic p scatt. 7=698
Pb<sup>207</sup>, 208 n resonant capture states spins obs. 7=16739
Pb<sup>207</sup>, 208, single-particle levels 7=3715
Pb<sup>207</sup>, 209, single-particle levels 7=3715

Pb<sup>208</sup>, Intermediate states obs. by n scatt. 7=13246 Pb<sup>208</sup>, pairing vibration and particle-hole states excited in Pb<sup>206</sup>(t, p) 7=10165

100 eV 7=13502 Pm<sup>145,147,149</sup>, by unified nuclear model obs. 7=13316

Pm147, life times of first excited levels 7=10150

Pm149 7=3799

Pm<sup>149</sup>, 114 keV, mag. moment obs. 7=6248

Pr<sup>143</sup> first excited state, mag. moment obs. 7=3798 Pt, pairing-plus-quadrupole model calcs. 7=3810

Pt182,184,186,188 ground state rotational bands 7=13340

Pt189 from decay of Au189 7=16755 Pt190-198 7=3813 Pt192 7=3857

Pt192, 296 and 316 keV transition obs. 7=13342

Pt<sup>195</sup>(n,  $\gamma$ ) resonances partial radiative widths obs. 7=13559

Pt<sup>196</sup>, low-lying, scheme 7=13343 Pt<sup>192</sup> from Au<sup>192</sup> decay obs. 7=3858 Pt<sup>196</sup> from Au<sup>196</sup> 6.2d decay 7=16736

Pu<sup>227</sup> 7=13379 Pu<sup>238-242</sup> diagrams from Cm<sup>242-246</sup>  $\alpha$ -decay obs. 7=10204

Pu<sup>239</sup> neutron resonance parameters 7=16826

Pu<sup>239</sup> neutron total cross resonances, 100-300 eV 7=13568

Pu<sup>242</sup> neutron transmission resonances, 4-2000 eV  $\,$  7=13516 Ra<sup>223</sup>, Th<sup>227</sup> decay  $\,$   $\gamma$  spectrum obs. 7=13375

Re, spins of n resonances up to 20 eV 7=13317

Re  $^{184}$ , internal conversion electron spectrum obs. 7=6360 Re  $^{187}$  7=13337

Re<sup>187</sup> 7=13337 Rh<sup>100</sup> 74. 8 keV level g factor 7=6307

Rh108 neutron resonances spins obs. 7=13339

Rh<sup>106</sup>,  $\gamma$ -spectrum 7=6341

S, spins from n capture  $\gamma$  circular polarization

obs. 7=13536

S23 isobaric analogue states obs. in P31(d, n) at

3 MeV 7=13594

S30, from Si28(He3, n) 7=13616

 $S^{31}$ , from  $S^{32}(He^3, \alpha)$  obs. 7=3957

S32 7=13358

S32, configurational splitting of dipole giant

resonance 7=13262 S<sup>32</sup> from (e, e'p) reactions obs. 7=732

 $S^{32}$  giant dipole resonance configuration splitting calc.  $7{=}10131$ 

calc. '7=10131
S22 from (He³, \alpha') pickup reaction 7=3767
S32, by particle—hole model 7=3765
S33, 0. 841 MeV and ground state obs. 7=13618
S33, 5. 71 and 3.22 MeV levels spins 7=10270
S34(p, y)Cl5 resonances decay and spin and parity obs. 7=6429

Solution from fast neutron scattering 7=16817 Sblip obs. 7=10147

Sb<sup>121</sup>, low-energy states Coulomb excitation obs. 7=3796 Sb<sup>121</sup>, low-lying, from Sn<sup>121m</sup> and Te<sup>121m</sup> decay obs. 7=6384

Sb121,123, from (He³, d), (d, d') and (O16, Ó16  $\gamma$ ) reactions 7=686 Sb122,124 7=10304

Sb123 7=13302

Sc41, low-lying, as mixture of shell model and deformed states 7=13264 Sc42,  $(\alpha, d)$  obs. 7=13615

Sc\*s, collective three-particle states 7=3772 Sc\*s decay mode and spin, below 1.7 MeV 7=10137 Sc\*s, mode of decay and spin, below 1.7 MeV, from Ca\*o(He\*,p)

obs. 7=10137 Sc43, odd parity levels 7=3773

Sc<sup>44</sup> density spin cut off, (n, 2n), (γ, n) and (γ, pn) obs. 7=13268
Sc<sup>44</sup>, 146 and 68 keV states props. and decay modes obs. 7=13267 from Sc<sup>45</sup>(d, p)Sc<sup>46</sup> stripping analysis 7=3941

 $Sc^{46}, Sc^{45}$  thermal n capture  $\gamma - \gamma$  delayed coincidence obs. 7=13269

Sc48, spins and parities obs.by Sc45(n,  $\gamma)$   $\gamma$  spectrum with thermal n ~7=13270

Nucleus-contd

energy levels—contd Sc<sup>47</sup>, from Ca<sup>46</sup>(He<sup>3</sup>, d), structure up to 7.5 MeV

Sc $^{47}$ , from Ca $^{46}$ (Hes, d), structure up to 7.5 MeV obs. 7=13271 sc $^{47}$  d, hole state,  $\beta$  feeding 7=10138 Sc $^{47}$ , metastable d,  $\beta$  hole state obs. 7=3774 Sc $^{47}$ , %, state in Ca $^{47}$  decay 7=10182 Sc $^{48}$  obs. in Ca $^{40}$ (p, ny)Sc $^{48}$  at 1.9-4.3 MeV 7=13430 Sc $^{49}$ , analogue to Ca $^{49}$  ground state,  $\gamma$ -ray branching 7=16713 Sc $^{49}$ , shell-model calc. 7=3775 Sc $^{73m}$ ,  $\epsilon$ ; 8 $^{13m}$ ,  $\epsilon$  y-decay schemes obs. 7=16721 Sc $^{68}$ , inc. y-decay schemes obs. 7=16721 Sc $^{77}$ . from Br $^{77}$  gamma-ray spectra 7=16722 Sc $^{78}$ , radiation widths of low-levels meas.using n-capture Se78, radiation widths of low-levels meas.using n-capture y-resonant scatt. 7=13238 Si<sup>26</sup>, from Mg<sup>24</sup>(He<sup>3</sup>, n) obs. 7=13616 Si<sup>27</sup>, spectroscopic factors 7=13617 Si<sup>28</sup> y spectrum from Al<sup>27</sup>(p,  $\gamma$ ) 992 keV resonance 7=6334

Si28 isobaric analogue states obs. in Al27(d, n) at 3 MeV 7=13594 Si<sup>28</sup>, 1.772 MeV, lifetime by nuc. resonance

fluorescence 7=13257

Si<sup>28</sup>, parity mixing in Hartree-Fock calc. 7=16680

Si<sup>28</sup>, by particle-hole model 7=3765

Si<sup>30</sup>, lifetime obs. 7=10129

Si<sup>30</sup>, resonant structures through  $\alpha-Mg^{28}$  reaction 7=3766 Si<sup>27</sup> from Si<sup>28</sup>(He<sup>3</sup>,  $\alpha$ ) reaction at 15 MeV 7=10313

Sm, spins of n resonances up to 20 eV 7=13317 Sm<sup>144</sup>, <sup>148</sup>, <sup>150</sup>, <sup>152</sup>, <sup>154</sup> from (t, p) reaction obs. 7=765

Sm145 obs. 7=13367

Sm149 7=3800

 $\mathrm{Sm^{149}}$ , 22 keV state, magnetic and quadrupole moments 7=16731  $\mathrm{Sm^{150}}$ , level scheme 7=3924  $\mathrm{Sm^{150}}$ ,  $\mathrm{Sm^{149}}(n,\gamma)$  coincidences obs. 7=6349

Sm<sup>150,152</sup> from (p,t) reaction 7=3908 Sm<sup>151</sup> 7=10152

Sm<sup>152</sup>, band mixing effect on multiple Coulomb excitation 7=13318 Sm<sup>152</sup>, 963 keV 1<sup>-</sup> level 7=13319 Sm<sup>152</sup>, vibrational, from (\alpha, 2n) reaction 7=3801

Sm152,154, multiple nuclear excitation of rotational levels 7=13320

Sn, from fast neutron scattering 7=16817 Sn, intermediate structure analysis rel. to level parameter

statistics 7=16823 Sn isotopes, even, four-quasiparticle excitations and two-phonon vibrational states 7=13301

Sn isotopes shell model calc. using n-n interacts 7=13300 Sn<sup>118</sup> 5' state g-factor obs. 7=6342 Sn<sup>118</sup>, from In<sup>115</sup>(He³, d)Sn<sup>116</sup> reactions 7=3791

 $Sn^{118,\,119,\,\,121},\,(n,\,\gamma)$  obs., thermal and resonance 7=13552

Sn <sup>118,120</sup>, first excited states lifetimes obs. by  $\gamma$  resonance scatt. 7=6343 Sn <sup>18,120,1224</sup>, neutron scatt. p-wave strong resonances

obs. 7=13505 Sr<sup>88</sup>, isobaric spin-analogue resonances in (p, n) reaction 7=3907

Srss, radiation widths of low-levels meas, using n-capture  $\gamma$ -resonant scatt. 7=13238 Srss, Srs $^{87}(n,\gamma)$  obs. with thermal n 7=13291 Srs $^{89}$ , in Rbss decay 7=6382

Sr<sup>90</sup>, from Rb<sup>90</sup> decay γ-spectrum 7=10187

Tal<sup>18</sup>, γ-transition rel. to static parity PNC 7=13226 Tal<sup>18</sup>2 rotational bands obs. 7=6358 Tal<sup>18</sup>3 - Wl<sup>18</sup>3 decay coincidence meas. with β-ray spectrometer 7=6359 Tbl<sup>15</sup>5 226.9 keV level lifetime obs. 7=3803

Tb<sup>155</sup>, 227 keV half-life, obs. 7=16732 Tb<sup>157</sup>, 326 keV half-life obs. 7=16732 Tb<sup>158</sup>, 58 keV, by Mössbauer effect obs. 7=6351

To so, so key, by Mossbauer effect obs. t=0.51 Tb so n scattering resonances, 10-400 eV 7=13563 Tc s, decay of 53 min Ru 7=13296 Tc s,  $\gamma=0.50$  Tc s,  $\gamma=0.50$  Tc so so s.  $\gamma=0.50$  Tc so s.  $\gamma=0.50$  Tc so so so s.  $\gamma=0.50$  Tc so so s.  $\gamma=$ 

Tc99m M subshell conversion coeffs at threshold energies 7=3788

Te, from fast neutron scattering 7=16817 Te<sup>128</sup>, lifetime of 321 keV level 7=10148 Te<sup>128</sup>, from Sb<sup>128</sup> decay  $\gamma$  -spectrum 7=13304 Te<sup>128</sup>, 35. 3 and 426 keV, half-lives 7=13305 Te<sup>129</sup> obs. from Sb<sup>129</sup> decay  $\beta$  and  $\gamma$  7=13306 Th( $\gamma$ ).

Th(n, y)S-wave resonances radiation widths,

E<sub>n</sub> = 20-222 eV 7=16824

Th<sup>222</sup> neutron resonance widths up to 3 keV 7=16803

Ti<sup>48</sup>, lower excited states decay scheme 7=10139

Ti<sup>47,40,45</sup> spins obs. from (d, p) prod. ang. distribs.

J var. 7=16714

Ti<sup>48</sup> first state, ang. distrib. and p-y correl. obs. 7=3892

Ti<sup>48</sup>, from Sc<sup>48</sup> and V<sup>48</sup> decays obs. 7=10183 Ti<sup>48</sup>, from Sc<sup>48</sup> sate,  $\gamma - \gamma$  correl. 7=3771 Ti<sup>48</sup>, from Ti<sup>46</sup>(t, p) scatt. 7=13597 Ti<sup>48</sup> from V<sup>50</sup>(d,  $\alpha$ ), at 7.50 MeV 7=13272 Ti<sup>50</sup>, from Ti<sup>48</sup>(t, p) scatt. 7=13597

Nucleus-contd energy levels-contd

```
Nucleus-contd
               energy levels-contd
                               rgy levels—contu
Ti<sup>51</sup>, shell-model with config. mixing 7=3776
Tl<sup>197</sup>, 385 keV transition, structure effects 7=10163
                              T109,303 KeV (rainsition) structure effects 1-1030
T1199,201,202,205, collective vibrations 7=16738
T1207,350 keV, e.m. transition and spin and parity 7=10164
T1208, branching ratios and conversion coeffs. 7=3815
                              Tm<sup>165</sup>, scheme proposed 7=6353
Tm<sup>169</sup> n scattering resonances, 10-400 eV 7=13563
Tm<sup>169</sup>, 3.9 eV n resonance spin, mag. hyperfine constant
                                              obs. 7=13328
                                {
m Tm}^{170}, {
m Tm}^{169} thermal n capture \gamma - \gamma delayed coincidence
                                              obs. 7=13269
                               Tm<sup>171</sup>, decay periods for 5.1, 4.25 keV 7=16735 Tm<sup>187</sup> and Yb<sup>187</sup> \rightarrow Tm<sup>187</sup> decay scheme obs. 7=691 U<sup>283</sup> unresolved levels correction 7=16690 U<sup>284</sup>, excited O* states 7=13377
                              U236 n cross multilevel analysis, 0-37 eV 7=13565
U238 n scattering obs., 75-1620 keV 7=13511
U238 n eutron p-wave resonances obs. in transmission,
<200 eV 7=13512
U239 in (d, p) reaction 7=3821
U238 from U2386 n. d. spectrum for E = 30 keV 7=13
                               U<sup>239</sup>, from U<sup>236</sup>(n, \gamma) \gamma spectrum for E, = 30 keV 7=13567 V<sup>47</sup>, low-lying ^{8}_{2} states arising from (1\,f_{7/2})^3 proton config. 7=10140 V<sup>47</sup>, 49 7=16716
                               V^{48}, V^{50}, p_2^{y} states, centroids 7=16688 V^{51}, n scattering up to 4 MeV obs. of low levels 7=13273 V^{52}, shell model with config. mixing 7=3776
                              Vs2, shell model with config. mixing 7=3776 vs2, spins and partites obs. by V(n,\gamma) p spectrum with thermal n 7=13274 vs2, from Vs1(n, \gamma) reaction 7=16819 vs3, from Vs1(t, p), at E_t=12.09 MeV 7=13598 W, pairing-plus-quadrupole model calcs. 7=3810 Wl28, octupole vibrations 7=6331 Wl28, octupole vibrations 7=6331 Wl29, from gamma-ray yields from nuclear reactions 7=3960 Wl29, lifetimes of 1554 and 1289 keV levels 7=10160 Wl29, axial moments of inertia superfluidity model.
                                W182 non-axial moments of inertia, superfluidity model
                                calc. 7=10085
W<sup>182</sup>, 2*(100 keV) and 4*(329 keV) obs. 7=13370
W<sup>182,184</sup>, negative, rel. to n capture from 0.01 to
                                                                               7=10085
                               10 eV 7=10276

W182,184,186,4°, precession obs. 7=13336

W183,453.08 keV level 7=694

W183,453.1 keV, transition probabilities rel. to half-life
                                               obs. 7=13335
                                W<sup>183</sup>, g-factor of \%<sub>2</sub> state at 99 keV obs. 7=13336 W<sup>183</sup>, low-energy states Coulomb excitation obs. 7=3796
                                W183, neutron resonances partial radiative widths anti-
                                              correlation effect obs. 7=13508
                               correlation effect obs. 1=15000 wils, 9/2, 7/2 (503) level establ. 7=10161 Ke<sup>120,122</sup>, collective excitations 7=16730 Ke<sup>128</sup>, possible odd parity state 7=13308 Ke<sup>129</sup> 7=10190
                                Xe129,181, from Cs129 and I131 decay, spin and parity
                               obs. 7=13309

Xe<sup>131m</sup>, search for double decay processes 7=6344

Xe<sup>132</sup>, from I<sup>132</sup> decay 7=16729

Ye<sup>9</sup> analogue state resonances in p scatt. on Sr<sup>88</sup>, anal. by coupled optical eqns. 7=6428

Ye<sup>9</sup>, isobaric spin-analogue resonances in (p, n) reaction 7=3907
                                Y^{99}, n scattering up to 4 MeV obs. of low levels 7=13273 Y^{90g,90m} spin dependence of density from Y^{89}(n,\gamma) 7=16724
                                  Yb isotopes neutron resonances obs. 7=16802
Yb isotopes, n single-particle energies obs. 7
                                                                                                                                                                                                                                                                               7 = 3805
                                  Yb odd mass nuclei obs., by (d, p), (d, t) at
                                12 MeV 7=6354

Yb<sup>171</sup>, from electron capture decay of Lu<sup>171</sup> from Yb<sup>172</sup>(p, n)Lu<sup>171</sup> 7=692
                                Yb<sup>171</sup>, Mössbauer obs. of quadrupole splittings 7=10157
Yb<sup>171,173</sup>, M1 transition probabilities 7=3807
                                Yb<sup>172</sup>, K-forbidden 1095 keV transition multipole mixture
                               vb. 7-13330 yb. 7-1340 obs. from Lu. 7-1340 decay \gamma spectrum \gamma=6356 yb. 7-13420 yb. 7
                              The Tribute Telephone Tel
                            Zr<sup>99</sup> isobaric analogue states spin impurity mixing obs. in Y<sup>99</sup>(p, n), 3.5-6 MeV 7=13434
Zr<sup>99</sup>, from Y<sup>99</sup>(p, n) reaction 7=13292
Zr<sup>90</sup>(d, p), final levels, (d, p) and (d, n) coupling, calc. 7=16841
                            calc. 7=16841
Zr<sup>90</sup> isobaric analogue states from p + Y<sup>90</sup>
reactions 7=13294
Zr<sup>90</sup>, single-particle states built on second O*
state 7=13293
```

```
Zro1, excited states as single-particle excitations on
         Zr90 7=13293
     Zr<sup>91</sup> from Zr<sup>90</sup>(d, p) reaction obs. 7=10302
Zr<sup>92</sup>, 94, proton scattering at 19.4 MeV 7=3896
Zr<sup>95</sup> populated in decay of Y<sup>95</sup> 7=3851
Zr<sup>95</sup>, spins obs. from Y<sup>95</sup> \beta spectrum 7=16752
excitation. See Nuclear excitation.
magnetic moment
          See also Gyromagnetic ratio; Molecules/nuclear coupling; Nuclear magnetic resonance and relaxation.
     and bremsstrahlung from longitudinally polarized electrons 7=10226
     and collective quadrupole excitations 7=3742 ground states of radioactive nuclei meas. 7=6295 Hartree-Fock model, for odd-A=11-35 7=3719 levels calc. 7=10095
     odd-mass, 1p shell, rotational strong-coupling model 7=10111
     quadrupole giant resonance in deformed nuclei, dynamic
    collective theory 7=13230
spin-½, sum rule 7=3631
spin 1 and 3/2, sum rules 7=3718
table 7=6311
     theory of hyperfine structure 7=3720
     Ag110m atomic beam magnetic resonance obs. 7=16726
     Al<sup>27</sup>, electron scatt. obs. 7=13203
Ba<sup>135</sup>, <sup>137</sup>, dipole 7=649
     Cd<sup>114</sup>, first excited state meas. 7=16728
In<sup>116</sup> 7=3854
     K<sup>41</sup>, and Larmor frequency 7=16681
Mo<sup>95</sup>, 204 keV, g-factor 7=13295
Na<sup>24</sup> 7=3721
     Os<sup>187</sup> meas. by detection of very weak n.m.r.
signals 7=11722
Pb<sup>207</sup>, 570 keV state 7=693
Pd<sup>108</sup>, gyromagnetic ratio, first excited state 7=3789
Ru<sup>100-2</sup>, gyromagnetic ratio first excited state 7=3789
                  , gyromagnetic ratio, first excited state 7=3789
     Sm149, 22 keV state 7=16731
     Te, even first 2' states, meas. 7=3794
Tl'97, spectrum h.f.s. obs. 7=4011
Tm<sup>169</sup>, ground state hyperfine struct. 7=13202
Yb<sup>171</sup>, 75.9 keV level, Mössbauer effect and mag.
moment 7=13329

Yb<sup>174</sup>, lowest 2' state, S<sub>R</sub> factor 7=6355

magnetic resonance. See Nuclear magnetic resonance and
     relaxation.
models
     \alpha-matter, generalized theory 7=6291
     asymmetric top, rel. to parity of deformed even nuclei 7=664
     Bogoliubov transformation, generalized 7=647
     Bohr's collective Hamiltonian, complete numerical
          soln. 7=13212
     close-packed spheres 7=10376
     close-packed spheron, neutron excess for stable nuclei 7=16676 cluster model test by high-energy electron scattering 7=640 collective, ang. distrib. from high-spin states 7=3744
     Coriolis-coupling, odd-even, 1t_{n_2} shell levels 7-3746 doubly closed shell plus one-nucleon system, non-normal
          parity states 7=10107
     drop, uniformly charged, saddle-point normal
modes 7=17241
energy gap, surface density effects in BCS theory 7=10077
     even, collective potential energy and shape
fluctuations 7=13213
      Fermi liquid, intermediate three quasi-particle states
           widths approx. 7=16811
     finite, effective forces from free N-N interaction 7=13194
     ground state, non-local shell model parameters 7=16675
     harmonic-oscillator wave functions, coefficients of
transformations 7=9681
     Hartree-Fock calc., phenomenological two-body interaction 7=10083
     Hartree-Fock, mag. moments for odd-A=11-35 7=3719
     Hartree-Fock, saturation in finite nuclei 7=3708 isospin impurity, from particle-hole excitation 7=13223 Lane's model and appl. to isobaric analogue
          resonances 7=3865
      by neutron study, conference, Antwerp, 1965 7=10070 Nilsson, limits meas. for Hf<sup>177,181</sup> 7=3809
     non-local mean field with diffuse edge 7=13216
     nuclear matter, equil. density, neutron excess
depend. 7=10079
nuclear matter, rel. to smooth velocity-dependent
potential 7=3716
      nuclear matter, soft-core potentials in momentum
```

space 7=6292

nucleon-phonon interaction, Schröd. eqn. soln. 7=10092 optical, rel. to elastic scatt. of 52 MeV deuterons 7=6443

optical model analysis of n elastic scatt. at 0.8 MeV 7=16812

Nucleus-contd

```
Whicleus-contd
    models-contd
        optical model, model 7=6392
optical-model potential 7=3713
        optical, n scatt. giant resonances vanishing into compound-
             elastic channel 7=13460
        optical potential, complex symm, term meas. 7=10073
        optical potential, deuteron-nucleus 7=16829
optical potential, isobaric spin-term 7=646
optical potential meas.by n scatt.polarization 7=13459
        optical, potential, symmetry and Coulomb terms 7=16783 optical potentials for light nuclei, p rel. to n
             scatt. 7=13462
        optical and Regge representation 7=10206
optical, research with AVF cyclotrons in Europe 7=16768
optical, review of session at Antwerp 1965
conference 7=13199
        optical, Schrödinger operator spectrum 7=6289
optical, for 30 MeV, p-nuclei scatt., polarization and cross-
sections obs. 7=13414
optical, for 3.2 MeV n elastic scatt. from 36 elements
calc. 7=3912
         orthogonal group R<sub>5</sub>, quasispin realisation 7=10075
        pairing-plus-quadrupole model calcs. 7=3810
particle-hole, complete single-particle basis, point
spectrum 7=6322
        particle-hole, theory, and comparison with expt.
results 7=16674
potential, radius rel. to vertex parts of nuclear
             reactions 7=6394
        quadrupole giant resonance in deformed nuclei, dynamic collective theory 7=13230 rotational strong-coupling, for odd-mass in 1p
             shell 7=10111
         shell, calc. in continuum 7=3732
         shell, collectivity, qualitative description 7=10091 shell, high-momentum components to nucleon wave
             functions 7=3882
         shell, interactions, t-matrix theory 7=13215
shell, and jj coupling obs. 7=641
shell, jj-coupling, and residual interaction obs. 7=642
         shell, for nuclear reactions, continuum—continuum
interaction 7=10208
shell, for Pb200 levels calc. 7=3816
shell, test in nucleon emission started by pion scatt. or
photoprod. 7=13569
         shell, translationally invariant, pairing interaction,
             group theory 7=3733
         single-particle, nonlocal potential 7=3715
         single-particle potentials and wave functions in the 1p and
              2s-1d shells 7=16673
         single-particle wave functions, extreme damping in
              interior 7=16805
         soluble, validity of deformed Hartree-Fock
              solution 7=643
         spherical, superconducting energy gap 7=13197
         statistical model of cross-section fluctuations, excitation functions synthesised 7=3735
         statistical shell, n resonance spacing and nuclear
          temp. 7=13240
symmetry term rel.to Coulomb correction term 7=10072
         three-nucleon, angular functions 7=6265
         unified and collective nuclear motion 7=3714
         Bes, cluster model wave function 7=13196
         Be°, SU(3) shell appl., quadrupole moment calc. 7=3753
Ca⁴0.⁴4.⁴8, charge densities obs. 7=10086
Cu⁵s neutron scatt. optical model analysis 7=13499
         Fe58 neutron scatt. optical model analysis 7=13499
          La<sup>140</sup>, quasiparticle 7=13312
          Lis cluster model calc. of fast e scatt. 7=3876
         Mg24, shell model calc. 7=16706
          Mn56 neutron scatt. optical model analysis 7=13499
         O16, continuum, virtual transitions, calc. 7=16702
          O16, giant dipole states, from particle-hole
              excitation 7=13223
          Pa<sup>234</sup>, rel. to low energy excited levels, in conference, Orsay (1965) 7=10167
          Pb205, shell, theory 7=13345
          Sn isotopes, shell, calc. using n-n interacts. 7=13300
          {
m Th}^{232}-{
m n} scattering \sim {
m MeV}, rotational optical model analysis 7=13510
          in internal conversion 7=6310
          isotope shift, WKB calc. 7=6297
          isotopic shift quasiclassical calc. 7=6296
          shape calc. review 7=16682
          and strength functions, summary of Antwerp 1965 conference
          papers 7=13204

Al<sup>27</sup>, electron scatt. obs. 7=13203

Hg isotope and isomer shifts obs. 7=3814

Ti<sup>40</sup>-Ti<sup>20</sup>, difference in charge radius, meas. 7=651
      spin and parity
              See also Gyromagnetic ratio; Molecules/nuclear
```

coupling. collective levels of nuclei, parity rule 7=16684

```
spin and parity-contd
    doubly closed shell plus one-nucleon system, non-normal
     parity states 7=10107
even-even nuclei model 7=16682
     fission resonances with equal spin and parity, multilevel interference rel. to Doppler broadening calc. 7=16850
     γ-γ ang. correl. functions, parity mixed 7=3737
     ground states of radioactive nuclei meas. 7=6295 level spins, from (n, n'\gamma) 7=13493 levels meas. from internal conversion 7=6315
    mixing in Hartree-Fock calc. 7=16680
neutron resonances for As, Ga, Br, Ba, Au, Cu
obs. 7=13440
neutrons 5 MeV scatt., effect of nuclear spin 7=604
     nonconservation effect on nuclear e.m. decays 7=13225
     table 7=6311 Ac<sup>228</sup>, from \beta-decay 7=10201 Al<sup>27</sup> levels obs. by Mg<sup>28</sup>(p, p'\gamma) and Mg<sup>26</sup>(p, \gamma) 7=6425
     Am<sup>242</sup> spontaneously fissionable isomer prod. from U<sup>238</sup> + B<sup>11</sup>
     obs. 7=10321
Ar<sup>36,36</sup> levels obs. by Cl<sup>35,37</sup>(p, α) and Cl-p scatt.,
1.3-3.0 MeV 7=6335
     Ar<sup>36</sup> levels, from Cl^{37}(p, \gamma) obs. 7=3770
Ar<sup>39</sup> levels obs. 7=16711
Ar<sup>40</sup>, excited states 7=3891
     Ar<sup>41</sup> levels at 0.517, 1.354 MeV obs. by Ar<sup>40</sup>(d, p<sub>γ</sub>) 7=16712 B<sup>10</sup>, 16 levels 7=10113 B<sup>11</sup> 7=672
      B11 levels 7=10309
      Ba<sup>135</sup> neutron resonances < 400 eV 7=16801
Be<sup>9.8</sup> levels rel. to Be<sup>9</sup>(n, 2n) at 14 MeV 7=13525
      Be11, first excited state, parity data 7=10231
      C11 levels, from B10(d, n) and Be9(He3, n) n spectra and ang.
           distribs. 7=13612
      Ca levels, from n capture \gamma circular polarization
      obs. 7=13536
Ca<sup>38</sup> 7=6336
      Ca<sup>42</sup>, third excited state 7=3771
Ca<sup>44</sup>, fourth excited state 7=3771
      Cd levels, from n capture \gamma circular polarization obs. 7=13536
      Cl35 7=13537
     Cl<sup>36</sup> levels obs. by Cl<sup>35</sup>(n, \gamma) ang. correls. with thermal n 7=13263
     thermal n 7=13263 Cr<sup>51</sup> levels obs.from (d, p) prod. ang. distribs. J var. 7=16714 Fr<sup>17</sup>, T = ^{3}v_{2} levels 7=6333 Fr<sup>18</sup>, 2.10 and 1.08 MeV 7=13253 Fr<sup>19</sup> parity impurities, ^{1}v_{2}^{-1}v_{2}^{+1} 110 keV \gamma transition 7=3763 Fr<sup>20</sup> levels, possible assignments 7=10312
      Fe<sup>56</sup> 7=13277
      Fe<sup>58</sup> levels at 855, 810 keV from \gamma - \gamma ang. correl. 7=10142
      Fe<sup>59</sup> levels obs. from (d, p) prod. ang. distribs.
J var. 7=16714
      Holes neutron resonances obs. 7=13096 Hg<sup>200</sup> levels obs. by Hg<sup>199</sup>(n, \gamma) 7=13344
      In116 7=3854
      Ir neutron resonances up to 20 eV 7=13317
      K41, isobaric analogue resonances, high-resolution
           study 7=10134
      Li7 levels from Li6(n, \alpha)T ang.distrib.obs. 7=13243 Mg<sup>24,26</sup>, 7-15 MeV levels 7=6414
      Mn<sup>53</sup> first and second state 7=13276 Na<sup>28</sup>(p, \alpha_7)Ne<sup>20</sup>, even parity in 308 and 738 keV resonances 7=3904
      Ne<sup>28</sup> levels obs.by Ne<sup>22</sup>(d, p<sub>γ</sub>) 7=16705
Ni, levels, from n capture γ circular polarization
obs. 7=13536
      Ni58, several levels 7=3894
      Ni<sup>85</sup> levels obs. from (d, p) prod. ang. distribs.
J var. 7=16714
      Np<sup>234</sup>, ground state 7=13377 O<sup>15</sup> level near N<sup>14</sup>(p, \gamma)O<sup>15</sup> threshold, rel. to this reaction in stars 7=12141
      O16, collective states of positive parity 7=677
      O16 intermediate states obs. by n scatt. 7=13246
       O18 levels, and decay mode, mixing ratios obs. 7=3761
      Pa<sup>234</sup>, low energy excited levels, in conference, Orsay (1965) 7=10167
      Pb levels, from n capture \gamma circular polarization obs. 7=13536
      Pb<sup>207,208</sup> n resonant capture states obs. 7=16739
      Pb<sup>208</sup> intermediate states obs. by n scatt. 7=13246 Pm^{145,147,149} levels obs. 7=13316 Pm^{149} levels obs. 7=6348 Pm^{149}, low-lying levels 7=3799
      Re neutron resonances up to 20 eV 7=13317
Re<sup>187</sup> 7=13337
       Rh101, 127 and 325 keV levels 7=3736
       Rh108 neutron resonances obs. 7=13339
      S levels, from n capture \gamma circular polarization
      obs. 7=13536
S<sup>32</sup> levels obs. 7=732
       Sas, 5. 71 and 3. 22 MeV levels 7=10270
```

Nucleus-contd

Nucleus-contd spin and parity—contd spin and parity—contd  $S^{34}(p,\gamma)C^{195}$  resonances obs. 7=6429  $S^{4}(p,\gamma)C^{195}$  levels, and decay mode, below 1.7 MeV 7=10137  $Sc^{48}$  levels obs. by  $Sc^{46}(n,\gamma)\gamma$  spectrum with thermal n 7=13270 Sm neutron resonances up to 20 eV 7=13317 Sm neutron resonances up to 20 eV  $^{1-1331}$  Sm $^{150}$ , level scheme  $^{7-23924}$  Cm $^{195}$ , 16h, and 4, 7d Te $^{119m}$   $^{7-10147}$  Te $^{124}$ , compound nucleus Te $^{123}$  + n  $^{7-10274}$  Te $^{125}$ , 0, 321 MeV state =  $^{9}$   $^{6}$  7=3855 Ti47,49,51 levels obs.from (d,p) prod.ang.distribs. J var. 7=16714 Ti48, third excited state 7=3771 Tm189 3.9 eV n resonance, mag. hyperfine constant obs. 7=13328 V<sup>52</sup>, ground state and  $\beta$ - $\gamma$ (CP) correl, obs. 7=16748 V<sup>52</sup> levels obs.by V(n, $\gamma$ )  $\gamma$  spectrum with thermal n 7=13274 V53 ground state, and mass obs. 7=13598 W<sub>183</sub>, 9/<sub>2</sub>, 7/<sub>2</sub>-(503) level establ. 7=10161 Xe<sup>128</sup>, possible odd parity obs. 7=13308 Xe<sup>129</sup>, 7=10190 Xe129,131 levels obs. 7=13309 Y90g,90m spin dependence of level density from Y<sup>89</sup>(n, y) 7=16724 Yb<sup>174</sup>, lowest 2\* state, S<sub>R</sub> factor 7=6355 Zn<sup>68</sup> 2780 ± 18 keV 7=13286 Zr<sup>95</sup> levels obs.from Y<sup>95</sup> β spectrum 7=16752 theory See also Nuclear forces. A = 18,17(T =  $\frac{9}{2}$ ) and A = 16(T = 2), low-lying states, hole-particle system 7=10119 BCS approximation for systems with two unperturbed levels, corrections 7=13210 Bethe-Faddeev equations, improved solutions 7=3707 binding energy, nondegenerate statistical theory 7=6301 charge-independent pairing interaction, BCS ground state analysis 7=3709 charge radius isotope and isomer shifts calc. 7=650 collective Hamiltonian, self-consistent without cranking 7=16694 collective, review 7=16682 configuration mixing across major shells, method 7=644 Coulomb energy calc. with proton finite size and hard core 7=13122 d-s shell, exact calc. 7=645 deformed, giant quadrupole resonance, static theory 7=3738 extended Siegert theorem 7=13214 four-body system, eigenvalue upper and lower bounds 7=16660 Hartree-Fock calculations, nature of, light 7=13195 hole self-energy corrections in Brueckner theory 7=89 isotopic shift quasiclassical calc. 7=6296 Lippman-Schwinger, quasiparticles and eigenvalues 7=12883 by neutron study, conference, Antwerp, 1965 7=10070 potentials, Yukawa and nucleon-nucleon 7=6288 reaction matrix elements for shell-model studies of nuclear spectra 7=13220 reaction matrix theory, appl. 7=13384 structure and two-particle Green functions 7=13198 three-nucleon states, p-wave formalism 7=3620 three-nucleon virtual state, evidence 7=6268 time-dependent correlations obs. by e reactions 7=13401 B<sup>10</sup>, optical model parameters from He<sup>3</sup> scatt. 7=13608 B<sup>11</sup>, cluster structure 7=10310 Be8, g.s., Hartree-Fock calc. 7=10076 Be°, alpha-particle model, from Be°( $\alpha$ , 2  $\alpha$ )He⁵ 7=6290 C¹², g.s., Hartree-Fock calc. 7=10076 Ca⁴0-4², excited states, deformed model 7=10136 Ca<sup>43</sup>, two-particle one-hole structure 7=6451 Ca<sup>43</sup>, collective three-particle states 7=3772 Cr35, shell model with config. mixing 7=3776 F<sup>18,19</sup>, config. mixing test 7=3900 Fe<sup>55</sup>, shell model with config. mixing 7=3776 He4, single-particle states in particle-hole model 7=6269 Holes, optical model interpret of total cross-section 7=3917 Mn<sup>54</sup>, shell model with config. mixing 7=3776 Nl<sup>51</sup>, config. mixing, text 7=3900 Nl<sup>4</sup>, shell-model states by Cl<sup>3</sup>(d, n)Nl<sup>6</sup> study 7=3756 Na<sup>24</sup>, level density calc. 7=10127 Ni<sup>59</sup>, simple-particle collective model 7=3779 O<sup>16</sup>, 4p4h state, Hartree-Fock calc. 7=10076 O<sup>16</sup>, particle-hole states calc. 7=3759 O<sup>17</sup>, non-normal parity states 7=10107 Os, pairing-plus-quadrupole model calcs. 7=3810
Pt, pairing-plus-quadrupole model calcs. 7=3810 S<sup>32</sup>, particle-hole energy levels and transitions 7=3765 Sc<sup>43</sup>, collective three-particle states 7=3772 Sc49, shell-model calc. 7=3775 Si<sup>28</sup>, particle-hole energy levels and transitions 7=3765

theory—contd

Snl<sup>164</sup>, dynamical shape fluctuations 7=13213

Ti<sup>51</sup>, shell model with config. mixing 7=3776

V<sup>22</sup>, shell model with config. mixing 7=3776 W, pairing-plus-quadrupole model calcs. 7=3810 Oceanography See also Liquid waves; Seawater.
acoustic attenuation, fish as cause 7=15471 acoustic backscattering by fish swimbladders 7=15959 acoustic-impedance meas, at high hydrostatic pressure 7=12444 acoustic meas.in shallow lakes, dipole near-field 7=12446 acoustic noise at Bermuda, correlation props. obs. rel. to wind speed 7=11977 acoustic propagation underwater, phase periodicities obs. 7=11978 acoustic propagation underwater, phase stability at 420 c/s 7=8620 acoustic ray transmissions, refracted/reflected, in divergent channel 7=15948 acoustic reflection from lossy bottom, waveform distortion calc. 7=9208 acoustic reverberation and surface roughness, model 7=2507 acoustic scatt., deep-sea, field fluctuations prod. calc. 7=5367 acoustic transponder 7=5368 acoustic unidirectional resonators for deep-ocean transducers 7=15944 acoustic volume scatt., time var., fish study 7=15469 acoustic volume-scatt. in W. Pacific at 12 kc/s 7=18349 acoustics, general review and bibliography 7=15467 analysis, by atomic absorption of alkali and alkaline earth metals 7=2509 arrays for acoustic transmission in noisy ocean 7=11979 circulation, lab. model 7=14011 currents, inertial-viscous boundary layer structure, two-dimensional model 7=11976 deep scattering layer, volume scattering meas. 7=2506 dynamics of oceanic and atmos. boundary layers 7=8653 frictional force of wind on deep sea water surface, determination 7=2508 horizontal mixing in bounded sea, model of "shear effect" 7=11980 internal gravity waves, dynamics for various vert. density distribs. 7=8618 laser beam transmission characteristics, theory and meas. 7=5365 Nichrome wires underwater explosions scaling to TNT 7=9181 noise covariance in deeps rel. to directivity 7=8623 oscillating waves, theory 7=15465 SOFAR channel, axial focusing of sound 7=18350 sound propagation in shallow water, isovelocity conditions 7=15470 sound transmission, deep-water paths near Cyprus 7=15468 sound underwater, analog computer programme 7=5363 space charge over sea 7=8625 submersible spectroradiometer 7=5364 surface reverberation masking by volume reverberation obs. 7=8621 tide flow structure in sea 7=8622 tides in ocean obs. on sea floor 7=5362 tsunamis forecasting in Pacific 7=8624 turbulent kinetic energy rel.to jet streams, cyclone tracks and ocean currents 7=2522 undersea sound signals, freq. correl. 7=5366 underwater acoustic camera 7=5726 underwater sound generation by surface waves 7=8619 wind-induced flow in closed channels, velocity and shear stress profiles 7=18348 Octet theory. See Elementary particles; Field theory, quantum. Omegatrons. See Leak detection; Mass spectrometers; Vacuum Onsager relations. See Statistical mechanics; Thermodynamics. Optical activity. See Optical rotation. Optical constants See also under individual headings, e.g. Absorption/ light; Reflectivity. crystals, absorbing, meas, in i.r.from reflectivity with and without coatings 7=15289 determination, graphical, from transmission meas. 7=9602 equations suitable for use in Fortran programme 7=3263 films, absorbing, calc. method 7=8348 films appl. in meas. 7=15346

films, determ. in vac. u.v. 7=8347 films, thin, absorbing, asymmetrical, triple, meas. 7=343

```
Physics Abstracts 1967 - Part I (Jan.-June)
Optical constants—contd
       longitudinal and transverse of absorbing uniaxial crysts. 7=11750
       metals, calc. from reflection coeff. and phase using Kramers-Kronig rels. 7=11729 metals, incandescent, 0. 47-2. 0 µ 7=5225
       semiconductors, analytical solution to Avery method 7=5224
       Al, calc. from reflection coeff. and phase using
       Kramers-Kronig rels. 7=11729 .
Al films, 2400-1200Å, rel. to Drudes' theory 7=15311
Al, 12-36 eV, meas. 7=5243
       Ba evaporated films, 1500-3000 Å 7=5246
CaCO<sub>3</sub>-MgCO<sub>3</sub>, i.r. obs. from reflectivity with and without coatings 7=15289
       Cr evaporated films 80-800 Å thick, ellipsoidal
           particles model 7=5254
       Cu, evaporated films 80-800 Å thick, ellipsoidal
           particles model 7=5254
       FeCOs, i.r. obs. from reflectivity with and without
           coatings 7=15289
       Ge amorhous films obs., rel. to electron states \, 7=18238 Ge, 0.5 eV to 30 eV \, 7=2307 Ge, 1.7-2.1 eV \, 7=18237
       Ge, in vacuum u.v., analysis of data 7=15326 Hg, ellipsometry at 5461\mbox{\normalfont\AA} 7=4357
       LaF<sub>3</sub>, near u.v. obs. 7=11783
       MnCO3, i.r. obs. from reflectivity with and without
           coatings 7=15289
       NiO, monocryst., antiferromag., 100-1000 μ
           meas. 7=18259
       Pb stearate, refl. coeff., X-ray meas. 7=15361
       PbCO3, i.r. obs. from reflectivity with and without
           coatings 7=15289
       PbS, films appl., 1-5 eV 7=15346
       SnTe, i.r. dielectric const. obs. 7=18266
SnTe, near fundamental absorption edge 7=5275
       ZnCO, i.r. obs. from reflectivity with and without
           coatings 7=15289
Optical dispersion. See Dispersion, optical.
Optical fibres. See Optical systems.
Optical films
           See also Filters, optical.
       antireflection neutral coatings calc. for materials with
           refractive indices ≥ 2 7=16277
       birefringent multilayers, e.m. wave propag. 7=9566
       control of thickness in evaporation using rotary polarization channelled spectrum 7=5917 electro-optical films, multi-layer, scattering by 7=3281 ellipsometry of double thin layers 7=16274
```

generalized principle of reversibility 7=342 iterated multilayer, reflectance and phase envelopes 7=9565 measurement of constants thin, absorbing, symmetrical triple, films 7=343 multilayer dielectrics prod. 7=344 multilayer, phase shift due to reflection 7=16276 multilayer synthesis, Pegis's method 7=16278

multilayer synthesis, regis's method (=16278 multilayer, thickness meas. by X-rays 7=14272 multilayer, thickness meas. by X-rays 7=14272 nonreflecting, synthesis of spectral characts. 7=5912 quartz-MgF<sub>2</sub> % wave achomatic plate for u.v. 7=12696 refractive index and thickness, ellipsometry calc. 7=16275 in spectroscopy by internal reflection, effective thickness calc. 7=3250

Al, transmission and absorption data, 1-6500Å  $\,$  7=8371 Fe oxide + MgF $_2$  + ZnS achromatic beam splitters  $\,$  7=9608 for GaAs reflection and emissivity var.  $\,$  7=11763 Optical filters. See Filters, optical.

Optical images

See also Aberrations, optical; Resolving power, optics. aerial, of lens, in hologram form. 7=16301 alphanumeric reproduction tolerances 7=16316 automatic design, diffraction-based criterion 7=9552 bubble chamber photograph scanning, use of optical computer 7=3393 camera, rotating mirror, use of He atmosphere 7=16308 coherent light, Dirichlet's theorem 7=16213contrast increase with partially transparent plates 7=3217 contrast of object and image elements 7=16235

detection of differences in real distributions by heterodyning under coherent illumination 7=3224
by diffraction, of single bar in presence of off-axis

\*\*pberrations 7=348
evaluation by use of sampling theory 7=322

focus displacement photoelectric detection 7=9553 formation, theory and practice 7=9558 Fresnel transforms with incoherent light 7=3283 hologram copying 7=9630 hologram on photochronic glass 7=3287

hologram, properties and applications 7=16295 hologram resolution parallel and perpendicular to its plane calc. 7=16299

holograms, focused-image, using extended sources 7=9629 holograms reconstruction in thick photographic emulsion 7=3269

Optical images-contd

holograms on surface white-light viewing by dispersion compensation 7=12730

holograms, two, for study of transfer function 7=3292 holograms of white light illuminated objects using flys' eye lens 7=12735

eye lens (=12735)
holographic images reconstruction in white light with
in-line coherent background 7=3286
holographic system ray tracing 7=3282

holographic, theoretical synthesis of tetrahedron 7=12734 holography, as detector of strain in evaporated films 7=14654

holography, experimental techniques 7=3285 holography, field range and resolution 7=9625 in holography, nonparaxial, magnification and aberrations 7=12731

image formation in homogeneous refracting

medium 7=12690

laser light, scattered, object-image relationships 7=16292 laser reconstruction of sound hologram 7=9210 lateral colour aberration prod. by atmosphere, compensation 7=12012

longitudinal image formation transfer theory 7=3215 phase holograms, reconstruction of transparent and

refracting objects 7=3289
photographic negatives with low contrast,
intensification 7=358
power pattern of circular aperture, effect of turbulent medium 7=12009

pure relief, on type 649-F plates 7=3293 resemblance from double diffr. space freq.

filtering 7=12693 Schlieren, of electrical microfield, with emission electron microscope 7=9391 stigmatic, from toric mirror 7=9555

superresolution imaging of reduced object field 7=16233 3-D object, optical transfer 7=12692

in turbulent atmos., quality depend. on horiz. range 7=2526 wavefront reconstruction with finite coherence length 7=3284

with white light, discussion of transfer function 7=9557

# Optical instrument testing

No entries

# Optical instruments

Some instruments are listed separately, e.g. Refractometers.

acousto-optical devices, for deflection and modulation 7=3230

cryostat for absorption and luminescence studies 7=12486 delay lines, ultrasonic-optical, continuously variable 7=3226

developments in France 7=3223 electro-optical digital deflector circuits using biased resonance 7=3227 electro-optic digital light deflector 7=3228

elliptical polarizer of vac. u. v. using piezobirefringent

retarder 7=3275 Ernst Abbe and his work 7=3189 Historometer, tunable, using tilting interference filter 7=3238 heterodyne receivers, antenna props. 7=3197 for high press. meas. to 300 kbar 7=18485

history of work at Zeiss since Abbé 7=16236 i.r., ellipsoidal mirror reflectometer 7=142 incremental shaft resolver using plastic radial gratings 7=12283

laboratories, building vibr. elimination 7=3222 laser with rotating ground glass for optical transforms 7=9571

light deflector, digital electro-optic, using TIR 7=3229 light guide, bent, propag., mech. anal. 7=3236

light probe, for meas. of comp. of powder mixtures of different colours 7 = 14192

materials theory, prod. and testing 7=9559 for modulation depth of light fluxes 7=9540 modulators for i.r. over wide band, review 7=5906

photocell counter, for log. dec. of torsional pendulum 7=2806 photomultiplier plastic light pipe phenylcyclohexane joining cement 7=3046 pyranometers, determ. of cosine response 7=5371 quartz-MgF, % wave achromatic plate for u.v. 7=12696 reflection meas at liquid He and room temps with small

reflection meas, at liquid He and room temps, with small samples 7=18195

resonators, equivalent confocal system 7=3234 saturable absorbers wave interactions theory 7=12695 spectrophone, for vibr. relax. time meas. 7=10481 superconducting magnet use, lightweight, for up to  $\sim 50~\mathrm{kG}~7{=}16240$ 

τ meter adaptation for meas. relaxation with "jump" 7=9010 television display using acoustic deflection and modulation of laser beam 7=3225

thin film monitor using fibre optics 7=4483 trace analyser 7=12270 CS<sub>2</sub> travelling-wave Kerr cells for light modulation 7=5907

GaAs electro-optic modulators for i.r. region 7=9539

Optical instruments—contd
GaAs second harmonic prod. at surface for laser picosec.
pulse width meas. 7=12601 YFe garnet:Ga modulator for i.r. over wide band 7=5906

Optical materials

See also Filters, optical. ceramic fibres as reflectance standard 7=11759 Ernst Abbe and his work 7=3189 flats, systems of minimum deflection supports 7=3232 glass, thread-like crysts. formation 7=11771 hippuric acid for second harmonic prod. 7=8461 for i.r., luminescence in i.r. on visible light

excitation 7=11833 infrared window seal for vacuum, bakeable 7=16241 intrared window sear for vacuum, backeaute 1-10241 for instruments, theory, prod. and testing 7-9559 nonoxide chalcogenide glasses for i.r. 7-9560 polyethylene, spectra in i.r., pure and impure 7-11827 polypropylene, spectra in i.r., pure and impure 7-11827 refractive indices, computeing in 0.365-2.6 µ range 7-315 ruby, crystal growth by Verneuil method 7=11001 sapphire, crystal growth by Verneuil method 7=11001

sapphire, crystal growth by Verneuth method 1-11001 semiconductors, microwave second harmonic generation at low temps. 7=15327 spectral emittance in i.r. for props. meas. 7=11732 thermal expansion for i.r. materials obs. 7=11128 thermal expansion for i.r. materials obs. 7=11128 CdTe, for i.r. transmission 7=2292 CsI windows polishing for i.r. 7=9561 FeF<sub>2</sub>, for i.r. harmonic generation 7=5905 YFe garnet:Ga modulator for i.r. over wide band 7=5906 Optical model. See Nucleus/models.

Optical properties of substances

See also Optical constants; Optical materials.

ADP, light modulation indices at 7GHz, meas. 7=15338 ADP, fight modulation indices at 7612, meas. 7=15538 air components, transmittance for  $\lambda$  1850Å 7=4296 alums, piezo-optical constants 7=11742 aniline, stimulated optical frequency mixing obs. 7=4356 anthracene, optical activation of filled traps 7=18283 crystals, cubic, propagation allowing for spatial dispersion 7=11725

crystals, nonlinear, freq. prod. formulae 7=11726 dyes, spectral bleaching by Q-switched laser 7=4351 electronic interactions obs. 7=2258 elliptical polarization of refracted beam in optically nonactive transparent liquid 7=14088

fibre, doubly refracting and twisted, calc. 7=9623 film semiconductors anisotropy obs.for prod.with oblique incidence of molecular beam 7=18209 gases and liquids, sum-frequency generation 7=6973 gases, sum and difference freq. polarization 7=13987

glasses, frosted, disturbance of light coherence 7=8440 graphite, anisotropy 7=11750 graphite lamellae optical density rel.to thickness

obs. 7=2279 high press. in shock waves 7=17319 high pressure props., meas. apparatus 7=5911 hippuric acid for second harmonic prod. 7=8461 ionic slab, and virtual modes 7=2257

Kramers-Kronig relationships verification in vibrational part of spectrum 7=11728

lanthanum-borate glass containing Nd3\* ion 7=11875 liquid, viscous stream, allowance in meas. for distortion of cylindrical apparatus 7=10779

liquids, instabilities and narrow optical waveguides 7=1146 liquids, laser beam propagation obs. 7=10837 liquids, nonlinear, laser pulse distortion 7=14089 liquids, self-focusing of laser beams, polarization var.

obs. 7=7076 liquids, self-focusing threshold, molecular redistribution effect 7=7077

liquids, stimulated Raman emission, ang. props. 7=14086 liquids, sum and difference freq. polarization 7=13987 medium of noninteracting two-level atoms, transient osc. due to intense light pulses 7=13686 metal films, ν and χ indices rel. to reflection and transmission factors calc. 7=2259

metal surface harmonic generation, interband contributions calc. 7=15288

metals, cubic polyvalent, cond. electron conc. meas., periodic lattice potential effects calc. 7=7775 optical phonons in electron spin relax. 7=18158

ophthalocyanine, propagation of light pulse 7=10842 polariton effects 7=17834 pyrrole,  $\nu(NH)$  band absolute intensity obs. 7=912 quartz, laser prod. u.s. wave, nonlinearity calc. 7=17561 quartz, mixing due to third order nonlinear polarization 7=2341

quartz, synthetic crystals, green and brown colours due to absorption by Fe ions  $7{=}1642$ 

semiconductors, carrier interaction induced transitions 7=18193

semiconductors, microwave second harmonic generation at low temps. 7=15327 semiconductors, optical mixing by mobile carriers,

theory 7=5223

Optical properties of substances-contd

semiconductors, polar, coupling of magneto-plasma waves with optical phonons possibility 7=17841 up to 7 × 10° atm, hydrostatic pressure device 7=18484 solids, excitation spectra, possible non-one-electron effects 7=18210

solids, spontaneous emission probability 7=8379 stilbene derivatives obs. 7=17532 stimulated emission in inhomogeneous polycryst. 7=9511 vibration modes in ionic crystal slab including retardation

in radiative region 7=1445

nn radiative region 7=1443
water, liquid, optical constants, rel. to reflectance
and emissivity, meas. 7=14096
Ag film, radiation prod. by electrons 7=8465
Ag, films, effect of precipitation and annealing 7=2295 AgCl, photosensitivity changes, influence of h.f. vibrs. 7=15309

Al, conduction electron conc. obs., periodic lattice potential effects calc. 7=7775

Ar, depolarization of scatt. Rayleigh radiation 7=1089

As<sub>2</sub>S<sub>3</sub> 7=18215 Au film, radiation prod. by electrons 7=8465

Au, films, effect of precipitation and annealing 7=2295 (Ba-Sr)TiO $_3$  series 7=4510

BaTiO<sub>2</sub>, ferroelec., optical field effects and band structure 7=14826 Bi<sub>12</sub>GeO<sub>20</sub>, activity 7=5248

Bi<sub>4</sub>Ti<sub>3</sub>O<sub>12</sub>, crystal symmetry and ferroelec. obs. 7=15032 C films, in i.r. region obs. 7=8376 CS<sub>2</sub>, stimulated optical frequency mixing obs. 7=4356

CaCO<sub>3</sub> second harmonic generation, c.w. obs. 7=18258 CaFo: Ce, spontaneous emission probability 7=8379

CdS, cubic, energy gap obs. CdS-CdTe crysts. 7=2288  $7 = \hat{1}1752$ 

CdTe, n-irradiation effects for impurities obs. 7=17602 Co, meas. of densities of states 7=7798

Cu, films, effect of precipitation and annealing 7=2295 S 7=11757

GaAs, nonlinearities due to mobile carriers, meas. 7=5262 GaAs second harmonic prod. at surface for laser picosec. pulse width meas. 7=12601

GaP:Co, crystal field theory 7=17959 GaP:Cu 7=5259

Ge films, anomalous interference 7=2312

HgTIS<sub>2</sub> obs. 7=11511 In, 0. 55-10 $\mu$ , 4. 2°-295°K, interband transitions and electron states 7=11775 InAs, nonlinearities due to mobile carriers, meas. 7=5262

InSb, nonlinearities due to mobile carriers, meas. 7=5262

KBr, shock compression 7=14624 KF, monocryst., u. v. 7=8410 KH<sub>2</sub>PO<sub>4</sub>, mixing phase matching angles calc. 7=2318

KDP, resonant second harmonic generation, and double refr. 7=2317

KNO<sub>2</sub> opalescence at phase transition obs. 7=8412 KTaO<sub>3</sub>, ferroelec., optical field effects and band structure 7=14826

KTaO<sub>3</sub>-KNbO<sub>3</sub>, ferroelec., optical field effects and

band structure 7=14826 LaF<sub>3</sub>, single cryst. 7=2320

LaNa(MoO<sub>4</sub>)<sub>2</sub>, single crysts. 7=2321 LiNbO<sub>3</sub>, ferroelec., temp. dependence 7=2324 LiNbO<sub>3</sub>, mixing phase matching angles calc. 7=2318

Linbo<sub>3</sub> secnd harmonic generation electro-optical modulation obs. 7=18253
LiTaO<sub>3</sub>, ferroelec., temp. dependence 7=2324
MgO (periclase) obs. 7=8418

MgO (periclase) 005. 1-0410
Mn<sub>(0-0-0</sub>; Cr<sub>[1-(0-0-0-5)]</sub>Q<sub>2</sub> solid solutions 7-5002
NH<sub>4</sub>H<sub>2</sub>PO<sub>4</sub>, mixing phase matching angles calc. 7-2318
NH<sub>4</sub>H<sub>2</sub>PO<sub>4</sub> second harmonic generation, c.w.
obs. 7-18258

NaCl, self-focusing of light 7=8425 NaCl, shock compression 7=14624

Ni, ferromagnetic, in i.r., calc. 7=5269 Ni, meas. of densities of states 7=7798

Pb, conduction electron conc. obs., periodic lattice potential effects calc. 7=7775

Pb stearate, refl. coeff., X-ray meas. 7=15361 PbTe, nonlinearities due to mobile carriers, meas. 7=5262 Pd, meas. of densities of states 7=7798

SbSI, ferroelectric-paraelectric phase transformation

obs. 7=8027 SbSI forbidden band width var. with temp. and press.

rel. to ferroelec. transition 7=8432 Se, sols. extinction coeffs. rel to wavelength and particle diam., calc. 7=17305

Te-Rb photocathode 7=15100 Tm<sup>2</sup>\*:CaF<sub>2</sub>, ligand field splitting radial var., covalency effects calc. 7=7183

Tm2~SrF<sub>2</sub>, ligand field splitting radial var., covalency effects calc. 7=7183

UO2\*\*-glass, saturable filter action for use with lasers 7=3121 Y2O3-In2O3 phosphor, effect of composition 7=11882

# Optical properties of substances-contd

ZnO:In free electrons obs. 7=8449

ZnSe, ZnSe-Na, AlF<sub>6</sub>, ZnSe-ThOF<sub>2</sub>, dielectric mirror coatings 7=11814

ZnSiP<sub>2</sub> single crystals 7=11816 Optical pumping

alkali metal vapors, meas. of longitudinal decay in weak mag. fields 7=4019

alkali-metal vapour, relax. 7=6555

alkali metal vapours, relax., temp. effects 7=13688 alkali metals, rates atomic beam calc. 7=6557

chambers, elliptical, for solid lasers, design data 7=12644 cyclohexane, stimulated Raman spectrum meas. 7=13759 induced and spontaneous emission for two-level system 7=16914

introduction and bibliography 7=4012

magnetic moment det. of collection of atoms, longit. and transverse 7=10424 of medium power lasers, by objects accelerated by

gunshot 7=12609

negative absorption and molec. velocity distrib. 7=5878 plasmas, shock-wave-generated, light sources 7=17072 population inversion by collisions of second kind with foreign gas 7=13782

quantum-counting spectroscopy, i.r. 7=12702 semiconductor lasers, by electron-beams, mechanism 7=12645

semiconductors optical mixing by mobile carriers, theory 7 = 5223

stimulated four-photon interaction 7=3274

Ar II, strongest laser transitions, upper levels, crosssections 7=4020

Ba135,137, nuclear dipole moments determ. 7=649 CN, laser emission, 5.  $2\mu$  7=3135

CdS, by electron beam 7=12657

Cs atoms in aromatic gases, spin relax. 7=10426 Er<sub>2</sub>O<sub>5</sub>:Ho<sup>5</sup>\*, energy transfer and c.w. laser action 7=5896 Ge, p-type, rel. to excess light hole population 7=1938 He<sup>3</sup>, dynamic polarization of adjoining liquid 7=15985 He<sup>3</sup>, propag. of nuclear spin polarisation 7=10430 He-Ne discharge, by He lamp 7=3140 Hg<sup>199</sup> and Cd<sup>111</sup> together in vapour, n. m. r. ratio obs. 7=6563

K, light modulation at g. s. hyperfine freqn. 7=4027 LiNbO<sub>s</sub>, as optical parametric oscillator, 7300-19300A 7=3177

N laser by travelling wave pulse current 7=12641 Ne laser by travelling wave pulse current 7=12641 Ne, 3.39  $\mu$  maser transition, isotope shift 7=10436Rb maser, light shift and modulation, phase pulling 7=12589 Rb, spin-exchange cross-section 7=13704 Rb vapour, r.f. modulated optical transients 7=4029

Rb85, electric dipole moment upper limit obs. 7=10439 and Rb87-Cs133 collisions spin-exchange cross. obs.

at 78°C 7=10453 and Rb<sup>87</sup>-Rb<sup>87</sup> collisions spin-exchange cross. obs. at 78°C 7=10453

SO<sub>2</sub> at r.f., double r.f. emission obs. 7=10520

YAl garnet:Nd3\*, c.w. by water-cooled Kr arcs 7=9528 Optical quantum generators. See Lasers.

# Optical rotation

See also Magneto-optical effects; Optical constants; Polarimeters; Polarized light. crystals higher-order activity theory 7=2272 D-glycuronic acid complexes with W, Mo, U, colloids 7=7126

gas, ideal diamag., molecular theory 7=13991 macroscopic theory, cubic crystals 7=15305

molecular theory, weak interaction of many-electron systems 7=934

oligonucleotides, single-strand, circular dichroism 7=10841 polypeptides in soln., optical dispersion, rel. to  $\beta\text{-form}$  7=4358

theory, quantum statistical 7-351 trans-[Co(1-pn)<sub>2</sub>Cl<sub>2</sub>]\*, optically active, polarized cryst. spectra 7-11820 triglycine selenate, temp. var. due to ion distortion 7-18284

triglycine selenate, thermal rotation meas. 7=11822 triglycine sulphate, temp. var. due to ion distortion 7=18284 triglycine sulphate, thermal rotation meas. 7=11822 GaSe, interband Faraday effect 7=2306

Li hydrogen selenite, thermal rotation meas. 7=11822  $Y_sFe_{s^-s}Ga_sO_{12}$  garnet, paramag. –diamag. transition on Fe  $\to$  Ga substitution 7=18275

ZnO, Faraday obs., rel. to electron effect mass 7=17822 Optical systems

See also Aberrations, optical; Lenses; Optical images; Optical instruments; Optical materials; Resolving

power, optics. aperture-gain loss due to atmospheric turbulence calc. 7=5386

automatic design, image quality, diffraction-based 7=9552

birefringent networks lossless synthesis, with equallength crystals and compensators 7=12698 coherent, spatial carrier-frequency filters use 7=3240

#### Optical systems contd

with decentred spherical surfaces, tracing rays bundles of finite aperture 7=12691 detector optimization 7=3219

for Fresnel transforms with incoherent light 7=3283 image irradiance calc. 7=3216

with k surfaces, compensations for deviations by refractive index changes 7=9556

laboratories, building vibr. elimination 7=3222 light guide, bent, propag., mech. anal. 7=3236 for luminance universal meter 7=9543 minimum deflection supports for flats 7=3232

multiple-mirror resonators, natural frequencies 7=314 objective formed by quadrupolar lenses with aberration corrections 7=317-8

pancratic symmetrical triplet with external lenses, theory 7=16231

theory 7=16231
photoelectric imaging, atmosphere radiation belts
effects obs. 7=8774
for photographic negatives with low contrast,
intensification 7=358

point spread using singularity functions calc., complex

Hankel transforms. 7=16234 prism systems, achromatism and direct vision criteria 7=12689

quasioptical, open, nonaxial modes discrimination 7=9491 resonators microwave models theories 7=5847 saturable absorbers wave interactions theory 7=12695 for scale, location and orientation of signal search 7=3240 shape detection using incoherent illumination 7=12736 superresolution imaging of reduced object field 7=16233 transfer function of circular aperture, effect of sine wavefront calc. 7=3220

transfer function and longitudinal opticals 7=321 transfer function, meas, with polarization interfero-meter 7=3221

for transmission and communications 7=3218 triple-lens, monograms for pre-calculation 7=16232 X-ray fibre optics 7=324

#### Optics

See also Aberrations, optical; Atmospheric optics; Lenses; Mirrors, etc.; Optical images. alphanumeric reproduction tolerances 7=16316 beam propagation in weakly absorbing media 7=16268 book review on applied optics and optical engineering 7=16208

communication receivers, heterodyne and photoncounting 7=16219

difference freq. generation peculiarities based on nonlinear optics 7=9538

dividing field in inhomogeneous medium 7=12715 Ernst Abbe and his work 7=3189

heterodyned signals, polarization selectivity 7=12681 history from Euclid to Huygens 7=3190 history, at NBS of USA 7=16207

holography review 7=9534 International Commission for Optics, seventh Congress, Paris 1966 7=3188

nonlinear, review of recent advances and theory 7=3193 nonlinear, sum-frequency experiments with incoherent light 7=12678

nonlinear, susceptibilities, computation rule 7=5222 nonlinear, in III-V and II-VI piezoelectrics 7=11727 partial waves in nonuniform media 7=16272photon counting distributions, meas, and analysis 7=16220 'point' source, size 7=12694 quantum, anti-correl. effects 7=16212

resonators, review 7=9489

scattering potential well resonances 7=12930 self-focusing of ray in polarizable media 7=16267 self-trapping of beams by nonlinear dielectric 7=12679 spectral differentiation and hologram filtering of weak decorrelated signals 7=16210

tangential rays at incipient total reflection and obtuse angles of incidence, reflection and refraction 7=12724 teaching, experimental, advanced course 7=12671 thin films, generalized principle of reversibility 7-342 transmission and communications 7-3218

geometrical

blister effect in human vision 7=3303 blister effect in human vision (=5005) convergent laser beams, theory 7=9476 in curved media propagation 7=9035 holographic system ray tracing 7=3282 image irradiance in systems calc. 7=3216 light rays in-lens-like media 7=9550 longitudinal, and transfer function 7=321 multiple-mirror resonators, natural frequencies 7=314 tracing ray bundles of finite aperture in system with decentred spherical surfaces 7=12691 uncemented two-lens system with one reflecting surface 7=319

# Orbital calculation methods

alternant systems, natural, Brueckner and SCF orbitals 7=6621

atomic, Gaussian expansions 7=10381

```
Orbital calculation methods-contd
        atomic geminals with r<sub>12</sub> depend. 7=10371 atomic hybridization 7=13668
        configuration interaction, generalization 7=13715
configuration-interaction wavefunctions, perturbation
corrections 7=5928
        diatomic molecular integrals reduction 7=16936
        different orbitals for different spins 7=4001 dihalides of Gp. IIa metals, bond angles and bonding 7=6634
        electrons equivalent configs., determ. of terms 7=13667
Gaussian AO, formulas for exponents determ. 7=6494
        Gaussian-lobe representation of atomic orbitals 7=13659
        Huckel and omgea techniques Coulomb parameters 7=10470
Hückel theory, iterative extended 7=6619
        ion-radicals, comparison of VB and MO calc. 7=1376
LCAO MO SCF wavefunction, refinement 7=4108
LCAO for symmetric mols. by unified theory of finite
             graphs 7=6624
        many-electron theory, symmetry props. of wave-
functions 7=13657
molecular four-centre integrals for tensor interelectronic
             interactions 7=6620
         molecular integrals, Gaussian-expansion methods 7=10471
        molecular integrals by zeta function expansion 7=16935
        momentum operators integral forms 7=9652
"multiple-scattering" model for polyat. mols. 7=869
N-electron Schrödinger eqn. theory 7=6499
nonresonant absorption and relax. of gas mols., quantum
        derivation 7=853
numerical solution with computer for arb. potential in
cylind. coord. 7=6627
numerical solution with computer for arb. potential in
            three dim. 7=6626
         one-centre calc. for Ne- and Ar-like mols. 7=4065
        open-shell LCAO multideterminant wave-
functions 7=13658
         perturbation theory in Coulomb approx. 7=3996
        perturbation theory, nondegenerate, class of sum
        rules 7=12761
reduced-density-matrix theory 7=10372
         relativistic effects on expectation values and charge
             distribs, 7=13665
        Rydberg states, pseudopotential theory 7=807 SCF, anomalies in parameter choices 7=4061
        SCF in paired electron approx. 7=13660
        solids, Thomas-Fermi eqn., atomic sphere approx., approx. solns. 7=4427 spin densities calc. 7=863 three-centre integrals over coords of two electrons 7=4063
        two-centre moment integrals, formulation 7=16937 two-centre overlap and Coulomb integrals 7=6625
        2-matrix of four-electron systems 7=10372
Wolfsberg-Helmholz method, resonance integral 7=6622
Orbitals. See Molecules/electronic structure.
Order_disorder transformations. See Phase transformations/
     solid-state.
Ordered structure. See Crystal structure; Solids/structure.
Organic compounds
             See also Free radicals; Macromolecules; Plastics;
             Polymers; Waxes.
         acenaphthene, spectrum of cryst.in polarized light 7=2350
        acetone, far i.r. spectrum 7=909
        acetone, mass spectra of negative ions 7=17034
        acetone, Raman nonlinearities prod. by Raman laser
            obs. 7=4361
        acetone, rates of evaporation and wet bulb temps. 7=4417 acetone, shock-compressed, stimulated Brillouin
            scatt. 7=4355
        acetyl iodide, microwave spectrum 7=4102
        acetylacetone, enol forms, normal-coord anal. 7=4101 acetylene, Hg-photosensitized reaction 7=5341-2
        acetylene + O reaction, chemiluminesc. of CH 7=11934
        acetylene, reaction with H atoms 7=6526
        acetylenes, ionization by 40-100 keV protons 7=13840
        3-acetylpyridine, coupling between protons 2 and 6, by INDOR technique 7=4117
        acid and alkali solns., proton dispersion forces and i.r. continuum absorpt. 7=10526 acridine, photoreduction 7=15446
        acridine yellow in cyclohexanol, luminescence and absorption spectra, 288°-371°K 7=17273
        acridine yellow, fluoresc. depolarization in soln., thermal motion effects 7=10849 acriflavine in cyclohexanol, luminescence and absorption spectra, 288°-371°K 7=17273
       acriflavine, fluoresc. depolarization in soln., thermal motion effects 7=10849 adenine, luminesc. and e.s.r. in polynucleotides 7=2407
        adipic acid crystals X-ray prod. free radicals conc. var. at high press. 7=4125
       alcohol-n-hexane mixture, elec. breakdown and high field
            conduction 7=4375
        alcohols, acoustic velocity and viscosity rel. to
            constitution 7=17265
        alcohols, aq. solns., permittivity in u.s. fields 7-4378
```

```
Organic compounds-contd
          alcohols, liquid, spectra rel. to molec. relax. 7=14102 alcohols, proton spin-lattice relax. calc. 7=13775 alkali metal dinitrobenzene salts in DME, e.s.r. 7=10
                                                                                                    7=10545
          alkane glasses, \gamma-irrad., charge recomb. 7=240 alkanes, \gamma-irrad at 77°K, luminesc. 7=11908 alkyllithium cpds., Li<sup>7</sup> n.q.r. 7=5221 allene, electronic struct and isomerism 7=898 amino acids, ice nucleation by 7=7140
                                                                                       7 = 2408
          amino acids, as ice nucleation by 1=1140
amino acids, as ice nucleators 7=4421
amino acids thermoluminescence mechanism obs. 7=11910
aminobutyric acid-cysteine solid solns., transfer
processes 7=2476
          3-amino-N-methyl-phthalimide, fluorescence, absorption and fluorometric spectra obs. 7=4365
           anhydrous Cu 8-hydroxyquinolinate, α-form, cryst.
struct. 7=17525
          aniline and N-derivatives, SCF MO calcs. 7=10529 aniline, stimulated optical frequency mixing obs. 7=4356
          anilines, substituted, dielectric loss and const. at 3 cm 7=15027
          p-anisidine, X-ray study 7=4605
anthracene, carrier generation and recomb. 7=11366
anthracene cryst., photodimerization 7=8572
anthracene crysts., intrinsic photocond. 7=8060
           anthracene derivatives, fluorescence, absorption and
                fluorometric spectra obs. 7=4365
          anthracene dimers, absorpt. and emission spectra 7=8450 anthracene and derivatives, absorption and fluorescence spectra, -196-400°C, equilibrium obs. 7=4103 anthracene, dislocation etching 7=1596
           anthracene, electroluminescence and band gap 7=11914
           anthracene, electroluminescence, simultaneous double-
                injection 7=11913
          anthracene, energy loss of protons and deuterons 7=7637 anthracene, exciton diffusion 7=1806
           anthracene, exciton mechanism of luminescence
          quenching 7=15404
anthracene, linear response theory of electron
mobility 7=1757
           anthracene, melt and soln., laser excited fluoresc. 7=7091
           anthracene, mixed excimers with dimesoalkyl-
                anthracenes 7=17274
           anthracene with naphtacene, spectra depend of luminescence polarization 7=8506
          anthracene, photoconductivity induced by Q-spoiled 7=2045
          anthracene, photoconductivity, laser induced multiphoton
                absorption obs. 7=15068
          anthracene, photodepolarization, time depend. 7=5068 anthracene, photogeneration of charge carriers 7=7764
           anthracene, photoinjection of electrons from
          electrolytes 7=8061
anthracene photo-oxide → anthraquinone → anthrone +
anthraquinone, on X-irradiation or heating 7=2437
           anthracene, polarization of fluorescence 7=11912
           anthracene, polarized absorption edge, and Davydov
                splitting 7=11818
          anthracene, quasiline absorpt. and fluoresc. 7=18312
          anthracene, radiation induced hole traps, characts.
                                                                                                         7=11365
          anthracene, radiation induced hole traps, characts. 7=11369 anthracene, reflection spectra, 192-700µ 7=8452 anthracene single crystals, preparation and growth 7=1314 anthracene single crysts., phosphoresc. 7=8505 anthracene, spectral depend. of luminescence polarization 7=8506 anthracene spectrum absorption band red side struct. as interference not exciton 7=15359 anthracene, tetracene-doned exciton diffusion 7, 4001
          anthracene, tetracene-doped, exciton diffusion 7=4881 anthracene, triplet-triplet annihilation at low-excitation intensity 7=11911
          anthracene, two quantum absorption rel. to exciton states 7=15358
           anthracene, X-irradiated, generation and recombination of electrons and holes 7=5102
           anthracene zone refining with tetracene
                impurity 7=14315
          anthracenes, substituted, sandwich dimers 7=8451 anthracenes, substituted, sandwich dimers 7=8451 anthraquinone derivs., vapour fluoresc. 7=6719 9, 10-anthraquinone, polarization of T \leftarrow S_0 transition 7=8453 aromatic-alkali-metal charge transfer complexes, activated adsorpt. of H 7=15432
          aromatic amine molecules ionization potentials electron impact obs. 7=6822
           aromatic copolyamides, ordered, containing fused and
                multiple ring systems 7=11948
          aromatic hydrocarbons, electron affinities and ionization potentials 7=986
          aromatic hydrocarbons, evidence for ring
          currents 7=13755-6
aromatic hydrocarbons, fluorescence quenching 7=14104
aromatic hydrocarbons, Ham effect in electronic
                spectra 7=5281
```

```
Organic compounds-contd
```

aromatic hydrocarbons, nonbonded potential parameters calc. from cryst. 7=7171

aromatic hydrocarbons, triplet decay, isotope rule 7=10530 aromatic hydrocarbons, zero-field splitting of triplet states 7=8281

aromatic ion-radicals, comparison of VB and MO

calc. 7=13754 aromatic, meas. of ionization and appearance pots. 7=6821 aromatics, perfluor- and perchlorinated, radiationless transitions 7=8504

aromatic polyat. cpds., transition freq. and combining states 7=4100

asphaltic bitumens, relation between fracture and rheology 7=14766

aza-aromatics, spin-orbit coupling 7=6702 azulene derivatives nuclear resonance 7=6729 azulene, n. m. r., chemical shifts calc. 7=6728 azulene in naphthalene, electron-lattice interact. 7=17549

BN suspension in n-octadecane for high press, transmission

to fragile structures 7=18486 behenic acid, adsorbed on ZnO, effect on photo-conductivity 7=2044

1,2-benzanthracene, quasi-line spectra 7=2409 benzene, absorpt. spectra of strained crysts. 7=8455 benzene, absorption spectra, conjugation phenomena effect on vibration,  $77-450^{\circ}K$  7=10531

benzene, adsorbed on graphite, heat capacity, expt. and

theoretical 7=11117 benzene, adsorbed on Si,rel. to surface conductivity 7=15023 benzene, C<sup>13</sup>-H satellite spectrum 7=10533

benzene, chloroform soln, energy transfer from excited states of solvent 7=14106 benzene, crystalline, lattice energy 7=4432 benzene, depolarized Rayleigh scatt. 7=14092 benzene and derivatives, absorption and fluorescence spectra, -196-400°C, equilibrium obs. 7=4103

benzene derivatives, disubstituted, reorientation rate

meas. 7=13758 benzene, deuteron spin-lattice relax. meas., bonding data 7=7117

benzene, drop formation in water-glycerine mixtures, rel. to drop volumes 7=14031 benzene, elec. breakdown and high field conduction 7=4375

benzene, elec. conductance, reduction by intensive purification 7=10863 benzene, excimer emission intensity 7=7092

benzene, fluorescence quenching by biacetyl, energy migration 7=14111 benzene, force constants calc. by matrix invariance principle 7=899

benzene, geometry of lowest triplet state 7=15405 benzene, induced absorption spectra at optical freqs. 7=13708

benzene, intermolec. forces 7=10737

benzene, ionization by 40-100 keV protons 7=13840 benzene liq., y-excited, yield of triplet states 7=14112 benzene luminescence in solid N, excitation by active N obs. 7=15406

benzene-methyl alcohol second viscosity in critical region, rel. to complexes 7=4336

benzene, penetration by electrons and positrons, direct comparison 7=16526

benzene, photochem. energy balance 7=10532 benzene, photochem. of vapour at 1849Å 7=2468 benzene, #-electron struct., separated-electron-pair model 7=900

benzene, Raman band intensities rel. to conc., refractive indices and absorption freq. obs. 7=4360

benzene, Raman nonlinearities prod. by Raman laser obs. 7=4361

benzene, rates of evaporation and wet bulb temps. 7=4417 benzene, self-diffusion, n. m. r. meas. up to crit. point 7=7057

benzene, simple and deuterated, gravity effect near critical point 7=14009 benzene and six derivatives temporary negative ion resonances in electron excitation obs. 7=6823

benzene, solid, second triplet 7=8454

benzene, sont, second tiplet 1-044 benzene and toluene at 80°K, electronic energy transfer, fluorescene spectroscopic obs. 7=18313 benzene, u. s. absorpt. of cryst. near m. p. 7=1466 benzene, vertical excitation energy 7=6703

benzene, vibronic coupling 7=13757 benzene, vibronic intensity distribs. 2600°A system 7=6614 benzenes, substituted, meas. of Br<sup>79,81</sup> n.q.r. 7=6730

benzenes, substituted, microwave adsorpt, and intramolec. motion 7=10858

benzoic acid specific heat, ~ 5 -80°K 7=9262 2-3 benzofluoren, crystallization, optical meas.by multiple beam interference 7=12700 benzophenone containing naphthalene, luminescence

obs. 7=11915 benzophenone, growth and morphologic symmetry 7=1317 benzophenone + naphthalene, triplet-triplet energy transfer 7=8509

Organic compounds—contd

benzophenone,  ${}^{1}U(n, \pi) \leftarrow {}^{1}A$  band intensity 7=8456 benzyl acetate, solid, luminescence spectra 7=8510 benzyl radical trapped in solid methylcyclohexane etc., fluorescence 7=5316

betol, recovery phenomena during nucleation in super-cooled liquid 7=1318

cooled liquid 7=1318 bilirubin photosemiconductivity obs. 7=18073 biphenol,  $\gamma$ -irrad, thermoluminescence 7=11922 bromoacetic acid, e.s.r. of  $\gamma$ -irrad, crysts. 7=15217 p-bromoaniline, solid, n. q. r. of Br $^{\infty}$ , 90°-303°K meas. 7=2251

bromobenzene, deuteron spin-lattice relax. meas., bonding data 7=7117

d-3-bromocamphor, n.q.r. Zeeman effect 7=5217 bromocyclobutane, i.r. spectra assignment 7=6706 p-bromophenol, solid, n. q. r. of Br79, 90°-303°K meas. 7=2251

n-butane, absolute i.r. intensities 7=6704 butene-2 isomerization, catalysis by mag.field 7=2469 cis-butene-2, photolysis 7=8573 2-butene, photosensitized isomerization 7=15445

butyl-PBD, new scintillator for liq.scin.counter 7=16355 butyl phthalate, nuclear spin-lattice relax.obs. 7=11715 2, 6-butylhydroxytoluene, X-irradiated, radicals prod.,

e.s.r.obs. 7=8282 carbamyl fluoride, microwave spectrum 7=6705 carbazole as e.s.r.mag.field probe 7=930

carbon tetrachloride cryst., acoustic attenuation 7=11116 carbon tetrachloride, dielec. loss at far i.r. freq. 7=10859 carbonyls, spin-orbit coupling 7=6702

carboxylic aromatic acids, effect of H bond on elec. cond. 7=11525 carbozol, luminescence in var. solvents, afterglow

decay and spectra obs. 7=11916
cellulose luminescence spectrum var. with exciting
wavelength obs. 7=11917

cetyl dimethyl benzyl ammonium chloride, adsorp. on Na bentonite, study by streaming current detector 7=17397 charge-transfer complexes, "electron vibr." 7=11817 chloranile-p-phenylenediamine single crystals, g-factor orientation var. 7=2190

α-chloroacrylonitrile, sign of proton coupling 7=6731 chloroalkanes, ionization by 40-100 keV protons 7=13840 chlorobenzene, far i.r. spectra, up to 35 kbars 7=15360 p-chlorobenzene growth on p-bromo- and p-iodobenzene 7=7326

chlorocyclobutane, i.r. spectra assignment 7=6706 chlorofluoromethanes, gaseous, X-ray emission spectra 7=4106

chloroform, depolarized Rayleigh scatt. 7=14092 chloroform, interaction with thiophene and triethylamine, effect on reorientation rate 7=14034

chloromethanes, gaseous, X-ray emission spectra 7 chloronaphthalene, 3.14 cm dielec. absorpt. 7=7099 6-chloro-2-nitrotoluene, Cl n.q.r. temp. var. obs. 7=15285 chloropentafluorobenzene, n. m. r. of F 7=8327

chlorophyll, luminescence excitation by ruby laser 7=1157

chloroprene, dielectric breakdown 7=6778 5-chlorosalicylideneaniline, anomalous discharge currents 7=8017

coronene in paraffin soln., two luminesc. centres 7=11918

coronene, quasi-line spectra 7=8458 cryptocyanine optical absorption and luminescence obs. 7=1148

crystal atomic struct, computer programme using molecular packing 7=17483

cyanine dyes, radiationless transitions 7=15407 cyanic compounds, laser emission, 119-334.8 µ 7=5880 cyclanes Raman spectra rel. to boiling and melting

points 7=14152
cyclohexane, depolarized Rayleigh scatt. 7=14092
cyclohexane derivatives, conformation, effect of extreme
shear 7=10535

cyclohexane, radiolysis, proton transfer from ions 7=5345 cyclohexane, Raman nonlinearities prod. by Raman laser

obs. 7=4361

cyclohexane, stimulated Raman spectrum meas. 7=13 cyclohexane, u. s. absorpt. of cryst. near m. p. 7=1466 cyclohexanes, substituted, microwave adsorpt. and intramolec. motion 7=10858

cyclohexanethiol, molec. props. 7=13760 cyclopentadienyl ligands, bond lengths calc. 7=16962 cyclopentane, benzyl radical fluorescence at near liquid He temp. 7=8508

cysteine, HCl, photodissoc. of thiyl radicals in irrad. crysts. 7=16979 D-glycuronic acid complexes with W, Mo, U, colloids

optical rotation obs. 7=7126

β-DL-arabinose, cryst. struct 7=17523 D, L-6-thioctic acid, twinned, cryst. struct. 7=17533 DNA-type molecules, helix-coil transitions 7=10562 DPPH, e.s.r., n-irradiated 7=8301

```
Organic compounds-contd
          DPPH grown from benzene soln ,crystal structure, heat treatment effect 7=17530
DPPH, semiconductivity and photocond. of solid obs. 7=7970
n-decane, depolarized Rayleigh scatt. 7=14092
          desoxyribonucleic acid fibres, dielect. behaviour at
                radiofreq. 7=8018
           deuteromethanes, restricted rot. in solid 7=10928 diacetone acrylamide polymerization in solid by
          diacetone acrylamide polymerization in solid by \gamma-irradiation 7=11950 diacetylene molecules \Sigma^* modes calc. 7=10528 diacetylene, reaction with O(PP) atoms 7=5328 diacetylene, vibrational spectra 7=10527
           1, 3-diamino-2, 4, 6-trinitrobenzene, form I cryst. struct. 7=17524 dianthracene, anthracene dimer formation 7=8450
           dianthracene cryst., photolytic dissoc. 7=8572
2,5-diaryloxazoles in toluene excimer form. between solute mols. 7=17275
           9,10-diazaphenanthrene, electron states 7=7786
           diazines, radiationless paths 7=10850 diazines, solid, n.q.r. 7=15286
           diazomethane, vibration and shrinkage constants at
                 300° K 7=13761
           dibenzofuran, vibr. struct. of spectra in soln. 7=7093
dibenzyl crystal growth from melts, apparatus 7=1324
dibromomethane, i.r. absorption spectra, 77-200°K,
liquid and solid 7=1156
            2,5-dibromonitrobenzene, n.q.r. Zeeman spectrum 7=2250

    8-dibromonitrobenzene, n.q.r. Zeeman spectrum 7=2.
    α-α-dibromo-p-nitrotoluene, dielec. relax., ~3cm, 20°C 7=14117
    4-dichloroaniline dielec. relax., ~3cm, 20°C 7=14117
    p-dichlorobenzene, i. r. absorption spectra 7=11823
    dichloromethane, i.r. absorption spectra, 77-200°K, liquid and solid 7=1156
    5-dichloromitrobenzene (1)

           2,5-dichloronitrobenzene, Cl n.q.r.temp.var.obs. 7=15285
2,4-dichlorotoluene dielec.relax.,~3cm, 20°C 7=14117
diethyl ether-Kr mixture, interdiffusion coeff. 7=6982
diethyl phthalate, viscosity-temp.relation 7=7047
diethylamine complex in benzene, i.r. study 7=6707
            1,1-difluoropropene, microwave spectra, internal rot.
barrier 7-13764
dihaloboranes, polarizabilities, vibr. ampl. and thermodyn.
functions calc. 7=10537
diketonate complexes, n.m.r.rel. to laser props. 7=4391
            dimesalkylanthacenes, mixed excimers with
                  anthracenes 7=17274
            dimesoalkylanthracene solns., fluoresc. quenching 7=7090
            dimethyl acetylene, vibrational spectra 7=10527
            dimethyl sulphide rotational spectrum centrifugal
                  expansion 7=6715
            dimethyl sulphoxide rotational spectrum centrifugal
                 expansion 7=6715
             p-dimethylaminonitrostyrene soln. in glycerol, reversible
                  orientational photodichroism obs. 7=10840
            dimethylaniline, polycrystalline, proton mag. reson.

-190 to -1.5°C 7=5210

dimethylsulphide, far i.r. spectrum 7=909
            2,4-dimethyl-3-thiapentane, molec. props. 7=13760 dioxaborolane, microwave spectrum and struct. 7=4116
            dioxane, adsorbed on Si,rel. to surface conductivity 7=15023
            dioxane complexes of mercuric halides, far i.r. spectra 7=8403
             dioxane-water solns., u. s. absorpt. 7=7075
            diphenyl, i. r. absorption spectra 7=11823 diphenylamine-(He or N) mixture, thermodiffusion 7=6985
            diphenylpicrylhydrazyl, e.s.r., demagnetizing effects
meas. 7=11691
            disubstituted benzene anions, spin densities 7=901
            divinylbenzene, diaryl derivs., electronic spectra \,7{=}2414\, dye lasers for \,440{-}700\, nm \,7{=}16205\,
            dye solns., effect of laser radiation on
transmission 7=1144
dye solutions, for lasers 7=3186
            dyes, photo-semiconducting, e.m.f. obs. 7=8042
dyes, spectral bleaching by Q-switched laser 7=4351
dyes, for spectral sensitization of ZnO films 7=18076
dynamite detonation ionized gas e.m.f. and elec.
cond. 7=6794
             electric discharge dendritic erosion mechanism for
                  insulators 7=8003
            eosin in PMMA, fluorescence, self-polarization
                  meas. 7=10853
            epichlorohydrin, n. m. r. spectrum calc. 7=6732
            ethane, internal rot. barrier 7=903
ethane, internal rot. barrier calc. 7=6708
            ethane, liq., self-diffusion activation energies 7=1137
            ethane, molec. geometry 7=872
           ethane, 1, 2-disubstituted, rotational isomerism 7=13762
ethane, photolysis of solid films, vac. u.v. 7=8574
ethane, quadrupole moment 7=6709
ethane, Raman bands 7=4107
ethanol and deuteroethanol, diff. in heats of
vaporization 7=1201
```

```
Organic compounds-contd
        ethanol, ion-mol.reactions 7=2442
1-ethyl-4-carbomethoxypyridine-I<sub>2</sub> complex, physiochem.
            props. 7=4362
        ethylene, n.m.r. in critical region obs. 7=10749
ethyl ether in benzene, permittivity in u.s. fields 7=4378
ethyl ether in n-heptane soln., effect of Coriolis force on
             convection flow 7=7152
        2-ethyl naphthalene organic scintillators solvent 7=16356 ethyl phosphonum ions, nuclear spin coupling 7=6734 ethyl sulphate, Ce<sup>3+</sup> crystal-field splittings 7=1210 ethyldichlorosilane, normal vibr. freqs. 7=16963 ethylene consecutive ion-molecule reactions obs. 7=5324
        ethylene, electron-impact spectrum 7-13763
ethylene, electronic spectrum, single cryst. 7-2351
ethylene, fluorine-substituted, force consts. 7-6710
        ethylene, neutron double differential cross., spectrometer
             resolution effects 7=10540
        ethylene, pyrolysis in shock waves 7=2443
         ethylene, reaction with H atoms 7=6526
        ethylene, self-diffusion near crit. pt. 7=13999
        fatty acid adsorbed on Cr, contact angle hysteresis of
             liquids 7=10822
          ferrocenes, vibr. spectra 7=4113
         fluoroalcohols n. m. r. non-equivalence obs. 7=13776
         fluorenone, lower-lying excited states, spectroscopic
             props. 7=904
         fluorescein, intermolec. energy transfer 7=8511
        fluorescence in cyclohexane soln., lifetimes and quantum efficiencies 7=7089
         formaldehyde, C13 spin-rot.interaction 7=905
         formaldehyde maser, excitation parameters 7=270 formaldehyde, MO calc. 7=897 formaldehyde, one-electron props. 7=906
          formaldehyde, one-electron props. calc. 7=4108
          formaldehyde, optical collision diameter, by maser
              spectrometer 7=4110
         formaldehyde, reaction with O(3P) atoms 7=2446
         formaldehyde, rot. -vibr. spectra, with i.r. maser \,7{\approx}4109\, formaldehyde and styrene copolymerization, radiation
              induced 7=11946
          formamide, solid, n. q. r. 7=8344
          formic acid crysts., polymorphism, i.r. data 7=7455
         formic acid, \gamma-irradiated e.p. r. of frozen free radicals 7=8290
          Freon-13, superheated, nucleation kinetics, by light scatt. 7 = 14160
          freon-22 and dibutylphthalate solution 7=1108
          furantetracarboxylic acid, Rb salt, struct. 7=17527
          furfurol rotational spectra in excited vibr. states 7=6711
          galvinoxyl, semiconductivity and photocond. of solid
              obs. 7=7970
         gas hydrates, proton reson, spectra 7=15259 gases and vaps., W_8 values 7=6793 germylacetylene, i.r. spectrum 7=10536
          glasses, neutron diffusion 7=4742
          glucose pentaacetate for demonstration 7=7253
          glutaric acid crystals X-ray prod. free radicals conc. var.
              at high press. 7=4125
          glycerine, mixtures with water, benzene drop formation
              in 7=14031
          glycerol, diffusion process through Mössbauer absorpt. and
          Rayleigh scatt. 7=4341
glycine crystals X-ray prod.free radicals conc.var.
at high press. 7=4125
          glycocoll sulphate, linear defects decorated by particles and
              ferroelectric domain boundaries 7=11180
          guanidine \mathrm{Al_2(SO_4)_3}, 6\mathrm{H_2O} synthesis, growth and
         props. 7=1331
guanidine Cr<sub>2</sub>(SO<sub>4</sub>)<sub>3</sub>, 6H<sub>2</sub>O synthesis, growth and
props. 7=1331
         props. 7=1331
Hall effect meas.from microwave Faraday rotation 7=2969
halo-benzenes, substituted, 3.14 cm dielec. absorpt. 7=7099
haloethanes in cyclohexane soln., dielec. relax. 7=7100
halogenated benzenes, triplet state excimers 7=8507
halogens reaction with alkali metals rel. to form of amorphous C 7=7298
          heptan, dielectric breakdown 7=6778
          n-heptane, depolarized Rayleigh scatt. 7=14092
n-hexadecane, solid radiolysis, postirrad.
scavenging 7=11963
          hexafluoroacetylacetone, enol forms, normal-coord.
              anal. 7=4101
          hexamethylbenzene complex, physiochem. props. 7=4362 hexamethylbenzene elec. cond., 85-135^{\circ}C, transition
               ~110°C 7=11526
          n-hexane, absolute i.r. intensities 7=6704
          hexane with anthracene, luminescence, pre-breakdown, pulses mechanism 7{=}14113
          n-hexane electrical cond.prod.by \gamma, model 7=1170 hexane, \gamma-irradiated, elec.cond.rel.to recomb. 7=7107 hexane, ionization current at high fields, meas. 7=10865
          hexane, with polycyclic hydrocarbon traces, luminescence under high elec. stress 7=4363
          n-hexane, rates of evaporation and wet bulb temps. 7=4417
```

```
Organic compounds contd
```

hexane, superheated, effervescence kinetics meas. 7=14159 cis-hexene-2, photolysis 7=8573 hippuric acid for optical second harmonic prod. 7=8461 hydrocarbon fiames, reaction zones, chemi-ionization and excitation 7=5332

hydrocarbon-O2 reactions behind shock waves 7=15431 hydrocarbons, adsorbed on porous glass, meas. of surface transport, mechanistic model 7=4489

hydrocarbons and air mixtures, press. variation on ignition 7=5333

hydrocarbons, aromatic, etching of dislocations 7=14589 hydrocarbons, chemiluminescence in autooxidation rel. to kinetics of chain reactions 7=15414

hydrocarbons, chlorinated, soft X-ray fluoresc., satellite analysis 7=13765

hydrocarbons, doubly and singly charged fragment ions 7=13841 hydrocarbons, halogenated, concn. meas. in air 7=8588

hydrocarbons, heat cond. meas. rel. to temp. and pressure 7=14079

hydrocarbons, liq., ion mobility rel. to viscosity and temp. 7=7108

hydrocarbons, mass spectra for 50-100 keV protons 7=13840

hydrocarbons, unsaturated, liquid, electric conductance 7=4385

hydrogen phthalocyanine, LCAO MO calc. 7=6720

17-indanone, phosphorescence 7-8512
indole, exciplet formation in solns. 7-4367
isobutane, H atom abstraction by methylene 7-2470
isobutylene, far i.r. spectrum 7-909
isobutyric acid-water mixture, critical, concn. fluctuations,
time-depend obs. 7-17271
isopromylenylleton vector in output in solutions.

isopropylphenylketone, use in extractions for prep. of very pure Pa sources 7=13376 ketene, H spin-spin and D nuclear quadrupole interactions 7=4111

ketene, vibration and shrinkage constants at 300°K 7=13761 leucine-glutamic acid in aqueous soln, helix-coil transition 7=10816

liquids, dielectric relaxation, microwave meas. 7=7098 luminescence of binary solns., reabsorption effects on decay 7=7088

malonic acid free radicals, e. s. r. after X-irradiation at  $77^{\circ}\text{K}$  7=4126

melamine, vibr. spectrum 7=907

meta-fluorotoluene, Overhauser effect, 3-spin system 7=4118

metal-adenosine triphosphate complexes, conformation in aq. soln. 7=17245

methane, α-radiolysis 7=8582

methane crystals phases lattice mechanics, neutron diffr. obs. 7=11110

methane, diffusion in propanol, -30°-120°C 7=14073 methane, dissoc. attachment of electrons, isotope effects 7=17035

methane effects on oxide cathodes thermoemission obs. 7=8072

methane, flash photolysis in vac.u.v. 7=2471 methane, ion-molecule reactions 7=2444

methane, isotopic, thermal-diffusion column transport coeffs. 7=13998

methane, liquid, cold n scatt. rel. to i.r. and Raman spectra 7=17246 methane, liquid self-diffusion, effect of Ar and CF<sub>4</sub> 7=140 methane, molecular electronic structure calc. 7=908 methane, neutron double differential cross., spectrometer resolution effects 7=10540

methane, nuclear spin relax., isotope effects 7=4119 methane, at 100 atmos, nonlinear light scatt. 7=13990 methane, optical collision diameter, by maser spectrometer 7=4110

methane, scatt. of cold neutrons 7=4112 methane, solid, adsorption of  $\rm H_2$ , He, Ne 7=14291methane solid, polymerization by γ-rays 7=8581 methane, Townsend first ionization coeff.,

variations 7=4177 methane, tuned laser spectroscopy 7=16153 methane, vibr. relax. 7=10481

methanol-air fuel cells as long-life energy source 7=170

methanol, ion-mol. reactions 7=2442 methyl alcohol, mol. rotational mobility in soln. with

univalent ions 7=14039 methyl bromide,  $A_0$  calc. 7=6612

methyl chloride, intermolec. forces 7=10737

methyl cyclopentane, benzyl radical fluorescence at near liquid He temp. 7=8508

methyl groups in crystals, n.m.r. line profile 7=15273 methyl halides, vibr. intensities 7=4115 methyl iodide, Fermi resonance 7=4863

methyl iodide, reaction with CN-, isotope effects calc. 7=8534

methyl iodide, reaction with OH-, isotope effects calc. 7=8544

Organic compounds -contd

methyl iodide, trideuterated, vib. -rot. band  $\nu_1$  +  $\nu_4$ around 4500 cm<sup>-1</sup> 7=6712

methyl-methacrylate, elec. breakdown and high field conduction 7=4375

methyl methacrylate as thermal trap, verification of theory 7=9334
methyl phosphonum ions, nuclear spin coupling 7=6734

methyl thiocyanate, torsion barrier 7=13766

N-methyl-3,5-dibromopyridone crystal struct., bond lengths and angles obs. 7=11087 methylchloride, C¹³-H coupling consts. 7=13777 methylcyclopropylketones,  $n\to\pi^*$  transition of carbonyl

group 7=4114 methyldichlorosilane decomposition to give SiC

films 7=17392 methylene, reaction with dichloromethane 7=5326

lpha-methylnaphthalene-chloroform soln, energy transfer from excited states of solvent 7=14106

α-methylnaphthalene, u.v. spectra, vapour, soln. and cryst. 7=10541

β-methylnaphthalene, vapour, soln., cryst., electronic spectra 7=6714

methylnaphthalenes, solns., fluoresc., press. effect 7=14114 3-methylpentane, y-irrad., e.s.r. of trapped electrons 7=11964

 $\alpha$ -methylpolystyrene in toluene, intrinsic viscosity 7=7048 3-methylpyridine water solns., by spin-echo and i.r. spectra 7=14037

2-methyltetrahydrofuran, solvated electron

mobility 7=14123 mineral oil, breakdown at microwave freqs. 7=4377 naphthalene, C fons charge distrib. at 8 MeV in vapour 7=12553

naphthalene crystal growth from melts, apparatus 7=1324 naphthalene, exciton diffusion 7=1806 naphthalene, expansion at low temp. 7=14469

naphthalene, high-press. effects on triplet-singlet

transition 7=8515 naphthalene, i. r. absorption spectra 7=11823 naphthalene, intermolec. energy transfer 7=8511

naphthalene, isostractural phase transition 7=14255 naphthalene, magnetophotoselection and triplet-triplet transfer 7=2209

naphthalene, multiphoton photons absorption probability ratio obs. 7=2353

naphthalene, ortho-deuterated, for n scintillation spectro-metry 7=6238

naphthalene in polymethylmethacrylate, fluoresc. at high press. 7=8514

high press. 7=8514
naphthalene, solns., fluoresc., press. effect 7=14114
naphthalene, transition of n.m.r signal through weak field,
irreversibility 7=18189
naphthoquinones and related cpds., e.s.r. 7=13772
1:3:5-tri-a-naphthyl benzene, viscoelasticity 7=1131
nitriles, i.r. band, theory 7=10534

nitroaniline crystals, near-i.r. anisotropy 7=11824
nitroaniline soln. in glycerol, reversible orientational
photodichroism obs. 7=10840
nitrobenzene, stimulated Rayleigh scatt. obs 7=14093
nitrobenzene, vibr. spectrum 7=910

nitroethylene, i.r. spectrum and internal-rot. barrier 7=13767 nitrogen heterocyclics, vibronic interaction 7=8513

nitromethane, adsorbed on Si,rel. to surface conductivity 7=15023 nitromethane, shock initiation to detonation 7=12419 nitropropane II with HNO3 detonation propag. vel. rel. to

initial temp. obs. 7=9179
nitrosobenzene, microwave spectrum 7=6716
p-nitrosodimethylaniline soln. in glycerol, reversible

orientational photodichroism obs. 7=10840 m-nitrotoluene, stimulated Rayleigh scatt. obs. 7=14093 normal paraffins, rotating molecules in high-temp. form 7=14399

nucleosides and nucleotides, luminesc. 7=2411 oil convection, electric a.c. field effect obs. 7=7071 oil pump for 13kbar 7=5649

oleic acid aerosol in N<sub>2</sub>, acoustic absorption and dispersion obs. 7=10880

2-olefins, cis-trans isomerization, photo- and radiation induced 7=2475

olefins, ionization by 40-100 keV protons 7=13840 organo-Hg dusts and vapours in atmosphere, detection 7=2510

oxalate aqueous ion potential field and force consts. calc. 7 = 10801

oxalic acid dihydrate, effect of D substitution on bond lengths 7=7457

oxalic acid dihydrate single cryst., n. m. r. 7=8337 oxazine dye crystal growth forms 7=1347 palmitic acid, adsorbed on ZnO, effect on photoconductivity 7=2044

paracyclophane anion, transannular interactions 7=6717 paracyclophanes, triplet states, transannular interactions 7=902

```
Organic compounds-contd
         paradibromobenzene, excitonic structure of S-T
              transitions 7=1803
         para-dichlorobenzene, n.q.r. 7=5218
         para-difluorobenzene, Overhauser effect, 3-spin
              system 7=4118
        paraffin, u. s. absorpt. of cryst. near m. p. 7=1466
paraffin wax, radioelectret effect 7=8035
paraffinic solids, specific free surface energy 7=10952
paraffins, ionization by 40-100 keV protons 7=13840
pentacene anions and cations, anomalous e.s.r. 7=10552-3
pentaerythritol tetrahalides, vibr. spectra 7=13768
pentafluoro-iodobenzene, spin-coupling assignment 7=10547
n-pentane, absolute 1.r. intensities 7=6704
n-pentane, depolarized Rayleigh scatt. 7=14092
pentane, quasi-elastic n scatt., and proton motions 7=7027
pentane, superheated, effervescence kinetics meas. 7=14159
perinaphthenyl, e.s.r. in liquid cryst. 7=1171
         paraffin, u. s. absorpt. of cryst. near m. p. 7=1466
         perinaphthenyl, e.s.r. in liquid cryst. 7=1171 petroleum fractions, radiolysis 7=15441
         phenanthrene crysts., conductivity and polarization 7=7971 phenanthrene-d<sub>10</sub>, vibr. assignment 7=10543
         phenanthrene-q<sub>10</sub>, vib. assignment = 10040
phenol, electronic spectra in mixed crysts. 7=2354
phenol, electronic band system 7=6718
phenol-water, Brownian motion at critical point of liquid-
liquid equilibrium obs. 7=7059
          phenolformaldehyde plastics, glass-reinforced, causes
              of reduced strength 7=11348
         phenylcyclohexane cement for joining plastic light pipes
to photomultipliers 7=3046
phthalimide derivs., vapour fluoresc. 7=6719
phthalimide-(He or N) mixture, thermodiffusion 7=6985
         phthalocyanin Mg and Zn complexes, pseudo-line spectra
              obs. 7=913
         phthalocyanine, flash photolysis of vapour by laser 7=5337
         phthalocyanine, propagation of light pulse 7=10842
phthalocyanine, thermally stimulated trap-
emptying 7=11375
         phthalocyanines, fluorescence and absorpt.
saturation 7=17277
         saturation '=17277
phthalocyanines, metal-free, and Pb, drift
mobility 7=11374
picene for electron fine-beam or selected-area
diffr. calibration 7=17459
piperine, recovery phenomena during nucleation in super-
cooled liquid 7=1318
pivalaldehyde, microwave spectrum 7=6721
         polyacrylic acid, conc. aqueous solns., flow 7=10780 polyamide prep. by alternating copolymerization of
               aziridines and cyclic imides 7=11947
          polycyclic hydrocarbons, high-resolution n.m.r. 7=6733
          polyethylene copolymers elec. cond., \gamma ray effects
               obs. 7=5071
          polyethylene, discrete saturation of e.p.r.lines 7=14974
          poly-γ-methyl-L-glutamate piezoelectric effect 7=15045
         polyglutamic acid in aqueous soln, helix-coil
transition 7=10816
polyoxymethylene, irradiated, triplet spectrum 7=18176
         propane-O<sub>2</sub>-N<sub>2</sub> mixtures, detonation, limiting conditions for stability 7=2453 propanol, diffusion of methane, -30° to -120°C 7=14073 n-propyl alcohol, quasi-elastic n scatt., and proton
               motions 7=7027
          propylene, microwave spectrum 7=10542
protoactinium complex halides, preparation and properties,
  in conference, Orsay (1965) 7=11010
          purines, e.s.r. of excited triplet states 7=2213
          purines, luminesc. 7=2411
          purpurate ion struct., crystallographic obs. 7=17531
          pyrazine, phosphorescence 7=8516
          pyrene in ethanol, luminesc., intersystem crossing 7=10851 pyridine, irrad., e. s. r. 7=924
         pyridine, n.m.r. and proton-proton coupling 7=10549
          pyridinium bromides adsorption from solns.by Au
         pyrrole, liquid and vapour, \nu({
m NH}) band absolute intensity
              obs. 7=912
         quinine sulphate in acid soln., radiation effects on luminescence 7{=}17278
          quinolinium (TCNQ<sub>2</sub>), e. s. r. 7=8303
         quinones, aromatic, spectral electronic transitions obs. 7=13769
          RNA, photochemical reaction kinetics 7=15440
         rare-earth ethyl sulphates, e.p.r. of interacting pairs of Dy3+, Tb3+ and Ho3+ 7=18165
         refractive index of absorbing liquids in i.r. obs. 7=17269
         rhodamine dyes in polar + nonpolar solvents, luminescence
              conc. quenching association mechanism 7=10852
         scintillator solns, fluorescence lifetimes, efficiencies and extinction coeffs. 7=14108
```

semiconductivity of radicals containing N-O obs. 7=17992

```
Physics Abstracts 1967 - Part I (Jan.-June)
Organic compounds-contd
        semiconductors, photocond. var. in magnetic field,
        mechanism 7=8049
semiconductors, review 7=1915
         semiconductors, zone refining purification 7=7316
         silicone films on GaAs for reflection and emissivity
             var. 7=11763
         silicone oils, surface tension 7=14063
        siloxane, fluids, study of conduction processes 7=4387 soap films between coaxial rings, dynamic 7=7015
        sodium salicylate, effect of u.v. irrad. on fluorescence 7=5320
        sodium salicylate, quality and prep. effect on fluorescence 7=5317
         solutions, dilute, fluorescence and energy transfer \,7{=}14105 solutions, photoconductivity, effect of oxygen \,7{=}17284
         solvents, effect on n.m.r. proton chemical displacement of dissolved gases 7=17290
         sorbitol hexaacetate, growth and lattice structure 7=4525
         spiropentyl chloride, microwave spectrum 7=911
         spectra of crystals, transition moments inter-
         actions 7=18198
stearic acid, adsorbed on ZnO, effect on photo-
conductivity 7=2044
         props. 7=17532
stilbene solns., X- and γ-ray induced isomerization 7=8583
styrene, γ-induced ionic polymerization, pure
liquid 7=11949
         stilbene derivatives, X-ray analysis and optical
         sugar activated with dyes, fluorescence and
         phosphorescence obs. 7=2413
superconducting, critical currents 7=11486
superconductors 7=4910
         TNT explosions underwater scaling from Nichrome
              wires 7=9181
         teflon, discret saturation of e.p.r.lines 7=14974
         10, 10'-dianthronyl, crystal structure 7=17526
         terphenyl, energy loss of protons and deuterons 7=7637
         o-terphenyl, glass transition 7=17412 p-terphenyl, soln., u.v. and \gamma-irrad., radical form. and energy transfer 7=15447
         tert-butyl chloride, mm wave dielec. const. 7=9443
         tetra-alkylamine analogs of Magnus' green, origin of
         colour 7=15347
tetrabenzene porphyrin Mg and Zn complexes, pseudo-
line spectra obs. 7=913
         tetracene, photogeneration of carriers 7=2047
         tetracyanoethylene anion, e.s.r. spectra 7=10551
tetraethoxysilane + O in glow discharge for SiO, film
              deposition 7=10969
         tetra-ethyl orthosilicate, pyrolysis in O<sub>2</sub>, alumina-
silica film deposition 7=4484
         tetrafluoroethylene-hexafluoropropylene copolymers
melting point obs. 7=1192
         tetrafluorethylene, N<sub>2</sub> postluminescence maxima mechanism 7=13739 tetrahydronaphthalene radiolysis mechanism 7=15450 tetramethyl silane, C<sup>13</sup>-Si<sup>29</sup> spin-spin coupling
         thiazine dye crystal growth forms 7=1347
thionin blue adsorbed by growing PbNO<sub>3</sub> crystals, effect
on morphology 7=1340
         thiophenol, absorption spectrum at 18.0-26.7 Gc/s and room temp. 7=13770
         thiourea, photographic and counter obs., cryst. struct. 7=17534 thiourea structures, atomic and electronic,
              refinement 7=7458
         thioxanthone-5, 5-dioxide, e.p.r., assignment of coupling
              consts. 7=10546
         thymol, i.r. spectra 7=914
         tolane crystal growth from melts, apparatus 7=1324 tolane, luminescence spectra in crystalline solns.
             obs. 7=5318
         toluene, fluorescence quenching by biacetyl, energy migration 7=14111
          toluene, liq., n. m. r. spin-lattice relax. 7=7124
         toluene, penetration by electrons and positrons, direct
              comparison 7=16526
          toluene, quasielastic light scatt. spectrum by entropy fluct. 7=4352
         toluene, solid and in rigid glass soln., triplet-singlet luminescence 7=11923 trans-[Co(1-pn)<sub>2</sub>Cl<sub>2</sub>]*, polarized cryst. spectra 7=11820 trans-[Coen<sub>2</sub>Cl<sub>2</sub>]*, polarized cryst. spectra 7=11820 transition metal dithiocarbamates, photo-e. m. f. and electronic spectra 7=2048
          1, 3, 5-tribromobenzene n.q.r. Zeeman spectrum
              obs. 7=15284
          triethylammonium-(TCNQ)2, antiferromagnetism 7=11621
          triglycine compounds ferroelectric phase transition
         molecular mechanism 7=8032
triglycine selenate optical rotation temp. var. due to ion
distortion 7=18284
```

triglycine selenate, thermal rot. of optical indicatrix 7=11822

```
Organic compounds contd
```

triglycine sulphate, Cr-doped, e.p.r. 7=15223 triglycine sulphate deform of SO<sub>4</sub> by phase transition 7=17324

triglycine sulphate, deuterated, ferroelec, transition by Dn.m.r. 7=15039

triglycine sulphate, ferroelec. transition under pressure 7=15038

triglycine sulphate optical rotation temp. var. due to ion distortion 7=18284

triglycine sulphate, p.m.r. meas, 7=15269 triglycine sulphate, spontaneous electro-optical effect

obs. 7=5282

triglycine sulphate, thermal rot. of optical indicatrix 7=11822

triglycinefluorberyllate ferroelectric phase transformation obs. 7=8031

tri-iso-butyl aluminium, pyrolysis in O<sub>2</sub>, alumina-silica film deposition 7=4484

trimethylamine, Cl3-H coupling consts. 7=13777 trimethylenecyclopropane, i. r. spectrum 7=6713

trypaflavine in plexiglass, phosphoresc.-fluoresc. shift 7=15409

trypaflavin in PMMA, fluorescence, self-polarization meas. 7=10853

meas. 7=10055
urea, i.r. spectra 7=2355
urea, lattice vibration interpretation of diffuse streak
diffraction patterns 7=1454
vanadocene, e.s.r. 7=15253
vinyl chloride, absorpt, and ionization coeffs. 7=915

vinyl iodide radiolysis products due to  $\gamma$ -rays

obs. 7=8584

vinylene carbonate, i. r. and Raman spectra 7=13771 Wurster's blue perchlorate, paramagnetism 7=11621 Würster's blue perchlorate, spin coupling 7=8086

p-xylene, fluorescence quenching by biacetyl, energy migration 7=14111 p-xylene, liq., n. m. r. spin-lattice relax. 7=7124

xylene substitutes in benzene, viscosities, relaxation times ~3cm 7=10860

X-SO<sub>2</sub>-Y molecules, i. r. spectra 7=16966

 $\begin{array}{l} As(CH_3)_3, force\ consts.\ calc.\ 7=10538\\ Br_5C_8F, phase\ transform.\ obs.\ 7=17369\\ C\ mixes\ with\ org.\ binder, viscoelastic\ props.\ 7=7743 \end{array}$ 

C(CH<sub>3</sub>)<sub>2</sub>Cl<sub>4-n</sub>, viscosity of vapour 7=13994 CCl<sub>4</sub>, electron and molec. radial distrib. functions by X-ray diffr. 7=10806

in CCl<sub>4</sub>, HCl absorption and dielec.loss factor calc. 7=4376 CCl<sub>4</sub>, thermodynamic properties to 750°K and 200 atm. 7=1138

CCl4, X-ray diffraction 7=1117

C<sub>10</sub>Cl<sub>12</sub>, cryst. and molec. cage struct. 7=11085 C<sub>10</sub>Cl<sub>13</sub>SO<sub>3</sub>Cl, cryst. and molec. cage struct. 7=11085 CD<sub>4</sub>, cold neutron scattering 7=1114 CD<sub>4</sub>, d.m.r., 1. 4-73°K 7=5207

 $\rm C_6D_6,$  deuteron quadrupole coupling constant, 263°K 7=15283  $\rm C_6D_6,$  Raman emission, laser excited 7=3194

 $C_2\Gamma_4$ , dissociation in  $N_2$  shocks 7=8551 CF\_3Br, K meson reactions with  $\Lambda$  production 7=13574 C-H bond, quadrupole and octupole moments, from barrier to internal rotation 7=6631

CH  $^2\Delta$   $^{-2}\pi$  band lines center-limb obs.for solar photosphere study 7=15817

sphere study 7=15817 CH<sub>2</sub>, singlet states, spectrum and structure 7=4105 CH<sub>3</sub>\*, one-centre-expansion SCF calc. 7=13726 CH<sub>4</sub> in troposphere and lower stratosphere to 23 km, meas. 7=15483

CH4 in Uranus spectrum, 6800Å band identification 7=5595

C<sub>3</sub>H<sub>8</sub> and C<sub>5</sub>D<sub>8</sub>, metastable transitions 7=6824 C<sub>6</sub>H<sub>5</sub>, relaxation after stimulated Raman effect 7=1145

C6H6, Raman emission, laser excited 7=3194 CH4-Ar system, phase equilibrium data at 90.67°K, and

theory 7=4414

CH<sub>3</sub>AsX, (X = Cl, Br), force consts. calc. 7=10539

CH<sub>3</sub>AsX<sub>2</sub>, (X = Cl, Br), force consts. calc. 7=10539 CH4-CO system, phase equilibrium data at 90.67°K, and

theory 7=4414

CH<sub>3</sub>COOH-CCl<sub>4</sub>, nuclear spin-lattice relax., in liquid 7=7118

liquid 7=7118 
1,1,2-C<sub>2</sub>H<sub>4</sub>Cl<sub>2</sub>, nonequilib. unimolec. reactions 7=5326 
1,2-C<sub>2</sub>H<sub>4</sub>Cl<sub>2</sub>, nonequilib. unimolec. reactions 7=5322 
1,1-C<sub>2</sub>H<sub>4</sub>Cl<sub>2</sub>, nonequilib. unimolec. reactions 7=5326 
1,1-C<sub>2</sub>H<sub>4</sub>Cl<sub>2</sub>, unimolec. reaction rates 7=5323 
1,2-C<sub>2</sub>H<sub>4</sub>Cl<sub>2</sub>, unimolec. reaction rates 7=5323 
C<sub>2</sub>H<sub>5</sub>Cl, nonequilib. unimolec. reactions 7=5322 
C<sub>2</sub>H<sub>5</sub>Cl, unimolec. reaction rates 7=5323 
CHE liq. p. relax and Overhauser effects 7=172:

CHF3, liq., n.m.r. relax. and Overhauser effects 7=17292

CHFCl, Overhauser effect, 3-spin system 7=4118  $CH_2I_2$ , i.r. spectrum and cryst. struct. 7=2352 CH<sub>3</sub>I, oriented mols., reactive scatt. with K atoms 7=6747

CH<sub>3</sub>-N<sub>2</sub> system, phase equilibrium data at 90.67°K, and theory 7-4414
CH<sub>3</sub>NH<sub>3</sub>NiCl<sub>3</sub>, cryst. struct. 7=7456
C<sub>6</sub>H<sub>6</sub>NO<sub>2</sub>, electron capture 7=6818
CH<sub>3</sub>.NO<sub>2</sub>, Raman emission, laser excited 7=3194

Organic compounds-contd

CN, laser emission, 5.  $2\mu$  7=3135 Ca tartrate. 4H<sub>2</sub>O growth by diffusion in SiO<sub>2</sub> gel 7=1322 CaBr<sub>2</sub>. 10H<sub>2</sub>O. 2(CH<sub>2</sub>)<sub>6</sub>N<sub>4</sub> complex, cryst. struct. 7=7411

Ca2Sr propionate, ferroelec., piezoelec. and elastic constants 7=2010

Cd acetate solns.u.s, dispersion, 1-29 Mc/s 7=4350 Cl<sub>5</sub>C<sub>8</sub>F, phase transform. obs. 7=17369 Cr(III) acetylacetonate, i.r. spectra 7=16961

Cr(III) acetylacetonate transfer annealing 7=8522

Cu acetate hydrate, mag. structure by p.m r. 7=11719 Cu acetate, nuclear spin relaxation, theory 7=15263 Cu acetate solns.u.s. dispersion, 1-29 Mc/s 7=4350 Cu phthalocyanine epitaxial growth muscovite substrate

cleavage steps effect on orientation 7-7346 Cu phthalocyanine films, space charge limited current and electron mobility 7-7765

Cu(II)-bis(2-imine-4-amine methylpentane) nitrate non-stoichiometry 7=1439

non-stoichiometry 7=1439
Cu(HCO<sub>2</sub>)<sub>2</sub>. 4H<sub>2</sub>O, H positions 7=11086
Dy ethyl sulphate spectrum obs. in far i. r 7=8459
Er ethyl sulphate spectrum obs. in far i. r. 7=8459
Eu anthranilates, Tb sensitized luminescence 7=8517
Eu benzoylacetonate, fluorescence lifetime, temp.
depend. 7=11920

Eu chelate cpds., luminesc. intensity distrib. 7=18314 Eu chelate soln., luminesc. in intense pulsed excitation 7=17276

Eu chelates, mechanical luminescence 7=11919

Eu dibenzoylmethide, fluorescence lifetime, temp. depend. 7=11920

depend. 7=11920

Eu α-naphthoykriacetonate in soln., fluoresc. and laser props. 7=1153

Eu solid complex compounds, To sensitized luminescence 7=8517

Eu triple antipirine-salicylates, To sensitized luminescence 7=8517

Fe (dimethyl glyoxime)<sub>2</sub> pyridine derivative complexes, Mössbauer obs. of bonds 7=16964 Fe (III) dithiocarbamate complexes, n. m. r. 7=2234 Ga phthalocyanine shutter for ruby laser 7=9522

Gd ethyl sulphate, paramag. resonance and spin-spin interacts. 7=8291 H-atom-methyl-radical complex in solid, triplet-state

e.s.r. 7=8293

H. NH<sub>4</sub>(ClCH<sub>2</sub>COO)<sub>2</sub> ferroelectricity <-145°C and crystal atomic struct. 7=8030</p> K-oleate-water, liquid cryst. intermediate phase 7=10808

K purpurate crystal atomic struct., rel. to ion 7=17531 LiCl solutions in organic solvents, Rayleigh scatt, intensity 7=14099

(Me<sub>3</sub>SiNSiMe<sub>2</sub>)<sub>2</sub>, n. m. r. obs. of molec. motion 7=2242 Mn acetate tetrahydrate, mag. props. 7=18099 Mn-amine complexes, photoluminescence at low temp. 7=11909

Mn(III) acetylacetonate, i.r. spectra 7=16961 Mn(III) tris(acetylacetonate), O<sup>17</sup> n.m.r. 7=10548

N-N bonds, single, double, and triple, theory 7=890  $N_1N'$ -diphenyl-115-diaminoanthraquinone, cryst. struct. 7=17521

N<sub>1</sub>N'-diphenyl-1, 8-diaminoanthraquinone, cryst. struct. 7=17522 Na acetate soln., u. s. absorpt. and ion assoc. 7=14084-5

Na acetate trihydrate, e.s.r. of methyl radical in irrad.

Na hydroxybenzoate solns., fluoresc. quenching reversal 7=7095

Na nitroprusside, for Fe<sup>57</sup> chemical shift standardization 7=17334

Na organic sulphates adsorption from solns. by Au obs. 7=7290

Na polymetacrylate, n. m.r. of sorbed H<sub>2</sub>O 7=8330 Na salicylate, u.v. pulse response 7=2412 Na tetrabenzoylacetonates of Eu and Tb, spectra 7=8457 Ni biguanide chloride, X-ray study 7=4606 Ni formate, hydrated, Ni formation on heating obs. 7=14362

Ni-glyoxime crystal and molecular struct. 7=17529 OH- dipoles in KCl, relaxation at low temp. 7=14180 OH<sub>4</sub>, gaseous and liquid, self-diffusion 7=4304 Pb stearate, refl. coeff., X-ray meas. 7=15361

S, S-dimethyl-N-methylsulphonylsulphilimine cryst. and mol. struct. 7=17528

Sm ethyl sulphate spectrum obs. in far i.r. 7=8459

of Sn, Mössbauer obs. 7=17334

Sr tartrate, e.s.r. of Cu2+ 7=15226

Tb-pyrazolone deriv. complexes, luminesc. 7=18318

Tb-pyrazolone deriv. complexes, Iuminesc. 7=18318 Tm ethyl sulphate: Tm $^3$ , resonance u s. absorption. spin-lattice relax. 7=11690  $U(C_2O_4)_2.2H_2O-Th(C_2O_4).2H_2O, magnetic susceptibility 7=8104 \\ V(bipyridine)_3(ClO_4)_2, mag. susceptibility 7=15113 \\ Yb(III) cyclopentadienides, spectra at liq. He temp. 7=11825 \\ (Yb, Y)(C_2H_5SO_4)_3.9H_2O rotating proton spin refrigerator theory 7=9267 \\ Zn. acetate solns. u.s. dispersion, 1-29 Mc/s 7=4350 \\$ 

Orthicons. See Electron tubes.

Oscillations See also Electromagnetic oscillations; Liquid oscil-See also Electromagnetic oscillations; Vibrations.

Bernoulli chain, momentum autocorreln, function 7=2848 birefringence backward wave oscillation in i.r. 7=3154 classical harmonic oscillator quadratic constants of

motion 7=105 circuits with p-n capacitance, forced mode theory 7=5786 concentration fluctuations in turbulent diffusion 7=13965 cryotron relaxation oscillator with var.freq. 7=1907

cylinder in incompressible viscous fluid, damping correction 7=17168 cylinder, spinning, thick-walled, finite radial osc. 7=12398 cylinders in liq. He, force exerted 7=15989

drop, uniformly charged, saddle-point normal modes 7=17241

eigenfunctions of vibration interactions in a resonator 7=16327 elastic cylinders and prisms in longitudinal shear, large amplitude 7=109

electrostatic, in bounded dielectrics, semiconductors and plasma 7=9319

energy dissipation and attenuation under high-loss conditions 7=2867 gas masses in mag.field, var.principle 7=5538 general relativistic singular sphere calc. 7=12338 m. h. d. flow, one-dim., nonlinear oscill., thermally driven 7=9417

measuring instruments, statics and dynamics 7=3 monatomic and diatomic chains calc. 7=11229 polytropes, non-radial 7=12154 quasi-periodic, of non-linear systems, point transformation method 7=106

semiconductors thermo-e.m.f. in transverse mag. field calc. 7=8041

shell, closed spherical, with nearly uniform radial impulse 7=12400

sphere in incompressible viscous fluid, damping correction 7=17168 stars, radial, stability calc. 7=5537

swept wide-band f.m. marginal oscillator 7=166

symmetries for harmonic oscillator in two dimensions 7=12308 viscous fluid past sphere in cyl. tube 7=10699 von Zeipel method and two-variable expansion procedure 7=9052

Bi magnetoresistance, due to electron inelastic scatt. by optical phonons 7=7934

n-InSb, quantum oscills. in mag. field at liquid He temps. obs. 7=8045

Oscillistor effect. See Semiconductors. Oscillistors. See Semiconducting devices. Oscillographs. See Electrical measurement. Oseen method. See Flow; Hydrodynamics.

Osmium No entries

Osmium compounds

Os-La alloys, electron emission props. 7=15091 Os-Th alloys, electron emission props. 7=15090

Osmosis

for electronics, liquid state 7=5787 polymer solns., athermal, second osmotic virial coeff. 7=7063

osmometer calibration 7-17316
water, transport through nonaqueous liq. membrane,
mech. 7-14075

Overhauser effect. See Nuclear magnetic resonance and relaxation.

Oxidation

alloys, binary, internal, simultaneous with external scale formation, kinetics 7=11931 formaldehyde, reaction with O(3P) atoms 7=2446 metals, rate control factors 7=18328

metals, Schottky emission as rate-limiting

factor 7=8531

factor 7=8531
rate, rel. to temp. change of specimens 7=18329
saturating rate and chemisorption 7=2458
superconductor surfaces, change in transition
temp. 7=4939
III-V cpds, O adsorpt.at 78°K 7=2459
Al, film, 400-600°C, electron microscope obs. 7=15417
Al-2% Al<sub>2</sub>O<sub>3</sub> SAP-type alloy obs. 7=11933
Bi films at 30 mm O<sub>2</sub> press., 175-250°C 7=8532
Co, mechanism study with Au films as markers 7=2441
Cr-Ni-Nb steel, effect of fission fragment irrad. 7=11939
Cu, Cu<sub>2</sub>O epitaxial growth obs. 7=1358

Cu, Cu<sub>2</sub>O epitaxial growth obs. 7=1358
Cu, dispersed in petrol, conductivity elec. rel. to degree of oxidation 7=4397
Cu films, rel. to imperfections obs. 7=15423

Cu-Au(99, 93 at. %), nucleation and growth of Cu oxide at 600°C 7=18333

Cu-Mn, internal, Mn oxide particles identification and morphology 7=11937

EuCl<sub>2</sub> solutions stability obs. 7=10844

Oxidation-contd

Ge, O adsorpt. of 78°K 7=2459 Ge, surface, kinetics 7=2455 Ge, surface states generated 7=14850 InSb, surface, kinetics 7=2455
MnZn ferrite obs. during sintering 7=7213

of MoSi<sub>2</sub>, above 600°C, role of Fe 7=15426

Nb-Zr, internal, simultaneous with external scaling, steady kinetics on O<sub>2</sub> at 1000°C 7=11936

Nb-Zr-Re, internal, simultaneous with external scaling, steady kinetics in O<sub>2</sub> at 1000°C 7=11936

Ni, oxide film thickening obs., rel. to short-circuit diffusion paths 7=15428

Ni-Si, internal, electron microscope and construction

Ni-Si, internal, electron microscope and energy analysis obs. 7=8541

Pa-O system obs., and PaO<sub>2</sub>-ThO<sub>2</sub> solid solns, with additional O interstitials 7=11073 Re films obs. 7=5329

Sb, surface, kinetics 7=2455
Si surface, kinetics 7=2455
Si surface, surface charge, effect of H and Na 7=14970
Si, thermal, and surface line defects, rel. to p-n
junctions 7=14611

 $\rm Si\text{-}SiO_2$  system, surface props., effect of Na and H  $\,7\text{=}4880\,\,\rm SnO_2, e.s.r.$  variation during reduction  $\,7\text{=}2216$ 

Ti, oxide crystal growth orientation in early stages of oxidation 7=8546

W, in chemisorption of O<sub>2</sub> 7=15433

W, high temp. 7=15429 W, hot surface 7=2457

W, and mechanical performance at high temps, and pressures 7=7738

of W surface, mass spectrometry 7=11941 Zr-Cu, intermediate layer formation at metal-oxide interface, 750°C, Cu conc. var. 7=5331

Oxide cathodes. See Cathodes/oxide.

Oxygen

absorption on bilirubin, elec. cond. var. obs. 7=18073 absorption in 2800-2350Å range 7=16956 adsorbed on Re, effect on work function 7=2052 adsorption on evap. B films 7=10974 adsorption on Ge cleavage planes from  $N_2O$ , kinetics 7=1284

adsorption on Ni (110) surface, grazing incidence high energy electron reflection obs. 7=1287 adsorption on oriented W surfaces 7=1292

adsorption on Si, Ge and GaAs 7=7293 adsorption on W (110) surface, low-energy electron diffr.obs. 7=1288 adsorption on W, mass spectrometry 7=11941

allotropes variation, 20-100 Km layer, photochem. model 7=15480

model 7=19480
arc transition, high-voltage, containing water
vapour 7=17007
in atmosphere, O<sub>2</sub>, O, 100-200 km 7=12028
atmosphere, regulation 7=15481
atmospheric, concs. above 120 km, expt. data anal. 7=12031
atmospheric, microwave emission 7=10515

atmospheric, photochemical equilib., above 150 km, theory 7=12032

atom collisions with N2, O2  $^{\sim}$  1 keV  $\,$  7=16983 atom, continuum radiation, analysis rel to ionization  $\,$  7=6547 atom reactions with H2, CH4 and C2H6 at high temp. 7=11932

atom, spin multiplets of ground state, electron excitation 7=6570

atom, thermal electron scattering cross-sections 7=6581 atomic, bremsstrahlung absorption cross-section 7=13695 atomic polarizabilities calc. in many-body perturbation

theory 7=6549 atomic spectrum, multiplets transition probabilities from arc in SO<sub>2</sub>Cl<sub>2</sub> liquid vortex 7=6550

atoms electron scatt, and attachment calc. 7=10629 atoms, excited in  $NO_2$  photolysis, deactivation 7=2473 atoms isotopic exchange with CO, CO2, N2O, O2 and

COCl<sub>2</sub> obs. 7=8545

atoms, OI, u.v. multiplets 7=10400 atoms, reaction with diacetylene 7=5328 atoms, spin-change collisions with H atoms 7=4045 chemisorbed on C, evolution rel. to surface

reactivity 7=8554 chemisorbed on Rh, structures on (110) surface 7=2460 chemisorption on Al, rel. to work function change 7=8064

chemisorption on CdS, distrib. of elec. active defects in surface region 7=11153 chemisorption on MgO and CaO 7=18335

coadsorption with CO on W (110) surface 7=1290 condensed, absorpt, spectra 7=4097 diffusion through plastic pipes 7=1522 effect on Ag creep, rel. to grain boundary sliding and migration and voids 7=7671

electric breakdown, pd=0.02-1.0 torr.cm 7=966 electric r.f. breakdown in superimposed d.c.field

electrodiffusion in UO2, 900-1000°C 7=11146

```
Oxygen-contd
```

electron avalanches, emission of ionizing radiation 7=13812-13
emission of 6300Å line in dayglow 7=8704
in G and K stars, forbidden lines obs. 7=18431
inhibition of grain growth in Cul films 7=1394
interaction with hot W 7=2457
ion activities in Na<sub>2</sub>O-5io<sub>2</sub> melts, 1200°C 7=7038

ion, O V, oscill. strengths calc. with config. mixing 7=10410 ion, O<sup>16</sup>, charge distrib. from tandem accelerator 7=9404 ions, negative, excitation possibility, review 7=6571

ionization by electron, potential, mass spectrometer obs. 7=17033

in ionosphere D-region, negative ion reaction lab. obs. 7=15589

liquid, flowmeter, true-mass 7=14014 liquid, viscosity, 1-100 atmospheres 7=7049

liquid, viscosity pressure dependence meas by torsionally oscillating quartz crystal 7=17257 luminescence spectrum, electron beam excited,

50 keV 7=6676

and metals secondary ion emission, obs. 7=15102 metastable states quenching by atmospheric

particles 7=10437 molecular spectrum, electron beam excited, 13 keV, rel. to

37 keV p and aurora 7=10508 molecule, broadening of electronic-vibr. system, calc. 7=13746

molecule, O<sub>2</sub> Herzberg I system,  $\nu''=0, 1, 2$  and photo-dissociation continua cale. 7=13745 molecule, stimulated emission spectra 7=12631

molecules in atmosphere photochemical formation and electronic excitation 7=15520

molecules collsion in  $O_2$ ,  $N_2$ , Ar, 0.6-4 keV, short range forces 7=16984

negative molecular ions, existence in Faraday space 7=6766

neutron transmission spectra and total cross-section minima 7=16627

in night glow, 5577Å emission large amplitude intensity var. 7=18382

normal oxygen boiling temperature 7=9249 organic solutions, effect on photoconductivity 7=17284 oxide cathode poisoning prod.obs.by O'Fallon method, rel.to press. 7=8073

permeability of polymer membranes to dissolved O<sub>2</sub> 7=1504

photoionization in metastable state 7=4174 photolysis,  $O_3$  formation 7=15443 in plasma theta pinch, reduction by fast Z

preionization 7=6882

quenching effect on lifetimes of excited mols. in liquid scintillators 7=14109

shock wave, vibrational relaxation zone structure 7=4286 solid, mag. props. of  $\alpha$ - and  $\beta$ -O 7=2166 solutions in two metals, thermodynamics, meas. errors 7=9005

sorption by Fe films, elec. cond. var. obs. 7=14886 in stars, abundances in M and S types obs. from molecular spectra 7=5532

stoichiometry effect on mag, anisotropy of
Fe, O<sub>4</sub> 7=8180
structures on W(110) surface 7=10983
6300A line, emitting height in night airglow 7=5404
C + O atom interaction effective cross sections calc. 7=843

in Fe,b.c.c., permeability, solubility and diffusivity 7=4672 H<sub>2</sub>-O<sub>2</sub> fuel cells, mixing obs. 7=171

N-O atom mixtures, chemionization 7=8540

O I forbidden lines in spectra of Sun and Arcturus 7=8962 O II, O III ions, Grottrian charts 7=4009 O III, absolute transition probabilities 7=13671

O IV levels decay obs. 7=16911
O electron photodetachment calc. 7=10629
O, Hertzian spectrum, 80-240 Mc/s 7=6548
O2- in MgO, X-ray form factors theory and obs. 7=14391

O<sub>2</sub> in amosphere, absorption cm and dm obs. 7=8680
O<sub>2</sub> in Earth's atmosphere, historical accumulation 7=15476
O<sub>2</sub>, energetic metastable state 7=16957
O<sub>2</sub>, millimeter absorption spectrum 7=6687

 $O_2$ , negative ion-molecule reactions, high press. 7=8542

 ${
m O_2, 1.27\,\mu}$  band in twilight, morning-evening

O<sub>2</sub>: 1.27 µ band in twingin, infining-evening asymmetry 7-15561
O<sub>2</sub> partial pressure in terrestrial and Venusian atmosphere 7-15474
O<sub>2</sub>, photolysis, detect. of O(<sup>1</sup>D) 7-2474

O<sub>2</sub> Rydberg series calc. 7=13750
O<sub>2</sub>, collisional detachment, temp. depend., kinetic theory 7=4160
O<sub>2</sub> first negative system rel. to vibrational transition probabilities 7=893

 $\rm O_2^*$  spectrum, proton-excited, 20-600 keV 7=13737  $\rm O_2^*+O_2$  reaction 7=15427  $\rm O_3,$  vertical distrib.up to 58 Km, rocket obs. 7=8636

 $O^{5*}$  autoionization rates in (1s, 2s, 2p)  $^4P_{92}$  state 7=4173

Oxygen-contd

 $O_3^{16},$  upper electronic state of molecule  $~7{=}10516$   $O^{17}$  n. m. r. in aq. solns. of Cu(en)  $\rm (H_2O)_4^{2^+}~7{=}7114$ 

 $O_2$ - $O_2$ , electron attachment and detach. 7=6817  $O_2$ - $H_2$ O, electron attachment and detach. 7=6817  $O_2$ - $H_2$ O, electron attachment and detach. 7=6817

O' on N2, charge exchange, 0.06-10 eV 7=6816 O' + N<sub>2</sub>, rate coeffs. at 300°K, laboratory obs. 7=8543 and O<sub>2</sub>-N<sub>2</sub> complexes rel. to surface layer transparency in 2800-2300 Å 7=12010

 $O_2-N_2$  mixtures, absorpt. in 2800-2350Å range 7=16956 O2-N2 mixtures, meas. of ion-ion recombination coeffs. 7=17018

 $O^+ + O_2$ , rate coeffs at 300°K, laboratory obs. 7=8543 O to  $O^{4+}$ , configuration results superposition 7=6533 O' on Q<sub>2</sub> charge exchange, 0.06-10 eV 7=6816 O¹6-O¹7, O¹7-O¹8, O¹8-O¹8, e. s. r. 7=6724 O¹7 n.m.r. in aqueous HCl soln. of Fe(III) 7=1177

in Se, determ. of content and effects by i.r. absorption 7=4872

in Th, diffusion prod. by d.c. obs. 7=4677

Oxygen compounds

crystals with oxygen-rich anions, e.s.r. associated with O<sub>2</sub> 7=15246

hydroxyl radical, band-absorption in u.v.range 7=6688 metal oxides surface tension rel, to metals at melting obs. 7=4338

oxide cathode, O concentration and mobility meas. and capacitance variation with temp. 7=2062

oxide cathodes, methane effects obs. 7=8072 oxide ions vibr. calc. for XY<sub>3</sub> type pyramids at 300°K 7=10467

oxides, bulk modulus and sound vels. at high temp., rel. to earths mantle 7=7641

oxide single crystals, growth by flux evaporation 7=10999 oxides under neutron irradiation at  $80^{\circ}\text{C}$  7=1661 spectra of oxides in crystalline and glassy states rel.

to struct. 7=18260 OCF<sub>2</sub>, spin-rot. interactions, mag. moments 7=921 OCS, microwave linewidths 7=6690

OCS molecules, emission microwave spectroscopy,

coherence phenomena obs. 7=10517 OCS, self broadening of microwave spectral line 7=16958 OF<sub>2</sub>, i.r. spectrum 7=6689

OH; oncentration in fused Si, by meas, of mol. extinction coeffs. 7=2491
OH as defect of perovskite BaTiO<sub>s</sub> lattice 7=4696
OH detect, in flash photolysis 7=15444

OH, interstellar, microwave emission, maser amplifier model 7=2674 OH, spinning detonation, wave-front structure 7=1074

OH stimulated emission associated with H II regions 7=15722
OH stretching vibrations, effect of strong hydrogen bonding 7=4081

OH ion-molecule reactions, energy depend. OH-, paraelectric resonance transitions in KCl, micro-wave saturation 7=11548 OH, reaction with methyl iodide, isotope effects

calc. 7=8544

OH<sub>3</sub>\*, one-centre-expansion SCF calc. 7=13726 OH in KBr, vibr. absorpt., elec.-field modulation 7=5270

atmospheric, anomalous layer with dust 7=8639 atmospheric, apparent variation at night 7=8637

atmospheric, content and distrib., from u.v. soln. rad. spectrum, model 7=12004 atmospheric local distrib. theory 7=5375 chain decomp., OH catalyzed 7=11944 formation in O<sub>2</sub> photolysis 7=15443 Joshi effect in mini-ozonizers in extremely faint light obs. 7=948

obs. 7=948

sonde for rocket flight 7=11991

tracer, Southern Hemisphere atmospheric transfer 7=18362 transport processes in atmosphere 7=15485 in upper atmosphere, nocturnal distrib. 7=2539

pH. See Electrochemistry.
p-n junctions. See Semiconducting devices/p-n junctions.

P-V-T relations. See Equations of state.

Pair creation. See Electron pairs; and under individual particles, e.g. Mesons.
Palaeomagnetism. See Rock magnetism.

e-irradiation damage at 1-3 MeV, residual resistivity obs. 7=14506

epitaxy on NaCl and KCl cleaved in vac., nuclei orientation 7=11019 films with adsorbed CO, i. r. spectra 7=17406 optical densities of states 7=7798

spin fluctuations, emission and reabsorption, effective-mass corrections 7=1789

surface ionization, for H detection in air 7=18343

Paramagnetic resonance and relaxation-contd

```
SUBJECTINDEX
           H<sub>2</sub> adsorption by Pd, consequences of proton
model 7=8552
Palladium-contd
            Pd-H system, internal friction 7=7729
Palladium compounds
           Pd-Ag alloys, sound velocity 7=1465
Pd-Ag magnetic susceptibility 90°-800°K 7=8098
Pd-Ag, Sn<sup>110</sup> isomer shift, composition var. obs. 7=7199
           Pd-Co(25at.%), elec. cond. K-effect rel. to short range order obs. 7=17877
         order obs. 7=17877

Pd-Er(0.5-6.6 at.%), electrical cond. and longitudinal magnetoresistance at low temps. 7=11439

Pd-Fe alloys, magnetic props., theory of Fe atom interaction 7=11657

Pd-Fe, mag. struct. 7=2142

Pd-1 at. % Fe and Pd-25 at. % Ag + 1 at. % Fe, quenching rel. to mag. susceptibility obs. 7=2143

Pd-H, Sn. is isomer shift, composition var. obs. 7=7199

Pd, Mn<sub>2</sub>, ζ-phase, magnetic structure 7=2167

Pd-Rh alloys, sound velocity 7=1465

Pd-Rh and magnetic susceptibility 90°-800°K 7=8098

Pd-Rh -Ag magnetic susceptibility 90°-800°K 7=8098

Pd-Sn alloys, magnetic susceptibilities and Sn. isomer shifts 7=11622

Pd-W(11.3at.%) elec. cond. K-effect rel. to short range order obs. 7=17877
Paper
           dielectric properties, used in capacitors 7=11551
           dielectric props. of impregnated paper, two models 7=5072 electrons resonance radiation in layered medium 7=12981
           C, for liquids acoustic press. meas. 7=10834
Paramagnetic resonance and relaxation
                 See also Lasers; Masers
          acoustic spin-lattice relax. in crystals with paramag. ions 7=11690
          adenine, in polynucleotides 7=2407
alkali halides F-centres g-factors, e.s.r.obs. 7=11692
alkali halides, radiation-damaged, ESR spectra 7=11688
alkali metal dinitrobenzene salts in DME 7=10545
          alkali metals in II-VI cpds., acceptor action detect. 7=4854
          aromatic hydrocarbons, zero-field splitting of
triplet states 7=8281
atom-molecule kinetics at high temp., e.s.r.
                detect. 7=11932
           bromacetic acid, γ-irrad.crysts. 7=15217
          2, 6-butylhydroxytoluene on X-irradiation,
                 radicals 7=8282
           calcite, irrad., P impurity centres 7=7549
          chloranile-p-phenylenediamine single crystals, g-factor
                orientation var. 7=2190
           conduction electrons, spin-lattice relax elec field.
                theory 7=11689
          conference, Bombay, 1964 7=16121
Coppinger's radical in liq.cryst. 7=931
          couplings between nuclear and electron spins 7=8315 crystalline solid solns, transfer processes 7=2476 DNA, u.v.-excited triplet state 7=2410 DPPH, n-irradiated 7=8301 demagnetizing effects analysis 7=11691
           detection of cm signals, wide-band absorption
          chamber 7=16129
diamond, rel. to acceptors, 108°-370°K, 4.2°K 7=18160
           e.p.r. meas., rel. to correl. of crystal field
          parameters 7=15211
e.s.r. study of polymer fracture process 7=14772
          Faraday effect, \alpha, \beta plots deviations from circularity 7=9461
           ferric hemin, spin-spin relax., Mössbauer spectra 7=14181
          formic acid, \gamma-irradiated frozen free radicals 7=8290 free radicals e.s.r. spectra, evaluation method 7=10551
          free radicals, freq. displacement in weak mag. fields 7-930
Heisenberg spin exchange of free radicals in solns. 7-7111
         inorganic crystals, radiation-damaged ESR
spectra 7=11688
ions with (ns)<sup>1</sup> configuration in S-states, g value in
crystals 7=2172
          line-shape recording by pulsed magnetic field modulation 7=16132
         liquid-crystal solvent effects on relax. 7=10869
literature survey, August 1963-July 1965 7=5193
malonic acid free radicals, X-irradiated at 77°K 7=4126
          met-myoglobin, field depend of g 7=941
          metal, absorption by conduction electrons 7=2186
         metals, conduction-electron spin res., Bloch eqn. 7\!=\!8278 in metals, dynamic effects with mag. ions calc. 7\!=\!2185 3-methylpentane, \gamma-irrad., trapped electrons 7\!=\!1984 naphthalene, magnetophotoselection 7\!=\!2209
        naphthoquinones and related cpds., methoxyl group as conformational probe 7=13772 pentacene anions and cations, anomalous spread 7=10552-3 perinaphthenyl, in liq.cryst. 7=1171
         polyethylene, discrete saturation of e.p.r.
lines 7=14974
        poly(methylmethacrylate), photodegradation 7=8576
polyoxymethylene, irradiated, triplet spectrum 7=18176
```

```
polystyrene, γ-irrad., e.s.r. study of radical conc.
and energy transfer 7=15449
 polystyrene interacting with N and O atoms 7=8539
 purines, excited triplet states 7=2213
 pyridine, irrad., free radicals 7=924
 pyrimidines, excited triplet states 6=2213 quinolinium (TCNQ<sub>2</sub>) 7=8303
 rare earth ions, point defect prod. of disymmetry 7=11705 rare earth ions spin-lattice relax. in LaF<sub>3</sub>, 1.3-
     5°K 7=2214
 relaxation, transition probabs. of 4-level system, meas.
      method 7=8279
 saturation, discrete, of nonuniformly broadened
lines 7=15212
semiconductor shallow impurity centres 7=18157
 semiconductors, spin-lattice relax. of conduction
 electrons 7=15214
short relax.times obs. 7=12584
 Slonczewski modes 7=18156
 solids, nonlinear paramagnetic absorption 7=5213
 spin-lattice relax, of inhomogeneous distribution 7\!=\!8277 spin-lattice relax, optical phonon branch 7\!=\!18158
 spin-lattice relaxation, effect of exchange interactions in
     ionic crystals 7=15216
 spin-lattice relaxation, phonon "heating" 7=14407
 spin-lattice relaxation time, meas.
                                                         7=15215
 spin-spin relax, theory 7=5194
 spin-spin relaxation, temp. -dependent, appl. to ferric
     hemin 7=14181
hemin 7=14101
spin-spin, theory 7=8276
teflon, discrete saturation of e.p.r.lines 7=14974
thioxanthone-5, 5-dioxide, assignment of coupling
consts. 7=10546
topaz, Fe³ and defect centres 7=18168
 triglycine sulphate, Cr-doped 7=15223
triplet excitons, line-shape function 7=1802
 tris(pentafluorophenyl) methyl radical 7=4127
II-VI compounds point imperfections obs. 7=1534
vanadocene 7=15253
vanadyl complexes in liq.-cryst. solvents 7=10869
Würster's blue perchlorate, spin coupling 7=8086
zero field moments theory 7=5866
Ag free atoms stabilized on SiO_2 gel. obs. 7{=}8280 Ag² in alkali chlorides, and Jahn-Teller distortion 7{=}1815\,9
Al, conduction e.s.r., obs. 7=2188
 Al-Se-Ge glasses, thermal treatment effect 7=5201
 AsO<sub>3</sub><sup>2-</sup> in γ-irrad. calcite 7=2189
BN, thermally and radiation produced centres \,7{=}11693 Ba²+, LiF, after quenching and X-irrad. \,7{=}5200
 BaF2, with U3+ impurity, discrete saturation of e.p. r.
     lines 7=14974
 C blacks, rel. to interlayer spacing 7=15219
 C, pregraphitic, Pauli paramag. temp. var. obs. rel. to band struct. 7=11694
 CaF<sub>2</sub>:Sc<sup>2</sup>, dynamic Jahn-Teller effect 7=11696
 CaF2, with U3+ impurity, discrete saturation of e.p.r.
     lines 7=14974
CaO, \gamma-ray prod. centres obs. 7=1541
 CdO obs. interpretation 7=11697
 CdS:I g value uniaxial press. var. obs. 7=11388
Ce3* in CaF<sub>2</sub>, e. s. r., orthorhombic and trigonal 7=8283
Ce3* in YGa garnet obs. 7=18161
ClO<sub>2</sub> centre in irrad. KClO<sub>4</sub> 7=11704
ClO<sub>2</sub> in soln., relax. 7=7112
ClO4 trapped in irrad. KClO4 7=2191
Co divalent ions spin-lattice relax, in hydrated double
    nitrates calc. 7=8285
Co divalent ions spin-lattice relax, in hydrated LaZn
     double nitrate and ZnSiF6. 6H2O obs. 7=8284
Co2+ in CdSe 7=2192
\rm Co^{2+} in \rm Cs_{_{3}}ZnCl_{_{5}} , weak exchange interactions in pairs obs. 7=2193
 Co60, dynamic orientation by forbidden transitions,
     meas. 7=11698
CoO, rel. to single-ion contrib. to magnetostriction 7=15164
Cr in rutile, relax. mechanism 7=2196
Cr in CaF<sub>2</sub> 7=15250
Cr in MgO 7=8308
Cr* in ZnTe, photo-induced, and photoconductivity 7=15220 Cr** in K_3(CoCr)(CN)_6, cross relax, between \frac{1}{2} \longleftrightarrow -\frac{1}{2} lines obs. 7=11699
\rm Cr^{3+} in phosphate glass 7=15222 \rm Cr^{3+} in presence of \rm V^{3+} in Al, spectrum obs. 7=2194
Cr<sup>3+</sup> in Al<sub>2</sub>O<sub>3</sub>, spin-lattice relax calc. 7=2220
Cr<sup>3+</sup> in LiAl<sub>5</sub>O<sub>8</sub> obs. 7=2195
Cr<sup>3</sup>· in MgO, symmetry analysis 7=15221

Cr<sup>3</sup>·:SnO<sub>2</sub>, e.p.r., heat treatment effects 7=18161

Cr<sup>3</sup>· in VO<sub>2</sub> at 77°K 7=18190

Cs atoms, optically pumped in aromatic gases,

spin relax, 7=10426
\begin{array}{l} Cs(UO_2)(NO_3)_s, irrad., e.s.r. \quad 7=15224\\ Cu, in amorphous and polycryst. GeO_2 \quad 7=2198\\ Cu-doped Seignette salt, e.p.r. \quad 7=2208\\ Cu(II) in aq. solns, of Cu(en) (H_2O)_4^2 \quad 7=7114 \end{array}
```

```
Paramagnetic resonance and relaxation-contd
               CuCl<sub>2</sub> 2H<sub>2</sub>O, broadening of lines, influence of strong
exchange interact. 7=11700
CuCl<sub>2</sub>. 2DMSO 7=2197
               Cu-Mn dilute, linewidth temp. dependence 7=18164
               Cu-Mn, at X-band, and mag. ordering, 2-295°K 7=18163
              Cu<sup>2</sup>- in NH<sub>4</sub>Br 7=15225

Cu<sup>2</sup>- in Sr tartrate 7=15226

Cu<sup>2</sup>- in Zn(HCO)<sub>2</sub>, 2H<sub>2</sub>O, spectrum 4.2-77°K obs. 7=2199

Cu<sup>2</sup>- in ZnWO<sub>4</sub> 7=15227

Dy<sup>3</sup>- interacting pairs in ethyl sulphate, e.p.r.
                      spectra 7=18165
               Dy**:CaF<sub>2</sub>, \Gamma_3-\Gamma_4 transitions from h.f. meas. 7=15228 Dy** in LaCl_3 7=15229 Er**, in II-VI cpds., host crystal effects 7=5195
               Er<sup>3*</sup> in CaF<sub>2</sub>, e.p.r. and spin-lattice relax. 7=11701
Er<sup>3*</sup>, in CaF<sub>2</sub>, spin-lattice relaxation processes 7=5196
              Er<sup>3</sup>·, in Cdr<sub>2</sub>, spin-lattice relaxation processes 7=5196
Er<sup>3</sup>·, in CdC<sub>2</sub>, spin-lattice relaxation processes 7=5196
Er<sup>3</sup>· in CeO<sub>2</sub> 7=14552
Er<sup>3</sup>· in LuGaG, g factors, interpret. 7=7179
Er<sup>3</sup>· in MgO cryst. 7=7203
               Er3+ in YGaG, g factors, interpret. 7=7179
              Eu(II) binary compounds 7=2200
Eu<sup>++</sup>, in KI 7=18166
EuAl<sub>4</sub>, 1.4-300°K 7=15194
              EuAl<sub>4</sub>, 1. 4-300°K 7-15194
Eu²-in KTAO<sub>5</sub>, spin Hamiltonian parameters 7-5197
Fe-group impurities in II-VI compounds, superhyperfine structure obs. 7-2201
Fe group ions in soln., e.s.r. linewidths 7-7113
F<sub>2</sub> ions in KHF<sub>2</sub> after e irrad., e.s.r. 7-18167
Fe²-:MgO, acoustic paramag.res., saturation effects 7-18175
                      effects 7=18175
               Fe<sup>2</sup>*:MgO, e. s. r., theory of strain broadened line
shapes 7=8289
               Fe<sup>2+</sup> in MgO, phonon generation obs. 7=4623
               Fe<sup>3</sup> in cordierite, e.s.r. 7=8286
Fe<sup>3</sup>*, e.s.r. in Na<sub>2</sub>Al<sub>2</sub>Si<sub>3</sub>O<sub>10</sub>. 2H<sub>2</sub>O (natrolite) 7=15230
Fe<sup>3</sup>* in BaO. 6Al<sub>2</sub>O<sub>3</sub> 7=8287
Fe<sup>3</sup>* in K cobalticyanide, spin-lattice relax. 7=8288
Fe<sup>3</sup>* in MgO, multiple-quantum transitions 7=18173
              res in MgO, relaxation, cross and spin-lattice, obs. 7=8299

Fes*:NaF, e.p.r. absorption 7=18169

Fe(CN)<sub>8</sub>NOS and Fe(CN)<sub>8</sub>NOH<sup>2</sup> 7=6723
              FeO, rel. to single-ion contrib. to magnetostriction 7=15164
FeS, (troilite), hyperfine field of FeS, second order
effects 7=18148
G28* 28
               Ga2*, ^2S_{1/2}-state, in ZnS 7=8292
GaAs surface interacting with a dsorbed O_2 7=7293
GaP, of S, Se, Te, donors at 77°K 7=18170
               Gd ethyl sulphate, spin-spin and crystal field interacts 7=8291
Gd(III) binary compounds 7=2200
               Gd, transmitted resonance lines 7=2202
              Gd3* in BaMOQ<sub>4</sub> 7=15231
Gd3* in CeO<sub>2</sub>, e.s.r. spectrum, cubic crystal
splitting 7=11702
Gd3* in KTaO<sub>3</sub>, spin Hamiltonian parameters 7=5197
               Gd<sup>3+</sup> in SrTiO<sub>3</sub>, elec. field var. obs. 7=15232
Gd<sup>3+</sup> in Tl<sub>2</sub>SeAs<sub>2</sub>Se<sub>3</sub> glass 7=11703
GdX<sub>2</sub>, Laves-phase cpds, Gd hyperfine field 7=11706
               Ge, interacting donors, exchange narrowing of linewidth, temp. depend. 7=5192
Ge surface interacting with adsorbed O<sub>2</sub> 7=7293
              H-atom-methyl-radical complex in solid, triplet-state e.s.r. 7=8293
H, in CaF<sub>2</sub>, forbidden transition lines rel. to F<sup>19</sup> dyn. nuclear polariz. 7=10916
H, in DPPH, demagnetizing effects meas. 7=11691
               Ho in PbMoO<sub>4</sub> single crystal 7=2203
Ho<sup>3+</sup> interacting pairs in ethyl sulphate, e.p.r.
                       spectra 7=18165
               Ho3+ in CaWO4, point defect prod. of disymmetry 7=11705
              In Carrya, point detect process distributery i= In<sub>2</sub>O<sub>3</sub>, degenerate, due to conduction electrons, large strain sensitive g shift 7=8294 In<sup>2+</sup>, <sup>2</sup>S<sub>1/2</sub>-state, in ZnS 7=8292 K in irrad. KASF<sub>6</sub>, h.f.s. 7=5199
               KCl solid reaction with F<sub>2</sub> 7=8300
KCl H centre absorption rel. to optical obs. 7=17632
KCl:I:Pb, e.s.r. of ICTV<sub>k</sub>-centre 7=5198
KCl. KBr-Ag, nonisothermal relaxation 7=15233
               KCl:Pb, V_k centres thermal preferential reorientation obs. 7=17630
                KC1 R centre calc. 7=8295
                KCuCl<sub>3</sub> 7=11625
                K2CuCl4. 2H2O, exchange narrowing and 10/3 effect
               obs. 7=8296

K<sub>3</sub>(Co, Fe)(CN)<sub>6</sub>, ang. var. obs. 7=2204

K<sub>3</sub>Fe(CN)<sub>6</sub> spin-lattice relax., 9. 4 Gc/s, 1.75°K 7=8288
               KH<sub>2</sub>AsO<sub>a</sub>, proton exchange between slater configurations
near a paramag, centre 7-15234
Li, effect of Zn, Cd and Hg mixtures on e.p.r. line
width 7-18171
                 Li small particles in n-irrad. LiF 7=11721
                LiF, discrete saturation of e.p.r.lines 7=14974
LiF F-centres prod. on n-irradiation 7=11215
```

```
Paramagnetic resonance and relaxation—contd
LiF, irradiated, rel. to F dynamic polarization enhancement at 80°K 7=10917
                   \rm MgF_2 colour F and M centres prod.by X-rays at 50~\rm kV~7{=}14623
                   MgO, \gamma-ray prod. centres obs. 7=1541 MgO, impurities, g-factors 7=2173
                   MgO, multiple-quantum transitions of Mn<sup>2+</sup> and Fe<sup>3+</sup> 7=18173
                   MgO surface defects, e.p.r. study 7=7538 Mg<sub>2</sub>P<sub>2</sub>O<sub>7</sub>:Mn<sup>2*</sup>, α and β phases 7=11709 Mn<sup>**</sup> in Mg(OH)<sub>2</sub>, spectrum obs. 7=11708 Mn<sup>2*</sup>, in borate glasses 7=15235
                   Mn<sup>2</sup>· in calcite, forbidden hyperfine transitions 7=15236
Mn<sup>2</sup>·, e.s.r. in CaCO<sub>3</sub>, effect of pressure 7=15237
                   Mn<sup>2+</sup> ion in tremolite, apophyllite and scheelite 7=15252
Mn<sup>2+</sup> ions in CdS exchange narrowing 7=2206
Mn<sup>2+</sup> ions in ZnS exchange narrowing 7=2206
                   Mn<sup>2+</sup> in Linde X zeolite, selective exchange of cation sites 7=8297
                   Mn<sup>2</sup>· in polycrystalline As<sub>2</sub>S<sub>3</sub> obs. 7=2205
Mn<sup>2</sup>·, in ZnWO<sub>4</sub> 7=15241
Mn<sup>2</sup>· in BaTiO<sub>3</sub>, tetragonal and cubic phases meas. 7=8298
                   Mn<sup>2</sup>*:CaO, hyperfine coupling, temp, depend. 7=15238
Mn<sup>2</sup>*:CaWO<sub>4</sub>, elec. field shift 7=15239
Mn<sup>2</sup>* in LiF 7=7546
                   Mn<sup>2+</sup> in MgO, multiple-quantum transitions 7=18173
                   Mn<sup>2+</sup> in MgO, relaxation, cross and spin-lattice, obs. 7=8299

Mn<sup>2+</sup> in NaCl, hyperfine coupling, temp. depend. 7=14186
Mn<sup>2+</sup> in NaCl rel. to point defects, effects of temp. and
                           time 7=18174
                   Mn<sup>4+</sup> in MgO, symmetry analysis 7=15221
MnNi, hyperfine interaction at Mn<sup>55</sup> nucleus rel.to specific
                             heat obs. at 0.3-4°K 7=17567
                   MnNi3, hyperfine interaction at Mn55 nucleus rel to
                   specific heat obs. at 0.3-4 ^{\circ}K 7=17567 MnO, rel. to single-ion contrib. to magnetostriction 7=15164
                   Mn2+:SrO, hyperfine coupling, temp. depend. 7=15238
                   Mn<sup>2</sup>:STWO<sub>4</sub>, e.p.r. 7=15240
Mo<sup>5</sup>·, in MoO<sub>3</sub> films 7=11787
Mo<sup>5</sup>· in rutile-type crystals, electronic structure 7=2218
                   Mo<sup>5+</sup>(4d<sup>1</sup>) in K<sub>2</sub>SnCl<sub>8</sub>, h. f. s. and core polarization of Mo<sup>5+</sup> obs. 7=10929
                    N atoms, gaseous S-state, spin-relax. effects 7=10413
                   N in diamond, Jahn-Teller distortion,
                             reorientation 7=15242
                   N, in SiC, rel.to elec.props. ^{-7}=1 N_2, atom recomb.determ. ^{-7}=928
                   N_2H_4^+ in \gamma-irradiated NH_4PF_6 7=11710 NH_3-H_2O systems at 77°K, e.s.r. study of \gamma
                             radiolysis and photolysis 7=8578
                   Na acetate trihydrate, methyl radical in irrad.
cryst. 7=11707
                   NaCl solid reaction with F<sub>2</sub> 7=8300
NaCl, Mn<sup>2*</sup>-vacancy complex aggregation obs. 7=1559
                   NaCl. NaBr-Ag, nonisothermal relaxation 7=15233 NaD<sub>3</sub>(SeO<sub>3</sub>)<sub>2</sub>, \gamma-irrad., e.s.r. 7=2207 NaFHF, F-centres and imperfections prod. by \gamma-rays
                   obs.by n.m.r.and e.s.r. 7=1639
Na_Fe(CN),NO]. 2H<sub>2</sub>O, hyperfine interaction 7=15218
NaH<sub>3</sub>(SeO<sub>3</sub>)<sub>2</sub>,γ-irrad.,e.s.r. 7=2207
NaN<sub>3</sub>, F-centres and imperfections prod.by γ-rays obs.by n.m.r.and e.s.r. 7=1639
                   NaOCN, F-centres and imperfections prod. by \gamma-rays obs. by n.m.r.and e.s.r. 7=1639
                   Nd ethyl sulphate, lattice-bath relax. time 7=11711
                   Nd3+, in CaMoO<sub>4</sub> 7=15245
                  Nd3*, in CaMoO<sub>4</sub>, 7=15245
Nd3*, CaWo<sub>4</sub>, effect of uniaxial compression 7=11712
Nd3* in CaWO<sub>4</sub> and CaF<sub>2</sub>, mag, field var. of single-phonon spin-lattice relax. obs. 7=2221
Nd3* in LaCl<sub>3</sub>, pair spectra obs. 7=2210
Nd3* in LaNa(MoO<sub>4</sub>)<sub>2</sub> obs. 7=15244
Nd3* in PbMoO<sub>4</sub> rel. to Stark effect due to crystal field calc. 7=8428
Nd3* in SrMoO<sub>4</sub> obs. 7=15244
Ni2*:MgO, acoustic paramag. res., saturation effects 7=18175
                  NiO, rel. to single-ion contrib. to magnetostriction 7=15164
NiO, rel. to single-ion contribution in relation 7=15164
NiO, rel. to single-ion contribution relation relatio
                  Pt in YAl garnet, e. s. r. absorption spectrum 7=8302 Rh(II), spin-lattice relax. in ZnWO 7=8304 S donors in GaP at 77°K 7=18170 S flames, rarefied 7=2454 S radicals, g-values calc. 7=6742
                   Sb-doped Ge, Zeeman effect compression var. obs. 7=8305
                  Se, amorphous, g-values of paramag. centres 7=8306
Se-doped AgBr, e.s.r. 7=2187
Se donors in GaP at 77°K 7=18170
                   Se radicals, g-values calc. 7=6742
                   in Si, A centers and P, effect of light 7=15247
```

Paramagnetic resonance and relaxation-contd Paramagnetism-contd spin-system, adiabatic approx. for density matrix 7=9336 spiral stability, effects of band structure, theory 7=8106 susceptibility of four-level system 7=16142 Si donor electrons spin-lattice relax., elec.field var.at Si, interacting donors, exchange narrowing of linewidth temp. depend. 7=5192 1.3°K 7=18178 Parametric amplifiers. See Amplifiers. Si ionized impurity pairs double resonance obs. 7=18177 Si surface interacting with adsorbed  ${\rm O_2}$  7=7293 Parent. See Nucleus; Radioactivity. SiC, optical charge transfer 7=15086 n-SiC:N, electron irradiated 7=2215 See also under individual particles, e.g. Mesons/spin bosons, G-parity doublet, e.m. interactions 7=12885 posons, G-parity doublet, e.m. interactions 7=12885 CP-conservation in nuclear decay 7=13553 CP invariance test in  $K_2^{\circ} \to 3\pi$  obs. 7=13020 CP non-invariance theory in  $K_2^{\circ} \to \pi^{+} + \pi^{-}$  7=13028 CP violation in K weak interactions, review 7=16577 CP violation in  $K_2^{\circ} \to \pi^{+} \pi^{-}$  obs. 7=13018 CP violation models and their experimental implications 7=16335 interpulsion notantials non-consequents. Si, P conc. var. at liquid He temp. 7=18180 Si:P,e.s.r.obs. 7=5202 Si:P in metallic conduction region at liquid He temps. 7=18179 Si, P doped, linewidth and mobility 7=14808 Si, P doped, linewidth and mobility 7=14808
Sm³\* in CaF<sub>2</sub> trigonal sites obs. 7=8307
SnO<sub>2</sub>, variation during reduction 7=2216
Sn³\*:ZnS, photosensitive e.s.r. 7=15248
SrF<sub>2</sub>:Sc²\* dynamic Jahn-Teller effect 7=11696
SrF<sub>2</sub>, with U³\* impurity, discrete saturation of e. p. r.
lines 7=14974
SrO, γ-ray prod. centres obs. 7=1541
<sup>2</sup>T<sub>2</sub>, salts in rhombic symmetry, ang. 427, 7-2204 internucleon potentials non-conservation meas. by  $(n, \gamma)$  7=13224 in meson resonance decays, SU(3) mixing evidence 7=16585 meson resonances 2',1' and 0' in SU(6) 7=13039 non-invariance 7=16456 2T<sub>2</sub> salts in rhombic symmetry, ang. var. 7=2204
Tb<sup>3</sup> interacting pairs in ethyl sulphate, e.p.r.
spectra 7=18165
Te donors in GaP at 77°K 7=18170 ray representations of product of n commuting parity operators 7=9771 in  $Cd^{113}(n, \gamma)$ , non-conservation search 7=13112  $Co^{80}\beta$ -decay parity invariance violation obs. 7: Te-doped AgBr, e.s.r. 7=2187 Te-doped Agbr, e.s.r. (=2101 Tj³+ in TlAl(SQ<sub>4</sub>), 12H<sub>2</sub>O 7=2217 Tl²+, 2S<sub>1/2</sub>-state, in ZnS 7=8292 Tm³-: Tm(C<sub>2</sub>H<sub>3</sub>SO<sub>4</sub>)<sub>3</sub>, 9H<sub>2</sub>O, acoustic, spin-lattice relax. 7=11690 U⁴+ in CaF<sub>2</sub>, trigonal spectra obs. 7=2212 in  $H^2(n,\gamma)$ , non-conservation search 7=13112 in  $H^{180}$  57 keV transition mixing obs.from conversion 7=13334 O16, continuum, virtual transitions, calc. 7=16702 Particle accelerators V in soda-boric acid glasses 7=10930 See also Ion beams. V in CaF<sub>2</sub> 7=15250 V in MgO 7=8308 beam current distribution and geometry meas, in drift region 7=3056  $V^{3}$ : Al<sub>2</sub>O<sub>3</sub>, acoustic, spin-lattice relax. 7=11690  $V^{3}$ : in Al<sub>2</sub>O<sub>3</sub> (corundum) 7=15251  $V^{3}$ : in Al<sub>2</sub>O<sub>3</sub> at 4.2°K 7=9463 beam position sensor, non-intercepting 7=12812 beam position sensor, non-intercepting (=12812) beam profile meas., spark chamber with magnetostrictive delay line readout 7=12807 beam separation, review of advances at high energy physics conference in 1964 at Dubna 7=5824 charged particle motion in field of travelling e.m. wave 7=203 V<sup>3\*</sup> in Al<sub>2</sub>O<sub>3</sub> at 4.2 K 7=9463 V<sup>4\*</sup> in rutile-type crystals, electronic structure 7=2218 VO acetylacetonate, coord, to 6th position 7=6725 VO<sup>2\*</sup> in glass, detection 7=11713 VO<sup>2\*</sup> ion in sphere and apophyllite 7=15252 V<sup>4\*</sup> in VO<sub>2</sub> at 77 K 7=18190 Yb<sup>3\*</sup>, in CeO<sub>2</sub> 7=14552 Yb<sup>3\*</sup>, in II-VI cpds., host crystal effects 7=5195 e' beam focusing, stepped-field theory 7=12991 electrodynamic, plasmoid structure 7=17160electrodynamic, plasmoid structure 7=17160
electron space charge effect on electrodynamics of
periodic accelerating structure 7=16399
electrostatic separators, glass cathodes 7=424
experiments with proposed European 300 GeV
accelerator 7=16403
magnetic field meas., Permalloy units coercivity var. with
mag. field change rate 7=3008
national versus to international, rel. to proposed
European 300 GeV accelerator 7=16404
for neutron very intense source prod., comparison 7=13093
for v high energy interactions meas. 7=12973
phase motion with space charge 7=9732 ZnO, e.s.r. signal g = 1.957 7=11714 ZnO photosensitive donors prod. on u.v. irradiation 7=15254 ZnS, self-activated e.s.r. 7=11904 ZnS(Cu, Cl), phosphor, e. p. r. study of electron trapping 7=11378

ZnSe, self-activated e.s.r. 7=11904

ZrO<sub>2</sub> with Cr and V, e.r.s. for cryst, field studies 7=7189 measurement cavity for X-band and 77°K to avoid N<sub>2</sub> bubbling noise 7=2184 phase motion with space charge 7=9732 cryostat for irradiated samples, variable temp. 7=12488 pole forms rel. to mag. potential 7=432 crystal rotation and orientation 7=8275 proposed European 300 GeV accelerator, introduction 7=16401 p, for n generation, appls. 7=13073 pulsed mag. field, in 8 litre volume 7=16041 e.s.r. investigations, 10 cm waveband, cavity 7=16128 for electromagnet field stabilized 7=3013 free atoms, stabilized at low temps. 7=13705 high-sensitivity, bolometer detection 7=2183 radiation obs., effect on circuits 7=16391 klystron local oscillator a.f.c. 7=261 review, low and medium energy 7=425 1.7° to 4.2°K, cryostat 7=16125 shields, high-energy, neutron leakage spectra 7=16390 sky-shine meas. 7=13077 pick-up of magnetic field marks 7=16130 single-klystron spectrometer using superheterodyne demodulation, for 9 Gc/s 7=9458 spectrometer, RE-1301 7=16124 sky-shine meas. starting pulse derivation for nanosec transit times 7=3405 tandem, multiple traversal of ions by mag. mirrors spectrometer, for short-lived species 7=3098 design 7=12815 spectrometer using traveling wave helix for 2 Gc/s 7=260 u.v. meas. in microwave cavity, detector 7=9459 ultraviolet illuminator for microwave spectrometer 7=3097 for tritons, radiation protection 7=9720 vacuum system design method 7=9728 ultraviolet illuminator for microwave spectrometer X-band cavity, remote variable coupling with sample cavity in Dewar vessel 7=9462

He cryostat for Re' 1301 spectrometer 7=3100-1

He, optically oriented, optical detect. 7=6560

KCl, F-centres, ENDOR 7=2235

Mn" in Al<sub>2</sub>O<sub>3</sub> 7=18172

NH<sub>3</sub> maser spectrometer improvements 7=3099

NbZr superconducting magnet with high homogeneity 7=9463

magnetism D' from Pléiade obs., static mag. plus h.f. fields use 7=16389 H target using liquid jet injected into accelerator, proposal 7=6226 linear bunch structure calc. 7=5995 for cyclotron CEVIL heavy ion injection for stripping near centre 7=12848 electron, photon monochromatic beam prod., proposal 7=6110 Paramagnetism electron, pulsed, 100-500 kV, mag. field interaction, X-ray prod. 7=16398 electron, Stanford, particle yields at 2° and 3° on Be 7=16397 See also Magnetic properties of substances/paramagnetic fluctuation driven spin waves above ferromag. Curie pt 7=11631 electron, Stanford, secondary particle yields at 0° 7=16396 electron, superconducting waveguides 7=3406 free-energy of crystal, contrib. of orbit-lattice interaction 7=2086 electrons, chopper and "time-zero" detector 7=16395 for electrons, multiplex beam with var. in pulse width and max. energy from pulse to pulse 7=13396 gamma-gamma ang. correl. reson., paramag. powder source 7=16692 impurity, electron order variation nearby 7=11381 epoxide-compound tube, for neutron generators 7= focusing particles using high freq. fields 7=12816 limiting current density 7=12813 ion interacting with lattice phonons, Green functions application 7=7463 metals, impurities, singlet states 7=5129 for meson prod., Los Alamos 7=12814 for meson prod., review of developments and appl. Mössbauer spectra, Zeeman splitting 7=10920 Rayleigh line, superfine struct. in a paramagnet 7=5231

prospects 7=12997

Particle accelerators-contd

```
Particle accelerators - contd
    linear - contd
        motion of non-relativistic charged particles in field of two
             travelling waves 7=12530
        p, for n generation, appls. 7=13073
SAMES 150 kV, as pulsed neutron generator 7=10014
self-consistent particle distribution and limiting
             current approx. 7=5996
        tandem, O^{16} ion charge distrib. 7\!=\!9404 tolerances with quadrupole focusing by accelerating
             field 7=9721
        vacuum pumping 7=9725
        Van de Graaf accelerator buncher for H ions 7=9724
        Van de Graaf, accelerator tube conditioning 7=9727
Van de Graaff, computer on-line 7=9722
        Van der Graaf, as e source, 3 MeV, 5 A, 1-100 nsec
pulses 7=16392
         Van de Graaf for electrons, turbopump appl. 7=9726
        Van de Graaf pressurized generators electrodes for field
uniformity increase 7=9723
        Al microwave cavity surface cond. increase by lowering temp. 7=1832
        Ar ion Hall accelerator thrust at low exhaust press.
             obs. 7=9403
        Cu microwave cavity surface cond. increase by lowering
             temp. 7=1832
        H ion, direct-action with h.f. ion source 7=16393
Nb, superconductor appl., microwave losses obs.
         Pb superconductor appl., microwave losses obs. 7=4957
        betatron, electron capture mechanism 7=16410
betatron field index meas. from vector potential 7=9735
CERN 300 GeV study 7=16402
charged particle bunches, transverse coherent
instability 7=9730
        cyclotrons, isochronous, conference, Gatlinburg, 1966 7=9731 disturbed particle motion and oscills. calc. 7=12825 electron FFAG-synchrotron, radial sector, 150 MeV 7=3411
         electron synchrotron 140 MeV, pole profile correction
             and field gradients 7=9734
         electron synchrotron, vacuum u.v. radiation, normal
              incidence monochromator 7=12709
         energy storage system, 2MJ, power supply and
              logic 7=9740
        experiments with proposed European 300 GeV accelerator 7=16403
         FFAG electron synchrotron calc. 7=16407
        FFAG electron synchrotron calc. 7=16407 focusing by crossed elec, and mag, fields 7=16400 focusing particles using high freq, fields 7=12816 instabilities of azimuthally bunched beams, transverse coherent resistive 7=3407 mass separated beam, at zero gradient synchrotron 6 GeV/c 7=6000 measurement and control of beam from stray particles azimuthal distrib. 7=12868 for meson prod., review of developments and appl. prospects 7=12997 migratron resonator mesk voltage mass. 7=0736
         microtron resonator, peak voltage meas. 7=9736
        national versus to international, rel. to proposed
European 300 GeV accelerator 7=16404
         p synchrotron, irradiation of emulsion stack and
              spark chamber 7=5998
         p synchrotron, monitoring of particle incidence on internal
              target by ionization chamber 7=5999
        proposed European 300 GeV accelerator,
              introduction 7=16401
         ring of particles in time dependent e.m.field, model 7=430
         storage rings 7=9729
         synchrocyclotron p extracted beam stretching in strong focusing ring 7=12855
         synchrocyclotron, symmetric ring 7=433
         synchrotron, alternating gradient, skyshine radiation
              obs. 7=434
         synchrotron BSB, air cored, mag. field
characteristics 7=12871
         synchrotron BSB, air cored, mag. power supply 7=12872
synchrotron BSB, air cored single turn 7=12870
synchrotron BSB, air cored, single turn injection 7=12873
synchrotron, FIAN current density distrib. of electron
beam 7=9384
         Synchrotron for ions of all types, with associated concentric storage ring 7=12857 synchrotron resonator, modulation of r.f. voltage pulse
              front 7=16405
         synchrotron vacuum chamber design 7=9738
synchrotron vacuum system design 7=9728
         synchrotrons, isochronous, international conference review 7=426
         synchrotrons, p, quadrupole lenses for focusing, field non-
linearities 7=3412
         K separated beam at bevatron, variable momentum 7=6185 K separated beam at bevatron, 2.5-2.8 GeV/c 7=6184
    orbital, cyclotrons
```

```
orbital, cyclotrons-contd
     axial ion source incorporation central region studies for Davis 76 in. 7=12817
     beam diagnostics and instrumentation 7=12821
     beam extraction at ORIC 7=12844
     beam obs. in Karlsruhe isochronous cyclotron 7=12828
     beam obs. in Philips A.V.F. 7=12836
     beam props. effect on experiments 7=12835
     beam pulses lengthening from 680 MeV synchro-
cyclotron 7=3409
     Berkeley 88 in development 7=12860
central region calc for variable energy 7=12826
central region review 7=12820
     computer calc. of ion extraction and transport 7=12822
     computer control programme at Michigan 7=12865
conversion to variable energy isochronism at
Kazakhstan 7=12867
    deflection bunching at Karlsruhe isochronous use with n time-of-flight spectrometer 7=12823 design of AVF >100 MeV 7=12856 external injection sector 300 keV for d 7=6001-2 external source ion injection 7=12830
    external source ion injection 7=12830
extraction, e. s. and regenerative, in AVF 7=12839
extraction using %-radial resonance in six-sector
isochronous cyclotrons 7=3408
Grenoble, 60 MeV, isochronous, calcs. and
techniques 7=5997
injection to centre in median plane by cancelling Lorentz
force by elec. field 7=12847
injection of heavy accelerated ions into CEVIL for
stripping near centre 7=12848
in phase radids var. meas. by e. s. probes in
isochronous cyclotron 7=12827
           isochronous cyclotron 7=12827
      ion sources phase space density obs. 7=12832
     isochronous, magnetic field adjustment at Orsay
LEVIL 7=12864
     isochronous, pumping 7=9733
isochronous, review, 8-130 MeV 7=12861
for meson prod., review of developments and appl.
prospects 7=12997
    mesonic X-ray spectrometer appl. 7=16926
microtrons, superconducting cavities 7=431
modification of centre region and extraction of
Berkeley 184 in. 7=12852
     for neutron fast time-of-flight meas., use as pulsed
           sources 7=13094
     p extraction on H- acceleration obs. at Milan 7=12863
     p extraction, single-turn and foil stripping 7=12837
    p extraction, single-turn and foil stripping 7=12837 p, isochronous, 500 MeV, 100 µA, for meson prod. 7=12833 p, for n generation, appls. 7=13073 p source modification for H·prod. 7=3054 polarized ion sources review 7=12829 polarized p and d sources for axial injection 7=12831 Princeton-Pennsylvania 3 BeV proton synchrotron, septim magnet extend design 7=3040
     septum magnet system design 7=9349
reaction prod., research with AVF in Europe 7=16768
regenerative beam extraction review 7=12838
regenerative beam extraction in synchro-cyclotrons 7=12845
     regenerative deflector and e.s. channel for
           Berkeley 88 in. 7=12843
      regenerative e.s. extraction for Berkeley 88 in. 7=12842
     resonance extraction with no coupling to axial oscills. 7=12841
     resonances, coupled Q_r - Q_z = 1, and fractional Q_z = \frac{1}{3} 7=428
      review of research with AVF in USA 7=16759
      ring-synchrocyclotron, FIAN, electron acceleration.
     30 MeV 7=9737
Rossendorf, deflector automat 7=427
     sector, for p, d, 685 mm 7=12862
separated-orbit 7=12858
     separated orbit cyclotron pair 7=12859 for short-lived isotopes prod. 7=3824
     space charge in ion bursts theory 7=12846
spectrometer at ORIC 7=12819
synchro-cyclotron at Carnegie improvements 7=12854
    synchro-cyclotron for p on W as pulsed n source for fast time-of-flight meas. 7=13097 syncrocyclotron conversion to partial isochronous at Nevis 7=12853
    at Nevis 7-12853
synchrocyclotron conversion review 7-12850
synchrocyclotron, Dubna, dependence of beam current
on accelerating voltage 7-12869
synchrocyclotron electro magnets d.c. stabilizer,
multichannel 7-3410
     synchro-cyclotron modification to sector focusing,
          Uppsala 184 MeV 7=12851
     synchrocyclotron p extracted beam stretching in strong focusing ring 7=12855
     synchrocyclotron, 680 MeV, control 7=16406
     theory of external injection, with sectioned magnetic
          system 7=429
    trim-coil supplies computer control at Berkeley 88 in. 7=12824
```

variable energy p extraction on stripping H- 7=12840

SUBJECT INDEX Particle accelerators-contd orbital, cyclotrons-contd variable energy at Texas, unique features 7=12866 for Al<sup>27</sup>(p, a) Mg<sup>24</sup> obs. at 30 MeV 7=16797 D source, polarized, charge exchange prod. 7=17025 B source, polarized, charge exchange prod. 7=17025 H- spiral ridge meson factory 7=12834 He³ recycling 7=9739 Mn⁵4 production yields obs. 7=3958 Na²2 prod. yield by d and p on Mg to 20 MeV 7=13596 Nb-Sn superconducting plates mag. shielding obs. 7=12818 Particle detectors See also Bubble chambers; Cloud chambers; Counters; Ionization chambers; Nuclear track emulsions; Particle track visualization. beam current distribution and geometry meas. in drift region 7=3056 channel electron multiplication, mechanism 7=218 current integrator with automatic pulse height analyser dead time correction 7-9707 devices using time definition and meas., present trends obs. 7=3348 diode function generator 7=413
(E + E<sub>o</sub> + kdE/dx)dE/dx, for 20-100 MeV 7=391
electrostatic charged particle energy analyzer 7=9374
ionographic, solid, for heavy nuclei fission obs. 7=386
PDP8 associative analyser operating instructions 7=9686 polarization meas., symmetry defects with precessing mag. field 7=12782 scattering chamber, three-body 7=9685 semiconductor element, avalanche-tunnelling combination 7=5960 semiconductor, principles and characteristics 7=16362 solid-state, review 7=9695 stability meas. apparatus 7=3347 Be, B, C isotopes identification using power law technique 7=16341
CsI(Tl) scintillation detector for charged particles 7=16609 Particle focusing. See Particle optics. Particle optics See also Electron optics; Ion optics. beam separation, review of advances at high energy physics conference in 1964 at Dubna 7=5824 physics conference in 1964 at Dubna 7=5824 beam steering with quadrupole and rectangular box magnets 7=207 beam transport calc. by Newton-Raphson method 7=3034 bell-shaped magnetic lens theory 7=16053 cusp biconical field, orbits 7=3032 diffuse scattering for focusing 7=5823 e beam focusing, stepped-field theory 7=12991 e.s. field trajectory plotting with electrolytic tank and analogue computer 7=9373 electrostatic immersion lenses approximations 7=206 electrostatic immersion lenses approximations field. electrostatic plane condenser focusing, fringe field effect calc. 7=5822 electrostatic separators, glass cathodes 7=424 focusing with successive mag, quadrupole rotations  $\pm$  90° 7=3035 high-energy beams, book 7=9375 interaction of beams, calc. 7=12532 iris-loaded waveguide r.f. deflectors obs. 7=3036 magnetic monopole motion in earth's field calc. 7=13136 matrix conventions 7=9376 motion in decelerating medium and uniform magnetic field, rel. to bubble chamber 7=16377 orbital accelerators disturbed particle motion and oscills.calc. 7=12825
pole forms for accelerators rel.to mag.potential 7=432
polystyrene; isotactic, crystallite size rel.to X-ray line
broadening obs. 7=1396 quadrupolar multiplets turnover matrices calc. 7=12533 quadrupole doublet lense, errors of adjustment effect on image 7=16054 quadrupole lens system with unity transfer matrix 7=3033 quadrupole lenses for focusing in proton synchrotrons, field non-linearities 7=3412 quadrupole systems, conditions for unity turnover matrix 7=12534 Scherzer's theorem extension 7=205

separator according to mass, chromatic aberrations compensation 7=18055 spark chambers, application of Moliere's theory of multiple scatt. 7=422 in toroidal mag. field calc. 7=10663 H, polarized, focusing and separation by periodic mag. field 7=5874 Nb<sub>3</sub>Sn ribbon superconducting quadrupole lens 7=9378 Nb-Zr superconducting quadrupole lens 7=9377 Particle range atomic stopping, review of post 1960 developments 7=4047 deuterons, in anthracene, terphenyl and plastic scintillator 7=7637 electron transport theory, below 10 MeV, review 7=16525 ion projected ranges calc. at low energy in heavy substances 7=7620 protons, in anthracene, terphenyl and plastic scintillator 7=7637

Physics Abstracts 1967 - Part I (Jan.-June) Particle size See also Surface measurement. aerosol, atmosphere particle spectrum determination by aerosof, atmosphere particle spectrum determinant light scatt. 7-15519 aerosol, electric, analyzer system, 0.015-1µ, electric 7-14137 aerosols, exhaustion analysis method 7-1182 alloys, brittle fracture resist, influence on 7-7659 analyser 7=5 coincidence error in Coulter counter analysis 7=14135 determ. by Coulter counter, anal. of data 7=7210 dielectric spheres, polydispersion, optical scattering cross-sections 7=1179 meas.by mean scattering cross-sections in polydispersions 7=1180 measurement of distribution in dispersions by light scatt., angle range 7=7125 polymers in soln., from dielec. absorpt. 7=10817 review of automatic recording instruments 7=12282 scanning apparatus 7=7350 size distrib. anal. of powders, grains and pores 7=7211 size-frequency analyser, diffraction type 7-4392 solid volume percentage below detectable size 7=14134 steel, Ni-Cr-Mo, austenite grain size heat treatment effects, rel. to AlN precipitation 7=17470 AgBr in gelatine sols., spectrum from transparency, 0.4-1.2 $\mu$  7=7128 Au, colloidal, determ. by spectrophotometry 7=14136 Co precipitate in Cu-Co(1%), distribution function obs. 7=14212obs. 7=14212 in Cu-Co (3. 23 wt.%), and annealing on cold rolling 7=4543Fe, polycrystalline, rel. to ductile deformation, X-ray obs. 7=17468 Fe(III)-oxyde-hydrate, ultra-fine particles, superparamag., down to 30°K 7=15195 Mg, cold-worked, line shape analysis 7=17471 MgO, explosively shocked, X-ray line broadening obs. 7=7363 ZnS:Cu, effect of cryst. dimens. on electroluminesc. yield 7=11897 Particle spectrometers See also Alpha-ray spectrometers, etc. for angular distribution meas., mag., using emulsions 7=727 atomic stopping effects 7=4047 for cosmic rays 7=3688 electrostatic beam separators, glass cathodes 7=424 energy spectra meas., by correlation method, in time-of-flight spectrometry 7=16345 flight spectrometry 7=16345 fractional registry reliability 7=379 gain stabilization, feedback circuit 7=16347 high resolution at ORIC 7=12819 junction spectrometry, increase of counting rate 7=3373 magnetic analysis, relativistic 7=3352 magnetic, design for up to 400 MeV/c 7=5956 magnetic field stabilizar using Mall effect 7=12986 magnetic field stabilizer using Hall effect 7=12986 magnetic, spark chamber for  $\bar{l}$  ocalization on focal plane 7=13070 missing-mass, max. angle 7=6227 momentum determ. accuracy, in mag. spectrometry 7=16346

nuclear spectroscopy instrumentation, conference, Herceg-Novi, 1965 7=376 photomultiplier optimum operating conditions 7=3362 resolution, analyser channel width influence 7=16361 review, semiconductor 8=9689

with rotated quadrupole, 20 GeV 7=5955
scintillation, competing nuclear reactions simultaneous obs. 7=397 semiconductor detectors 7=3367

semiconductor detectors, background information 7=3366 semiconductor, for penetrating radiations, review 7=16360 spark chamber 7=5988

for spark chamber, on line, 5-30 GeV/c 7=378 spark chamber, mag. 7=5989 stabilization, reference pulses statistically efficient

use 7=9690 stabilization, scintillation and semiconductor devices 7=3364

GaAs surface barrier diode 7=399

Particle track visualization

See also Bubble chambers; Cloud chambers; Luminescence chambers; Nuclear track emulsions; Spark chambers.

alpha-rays, by charge images 7=4148 apparatus, use of computers, review 7=3385 cellulose nitrate for light nuclei 7=12811 electron avalanches obs. by charge images 7=4148 fission products by etching in mica, olivine and makrofol 7=10327 polymers characteristics 7=12810 He streamer chamber, high press. 7=5991

Particle tracks

See also Particle range. No entries

# Physics Abstracts 1967 - Part I (Jan.-June) Particle velocity analysis Phase equilibrium-contd See also Alpha-ray spectrometers; Beta-ray spectrometers; Ion velocity; Mass spectrometers; Particle ion-sensitive photoplate, computer eval. program. 7=6506 momentum determ.accuracy, in mag, spectrometry 7=16346 polarized particles, velocity meas. 7=9684 pulse height spectra dead-time correction using computer 7=3834 time-of-flight data processing 7=410 ultrahigh energy, transverse momentum of secondaries, distrib. meas., methodology 7=9688 Particles. See Elementary particles; Particle range; Scattering, particles; and under individual particles, e.g. Protons and antiprotons. KNO<sub>2</sub>, diagram to 40 kbar 7=1244 KNO<sub>2</sub>, diagram to 40 kbar 7=1244 MnS, P-T, up to 50 kbar and 700°C 7=14209 N<sub>2</sub>-Ar system, data at 83.82°K, and theory 7=4414 N<sub>2</sub>-CH<sub>4</sub> system, data at 90.67°K, and theory 7=4414 N<sub>2</sub>-CO system, data at 83.82°K, and theory 7=4414 NaNO<sub>2</sub>, diagram to 40 kbar 7=1244 NaNO<sub>2</sub>, diagram to 40 kbar 7=1244 Nb-Zr (5.50 wt.%)-Tri(10-20 wt.%) diagram 7=7437 Nb<sub>2</sub>O<sub>5</sub>-WO<sub>3</sub> system, rel. to crystal structure 7=7242 Ni, hexagonal phase 7=7243 Ni, S.Li, etchylitte, the personal phase 7= 74474 Paschen-Back effect. See Spectra. Patterson diagrams. See X-ray crystallography/calculation methods Peierls—Nabarro force. See Crystal imperfections/dislocations; Internal friction. Peltier effect. See Thermoelectricity. Pendellösung fringes. See X-ray crystallography. automatic damping rel. to internal friction meas. 7=4746 Bernoulli chain, momentum autocorrein function 7=2848 for damping meas at const. amplitude, continuous 7=14648 gyroscopic, oscillations under gravity 7=12309 Pu-Ga alloys, effects of high pressure 7=14245 Pu-Ti alloys, effects of high pressure 7=14245 Rb-graphite lamellar cpds. 7=7161 S, melting curve to 90 kbar 7=14151 SF<sub>6</sub> gas-liquid coexistence curve near critical point obs. 7=17313 Se-Te system obs. 7=7134 for gyrostat damping 7=12314 for Snoek damping in sheets meas. 7=17661 torsional, log. dec. determ. with photocell counter 7=2806 Periodic system See also Elements. electron groups formation pressure var., statistical model calc. 7=817 and phase transformation P-T diagrams at high press. for solids 7=17350 Permalloy. See Iron alloys; Nickel alloys. Permeability, magnetic. See Magnetic properties of substances; Magnetization process.

Magnetization process.

Permeability, mechanical

See also Diffusion in solids.

gases in porous media, FORTRAN programme 7=10711
glasses to He, for vacuum tubes 7=17583
graphite, of gases, measuring apparatus 7=4665
stainless steels, to tritium, 80°C 7=1513
Fe, Armco, to molten U, U-Fe(34, 77 at. %), 7401300°C 7=4673 Fe,b.c.c., of O, 900, 1450°C 7=4672 αFe, of H, stress effects obs. and H partial molal vol. 7=4449

 $H_2$  in metals, precise determ. 7=17588

Permittivity. See Dielectric properties of substances.
Perturbation theory. See Field theory, quantum; Quantum theory.

Phase -contrast microscopy. See Microscopy.

Phase diagrams. See Phase equilibrium; Phase transformations. Phase equilibrium

See also Solubility; Solutions.

acoustic-wave interaction with solid-gas and liquid-vapour interfaces 7-14143 Alnico, effects of added elements 7-2124 binary system near crit. point, diffusion theory 7-7132

coherent two-phase equilibrium 7=4461 coherent two-phase equilibrium and Ostwald ripening 7=4462

crystals, surface energies derived from study of states 7=1255 frozen solutions, kinetics of bimolecular reactions 7=2432 ice VI-VII, phase boundaries 7=7238 ice VI-VIII, phase boundaries 7=7238

interface general balance eqn 7=17307
measurement at high press, by tracer pulse
chromatography 7=10888
rare earth-Hg systems, phase diagrams 7=7248
surface phase mixtures and adsorption equilibria thermodynamics 7=4411

textured mats, volume fraction of phases, X-ray determ. 7=7220

Ag,Se-Bi<sub>2</sub>Se<sub>3</sub> system, phase diagram 7=14216 Ar-CH<sub>4</sub> system, data at 90.67°K, and theory 7=4416 BiMnO<sub>3</sub>-PbTiO<sub>3</sub> phase diagram 7=14208 CO<sub>2</sub>, density fluctuations near critical temp. obs. by n scatt. 7=10708 7 = 4414

CO-CH<sub>4</sub> system, data at 90.67°K, and theory 7=4414 CaCO3, calcite-aragonite transition and triple

point 7=17358 point 7=1738 CaO-Dy<sub>2</sub>O<sub>3</sub> and Debye-Scherrer pattern obs. 7=1233 CaO-HfO<sub>2</sub>, up to 2400°C obs. 7=1234 CaO-HfO<sub>2</sub>, up to 2400°C obs. 7=1234 CaO-Yb<sub>2</sub>O<sub>3</sub> and Debye-Scherrer pattern obs. 7=1233 Ca<sub>3</sub>SiO<sub>4</sub>-CaMgSiO<sub>4</sub> system obs. 7=4448 CdS, P-T, up to 50 kbar and  $700^{\circ}$ C 7=14209 Cl<sub>2</sub>, photodissociation at liquid-gas equilib. 7=6736 Cr-Mo, A15 structure 7=7226

Cu-Co, coherent two-phase equilibrium 7=4461 Cu-Ge-Sn alloys obs. 7=4463

e equilibrium—conta Cu-Mn-Al 7=14215 Cu<sub>2</sub>Se-Bl<sub>2</sub>Se<sub>3</sub> system, phase diagram 7=14216 Fe-C alloys, energy at α, γ-interface 7=10977 Fe-Ga, below 1000°C obs. 7=4470 Fe-Mo system, diagram 7=17363 Fe-Ni, order increase by excess vacancies 7=7543 Ga, high-T<sub>c</sub> phases in films 7=14915 Ga-As-Si ternary system obs. 7=7236  $\begin{array}{l} {\rm GaSb-GaV_3Sb_5~eutectic} \quad 7{=}14348 \\ {\rm GaSb-V_2Ga_5~eutectic} \quad 7{=}14348 \end{array}$ He4, coexistence curve near crit. point 7=2956 InSb, high-press.phases 7=1240 InTe-InBi quasi-binary system, exam. 7=7240

Ni, SLi, stability of hexagonal phase 7=4474

PbS -/2TBiS<sub>2</sub> diagram, 700-1000°C, and lattice structure 7=4599

Pb-Se (0-76 at.%) diagram obs. 7=4407

Pu-Ga alloys, effects of high pressure 7=14245

Si-Te, search for solid forms 7=5010 Sn-Tl alloys 7=14248 Th-N system 7=17367

Th-N system '=17357
Th<sub>2</sub>N<sub>2</sub>O, equilibrated with N<sub>2</sub> 7=17368
ThO<sub>2</sub>, equilibrated with N<sub>2</sub> 7=17368
U-C-Si system, of four solid phases 7=14252
U-Fe-Si system, new phase U<sub>2</sub>FeSi<sub>3</sub> 7=7250
U-UMn<sub>2</sub>-UAl<sub>2</sub>-UFe<sub>2</sub> system 7=1229
ZrCl<sub>4</sub>-HfCl<sub>4</sub>, liquid-gas 7=1196
Phase meters. See Electrical measurement.

Phase transformations

and complex temperatures thermodynamic limit 7=10887 controlled eutectics 7=17309crystallization pressure, thermodynamics of repulsion of foreign bodies 7=1308

DNA-type macromolecules 7=4133 ethylene critical region n.m.r. obs. 7=10749 eutectic temps, group IVB and VB metal carbide-carbon 7=10892

ferromagnetics, first-order, rel. to anisotropy preferential direction 7=5144 fluid-solid, of hard-square lattice gas 7=10890 grain boundary precipitation, crystallographic anal. 7=4455

hard-core lattice gas 7=5679 heterophase fluctuations, physical-cluster distrib. 7=7133 high press. in shock waves 7=17319

ice nucleation in cold and dry air 7-8661 isobaric binary vapour-liquid equilib. data treatment 7-17312

λ, statistical thermodynamics 7=10886 lattice gas with extended hard core 7=5678

lattice gas, non-nearest neighbour interact., first-order 7=5680

Ostwald ripening, mass transport analysis 7=4456 polyacrylonitrile, structural changes, kinetics and statistics 7=2436 second kind, collective excitations 7=7129

second order, general theory 7=17306 solid-liquid boundary, metastable, analysis 7=1187

o-terphenyl, glass transition 7=17412 water in ice, meas. calorimeter 7=8616

Bi emissivity at melting point of solid and liquid

obs. 7=14147 CO2, convection and heat transfer near critical

pt. 7=13984

CO<sub>2</sub>, near crit. point, density fluctuations obs. with He-Ne laser 7=14046

CO<sub>2</sub>, Rayleigh scatt. breakdown obs. near critical liquid-vapour point 7=4413

Cl<sub>2</sub>, molec. photodissociation, effect of critical region 7=13779

H<sub>2</sub> triple point temp. 7=10902 He liquid, II-I, density jump with rotation 7=5760

He liquid λ transition, statistical thermodynamics 7=10886 He⁴ liquid λ-transformation, high press. obs. 7=9282 Kr-He gases calc. 7=10738

Pb emissivity at melting point of solid and liquid

obs. 7=14147 SF6, Rayleigh scatt. breakdown obs. near critical liquid-

vapour point 7=4413

S 284 SUBJECT INDEX Phase transformations-contd Sn, emissivity at melting point of solid and liquid obs. 7=14147 Xe-He gases theory 7=10738 solid-state A<sub>3</sub>B alloys, anisotropic disordering, fast electron irradiated 7=14202 age softening 7=14201 ageing kinetics, plastic strain effects 7=17355-6 Alcomax alloys, spoiling characts. 7=2118 alloys, binary, lattice vacancies effect obs. 7=14199 alloys, solidus-liquidus region study by X-ray fluorescent analysis 7=10891 analysis 7=10891
alloys, spinodal decomp. and particle coarsening 7=10939
Alnico alloy permanent magnets, high temp. props. 7=5160
Alnico alloys, kinetics of α → γ reaction 7=1247
Alnico type alloys of high coercivity 7=1248
in austenite, M<sub>23</sub>C<sub>6</sub> shape and mechanism of
formation 7=14220
(225), austenite-martensite, 'composite' martensite
model 7=1241
sustenite, strain-ageing systematic study, 7=4781 model 7=1241
austenite, strain-ageing, systematic study 7=4781
butyl methacrylate and methacrylic acid copolymer,
film struct. 7=14258
p-chlorobenzene growth on p-bromo- and piodobenzene 7=7326 6-chloro-2-nitrotoluene,Cl n.q.r.temp.var.obs. 7=15285 condensation point theory for first-order transitions 7=17348 copolymers of N-n-alkylacrylamides and acrylonitrile, transition temp. 7=11343 critical constants, neutron spectroscopy, review 7=14422 crystal phases symmetry group theory 7=17349 diffusion layer growth in binary system 7=7511 ferroelectrics isomorphous with triglycine sulphate crystals, molecular mechanism 7=8032 ferromagnetic-antiferromag.during structural ordering 7=2094 ordering 7=2094
film deposition, during and after 7=1263
glucose pentaacetate for demonstration 7=7253
graphite nitrates, thermoelec. anomaly rel. to phase
boundary carrier scatt. 7=18058
hexamethylbenzene, elec. cond. obs. ~110°C 7=11526
high press. P-T diagrams rel. to periodic
system 7=17350 ice VII-VIII 7=8007 ionic polymers, glass transitions 7=14256 Ising spin-one systems 7=4452 linear array of coupled spins, instability 7=8086 martensite on surface of deformed austenite 7=14219 martensitic, electron microscope exam., 500 kV 7=14339 martensitic, hysteresis in transform. temp. 7=10937 matrix and stacking fault precipitation 7=10938 metal alloys, coalescence of finely dispersed phases 7=7217 metals, pure, high-pressure effects, theoretical analysis 7=7216 naphthalene, isostructural phase transition 7=14255 neutron and fission product irradiation and high press. effects combined obs. 7=1251 order-disorder in ternary compounds, electron diffr. obs. 7=1406 ordering crystals, theory 7=7219
poly (methyl methacrylate), rel. of glass transition temps.
to mol. wt. and tacticity 7=1252 poly-4-methylpentene-1, dynamic mechanical properties, transitions 7=1748
poly-p-xylylene obs. 7=1253
polymers, rel. to brittleness temp. 7=4830 polymers,  $\gamma$ -transition obs. and interpretation 7=8002 polymers, thermodynamics 7=7218 polypropylene, high press. 7=4608 rare-earth monotellurides, high-press, high-temp. 7=14249 temp. 7=1429 rare earth oxides of type  $R_2O_3$ ,  $C \rightarrow A$  structures 7=1615 semiconductors, binary, disorder 7=14531 shift transition points due to lattice defects 7=1230 stacking fault closest packed spheres model for f.c.c.h.c.p. 7=4454 steel, and brittleness at high temp. after n-irradiation, obs. 7=14735 surface long-distance order changes 7=7257 transition-metal chalcogenides 7=4478 triglycine compounds, ferroelectric, molecular mechanism 7=8032 triglycine sulphate, deform. of SO<sub>4</sub><sup>2</sup> by phase transition 7=17324 Vicalloy types Koerflex 300, 200 and 30 7=7361 Al alloys, age hardening at room temp. after quenching, resist. changes 7=7850
Al-4.01 at.%Zn, ageing kinetics 7=1231
Al-rich Zn, strengthening due to spherical G.P. zones 7=7855

Al-rich Zn, strengthening due to spherical G.P. zones 7=7686

Phase transformations-contd solid-state-contd Al-5% Ag alloy, second-phase interface effect on work-hardening 7=1702 Al-Cd-Sn, constitution 7=14145
Al-Cu, ageing kinetics, plastic strain effects 6=17355-6
Al-Cu (2 at. %), Guinier-Preston II zones nucleation
and growth 7=1391
Al-Cu-Ag, growth of θ' and γ' phases in solid soln,
decomposition 7=10940
Al-Cu-Ag, initial stages, X-ray diffraction and electron
microsope obs. 7=7223
Al, Fe<sup>57</sup> Mössbauer Zeeman spectrum obs. 7=7174
Al-Cu-Mg alloys, effect of small Ag additions on agehardening 7=10941
Al-117 Mg solid solution, ageing rel. to Ag addition Al-Cd-Sn, constitution 7=14145 Al-11%Mg solid solution, ageing rel. to Ag addition obs. 7=4459
Al-Mg with Ag, Cu or Zn, X-ray data of T-phases 7=4460
Al-Ni, 5 phase structural changes obs. 7=4576 Al-Zn, kinetics of ageing processes, solubility limits 7=10942 Al-Zn, supersaturated, mechanism 7=14203 Au-Al diffusion couples, rel. to bond failure 7=14698 Au-Pd alloy, equiatomic, short-range order meas. 7=10944 AuPd<sub>3</sub> order-disorder obs. 7=14374 BN, shock-wave-induced transformations 7=14230 Ba, b. c. c. = h. c. p. boundary 7=14204
Ba ferrite powders, on plastic deform., rel. to mag. props. 7=18138 obs. BaF<sub>2</sub>, at high pressure 7=14205 BaFeO<sub>3</sub>, 7=10945 BaTiO<sub>3</sub>, fundamental absorption edge shift 7=5247 BaTiO<sub>3</sub>, radiation and thermally induced, obs. 7=10946 BaTiO<sub>3</sub>, radiation and thermally induced, obs BaTiO<sub>3</sub> single-cryst films 7=5077 BaTiO<sub>4</sub>, shift transition points due to lattice defects 7=1230 Be, ageing, effect on electresist. 7=7851 Bi, recrystallization, u. v. photoelectron emission meas. 7=11608 meas. 7=11608

Bi, III-IV and IV-V transitions, obs. by resistivity meas. 7=14206

Bi, 25-40 kbars, 77-293°K 7=14207

Bi-Cd alloys, recrystallization, u. v. photoelectron emission meas. 7=11608

BiFeO<sub>3</sub>, 20°-850°, X-ray diffr. meas. 7=10947

Bi<sub>2</sub>Te<sub>3</sub>, disorder 7=14531

Br<sub>5</sub>C<sub>6</sub>F, n.m.r., thermographic and X-ray obs. 7=17369

C films, growth of crystals 7=17386 C graphitization by spark discharge, energy var. 7=17357 CCl $_4$ , rhombohedral modification 7=7454 CH $_2$ I $_2$  7=2352 C-Mn steels, grain refined 7=17469 C<sub>3</sub>O<sub>2</sub> 7=2280 Ca<sub>2</sub>SiO<sub>4</sub>-CaMgSiO<sub>4</sub> system obs., rel. to  $\alpha$ - $\alpha$ 'Ca<sub>2</sub>SiO<sub>4</sub> inversion temp. 7=4448 Cd, recrystallization, u. v. photoelectron emission meas. 7=11608 meas. 7=11608

Cd<sub>3</sub>As<sub>2</sub>, up to 40kbar, triple points 7=4408

CdS epitaxial films 7=14210

CdTe, at high press., lattice parameters 7=11059

CdTe-AgInTe<sub>2</sub> diagram obs. 7=11005

CdTe-CuGaTe<sub>2</sub> diagram obs. 7=11005

Ce, allotropic 7=14211

Cl<sub>2</sub>C<sub>6</sub>F, n.m.r., thermographic and X-ray obs. 7=17369

Co ferrite, rel. to magnetic properties temp.

dependence 7=5170 copendence 7=5170

Co ferrite powders, on plastic deform., rel. to mag. props. obs. 7=18138

Co-Au, films, kinetics of two stages 7=17388

Co-Cl boracite, new transition temp. from Mössbauer and optical meas. 7=17361

34Co-35Fe-15Ni-7Al-4Cu-5Ti, ageing temp. rel. to phase change 7=7224 CoNiCrFe alloys, age-hardening 7=1235 Co-W alloys,  $\alpha \Rightarrow \beta$ , dilatation behaviour obs. 7=17695 CsCl,  $\alpha - \beta$  electron diffr. study 7=7225 CsCl,  $\alpha-\beta$ , thermal vacancies and structure depend. 7=7541 Cu, recrystallization, rolled at 77 and 20°K 7=14319 Cu-Ag films 7=17389 Cu-Ag, films, kinetics of two stages 7=17388  $\beta$ -CuAl containing Zn or Sn, pearlite growth kinetics obs. 7=10943 Cu-Au films 7=17389 CuAu, lattice modulations 7=1423 Cu<sub>3</sub>Au, order-disorder kinetics, to 21 kbar 7=17359 Cu-Au, superstructure rel. to heat treatment period obs. 7=4582 Cu-Ga, massive phases in hypoeutectoid 7=14214 Cu-Ga, massive transformation, cinematrographic study 7=14213  $\text{Cu}_{1}\text{Ni}_{x}\text{Cr}_{2}\text{O}_{4}$  diagram obs. 7=14378 Cu-Sn-As freezing reactions obs. 7=4465 Cu-Sn-As reactions obs. 7=44657=4464 Cu-Zn-based ternary  $\beta$ -alloys martensite obs. 7=14217

Physics Abstracts 1967 - Part I (Jan.-June) Phase transformations-contd solid-state-contd Cu-Zn-Ga alloys, diffusionless transform of  $\beta$ phase. 7=7227 Er-Co phase diagrams 7=7228 Fe alloys, dilute, ordered structure 7=14222 Fe-alloys, high-purity, recrystallization 7=17434 Fe,  $\alpha \supseteq \gamma$ , up to 60 kb 7=5154 Fe b. c. c.  $\rightarrow$  h. c. p. volume change at 130 kbar 7=17503 FeAl alloys, L2, ordering reaction, magnetization effect 7=4469 Fe-Al solid solution, ordering, antiphase domain size rel. to Al content and heat treatment 7=7229 Fe3Al alloys, rot. hysteresis and induced anisotropy for struct, investigations 7=8171 Fe-Be(27at.%), decomposition processes survey 7=14223 Fe-Bet Att. 8), decomposition processes survey 7-1426
Fe-Br boracite, new transition temp. from Mössbauer and optical meas. 7-17361
Fe-1. 85 at.%C, clustering of C during ageing, Mössbauer study 7-24468
Fe-C martensite, tempering, Mössbauer study 7-17360
Fe-C, metastable h. c. p. phase 7-14224
Fe-Cl boracite, new transition temp. from Mössbauer and optical meas. 7-17361
FCC atlay Hall effect meas up to 6000e, 1000°C, 7-7858 FeCo alloy, Hall effect meas. up to 6000e, 1000°C 7=7858 (Fe, Cr) sigma phase precipitation from austenite 7=4466 Fe-Cr-C alloy, "225" austenite-martensite, theory and meas. 7=4467 Fe-24at. % Cr, embrittlement, annealed at 475°C, segregation 7=14734
Fe-Mn (29,19%), on plastic deform., rel. to internal friction peaks obs. 7=17704 Fe-Ni alloys,  $\gamma-\alpha$ , mag. cooling inducing anisotropy 7=8177 Fe-Ni, magnetic anneal and ordering enhanced by vacancies 7=15147 Fe-Ni,  $\alpha$ - $\gamma$ , magnetic field effects 7=7232 Fe-Ni, martensite, accommodation faulting 7=7601 Fe-Ni, ordering rel. to mag. props. obs. 7=7231 Fe-32.5%Ni, martensite to austenite 7=14221 Fe-Ni single crystal,  $\gamma$ - $\alpha$  obs. 7=14225 Fe-Ni-Al, martensitic alloy, ageing 7=14226 Fe-Ni-Cr, martensitic isothermal 7=1237 FeO<sub>4</sub>, disordered state, rel. to Fe<sup>2+</sup>/Fe<sup>3+</sup> distrib. 7=7234 Fe<sub>2</sub>O<sub>3</sub>, nH<sub>2</sub>O, thermally induced, rel. to types of remanent magnetization 7=18400
FeV<sub>2</sub>O<sub>4</sub> spinel, crystallographic and mag. transitions, Mossbauer effect obs. 7=7235 GaFeO3, new Corundum-structure high-pressure phases 7=14229 obs. 7=17366 GeTe, high press.obs. 7=7237 H, solid, hexagonal-cubic, X-ray obs. 7=4472 H, solid, hexagonal—cubic, X-ray obs. 7=4472
H<sub>2</sub>, from h. c. p. to f. c. c., molecular volume difference between solid ortho- and para-7=14227
He<sup>3</sup>, h.c.p. to b.c.c., PVT obs. 7=162
Hf-B-U system boundaries 7=10932
HBr, low temp., h. f. dielec. dispersion 7=15017
HJ, low temp., h. f. dielec. dispersion 7=15017 In-Al-As, solid solutions, phase diagram 7=14228 In(Fe, Sc, Tl)O<sub>3</sub>, new Corundum-structure high-pressure phases 7=14229 In<sub>2</sub>O<sub>3</sub>, new Corundum-structure high-pressure phases 7=14229 InSb, high press.obs. 7=7239 InTe, temperature-pressure diagram, thermodynamic aspects 7=1239 KBr, shock-wave-induced transformations 7=14230 KCl, shock-wave-induced transformations 7=14230 K<sub>4</sub>Fe(CN)<sub>8</sub>. 3H<sub>2</sub>O, irreversible ferroelectric transition 7=15034 KH<sub>2</sub>PO<sub>4</sub>, ferroelectric, proton collective motion, tunnelling model 7=8023 KH<sub>2</sub>PO<sub>4</sub>, and vibrational l.f. spectrum calc. 7=4622 KMnF<sub>3</sub>, elastic consts. behaviour near transition of puckering 7=7715 KNO3, rel. to ferroelec. phenom. 7=18049 KNO<sub>3</sub>, opalescence and Raman scatt. obs. 7=8412 LiH<sub>3</sub>(SeO<sub>3</sub>)<sub>2</sub>, ferroelectric-paraelec. transition under pressure 7=11559 Li<sub>2</sub>WO<sub>4</sub>, high-temp. modification 7=8009  $({\rm Mg}_{1-x}{\rm Mn}_x)_2{\rm P}_2{\rm O}_7~(0\leqslant x\leqslant 0.04),$  specific heat obs. near  $\alpha$ - $\beta$  transition 7=14233  ${
m Mg}_3P_2{
m O}, {
m Mm}^2, lpha$  and eta phases, e.s.r. 7=11709 Mn-81 bronzes, ageing, effect of composition 7=14234 Mo films, f.c.c. ightarrowbc.c. as thickness increases in growth obs. 7=7285

ND<sub>4</sub>NO<sub>3</sub>, d.m.r. obs., 100°-403°K 7=14236 NH<sub>4</sub>Cl, λ-transition 7=14235

 $(NH_4)_2SO_4$ , first-order ferroelec. transition 7=15036

Phase transformations-contd solid-state-contd  $(NH_4)_2SO_4$  and  $(ND_4)SO_4$ , n. m.r. near ferroelec. transition 7=15276NaNO<sub>2</sub>, ferroelec, Raman spectrum obs. 7=11789 Na<sub>2</sub>O.2SiO<sub>2</sub>-SiO<sub>2</sub> glass, crystallization polymorphs 7=14237 Nb3Al, on high temp. annealing, rel. to supercond. degradation obs. 7=4956 Nb-Sn, composition range obs. 7=1245 Nb<sub>3</sub>Sn, on high temp. annealing, rel. to supercond. degradation obs. 7=4956 4%Nb-Zr alloy, precip. of supercond. β-phase, ageing 7=7918 ageing 7=1918

NbZr alloys,  $\beta$ -phase decomposition, effect on Young's mod. 7=4796

Nd<sub>2</sub>O<sub>3</sub> 7=14231

18% Ni maraging steel, influence of heating rate 7=14218

Ni maraging steels, kinetics of ageing reactions 7=7233

Ni-Al alloys, modulated structure during ageing 7=1246

Ni-Al, coarsening of  $\gamma^3$  7=7244

Ni-Al(97.3-12.7), precipitation of  $\gamma'$  (Ni<sub>3</sub>Al) 7=4473

Ni-Au, phase dissolution in isothermal annealing 7=14238 Ni-Au, phase dissolution in isothermal annealing 7=14239
Ni-Cr(21 wt. %), on neutron irradiation, mechanical props.
change obs. 7=7723
Ni-Be, X-ray diffr. anomalous var. during ageing at
500-550°C 7=7245 Ni-Co alloys meas. 7=14240 NiCrAl + Ni<sub>3</sub>Al recrystallization, effect of coherent Ni<sub>3</sub>Al particles 7=1337 Ni-Fe alloys, cold worked, recovery and ordering 7=7246 Ni<sub>3</sub>Fe, kinetics of ordering 7=4475 Ni<sub>3</sub>Fe ordering rel. to strain-ageing effects obs. 7=17727 Ni<sub>3</sub>Fe surface order var. 7=7257 Ni<sub>3</sub>(FeCr) ordering rel. to strain-ageing effect obs. 7=17727 Ni<sub>3</sub>(FeMn) ordering rel. to strain-ageing effect obs. 7=17727 Ni<sub>3</sub>Mn, intermediately ordered, superparamag. obs. 7=8223 41NiO-3ZnO-1CoO-55Fe<sub>2</sub>O<sub>3</sub>(mol. %), on var. sintering temp., rel. to mag. and elec. props. 7=18140 P, black, formation at high pressure 7=4476 Pa, possible phase transition at 1170 ± 20°C, in conference, Orsay (1965) 7=11011 Orsay (1965) 7=11071 Pa-O system obs., in conference, Orsay (1965) 7=11073 Pb zirconate-titanate ceramics diagram 7=8026 PbMg $_{y_2}$ W $_{y_2}$ O $_{y_3}$ relaxation u.s. absorption 7=4640 PbTiO $_{y_3}$ radiation and thermally induced, obs. 7=10946 PbZrO<sub>3</sub>, 7=14241 PbZrO<sub>3</sub>, antiferroelectric-ferroelectric, X-ray obs. 7=7247 PoZrO<sub>3</sub>, and the rocte cuttle represent the control of the pozro, and the rocte cuttle representation and the rocte control of the pozro, radiation and the rocte control of the pozro of Pu-Ce-Co obs. 7=14244 RbI, from NaCl to CsCl structure 7=14246 S, to 60 kbar, differential thermal cond. obs. 7=14247 SbSI, feroelectric 7=4596 SbSI, ferroelectric-paraelectric, single crystal, optical obs. 7=8027 Sc group elements, Laves phases with Ru, Rh, Os, Ir and Pt 7=7222 Se, amorphous and hexagonal, heat capacity 7=11124
Se glass transition elastic consts. temp. var. obs. 7=1735
SiO<sub>2</sub>(76wt.%)-Al<sub>2</sub>O<sub>3</sub>(8wt.%)-LiO<sub>2</sub>(12wt.%)-K<sub>2</sub>O(4wt.%):CeO<sub>2</sub>,
Ag glasses microcrystallization, u. v effects 7=17445
Sm, low-temp. mag. transition 7=11440
SrF<sub>2</sub>, at high pressure 7=14205
SrTiO<sub>3</sub>, light scatt. obs. ~ 110°K 7=8441
Ta films, f.c.c. → b.c.c. as thickness increases in growth obs. 7=7285 Ta, strain aging and yield point 7=14761
Ti alloy (TS6), effect of plastic deformation 7=14763
Ti alloys a- and β-phase epitaxial dislocation
boundaries obs. 7=1617 Ti alloys,  $\alpha$ - $\beta$  transform., thermal dilation 7=7249 Ti,  $\alpha$  and  $\beta$  rel. to resistance to crack propag. 7=11325 Ti-Cr, rel. to superconductivity 7=1900  ${
m Ti_{e}O}$ , interstitial superlattice, obs. 7=11160 Tl-In system, up to 38 kb and 135°C 7=14250 Tl<sub>2</sub>O<sub>3</sub>, new Corundum-structure high-pressure phases 7=14229 U, pure,  $\alpha = \beta$  transform, by X-ray diffractometry 7=14251 UC<sub>2</sub>, high temp. 7=4601 U-Mo alloys, decomposition of  $\gamma$ -phase 7=14254 U-Mo (9.2, 10, 10.8 at.%), metastable monoclinic phase  $\alpha^{11}$ b 7=7452 UO<sub>2+x</sub>-U<sub>4</sub>O<sub>9-y</sub> boundaries, mag.obs. 7=8112 U<sub>3</sub>P<sub>4</sub> ferromagnetic order-disorder specific heat obs. at 138.3°K 7=7501 V-Ga, composition range obs. 7=1245

Photochemistry-contd

```
Phase transformations-contd
      solid-state-contd
          \rm N_3Si, low temp., stress effects obs. 7=1249 V_3Si, low temp., stress effects obs. 7=1249 V_Si, second order, simplified Landau theory 7=7252 V_3Si type crysts., low temp. 7=7221
          V_3 Si, V^{51} Knight shift and elec. field gradient var.
                obs. 7=2246
           W films, f.c.c. \rightarrow b.c.c. \sim 700^{\circ}C 7 = 14279 W<sub>4</sub>Nb<sub>26</sub>O<sub>77</sub>, multiple phases 7 = 4479
           WO<sub>3</sub>, higher, two 7=1250
           Y_2O_3^{-7} 7=14231 Zn_3As_2, up to 40 kbar, triple points 7=4408
            Zn-Cl boracite, new transition temp. from Mössbauer
           and optical meas. 7=17361

Zr-Nb, and superconducting transition, obs. 7=11485

ZrO<sub>2</sub> neutron and fission product irradiation and high press. effects combined obs. 7=1251
Phase transitions. See Phase transformations.
Phonographs. See Sound reproduction.

Phonon bottleneck. See Crystals/lattice mechanics.

Phonon drag. See Crystal electron states; Crystals/lattice
     mechanics.
Phonon-electron interactions. See Crystal electron states;
     Crystals/lattice mechanics.
Phonons. See Crystals/lattice mechanics.
Phosphorescence. See Luminescence.
Phosphors. See Luminescence; Luminescent devices.
Phosphorus
          in atmosphere, production by cosmic rays 7=637 atoms, PI and II, u. v. multiplets 7=10400
           diffused in Si, elastic strain and lattice
          contraction 7=11076
diffusion coeff. in Si 7=7525
           diffusion profile in Si, dislocation-induced
           deviation 7-17589
deviation 7-17589
diffusion in Si, autoradiographic study of distrib. 7-7526
diffusion in Si, slip generation conditions and depth of
           dislocation motion calc. 7=1619
e.s.r. in Si, effect of light 7=15247
           e.s.r. in Si, motional effects 7=2211
           ions on p-Si, photovoltaic energy converter p-n
junctions prod. 7=5798
photochemical reactions in KCl 7=15442
            polymorphism, study at high press. and temp. 7=4476
          polymorphism, study at high press, and temp. 7=4476 supercooled liq., solidification and sp. ht. 7=1193 in GaAs,i.r.localized vibrational mode absorption 7=11794 P31 chem. shifts, MO calc. 7=922-3 P32 in ground level air 7=15482 P-32, n produced in Barwell and St. Severin meteorites 7=12244 P32, radioactive tracer for stratospheric circulation studies 7=15501 P. moles SCF calc. 7=13747
            P2, molec. SCF calc. 7=13747
Phosphorus compounds
          phosphate and borophosphate cpds., structure rel.to
colour centres 7=1632
phosphate glasses dispersion ratios, rel.to
silicate 7=11772
            F<sub>3</sub>PBH<sub>3</sub>, microwave spectrum and molec. consts. 7=10518
           ^{9}F<sub>2</sub> e.s.r. in ^{9}-irradiated NH<sub>4</sub>PF<sub>6</sub> 7=11710 PF<sub>3</sub>, force consts. 7=6686 PH<sub>2</sub>, O-O band of ^{2}A<sub>1</sub>-^{2}B<sub>1</sub> transition, rotational
                 anal. 7=6691
           PH<sub>2</sub> spectrum, rotational analysis of 000-020 band 7=13748 PH<sub>3</sub>, SCF calc. 7=13747 PO, \beta-spectrum analysis 7=6693
          PO, \beta-system consts. calc. 7-13749 PO molecule, study of C'^{2}\Pi_{a} system 7-6692 PO, PO^{-}, SCF calc. 7-13747 (PO_{3})<sub>3</sub>M^{1}K (M^{11} = Co, Ni, Mg, Zn) rhombohedral form 7-7439
           PO on Si wafers, detection with i.r. spectro-
photometer 7-1961
Photochemistry
          See also Photographic process. acetylene, Hg-photosensitized reaction 7=5341-2
           acridine, photoreduction 7=15446
           anthracene cryst., photodimerization 7=8572
          atmosphere, upper, equilibrium rel. to ion composition 7=12027
          autoionization lifetimes, statistics 7=13823
benzene, energy balance 7=10532
benzene vapour, at 1849A 7=2468
          benzophenone + naphthalene, triplet-triplet energy
          benzopnenone + naphthalene, triplet-triplet energy transfer 7=8509 bromides, excited {\rm Br}(4^2{\rm P}_{1/2}) atoms 7=10425 butene-2 isomerization, catalysis by mag.field 7=2469 2-butene, photosensitized isomerization 7=15445
          cis-butene-2, photolysis 7=8573
          combination flash photolysis-flash pyrolysis
apparatus 7=5339
          dianthracene, anthracene dimer formation 7=8450
          dianthracene cryst., photolytic dissoc. 7=8572 e.s.r. meas., u.v. illuminator 7=3097
```

ethane, photolysis, H atoms and free radicals 7=8575

```
ethane, photolysis of solid films, vac. u.v. 7=8574
        cis-hexene-2, photolysis 7=8573
       ketene photolysis in presence of isobutane 7=2470 methane, flash photolysis in vac.u.v. 7=2471 molecules, CO<sub>2</sub> laser radiation effects obs. 7=5338 2-olefins, cis-trans isomerization 7=2475
       phthalocyanine, flash photolysis of vapour by laser 7=5337
       poly (methylmethacrylate), degradation, e.s.r. 7=8576
       solns., photochem. reaction kinetics 7=5343
       spectroflash unit with triggered spark gap 7=11956
       p-terphenyl soln., u.v. and γ-irrad., radical form. and energy transfer 7=15447
       thiyl radicals, photodissoc, in cysteine HCl cryst. 7=16979 u.v. integrator for monitor 7=3202
        AgCl, stabilization by impurities 7=5340
       CO<sub>2</sub>, flash photolysis in N matrix 7=2472
CO<sub>2</sub>, flash photolysis, CO formation 7=11957
CO<sub>2</sub>, photolysis 7=8567
        CO<sub>3</sub>, prod. by photolysis 7=8568
       {\rm C_3O_2} flash photolysis spectra obs. 7=8566 {\rm Cl_2}, photodissociation at liquid-gas equilib. 7=6736
        F atom prod. and reaction in solids 7=11958

H_2 + I_2 reaction mechanism 7=11959
        HN<sub>3</sub>, vac.-u.v. photolysis 7=8570
       \rm H_2O vap-, pure and with D, photolysis at 1236 and 1470 Å \rm 7{=}8569
       H<sub>2</sub>S, photolysis, SH spectrum 7=4098
Hg-photosensitized complex mols., fluoresc. 7=888
        LiF window sealing for inert gas vacuum u.v.
            resonance lamps 7=11955
        NH_3-H_2O systems at 77°K, e.s.r. study of \gamma
           radiolysis and photolysis 7=8578
        NO<sub>2</sub> photolysis, deactivation of excited O atoms 7=2473
        NaBrO<sub>3</sub>, photolysis 7=11960
        NaCl colour centres, F → C, transformation
            conditions 7=11216
        O production and isotopic exchange with CO, CO2, N2O, O2
            and COCl2 obs. 7=8545
        O_2, photolysis, detect. of O(^1D) 7=2474
        O<sub>3</sub> formation in O<sub>2</sub> photolysis 7=15443 OH detect. in flash photolysis 7=15444 P, photochemical reactions in KC1 7=15442
        PbCl, photolysis, ZnO-photosensitized 7=8571
Photoconductivity
       anthracene, carrier generation and recomb. 7=11366 anthracene, charge carrier generation 7=7764 anthracene crysts intrinsic 7=8060
        anthracene, induced by Q-spoiled ruby laser 7=2045
        anthracene, laser-induced, multi-photon absorption obs. 7=15068
        anthracene, photoinjection of electrons from electrolytes 7=8061
        anthracene, X-irradiated, generation and recombination of
            electrons and holes 7=5102
        bilirubin obs. 7=18073
       cell for compensating source fluctuations in
photometry 7=9544
DPPH solid free radicals obs. 7=7970
dielectric const. meas. of photoconductors 7=12496
       galvinoxyl solid free radicals obs. 7=7970 at low temps., device 7=18064
        measurement of cond. without contact electrodes 7=15077 metal-insulator-metal films 7=5088
        organic solutions, effect of oxygen 7=17284
        phenanthrene 7=7971
        phthalocyanine, thermally stimulated trap-
emptying 7=11375
        polyethylene, effects of temp. and irradiation 7=2046
        quartz-CdS piezoelectric resonator, photoconductivity
            effect 7=14759
        recombination process, sensitivity and speed 7=2024
        relaxation, effect of surface recombination 7=15066
        relaxation measurement with "jump", \tau-meter
            adaptation 7=9010
        semiconductors, linear initiation 7=15065 semiconductors, oscillatory, Boltzmann-equation
            approach 7=2025
        semiconductors, phase shift of spreading resistance measof excess carrier lifetime 7{=}4839
        semiconductors, two mechanisms 7=18062
        space charge, surface cond. and band bending interrelation
        formulae 7=8048
tetracene, photogeneration of carriers 7=2047
        thermally stimulated cond. of inorganic photocond. crysts. 7=8464
        trapping centres, in presence of radiative interband recomb. 7=5089
        tunnelling, photon modulated 7=5103 AgCl, with laser excitation 7=2365
        \begin{array}{c} {\rm Al-Al_2O_3-Te-Au, i.\ r.\ conductivity, \, photon-modulated}\\ {\rm tunnelling} \end{array}
        AIN, laser induced multi-photon absorption obs. 7=15068
```

 $As_4S_4$  obs. 7=11586 BiI<sub>3</sub>, at high hydrostatic press. 7=11595

```
Photoconductivity-contd
         CdGeP<sub>2</sub>, n-type 7=15069
CdS 7=2372
          CdS, continuous current oscs, modulation effect 7=15071
         CdS current oscillations produced by strongly illuminating a narrow zone 7=2029
         CdS, effect of space charge, in high elec. fields 7=11587
CdS films, and photocurrents, spectral sensitivity and
response rel. to thickness obs. 7=5091
CdS holes, nonequilibrium lifetime and mobility 7=15075
         CdS, i. r. quenching 7=5093
CdS, influence of X-ray damage 7=14533
         CdS, laser-induced multi-photon absorption obs. 7=15068 CdS, laser-pulse excited 7=15074
         CdS, phonon coupling 7=11104
CdS-sintered films, In, Ga, In+Cl and Ga+Cl doping
effect obs. 7=5092
         CdS, space-charge-limited currents 7=2032
          CdS, supersonic electron-microwave interaction 7=15076
         CdS, transient magnetoresistance of photocarriers, meas.
by a.c. method 7=2030
         CdS, transient, quenching due to surface trapping 7=2031
          CdS:Cu films, photoelectromotive force, optical
               quenching 7=18067
        Cd(S<sub>0.5</sub>-Se<sub>0.6</sub>), laser prod. saturation obs. rel. to imperfections 7=2033
CdSe, phonon coupling 7=11104
CdSe_S<sub>1.x</sub>, phonon coupling 7=11104
CdTe 7=11406
         CdTe, rel. to excitons obs. 7=17831
Cs-Sb films obs. 7=8052
        CuCl, spectrum, oscillatory structure 7=2034
         Cu<sub>2</sub>O, at high temp., spectral distrib. 7=15078
         G, n-type. Be-doped, photocond.kinetics 7=15081
GaAs, epitaxial films 7=17954
         GaAs, negative with non-ohmic currents, obs. 7=14951
        GaP, anomalous response 7=2035
         GaSb, effect of residual acceptors 7=14953
         GaSe 7=5299
         Ge amorphous films obs. 7=17966
Ge, anisotropically deformed 7=2037
         Ge, decay meas., surface recomb. kinetics 7=7808
         Ge, doped with group Ⅲ impurities 7=15080
         Ge, doped with O2 and e irrad. 7=11590
         Ge, electron-irradiated, rel. to defect levels obs. 7=2036
         Ge, neutron-irrad. damage obs. 7=4739
         Ge, surface defect capture of non-equilibrium carriers
               effect obs. 7=8054
         Ge:Cu, negative photocond., 78^{\circ}K 7=5095 Ge:Sb, negative photocond., 78^{\circ}K 7=5095 \alpha-{\rm HgS}, for X-rays, obs. 7=8055
         HgS<sub>x</sub>Se<sub>1-x</sub>, rel. to semimetal-semiconductor
transition 7=15333
HgTe, 100-300°K 7=18070
         InAs, n-type, carrier lifetime meas. 7=11370
         InAs p-n junction, photosensitivity spectra, photon range 0.9-5 eV 7=11591
         InSb hydrogenic donors spectra, var. with mag. field and
         temp.obs. 7=18244
InSb, in mm.-wave receiver 7=16104
InSb, oscillatory 7=2039
         n-InSb, rel. to Hall effect elec. field var. ~ 4°K 7=7951
         n-InSb, impurity-type in strong mag.field 7=11593
         p-InSb 7=17767
         p-InSb, and defects in structure, 5-120°K 7=2038
          In-Sb thin films, surface effects 7=11592
         KCl, space charge effect 7=8056
         MoO<sub>3</sub> films on colour centre formation 7=11787
Nb-Nb<sub>2</sub>O<sub>5</sub>-Au diodes, hole and electron injection and
impurity band obs. 7=8519
         PbL_2, decay, and photovoltaic contact effects \,7{=}5097\, PbO films, tetragonal and orthorhombic forms obs. \,7{=}2040\,
         PbO, nonequilibrium, characteristics 7=2041
PbS, films, effect of pressure 7=15083
PbSe, films, effect of pressure 7=15083
         PbSe, spectral distrib., temp. depend. meas. 7=4867
S, surface dye sensitization 7=11597
SbI<sub>3</sub>, at high hydrostatic press. 7=11595
Se, lux-ampere characteristics 7=5100
        Se, lux-ampere characteristics 7=5100
Se, space-charge-limited current, kinetics 7=5099
Se, surface dye sensitization 7=11596
Se-As-Tl layers, intrinsic rel. to visible light and
X-rays 7=11598
Si, carrier lifetime meas., high-resistivity samples 7=4848
Si, in coherent homodyne detector, for 10.6 µ 7=5738
Si, decay meas., contactless, using eddy currents 7=18071
Si, rel. to meas. of inhomogeneities 7=1949
Si, photoingization cross section of In impurity 7=15085
         Si, photoionization cross section of In impurity 7=15085
         Si, quenching 7=15084
Si, surface i.r., rel.to traps obs. 7=2042
Si-Au surface in i.r., Au conc. var., field effects, 100°-130°K 7=11599
         Si:Au+Zn, centres temp. var. obs. 7=11600 SrTiO<sub>3</sub>, pure single crystals 7=18072 \beta-Ta<sub>2</sub>O<sub>5</sub>, sputtered films, trapping 7=14844
```

```
Photoconductivity—contd
40%TlBr-60%TlI single crysts. 7=8058
         Tl<sub>2</sub>Se. As<sub>2</sub>Te<sub>3</sub>, glassy, rel. to fluctuation levels 7=15087
         UO2, photocurrent, room temp. meas. rel. to O/U
         ratio 7=5101
(Zn, Cd)S, effect of Cu<sub>2</sub>O on persistent internal polarization 7=2043
ZnGeP<sub>3</sub>, p-type 7=15069
         ZnO, with adsorbed fatty acid layer 7=2044 ZnO, decay rate rel. to O_2 pressure 7=8059
         ZnO films, spectral sensitization with org. dyes 7=18076
ZnS, i. r. wavelength dependence 7=11886
ZnTe:Cr*, rel. to photo-induced e.p.r. 7=1520
Photodisintegration. See Deuterons/photodisintegration;
    Nuclear reactions due to/photons.
Photodissociation. See Photochemistry. Photoeffect, nuclear. See Gamma-rays/effects; Nuclear
     reactions due to/photons; Photons/interactions.
Photoelasticity
        See also Double refraction/mechanical.
halides, NaCl type, temp. dependence 7=7642
noncubic crystals, dispersion using birefringent
compensator 7=2273
        compensator (=2213)
poly-\(\alpha\)-methylstyrene 7=11350
polystyrene 7=11350
quartz-CdS piezoelectric resonator, photoconductivity
effect 7=14759
sapphire, anisotropy 7=5245
stress measurement 7=1684
         AgCl, photosensitivity changes, influence of h.f. vibrs. 7=15309
         CdS, rel. to u. s. diffraction of laser radiation 7=1460
         GaAs, rel. to u.s. diffraction of laser radiation 7=1460
         GaP, interband piezoabsorption, 80°K, 0-50 kg/mm<sup>2</sup> 7=1822
         Ge magneto-piezo-reflection interband transitions
             obs. 7=18246
         InSb magneto-piezo-reflection interband transitions
             obs. 7=18246
         KCl, hardness decrease obs., rel. to marginal dislocations
             mobility var. 7=4794
         LiF, y-irradiated, dislocation bunching stresses
             obs. 7=14592
         LiF, hardness decrease obs., rel. to marginal dislocations
             mobility var. 7=4794
         NaCl, hardness decrease obs., rel. to marginal dislocations
              mobility var. 7=4794
         NaCl type crystals, temp. dependence 7=7642
        Si, elasto-optica consts., 3.39 \mu, meas. 7=18263 Si piezo-optics obs. by sample rotation 7=8438
        Si, rel. to u. s. diffraction of laser radiation 7=1460
SiTiO<sub>3</sub>, with [111] and [001] stresses calc. 7=18267
         {\rm SrTiO_3} piezo-optics obs. by sample rotation 7=8438 ZnSe, cubic, near intrinsic absorption edge 7=11815
Photoelectrets. See Electrets; Photography.
Photoelectric cells. See Photoconductivity; Photoelectricity;
    Photovoltaic effects.
Photoelectric effect, atomic. See Atoms.
Photoelectric emission. See Electron emission/photoelectric.
Photoelectricity
        See also Electron emission/photoelectric; Photoconductivity; Photovoltaic effects.

A<sup>TI</sup>B<sup>TI</sup>, A<sup>TI</sup>W S<sup>TI</sup>, single crystal chalcogenide films, photoelectric props. and structure 7=18066
anthracene, two-photon absorption bulk generation of photocarriers obs. 7=15088
        crystals, in polarization mixing of X-rays, theory 7=8361 for focus displacement detection 7=9553
         imaging system, atmosphere radiation belts effects obs. 7=8774
         metals emission into SiO2 obs. 7=2067
         "opto-electric effect" in metals and semi-
conductors 7=14876
         photocell counter for log. dec. of torsional pendulum \,7{=}2806 photodiode measuring circuits \,7{=}2963
         point contacts, to semiconductors 7=5015
         semiconductor junctions Franz-Keldysh effect
             meas. 7=18236
        semiconductors excess carrier distribution
approx. 7=17823
semiconductors, photocurrent noise recording
apparatus 7=18063
         semiconductors, thermally stimulated currents calc. 7=8047 solar cell transient response and minority carrier life-
             time theory 7=9333
         Au films, yield var. with thickness obs. 7=5090 CdS, current oscillations obs. 7=8051
         CdS, depolarization isopotentials 7=15070
        CdS. Hall mobility in high field, temp. var. obs. 7=18068 CdS, irradiation effects of \gamma and fast n 7=2027
         p-CdS near hole injecting anode obs. from Franz-Keldysh
             effect 7=18069
         CdS single crystals, kinetics of formation 7=15073
         CdS, space-charge-limited current, and effect of
             light 7=8050
         CdS together with phosphors for u.v. detection 7=9545
```

holography and reconstruction of images obs. 7=1 image recording in electron microscope 7=16074

Photography-contd Photoelectricity-contd GaAs, Franz-Keldysh effect in p-n junction, differential instrumental developments in France 7=3223 GaAs, Franz-Keldysh effect in p-n junction, differential photocurrent obs. 7-18236
GaAs pnin diode light-activated switch 7-18074
GaAs solar cells spectra and temp. curves 7-9332
GaAs-GaP solar cells spectra and temp. curves 7-9332
Ge, Au doped, noise and oscills, in photodiodes 7-15089
Ge, Franz-Keldysh effect in p-n junction, differential photocurrent obs. 7-18236
Ge, photodielectric effect 7-15079 microdensitometer image scans, degradation elimination 7=3294 shape detection using incoherent illumination 7=12736 standardization and research, history at NBS 7=16306 3-dimensional, by focused-image holography 7=16303 applications Brown motion meas, of submicron particle in gas 7=4395 bubble chambers, scanning, use of optical computer 7=3393 Ge surfaces, effect of lattice defects 7=17403 a-HgS, for X-rays obs. 7=8055 HgTIS, obs. 7=11511 InP doped with Cu 7=15082 deviations, mean and standard, resultant density method 7=2755 dodger for reproduction of diffraction patterns 7=4569 drops aerodynamic breakup shock waves, high-speed K, rel. to applied field obs. 7=5096 KCl, internal effect, elec. field depend. 7=4716 KETl, X-irrad., spectral distrib. meas. 7=8057 KTaO<sub>3</sub> surface barrier diodes obs. 7=18020 photography 7=1100 emulsion relief technique for small-area intensity comparisons 7=1584 holograms and sequential filters, processing in situ 7=16304 Nb-Nb<sub>2</sub>O<sub>5</sub>-metal diodes, spectrum rel. to interference in films 7=8062 laser intensity distribution meas., self-calibratechnique 7=3122 SbSI, dielectric const. change due to illumination 7=18051 lattice dimensions with Polaroid-Land cassette 7=17492 Sost, delectric const. change due to inclinate the state of the state Lunar, high resolution 7=2699 micrographs, bromide paper negatives use 7=9637 moon's surface, by Lunar Orbiter 7=8908 Si solar cells spectra and temp. curves 7=9332 nuclear emulsion Dalitz pair origins detection by inter-ZnO photosensitive donors prod. on u.v. irradiation, e.s.r. mediate microphotography 7=9715
phase holograms, reconstruction of transparent and
refracting objects 7=3289 obs. 7=15254 ZnSiP<sub>2</sub> single crystals 7=11816 Photoelectromagnetic effects star images, location, intrinsic limitations 7=2646 "opto-electric effect" in metals and semi-conductors 7=14876 X-ray crystallography, double oscillation photographs, off-central crystal, use 7=17489
Cr masks for photoresistors prod. 7=164 organic semiconductors, photocond. var. in mag. field, mechanism 7=8049 colour CdS holes, nonequilibrium lifetime and mobility 7=15075 CdS, transient magnetoresistance of photoelectrons, astronomical objects 7=15629 films containing diffusion-resisting components, 1,9°-78°K 7=15072 extracts in water obs. 7=3296 Ge "semi-light" holes, possibility 7=8053 high-speed HgS<sub>x</sub>Se<sub>1-x</sub>, rel.to semi-metal-semiconductor transition 7=15333 camera, framing 7=359 capping shutter 7=12741 HgTe, 100-300°K, in 300-14000 Oe fields 7=18070 p-InSb, and defects in structure, 5-120°K 7=2038 drops aerodynamic breakup behind shock waves 7=1100 smear camera complicated slits prod. 7=9635 Photofission. See Nuclear fission. streak, for temporarily produced plasma obs. 7=4213 Photographic light sources. See Light sources; Photography. Photoionization. See Ionization. Photolysis. See Photochemistry Photographic materials See also Nuclear track emulsions. Photomagnetic effects. See Photoelectromagnetic effects. bromide paper negatives use in photomicrography 7=9637 emulsion relief technique for small-area intensity Photomagnetoelectric effects. See Photoelectromagnetic effects. Photometers comparisons 7=1584
film scanner, computer controlled 7=7399
granutarity, Wiener spectrum meas. 7=12740
mass spectrometer plate holder, for Mattauch types 7=812 See also Spectrophotometers. airglow, calibration 7=2547integrating sphere, generalized theory 7=16228 for lunar colorimetric studies, three-beam photomass spectrometer plates halo suppression 7=13662 electric 7=12219 negatives with low contrast, image intensification 7=358 spectral analysis of large space bandwidth signals on film 7=3247 type 649-F plates, pure relief images 7=3293 X-ray, Polaroid film 7=11054 for nightglow meas., using filter tilting technique 7=5405 optical communication receivers 7=16219 optical system for universal luminance meter  $\,7{=}9543$  photocathodes, translucent and opaque, analysis  $\,7{=}3200$ u.v.integrator for photochem.monitor 7=3202 characteristic curve, plotting method 7=3295 See also Brightness; Densitometry; Illumination; emulsions, freq. response, holographic meas. 7=12738 Spectrophotometry.
astronomical, elliptical galaxies 7=2682
counting statistics of Gaussian light 7=5909 Kodak 649-F plates, high-intensity reciprocity failure at 6943Å 7-12739 mass spectrometry, spark, comparative tests of i.r. fluorescence of surfaces 7=12684 emulsions 7=10374 laser intensity distribution meas., self-calibr. technique 7=3122 luminescence in i.r. 7=9588 metal photocathodes as secondary standards in vacuum short light pulses 7=16307
spectral sensitization by dyes, mobility of electrons and
holes 7=9631 Photographic process graphic process
See also Photochemistry.
holography 7=9628
mass spectrometer plates halo suppression 7=13662 u.v. 7=3201 particle identification in bubble chambers 7=12802 photographic, colour eqns., Cassegrain Schmidt telescopes 7=18419 AgBr single crysts., Herschel effect 7=9632 photon counting and coincidence meas., rel. to correl. functions of e.m. fields 7=12683 development colour films containing diffusion-resisting components, extracts in water obs. 7=3296 rel. to emulsion sensitivity and exposing radiation 7=5922 photon counting distributions, meas, and analysis 7=16220 photon echo effect, rel. to unitarity and photowide-latitude developer for astronomical and scientific photography 7=15630 Si, p-i-n structures, detection method 7=11530 detection 7=12682 power limiter, using CaF<sub>2</sub>(Ce, Mn) phosphor 7=16224 preamplifier optimization for short pulse det. with photodiodes 7=3199 Photography of precessing cylinders, irradiance calc. 7=16227 See also Cameras; Cinematography; Lenses/photographic; Radiography.
astronomical, characteristic curve wavelength
dependence 7=15631
emulsions, point spread functions, models 7=12737
flashtube system, shunt triggered 7=9636
hologram, in-line Fraunhofer, for bubble chamber track
recording 7=16378
hologram viewer, construction 7=16302
hologram virtual images, apparent rotation obs. 7=16300
holography applied to contour generation, multiple—
wavelength and multiple-source 7=16297
holography, experimental techniques 7=3285
holography and reconstruction of images obs. 7=16305 pulse detector, wide range, using photomultipliers 7=16223 graphic; Radiography. quantum counting by multiplier phototubes 7=16222 light sources compensating fluctuations, in photoelec. photometry 7=9544 Photomultipliers channel electron multiplication, mechanism 7=218 cooled, sensitivity and dark current 7=16079 tooled, sensitivity and dark current (=10079) for cosmic ray meas, pulse height digitizing, amplitude to time converter 7=3689 cosmic ray prod. dark current 7=3045 detection system, compensation of fluctuations, of spectrometer light source 7=12713 divider supplies for high amplification 7=9397

### Physics Abstracts 1967 - Part I (Jan.-June) Photomultipliers -contd electron current fluctuations, rel. to randomness of gain coeff. 7=16077 emission processes, correlations 7=3043 in fast scintillation counters 7=3363 FEU-64, with 0.2 cm2 working surface photocathodes, parameters 7=16082 γ-spectrometer resolution depend, on photocathode sensitivity 7=16512 glasses, optical density change due to n and γ-irrad. 7=12548 for high frequencies, travelling-wave system 7=3044 with large diameter cathode and toroidal multiplier system 7=16078 with laser light, photoelectron statistics 7=5113 light-pulse detector, wide range 7=16223 for luminescence in i.r. spectrophotometer, cryostat 7=9588 nanosecond anode pulses, analysis 7=9396 noise factor meas. 7=16076 particle spectrometer optimum operating conditions 7=3362 as photodetectors, high-speed, for visible and near i.r. region 7=5910 photoelectron counts, rel. to amplitude noise in gas lasers 7=12643 plastic light sipe phenylcyclohexane joining cement 7=3046 quantum counting by multiplier phototubes 7=16222 reduction of noise and dark current by mag. defocusing obs. 7=12547 resolving time obs. by light pulse generator 7=3361 for satellite instrumentation 7=18403 in scintillation counting, collection time probability, cylindrical geometry effect calc. 7=9691 with semiconductor diode as multiplier 7=219 threshold sensitivity and noise ratings 7=16075 threshold sensitivity statistical calc. 7=5828 time resolution of fast photomultipliers 7=5829 u. v. detectors using Na salicylate, increased sensitivity 7=16080 for ultraviolet 7=16081 weak luminous flux detection, non-linearity of amplitude energy relation 7=388 CsSb S-11 cathode, parameters, and comparison with others 7=392 Photons See also Cosmic rays/photons; Gamma-rays; Nuclear reactions due to/photons; X-rays. aging theory of quasars red shift 7=5577 aging theory a quasars red sint [=557] bunching, review of recent research 7=9533 coalescence in nuclear Coulomb field, calc. 7=9856 correlations, in ionizing laser beams 7=3191 counting distrib. at photomultiplier cathode, rel. to coherence of light fields 7=16211 counting-distribs, in modulated laser beams 7=12639 counting statistics of Gaussian light 7=5909 electron mass shift in intense field, proposed test 7=3520 equilib. spectra with medium polarization 7=6279 field, $\alpha^3$ terms in renormalization const. $Z_3(\alpha)$ 7=490 hard, radiative correction to pair production 7=16531 inelastic vertex for arbitrary spin particles 7=3498 ${ m MB}\!\!\to\!\!\!\gamma{ m B}^*$ (M is meson, B and B\* are baryons), props. obs. $7\!\!=\!\!16544$ monochromatic beam prod. in e linear accelerator, proposal 7=6110 multiphoton transition probabilities, theory 7=5899 neutrino theory, Pryce theorem difficulties 7=6107 non-zero mass argument 7=12529 production by low-energy electron bombard. 7=8469 quantum counting by multiplier phototubes 7=16222 reflection and refraction laws from mechanics 7=9604 self-energy function overlapping divergences renormalization 7=16482 six and eight component, chilar-symm. theory 7=9855 soft, dispersion relations in quantum electrodynamics 7=12948 electrodynamics 7=12948 in stars of superdensity, gravitational binding 7=18425 statistics and classical fields 7=309 Stokes parameters relativistic spinor formulation, appl. to inverse Compton effect 7=9530 teaching at Berkeley laboratory 7=9875 transport processes, approx. theory 7=12967 two-photon systems, coherence props. 7=6106 as wave in field subvac of As particles 7=12949-50 terractions interactions with baryons, pion production 7=9961 $d+\gamma$ , vector meson or $\pi^{\circ}$ prod., peripheral calc. at high energies $\ 7{=}9860$ η° prod. to 940 MeV 7=16489 four-photon interact., stimulated, and four-wave parametric amplification 7=9484 four-photon, stimulated, rel. to Rayleigh-wing scatt. 7=3274 $\gamma NN^*$ form factor obs. from e<sup>-</sup>+p $\rightarrow$ e<sup>-</sup>+ N\* 7=13109 $\gamma$ + p $\rightarrow$ 5° + p, charge-conjugate noninvariance 7=16484 $\gamma$ + p $\rightarrow$ $\eta$ + p near threshold rel. to S-wave resonances 7=16483 $\gamma + p \rightarrow N^* (1410) \rightarrow \pi^\circ + p, 400-600 \text{ MeV } 7=495$

```
Photons-contd
      interactions-contd
          reactions—contd

γp → N** "π, cross-section and decay ang. distrib. 7=10041

γ + p → p + η°, polarization effects 7=6188

γ + p → p. + π°, diff. cross-section 7=543

γ + p → p + X°, Regge-pole model 7=580

γp → pπ°, prediction of Reggeized vector meson

exchange 7=542
            \gamma + p \rightarrow \pi^+ + n, 2-5 GeV \gamma-rays 7=16552 hadronlike behaviour of cross. 7=10222
            high-energy photonuclear reaction and mesons, baryons
                  resonances, and hypernuclei 7=9858
            K prod., identification by plastic scintillator pulse height
            correlation in range telescope, 175-300 MeV 7=13038 K*A photoprod, phenomenological analysis 7=6258 meson photoproduction, current commutation relations 7=3543
            meson photoproduction, harmonic, for photon energy meson rest energy 7=9891 meson photoproduction, vector dominance 7=491 meson prod. on N rel. to SU(6) symmetry 7=16540 μ pair prod. in H, asymm., test of small-distance quantum electrodynamics 7=3539
             \mu pair prod., and test quantum electrodynamics 7=730
            multiple-photon processes, double-photon contributions 7=5900
            n photoprod.on p, total n yield 7=6108 non-dynamical struct. 7=12951
            on nucleon, prod. of vector meson 7=9948
            w. photoproduction, regeneration effect 7=13044

ω photoproduction, regeneration effect 7=13044

ω -photoproduction near threshold, Regge-pole model

calc. 7=579
            \varphi , photoproduction, regeneration effect 7=13044 \phi photoproduction, suppression in quark model 7=13043 photoproduction of mesons and baryon resonances
                   on nucleons in quark model 7=536
            π photoproduction, isobar model, multipole
amplitudes 7=3548
             π photoproduction, low energy, rel. to SU(6) and Panofsky
            ratio 7=13002 \pi photoproduction on p by linearly polarized \gamma, 200-400 MeV, asymm.ratios 7=3549
            asymm. Patros 1=3048

π production amplitudes, partially conserved axial-
vector current restrictions 7=9899

π production, C-violation effects at low energy 7=9898

π*, photoproduction on p, 1.2-3 GeV meas. 7=3550
processes in field of plane e.m. waves and in constant
                  field 7=6063
             proton absorption of isovector photon, mag. moment sum
                  rules 7=3431
             p + \gamma, \eta \text{ prod.}, 800-1000 \text{ MeV } 7=6112
             p + \gamma, \pi^{\pm} prod obs. 7=6404
            \rho^{\circ} production contrib. to electron pair production cross-
                   section obs. 7=9887
            three-particle nuclei, disintegration, rel. to role of final state nucleons 7=6266
             vector meson photoproduction calc. 7=13042
             vector-meson photoproduction, dissociation model 7=492
             vector neutral meson prod., Regge pole analysis
             ~ GeV 7=16490
Ag, radiation excitation, plasmon-photon 7=1811
            Ag, radiation excitation, plasmon-photon 7=1811 C, electron pair prod., 600-2000 MeV meas. 7=16776 on H, liquid, \pi^0 and \pi^0 prod. obs. 7=6111 with H, \pi^* production 7=493 with H, \pi^* production 7=493 with He, \pi^* production 7=493 with He, \pi^* production 7=494 He³ liquid target 7=625 He⁴(\gamma, n) to 80 MeV 7=6270 He⁴+\gamma, \pi^0 prod. calc. with m exchange at high
             ne<sup>*+</sup>γ, π prod. calc. with ω exchange at high energies 7=9860
γNN* vertices T invariance for all N* and real or virtual photons 7=12907
N + γ, π° prod. spin-independent isovector part 7=12954
U235 photofission asymmetry rel. to max. bremsstrahlung energy 7=772
              \text{He}^{4}+\gamma, \pi^{\circ} prod. calc. with \omega exchange at high
             W meson prod. on p calc. 7=6194
       polarization
              circular, prod. by polarized electron bremsstr. 7=3502
              γ-rays, circular, analysers, efficiency meas.
                   method 7=16493
              backward Compton scatt. at high energies 7=496
             Compton, high-intensity, freqn. shift theory 7=3524 d+\gamma calc. with \eta exchange at high energies 7=9860 in electromagnetic uniform field 7=16487
              e, electron pair prod., 600-2000 MeV meas. 7=167 electron refraction, mutual, density effects 7=3528 γ + C → e* + e* + C, as test of validity of quantum electrodynamics at small distances 7=13393 on hadrons, sum rules, quark model 7=16485 on hadrons sum rules Regreg model. 7=16485
              on hadrons, sum rules, Regge model 7=16486
in laser beam, stimulated Compton scatt. of
electrons 7=16524
```

Physical effects of radiations-contd

```
Photons-contd
    scattering-contd
nuclei, of bremsstrahlung, giant resonances obs. 7=13232
        by nuclei, resonance process, T-invariance violation 7=13391 oriented nuclei, general formalism for dipole and
            quadrupole radiation 7=729
         photonuclear cross sections rel. to non-local potential 7=10212
        Thomson scatt. of high intensity beam with radiation
             reaction 7=3499
        vibrational nuclei, giant resonance, theory 7=10221 Holss aligned nuclei, dipole polarizabilities obs. 7=729
Ni<sup>62</sup> level at 7.64 MeV, inelastic obs. 7=16773

Photonuclear reactions. See Nuclear reactions due to/photons.
Photophoresis
         No entries
Photoproduction. See Gamma-rays/effects; Nuclear reactions
    due to/photons; Photons/interactions.
Photoresistors. See Photoconductivity; Semiconducting devices.
Photosphere. See Sun.
 Photovoltaic effects
         semiconductor, at impurity ionization change
             boundary 7=18065
         semiconductor surface condenser photo-e.m.f.
             distrib. 7=15067
          semiconductor surfaces, small-signal photo-
              voltage 7=11585
         semiconductors, GaAs type, surface photo-e. m. f. 7=11589 semiconductors, p type, with exponential impurity profiles 7=11584 solar cells, thin film 7=12513
         thin film semiconductor materials in photocells 7=11499 transition metal dithiocarbamates, photo-e.m.f. and
              electronic spectra 7=2048
          II-VI compounds surfaces obs.
                                                          7 = 15098
         II-VI compounds surfaces obs. 1=15000
II-VI compounds, thin films 7=11588
CdS solar cell, model 7=12507
CdS, solar cells, thin film polycrystalline 7=12509
CdS surface photopotential of single crystals in alternating electric field 7=2028
          CdS surfaces, (0001) 7=11402
          CdTe cells, mechanism 7=11601
CdTe, spectral distrib. 7=5094
          Cu<sub>2-x</sub> Te-CdTe heterojunctions in thin film solar cells 7=12512
          GaAs, polycrystalline films in photocells 7=12513
           GaAs, surface photo-e.m.f. 7=11589
GaP:Cu 7=5259
          MoO<sub>3</sub> films on colour centre formation 7=11787 Pbl<sub>2</sub>, contact effects 7=5097 Pb<sub>2</sub>, Sh<sub>1-x</sub>Te, p-n junc., up to 12\mu 7=5098 S, orthorhombic, voltages larger than band gap 7=11594 Si p-n junctions prod. by P ion bombardment of p-Si at 2020 keV construction 7=500
           at ~30 keV, energy converter 7=5798
Si, solar cell, drift-field effects, mobility and lifetime vars. 7=18075
           Si solar cell, photovoltaic e.m.f., laser illum. 7=12515
           SiC, optical charge transfer, e.p. r. study 7=15086
ZnS, striated, rel. to heat and u. v. treatment 7=11888
  Physical chemistry
           films, semiconducting, prep. by cold plasma
condensation 7=10955
H<sub>2</sub> adsorption by Pd, consequences of proton
model 7=8552
  Physical effects of radiations
                See also under individual radiations, e.g. Neutrons and
                antineutrons/effects.
            alkali halides, F-centre prod., impurity inhibition,
                theory 7=4718
            alkali halides, radiation-damaged, paramag.fragments
           study by ESR 7=11688
anthracene, prod. of hole traps 7=11365
atom-atom collision "chains" in crystals 7=14634
atomic stopping, review of post 1960 developments 7=4047
            ceramics, transient effect on dielec. props. 7=5053
            channeled particles in crystals, energy spectra, calc. 7=14635
            crystalline structures, recoil numbers 7=7622
            crystals, ionic, models 7=11779
            crystals, charged particle inelastic scatt., atomic scatt.
                potential reconstruction 7=7618
            crystals, theory of diffraction channelling of fast
                particles 7=1646
            defect cluster formation 7=14522
            in dielectrics, reactor and linear accelerator induced
                effects 7=15012
            dielectrics, transparent, laser beam effect obs. 7-4760 for dislocation trapping of point defects meas. 7-1533
            electronic components, failure probability 7=2988 glass, laser damage on linear absorption 7=14633 graphite, effect of form of vacancy lines 7=7540
            graphite, interstitial atom config. 7=4692
            inorganic crystals, radiation-damaged, paramag. fragments
   study by ESR 7=11688
```

inorganic subs., high energy radn., conference Seattle 1966 7=11961

```
interaction with matter, review 7=6005
in junction transistors, deterioration due to nuclear
     rad. 7=5038
laser damage on linear absorption 7=14633 laser-induced damage, dynamics 7=4730
laser light production of ion and electron sources from
     solids 7=222
laser radiation damage of solids 7=17671
leuco-sapphire, destruction by lasers 7=7629
light atom or ion passage through films of heavy elements, theory 7=4046 metals, action of intense radiation from laser 7=1643 metals, interstitials annealing models, review 7=1532
particle accelerator circuits 7=16391
 Permalloy-Mo magnetization large jumps obs. 7=18132
phase transformations, and high press. effects, combined obs. 7=1251
phosphors, deterioration 7=11832
on photoelectric imaging system, of atmosphere radiation
     belts obs. 7=8774
plastics, transient effect on dielec. props. 7=5053
polyamide, films, photostability 7=4743
polyatomic medium, energetic atom energy distrib. 7=7617
 polyethylene crosslink formation, crystallization conditions
     effect 7=7302
 polyoxymethylene, \gamma-irrad., var. in elastic consts., -30 to 150^{\circ}C 7=4824
 review 7=6005
 ruby, destruction by lasers 7=7629
 on semiconductor components 7=14976
on semiconductor components for integrated
     circuits 7=5013
 semiconductors, electron-hole pair prod. rel. to
      plasmons 7=17842
 sodium salicylate, effect of u.v.irrad.on
fluorescence 7=5320
solar cells, review 7=12514
  steel, high-strain fatigue behaviour 7=17708
  study by bound-exciton optical spectra 7=11150
 substance evaporation due to focused laser radiation 7=13870
Ag thin layers, resistivity during heavy-ion irrad. 7=1829
Al, dislocation trapping of point defects obs. 7=1538
 Al, dislocation trapping of point defects obs. 7=1533
Al<sub>2</sub>O<sub>3</sub>, fission fragment damage and tracks 7=11222
Au, dislocation trapping of point defects obs. 7=1533
Au, fission fragment black spot damage energy var.
obs. in films 7=17603
Au, formation of point defect clusters 7=14518
Au, point defect clusters in thin films 7=7536
BN one of contrast produced 7=11603
  BN, e.p.r. of centres produced 7=11693
BaTiO<sub>3</sub>, phase transformation prod. obs. 7=10946
  BeO, fission fragment damage and tracks 7=11222
CaO, produced in lime-burning, Cu X-irrad. effect on
  surface area 7=11965
CdS, review 7=12514
CdTe, review 7=12514
   Cr-Ni steel, at const. load, vacancies 7=14728
   Cr-Ni-Nb steel, fission fragment effect on
  oxidation 7=11939
Cu, 'black spot' defects, laser-induced 7=7578
   Cu, correlated atomic collisions during irradiation 7=1464
   Cu, dislocation trapping of point defects obs. 7=1533
  Cu, formation of point defect clusters 7=14518
Cu, point defect clusters in thin films 7=7536
   Cu, ultrasonic absorption recovery rel. to imper-
       fections 7=1537
    Fe, defect clusters 7=14503
   Fe, hardening and embrittlement, effect of interstitial impurities 7=1719
   GaAs, lasers, internal self-damage 7=3167
GaAs, review 7=12514
    KCl colorability, deformation effects obs. 7=17631
    KCl, colour F centre metastable aggregates obs. 7=17628
    LiF, I, E, M, Z centres 7=1636
    LiF, paramagnetic V_{\rm K} centres prod. rel. to F dynamic polarization enhancement at 80°K 7=10917 LiF, thermoluminesc. fading after low-dose irrad.
    Mo, characteristic energy loss, temp. dependence 7=1819
    NaCl, creation of colour centres 7=11217 NaCl, luminescence spectrum prod., 83°-540°K 7=11874
    NaI, V_K centres prod. at low temp. 7=14629
    Nb, characteristic energy loss, temp. dependence 7=1819
    PbTiO<sub>3</sub>, phase transformation prod. obs. 7=10946
PbZrO<sub>3</sub>, phase transformation prod. obs. 7=10946
    RbI, V centres prod. at low temp. 7=14629
    Si, complex defect annealing kinetics rel. to conc. 7=17592
    Si, divacancies, direct production calc. 7=14539
    Si, electron-hole pair prod. rel. to plasmons 7=17842
    Si, luminescence on annealing Mössbauer effect analogue 7=8491
    Ta, characteristic energy loss, temp. dependence 7=1819
     ThO2, fission fragment damage and tracks 7=11222
     U foils, ejection of U atoms by fission fragments obs. 7=1664
```

# Physics Abstracts 1967 - Part I (Jan.-June) Physical effects of radiations-contd ${ m UO_2}$ sintered discs, ejection of U atoms by fission fragments obs. $7{=}1663$ ${ m UO}_{2-\pi}, { m UO}_2$ and ${ m UO}_{2+\pi},$ on thermal conductivity 7=11134 UP, effect of temp. 7=11081 W, characteristic energy loss, temp. dependence 7=1819 ZnS, striated, u. v., rel. to elec. and optical props. 7=11888 ZrO2 phase transformations, and high press. effects, combined obs. 7=1251 Physics See also Biographies; Books; Conferences; History; Nuclear physics; Teaching. bound states of physical system, number and energies approx. 7=5654 education, collateral reading 7=12276 Ohm's lab. notebooks as example of scientific method 7=12275 teaching, computers use 7=9039 Fe<sup>55</sup> soft X-ray sources for research 7=3310 Pa physico-chemistry, conference, Orsay, 1965 7=10069 Physics fundamentals See also Cosmology; Elementary particles; Field theory, classical; Field theory, quantum; Indeterminacy; Mechanics; Parity; Probability; Quantum theory; Relativity; Thermodynamics; Units. absolute versus relative space and time, Leibniz-Clarke controversy 7=12274 atomistics reconciliation with divisibility of space and time 7=16416 conservation laws, reciprocal reln. to symmetries, variational theory 7=2783 matter into energy, conversion, interpretation 7=66 quantum hydrodynamics and the existence of particles 7=15987 quantum theory fact and fiction 7=9644 time axis reversal universe 7=16334 Physiology See also Biological technique and instruments; Blood; Hearing; Vision. No entries Piezoelectric oscillations acoustic amplification, effective elastic consts theory 7=17554 acoustoelectric waves in limit of nonlinear mixing 7=17555 contactless motion of two bodies, stability 7=2886 discs with asymmetric electrodes numerical calc. 7=9159 in films, for microwave phonon prod. and detection 7=7480 micromechanical translator, voltage activated, with elec.readout 7=9195 piezoceramic cylinders, vibr.freq. 7=126 quartz-CdS resonator photoconductivity effect 7=14759 quartz, temp. compensated, ageing obs. 7=2761 quartz u.s. surface wave amplification by electron beam, calc. 7=7489 resonators, finite-difference calc. 7=5715 shell cylinders for crystal class 6mm calc. 7=9174 surface elastic-wave excitation 7=15929 u.s. wave propagation across contactless junction 7=2885 AgI shell cylinders calc. 7=9174 Piezoelectricity See also Electrostriction; Piezoresistance. ceramics for electron microscope ultramicromanipulator 7=7355 electro-optical props., meas. of linear and quadratic terms independently 7=2274 incremental stress effects in transistors 7=18030 losses, representation by complex coeffs. 7=15042 optical reflection, second harmonic, meas. 7=11727 poly-γ-methyl-L-glutamate 7=15045 quartz, 1-5 Gc/s 7=18055 quartz shock prod. current, ionized impurities, effect calc. 7=8038 and refractive index linear var. with elec. field 7=18207 semiconductors, acoustoelectric current contribution to current saturation 7=1918 semiconductors, moving domain double-Doppler effect inter-action with elastic waves or i.r.calc. 7=15307 semiconductors, sound polarization rotation in mag. field calc. 7=4630 transducers construction and appl. 7=8036 triboluminescence, pressure effects on recomb. centres 7=15368 BaTiO<sub>3</sub>, cubic, surface layer 7=8037 Ca<sub>2</sub>Sr propionate, temp. var. 7=2010 CdS, and Hall mobility anisotropy and field var. theory 7=14794 theory 7-14794 CdS, influence of trapping 7-4636 CdS, in nonlinear theory of current saturation 7-14945 CdS-SiO multilayer thin film transducer 7-12434 Fe<sub>1.16</sub>Ga<sub>0.08</sub>O<sub>3</sub> 7-7424 Ge, films, piezoresistive elements 7-14958 Ge, indirect absorption under combined static and oscillatory stress 7=11767 n-InSb, magnetoacoustic obs., $9 \, \mathrm{Gc/s}$ , $4.2^{\circ}-50^{\circ}\mathrm{K}$ 7=17557

Piezoelectricity-contd KH2PO4, piezoelec. resonances, effect on light modulation 7=15044 LiNbO<sub>3</sub>, for high-temperature transducer 7=2011 LiNbO<sub>3</sub>, 20°-200°C 7=15043 NH<sub>4</sub>. H<sub>2</sub>PO<sub>4</sub>, piezoelec. resonances, effect on light modulation 7=15044 Pb zironate-titanate ceramics obs. 7=8026 Pb(Mg<sub>J,3</sub>Nb<sub>2,9</sub>O<sub>3</sub>-PbTiO<sub>3</sub>-PbZrO<sub>3</sub> ceramics with additives 7=11567  $Pb_{0.99}Nb_{0.02}(Zr_{0.65}Ti_{0.35})_{0.98}O_3,$  polarity effects of high stress  $7{=}11563$ c-ZnS, resonance method obs. 7=8016 Piezoresistance See also Piezoelectricity. Cu-Ni films obs. 7=14883 Ge, electric field effects at 77°K 7=1937 p-Ge obs. 7=11510
Ge, piezo-Hall effect 7=17962
Piles, nuclear fission. See Nuclear reactors, fission.
Pinch effect. See Discharges, electric; Plasma/confinement; Semiconducting materials. Pions composite structure, from π-N backward peak 7=6161 for factor sum rule for algebra of e.m. current 7=12998 focusing horn, Argonne, circuits 7=13016 PCAC hypothesis appl. 7=12999 pion-baryon-baryon vertex 7=9964  $\pi$ - $\pi$  P-wave resonance state approx. solution 7=3612  $\pi$ - $\pi$  resonance, P, D wave parameters calc. 7=3611 π capture in H-D and H-He mixtures 7=6166 mass difference obs. 7=541 soft-pion emission processes, and minimal interactions 7=6140 spark chamber spectrometer 7=5988 spectrometer for nanosec. bursts from p reactions 7=13410 static theory sum rules for axial-vector current renormalization 7=16549
N interaction prod. momentum spectra in hundred BeV range 7=3623 decay current algebra, check of consistency 7=12899 four-lepton, effect of possible lepton interactions 7=16550 nonleptonic weak, CP-conserving, phenomenological model 7=3542  $\pi$  -eve'e rel. to quantum electrodynamics validity 7=9897  $\pi\to\mu+\nu+\gamma$  ,  $\mu$  depolarization calc. 7=13000  $\pi^-\to\pi^0+e+\bar{\nu}$  , maximization for electron mass 7=3521  $\pi^{\circ}$ , CP violation models and their experimental implications 7=16335  $\pi^{\circ}$  mean life obs. from  $K^{*} \rightarrow \pi^{*} + \pi^{\circ}$  at rest 7=6139  $\pi^{\circ} \to 2\,\gamma$  for elementary particles models test 7=16411  $\pi^{\circ} \to 2\,\gamma$  rel. to quarks, fractional or integral charges 7=6032 charges 7=6032  $\pi^+ \rightarrow \mu^+ + \nu$  curves obs. 7=540  $\pi^+ \rightarrow \pi^0 \in \nu$  radiative correction, S-matrix method calc. 7=539  $\pi^+ \rightarrow \pi^0 + e^+ + \nu$  rate obs. 7=3547  $\pi\rho$  and KK, A<sub>2</sub>(1310) decay props. obs. 7=9959 quark model, static 7=538interactions diboson prod. at 12 and 18 GeV/c 7=6141 thoson from at 12 and 16 dev/c  $^{-1}$  = 171 in nucleus Coulomb field,  $^{\infty}$  prod. at high energy 7=557  $\pi$ -d, radiative absorption calc. 7=3552  $\pi\pi\rho$  bootstrap model 7=582  $\pi$ -π from  $\pi$  p reactions at 2.1 BeV/c, analysis 7=547  $\pi$  + p  $\rightarrow$   $\pi$  +  $\pi$  + B,  $\pi$  \* $\pi$  ,  $\pi$  " $\pi$ " and  $\pi$  " $\pi$ " total cross section obs. 7=16556 obs. 7=16556  $\pi^-$  absorption, correlation function 7=13570  $\pi^-$ , charge-exchange with He³ 7=13572  $\pi^+$ p  $\to$  n + e² + e², CP-noninvariant correl. 7=16563  $\pi^-$ p  $\to$  n $^-$ π $^-$ N\*\*,  $\pi^+$ π mass distrib.calc. 7=16560  $\pi^0$  and  $\pi^0$  photoproduction on liquid H T=6111  $\pi^*$ , 80 MeV, double charge exchange on nuclei obs. 7=6441  $\pi^*$  + d at 4.5 GeV/c rel. to  $f^\circ$  resonance decay 7=6142  $\Sigma^-$  +  $\pi^+$   $\to$   $\Sigma^+$  +  $\pi^-$  calc. 7=16546He³ capture with breakup obs. 7=9901He³ +  $\pi$  system  $\pi$ N resonances 7=16553teractions. sion—nucleon interactions, pion-nucleon below 1 GeV, theory, review 7=9902 and bound-state model of nucleon, radius 7=9969 charge exchange, backward, in quark model 7=9916 coupling const. calc. in Heisenberg's non-linear theory 7=6143-4 electron pairs prod. with wide angle, mechanism 7=748 experimental data, review 7=9971 f° meson production 7=16591 inelastic at 7.5 GeV, polarization of nucleon isobars 7=6147  $NN\pi,\,N^*N\pi$  , vertices, in quark model calc. 7=619  $N^*_{3/2~3/2}$  production by one-rho-exchange 7=10040 nucleon as πN bound state 7=9968 above 1 GeV, theory, review 7=9903  $\pi$  + N  $\rightarrow$   $\pi$  +  $\gamma$  + N obs. 7=6149

Pions-contd

```
Pions-contd
               interactions, pion-nucleon-contd
                           \pi + N^* \rightarrow \pi + N, \pi + N^*, Born terms by crossing relns. 7=3553
                            \pi N \to \pi\pi N, isobar model 7=9787 \pi\pi N prod., resonances in s-channel model 7=6145
                            \pi^*-nucleus, 830 MeV/c, electron pair production 7=13573
                           and pN, secondary p energy distrib., 4-20 GeV 7=6212
                           quasi-two-body, Regge-pole formulas for differential cross sections 7=16554 resonance tails and high-energy charge exchange 7=545 Schrödinger theory, static interaction 7=546 near 2 GeV/c 7=6146
                           wide angle pairs prod theory 7=16555
              interactions, pion-pion
                           correlation effect in two-pion exchange 7=9904 four-pion coupling constant and SU<sub>6</sub> algebra of
                                         Gell-Mann 7=463
                           parameters from K \rightarrow 3\pi decay modes obs. 7=16576
                            \pi\pi \to \gamma_{\alpha} + \gamma_{B}, analyticity in ang. momentum plane, and Fubini sum rule 7=9905
                            resonance, I = 1, at 1.63 GeV, evidence 7=16588 from \rho production in \pi p interactions, at 2.14 BeV/c 7=9913
              interactions, pion-proton
                           angular correl, in six- and eight-prong interactions at 8 GeV/c 7=13005 inelastic, one particle exchange contribution 7=16618 KK productions, AK and KK cross sections obs. 7=550
                            \Lambda\eta^\circ resonance at 4 GeV/c, obs. 7=16647 \Lambda-hyperon on K° meson production 7=6197
                           N+ + \pi prod., N* decay test of one-particle exchange 7=9911
N*<sub>2</sub>(3690), first obs. 7=13108
one-meson pole theory at 7 GeV, testing 7=9910
                         one-meson pole theory at 7 GeV, testing \tau=9.50 m \tau-p \rightarrow K\overline{K}N, singularity conditions \tau=16446 m \tau-p, below 5 BeV/c, low-mass K\overline{K} systems \tau=3596 m \tau-p \rightarrow pm \tau-\tau-\tau, structures in the 4\pi mass system \tau=551 m \tau-p, resonances in \Lambda, \pi^{\pm} system and \Upsilon_1^* obs. \tau=9957 m \tau-p \rightarrow \eta+n near threshold, cross-section and
                                        momentum relation 7=3607
                           \pi^- + p \rightarrow \eta + n , total and difference cross section, 558 - 900 MeV 7 = 548
                            \pi^--p interactions in bubble chamber 7=16562
                            \pi^-+ p, K\pi resonances obs. 7=9958

\pi^-+ p \to K° + \Sigma^\circ(\Lambda), \Sigma^\circ and \Lambda polarizations at 1.17,

1.32 BeV/c 7=6156
                            \pi^-+p, \Lambda and K^o production obs. 7=9908

\pi^-+p \to \Lambda^o + K^o, \Lambda^o polarization and ang. distrib.
                                          obs. 7=13008
                         obs. 7=13008

\tau^- + p \rightarrow n + 3\gamma, 1300 MeV meson in \pi^\circ \gamma system,

obs. 7=16584

\pi^- + p \rightarrow \pi^\circ + n, at 2.8 GeV/c 7=6154

\pi^- + p \rightarrow \pi^\circ + n cross-sections, 4.1 and 9 GeV/c 7=6151

\pi^- + p \rightarrow \pi^\circ + n, 5, 9 and 11.2 GeV/c, polarization parameter meas. 7=6155
                           meter meas. (=0150) \pi^-+p \rightarrow 
                         \pi + p → π + π + n and π + π + p, helastic at 344 μ incident energy T=6148 π + p → π + π + n at 2.36 GeV/c, obs. T=16561 π + p → Σ° + K° at 1170 MeV/c T=9912 π - p, single π prod. at 790, 830 and 870 MeV T=3557 π + p at 3.2 GeV/c, boson resonant states production and decay T=6152
                         π + p, two-charged-particle at final states, 2.7 GeV/c obs. 7=16559
π p at 2.1 BeV/c, π-π interaction analysis 7=547
                           \pi^-+p \to Y^\circ + K^\circ, backward peak at 6 GeV/c 7=9909 \pi^-p \to \eta^0 n, high energy obs. analysed 7=3555
                           \pi^- p \rightarrow \pi^0 n, charge-exchange polarization, Regge-pole
                                         anal. 7=3556
                           \pi^- p \rightarrow \pi^0 n, high energy obs. analysed 7=3555
                           \pi^- p \rightarrow \pi^+ \pi^- n, study of \pi^+ \pi^- resonance 7=9952
                         \pi^+ p \rightarrow \pi^+ \pi^- n, study of \pi^+ \pi^- resonance (7=9952) \pi^- p \rightarrow pmM^-, differential cross-section at 12 GeV/c 7=3560 \pi^- p \rightarrow p + X^-, mass spectrum of bosons from 500 to 2500 MeV 7=3558 \pi^- p at 7.91 BeV/c, strange particle production 7=9907 \pi^- + p \rightarrow W^- + p, W-meson prod., calc. of cross
                                         section 7=552
                         \pi^+ + p \rightarrow \Lambda^- + K^{**} + \pi^+ + \pi^{**} at 3.2 GeV/c 7=3597 \pi^+ + p \rightarrow N^{**} + \pi^*, isobar model 7=9787 \pi^+ + p \rightarrow W^{**} + \pi^*, isobar model 7=9787 \pi^+ + p \rightarrow W^{**} + \pi^*, Regge-pole exchange model 7=13006 \pi^+ p \rightarrow \pi^+ \pi^0 p or \pi^+ \pi^+ n mechanisms 7=13007 \pi^+ p \rightarrow \pi^+ p \pi^+ \pi^- \pi^*, \omega production, 4 GeV/c 7=6153 \pi^+ p \rightarrow \pi^+ p \pi^+ \pi^-, \rho^* and N^{***} production, 4 GeV/c 7=6153 \pi^* p \rightarrow \pi^* p \pi^+ \pi^-, \rho^* and N^{***} production, 7, 13004
                         \pi^4p resonances, absorptive corrections 7=13004 \pi_1 + p \rightarrow \pi_2 + N* complete experiment calc. 7=3554
                        ρ production at 8 GeV/c, vector meson exchange 7=13045
```

```
\begin{array}{l} \text{interactions, pion-proton-contd} \\ \sigma_p^{\pi^*} - \sigma_z^{\pi} = \text{const.} / \nu_L \text{ as } \nu_L \rightarrow \infty, \text{const.} > \text{O,} \\ \text{prediction } 7\text{=}3561 \end{array}
    SU(3) inequalities at high energies 7=16558
production
     amplitudes in e-N scatt., functional equations 7=544
     amplitudes, partially conserved axial-vector current
restrictions, electro- and photoproduction 7=9899
     and chiral algebra, configuration mixing, magnetic moments 7=981
     in cosmic ray interactions, fireball model 7=3867
    in e-Be at 16 GeV, small-angle flux from thick target 7=16775 e-d scatt., inelastic, calc. 7=3551
     electroproduction from complex nuclei 7=13402
    \gamma+d\to\pi+N+N_3^*, sum rule 7=3672

\gamma+p\to N* (1410) \to\pi^\circ+p, 400-600 MeV 7=495

\gamma+p\to p\pi^\circ, predictions of Reggeized vector meson
         exchange 7=542
     by N in cosmic rays, phenomenological interpreta-
         tion 7=6419
     in N reactions ~ 100-1000 BeV 7=13407
     photo-, C-violation effects at low energy 7=9898 photoproduction, isobar model, multipole amplitudes 7=3548
     photoproduction on p by linearly polarized \gamma, 200-400 MeV, asymm. ratios 7=3549
     photoproduction, 3-3 partial-wave ampl., dispersion relns, resolution 7=9900

    π photoproduction on nuclei, amplitudes and cross-sections obs. 7=6403
    π -p interactions, four-prong events, 2.7 BeV/c

         meas. 7=3559
     \pi^{\circ} in cosmic ray interactions giving large ionization
     bursts 7=13152 \pi^\circ in \gamma + N, spin-independent isovector part 7=12954
     \pi^{\circ}, ionization bursts with predetermined amount of energy
          transferred 7=10219
     \pi^{\circ} by photons on nuclei calc. 7=10223
     \pi^\circ, \vec{p}+p\to \overline{N}^{*+}N^{*+}\pi^\circ, spin alignment of resonances, meas. 7{=}9984
     \pi^0, single, by \pi^--p at 790, 830 and 870 MeV 7=3557
     \pi^*, photoproduction from H and He 7=493
        , photoproduction on p, 1.2-3 GeV meas. 7=3550
     \pi', in p-p 612 MeV collisions 7=16606 \pi^*, by 2-5 GeV tagged \gamma-rays 7=16552 \pi^*2\pi^-, coherent, by 16 GeV \pi^- on nuclei 7=10282
     π*, from e-Be, Stanford accelerator 7=16397
     \pi^{\pm} by \gamma, e on p, Li<sup>6,7</sup>, C 7=6404 \pi^{\pm}, photoproduction from H and He 7=494
     p bombardment by 20 GeV electrons, diffractive π
          prod. 7=13003
     p-p collisions, one-boson-exchange model 7=13064
     by p-p annihilation 7=6230 protons on Al, Cu, Pb and W, 8 GeV/c meas. 7=10238
     SU(6) and Panofsky ratio, rel. to low energy
          photoproduction 7=13002
     single, direct, in \pi p or pp, me chanisms 7=13007 soft, and current algebra 7=13001 weak, calc. 7=6069
scattering
     K^*-\pi, rel. to model of pseudoscalar with Z_s = 0 7=9888
     K^*-\pi, rel. to model of pseudoscalar with \omega_3-00 K-\pi lengths from p interactions in one-pion exchange approx. 7=16564 nucleus Coulomb field, \omega^\circ prod. at high energy 7=557 \pi-d. elastic, relativistic impulse approx. 7=3562

    π-d, elastic, relativistic impulse approx.
    π-hyperon, Lie group and static bootstrap equivalence 7=553

     π-K, rel. to axial-vector coupling const.
renormalization 7=9895
πNP<sub>33</sub> partial-wave amplitude, superconvergent
consistency conditions 7=13010
     π-ρ resonances, direct channel fermions, interference of
Regge ρ exchange 7=6253
He<sup>4</sup>-π<sup>2</sup> rel. to π e.m. form factor 7=13009
on Li<sup>2</sup>, elastic 7=749
 scattering, pion-nucleon
     backward at high energy, calc. rel. to \pi struct. 7=9915 backward peak meas., and composite structure of
          pion 7=6161
     backward, in quark model 7=9916
Born terms, use of crossing relns. 7=3553
     calculation, self-consistent three-body 7=6158
Castillejo-Dalitz-Dyson poles, one-channel 7=3566
     conditions derived from current commutation relns. 7=3563
     from crossing symmetry for s waves for
     π'p, π'p scatt. 7=13012
dispersion relns., threshold symmetry props. and partial
waves 7=6157
     dynamical theory, general, without arb. parameter 7=13013 effects of baryon resonance and direct diagrams 7=9914
     effects of \pi\pi interactions, low energies 7=13011
```

```
scattering, pion-nucleon
      eigen phase and mixing angle rel. to elastic phase shift 7=6160
      elastic and inelastic props.direct correl.rel.to energy var.of baryon 7=6162
      first resonance pionic form factor 7=6259
      inelastic, baryon behaviour, energy variation analysis 7=9917
      large angle at high energies, speculations 7=16547 lengths, rel. to axial-vector coupling const. renormalization 7=9895
      Mandelstam representation and \pi NN vertex function 7=3490 model, modified one-nucleon exchange 7=554
      P-wave, sum rules for lengths, from current
           algebras 7=3564
      phase-shift analysis from ang. distrib. of production reaction, constraints 7{=}16566 phase shift analyses, comparison 7{=}3567 phase shift analysis and \eta{-}N interaction dynamical
            model 7=573
       phase shift analysis rel.to πp scatt.recoil p
polarization 7=3572
       phase shift, modified effective-range approx. based on
            Regge poles appl. 7=479
      phase shifts, anal. by new Regge representation 7=6159 phase shifts, P<sub>11</sub>, calc. 7=3565 scalar-meson production 7=6163 and two-\pi-exchange effects in NN scatt. 7=594
       wave functions and potentials from N\!\!/\!D method off the mass shell 7\!=\!9844
       P(\frac{1}{2}, \frac{1}{2}) resonance at low energy 7=618
       in P<sub>11</sub> state 7=9925
       Regge pole analysis, using forward dispersion relns. 7=3546
       sum rules by commutation relns. between chiral currents 7=3568
      u-channel exchange potential, J ≤ ½ resonances
contrib. 7=16565
π-N*, Born terms, by crossing relns. 7=3553
AgBr-π at 17.2 GeV 7=16828
CNO-π at 17.2 GeV 7=16828
  scattering, pion-pion
      amplitude consistency conditions, external momenta fourth order determ. 7=16557 antibound state, J=0, T=0, bootstrap calc. 7=9950 Castillejo-Dalitz-Dyson poles, one-channel 7=3566 consistency conditions 7=466 dipion mass near \( \rho - \text{meson}, \text{core} \).
       lengths from p interactions in one-pion exchange
             approx. 7=16564
       off-the-mass-shell correction to PCAC 7=16568
       partial-wave amplitudes, high-energy consistency
             conditions 7=3473
       partial waves geometrical inequalities 0 < s < 4 7=13014 \pi\pi-KK model of \delta meson calc, 7=16465 \rho exchanged resonance Regge pole representation 7=9919 rising phase shifts through \pi/2 for T = 0 S-wave 7=3569
       s- and p-wave scatt. lengths, sum rules 7=9918
S-wave lengths rel. to total cross section calc. 7=16567
       s-wave phase shift in \rho region, I=0, effect of absorption considered 7=9920
       S-wave resonance above 500 MeV, possible 7=3593 single-channel, strip approx., by Mandelstam
        approx. 7=3570
sum rules and scalar unitary singlet 7=3568
        total cross, and width of forward diffr. peak at high
              energy 7=6164
         unitarity condition, contribution of peripheral part of
              many-particle states 7=9921
   scattering, pion—proton
backward and elastic at 3.55 GeV/c, ang. distrib.
obs. 7=3574
        crossing symmetry for s waves for \pi^*, \pi^- {\rm rel.} to *N scatt. 7=13012
        scatt. 7=13012 dispersion relations verification, small angles 7=9924 elastic, difference in sign of real parts of amplitudes, high energy 7=9922 large-angle elastic, differential cross-sections 7=9923 π<sup>-</sup>-p, elastic at 180°, near 2 GeV/c 7=6146 π<sup>-</sup>p large angle at high energies, speculations 7=16547 π<sup>-</sup>-p, 10 GeV phase integral steppest descents
         \pi^--p, 10 GeV, phase integral, steepest descents calc. 7=9835
         \pi^*p, backward, in direct channel \Delta_\delta resonance model 7=556 \pi^*-p, crossed elastic cut versus three particle unitary
               cut 7=6165
          π+-p, elastic backward scatt., structure 7=16570
         \pi^*-p polarization and Regge poles 7=16571 \pi^*-p, Regge pole model for high energy backward 7=16569 \pi^*p, differential cross sections at 875-1579 MeV/c elastic obs. 7=555
          \pi^{\, \pm} p and pp, inelastic, 6-12 GeV/c, polarization parameter 7=13015 polarization meas.,670-3750 MeV/c 7=3573
           recoil p polarization and phase shift anal. of \pi N
               scatt. 7=3572
Pitch detection. See Acoustical measurement; Hearing:
```

```
Plages, See Sun.
Planetary nebulae. See Nebulae; Stars.
Planets
              See also Solar system.
         asteroid belt, Kirkwood gaps 7=8924 asteroids, mass distribution 7=2647
         atmospheres limb darkening in i. r. due to anisotropic multiple scatt. and temp. gradient calc. 7=12229 characteristics from radar observations 7=12227 craters, meteoritic impact and volcanism 7=5604
          internal structure models of Venus and Mars rel. to
              earth 7=8926
          Jupiter atmosphere circulation 7=2705
         Jupiter atmosphere thermodynamic equilibrium rel. to
         composition calc. 7=12226
Jupiter, B and C "sources" of decametric
              radiation 7=12230
          Jupiter, dm emission, controlling factors 7=8930
         Jupiter, dm radio emission 7=8929
         Jupiter, decametric radiation satellites effect obs. 7=2706
         Jupiter, decametric radio emission rel. to Europa,
         Ganymede, Callisto and Amalthea 7=18466
Jupiter emission region at 408 Mc/s 7=8933
         Jupiter VIII, positions, table 7=2712
Jupiter, great red spot obs. 7=2707
Jupiter, hot interior, model 7=15761
         Jupiter, 1414 Mc/s, 28 nights data 7=8932
         Jupiter, motion of Galilian satellites 7=15763
Jupiter, radio emission, 1.53 cm 7=8931
          Jupiter, radio rotation period 7=8934
          Jupiter, rotational effects on distribution of thermal
         plasma in magnetosphere 7=15762
Jupiter's atmosphere, Spinrad's recent obs. 7=8928
major, atmosphere models allowing for convection 7=12225
Mars, atmosphere, composition and surface
pressure 7=5590
          Mars, atmosphere, Mariner II models 7=5589
         Mars atmosphere, reliability of spectral obs. 7=8939
Mars atmosphere thermodynamic equilibrium rel. to
composition calc. 7=12226
Mars, canals 7=15766
          Mars, Fe(OH)<sub>2</sub> as coloring agent 7=8937
Mars, Mariner 4 photographic obs., craters 7=8935
Mars, observations in 1963 at Astrolabe 7=15764
          Mars, radiative relaxation times obs. 7=15768
Mars, reflectivity, near i.r. 7=5587
Mars spectrum, CO<sub>2</sub> content and surface pressure 7=5591
          Mars, spectrum, new absorption bands 7=8936
          Mars, surface structure, lithological and mineralogical data 7=5588
          Mars, volcanic cratering, Mariner IV photog. 7=15767
Mars, water vapour obs. 7=15769
Mars, water vapour var., spectral obs. 7=15770
Mars, water quantity approx. 7=8938
Mars, wave of darkening as frost phenomena 7=12232
           Mars, white clouds obs. 7
Martian craters 7=12231
                                                   7=15765
           Martian ionosphere, ion-neutral reactions 7=5592
           Mercury, atmosphere 7=2709
           Mercury, atmosphere, Ar, variation 7=15771
           Mercury, atmosphere polarimetric obs. 7=18467
           Mercury, nonsynchronous rotation, i.r. evidence 7=15772
           Mercury, perihelion motion, effect of solar
               oblateness 7=15792
          oblateness '=15/92
Mercury, quadrupole precession separation from precession due to general relativity 7=2708
Mercury, radio emission, 1.53 cm 7=8931
Mercury, spin-orbit coupling states 7=5582
meteoric disintegration, surface autocorrelation function rel. to meteors mass distribution 7=5603
          minor planets photographic obs., tables 7=15778 minor, positions, table 7=2712 minor, 33, accurate positions and astrometric descriptions 7=5583
           natural satellites, five, accurate positions and astrometric descriptions 7=5583
           Neptune, dynamical evolution of satellite system 7=2710
           Pluto, accurate positions and astrometric descriptions 7=5583
           radio meas. at 6 cm, disc temps. 7=8923
           rotational symmetry perturbation, numerical
                study 7=2609
           Saturn atmosphere circulation 7=2705
           Saturn, hot interior, model 7=15761
Saturn, radio emission, 1.53 cm 7=8931
           Saturn's ring, i.r. spectrum, ice hypothesis rejection 7=5593
           Saturn and Uranus spectra, H2 features 7=12233
           semi-numerical general theory 7=15760 thermal obs. of surface, review 7=12224
            thermal radio emission 7=8940
           upper atmospheres, atomic and molecular processes 7=12228
           Uranus, i.r. brightness temp. 7=5594
Uranus, radio temp. at 8 Gc/s 7=5596
```

Plasma-contd

SUBJECT INDEX Planets-contd Uranus, spectrum, 6800Å CH4 band identification and atmospheric temp. obs. 7=5595 Venus, atmosphere 7=15777 Venus, atmosphere chemical evolution 7=15474 Venus atmosphere radiation equilibria due to ionizing radiation or u.v.light 7=15774

Venus atmosphere thermodynamic equilibrium rel. to
composition calc. 7=12226

Venus, balloon-borne telescope for daytime obs. 7=18422 Venus, clouds, anisotropic nonconservative scattering of light 7=15775
Venus, 4 day retrograde rotation of cloud formations 7=5601 Venus, greenhouse effect in atmosphere rel. to particle size and surface temp. calc. 7=12234
Venus, ice in atmosphere, halo effect 7=5600 Venus, influence on movement of planetoid 7=2711 Venus, microwave opacity of atm. 7=15776 Venus, model atmospheres, microwave absorption meas. 7=8943 Venus, opaque atmosphere deep circulation model 7=5599 Venus, outgassing process 7=15749 Venus, radar obs. 1965/66 at 23 cm 7=8941 Venus, radar obs. at 3.8 cm 7=8942 Venus, spectrum, water vapour lines shifted from normal 7=5598 Venus temperature, microwave data 7=12235 Venus, traces of HCl and HF in atmosphere 7=15773 Venus, water vapour confirmation 7=5597 Venus, water vapour obs. 7=15769 Plasma See also Discharges, electric; Electrons; Ions; Space charge; Thermonuclear reactions. acoustic wave velocity calc. 7=4189
air, elec. cond. in presence of impurity 7=13992
air spark prod. by laser, diamag. perturbation of external
mag. field obs. 7=10644 air sparks, by laser beams, obs. and spectrum 7=969 air-water, equilib. conc. at 3000°-7000°K 7=6832 anisotropic, radiation conductance of plasma covered slot 7=9454 anisotropies and harmonics, calc. 7=6840 anomalous transport in r.f. discharge obs. 7=13792 anomalous transport in r.1. discharge obs. 7=13792 applications of plasma physics 7=987 arc diffusion across mag. field 7=13819 in arc discharge, distrib. between electrodes 7=6785 BGGKY hierarchy, Boltzmann expansion, eqns. for 'divergent' many-body behaviour 7=9106 beam, heat flow meas. 7=17164 bounded, h. f. density fluctuations at large wavelengths 7=17152 bremsstrahlung, effect of electron-electron collisions 7=4208 cold electron beam-plasma interaction theory 7=989 collective variables theory 7=5698 collision constants in model kinetic eqns., explicit expression 7=13844 collision of rarified plasma clouds 7=13853 collisionless electron heating by ion cyclotron waves 7=4240 conductance of weakly ionised plasmas, theory 7=10861-2 conductivity, nonisothermal 7=992conductivity, thermal, ionization reactions effect 7=991 cooling of free electron in plasma obs. 7=13852 Coulomb logarithm velo.var.effects 7=6829 Coulomb two-dimensional gas exact pair correlation function .7=17040 critical voltage of rotating plasma 7=13860 cross-field diffusion in Q-device obs. 7=13863 and current layer, dynamics of acceleration in electrodynamic accelerator 7=17053 cyclotron emission, anomalous, higher harmonics in partial ionization 7=4206 cylinder, dipolar radiative modes, theory 7=4205 d.c. arc, temperature distribution, influence of Li and Ca 7=972 Darwin Hamiltonian kinetic eqn. rel. to relativistic Landau eqn. 7=6828 Debye shielding between charges representation by coupling to virtual isothermal oscillations 7=13857 decaying, reionization by Alfvén waves 7=4257 dense, interaction with hot negative cathod 7=10633 dielectric constant, longitudinal, in multicomponent plasma 7=10641 dielectric constant tensor for cylindrical plasmoid 7=13858 density fluctuations and diffusion, correlation 7=6834 diffuse boundary, e. m. field solution 7=13878 diffusion, anomalous, arising from drift instability 7=17049 diffusion, anomalous, computer model 7=4188 diffusion broadening of plasmoid 7=6839

diffusion, of electrons and ions, in mag. field, review of

diffusion across mag. field, elec. fields obs. 7=13855

obs. 7=6835

disturbances, near cylinder, kinetic theory anal. 7=13846 drift vel. of electrons, effect of mag. field 7=10636 drifting compressible plasma, relativistic magneto-ionic theory 7=6833 electrode effects in seeded plasma 7=17057 electron densities meas, by microwave free space method 7=17056 electron density and collision freq. in e.m. prod. shock waves 7=13867 electron density radial distrib., meas. 7=10654 electron-ion recomb., theory 7=6796 electron thermal conductivity, with longit, wave transport 7=4185 electrons eqns. of motion in weakly ionized plasma from Boltzmann eqn. 7=10639 enhanced diffusion, and h.f.oscs. 7=10634 equation of state, adiabatic, for inhomog. warm plasma 7=6827 in equilibrium, degree of ionization 7=13849 in equilibrium, free-bound model 7=13848 Fermi statistical acceleration theory 7=13851 films, semiconducting, prep. by cold plasma condensation 7=10955 floating potential obs., containing negative ions 7=10640 focus discharge, dense, development obs. 7=4150 Fokker-Planck collision operator, spherical harmonics 7=17037 force-free mag. field, electron velocity distrib. 7=13856 gravitational, statistical mechanics 7=988 heat conduction, effect of resonant charge exchange 7=4184 heating and diffusion in stochastic fields, theory 7=41 heating, ion cyclotron, in Heliotron-B device 7=17046 heating by ion cyclotron resonance, Faraday shielded Stix coils 7=4186 heating, upper hybrid resonant, by pulsed microwave 7=4183 high press, energy, cond. and temp.,  $3-120~\mathrm{kbar}$  7=17058high-temperature production by laser-beam irrad. of LiH particle 7=4256 higher ions, absolute transition probabilities 7=13671
Holtsmark formula for hydrogen lines broadened by
electrons and ions, corrections 7=16900
idealized problems, some integral eqns., singular solns. 7=12294 inert gas hollow cathode discharge plasma deionization obs. 7=6769 inhomogeneities, in mag. field, diffusion and shape 7=13854 inhomogeneous, kinetic eqn.,by Prigogine-Balescu diagram 7=1385 interaction with CO<sub>2</sub>, as simulation of solar wind interact. with comets 7=6837 interaction of plane waves with plasma, surface wave generation obs. 7=4204 ion resonance meas.by r.f.probe 7=10669 ionization, thermal, with metastable atoms, calc. 7=6826 jet motion across u. h. f. barrier 7=13850 kinetic asymptotic eqn, for inhomogeneous plasmas 7=10630 kinetic eqn., derivation and investigation 7=10631 kinetic eqns., extension to small wave numbers 7=4239 kinetic eqn. of nongyrotropic plasma, collective effects 7=10643 kinetic equation for unstable plasma in parallel electric and magnetic fields 7=17061 kinetic structure 7=4182 kinetic theory, microscopic approach 7=17039 kinetic theory for quantum plasma and radiation in external mag. field 7=9118 Langmuir sheath heat flow with electron emission from wall 7=17048 laser prod. from solid, heating and disintegration obs. 7=8084 laser prod. from solid surfaces obs. 7=11614 laser-produced on graphite, expansion rate of luminous front 7=6838 light scattering asymmetry in thetatron obs. 7=17074 luminosity distrib. of decaying plasma, high speed recording 7=10651 macroscopic equilibrium of isolated ion system 7=4178 in magnetosphere, inner, heating, thermal 7=18378 magnetosphere of straight current in divergent plasma flow 7=8700 microwave emission, anomalous pulsed, at cycl. freq. 7=10647 motion, adiabatic, of plasmoids in longitudinal mag, field 7=13862 motion and interaction of two plasmoids in mag.-field, spatial polarization obs. 7=17054 motion across mag.field by beam polariz., Vlasov eqn. 7=4195 multicomponent, diffusion due to ion-ion collisions 7=10635 Nagoya university April 1965-March 1966 work review 7=17036

#### Plasma - contd

non-equilib. in mag. field, fluctuation-dissipative ratio 7=9088

nonequilibrium, Rankine-Hugoniot calc. 7=nonlinear evolution of disturbances 7=9019

Ohm's law in multicomponent nonisothermal plasmas with temp, and press, gradients 7=13859 optical transmission produced by preionized gaseous filament "explosion" 7=1017

of oscillators, quantum treatment of e.m. wave propag. 7=6846

with particle production, unsteady motion 7=18411

plane explosion for inclined mag. field 7=13865 plano-parallel, axis-symmetric, prod. and spectroscopic characts. 7=10572

polarization in electric field, charge separation 7=17059 probe theory, electrostatic, in d.c. mag. field 7=17079 r.f., equilib. conditions 7=4245

radiation from mag.line source on conducting plane 7=17066

radiation transfer, theory 7=10649

random phase approximation in external oscill. elec. field 7=4191

random-phase approx. for single-particle states of electronion gas 7=10632

rarefied, lab. study of collisionless shock waves 7=17064 recombination, dielectronic, calc. for overlapping metastable levels 7=17019

reduced diffusion in positive grad. mag.field,

configs. 7=17052 relaxation to equilibrium of dilute electron plasma 7=17103

rotating, characteristics, rel. to conservation of constituents 7=4181

rotating toroidal, mag.field 7=10642 Saha equation corrections due to interactions,

thermodynamics 7=6825

sheath formed round satellite due to V × B interact, in ionosphere 7=18404 in shock tube, conical electrode, spectral obs. 7=113

shock wave with dissipation due to thermal cond. and viscosity, calc. in cylindrical symmetry 7=13869 shock wave induced, laser Thomson scattering rel.to electron density and temp. 7=17075 shock waves, reflected, in plasma flow-mag. field interactions 7=6845

shock waves, strong collisionless, excitation 7=17063 solar, neutral H flux obs. 7=2730

from solid by laser pulse, model 7=8082

from solids, due to focused laser radiation 7=13870 in space, solar dynamic 7=12043 spectra, electron-impact broadening, one-electron approx. 7=3987

spectral lines intensity, temp. dependence 7=6866

standard temps.for non-thermal plasmas 7=17047 stationary collisionless, in magnetostatic and potential fields combined 7=4180

statistical thermodynamics of the bound states 7=13847 strong shock wave propag.across mag.field 7=1002 supersonic disturbance, Poisson-Vlasov eqns. 7=13868 supersonic jet, pulsed discharged, use as light source 7=9601

temperature rel. to space and time, in transient discharge 7=6831

thermalization rate of electrons 7=6830 transport in low-energy plasmas calc. 7=993 "turbulence" with low  $\beta$  obs. 7=13924

turbulence, perturbation theory for solving Vlasov equation 7=4190

turbulent diffusion in osc. discharge 7=995 viscosity of partially ionized two-temp. plasma 7=17050 viscous, multi-component, parallel flows in elec. field, vel. profiles 7=10637

Vlasov equation, reversibility 7=17038 warm, linearized eqns. boundary conditions for unique

soln. 7=990 warm stationary in sheared mag.-field, self-consistent

soln. 7=17044

in waveguide, density distrib. 7=4159 weak, turbulence, functional eqn. 7=17154 weakly ionized, reaction kinetics 7=4179

X-radiation scintillation counters obs. 7=1015 Ar arc partially ionized, continuum radiation 7=10593

in Ar discharge, u.h.f., characts. 7=956 Ar, in e.m. shock tube, study of precursor waves 7=17042

Ar, reflex discharge, electron density 7=13803 Ar-Cs discharge, electron scatt. obs. 7=6841

Ar-K, electron scatt., effective cross-section 7=10638 Ar-K, partially ionized, elec. cond. in mag. field, calc. 7=6842

Cs, electron scatt. 7=6841

Cs, low-temp., in low-voltage arc, electron temp. 7=17060 Cs, short arc, thermalization of electrons 7=10594

Cs, in stellarator, resistive diffusion 7=6836

Plasma - contd

Cs, thermal, influence of work function of cathode material on current 7=179

D.kilovolt, production and diagnostics 7=13842 H, cooperative effects, under laser beam excitation 7=4210

H, in e.m. shock tube, study of precursor waves 7=17042 H, electron temperature, determ., from laser beam scatt. 7=4210

H, ion temperature, determ., from laser beam scatt. 7=4210

from H solid, prod. by laser, obs. 7=17051 H, spectral lines curvature in pulsed h.f. plasma obs. 7=1018

H spectrum, wings of Balmer and Paschen lines 7=6867 He, decay 7=6868

He ionization equilibrium, generated by electric shock tubes 7=4198

He, kilovolt, production and diagnostics 7=13842 He, local thermodyn. equil., spectral study 7=6791

He-Cs discharge, electron scatt.obs. 7=6841 He-K, electron scatt., effective cross-section 7=10638

He-Ne, decay process time dependence 7=6869 of He-Ne laser, in waveguide, attenuation var. obs. 7=3141

K, cross-field diffusion in Q-device obs. 7=13863 K, with universal instability, diffusion perpendicular

to mag.field 7=994 KOH, low-temp., Hall effect in presence of periodic

mag.field obs. 7=999

N afterglow, radiation temp. obs. 7=962 N, composition calc., 1000°-12000°K, 1-50 atm 7=17045 N discharge, ion sampling 7=1024 Ne, decay process time dependence 7=6869

Ne, kilovolt, production and diagnostics 7=13842

W, formed by laser pulse, meas. 7=13843 Xe, highly radiative, using wall-stabilized pulsed arc discharge 7=6865 confinement

adiabatic invariants and equilibrium, magnetic trap 7=10662

annular plasma prod. by rotating mag.field 7=6891 boundary layer, rarefied plasma and mag.field, structure 7=17084

bumpy # pinch, with sharp boundaries, stability 7=17090 closed-line average minimum-B configuration 7=6885 cold-plasma effects in finite-length plasmas 7=4246 collisionless, perturbation of potential distrib. by weak mag. field 7=17085

core and sheath, uniform description 7=13898 cusped field trap, lifetime rel. to field strength

obs. 7=17102 cylinder, interact, with electron-ion beam along axis 7-4243

cylindrical plasma cluster, reson, state for induction

accel. 7=10661 deuterium dense plasma focus formation phenomena 7=4218

electron clouds, equilib. in toroidal mag. field 7=17095 electron injection into e.m. trap obs. 7=6892

electrostatic drift instabilities, minimum-B stabilization 7=13907

equilibrium in stellarator 7=4255

fusion power, progress, review 7=13897 gauge type trap, time obs. 7=4221 in h.f. fields, principles, review 7=10660

hydromagnetic equilibria with finite pressure in minimum-B systems 7=4219

increase during reduced fluctuation period in ZETA obs. 7=17087

by mag. field, electrostatic probe theory 7=17079 magnetic field design using electrolytic tank 7=4226 and magnetic field topology 7=6886

by magnetic fields, rel. to energy release from nuclear fusion 7=4225

magnetic mirror, hot electron, interchange instability

theory 7=13903 magnetic mirror with minimum B 7=6887 magnetic mirror, rarefied plasma equilibrium calc. 7=6888

magnetic mirror with stabilizing rods, stability calc. 7=6889

magnetic mirror, thermonuclear reactions calc. 7=6463

magnetic trap, injection of charge particles obs. 7=13908 magnetic traps with toroidal fields increasing to the periphery 7=4220

magnet mirrors, axisymmetric, single interaction nonadiabatic losses 7=17098

minimum average B axisymmetric configuration with triply connected system 7=17100

minimum-B suppression of oscillations in "Topsy" Q device obs. 7=13906 mirror device electron-cyclotron heating calc. 7=17097 mirror device electron E × B energy analyser 7=1021 mirror machine, curved-field transmission, meas. 7=4222

Plasma-contd

devices-contd

```
Plasma - contd
    confinement - contd
        mirror machine loss cone oscillations transverse propagation theory 7=13905 mirror system, multiple, rel. to stability obs. 7=17099 mirror trap loss-cone instability quasilinear theory 7=17093
         molecular ions injection trapping in mirror plus r.f. field 7=1030
         motion and interaction of two plasmoids in mag.-field, spatial polarization obs. 7=17054 pinch accelerator, toroidal 7=17089
         pinch light sources obs. 7=326
pinch, linear diffuse, resistive instabilities 7=1028
         pinch, sheet, finite resistivity instabilities 7=1029
plasmoid structure in electrodynamic accelerator 7=17160
         radial distrib. in mirror machines 7=13904
         radial distrib, in mirror machines 7=13904 surface currents on plasma-immersed cylinder, inhomogeneous sheath 7=13877 θ-pinch cond. meas. by mag. probe 7=13899 θ-pinch, dynamical, plasma props. 7=17086 θ-pinch, linear, end losses 7=17092 theta pinch, O reduction by fast Z preionization 7=6882
         \theta-pinch, stability, model 7=17091
         \theta-pinch trapped mag. fields obs. 7=13900 3-D cusp. particle loss 7=17101
         in toroid, flute-like instability with longitudinal mag. field 7=10664
         toroidal discharge, diffusion 7=947 toroidal mag. field, charged particle motion calc. 7=10663
          in toroidal magnetic traps, theory of stability 7=6890
          toroidal screw pinch stability obs. 7=17088
         toroidal types for plasma with spatial mag.axes 7=17096 in torus 7=17094
         vortices, pair production 7=4197
Z pinch electron density as function of position and time
obs. 7=6884
          Z-pinch, linear, electron densities, microwave refl.
               probe 7=6883
          Al magnetically imploded foils in "theta" pinch, magnetic
              flux compression 7=3007
          Ar, Z-pinch contraction, 0. 1-20 torr 7=13902
C stellarator, after ion cyclotron reson.heating 7=4224
Cs in mirror field 7=4223
          D, radial implosion in \theta pinch 7=13901
          H2 injection into mag. mirror, dissoc. by Lorentz
               force obs. 7=13909
           He, Z-pinch contraction, 0.5-20 torr 7=13902
     devices
          accelerator current sheet microstructure obs. 7=6922
          accelerator, optimum length 7=6839
          accelerator, pulsed coaxial, neutral mass density obs.,
               improvements 7=6925
          accelerator, pulsed coaxial, velocity distribution meas. 7=4259
         accelerators, electric and geometric parameters rel. to kinematic characteristics obs. 7=13942
Alfvén waves reionization of decaying plasma 7=4257
beam, heat flow meas. 7=17164
beam—plasma amplifier, Cherenkov coupling 7=239-40
           beam-plasma system parametric amplification 7=4265
           Beta toroidal discharge at low densities obs. 7=13941
          betatron, electron acceleration conducting walls effect 7=17151
          for chemistry at high temps. 7=8520
coaxial accelerator, motion of single charge calc. 7=6924
coaxial gun, valve for gas puff injection, characteristics
and meas. 7=6926
           for controlled nuclear fusion research, review 7=10338
           direct accelerator, fast flash of light discharge 7=10681
          direct accelerator, fast flash of light discharge 7=10681 electrodynamic accelerator, plasma and current layer acceleration dynamics 7=17053 electrodynamic accelerator, plasmoid structure 7=17160 electron source directivity 7=5825 FAUST I, hardcore stability obs. 7=4254 for flow cut-off by elec. field 7=13944 focused coaxial gun 7=17163 fusion power, progress review 7=12007
           fusion power, progress, review 7=13897 gun 7=6782
           gun, conical-electrode 7=4258
           gun for high peak electron currents 7=3038
gun, coaxial, energy distrib. of ions in plasmoids
obs. 7=17161
           gun, coaxial, pulsed, current distribution along
                electrodes 7=6923
           guns, coaxial and capacitor powered, performance 7=10683
Hall generator, growth of magneto-acoustic waves 7=10673
           heating by ion cyclotron resonance, Faraday shielded
Stix coils 7=4186
           high-temperature production by laser-beam irrad.of LiH
particle 7=4256
          homopolar, current density distribution
investigation 7=1046
           ion gun with Pierce electrode 7=3048
           jet aerodynamics meas. 7=13889
```

```
jets, dense, flowing into transverse mag. field,
      stability 7=4253
  jets, velocity, photographic meas. method 7=17165
  magnetic annular arc, optimization of thermal efficiency 7=10684 magnetized jet rapid cooling by expansion, population inversion prod. 7=6921
  magnetosphere model, plasma intrusion obs. 7=17156 mirror machine, curved-field transmission, meas. 7=4222
  mirror trap electron-cyclotron heating calc. 7=17097 pinch accelerator, toroidal 7=17089
  pinch light sources obs. 7=326
  plasmoid acceleration in microwave waveguide 7=13943
  plasmoid in axially symmetric field, changes in density, electron temp. and radius 7=4264
  Q, cross-field diffusion obs. 7=13863
r.f. torch in H-mode, temp. distribution and elec.
   rotating, critical voltage 7=13860
   runaway electrons linear accelerator, interaction with mag.
  runaway electrons linear accelerator, interaction with fields, X-ray prod. 7=16398 satellite v.l.f. receivers interference model 7=12112 for simulation of solar wind interact, with comets by interact, with CO<sub>2</sub> 7=6837 source with currents both transverse and longitudinal to mag. field obs. 7=17157 stellarator, B-3, rotating plasma obs. 7=17158 stellarator, Cs resistive diffusion 7=6836 stellarator acquilibrium 7=4255
   stellarator equilibrium 7=4255
   stellarator, fluctuations of plasma 7=17155
   stellarator mag, surfaces with axial current
simulation 7=13940
thermonuclear reactions in mag, mirror calc.
   thruster, cyclotron resonance, design 7=10682
   thrusters, pulsed, input power rel. to exhaust
   vel. 7=10685
Tokamak-3, plasma column and gaseous envelope material distribution 7=6919
   "Topsy" Q, minimum-B suppression of oscillations obs. 7=13906
   travelling-wave, with cyl.symm., magnetoacoustic resonances anal. 7=4263 waveguide, reflection coeffs. meas. 7=253
   ZETA confinement increase during reduced fluctuation
       period obs. 7=17087
    Al-Al<sub>2</sub>O<sub>3</sub>-plasma capacitor relaxation obs. 7=15046
   Ar jet heating of a body, specific heat-flow distrib.
       obs. 7-2947
   Ar jet, mag. field effects obs. 7=17162 Ar laminar jets, velocity and "temperature" obs. 7=4260
   Ar, subject to progressive waves, acceleration mechanism 7=4262
    Ar torch using inductive coupling to r.f.
   field 7=13946
Ar-H jet, population of H levels 7=4261
Na-K seeding syringe for m. h. d. converters and propulsion units 7=17159
    Ti source, with magnetic field, strong, effect 7=6920
    Xe from focused coaxial gun 7=17163
electromagnetic wave propagation
   acoustic wave coupling across air boundary 7=1014 aerial with plasma sheath 7=3092 amplification in partially ionized gases 7=16991
    anomalous r.f. emission at electron cyclotron freq. 7=1065
    anomalous skin depth of oscill. mag. field, meas. 7=4192
    antenna, biconical, thin, terminal admittance in isotropic
        compressible plasma 7=16117
    antenna, cylindrical, admittance 7=16118
antennas in magneto-ionic media, radiation
resistance 7=257
    antennas, plasma sheath effects 7=9455
    antenna between plasma layers, impedance 7=258
   beam-generated, radiation of harmonics nw_{\rm e} and ^{\rm H}_2 nw_{\rm e} 7=6860 bounded in mag. field, longitudinal electric fields penetration 7=17068
    charged particle collision frequency alleviation technique for interaction 7=6857
    Cherenkov and cyclotron attenuation, quasilinear
        theory 7=6851
    Cherenkov radiation rel. to wave damping 7=6862
    collision-induced instability linear theory, propag. along
        mag.field 7=4252
     compressible general magnetoplasma, oblique propag. 7=1004
     coupled eqns., first-order, in stratified plasma 7=10667
     cylinder, scattering, ang. distrib. of phase and
        intensity 7=13880
    diffraction by an impedance half-plane 7=9438
     drifting gyrotropic plasma theory 7=1005
    with electric dipole, immersed, impedance 7=5859 electric dipole radiation cylindrical waves calc. 7=6863
```

```
Plasma-contd
```

electromagnetic wave propagation-contd

electron cyclotron echoes, collision mechanism for prod. 7=6854

electron-ion magnetoplasma, coupled with electron- and ion-acoustic waves 7=4199

emission of optical and soft X-ray radiation 7=6864 excitation and distribution in weakly turbulent plasma, theory 7=6858

with field-dependent conductivity, rel. to re-entry communications 7=8773

guided surface wave on plane impedance in plasma with negative impedance 7=12577

guided waves supported by layers of lossy compressible plasma 7=5856

heating, upper hybrid resonant, by pulsed microwave 7=4183 incompletely ionised, small amplitude waves 7=17111 inhomogeneous, compressible, equations 7=13871 interaction between high frequency transverse waves and turbulent plasma 7=17110 interaction of two freqs, theory 7=10646

interplanetary, scattering 7=8953 inverse cold-plasma resonance in cylindrical geometry obs. 7=6856

in m=1 and m=-1 modes, subject to longitudinal mag. field, wavelength and freq. obs. 7=4202 ion resonance meas. by r.f. probe 7=10669

kinetic theory for quantum plasma and radiation in

external mag.field 7=9118 laser beam, self-focusing, anal. 7=10652 light-by-light scatt., and mixing of three light

beam 7=13887 light scattering 7=1016 line splitting of radiation, rel. to solar outbursts 7=1013

linearly graded, radiowave reflection, ray-theory interpret. 7=13879

magnetic line radiator, on plasma sheathed cylindrically capped wedge 7=1003

magnetoplasma, antenna parameters rel. to thermal rad. fields 7=17065 magnetoplasma, coupled e. m. and electroacoustic

waves 7=4200

magnetoplasmas, "infinity catastrophe" 7=255 magnetoplasma, stratified, transverse propag. of waveguide modes 7=6847

and magnetosonic unstable waves in relativistic p plasma 7=13929

at magnetosphere boundary, r.f. wave intensity 7=12034 measurement by reflected ray displacement 7=13888 measurement of surface electron density profile by micro-

wave reflection and magneto-Kerr effect 7=17076 for measuring low electron densities, using two 4,-wave plates 7=6874

microwave absorption, resonance-like lines 7=4203 microwave cavity, solution of eigenfrequencies 7=254 microwave emission, anomalous pulsed, at cycl.

freq. 7=10647 microwave refraction, with several frequency components rel. to density obs. 7=6875

microwave scattered by density-modulated plasma, intensity and ang. distrib. obs. 7=1008

microwave scatt.by density-modulated column, Born approx.theory 7=1007

microwave scatt.rel.to plasma turbulence oscillation obs. 7=1031

microwave scattering by underdense turbulent plasma 7=6852

microwaves; for determ. electron density distrib. 7=1023 moving, Lorentz transform 7=1012 with negative ions calc. 7=6848

nonlinear freq. generation by d. c. plus two a. c. elec. fields 7=13861

clec. Helds 7=15001 magnetoactive plasma 7=13911 nonlinear interaction in magnetoactive plasma 7=4209 nonlinear second harmonic prod. in inhomogeneous magnetoplasma 7=13882 optical non-linear instability in radiation 7=6913

oscillations excitation in beam 7=13883

partially ionized, anomalous Bremsstrahlung 7=17071

plasma-and-beam system, difference freq., extraction and amplification 7=17073 polarized near electron cyclotron freq. obs. 7=6855 positive column, plasma resonance near electron cyclotron harmonic freqn. 7=4141

power flow, having complex electroacoustic-wave impedance 7=10648

pulse stimulated radiation involving gyrofrequency second harmonic 7=4207

quasistationary plasma, microwave radiation 7=6859 r.f. probe resonances meas. 7=10659

radiation from charge spiraling in magnetoplasma, Cherenkov and cyclotron calc. 7=17067 7=13885

radiation emitted by growing oscs. 7=13885 radiation excited by two pulses at electron gyrofrequency, single particle theory 7=17070

Plasma-contd

electromagnetic wave propagation-contd

radiation on plasma, parametric effects theory 7=10670 radio waves incoherent scatt., effect of unequal ion and electron temps. 7=13881 reflection, effect of ion motion at boundary 7=1011

reflection of microwaves from striated column obs. 7=6897 reflection off plasma-vacuum boundary, theory 7=13873 reflection, from plasma-covered metal mirror 7=3081 rockets solid propellants ionization obs. 7=8530 and satellite v.l.f. receivers interference 7=12112 scattering, computed profiles 7=6853

scattering enhancement for turbulent plasma in mag. field 7=1010

scattering by finite objects in compressible plasma 7=9449
scattering at h.f. by oscillations of magnetoactive
plasma 7=13911
scattering from overdense plasmas, surface-wave

description 7=1009

scattering receiver for 4 mm 7=10656

sheet model for general plane disturbances 7=10645 supersonic plasma, surface ripple 7=6850

surface currents on plasma-immersed cylinder, inhomogeneous sheath 7=13877 surface impedance with sharply varying parameters 7=13876 surface wave in column of limited radius with current 7=6906

surface waves on grounded anisotropic slab 7=13875 teaching radiation 7=4227

thermal bremsstrahlung from inhomogeneous plasma obs. 7=6861

three-field mixing, and nonlinear interaction of two light beams 7=13886

Tonks-Dattner resonances, double-freq., self-combination scatt. 7=1033

transitional, rel. to soln. of boundary 7=13878 transverse, excitation of electron plasma oscill. 7=4238 transverse to longitudinal transformation at plasmadielectric boundary 7=6849

transverse waves, charact and dispersion 7=1006 transverse waves, energy coupling with longit, plasma waves at density discontinuity 7=17113

v.h.f. const. for guide containing plasma in dielectric tube 7=5858

Vlasov, fully ionized, solns. for transverse waves with constant phase vel. 7=17069

waveguide, backward waves 7=9451 waveguide, reflection coeffs. meas. 7=253 in waveguide through layer, theory 7=5857 waveguides, electron density distrib. 7=13872 waves generation by non-linear effect in plasma 7=4201 whistler mode dispersion theory 7=16120

whistler mode, 1.f., calc. 7=13874 Cl\*Cl^ calc. 7=6848 Cs\*Cl^ calc. 7=6848

H, thermal emission near plasma freq. 7=13884 magnetohydrodynamics

anomalous skin depth of oscill mag. field, meas. 7=4192 arc diffusion across mag. field 7=13819 channel flows with nonequilibrium ionization 7=4196clusters, accel.in external mag.field, effect of inductive increase 7=998 cooling from flat plate 7=12465

cross-field diffusion in Q-device obs. 7=13863 diffusion across mag. field, elec. fields obs. 7=13855 expansion in mag. field of hot plasma calc. 7=13864 fast plasmoids in transverse fields 7=6843

hose instability of charged-particle beam in plasma 7=4248

hydromagnetic gradient wave 7=997 instability, combined Taylor and Helmholtz including Hall effect calc. 7=17149

magneto-acoustic wave growth in Hall-type generator 7=10673

magnetoplasma, cylindrical impedance probe, quasi-static theory 7=6878

motion across mag. field by beam polariz., Vlasov eqn. 7=4195

oblique waves of finite amplitude in cold collision-free plasma, quasi-shocks 7=17062

plasmoid acceleration in microwave waveguide 7=13943 poloidal hydromagnetic resonances 7=4233

resonances with monopole magnetization calc. 7=13910 resonantly unstable off-angle waves 7=17139 solar plasma flows, m. h. d. anal. 7=12260

steady-state narrow-channel nonviscous planar flow of good conductivity 7=1000 three-component, with ionization, kinetic model 7=4194

toroidal, equilibrium, transverse magnetic field effect, time-varying 7=4247 transverse field, retardation on entry 7=6844

Vlasov, 3-D normal modes 7=4193 vortices, pair production 7=4197 wave-excited anomalous diffusion, fully ionized 7=17055

Plasma - contd Plasma-contd measurement technique - contd magnetohydrodynamics-contd temperature, use of O and N continuum radiation 7=6547 waves obs. in H plasma 7=4234
weakly turbulent magnetised, energy losses by
moving charges 7=1041
Ar jet obs. 7=17162 temperature, use of O and N continuum radiation 7=6547 θ-pinch cond. by mag. probe 7=13899 transient fibre optics probe for dense plasmas 7=10658 'twin probe', for space potential 7=10657 velocity, by induction 7=1022 He, electron temp. and density from relative intensity of spectrum lines 7=10397 He, ion temp. meas. with Echelle monochromator 7=3255 He. Thomson scattering of lessar light val. to clockers. He positive column in strong magnetic field 7=6775 K, cross-field diffusion in Q- device obs. 7=13863 Na-K seeding syringe for converters and propulsion units 7=17159 He, Thomson scattering of laser light rel. to electron temp. and conc. 7=975 measurement technique correlation function, from scatt. coherent light statistics 7=10653 N discharge plasma ion sampling 7=1024 Si surface barrier detectors for charge exchange neutrals density from inverse cold-plasma resonance in cylindrical geometry 7=6856 and ions, 10-200 keV 7=6870 density, spatial distribution by microwave refraction with Xe, electron and ion densities from temps. 7=6873 several frequency components 7=6875 density, time and spatially resolved interferometry 7=1019 dielectric resonance probe compared to double probe 7=13893 drifting, positive ion charact.of cylindrical probe 7=1027 oscillations Alfvén waves in cylinder, density gradient effects 7=4237 Alvén waves of large amplitude obs. 7=17116 Alfvén waves parametric excitation calc. 7=6905 Alfvén waves parametric exertation care. 7=090 Alfvén waves reionization of decaying plasma 7= alkali, drift waves, ion-beam excitation 7=17125 beam, e.m. oscillations excitation 7=13883 beam, rel, to electron temp, and density obs. 7=4230 by e.m. reflected ray displacement 7=13888 e.m. scattering receiver for 4 mm 7=10656 Bernstein modes near electron cyclotron electric discharges characteristic curves electronic differentiation 7=953 harmonics 7=17128 Bernstein, (perpendicular to weak magnetic field) 7=17119 electron density, by attenuation of u. h. f. waves 7=6876 charged particle collision frequency alleviation technique electron density determ. from line merging 7=4212 for e.m.-plasma interaction 7=6857 electron density meas, with multibeam microwave interferometer 7=10654 cold electron plasma in uniform ion background 7=10672 in column, due to electron beam interaction 7=4228 in crossed elec, and mag. fields at 1.f. with weak ionization obs. 7=13926 current-convective instability with large ion Larmor electrostatic probe, theory in moderately ionized gas 7=17082 electrostatic probes, continuum theory 7=13894 equilibrium turbulent, charged particle statistics 7=4217 flowing, rotating Langmuir probes use 7=6880 radius 7=6916 cylinder, ion-acoustic waves excited by electron-ion beam 7=4243 hot probe, rel. to photoemission, potential calc. 7=13896 instrumentation developments, review 7=4211 ion-density profiles in boundary layers 7=17041 damping of waves 7=13922 decay in oscillation electron discharge obs. 7=10574 ion extractor and energy analyser 7=1025 ion resonance meas. by r.f. probe 7=10669 dielectric constant analysis, two-temperature 7=4242 dispersion core function poles 7=13919 drift-wave expts., collisional effects interpretation 7=17130 jet aerodynamics 7=13889 jets, velocity, photographic method 7=17165 drift waves, excitation and damping 7=17124 drift waves in finite press. plasma 7=6907 Langmuir probe, expression relating ion density to current 7=13891 current 7=13681
Langmuir probe and spectrometric electron
temperature meas., comparison 7=1026
laser interferometer for meas. electron density in
repetitively pulsed plasmas 7=1020
laser methods 7=6871 in e.m. wave propagation with negative ions, calc. 7=6848 e.m. wave scattering enhancement for turbulent plasma in mag.field 7=1010 e.s. ion cyclotron, excitation theory with electrode 7=13917 by laser Thomson scatt., for electron density and echo phenomena, non-linear effects 7=4231 temp. 7=17075 effect of Coulomb collisions, 'peculiar' solns. 7=6896 low electron density using microwaves and two 1/4-wave electron beam excited cyclotron waves obs. plates 7=6874 electron beam, waves 7=13915 m.h. d. channel flow velo. 7=9411 electron, excitation by transverse e.m. waves 7=4238 mass spectrometry, for ion species 7=4214 electron, excited by two-beam instability and with nonlinear coupling obs. 7=13914 microwave interferometer 7=13867 microwave and probe methods, comparison 7=4216 microwave propagation for determ. electron density distrib. 7=1023 electron gas, quasibound, natural freqn. deriv. from expt. 7=4232 electron-ion magnetoplasma, electron- and ion-acoustic microwave reflection probe for high electron densities in Z-pinch 7=6883 waves 7=4199 electron, meas., error source 7=1036 electron oscillations, periodicity conditions 7=17129 electron-plasma and ion-acoustic osc., parametric mirror device electron E × B energy analyser 7=1021 molecular ion collisional dissociation for density meas, 7=17077 coupling 7=6900 optically dense plasma, multiparameter methods 7=10655 optically dense plasma, multiparameter methods 7=1066 plane electrode sheath, collisionless theory 7=13890 plasmoid in axially symmetric field, changes in density, electron temp, and radius 7=4264 probe, cylindrical, analysis of negative characteristic in a magnetic field 7=17080 probe, cylindrical, in magnetoplasma, theory 7=17083 probe, e.s., calc. by quasilinearization 7=6877 probe, excitation near semiconductor, and 7=17081 and electrons eqns. of motion in weakly ionized plasma from Boltzmann eqn. 7=10639 electrostatic, in bounded plasmas 7-9319 electrostatic, in inhomogeneous Vlasov plasmas in axial mag.field 7-17138 electrostatic video freq., in klystron c.w. oscillators 7=16106 electrostatic waves, damping 7=1035 probe, excitation near semiconductor, anal. 7=17081 probe in flames 7=8550 energy distrib.from modified quasi-linear eqns. 7=17120 excitation of strong collisionless shock waves 7=17063 probe, negative bias for high density Ar plasma 7=6879 flute, low density plasma with uncompensated space charge 7=6909 probe noise in gas discharge, intermediate and h.f. theory 7=10575
probe perturbation of electron energy distrib., Fokker-Planck equation extension 7=17109 forced, causal behaviour 7=17121 criterion 7=6381 generation in plasma-electron beam interaction 7=17141 probe, resonance, theory in mag. field 7=13892 growing, e.m. radiation emitted 7=13885 probe, spherical e.s., kinetic theory 7-13895 r.f. probe resonances meas, 7-10659 growing wave effect, in moving electron plasma 7=4229 h.f. electron and l.f. ion types, connection 7=10668 h.f., and enhanced diffusion 7=10634 radiation in millimeter and submillimeter range by interference filters 7=4215 high freq., interaction with ion cyclotron waves 7=17133 scattering of energetic particles 7=17078 Schlieren technique, multipass system for high orders of harmonics of waves excited near electron cyclotron harmonics prod. 7=13913 hydrodynamic drift, in rotating non-uniform cylindrical plasma, stabilization 7=1043 magnitude 7=6872 shock wave front, structure meas. with microwave interferometer  $7{=}1001$ incompletely ionised, small amplitude waves 7=17111 spectrosopic, in thermionic converter 7=12505 interaction between high frequency transverse waves and turbulent plasma 7=17110 streak photography technique obs. of temporarily produced plasma 7=4213 ion-acoustic amplification, possibility 7=17132

ion-acoustic, in dense plasma 7=6901 ion acoustic solitary waves small amplitude propagation 7=1037

surface density profile, by microwave reflection and magneto-Kerr effect 7=17076

```
Plasma-contd
  oscillations contd
```

Physics Abstracts 1967 - Part I (Jan.-June) ion-acoustic solitary waves, small-amplitude propag. 7=4244 ion-acoustic waves instability with nonlinear dispersion 7=9034 ion-acoustic waves, quasi-linear theory 7=6902 ion cyclotron resonance in dense plasma with hot electrons, obs. 7=17134 ion cyclotron waves, collisionless electron heating 7=4240 ion waves in weakly ionized current-carrying plasma, two-fluid model 7=4241 ionization waves 7=13798 laminar-wedge, caustic of cylindrical wave, characts. 7=17112 Landau dampening 7=6895 Landau damping in anisotropic plasma 7=6894 Landau damping with finite transverse dimensions 7=1039 Landau damping and growth of electrostatic modes 7=17123 longitudinal modes, magnetized non-uniform columns 7=17117 longitudinal waves in thermal cond. processes 7=4185 m.h.d. resonances with monopole magnetization calc. 7=13910 m.h.d. resonantly unstable off-angle waves 7=17139 m.h.d. waves obs. in H plasma 7=4234 magnetized with anisotropic initial distrib., dispersion relation 7=17118 magnetoacoustic waves, Cherenkov and cyclotron absorption 7=6851 magnetoactive, with different ion and electron temps. wave-wave scatt. 7=17115 magnetoactive, e.m. scatt. at h.f. calc. 7=13911 magnetosonic unstable waves in relativistic p plasma 7=13929 Maxwellian plasma with non-uniform zero-order densities confined in axial mag. field calc. 7=6898 mirror machine loss cone oscillations transverse propagation theory 7=13905 multicomponent, linear waves, general dispersion relations 7=17104 multicomponent, linear waves, weakly ionized 7=17106 near-cathode probe for excitation of u.h.f. oscillns. 7-13928 near upper hybrid resonance, nonlinear effects rel.to energy 7=17108 nonlinear freq. generation by d. c. plus two a. c. elec. nonlinear freq. generation by d. c. plus two a. c. elec. fields 7=13861 non-linear plane waves in cold plasma in mag. field, eqns. solns. 7=17114 nonlinear waves, rel. to periodic solns. of nonlinear diff. eqns. 7=17107 nonlinear waves generation by transverse waves beam 7=13920 parametric coupling theory 7=6908 parametric excitation by radiation, theory 7=10670 PIG discharge modes 7=13912 plasmons nonlinear interaction in hydrodynamic approx. 7=17843 poloidal hydromagnetic resonances 7=4233 positive column, plasma resonance near electron cyclotron harmonic freqn. 7=4141 potential field perturbations 7=5687 radiation field, nonlinear coupling, quantum statistics 7=10671 and reflection of microwaves from striated column obs. 7=6897 relaxation to equilibrium of dilute electron plasma 7=17103 resonances, natural, in cylindrical column 7=10666 resonant particle growth rate of waves in mag. field 7=17135 review 7=10665 in shock discharge tubes with conical electrodes, wave processes 7=112 slab, linearization, scrambling 7=13927 small wave numbers, kinetic eqn. extension 7=4239 spectrum, current-carrying, spatially inhomogeneous plasma 7=13935 sphere, m.h.d. toroidal mode describing latitude-depend. waves 7=17122 sum and difference freq. generation due to two nonuniform r.f. electric fields 7=1040 supersonic plasma, surface ripple, under e. m. wave excitation 7=6850 surface wave in column of limited radius with current 7=6906 surface waves on grounded anisotropic slab 7=13875 teaching waves 7=4227

thermionic, temperature gradients effect 7=17126

"Topsy" Q-device, minimum-B suppression obs. 7=13906

Tonks-Dattner resonances, double-freq., self-combination scatt. 7=1033

Tonks-Dattner resonances, Landau damping evidence 7=1034

in  $\theta$ -pinch, dynamical, props. 7=17086

Plasma-contd oscillations-contd 3-component, linear, dispersion relations 7=17105 transverse waves, unstable, with anisotropic ion distribution 7=4236 turbulence with low  $\beta$  obs. 7=13924 turbulence obs.from radiation and microwave scatt. 7=1031 turbulence theory of longitudinal waves in electron plasma 7=4235 turbulence, weak, solvable model 7=13925 two-beam instability, turbulent regime 7=13938 two-fluid, energy coupling in electron-acoustic, ion-acoustic and transverse e.m. waves 7=17113 virtual, in Debye shielding between charges representation 7=13857 Vlasov plasma, electrostatic oscills. 7=13916 vortices, pair production 7=4197 wave damping rel. to Cherenkov radiation 7=6862 wave equations, coupled, first-order, in stratified plasma 7=10667 wave excitation by interaction of ion beam 7=17131 waves excitation by acoustic and e.m. sources together 7=13923 waves generation by non-linear effect in plasma 7=4201 waves, l.f., excited by ion beam, energy from quasi-linear theory 7-13918 waves in multicomponent and collision-free plasmas, dispersion rels. 7-6904 waves in rarified plasma with finite Larmor radius 7-6903 waves, steady, oblique and non-linear, in warm collision-free plasma theory 7=13921 wave types rel'to electron velo. distrib. 7=6893 Cs, cyclotron echo phenomena 7=1038 Cs, electron drift waves temp.var.obs. 7=17137 Cs, thermal, low frequency modes, obs. 7=1032 H, electric fluctuations of h.f. discharge in mag. field obs. 7=17127 Hg, ion plasma oscillation intensity enhancement due to bunched electrons 7=17008 Hg low-pressure discharge, excitation of UHF spectrum 7=6899 stability adiabatic invariants and equilibrium, magnetic trap 7=10662 alkali, drift waves, ion-beam excitation 7=17125 beam-plasma instability in partially ionized gases 7=1042 beam-plasma interaction, non-linear phenomena 7=17142 bounded, h.f. density fluctuations at large wavelengths 7=17152 bumpy  $\theta$  pinch with sharp boundaries, ballooning 7=17090 Cherenkov and cyclotron instabilities of stream calc. 7=17146 cold electron beam-plasma interaction theory 7=989 cold-plasma effects in finite-length plasmas 7=4246of contrastreaming plasmas, effect of Coulomb collisions 7=10678 and controlled thermonuclear reactions 7=16858 convective and absolute instability theory 7=17140 current-carrying, spatially inhomogeneous plasma 7=13935 current-convective, with large ion Larmor radius 7=6916 current instability in nonisothermal plasma- 7=10680 cyclotron resonance instability, non-convective 7=1044 cylinder, ideally conducting, in time dependent mag. field 7=13936 discharge, Penning-type, turbulent diffusion 7=4138 drift, rel. to anomalous diffusion 7=17049 drift wave, particle aspect analysis 7=10675 drift waves in finite press. plasma 7=6907 in electric h.f. field 7=10677 with electron beam, coherent deceleration of beam rel. to interference pattern obs. 7=17143 electron beam-cyclotron instability obs. 7=17136 electron clouds in toroidal mag. field 7=17095 electron plasma Harris instabilities at zero freq. 7=4250 electron streams, gyrating, e.s. stability 7=13939 electrostatic drift instabilities, minimum-B stabilization 7=13907 and entropy 7=10674 flow bounded by conducting walls, theory 7=17151 fluctuations in model and leading walls, and the stability in model and leading walls. fluctuations in model stellarator 7=17155 fluctuations in model stellarator (=) (133) flute instability in non-uniform elec. fields for low-β, general eqn. 7=17148 flute, low density plasma with uncompensated space charge 7=6909 flute, in toroidal geometry 7=6910 gravitating streams in mag. field 7=12170 h.f., instability in mag. field 7=4249 hardcore, FAUST I device 7=4254 in hollow cathode discharge, beam-plasma instability 7=959 hose instability of charged-particle beam in plasma 7=4248

Plasma-contd stability-contd hot electron, instability obs. 7=10676 hydrodynamic drift oscillations in rotating non-uniform cylindrical plasma 7=1043 inhomogeneous, effect of radial elec.field on instability 7=6918 instability, formation of torches 7=6917 instabilities, solution using dispersion reln. inversion method 7=2786 instability, wave propag. along mag. field, collision-induced, linear theory 7=4252 ion-acoustic instability in turbulent plasma 7=13934 jet, dense, flowing into transverse mag.field 7=4253 Kelvin-Helmholtz, excitation in rotating plasmas 7=17150 Langmuir, in weakly turbulent magnetized plasma, and energy losses by moving charges 7=1041 loss-cone instability quasi-linear theory 7=17093 low-frequency instabilities, minimum-B resistant 7=4251 m. h. d. combined Taylor and Helmholtz instability including Hall effect calc. 7=17149 m.h.d. resonantly unstable off-angle waves 7=17139 in magnetic mirror, hot electron, theory 7=13903 in magnetic mirror with stabilizing rods calc. 7=6889 magnetosonic unstable waves in relativistic p plasma 7=13929 plasma 7=13929
rel. to multiple-mirror system confinement 7=17099
Newcomb entropy method of analysis, extension 7=17153
optical non-linear instability in radiation 7=6913
in oscillating discharge, nonlinear theory of
instability 7=6915
parametric coupling theory 7=6908 parametric coupling theory 7-5908
pinch, linear diffuse, resistive instabilities 7=1028
positive column, turbulence in mag. field due to helical
instability 7=16994
potential field perturbations 7=5687 quasi-linear relaxation of collisionless plasma 7=6912 radiative instability of stream-plasma in kinetic regime, two solns. 7=17145 relativistic gardenhose instability at l.f.calc. 7=13937
relaxation in unstable inhomogeneous plasma 7=13933
resonant particle growth rate of waves in mag.
field 7=17135 sheet pinch, finite resistivity instabilities 7=1029 in stellarator 7=4255 streaming, in inhomogeneous Vlasov plasmas in axial mag.field 7=17138 streaming, with zero-order density gradients 7=17147 thermionic, temperature gradients effect 7=17126  $\theta$ -pinch, model 7=17091 toroidal confinement, flute-like instability with longitudinal mag.field 7=10664 in toroidal magnetic traps, theory 7=6890 toroidal screw pinch obs. 7=17088 troidal, transverse magnetic field effect, time-varying 7=4247 transverse waves, unstable, with anisotropic ion distribution 7=4236 turbulence, book 7=6911 two-beam instability, onset 7=10679 two bunches quasi-linear theory 7=17144 from wave excitation in strong electric and mag. crossed fields 7=13930 waves, l.f., ion beam instabilities 7=13918 weakly unstable, finite press effect on interchange mode calc. 7=13932 Cs, electron drift waves temp. var.obs. 7=17137 H, anisotropic, transverse wave instabilities theory 7=13931 Hg discharge drift instability rel. to ion waves dispersion relation 7=6914 Plasma diagnostics. See Plasma/measurement technique. Plasma diodes. See Electricity/direct conversion; Electron tubes; Plasma/devices. tubes; Plasma/devices,
Plasma guns. See Plasma/devices.
Plasma in solids. See Crystal electron states/plasma; Electron
gas; Semiconductors; Solids.
Plasma jets. See Plasma/devices.
Plasma sheath. See Plasma/confinement. Plasma thermocouples. See Electricity/direct conversion; Plasma/devices

Plasma/devices.
Plasma torches. See Plasma/devices.
Plasma waves. See Plasma/oscillations.
Plasmoids. See Plasma.
Plasmons. See Crystal electron states/plasma. Plastic deformation See also Slip. anisotropic materials, plastic instability theory 7=11264 austenite, surface formation of martensite 7=14219 diagonal streaming in plane strain 7=57 extrusions, pyrometer for continuous meas. 7=9 in flow-law plasticity, bounding theorem 7=9066 hot working dynamic recovery dislocation mechanism 7=17664 membrane, finite, under hydrostatic pressure 7=12328

Plastic deformation-contd metals, hardening due to dispersed obstables, spacing theory 7=4762
metals, polycrystalline, rel. to crystal orientation,
X-ray obs. 7=11252
metals, relaxation phenomena under friction 7=1686 metals, thin sheets, plastic instability theory 7=11264 microscopic parameters rel. to mobility of dislocations 7=11166 overshoot, dislocation dynamics 7=4748 Peierls, Dorn-Rajnak curve 7=17663
resins, thermoplastic, plane stretching and
moldability 7=4751
sandwich sphere under hydrostatic pressure 7=56 single crysts., rel. to dislocation motion 7=17606 sliding process as fracture-inducing mech. 7=14678 soil, planar deform. and double slip 7=7655 steel, effect on response to n radiation obs. 7=17646 steel, neutron irradiation in reactor effects obs. 7=4784 thin-walled tube, small elastic-plastic deformation 7=9064 two-dimensional, monotonic loading, rel. to stress 7=12327 yield stress, temp. depend., alternative constitutive eqns. 7=17713 yielding of materials, biaxial, possible specimen 7=11242 Ag, dislocations elec. cond. anisotropy at liquid He temps. obs. 7=11424 Al, clustering of quenched-in vacancies and disloc. loops, meas. 7=11151 Al, electrical cond. change obs. 7=14878 Al plastically deformed, internal friction meas. 7=11269 Al, in torsion fatigue 7=11267 Au, dislocations elec. cond, anisotropy at liquid He temps. obs. 7=11424 Ba ferrite powders, phase transform, rel. to mag. props. obs. 7=18138 Be, due to compression 7=11275 Be, flows and plastic strains, rel. to prestrain 7=1706 Be mirrors nonelastic strains 7=9548 Bi, effect of compression on elec. cond. 7=14699 Bi-3.5% Pb, effect on thermo-e.m.f. and Hall constant 7=15051 Cd, kinks microstructure obs. 7=11175 Co ferrite powders, phase transform. rel. to mag. props. obs. 7=18138 Cr, rel.to mag. structure obs. 7=15192 and Cu creep strength at  $800^{\circ}$ C 7=17728Cu, dislocation distrit. near surface, obs. 7=17611 Cu, dislocations elec. cond. anisotropy at liquid He temps. obs. 7 = 11424Cu, polycrystalline, irreversible amplitude dependence 7=17701 Cu, pores formation during thermal cycling 7=1716 Cu, single crystals, work hardening, edge and screw dislocations 7=14708 Cu, substructural strengthening at high strain obs. 7=4780 Cu, ultrasonic absorption recovery rel. to imperfections 7=1537 Cu whiskers, recovery after plastic deformation 7=14706 Cu-Be (1.8 wt.%), tensile stress-strain relns. 7=17698 Fe alloys, substructural strengthening at high strain obs. 7=4780 Fe, armco, effect on recrystallisation, subzero temps. 7=17435 Fe, coercive field, deformation depend, 7=8168 Fe, effect on response to n radiation obs. 7=17646 Fe, polycrystalline, particle size effects, X-ray obs. 7=17468 Fe, recovery above room temp., mag. coercive field obs. 7=11284 Fe single crysts, strain rate sensitivity, effect of C 7=7701-2  $\alpha$ -Fe, slip  $\rightleftharpoons$  twinning change, -185° to 20°C 7=11286 Fe, tensile, intrinsic lattice deformations 7=1721 Fe yielding, effect of pre-yield relaxation 7=11282 Fe, yielding mechanisms obs. under pressure 7=17703
Fe-Mn (29, 19%), phase transformation prod. rel. to internal friction obs. 7=17704
Fe-Ni (39%), internal friction recovery obs. 7=17704
Fe-Ni (39%), internal friction recovery obs. 7=17704 Fe-(7at.%Ni + 3.1at.%Al), rel. to ageing obs. 7=4471 Ga, and u.s. attenuation var. 7=14446
GaAs, influence of doping 7=4785
Ge, and dislocations prod. by n irradiation 7=7582 KCl, effect on impurity colour centres 7=11205 KCl, rel. to luminescence induction 7=11868
In, by slip 7=14740
In—Te alloy, by twinning 7=14740
LiF, average dislocation slip distance 7=14741
LiF, interact. of dislocations and colour centres 7=14591  $L_{12}SO_4$ , high temp. 7=11305  $L_{12}SO_4$  -K<sub>2</sub>SO<sub>4</sub> mixtures, high temp. 7=11305 MgO, strain-hardening 7=17717

Mo, relaxation damping maxima 7=14747

Physics Abstracts 1967 - Part I (Jan.-June) Plastic deformation-contd NH<sub>3</sub> crystals obs. 7=11307 Nb, pure, stress-strain curves 7=14755 Nb, relaxation damping maxima 7=14747 and Ni creep strength at 1000°C 7=17728 Ni, effect on response to n radiation obs. 7=17646 Ni, electrical cond. change obs. 7=14878 Ni, imperfection effects on magnetocrystalline anisotropy obs. 7=8202 Ni, induced damping peaks meas. 7=11314 Ni, point defects recovery rel to coercive field,  $-250^{\circ}$  to  $0^{\circ}\mathrm{C}$  7=8200 Ni, recovery of elec. resistivity 7=11437 NiAl, slip system mechanisms 7=4799 Ni-Cr (0-34 at.%), thermo e.m.f. var. obs. 7=8046 Ni-Cr (23 at.%)-Al (1-7 at.%), thermo e.m.f. var. obs. 7=8046 Ni-Cr (23 at. %)-Mo (1-8 at. %), thermo e.m.f. var. obs. 7=8046 Ni-Cr (23 at. %)-Tl (1-4 at. %), thermo e.m.f. var. obs. 7=8046 Ni<sub>3</sub>Fe, ordered and disordered, tensile results 7=17726 Ni, Fe, ordered and disordered, tensile results 7=17726
Ni<sub>3</sub>Mn, intermediately ordered, superparamag. obs. 7=8223
Pb vibrations, effects obs. 7=4802
PbS, indentation, effect of charge-carrier concn.,
meas. 7=11315
Si(3.2%)-Fe, dislocations formed by deformation 7=14596
Ti alloy (TS6), effect on structure 7=14763
Ti, and its alloys 7=14762
Ti alloys, localized obs. 7=1617 Ti,  $\alpha$ -phase, rate-controlling mechanism below 0.4x melting point 7=4807 W, 77°-450°K, meas. and analysis 7=4809 Zn, effect of 1-5 MeV electron irradiation 7=14764 Zr, low temp. recovery obs. in elec. cond. 7=7533 Plastic flow See also Rheology. cylinder with lateral pressure, "pinch effect"  $7{=}14681$ deformation bounding theorem 7=9066 ductility effects of second-phase particles 7=14666 fibre strengthening, elasto-plastic theory 7=4754 initial, of semi-space, from velo-distribution at boundary 7=5666 ionic polycryst. aggregates, diffusion-viscous 7=14671 metals, b.c.c., dislocation theory of temp. var. of stress 7=11245 necking under tension condition calc. 7=14667 steel, low-carbon, rate-dependence 7=14722 in stress relaxation, activation energy 7=7651 theory, method of elastic solutions 7=14570 Ag, high temp. stress 7=14707 Ag, high temp. stress 7=14707
AgMg crystals, temperature and strain-rate effect on stress 7=1698
Al, discontinuous yielding, commerically-pure 7=14695
Al, flow stress, influence of strain rate and strain ageing 7=14694
Al, flow stress rel. to various secondary defects 7=14697
Au, high temp. stress 7=14707
Be, single cryst., ductility effect of programmed loading 7=7692
Cr-Y alloy, ductility rel to presence of N=7=14704 To adding i=1092 (Cr-Y alloy, ductility rel. to presence of N<sub>2</sub> 7=14704 (Cu, high temp, stress 7=14707 (Cu, n-irrad., flow stress anal. by strain rate changes 7=1713 (Cu, n-irrad., thermally activated glide processes 7=1714 (Fe, rel. to imperfections, obs. 7=4777 (Fe-Mn alloy, dislocation mechanisms 7=11288 (Fe-Ni-Cr martensites 7=7705) KCl imperfections prod. by irradiation at 80°-300°K obs. 7=14549 Mo, effect of low pressures 7=14746 Mo, flow stress, temp. and strain rate depend. 7=17722 Mo, orientation dependence of yielding meas. 7=17720 NaCl, constant stress obs. 7=7719 Ni, limit, 100°-600°C 7=17613 Ti,  $\alpha$ -phase, rate-controlling mechanism below 0.4 melting point 7=4807 Ti,  $\alpha$ -phase, yield stress, temp. depend meas. 7=17736 Tl bromo-iodide obs., var. force and time 7=11326  $\alpha$ -U, Petch's relation applicability 7=1743  $\alpha$ -Zr, grain size depend. 7=11332 Plasticity See also Viscoelasticity.

Bingham solid, extremum principles application 7=14646 brittle-ductile fracture transition press. and temp. var. theory 7=14685 brittle-ductile transition, effect of triaxial stress systems 7=14683 cavitation 7=1688 celluoid, photoplastic method for plane elasto-plastic problems 7=4812
clay, failure theory, book 7=7676
continuum theory, stress analysis and dislocation
distribu. 7=17662 deformation bounding theorem for flow-law plasticity 7=9066

Plasticity-contd ductility, effects of second-phase particles 7=14666 fracture initiation decohesion 7=11250 metals elasto-visco-plasticity rapid meas. by multiple relaxation 7=17653 plate, flat, elastic-plastic analysis, with rigid circular inclusion 7=55 polycarbonate, oriented glassy, grain slip and bond flexing 7=1745 polycrystal, yield surfaces calc. 7=7656 polyphenylene oxide, oriented glassy, grain slip and bond flexing 7=1745 relaxation, screw dislocations in finite slab 7=11172 slip active volume concept in plasticity 7=11244 strain rel. to crack propagation rates 7=7661 stress-strain behaviour of plastic-elastic model with variable slider under sinusoidal stress 7=54 theory for frictionless materials 7=7676 thermoplastic media wave fronts calc. 7=9173 viscoplastic substance, loss of heat equilibrium during motion 7=7657 viscous-plastic bar, impact, formulation 7=2820 viscous-plastic medium, fluidity theory, variational methods 7=2819 wave, plane, reflection and refraction at interface between two half-spaces 7=2884 waves in elastic, visco-plastic beams, propagation and waves in elastic, visco-plastic beams, propagation reflection 7=9167-8
Al alloys elasto-plastic waves formation and structure 7=7697
Cr-Co (30 at. %) superplasticity and low temp. ductility 7=11278
Cu and brass, elasto-plastic waves formation and structure 7=7697 Cu, n-irrad, effect of defects on critical shear stress 7=14711 Cu whiskers 7=11279 Cu-Al(10%) dislocations obs. by electron microscopy 7=1583 Fe,zone-refined, H charging effect 7=11285 Fe-3.1 to 5.1% Si, ductility 7=17706 Mg, dislocations obs. by electron microscopy 7=1583 NaNO<sub>2</sub>, critical stress temp. var. rel. to ferroelec. obs. 7=14752 Nb, pure, deformation and stress-strain curves 7=14755 Sn-Be(1 wt.%), superplasticity at 22°C 7=11321 Sn-Bi(5%) superplasticity origin 7=14760 Plastics See also Polymers. aged, surface study 7=7262 breakdown, electric stress induced 7=8019 breakdown, electrical strength rel. to cathode surface condition, transparent 7=8012 corrosion stress cracking, energy-balance theory 7=14777 diffusion of O<sub>2</sub> through pipes 7=1522 effect of plasticisers, fillers etc. on physical props. 7=7639 films, mech. props., testing machine 7=4757 friction plastics, dynamic Young's modulus by ultrasound 7=4744 glass-reinforced, creep at 20°C 7=4816 glass-reinforced, criterion of strength 7=4819 glass-reinforced, effect of material thickness on static and dynamic E and G-moduli 7=14768 glass-reinforced, mechanism of failure in short-time tensile tests 7=4820 glass-reinforced, oriented, bending of plate 7=11338 glass-reinforced, in tension, effect of reinforcing elements on deform. and strength 7=4821 glass-reinforced, theory of anisotropic creep 7=4818 glass-reinforced, theory of stress-strain state under uniaxial load 7=4817 graphitoplast parts, compression moulding and wear resistance 7=11340 Lucite, compressive strain-rate tests, 10<sup>-3</sup>-10<sup>-4</sup> in./in./sec. 7=11270 mechanical props.rel.to elasticity theory 7=7746 membrane, hexagonal reflecting film, as solar energy concentrator 7=2999 Micarta, compressive strain-rate tests, 10-3-10-4 in./in./sec. 7-11270 oriented glass-reinforced, bending and shear effects 7=4815 plates, glass reinforced, creep tests 7=14767 polyoxymethylene, irrad. and unirrad., elastic consts. meas.—30 to 150°C 7=4824 polystyrene, fluorescence 7=8518 RDX plastic-bonded explosive, plane shock initiation 7=11234 review 7=7300 scintillation granules, characteristics 7=18315 scintillator, energy loss of protons and deuterons 7=7637 scintillators, halogen-containing 7=18316 self-heating during cyclic deformation 7=11336 space charge, from electron trapping 7=5065

```
Plastics-contd
        stress-strain apparatus for up to 14.5 m/sec 7=7652
        stress-strain relations 7=7649
         structures, with one degree of freedom, forced
             vibrations 7=11337
         wear resistance, meas. by rubbing with abrasive
            cloth 7=11341
Platinum
        acid cutting 7=18483
        current carrying wire, effect of superimposed electrolytic current 7=7866
        d-irradiated, radiation annealing and damage prod.,
        alloying, cold work and quenching effects obs. 7=14516
d-irradiation recovery, alloying, cold work and quenching
             effects obs. 7=14517
         diffusion in Si, and production of helical dislocations
             and loops 7=7593
         electrical resistance at repeated quenching reversible
              change 7=7865
         electrical resistivity below 11°K, when pure 7=17878
         evaporation, field, surface species obs. at temps.up
to 1200°C 7=14161
        to 1200°C 7=14161
films with adsorbed CO i.r. spectra 7=17406
finely divided, chemisorption of CO 7=8555
interstitials prod. on e-irradiation <10°K, resistivity
recovery 10°-300°K rel. to prequenching 7=17599
K-, L- and M-Auger and L-Coster-Kronig spectra
obs. 7=10441
         metallic monolayers on Pt, packing density of
         atoms 7=14294
n-irrad., stage III, removal of single interstitials 7=7548
         point defects on e-irradiation ~9°K, 1.3-2.1 MeV,
         Frenkel resistivity, rel. to Au 7=17598 press. dependence of Knight shift 7=8339
         pseudomorphic growth on Au, obs. 7=17454
          secondary electron emission, maximum escape depth
         energy var. obs. 7=11612
single crystal surface low energy electron diffr. obs., temp. var. and 340 eV Ar ion effects 7=1260
surface energy anisotropy, temp. depend. 7=10951
thermal conductivity, 300-1000 K 7=7508
thermal desorption of Hg 7=10979
          thermometer self-balancing bridge 7=9260
twin boundary energy rel. to surface energy,
920-1560°C 7=7604
         920-1000 C ^{1=1004} vacancies, field-ion microscope obs. 7=1562 wire, Nb<sub>3</sub>Sn deposition, device 7=15836 X-ray spectrum, forbidden transition L_{\rm II}N_{\rm II}
          on Au, epitaxially, elastic strain in Pt nuclei 7=1364
          Pt-Sn point contact resistance non-linearity at liquid
He temps. obs. 7=14892
          S-Pt and S-Au system, adsorpt. meas. by chromatographic
anal. 7=8556
 Platinum compounds
          alloys, n.m.r. shifts 7=15258
          platinocyanides, cryst. luminesc. 7=15397 platinocyanides, luminesc. of frozen solns.
                                                                              7 = 2397
          Pt-Au, specific heat, 1. 2 to 4. 2°K 7=7499
          PtC molecule, absorption spectra in 3100-6400Å 7=10519
          Pt-Co(50 at.%), magnetic props. in ordered state
              obs. 7=8224
          Pt-Ir, specific heat, 1.2 to 4.2°K 7=7499
Pt-La alloys, electron emission props. 7
                                                                         7=15091
          Pt(NH<sub>2</sub>)<sub>4</sub>PtCl<sub>4</sub>, origin of colour 7=15347
Pt-Pd alloy, isotope effect on H<sub>2</sub> sorption 7=14295
Pt30%Rh-Pt6%Rh, thermocouple, reference tables 7=2942
          Pt-Th alloys, electron emission props. 7=15090
          Pt:YAl garnet, e. s. r. absorption spectrum 7=8302
 Pleochroism
          alkali halides, rel. to photoelectric emission anisotropy
with polarized light obs. 7=11606
charge-transfer complexes, i.r. dichroism 7=11817
          circular dichroism in visible and u.v., meas. 7=350 measurement of circular dichroism in visible and
              u.v. 7=349
          nitroaniline soln. in glycerol, reversible orientational
          photodichroism obs. 7=10840
oligonucleotides, single-strand, circular dichroism 7=10841
          p-dimethylaminonitrostyrene soln. in glycerol, reversible orientational photodichroism obs. 7=10840
          p-nitrosodimethylaniline soln. in glycerol, reversible
              orientational photodichroism obs. 7=10840
          polyethylene films, rel. to orientation functions and pole figures obs. 7=1301
          trans-[Co(1-pn)<sub>2</sub>Cl<sub>2</sub>]*, circular dichroism 7=11820
Ba TiO<sub>3</sub>, Bi-doped, dichroism meas. 7=11749
KCl, y-irrad, dichroism in R-bands 7=11781
Sm<sup>2*</sup> in CaF<sub>2</sub>, magnetic dichroism, g-factor eval. 7=11751
Plexiglas. See Plastics.
```

use in thermal reactors 7=16893 thermodynamic activity in dilute solns. 7=4342 transformations,  $\alpha \to \beta$  and  $\beta \to \alpha$  7=14243 Pu<sup>288</sup>, investigation of stratospheric motions 7=18356

Pu<sup>244</sup> in gadolinite rel. to decay props. 7=13378

Plutonium

Plutonium compounds PuC, elec. props. and electron config. 7=14967 Pu-Ce-Co phase transformations obs. 7=14244 Pu-Ga alloys, effects of high press. on phase equilibria 7=14245 Pu-Ga(1 wt. %), growth of large grains and critical strain for recrystallization 7=4518 PuN thermodynamic properties from e.m.f. meas. 7=2447 PuO<sub>2-x</sub>, defects, density meas, at high temp. 7=11157 PuP, elec. props, and electron config. 7=14967 PuS, elec. props. and electron config. 7=14967 Pu-Ti alloys, effects of high press. on phase equilibria 7=14245 Pockels effect. See Electro-optical effects. Point defects. See Crystal imperfections. Point groups. See Crystal structure, atomic. Poiseuille flow. See Flow; Hydrodynamics. Poisson ratio. See Elastic constants. Polar cap absorption. See Electromagnetic wave propagation/ ionosphere. Polar cap glow. See Airglow. Polarimeters automatic ellipsometer, using ADP modulator 7=3277 balloon-borne, photoelec. skylight 7=18379 ellipsometry of double thin layers 7=16274 ellipsometry with non-ideal compensators 7=16273 photoelectric, for skylight Stokes parameters 7=5381 precision, effect of sample cell windows 7=9622 in refractive index variations meas. 7=3207 spectropolarimeter for 2-8 µ 7=3276 u.v., for high altitude balloons 7=18424 Polarized light See also Double refraction; Optical rotation; Photoelasticity; Polarimeters. anisotropic gas laser modes, saturation effect theory 7=9496 anthracene, luminescence, depend. on wavelength 7=8506 components of beam, reln. between reflectances when incidence angle is 45° 7=9607 depolarization of Rayleigh radiation scatt. by Ar 7=1089 difference freq. generation pecularities based on nonlinear optics 7=9538 ellipsometry with non-ideal compensators 7=16273 elliptical polarization of refracted beam in optically nonactive transparent liquid 7=14088 elliptical, vac. u.v., prod. using piezobirefringent retarder 7=3275 emission, physical bases 7=12726 ferrosoferric oxide colloid scatt. for magnetic multipole field centre location 7=9345 films, ellipsometry calc. of refr. index and thickness 7=16275 for glass scattering from inclusions internal flux component struct. meas. 7=11773 holography, polarization 7=12729 i.r.polarizer 7=3278 i.r. reflection polarizer 7=9621 luminescence from plane-parallel layer, reflection effect calc. 7=12725 for optical films thickness control in evaporation 7=5917 optical superheterodyne receivers, selectivity 7=12681 partial polarization in 3 theories of e.m. diffraction at aperture 7=9435  $\alpha$ -quartz, optical rotatory power, press. effect 7=11806 quartz, third order nonlinear, optical mixing 7=2341 radiation emerging from earth's atm. 7=18379 Raman, rel. to ang. var. of spectrum 7=3246 refraction by isotropic media, obliquity 7=316 representations of state, scatt. matrices and reciprocity relns. 7=9617 ruby, pink, absorption cross-sections 7=11746 from scattered laser light 7=4298 for scattering from inclusions internal flux component struct. meas. 7=11773 singlet-triplet transitions, point-group selection rules and polarization 7=11739 water, liquid, optical constants, rel. to reflectance and emissivity, meas. 7=14096 Ag electron emission, non classical, dependence on Ag electron emission, non classical, dependence on polarization of laser beam 7=11604
Ar, ionized-gas laser, characts. in mag. field 7=9503
H<sub>2</sub>SO<sub>4</sub> Raman spectrum, 30°, 150°, 250°, 350°C 7=10846
from He atoms excited by electrons obs. 7=10429
Polarography. See Chemical analysis/electrochemical.
Polarons. See Crystal electron states/polarons. Polishing. See Surface texture. Polonium atomic spectrum  $6p^3(^4S)7s-6p^3(^4S)np$  series obs. 7=10416photoelectric emission of K shell two electrons, 0.3-1.3 MeV calc. 7=6574 Po<sup>208,209</sup>, optical spectra h.f.s. 7=827 Po<sup>210</sup> conc. in atmosphere relative to Pb<sup>210</sup> 7=15486

Polonium compounds No entries

Physics Abstracts 1967 - Part I (Jan.-June) Polyelectrolytes. See Electrochemistry; Polymers; Solutions. alkyl methacrylate, cryst. polymer prod. 7=11945 anthracene cryst., photodimerization 7=8572 aromatic copolyamides, ordered, containing fused and multiple ring systems 7=11948 crystalline monomers, radiation-induced in-source velo. rel. to post polymerization 7=11951 diacetone acrylamide, solid state, y-irradiated 7=11950 formaldehyde and styrene copolymerization, radiation induced 7=11946 growth of multicomponent chains 7=8523 methane, solid, by  $\gamma$ -rays 7=8581 n.m.r. meas. theory 7=15435 polyamide prep. by alternating copolymerization of aziridines and cyclic imides 7=11947 styrene, γ-induced ionic polymerization, pure liquid 7=11949 HBr in Ar, spectral obs. on freezing from  $-170^{\circ}$  to  $-196^{\circ}$ C 7=11952HCl in Ar, spectral obs. on freezing from  $-170^{\circ}$  to  $-196^{\circ}\mathrm{C}$   $\,7{=}11952$ HCl-HBr in Ar, spectral obs. on freezing from -170° to -196°C 7=11952 Polymers See also Plastics.
acoustical properties for sound insulation 7=7491
anisotropic relaxation and strength theory 7=1677 anthracene dimers, absorpt. and emission spectra 7=8450 anthracenes, substituted, sandwich dimers 7=8451 aromatic copolyamides, ordered, containing fused and multiple ring systems 7=11948 breakdown kinetics, loss of volatile products, mass spectrometry 7=14771 brittleness temp. by temp. dependence of strain in uniaxial tension 7=4830 butyl methacrylate and methacrylic acid copolymer, film struct. 7=14258 celluoid, photoplastic method for plane elasto-plastic problems 7=4812 coiled chain, intrinsic viscosity, molecular expansions and solvent effect 7=14051 collagen, solid-state, dielec. props. 7=2002 conductance, anomalous 7=5066 configurational statistics 7=4134 copolymers of N-n-alkylacrylamides and acrylonitrile, mech. props. 7=11343 cork films specific heat and thermal cond., transient heating obs. 7=1473 critical molecular weight and shear stress 7=17256 deformation, effects of small vibrs. 7=17740 3,6-dibromo-N-vinylcarbarole, crystalline polymer 7=17413 dielectric dispersion at 4-300°K 7=5067 dielectric loss peaks at low temps. obs. 7=15026 dilute solns., three-parameter theory 7=1123 dimers, energy levels in strong coupling limit 7=10478 direct-current conductivity 7=18043 dislocations prod, by chain ends, rel, to X-ray exam. 7=1594 exam. 7=1594
divinyl rubbers, effect of crystalline phase on
elasticity 7=11351
dynamics of solns., theory 7=1122
elastomeric and structural-mechanical props. compared
with inorg, glasses 7=11335
electret props., depolarization currents 7=2009
electret props., rel. to structure 7=2008
electret props., rel. to structure 7=2008 electric breakdown, threshold electron density 7=10586 electron microscope examination technique 7=11027 entanglement of chain, statistical mechs. 7=16987epoxide-compound accelerating tube, for neutron generators 7=16394 epoxide resin, water-soluble, for scintillation counters 7=16357 epoxy coatings, relation between wear resistance, internal stresses and modulus of elasticity 7=4813 epoxy, crosslinked, viscoelasticity in transition region 7=11344 epoxy resin and Cu(or steel) adhesion durability at  $30\text{--}80^{\circ}\text{C}~7\text{=-}7748$ of ethylene oxide, glass transition temps.obs. 7=1293 ethylene-propylene copolymers, anal. by p. m. r. 7= extrusion, crit. stress, study of viscoelasticity of C mixes 7=7743 fatigue fracture under reversed strain cycling 7=14775 fibre twist, optical meas. 7=9623 fibres, acoustic velo., stress effects obs. 7=11113 films, obs. of light scatt. patterns with polychromatic divergent light source 7=1294 flow of solutions, through porous disks as function of solute 7 = 10784Formvar film casting on water 7=16352 fracture process, study by e.s.r. 7=14772 fracture process treated as instability in deformation 7=14773

Polymers-contd fracture, theory, 'microscopical' and 'continuum' 7=14770 gelatin solid-state, dielec. props. 7=2002 high, mechanical props. 7=7747 homopolynucleotides, double chains, helix-coil transition and deg. of polymerization 7=10565 hydrodynamics, molten and in conc. solutions 7=7000 hysteresis in stress-strain cycle, rel. to strength 7=14769 ionic, glass transitions 7=14256 isoprene rubbers, effect of crystalline phase on elasticity 7=11351 Kaprolon, fatigue strength 7=4823 Kapron(nylon-6), fatigue strength 7=4823 kapron(nylon-6), fatigue strength 7=4823 laminated rubber systems, shear strength 7=4826 linear chains, config. entropy 7=10564 mechanical and dielectric relax., y-transition 7=8002 melts, rheological props. 7=1133 α-methylpolystyrene viscosity in var. solvents, 30°C 7=14057 molten, wetting kinetics, contact angle analysis 7=14027 multicomponent chains, growth kinetics 7=8523 n.m.r. line ordering and multiplicity due to tactic structs. 7=10567 nylon fibers, viscosity of suspension 7=10876 nylon 4,  $\alpha$  polymorph, cryst. struct. 7=14400 nylon 4,  $\beta$  and  $\delta$  polymorphs, cryst. struct. 7= nylon 66, wideline n.m.r. studies 7=2244 oligonucleotides, single-strand, optical activity 7=10841 oriented crystallizing, changes in structure due to stress appls. 7=14657 oriented, light scatt., effect of birefringence 7=2270 oriented, tensile strength below glass transition temp. 7=1693 P-200, autohesion of elastomers with plasticizers 7=4827 PVC films, brittleness temp. 7=4830 permeability of membranes to dissolved oxygen 7=1504 pitch, indentation by diamond 7=7745 plastic light pipes to photomultipliers, phenylcyclohexane joining cement 7=3046 poly(alkyl methylacrylates), crystalline 7=11945 poly-α-methylstyrene, photoelastic behaviour 7=11350 polyalumidimethylsiloxane, highly elastic, molecular structure 7=4135 polyamide films, photostability 7=4743 polyamides, mol. wt. determ. 7=4136 poly-3, 3-bis(chloromethyl)-oxacyclobutane crystal growth from soln.obs. 7=1323 polybutene-1, polymorphism 7=14257 polycaprolactam, high density, supramolecular structure 7=4550 polycarbonate, oriented glassy, grain slip and bond flexing 7=1745 polychlorotrifluorethylene dielectric props., molecular weights 500-1300, -70° to +200°C, 30 c/s-3 Mc/s 7=15028 polydimethylsiloxane in decalin, large high-elastic deformations during vulcanization 7=7744
poly-(dimethylsiloxane) networks, stress-optical coeff. 7=2356 poly(dimethylsiloxane), stress-strain isotherms meas. 7=11333 polyelectrolytes, hydration, free OH groups by i.r. spectr. 7=7084 polyethylene, absorption in u.v. 7=2359 polyethylene, acoustic and mech. props, depend. on temp, cyclic cooling and heating 7=11345 polyethylene, config.entropy 7=10564 polyethylene copolymers elec. cond., γ-ray effects obs. 7=5071 polyethylene crysts., prep., high press. and high temp. 7=17414 polyethylene crysts. prep high press. and high temp. 7=17415 polyethylene, cryst. vibrations 7=11111 polyethylene, crystalline, linear, dynamic mechanical and stress relaxation data, data reduction treatment 7=1747 polyethylene, drawn and undrawn, solvent sorption depend. 7=14303 polyethylene, dynamic polarization of protons by solid effect, radiation-damaged 7=1211 polyethylene elec. cond. voltage and temp. var. obs. 7=15029 polyethylene, electrical breakdown using aqueous electrodes 7=2003 polyethylene electrification after  $\gamma$ -irradiation obs. 7=18054 polyethylene, electro-graphical investigation of struct. 7=10987 polyethylene, epitaxy on alkali halides 7=1359 polyethylene film elec. field lifetime, ionization intensity var. 7=18044 polyethylene films, orientation functions and pole figures

obs. rel. to optical props. 7=1301

breakdown 7=5070

polyethylene films, space charge effects in elec.

```
Polymers-contd
           polyethylene films specific heat and thermal cond.
                transient heating obs. 7=1473
           polyethylene, freq. distrib., neutron scatt. determ. 7=7479
           polyethylene, ht. capacity 2.5-30°K 7=17566
           polyethylene, high-density, supramolecular
structure 7=4550
           polyethylene insulator, charge trap model 7=5069 polyethylene intercrystalline links obs. 7=1325-6
           polyethylene, irrad., free radical kinetics 7=2479 polyethylene, irrad., u.v. absorpt. spectra 7=2478 polyethylene, irrad., u.v. absorpt. spectra 7=2478 polyethylene, mechanical relaxation of single crystals, α and γ, -1900° to 133°C 7=1746
           polyethylene melt, relax.time 7=1132
polyethylene, molec. struct. and weight 7=4137
           polyethylene, near u. v. absorpt. spectrum 7=2357
           polyethylene, near u. v. absorpt. spectrum '1=337' polyethylene, neutron differential albedo meas. on finite slabs 7=16633 polyethylene neutron dose meas. 7=990 polyethylene, photoconductivity 7=2046 polyethylene, radiation induced crosslink formation, crystallization conditions effect 7=7302
            polyethylene replica far i.r. transmission filter gratings
                 prod. 7=9567
            polyethylene rods, temp. generated in torsional oscill. 7-17739 polyethylene, screw dislocations electron diffr.obs., rel. to slip and elastic consts. 7=1593
            polyethylene, single crystal aggregates, wettability 7=10953
            polyethylene, sngie crystal aggregates, wettainty i=1635 polyethylene, spectra in i.r., pure and impure 7=11827 polyethylene, stressed in small strains range, time depend of Poisson's ratio 7=11346 polyethylene, yac.u.v.absorpt.spectrum 7=2358 polyethylene terephthalate, cold-drawing 7=14776
            poly (ethylene terephthalate), crystallinity and orientation 7=10986
             polyethylene terephthalate film, refractive index 7=2360
            polyethylene terephthalate film, retractive index 7=2360 polyethylene terephthalate films specific heat and thermal cond., transient heating obs. 7=1474 poly (ethylene terephthalate), laser scatt. rel. to size, shape and structure 7=1295 polyethylene terephthalate, radiation-induced network formation 7=2480
             polyethyleneterephthalate films, stressed in tension,
                    creep 7=4814
            poly-γ-methyl-L-glutanate, β-form 7=11088 polyglycine, helical struct. 7=940
             polyisobutylene soln. in cetane, viscosity 7=7045
             polyisoprene rubber hydrochloride films, two dimensional
                  deformation, rel. to supramolecular structure 7=4822
            deformation, rel. to supramolecular structure 7=482 polyisoprenes, microstruct. by n.m.r. 7=11038 poly-L-alanine, helical struct. 7=940 polymethine dyes, in glycerol, stimulated emission 7=306 polymethylacrylonitrile, n.m.r.rel. to tacticity 7=2241 polymethylmethacrylate, brittle fracture and crazing 7=14774 polymethylmethacrylate, corrosion-stress crack propag. 7=14777 polymethylmethacrylate, crack formation by laser pulses 7=14778
                   pulses 7=14778
             polymethylmethacrylate, elec. charge generation, by compression 7=5078
poly(methylmethacrylate), photodegradation, e.s.r. 7=8576
poly (methyl methacrylate), rel. of glass transition temps.
to mol. wt. and tacticity 7=1252
             poly(methyl_methacrylate) solns., rheological
                    anomaly 7=10819
             polymethyl methacrylate, specific heat excess at low temps
                   obs. 7=1478
             polymethylmethacrylates, "rotating frame" proton spin-
lattice relax. obs. 7=8332
polymethyl siloxane resin host for optical filters for
2000-3000Å 7=9568
             poly-4-methylpentene-1, dynamic mechanical properties,
            poly -- vinylearble-t, dynamic mechanical properties
freq, and temp. depend. 7=1748
poly (n-octadecyl methacrylate), crystallization kinetics
of monolayers at air-water interface 7=1338
poly-n-vinylearbazole-iodine charge-transfer complex
Hall effect obs. 7=1957
            polynucleotides, luminesc. and e.s.r. adenine 7=2407 polyoxymethylene, crystalline, thermal twisting motion
            obs. 7=4607
polyoxymethylene, irradiated, triplet spectrum 7=18176
            polyoxymethylene, lamellar growth and melting obs. 7=1339
            polyoxymethylene,low-energy vibr.modes 7=943 polyoxymethylene,m.p. 7=4406
            polypeptide conformation in helix-coil transition
region 7=16989
polypeptides (β config.), far u.v. spectrum 7=11826
polypeptides in soln., β-form from optical rotation 7=4358
            polyphenylene oxide, oriented glassy, grain slip and bond
                  flexing 7=1745
```

```
Polymers-contd
              polyphenylether fluids, study of elec. conduction by electron injection 7=4386
              polypropylene, adhesion, effect of spherulite growth and dimensions '7=11349
              polypropylene, cryst. struct. 7=4608
polypropylene, crystallized, morphology 7=1296
              polypropylene, effect of basic aluminium dibenzoate on supercooling 7=1341
               polypropylene, epitaxy on alkali halides 7=1359
               polypropylene isotactic films, crystal growth, spherulites
microstruct.obs. 7=1342
              polypropylene, isotactic, laser-excited Raman spectrum 7=15362
               polypropylene isotactic molten droplets, nucleation
                      kinetics and supercooling obs. 7=1343
               polypropylene, laser scatt.rel.to size, shape and structure 7=1295
               polypropylene, mol. wt. distrib. determ. by light
                       scatt. 7=13788
               polypropylene, spectra in i.r., pure and impure 7=11827
               poly-p-xylylene, phase transformations and crystal atomic structures obs. 7=1253
               polystyrene, conformation change in soln. 7=13789-91 polystyrene electrification after \gamma-irradiation
                       obs. 7=18054
               polystyrene, epitaxy on alkali halides 7=1359
polystyrene film, decay of space charge 7=5065
polystyrene, fluorescence 7=8518
               polystyrene, γ-irrad., e.s.r. study of energy transfer 7=15449
               polystyrene, interaction with N and O atoms 7=8539 polystyrene, internal order in glassy state 7=14306
                polystyrene, intrinsic viscosity of dil. solns. 7=17258
                polystyrene latex, sulfonated, isoionic dilution, viscosity
                       meas. 7=10877
                 polystyrene, photoelastic behaviour 7=11350
               polystyrene solns., viscosity, shear-rate depend. 7=1135
polystyrene, solubility of Ar 7=10984
polystyrene, solubility of CO<sub>2</sub> 7=10984
polystyrene, solubility of CO<sub>2</sub> 7=10984
polystyrene, solubility of N<sub>2</sub> 7=10984
                polystyrene, specific heat excess at low temp,
obs. 7=1478
polystyrene, X-ray line broadening obs. rel. to crystallite
                size and lattice distortion 7=1396
polystyrenes, group motions in glassy state 7=4828
polytetrafluoroethylene, fitted with S-1 colloidal
graphite, deformation 7=11347
                 polytetrafluoroethylene insulator, charge trap model 7=5069 polytetrafluoroethylene, surface texture obs. rel. to friction
                 and wear 7=4829
poly-3, 3-bischloromethyloxacyclobutane, epitaxy on
alkali halides 7=1359
                 poly(trimethylene oxide), chain dimens. and dipole moment 7=10568
                 polyurethane, sound transmission through sandwich
                         constructions 7=9201
                 polyvinyl acetate latex films light scatt.obs. 7=2361
polyvinylacetate n.m.r. spectra 7=17291
polyvinylalcohol, n.m.r. spectra 7=17221
                 poly(vinyl alcohols), orientation behaviour 7=4551
                 poly(vinyl benzoates), group motions in glassy state 7=4828
                 polyvinyl chloride, crystalline, limiting states in creep 7=11352
                 polyvinyl chloride decomposition porous C struct.
obs. 7=17344
                  polyvinylchloride laminates adhesive strength to steel,
                 polyvinylchloride laminates adnessive strength to steel, effect of stabilizers 7=17741 polyvinyl chloride, plasticised, fatigue strength 7=11353 polyvinylchloride compositions, sp. ht. 7=4649 polyvinylchloride-vinyl acetate) copolymer, tacticity, n.m.r. study 7=2247 polyvinylchloride, plasticizing mechanism during abrasion obs. 7=4825 polyvinylidene chloride), molec. config. 7=10569 propylene syide crystallization kingtics and storped.
                  propylene oxide, crystallization kinetics and stereo-
regularity 7=4517
                  relaxation, theory 7=6760
                  resins, thermoplastic, plane stretching and
                  moldability 7=4751
reson coatings on Aerosil mechanical props., molecular
                 interaction effects obs. 7=17742
rheology, zonal gratings interference appl. 7=1676
screw dislocations in platelets, thermal initiation
theory 7=1592
SKN=40 supplies of the control of th
                 SKN-40, autohesion of elastomers with plasticizers 7=4827 solutions, asymptotic methods in statistics 7=10815 solutions, athermal, second osmotic virial coeff. 7=7063 solutions, Couette flow, stability meas. 7=4310 solutions, elastic light scatt., theory 7=10838
                  solutions, interactions between dissimilar chains 7=1121
                  solutions, mol. wt. distrib. curve calc. from dielec.
                          absorpt.
                                                   7=10817
                   solution, neutron-scatt., free-draining limit 7=14045
```

Positons. See Positrons.

S 305

```
Physics Abstracts 1967 - Part I (Jan.-June)
 Polymers-contd
           solutions, dilute, turbulent flow props. 7=14015
           solutions in mixed solvents, light scatt. 7=14091
           solutions, oscillatory flow birefringence 7=4354
           solutions, viscoelasticity 7=4335
           in space simulation, stability obs., degassing 7=8764
           stereoregular chain, mean-square end-to-end distances and dipole moments 7=10566
           stiff chains, statistical mechanics 7=16988
          structure, i.r. absorption spectroscopy obs., high 7=8462 superconducting, Little model, organic 7=1847
          synthetic fibres, heat transfer during dry
spinning 7=1491
thermodynamics of transitions 7=7218
          thermoplastic, correl, between hardness number and elastic moduli 7 = 11342
          vibrocreep 7=4750
viscoelasticity, linear and nonlinear, theory 7=11334
          Viscoelasticity, filter and hollinear, theory 7=11334
X-ray diffraction exam., heating and cooling unit for camera 7=4538
C chain phonon freq distribution calc. 7=1441
HBr in Ar, spectral obs. on freezing from -170° to
-196°C 7=11952
          HCl in Ar, spectral obs. on freezing from -170^{\circ} to -196^{\circ}C 7=11952
          HCl-HBr in Ar, spectral obs. on freezing from -170^{\circ} to -196^{\circ}C 7=11952
          HCl and DCl, in solid inert gases, i.r. spectra 7=2313 Se, semiconducting, conductivity mechanism 7=7958
Polymorphism
          See also Crystal structure.
formic acid crysts.,i.r.data 7=7455
high press.P-T diagrams rel.to periodic
                system 7=17350
          in one dimension in crystals, review 7=7214
         in one dimension in crystals, review 7=7214 polybutene-1, i.r. obs 7=14257 Ca silicate fibre polytypes nomenclature 7=17347 CdI, and growth 7=17499 CdSnAs<sub>2</sub> at 587°C 7=17953 Ce, allotropic transforms 7=14211 GaSe, rel. to excitons 7=17833
         {\rm GeO_2}, {\rm amorphous} and polycryst., e.p.r. of Cu²+ 7=2198 P, polymorphism, study at high press, and temp. 7=4476 PbNO_3 crystal growth, effect of thionin blue adsorption 7=1340
          [YCl(OH)<sub>2</sub>]<sub>n</sub>, monoclinic and orthorhombic forms, interrelation 7=17520
ZnS, five new polytypes, X-ray obs. 7=17419
ZnS, polytypism and stacking faults 7=17624
Polynomials. See Algebra; Functions.
Polytypism. See Polymorphism.
Pomeranchuk rule. See Scattering, particles.
Population inversion. See Lasers; Masers; Optical pumping.
Porosity. See Porous materials.
Porous materials
               See also Permeability, mechanical; Surface measure-
          condensation in, model calcs. 7=7143
          convection on heating from below, obs. and numerical
              calc, 7=9246
         devitrified glass powder compacts, electron micro-
scopy 7=14194
flow of fluid in elastic material 7=1059
         flow of fluids, statistical approach 7=4270 flow in, with solid precipitation, calc. 7=6932
         grain growth controlled by pore migration, theory 7=14195
         graphite, and Young's modulus, theory 7=4769 interdiffusion of gases 7=10757
         limestone pellets, porosity, rel. to dry compressive strength 7 = 17692
         microscopy, prior vacuum impregnation with resin 7=14335
         Permalloy, thin films, evaporated, porosity rel. to mag. props. 7=2134
         permeability for gases, data processed by FORTRAN programme 7=10711
         planar movements of fluids 7=13955
         silica, i.r. spectra of adsorbed {\rm H_2O} 7=14297 size distrib. anal. of pores 7=7211
         Al<sub>2</sub>O<sub>3</sub>, grain growth controlled by pore migration,
theory 7=14195
C from PVC decomposition, structure obs. by electron
               microscopy and benzene adsorption 7=17344
         Cu, O<sub>2</sub> free, brittleness phenomena by pore formation 7=7699
         Fe from reduction of Fe<sub>2</sub>O<sub>3</sub>, diffusion of H<sub>2</sub>-H<sub>2</sub>O, 800°, 900°, 1000°C 7=15424 H<sub>2</sub>S + S flow in, with S precipitation, calc. 7=6932
```

UO<sub>2</sub>, grain growth controlled by pore migration, theory 7=14195 theory 7=14195

Porterin-LeChatelier effect. See Stress/strain relations.

Positive column. See Discharges, electric.

Positive rays. See Chemical analysis/by mass spectrometry:

Positive ray sources. See Ion sources.

Ion beams.

```
Positronium
           formation in aq. solns. 7=12990
          in ionic crystals, as exciton, rel. to annihilation anomalies 7=17859
           ortho, annihilation in He, rel. to cavity formation 7=17211
          ortho, pickoff quenching in He, theory 7=3536 and positron annihilation review 7=530
 Positrons
               See also Electron pairs; and Electrons, which include
               both negative and positive electrons when the differences
          between them are of no special significance. annihilation in aq. solns. 7=12990
          anniniation in aq. solns, 1=12500
beam focusing, stepped-field theory 7=12991
decay features in semiconductors 7=7831
e^-e^ colliding-beam reactions theory 7=12988
e^-e^ 180° scatt. at 200,500 MeV, quantum electro-
               dynamics test 7=6127
          in metals, lifetimes and decay curves 7=17857
in metals, thermalization time 7=17862
multiple scatt., e^-e^+ differences 7=12989
          penetration in benzene, water and toluene, compared with
               electrons 7=16526
          reflection from 17 solid elements and 7 alloys, rel. to
          electron 7=11218
scattering from He atom, elastic, zero-energy calc. 7=6587
Ge, annihilation rel. to electron momentum distribu-
          tion 7=4874
H scatt.length,lower bound to reciprocal 7=6073
He scatt.length,lower bound to reciprocal 7=6073
          HoSb, HoTe, positron annihilation 7=17860
          in K, annihilation, effect of mag. field orientation 7=11417
          Si, annihilation rel. to electron momentum distribu-
              tion 7=4874
Potassium
         adsorption on W, effect of elec.field 7=1291
adsorption, on W field-emission projector 7=14300
atom, {}^{2}P_{1/2} - {}^{2}P_{3/2} excitation, cross-section in
collisions 7=4018
atom, resonance fluoresc. yield factor, meas. in
              flames 7=6568
          atomic beam, Ramsey resonance, mag. field depend. 7=4049
atomic beam source, hyperthermal energies
0.3-20 eV 7=4050
          atoms excitation and ionization by electrons, initial energy var. obs. 7=10438
         atoms Raman resonance i.r. emission obs. 7=16917 atoms, reactive scatt, with oriented \mathrm{CH_{3}I} mols. 7=6747
          atoms resonance lines excitation by electrons,
               cross. obs. 7=10433
         electron-ion pseudopotentials 7=1778
h.f.s. in irrad. KAsF<sub>8</sub> 7=5199
ions, K<sup>+</sup>, effect on SiC cathodoluminescence 7=5309
          L absorption spectra and photoeffect quantum yield, obs.in KCl 7=2315
          lattice dynamics, electronic struct. and elect.
              props. 7=11108
          lattice dynamics, electronic structure and electrical
         props. 7=17814
liquid, isotope thermal diffusion meas. 7=7058
         optical absorption, plasma resonance, meas. 7=8406 phonon dispersion curves, pseudopotential analysis,
              9°K 7=1451
         photoelectric effect rel. to applied field obs. 7=5096 photoemission spectral extension on deposition in Ar 7=11609 plasma, partially ionized, elec. cond. in mag. field, calc. 7=6842
         plasma Q-device, cross-field diffusion obs. 7=13863
plasma resonance absorption 7=18251
         plasma resonance emission after light excitation 7=17849
         plasma, with universal instability, diffusion perpendicular to mag.field 7=994
         positron annihilation, effect of mag.field
orientation 7=11417
r.f. size effect 7=4861
         resistivity in a pseudopotential scheme 7=17813 thermal cond., 0.5°-4°K, lattice component in Pippard's
              theory of u.s. absorption 7=14474
         vapour, charge exchange of protons forming excited H
         atoms 7=984
vapour, light modulation at g. s. hyperfine freqn. 7=4027
K-Hg, interatomic potential 7=847
Potassium compounds
        alum crystal growth, supersaturation effect on
shape 7=1336
         halide crysts., F-colorability decay 7=11200
        halides, enhanced growth of V bands by interfaces 7=11201
        KAsF<sub>6</sub>, h.f.s. of K in irrad. cryst. 7=5199
        K-Ba-Si glass, Tm^{3+} luminescence, sensitization by ions UO_2^{2+} \rightarrow Nd^{3+} \rightarrow Yb^{3+} \rightarrow Er^{3+} 7=18302
```

Potassium compounds-contd

S 306 SUBJECT INDEX Potassium compounds-contd KClO3 electric field gradient and Cl n. q. r., point charge approx. 7=10915 approx.  $\ell=10915$   $KClO_4$ , irrad., e.s.r. of  $ClO_2$  centre 7=11704  $K_3(CoCR)(CN)_8$ ,  $Cr^3$  e.s.r., cross relax. between  $\frac{1}{\sqrt{2}} = -\frac{1}{\sqrt{2}}$  lines obs. 7=11699 $\psi_2 \leftrightarrow -\psi_2$  lines obs. 7=11699 KCoF<sub>3</sub>, infrared absorption, 750-2000 cm<sup>7</sup> 7=15341 K<sub>3</sub>Cr(CN)<sub>6</sub>, mag. susceptibility 7=15113 K-Cs liquid mixtures theory and struct. 7=14044 K-Cs(0-10%), thermal cond., 0.5°-4°K, lattice component in Pippard's theory of u.s. abosption 7=14474 KCuCl<sub>3</sub>, magnetism and bonding 7=11625 K<sub>2</sub>CuCl<sub>4</sub>. 2H<sub>2</sub>O e.s.r., exchange narrowing and 10/3 effect obs. 7=8296 K39D, molec. consts. 7=6673 KD\*P in Ar ion laser Q spoiler for wavelength selection 7=9500 selection 7=9500

KD<sub>2</sub>PO<sub>4</sub> dielectric complex permeability,
5 × 10<sup>8</sup>-3.9 × 10<sup>10</sup> c/s 7=8024

KD<sub>2</sub>PO<sub>4</sub>, ferroelec, transition by D n. m. r. 7=15039

KF cryst., u. v. optical props. 7=8410

K<sub>3</sub>Fe(CN)<sub>6</sub>, C<sup>13</sup> n.m.r. 7=11695

K<sub>3</sub>Fe(CN)<sub>6</sub>, spin-lattice relax., 9.4 Gc/s, 1.75°K 7=8288

K<sub>4</sub>Fe(CN)<sub>6</sub>, Mössbauer spectra, effect of zero-point motion 7=1216

K<sub>4</sub>Fe(CN)<sub>8</sub>, 3H<sub>2</sub>O, irreversible ferroelectric transition 7=15034

K<sup>39</sup>H, molec. consts. 7=6673

KH.ASO, proton exchange between slater configurations KH<sub>2</sub>AsO<sub>4</sub>, proton exchange between slater configurations near a paramag. centre 7=15234
KHF<sub>2</sub>,e irrad.,e.s.r. of trapped F<sub>2</sub>-ions 7=18167
KH<sub>2</sub>PO<sub>4</sub> crystal tunable light generator 7=275
KH<sub>2</sub>PO<sub>4</sub> electrical cond., heat treatment var.obs. 7=2006
KH<sub>2</sub>PO<sub>4</sub> excitation of u.s. vibrs. by laser 7=14450 KH<sub>2</sub>PO<sub>4</sub>, generation of sum freqs. of ruby and Nd<sup>3\*</sup> glass lasers 7=12651
 KH<sub>2</sub>PO<sub>4</sub> for laser application 7=3129 KH<sub>2</sub>PO<sub>4</sub>, lattice parameters, 25°-150°C, X-ray meas. 7=17508 KH<sub>2</sub>PO<sub>4</sub>, light modulator, effects of piezoelec. resonances 7=15044 KH2PO4, n scatt., anisotropy and phase transition effects 7=18048 KH2PO4, optical mixing phase matching angles calc. 7=2318 KH<sub>2</sub>PO<sub>4</sub> and partially deuterated, refractive index temp. dependence 7=2327  ${
m KH_2PO_4}$ , phase transition, proton collective motion, tunnelling model 7=8023  ${
m KH_2PO_4}$ , proton cond., for pure and doped 7=15035 KH<sub>2</sub>PO<sub>4</sub>, translational normal vibrations 7=17547 KH<sub>2</sub>PO<sub>4</sub>, vibrational l.f. spectrum of low-temp. modification calc. 7=4622 KI, atomic displacements, temp. depend. 7=14429
KI bremsstrahlung absorption, 200 keV 7=8409
KI, Brillouin light scatt. obs. of phonons and elastic consts. 7=2316 KI crystallisation in contact with biotite and muscovite 7=1334 KI, diffusional permeability of defects in single crystals 7=7520 KI, energy band calc. by relativistic Green's function 7=11395 KI, exciton decay processes, quenching after u.v. irrad. 7=8481
KI, holes, thermal motion 7=1764 KI, notes, thermal motion 7=1764
KI luminescence with u.v. excitation, a.c. electric field modulation obs. < 100°K 7=15390
KI, paramag, reson. of Eu\*\* 7=18166
KI, piezooptical expts. on excitons 7=7818 KI, X-ray spectrum intensity distribution by isochromat obs. 7 = 15340KI:In, inner-centre fluoresc. 7=15391 KIO<sub>3</sub>, fundamental optical absorption near phase transitions 7=15343 KI:Tl, energy storage and luminesc. 7=2385 KI:Tl, X-irrad., photoelectric sensitivity, spectral distrib. meas. 7=8057 Ki:TI, X-ray luminesc. 7=2386 KI-TII, Tl° <sup>2</sup>P<sub>1/2</sub>:→ <sup>2</sup>P<sub>3/2</sub> absorption bands obs. after γ-irradiation 7=18271 KMgCl<sub>3</sub>, Ni(II)-doped, absorpt. spectrum 7=8429 KMgF<sub>3</sub> with Ni impurity, near i.r.fluoresc. and absorption 7=15392 KMn cyanides, C<sup>13</sup> n.m.r. 7=11695 K<sub>2</sub>MnCl<sub>6</sub>, mag. susceptibility 7=15113 KMnF<sub>3</sub>, elastic consts. behaviour near transition of puckering 7=7715 KMnF<sub>3</sub>, exciton-magnon interaction in absorption 7=15348 KMnF<sub>4</sub>, heat capacity and thermodynamic props. 7=4644 KMnF<sub>3</sub>, heat capacity and thermodynamic props. 7= KMnF<sub>3</sub>, hpperfine interaction consts. sobs. 7=18183 KMnF<sub>3</sub> with Ni impurity, near i.r. fluoresc. and absorption 7=15392 KMnF<sub>3</sub> spectrum, absorption fine struct at 4.2°K 7=8411 KMnF<sub>3</sub>, superexchange integral 7=2157 K<sub>2</sub>MnF<sub>4</sub>, antiferromagnetic properties 7=2163

KMnO4, flash heating and kinetic spectra 7=889

KMnO<sub>4</sub>, spectra obs. 7=2319 KNO<sub>2</sub>, absorption and luminescence spectra similarity obs. 7=2390 KNO2, phase diagram to 40 kbar 7=1244 var. 7=15018
KNO<sub>3</sub>, ferroelectric tonst. of powders at 10 cm, compactness var. 7=15018
KNO<sub>3</sub>, ferroelectricity as order-disorder phenom. 7=18049
KNO<sub>3</sub> liquid, dielectric constant and absorption obs. 7=1165 KNO3, dielectric const. of powders at 10 cm, compactness KNO3 phase transition opalescence and Raman scatt. obs. 7=8412 obs.  $^{\prime}$ =8412 K<sub>A</sub>Nb<sub>6</sub>O<sub>17</sub> crystal growth and dielectric props. 7=7331 KNiF<sub>3</sub>, near i.r.fluoresc.and absorption 7=15392 KNiF<sub>3</sub>, spectral absorption band in i.r., phonon-induced and spin-dependent, temp. var. obs. 7=15336 K<sub>2</sub>O-B<sub>2</sub>O<sub>3</sub>(100-60 mole %) melts, solubility of H<sub>2</sub>O vapour, 750-1050°C 7=7033 KOH plasma, low-temp., Hall effect in presence of periodic mag.field obs. 7=999 K<sub>2</sub>PaF<sub>7</sub> crystal structure, conference, Orsay (1965) 7=11066  $\rm KPaO_3, structure, in conference, Orsay (1965) 7=11072$   $\rm K_2Pt(CN)_4, luminesc. of frozen solns. 7=2397$ K-Rb liquid mixtures theory and struct. K-R6 liquid mixtures theory and struct. 7=14044

KReO<sub>3</sub>, cubic, structure and cond. 7=7443

K<sub>2</sub>SO<sub>4</sub>, y-irrad, cryst., trapped SO<sub>4</sub> ions 7=895

K<sub>2</sub>SO<sub>4</sub>-K<sub>2</sub>O-SiO<sub>2</sub>, miscibility gap at 1300°C 7=14042

KSO<sub>3</sub>NH<sub>2</sub>, n.m.r. study 7=2236

K<sub>2</sub>SnCl<sub>8</sub>, Mo<sup>5\*</sup>(4d<sup>4</sup>) e.s.r., h.f. s. and core polarization obs. 7=10929 KTaO3, e.s.r. of Gd3 and Eu2+, spin Hamiltonian parameters 7=5197 KTaO<sub>3</sub>, ferroelec., band structure and optical field effects 7=14826 KTaO3, ferroelec. 'soft' mode from far i.r. reflectivity meas. 7=18249 KTaO3 surface barrier diodes, capacitance and photoresponse obs. 7=18020 KTaO<sub>3</sub>-KNbO<sub>3</sub>, ferroelec, band structure and optical field effects 7=14826 KTaO3-KNbO3 mixed crystals, growth 7=4516 potassium bromide bremsstrahlung absorption, 200 keV 7=8409 concentration cells, e.m.f. rel. to freezing point abnormalities of ammonium salts 7=8562 dielectric const., 4.2°-300°K 7=1998 dislocations velo. var. with shear stress obs. 7=1607 emission of films on metals in far i.r., transverse optical resonance obs. 7=18250 exciton absorption, elec. field effect 7=5263 F-band u. s. modulation 7=11202 F centre u. s. modulation 7=14621 F' traps obs. by photostimulated thermoluminescence 7=8485 internal friction and Young's defect modulus, amp. and time depend. 7=11303 p-irradiated, effect of Sr admixture on F and M centre accumulation 7=11209 lattice mechanics, X-ray thermal diffuse scatt. obs.,  $20^{\circ}\text{C}$  7=14428mixed with KCl, absorption bands of Pb 7=11799 photoelectric emission, by X-rays, electron range 7=15099 piezooptical expts.on excitons 7=7818 point defect configurations prod. at low temps. by X-irrad. 7=11155 quadrupolar echoes, phase depend meas. 7 range and depth distrib of Xe ions 7=7635 secondary electron emission, by ions 7=15101 shock-wave-induced transformations 7=14230 shock waves' effect on colour centre transform. 7=14624 U2-centre, effect of config. mixing on electronic structure 7=11203 V bands, photochem. prod. and props. 7=11204 X-ray diffraction anal. 7=7431 Ag-activated, thermoluminescence 7=8466 Ga doped, absorpt., emission and excitation spectra 7=5264 KBr:Cu\*, luminescence and absorption of compressed samples 7=5304 KBr-KCl spectrum, reflection fundamental bands, 2000-900Å 7=11779 KBr-KI, energy of formation and solubility gap 7=14187 KBrO<sub>3</sub>, thermal neutron capture, annealing of radiolytic and recoil products 7=2481 KBr:Pb, vacancy complexes dissociation by heat and X-rays 7=7545 KBr-TlBr, Tl $^{\circ}$   $^{2}$ P $_{_{1/2}} \rightarrow ^{2}$ P $_{_{3/2}}$  absorption bands obs. after  $\gamma$ -irradiation 7=18271 KCl-KBr interdiffusion in electric field 7=1516 OH vibr. absorption, elec.field modulation 7=5270 potassium chloride absorption bands of Pb and Tl, diffuse structure, temp. depend. 7=15335 absorption spectra, influence of band struct., anomalies 7=14811 B-centres in Ag\* doped 7=7612

```
Potassium compounds-contd
   potassium chloride-contd
      bremsstrahlung absorption, 200 keV 7=8409
      Brillouin light scatt. obs. of phonons and elastic
          consts. 7=2316
      colorability by irradiation, deformation effects obs. 7=17631
      colour centres absorption spectra on doping with Zn2+, Cd2+
          and Hg2+ obs. 7=11206
      colour centres on irradiation, metastable F aggregates
          obs. 7=17628
      colour centres structure and transformation obs. 7=11211
      coloured additively, dielec. relax. obs. 7=8008
      crystal growth from aq. soln, in \gamma\text{-radiation} field 7=11008 Debye temperature from 14.4 keV \gamma\text{-ray}
      scattering 7=7497
dielectric const., 4.2°-300°K 7=1998
      dielectric loss tangents, 40-1000 Mc/s, below
          4.2°K 7=11791
      dielectric props., high temp., 16 Gc/s 7=1993
diffusional permeability of defects in single
crystals 7=7520
      doped with Sm, obs. of monovalent Sm<sup>+</sup> ions 7=
elastic const. of third order, u.s. obs. 7=14753
      electric conduction, transient and steady state 7=5060
      electron scatt. from (100) face, energy distribs. 7=18039
      electron state bands self-consistent augmented plane
          wave calc. 7=14839
      F-aggregate centres, optical formation 7=11208
      F-aggregates formation, deformation and impurity effects
         obs. 7=1634
      F-centre, coagulation 7=14625
     F-centre excited states obs. by modulated optical absorption 7=7611
     F-centre formation by \gamma-irrad. 7=7610 F-centre, quadratic Stark effect meas. 7=4724
      F-centres, ENDOR 7=2235
     F centers electron-nuclear double resonance obs. 7=8331
F-centres, production by X-irrad., temp. depend. 7=4722
      F centres Raman first-order spectrum calc.
                                                              7=18214
      F-M centre energy transfer mechanism 7=4723
     F' traps obs. by photostimulated thermo-
luminescence 7=8485
     friction self, X-ray effects 7=7714
      γ-irrad., dichroism in R-bands 7=11781
      H centre, e.s.r. rel. to optical absorption obs. 7=17632
     hardness decrease on illumination obs., rel. to marginal
         dislocations mobility var. 7=4794
     imperfections prod. by irradiation at 80°-300°K
         obs. 7=14549
     impurity colour centres, effect of plastic
         deform. 7=11205
     impurity distribution in melt-grown crystals 7=14555
     impurity interactions in melt-grown crystals 7=14556
     induced photon absorption in "pure" material 7=11780
     internal electric field, rel. to elastic deformation 7=14171 internal friction at high temperature, damping due to motion of dislocations 7=1726
     internal friction and Young's defect modulus, amp. and time depend. 7=11303
     ionic cond., d. c. and a. c., rel. to meas. electrodes 7=5058 ionic conductance, effect of gaseous impurities 7=1994 isotope mobilities in liquid, temp. var. obs. 7=8561 L absorption spectra and photoeffect quantum yield of
         K, Cl 7=2315
     luminescence induced by plastic deformation 7=11868 M-centre formation, thermodynamics 7=11212
     M centres, Na and Li, data 7=11213
     metals expitaxial growth 7=1353
     mixed with KBr, absorption bands of Pb 7=11799
     p-irradiated, effect of Sr admixture on F and M centre
        accumulation 7=11209
     paraelectric resonance transitions of OH-, microwave
     saturation 7=11548
photochemical reactions of P impurity 7=15442
     photoeffect, internal, elec. field depend. 7=4716
     photoelectric emission, by X-rays, electron range 7=15099
     pulse photoconduction 7=8056
     R centre g tensor calc. 7=8295
     Raman scatt. by F centres calc. 7=8423
     relaxation of OH- electric dipoles at low temp. 7=14185
     Schottky and Frenkel disorder with colour centres 7=4680
     secondary electron emission, by ions 7=15101
     shearing stress distrib. in region of cleavage
     shock-wave-induced transformations 7=14230
     solid reaction with \rm F_2, e.\,s.\,r.~7{=}8300 solutions elec.cond.freq.and conc.var.obs. \rm 7{=}7109
     thermal bleaching kinetics, exoelectron emission 7=11207
     U2-centre, effect of config. mixing on electronic
        structure 7=11203
     V bands, photochem. prod. and props. 7=11204
     \rm V_{K} centres preferential thermal reorientation obs. 7=17630 vacancy \alpha and F centres prod. by X-rays at 4, 2°K \, 7=7544
     whiskers growth on KCl single crystals obs. 7=17448
```

Potassium compounds-contd potassium chloride-contd X-ray spectrum intensity distribution by isochromat obs. 7=15340 Ag-activated, thermoluminescence 7=8466 Ag and Tl doped, role of anion vacancies in form. of aggregate centres 7=11210 Cl<sup>-</sup>X-ray L<sub>2,3</sub> absorption spectrum obs. 7=15320 Ga doped, absorpt., emission and excitation spectra 7=5264 KCI:Ag, lifetime of excited state of F centres 7=17629 KCl:Ca<sup>2\*</sup>, light scatt. by impurity precipitates obs. 7=8407 KCl:Cu, absorpt. and luminesc. spectra 7=11790 KCl:Cu\*, luminescence and absorption of compressed samples 7=5304 KCl:I:Pb, e.s.r. of ICl V<sub>k</sub>-centre 7=5198 KCl-KBr interdiffusion in electric field 7=1516 KC1-KBr liq.mixtures, significant-struct.theory 7=4326 KCl-KBr solid soln., lattice parameter 7=7432 KC1-KBr spectrum, reflection fundamental bands, 2000-900Å 7=11779 KCl. KBr-Ag, e.p.r. relaxation and luminesc. 7=15233 KCl:KOH, electric resonance of rotating dipoles 7=1992 KCl: Pb, Sr, vacancy complexes dissociation by heat and X-rays 7=7545 and X-rays 7=1545

KCl:SrCl<sub>2</sub> coloured additively, dielec. relax. obs. 7=8008

KCl:TI F-band excitation of photoscintillation 7=18301

KCl:Tl, forbidden transitions, phonon-violated 7=8484

KCl:Tl° spectrum, semiclassical theory of <sup>2</sup>P<sub>3/2</sub>

splitting 7=18272

KCl-TlCl, γ-irradiated trapping and annihilation of electrons and holes 7=5303 KCl-TlCl, Tl°  $^2P_{1/2} \to ^2P_{3/2}$  absorption bands obs.after  $\gamma$  -irradiation  $^7\!\!=\!\!18271$ Mn<sup>2+</sup> doped, absorpt. spectrum 7=5266 OH impurities, single-particle and collective effects 7=5059 Potential energy, gaseous molecules. See Molecules/ intermolecular mechanics Potential energy, single molecules. See Molecules/internal mechanics; Molecules/vibration. Potential energy, single molecules. See Molecules/internal mechanics; Molecules/vibration. Potentiometers. See Electrical measurement. Powder diffraction cameras. See X-ray crystallography/ apparatus Powder metallurgy. See Metallurgy; Sintering. Powders See also Granular structure; Particle size; Sintering; Surface measurement. anilines, substituted, dielectric loss and const. at 3 cm 7=15027 calorimetry at low temps., thermal cond. prod. 7=1467 ceramics, shock wave effects obs. 7=7212 combustion under action of pressure pulse, theory 7=15973 compressed, for reactor pressure-tube insulation obs. 7=10359 for Debye-Sherrer chamber, sample prep. 7=17493 dielectric const. meas. 7=15025evaporation source, electron bombardment 7=10906 ferromagnetic, sintered compacts, magnetization 7=15131 fluidized phase, direct heating by electourrent 7=7504 mixtures of different colours, use of light probe for meas. of comp. 7=14192 neutron diffraction crystallography at 2.6Å 7=4573 optical diffr. in back-reflected energy distrib. shock compression, thermodynamics 7=12424 silica, i.r. spectra of adsorbed  $\rm H_2O~7{=}14297$  size distrib, anal.  $\rm 7{=}7211$ X-ray diffractometers ray proof slit mount 7=1404 X-ray diffractometer slits 7=4570 Al, crystal atomic struct., neutron diffr. time-of-flight obs. 7=7405 Ba ferrite, temp. var. of mag. obs. 7=18138 Co, binary phase preparation and struct. 7=18332 Co, cold worked, domain size obs. by X-ray diffr. integral breadth analysis 7=7556 Co ferrite, temp.var.of mag.obs. 7=18138 Cu, crystal atomic struct., neutron diffr.time-of-flight obs. 7=7405 Fe, magnetic relax., 0,005-2 c/s,297°-4.2°K 7=8183 Fe, particles, single-domain, effective susceptibility 7=15142 Fe(III)-oxyde-hydrate, ultra-fine particles, superparamag., down to 30°K 7=15195 Fe-Co, magnetic initial susceptibility calc. 7=15145 Fe-Co, particles, single-domain, effective susceptibility 7=15142 Fe<sub>3</sub>O<sub>4</sub>, magnetic relax., 0.005-2 c/s, 297°-4.2°K 7-8183 KNO<sub>3</sub>, dielectric const. at 10 cm, compactness var. 7=15018 Pb, crystal atomic struct., neutron diffr. time-of-flight obs. 7=7405 Pb-zeolite, He3 adsorption and nuclear polarization. 0.05-1°K, to 16 kOe 7=13124

S 308 SUBJECT INDEX Si, crystal atomic struct., neutron diffr.time-of-flight obs. 7=7405 Powders-contd U, reaction with ND<sub>3</sub> 7=8547 UO<sub>2</sub> microstructure, milling effects obs. 7=4546 VO<sub>2</sub>, electrical cond. temp. var. meas. 7=7967 eodymium

and silicate glasses luminescence, nonradiative excitation
energy transfer between Yb³, Nd³\* and Pr³\* 7=11879
specific heat hyperfine coupling rel. to Gd-Pr 7=1477
Pr³\*, energy levels in LaBr<sub>3</sub> 7=1221
Pr³\*, spectra in YGaG and YAlG 7=8431
Pr³\* in AlLaO<sub>3</sub>, fluorescence spectra at ordinary and low
temperatures obs. 7=5308 Praseodymium Pr<sup>3</sup> in CaF<sub>2</sub>, paramag. resonance tigonal spectra obs. 7=2212 Pr<sup>59</sup> L emission spectrum, quadrupole lines obs. 7=18262 Presedymium compounds
crystal fields calc. 7=7182
monochalcogenides magnetism, 4.2-1300°K 7=11665
Pr monochalcogenides, magnetic properties,
4.2-1300°K 7=2079
PrCl<sub>3</sub>, Pr<sup>3</sup> crystal-field parameters rel. to wave functions
overlap 7=17326
Pr. p. m. rand hyperfine interact of Fig. 7=8326 PrF<sub>3</sub>, n. m. r. and hyperfine interact. of F<sup>19</sup> 7=8326 Pr<sub>2</sub>O<sub>3</sub>, phase transformations 7=14231 Pr<sub>n</sub>O<sub>2n-2</sub> crystal atomic structures generation from string 7=1421 Precipitation See also Atmosphere/precipitation. austenite, (Fe, Cr)sigma phase precipitation  $7{=}4466$  in austenite,  $M_{23}C_8$  shape and mechanism of formation  $7{=}14220$ from cold-worked structures 7=14200 colloidal particles, deposited on smooth solids 7=10878 condensation, kinetics of initial stages 7=15512 condensation nuclei, activity rel. to size 7=15511 electron dark field microscopy in foils 7=1582 foils, thin, size distribution and density, electron microscope exam. 7=1388 grain boundary, crystallographic anal. 7=4455 magnetic alloys and structure 7=4457 in Rene 41,7 prime, effect of hydrostatic press. 7=14238 semiconductor impurities, electron mirror microscope for meas. 7=1385 solids in flow in porous materials 7=6932 stacking fault precipitation, controlling conditions 7=10938 in steel, of CrN 7=17362 steel, VC formation in secondary hardening 7=17364-5 steel, Ni-Cr-Mo, of AlN, rel. to austenite grain size 7=17470 steels, 18% Ni maraging, and internal friction, 420°-612°C 7=11299 vacancy condensation on precipitate particles, with internal stresses 7=7215 Zircalloy, of oriented hydrides, effect of texture, grain size and cold work obs.  $7{=}4480$ Ag, effect on optical consts. 7=2295 Al-4%Cu, effect of O' and O deformation 7=4458 Al-4%Cu, effect of O' and O deformation 7=17351-4 Al-Cu-Ge, of  $\nu'$ -phase at 130 and 218°C obs. 7=1389 AlNiCo, hysteresis loop var. obs. 7=8156 Al-Zn alloys, structural invest. 7=1232 Al-Zn, solubility limits of metastable and stable phases 7=10942 Au, effect on optical consts. 7=2295 C-Mn steels, grain refined 7=17469 C-Mn steels, grain refined 7=17469

Cs<sup>137</sup> determination, small conc., by coprecipitation with (NH<sub>4</sub>)<sub>3</sub>[P(W<sub>3</sub>O<sub>1</sub>)<sub>4</sub>] 7=2495

Cu, effect on optical consts. 7=2295

Cu-Co(1%), Co particles size distribution function obs. 7=14212

in Fe, of C, and resolution 7=1228

α-Fe, rel. to magnetic props. 7=8166

Fe, nitridic, direct obs. of associated stress 7=4779

Fe-Be(27at.%) obs. 7=14223

FeCo-V. cold-worked on apprecipie of 575°C and FeCo-V, cold-worked, on annnealing at 675°C and below 7=11033 Fe-Mo-C, in situ transformation of Fe<sub>3</sub>C to Mo<sub>2</sub>C 7=7230 Fe-Mo-C, in situ transformation of Fe<sub>3</sub>C to Mo<sub>2</sub>C 7= Fe-Ni-Al, martensitic alloy, ageing 7=14226 KCl:Ca<sup>2+</sup>, light scatt. obs. 7=8407 NaCl, struct. of cleavage surfaces around precipitates 7=17425 Ni-Al(97.3-12.7), supersaturated, γ'(Ni<sub>3</sub>Al) particles study 7=4473 in Ni-Cr-Co-Mo austenite, ordered, rel. to hardening 7=14673 hardening 7=14673 (Ni, Fe)Al phase rel. to age-hardening of Fe-(7at.  $\%\mathrm{Ni}$  + 3.1at.  $\%\mathrm{Al}$ ) obs.  $7{=}4471$ Ni-Si, internally oxidized, electron microscope obs. 7=8541 S in H<sub>2</sub>S + S flow in porous materials 7=6932

Si, on diffusion of B with P obs. 7=17615

Precipitation-contd Sn from Pb-Sn bicrystals, morphology 7=14242 Pressure See also Atmospheric pressure and density; High-pressure phenomena and effects; Radiation pressure; Vapour pressure. carbon black resistivity, pressure dependence 7=11429 constant pressure device 7=4279 gas, automatic controller 7=6952 gases, on quartz-crystal vacuum microbalances 7=12286 hydrostatic, on quartz-crystal resonators in vacuum microbalances 7=12287 Pressure measurement See also Manometers; Vacuum gauges; Vapour pressure measurement. fixed points on high press. scale 7=12289 in liquids, acoustic, C paper indictor 7=10834 from manganin coil resistance, to 7 kbar and 200°C 7=17874 precision, piston manometers 7=9011 from refractive index of gas 7=2765 sensors for severe environments 7=9000 thermistor gas press. gauge, extended range 7=9013 U-tube manometers, for range 100 to  $1\times10^{-2}$  torr 7=17224wall fluctuations spectrum in boundary layer, pickup dimensions effect obs. 7=2764 Zener diodes, breakdown voltage rel. to pressure obs. 7=5034 n-GaAs for high values 7=18489 Prisms, optical achromatism and direct vision criteria 7=12689 gas prism for light beams 7=16238 monochromators for polarimetric meas., construction 7=9593 spectral, aberration coeffs. 7=12687 Probability See also Random processes; Statistical analysis. No entries Procopiu effect. See Films/solid; Magnetoelectric effects; Magnetomechanical effects. Programming. See Calculating apparatus/digital computer programmes. Projectiles. See Ballistics. Projectors, optical No entries Promethium No entries Promethium compounds No entries Prominences, solar. See Sun/prominences. Propagation. See Acoustic wave propagation; Electromagnetic wave propagation. Propagators. See Field theory, quantum; Quantum electrodynamics Proportional counters. See Counters/proportional. Prospecting. See Geophysical prospecting. Protactinium adsorption of Pa<sup>231</sup> and Pa<sup>233</sup> on silicagel in acid solns., in conference, Orsay (1965) 7=10884 physico-chemistry, conference, Orsay, 1965 7=10069 preparation, melting point and thermal expansion 7=11011 structure, m.p. and magn. props. 7=11071 Protactinium compounds complex halides, preparation and properties, in conference, Orsay (1965) 7=11010fluorides, preparation, structure and i.r. spectra, in conference, Orsay (1965) 7=11074 oxides, composition and structure, and PaO2-ThO2 solid solns., in conference, Orsay (1965) 7=11073 physico-chemistry, conference, Orsay, 1965 7=10069 PaCl<sub>s</sub>, cryst. struct. 7=7440 Pa-O system obs., in conference, Orsay (1965) 7=11073 Pa2O5, mixed oxides with alkali metal oxides, structures Pagos, mixed values with arkalf interaction of these structures and solid solns, in conference, Orsay (1965) 7-11072
Pagos, X-ray absorption spectra, 3Å region obs., in conference, Orsay (1965) 7-11795
Pa(V) in HF solns., spectra, rel. to identification of species, in conference, Orsay (1965) 7-11796 Proteins Ferrichrome A, Fe $^{57}$  Mössbauer spectra, paramag. h.f.s. and relaxation, 0. 98 $^{\circ}$ -300 $^{\circ}$ K 7=7198 ferritin crystal lattice electron imaging obs. 7=1440 met-myoglobin, e.s.r. 7=941 Proton magnetic resonance. See Nuclear magnetic resonance and relaxation. Proton spectra where the second of the secon Sb121,123(d, p) reactions 7=10304 on Si channeling 7=4741 Protonium. See Protons and antiprotons. Protonosphere. See Atmosphere/upper.

#### Protons and antiprotons

See also Cosmic rays/protons; Nuclear reactions due to/ protons; Nucleons and antinucleons, protons; Nucleons and antinucieons, antiproton-deuteron scattering 7=16611 auroral zone, energy spectra 7=5407 beam of high intensity for counter meas. 7=6187 channeling thro' ultrathin Au crystals 7=13066  $d\bar{p} \to \pi \eta N$  rel. to isospin weights and  $SU_{121}$ , 7=9986 dispersion forces, i.r. continuum absorpt, in acid and alkali solns. 7=10526 electromagnetic complex form factors meas, using polari-

zed particles in pp =11 7=6219

internal structure, from 90° elastic p-p scatt. 7=3634 mass difference with neutrons, sign, rel. to ghost scalar meson 7=3630

n-p mass difference, inelastic model 7=16612 n-p mass difference rel.to N\* (1238 MeV) mass splittings 7=6220

pp pair, two-meson annihilation in SL(6, C) symmetry 7=6231

pp annihilation into hyperon-antihyperon pair, quark model 7=13068
pp annihilation, W meson prod. calc. 7=6194

pp at high energy, annihilation and charge exchange

calc. 7=6228
p-p at 7 BeV/c, hyperon and antihyperon production 7=10031

= 11 with polarized particles for p complex e.m. form factors meas. 7=6219

 $\pi^{+}$  photoproduction, free and in He nucleus 7=493 π photoproduction, free and in He nucleus 7=493 π<sup>±</sup> photoproduction, free and in He nucleus 7=494 stopping power of six metals 7=13067 target using liquid jet injected into accelerator, proposal 7=6226

absorption

anthracene, energy loss, 100-900 keV 7=7637 gases, straggling in energy at 1 MeV 7=3641 plastic scintillator, energy loss, 100-900 keV 7=7637 terphenyl, energy loss, 100-900 keV 7=7637 Au, C, Ca, CaF<sub>2</sub>, stopping powers meas. in 0.4-0.6 MeV 7=9983 C foils, energy-loss distrib. 7=1656 angular distribution

p-p elastic scatt., fluctuations search at 16.9 GeV/c 7=3638 Ar<sup>40</sup>, inelastic scatt. at 4.1 and 7.3 MeV 7=3891  $C^{12}({\rm He^3},p)N^{14}$ , 2 to 6.2 MeV 7=13590 C-(ne-p) $(R^2, 2.16)$  0.2 MeV 7=13590 Cd(t, p), strongest transitions deriv. 7=13599 Sb<sup>123,125</sup>(t, p), strongest transitions deriv. 7=13599 from Se<sup>74,73,78</sup>(n, p) reactions, obs. 7=10272 on Si channeling 7=4741

detection, measurement

high energy, by Ge, Li drifted, thin-window counters 7=600

magnetic analyser, localization on focal plane by spark chamber 7 = 13070

plastic scintillator NE-102 energy loss rel. to light output obs. 7=13069

semiconductor counter appl. at 10 GeV in p-p scatt. 7=3368 in solar plasma, separation from He2\* by mass spectro-meter average charge detector 7=5498

space vehicles ionization chamber with matched Geiger 7=15618

targets, horizontal cryostat 7=16610 Ge, Li-drifted, total-absorption detector 7=601

charge exchange with atoms calc. 7=6797

charge-transfer in H and He, Lyman- $\alpha$  of He(2s) products 7=4170

crystals channelling, wave/particle duality 7=7626 gases, electron capture of fast protons 7=17011 meteorites, luminescence prod. obs. in laboratory 7=12245 on noble gases, ionization and electron capture 7=4162 solar cells, review 7=12514

solar cells on satellites, low energy, partially shielded 7=3000 Al, characteristic Lyman- $\alpha$  emission meas. 7=4731

 $p-Bi_2Te_3$  Hall effect and magnetoresistance obs. 7=1929C foils, energy-loss distrib. 7=1656

CsCl, I130 recoils, thermal annealing meas. 7=17644 Cu channelling reduction by p irradiation obs. 7=1658

H, atomic, charge transfer, furnace target meas. 7=4169 H, electron ejection, energy and ang. distrib. 7=6809

He, electron ejection, energy and ang. distrib. 7=6809 He, excitation of n <sup>1</sup>D states 7=6562 LiF, electrolytic negative breakdown figure obs. 7=15019 N2O dissociative ionization, slow ions mass spectra

obs. 7=6815 NaF, structural effects shown by etching  $7{=}10997$  Nb<sub>3</sub>Sn, superconducting critical current density var.  $7{=}11477$ 

Si channeling, 375 keV 7=4741

interactions

See also Nuclear reactions due to/protons. charge-independent pairing interaction, BCS ground state analysis 7=3709

Protons and antiprotons-contd

interactions-contd  $d(p, \gamma)He^3$  7=3675

d(p,n)2p at 135 MeV 7=596 d+p,215 MeV meas., asymmetry of n 7=3674 d+p  $\rightarrow$  2p+n,46 MeV,correl. spectra 7=3672

 $e^+$  + p,  $\pi^+$  prod. obs. 7=6404  $e^-$  + p  $\rightarrow$   $e^-$  + N\*,  $\gamma$ NN\* form factor obs. 7=13109  $\gamma$  + p  $\rightarrow$   $\delta^\circ$  + p, charge-conjugate noninvariance 7=16484  $\gamma$  + p,  $\eta$  prod., 800-1000 MeV 7=6112

 $\gamma + p \rightarrow \eta + p$  near threshold rel. to S-wave resonances 7=16483

resonances 7=16483  $\gamma + p, K^+\Lambda$  prod, phenomenological analysis 7=6258  $\gamma + p \rightarrow n +$ , at high energies 7=6108  $\gamma p \rightarrow N^{*+}\pi$ , cross-section and decay ang. distrib. 7=10041  $\gamma + p \rightarrow p + \pi^0$ , polarization effects 7=6188  $\gamma + p \rightarrow p + \pi^0$ , diff. cross-section 7=543  $\gamma p \rightarrow p\pi^0$ , prediction of Reggeized vector meson explance. 7=549

γp → pπ°, prediction of Reggeized vector meson exchange 7=542
γ + p → p + X°, Regge-pole model 7=580
γ + p → π\* + n, 2-5 GeV γ-rays 7=16552
γ + p, π\* prod. obs. 7=6404
Κ+p→K+N\*, N\* decay test of one-particle exchange 7=9911
Κ in hydrogen, 5 GeV/c, Ω° production 7=6251
Κ -p charge exchange at 1.51 and 1.7 GeV/c 7=16579
Κ p charge exchange scatt. at 3.6 GeV/c 7=6181

Kp, 4.1 and 5.5 GeV/c, meson + hyperon final

k p, 4. 1 and 5.5 GeV/c, meson + hyperon final states 7=16578 K + p  $\rightarrow$  K + p +  $\pi^{\circ}$ , possible prod. of N\*(1470) 7=3666 K + p  $\rightarrow$  K +  $\pi^{\circ}$ , prod. and decay of  $Y_1^*$  7=3668 K + p  $\rightarrow$  K\* + N, 2.0 and 2.24 GeV/c meas. 7=6179 K p  $\rightarrow$  A+e++e-, CP-noninvariant correl. 7=16563 K p,  $\Lambda \pi^{\circ}$  and  $Y_1$ \*(1680) obs. 7=16652 K + p  $\rightarrow$   $\Sigma^{\circ}$  +  $\pi^{\circ}$ , anal. at incident momenta 1.80 and 1.95 GeV/c 7=3599

K<sup>-</sup>-p →  $\Sigma\pi$ , resonances prod., 780-1220 MeV/c 7=16653 K=p+ $72\pi$ , resonances prof., 100-1220 MeV/C 1-1003 K<sup>\*</sup>-p, total cross-sections, obs. of new resonances 7=13035 K<sup>\*</sup>-p- $72\pi$ +K\* peripheral model 7=16645 K<sup>\*</sup>-p and Y<sub>1</sub>\* production, peripheral model 7=567 K<sup>\*</sup>+p  $\rightarrow$  Z<sup>\*</sup> + 3 $\pi$  and Z<sup>\*</sup> + 4 $\pi$ , Y<sub>0</sub>\* and Y<sub>1</sub>\* resonances prod., at 2.63 and 2.70 GeV/c 7=6180

K°-p, absorptive scatt. lengths 7-566  $K_z^\circ p$ , anal of type  $\Lambda^\circ \pi^*$ ,  $\Sigma^\circ \pi^*$  and  $K_1^\circ p$  7-568  $K^* + p \rightarrow K + N + \pi$ , interference effects 7-9934  $K^*p \xrightarrow{r} K\pi\pi\pi p$  triangle graphs, spin effects at 3 BeV/c 7=6054

 $K^*p \rightarrow K^*K^*\Lambda$ , high energy calc. 7=13036  $K^*\text{--p},$  two-body channels at 3, 3.5 and 5 GeV/c and possible Regge poles  $\ 7\text{=-}9933$ 

K\*-p, elastic and total cross-sections 7=6179 Kp, SU(3) inequalities at high energies 7=16558 for meson prod., isochronous cyclotron appl.,500 MeV,  $100~\mu\mathrm{A}~7=12833$ 

meson prod. using linear accelerator, Los Alamos 7=12814 meson prod. in nanosec bursts, spectrometer 7=13410 missing-mass spectrometer, max. angle 7=6227  $\mu$  capture, review of recent developments 7=6416  $\mu$  pair photoprod., asymm., test of small-distance quantum electrodynamics 7=3539

n capture at 14.4 MeV, d prod. spectrum 7=13074 n capture  $\gamma$  circular polarization obs. 7=13536 n-p, short-range effect on pairing model 7=655 n radiative capture at 14.4 MeV 7=13075

h tadative capture at 14.4 MeV [=15015]
 h - p, μ prod. with high energy at large angles search for W intermediate boson 7=13050-1
 ν + p at high energy, μ e<sup>+</sup> pairs search, and W mass 7=3516
 pN and πN, secondary p energy distrib., 4-20 GeV 7=6212

 $p+d\to He^3+2\pi$  pion spectrum 7=16553  $p+d\to He^3+2\pi$  singularity conditions 7=16446  $p+p\to N^{*-}N^{*+*\pi^5}$  , spin alignment of resonances, meas. 7=984

photon, isovector, absorption, mag. moment sum rules 7=3431

photoprod. on p of W meson calc. 7=6194  $\pi$  photoproduction on p by linearly polarized  $\gamma$ , 200-400 MeV, asymm.ratios 7=3549

π-p, angular correl. in six- and eight-prong interactions at 8 GeV/c 7=13005

π-p, inelastic, one particle exchange contribution 7=16618

→ KKN, singularity conditions 7=16446

and  $\pi$ - $\pi$  and  $\pi$ -K scatt, lengths 7=16564  $\pi$  + p  $\rightarrow \eta$  + n, total and difference cross section, 558-900 MeV 7=548

 $\pi^-+p$ ,  $K\pi$  resonances obs. 7=9958  $\pi^--p$ ,  $\Lambda\eta^\circ$  resonance at 4 GeV/c, obs. 7  $\pi^-+p$ ,  $\Lambda$  and  $K^\circ$  production obs. 7=9908 7=16647

 $\pi^+$ +p, Λ and  $\kappa^-$  production obs.  $\tau=9900$   $\pi^-$ +p $\rightarrow$ n+3 $\gamma$ , 1300 MeV meson in  $\pi^0\gamma$  system, obs. 7=1651  $\pi$  p, for  $\pi$  – $\pi$  interaction analysis, at 2.1 BeV/c 7=547  $\pi^-$ + p  $\rightarrow$   $\pi^-$ +  $\pi^+$ + n and  $\pi^-$ +  $\pi^0$ + p, inelastic at 344 MeV incident energy 7=6148

 $\pi^- + p \rightarrow \pi^+ + n$  cross-sections, 4.1 and 9 GeV/c 7=6151  $\pi^- + p \rightarrow \pi^+ + \pi^- + n$ , cross section rel. to energy between

200-300 MeV 7=6150  $\pi^+ + p \rightarrow \pi^+ + \pi^- + n$  at 2.36 GeV/c, obs. 7=16561

```
Protons and antiprotons-contd
    interactions-contd
         \pi^- + p, resonance in \Lambda, \pi^{\pm} system and Y_1^* obs. 7=9957
         \pi^- + p at 3.2 GeV/c, boson resonant states production
              and decay 7=6152
         \pi^- + p, two-charged-particle at final states, 2.7 GeV/c
                        7=16559
         obs. 7=16559 \pi^{\circ} and \pi^{\circ} photoproduction on liquid H 7=6111
         \pi^* photoproduction, 1. 2-3 GeV meas. 7=3550
         "postoproduction, 1, 2-3 GeV meas. 7=5350 \pi^* p at 4 GeV/c, six prong events 7=549 \pi^* p \rightarrow \pi^* p\pi^*\pi^*, \rho^\circ and N*** production, 4 GeV/c 7=6153 \pi^* p \rightarrow \pi^* p\pi^*\pi^*\pi^\circ, \omega production, 4 GeV/c 7=6153
         with 20 GeV electrons, diffractive pion production 7=13003
         D(p, γ)He<sup>3</sup>, capture cross-section, effect of D compt. in He<sup>3</sup> 7=16659
         H, coupling constants in muon capture 7=6130
         H- spiral ridge cyclotron meson factory 7=12834
         H,, liquid, target, thin walled 7=16344
         H<sup>2</sup>(p, pn)H, n-p coincidence spectra and mechanism
              obs. 7=13111
         He<sup>3</sup>(p, n)Jp, final state interaction, 25. 45 MeV p 7=13123
He<sup>3</sup>(p, n)Jp, search 7=626
T(p, n)He<sup>3</sup> up to 1.4 MeV, hence He<sup>3</sup>(n, p)T,
5-300 keV 7=13118
    interactions, proton-pion. See Pions/interactions, pion-proton.
    interactions, proton—proton
boson prod. at 12.3 BeV/c 7=16601
deuteron production theory 7=595
        inelastic, one-boson-exchange model 7=13064
phase shift analysis compared with pC scatt. at
660 MeV 7=6423
p + p = D + (missing mass), prod. of isospin 1
             resonance 7=617
         ppπ° direct production mechanism 7=13007
        p+p \rightarrow p+p+\pi^++\pi^- at 6.6 GeV/c, isobar production 7{=}3633 pp annihilation, W meson prod. calc. 7{=}6194
         pp elastic and inelastic total cross., 57-178 MeV 7=6229
         pp = il with polarized particles for p complex e.m. form
            factors meas. 7=6219
        pp at high energy, annihilation and charge exchange calc. 7=6228
         p-p, multiple meson prod., simple statistical
         model 7=3544 \overline{p}+p\to \overline{N}^{*-}N^{*+*}\pi^{\circ}, spin alignment of resonances, meas. 7=9984
         \bar{p}p \to \bar{n}n high energy complex angular momentum
             theory 7=6178
         \bar{p}p \rightarrow \bar{n}n, total and diff.cross-sections 7=3642
        pp 'nn, total and diff. cross-sections t=3642 \bar{p}+p \rightarrow \omega^{\circ} + \pi^{+} + \pi^{-}, B meson obs. T=9985 \bar{p}p prod. of N*(1518) and N*(1688) at 5. 7 GeV/c 7=13071 p-\bar{p} at 7 BeV/c, hyperon and antihyperon production 7=10031 pp total cross., 57-118 MeV 7=6229 p-\bar{p}, two-prong annihilation into 2 pions 7=6230 W+d prod. to detect W, proposal 7=3632
    magnetic moment
         anomalous, sum rule rel. to isovector charge radius 7=13059
         sum rule for Dirac particles 7=3631
    polarization
         in (d, p) l_{\rm n}{=} O reaction, diffraction model treatment ^7{=}10289
         in (d, p) reactions, study by method of triple coincidences 7=10288
         in p-d elastic scattering at 155 MeV obs. 7=3639
         in p-d inelastic scatt.at 155 MeV obs. 7=3640
elastic p-p scatt., with polarized p, spin correlation
at 605 MeV 7=13063
         for n polarization prod.
                                                  7=13096
         polarization in pp scatt. at 1.18 GeV/c obs. 7=3643
         production for elastic nuclear scatt. obs.
                                                                                7=16781
        \vec{p} in \vec{p}p scatt, at 1.18 GeV/c obs. 7=3643 in \vec{p}p=\hat{l}l for p complex e.m. form factors meas. 7=6219 proton-proton, 213 MeV meas. 7=3636
         scattering by polarized N, spin correlation tensor meas. 7=13056
        meas. 7=13
target 7=6223
        from Be<sup>9</sup>(d, p)Be<sup>10</sup>, 1-6 MeV 7=6224
from Be<sup>9</sup>(d, p)Be<sup>10</sup>, 1-6 MeV 7=10293
C analyser calibration 7=6225
        from C12(d, p)C13 and Ca40(d, p)Ca41 ground state reactions 7=3932
        from D, elastic scatt., 10-20 meV, obs. 7=16603
He³-p elastic scatt. 7=9979
    production
        accelerator for n prod., appls. 7=13073 polarized, for elastic nuclear scatt.obs. 7=16781
        p beam of high intensity for counter meas. 7=6187
p*,from e-Be,Stanford accelerator 7=16397
protons on Al, Cu, Pb and W, 8 GeV/c meas. 7=10238
        synchrocyclotron p extracted beam stretching in strong focusing ring 7=12855
```

p-lpha, phase shifts and polarization, 0. 9-3. 2 MeV 7=9981 charge exchange with H, excit. of Lyman L $_{eta}$  line 7=13691

scattering

```
Protons and antiprotons-contd
      scattering-contd
charge exchange with H, excitation of higher H
                  states 7=13689
            Compton, C-violation effects calc. 7=9898
Compton, resonances effects calc., 600-750 MeV 7=13060
            Coulomb interference effects with polarized p
                  calc. 7=16785
            doorway states fine struct. modulation by analog.
                  resonance 7=16788
            e-p, radiation correction 7=3526
            isobaric analogue resonances polarization 7=6420
            isobaric analogue states spreading width due to Coulomb
                   interaction 7=6421
           isobaric spin analogue resonances, theory 7=16787 by molecules, Schumann-Runge excitation 7=6623 n-p, small angle at 14.1 MeV 7=16614 from nuclei, heavy, elastic at 55 MeV 7=16786 nuclei, medium mass, inelastic, 155 MeV 7=13419
            nuclei, 140 MeV, bremsstrahlung meas. 7=9982
            on nuclei, polarized p prod. 7=16781
            nuclei, 30 MeV, optical model, polarization and cross-
sections obs. 7=13414
nucleus, small-angle, high-energy analysis 7=3883
optical potential for light nuclei, rel. to n 7=13462
            rel. to optical potential, symmetry and Coulomb terms 7=16783 (p, n) isobaric analogue resonances, one-level approx. and
                   isospin purity 7=13234
            p-n, R<sub>pn</sub> parameter, elastic, 605 MeV 7=6232
p-nucleus and p-N scatt. at 20 GeV, relations 7=16784
             (p, p') and (d, p) average cross-sections, rel. to intermed-
structure strength function 7=3926
            (p, p'), nuclear level-density fluctuations and tests of compound statistical model 7=13282
           pound statistical model 7=13282

π*-p polarization and Regge poles 7=16571

π p and pp, inelastic, 6-12 GeV/c, polarization
parameter 7=13015

Al, 8 GeV/c, π, K and p production 7=10238

Σ'-p at low energies rel. to Σ hypernuclei formation
possibilities 7=6302

Al<sup>27</sup>, inelastic, 185 MeV, energy levels obs. 7=10237

Al<sup>27</sup>, levels at 1, 65, 1, 83 MeV search 7=13259

Al<sup>27</sup>(p, p') and Al<sup>27</sup>(p, α)Mg<sup>24</sup>, p, α simultaneous scintillation
spectrometer obs. 7=397

Al<sup>27</sup>(p, μ)Al<sup>27</sup>. excitation function obs. 7=3890
            Al^{27}(p, p_0)Al^{27}, excitation function obs. 7=3890 Al^{27}(p, p_3)Al^{27*}, excitation function obs. 7=3890
            Ar<sup>40</sup>, elastic, 1, 63-2, 60 MeV, cpd, nucleus study 7=10134
Ar<sup>40</sup>, inelastic, 4, 1 and 7, 3 MeV, ang. distrib. 7=3891
            B<sup>9</sup>(p,p), ang. distrib. of polarization, 30 MeV, elastic 7=10239
             Be9, elastic and inelastic 100 MeV 7=6422
             Be9, 46-MeV obs. 7=13416
            Be<sup>9</sup>, quasifree, 160 MeV meas. 7=3882
Bi<sup>209</sup>(p, p'), octupole septuplet obs. 7=3819
Bi<sup>209</sup>, quasifree, 160 MeV meas. 7=3882
            C foils, energy-loss distrib. 7=1656
pC at 660 MeV, rel. to pp interaction phase shift
analysis 7=6423
            C12, complex phase shift and \sigma(E,\theta) obs. 7=737 C12, differential cross-sections and polarizations, 20-28 MeV 7=738
            from C<sup>12</sup>, 8.20 and 9.14 MeV anomalies, cross-sections
and complex phase shifts 7=13418
C<sup>12</sup>, elastic and inelastic 100 MeV 7=6422
            by C12, 5, 3 MeV anomaly, complex phase shifts 7=13417 C12, 145 MeV, using spark chamber 7=13423 C12(p, p')C12* and C12(p, p')C12* absolution differential cross section obs. 7=736 C12, quasifree, 160 MeV meas. 7=3882
             C12, resonance, Regge pole analysis 7=10217
             Ca, ang. distrib. of cross sections and polarizations, 26.3 and 30.0 MeV, elastic 7=10239
Ca, ang. distrib. of polarization obs., 49 MeV 7=739
             Ca40, inelastic, 13 MeV, simple configurations excitation
             obs. 7=16792
Ca<sup>40</sup>, quasifree, 160 MeV meas. 7=3882
Cd<sup>114</sup>(p, p'), 49.6 MeV, differential cross-sections
obs. 7=13420
             Cl, 1.3-3.0 MeV, Ar<sup>36,38</sup> levels obs. 7=6335
Co<sup>59</sup> elastic, diff. cross-sections and nuclear surface
structure 7=6426
             \mathrm{Cr}^{50,\,52,\,53,\,54} elastic, diff. cross-sections and nuclear
             surface structure 7=6426
Cr<sup>50-54</sup>, inelastic, 11-12 MeV 7=3777
Cu, 8 GeV/C, m, K and p production 7=10238
             Cu<sup>es</sup>. <sup>65</sup> elastic, diff. cross-sections and nuclear surface
structure 7=6426
             Cu<sup>63.65</sup>, inelastic, 17.5 MeV 7=3895
Fe<sup>54.56</sup>, <sup>57.58</sup> elastic, diff. cross-sections and nuclear
             Surface structure 7=6426

Fe<sup>55</sup>, inelastic, 7 MeV 7=13277

Fe<sup>56</sup>, 180 MeV, optical model analysis 7=3893

Fe<sup>58</sup>, 12 MeV 7=16715
             H, atomic, charge transfer, furnace target meas. 7=4169
```

```
Physics Abstracts 1967 - Part I (Jan.-June)
Protons and antiprotons-contd
       scattering-contd
               H target, polarized, design and construction 7=9973
               He<sup>3</sup> elastic, Li<sup>4</sup> level at 10.6 MeV search 7=16696
He<sup>3</sup>, elastic, polarization 7=9979
               p-He4, elastic, optical model analysis 7=13061
              he4, 0, 94-3, 2 MeV, polarized 7=9980
In<sup>115</sup>(p, p<sub>o</sub>)In<sup>115</sup>, excitation function obs. 7=3792
K-p, elastic, abs. differential cross-sections 7=3604
               K-p, formation of resonant states 7=9939
               K*p, dispersion relns. compared with expt. 7=6182
               K*p, elastic, 3.5, 5 GeV/c 7=6183 K*p, rel. to PCAVC for \Delta S=1 currents 7=3602
              K pp hase shift analysis, strangeness +1 baryon
resonance 7=3601
K*p forward amplitudes, rel. to NYK coupling
constants 7=3603
              K*p forward dispersion relations 7=569 on Li<sup>6</sup>, elastic, analysis 7=10236
              Li<sup>6</sup>(p, p')Li<sup>6*</sup>, for Be<sup>7</sup> structure obs. 7=16697

Li<sup>6</sup>(p, p')Li<sup>6**</sup>, for Be<sup>7</sup> structure obs. 7=16698

Li<sup>6</sup> (p, p) total and partial widths relationship 7=3886

Li<sup>7</sup>, elastic and inelastic 100 MeV 7=6422
              Li, shell model interpretation, inelastic, 185 MeV 7=13415 Mg<sup>24,25,26</sup>, inelastic, 185 MeV, energy levels obs. 7=10237 Mg<sup>25</sup>, cross-section fluctuations 7=3889 Mg<sup>25</sup> and energy levels 7=3888 Mg<sup>26</sup> (p, p'_{\gamma})Mg<sup>25</sup>, Al<sup>27</sup> levels spins and parities obs. 7=6425 Mo, shadow effect, 5-40 keV 7=11225 No. Shadow effect, 5-40 keV 7=11225
              by N, both polarized, spin correlation tensor meas. 7=13056
              N<sup>14</sup>, elastic, polarization ang. var., 3-4. 8 MeV 7=6424 Na<sup>23</sup>(p, p') and Na<sup>23</sup>(p, \alpha)Ne<sup>20</sup>, p, \alpha simultaneous scintillation spectrometer obs. 7=397
              on Ne^22, elastic and inelastic rel. to Na^13 T = \frac{1}{2} and T = \frac{3}{2}
             on Ne<sup>22</sup>, elastic and inelastic rel. to Na<sup>23</sup> I = ½ and I = ½ levels 7=16791

Ni even-even isotopes, inelastic, excitation functions and ang. distrib. 7=6427

Ni<sup>58</sup>, ang. distrib. of cross sections and polarizations, 26. 3 and 30. 0 MeV, elastic 7=10239

Ni<sup>58</sup>, inelastic, 9. 1-9. 55 MeV, ang. distribs. meas. 7=3894
             Ni<sup>58</sup>, inelastic, 9. 1–9. 55 MeV, ang. distribs. meas. 7=3: Ni<sup>58</sup>(p, p', \gamma), 8. 0 MeV 7=13280 Ni<sup>58</sup>, quasifree, 160 MeV meas. 7=3882 Ni<sup>58</sup>, quasifree, 160 MeV meas. 7=3882 Ni<sup>59</sup>, elastic and inelastic, ang. distrib. 7=10240 Ni<sup>60</sup>, elastic and inelastic, ang. distrib. 7=10240 Ni<sup>60</sup>, inelastic, 17. 5 MeV 7=3895 Ol<sup>58</sup>, inelastic, DWBA shell-model description 7=3887 Cl<sup>58</sup>, inelastic, DWBA shell-model description 7=3887
              O^{18}(p,p'\gamma)O^{18}, for O^{18} levels decay modes, spins and mixing ratios obs. 7{=}3761
              Pb, 8 GeV/c, \pi, K and p production 7=10238
Pb<sup>206</sup>, avr, ave (p, p'), octupole septuplet obs. 7=3819
Pb<sup>207</sup>, inelastic, rel. to energy levels 7=698
Pb<sup>207</sup>, single particle widths for isobaric analogue state
                     of Pb208 ground state 7=740
              Pb208, ang. distrib. of cross sections and polarizations, 26.3
              and 30.0 MeV, elastic 7=10239
Pb<sup>208</sup>, ang. distrib. of polarization obs., 49 MeV 7=739
              Ph<sup>208</sup>, rel. to structure of first three excited
              states 7=697
Snl*a, quasifree, 160 MeV meas. 7=3882
Sr*a, analogue-state resonances, anal. by coupled optical
eqns. 7=6428
              equs. i=0426
Ti*s, inelastic, lower excited states decay scheme 7=10139
Ti*s(p, p_1\gamma), inelastic mechanism 7=3892
W, 8 GeV/c, \pi, K and p production 7=10238
Zne*4(p, p'), 49.6 MeV, differential cross-sections obs. 7=13420
              Zr<sup>90</sup>, inelastic at 18.8 MeV, and shell model,
errata 7=16793
Zr<sup>90</sup>, inelastic, 45-10 MeV, excitation function 7=13293
Zr<sup>90</sup>, inelastic, shell model from factors errata 7=16794
Zr<sup>92</sup>, of at 19.4 MeV 7=3896
      scattering, proton—deuteron
D and R' parameters, meas. at 135 MeV 7=599
              double scatt. explanation for obs. broad shoulder 7=3678
              double scatt. integrals, approximation method 7=9833 elastic, deuteron tensor polarization meas. 7=3879 elastic at 8 GeV, real part of amplitude 7=598 elastic large angle, 2 and 3.66 GeV 7=13065
              p-d, differential cross-sections rel. to incident energy,
elastic, 2-10 GeV 7=6221
              polarization and cross section at 155 MeV, inelastic,
              obs. 7=3640
polarization and cross section at 155 MeV, obs.
elastic 7=3639
      polarization, from 1 to 3 MeV 7=9978
polarization, 3 to 10 MeV 7=16602
semiconductor counter appl. at 10 GeV 7=3368
D. polarized p, 10-20 MeV, obs. 7=16603
scattering, proton-electron. See Electrons/scattering,
```

electron-proton.

scattering, proton-neutron. See Neutrons and antineutrons/ scattering, proton-neutron.

scattering, proton-pion. See Pions/scattering, pion-proton.

bremsstrahlung, theory 7=9975 differential cross-sections rel.to incident energy, elastic, 2-10 GeV 7=6221 double scatt. integrals, approximation method 7=9833 elastic, fluctuations in ang. distrib., search at 16.9 GeV/c 7=3638 elastic, 90°, rel. to internal p structure 7=3634 elastic, phase shift analysis and real amplitude, 10-25 GeV/c 7=13062 elastic with polarized p, spin correlation at 605 MeV 7=13063 forward amplitude at high energies, real part 7=6222 inelastic, one-boson-exchange model 7=13064 momentum spectra, prod. of nucleon isobars 7=597 near-peripheral, simple one-boson exchange 7=3635 phase shift analysis at 657 MeV, one-boson exchange and relativistic coulomb effects 7=9974 semiconductor counter appl.at 10 GeV 7=3368 semiconductor conner appr. at 10 GeV 1=3308 shrinking of diffraction peak for large momentum transfer 7=9976 πN peak, 1.40 GeV, diffr. dissociation model 7=3637 π' emission in 612 MeV collisions 7=16606 for polarized target test at 600 MeV 7=6224 For polarized target target at 500 MeV  $^{126224}$  p +  $\bar{p}$   $\rightarrow$  p +  $\bar{p}$   $\rightarrow$  w, spin alignment of resonances, meas. 7=9984 pp elastic cross., 57-178 MeV  $^{7}$ =6229 pp elastic theory  $^{7}$ =16469 pp at high energy, annihilation and charge exchange calc. 7=6228 Regge cut 7=16608 Regge cut 7=10008
spin correl. experiments, spurious asymmetries, Monte
Carlo calc. 7=16605
unitarity corrections and a four-pole fit, peripheral,
below 350 MeV 7=9977
vector-meson-nucleon coupling const. deriv. 7=6196
213 MeV plantiarities and arress section mass. 7=6196 213 MeV, polarization and cross-section meas. 7=3636 380 MeV, spin correl. experiments 7=16604 C<sub>NN</sub> spin-correlation parameter, 680 MeV obs. 7= N isobar prod., absorption and Regge pole models, 5.5-30 GeV/c 7=6261 antiprotons No entries Pulse generators. See Circuits. Pulse-height analysers. See Counting circuits. Pumps See also Vacuum pumps. gas compressor, pistonless, up to 3000 at. 7=1067 air, for >10kbar 7=5649 oil, for 13kbar 7=5649 Purkinje effect. See Vision. Pyroelectricity hot spots obs. by laser scanning 7=2012 Rochelle salt, -30° to +30°C 7=8039 SbSI single crystal, current peaks near Curie point 7=8029 Pyrolysis. See Chemical reactions. Pyrometers for continuous meas. of Al extrusion temp. 7=9235 optical, Planck function, intermediate region approx. 7=15965 photoelectric, N.B.S. for above 1063°C 7=9254 photoelectric, N.B.S. for above 1063 C 7=9254 radiation, types and appls. review 7=9248 solar furnace appl. at 0.65 $\mu$  7=9250 survey, optical, infra-red and two colour devices 7=9257 GaAs wafers, 100°-700°C 7=146 Ge wafers, 100°-700°C 7=146 Si wafers, 100°-700°C 7=146 Quadrupole moments, molecular. See Molecules/moments. Quadrupole moments, nuclear. See Nucleus/electric moment.
Quanticule theory (of chemical binding). See Bonds.
Quantization. See Field theory, quantum/quantization; Quantum theory/quantization. Quantum chemistry weak interaction of many-electron systems and optical activity 7=934

Quantum counters. See Photons; Radiation detectors. Quantum electrodynamics See also Electrodynamics; Electromagnetism. analogy with space of states and relativistic double pole field 7=9667 asymptote at high energies for scalar four-point diagram for  $e\phi^3$  interaction for spin  $\frac{1}{2}$  7=12920 Bethe-Salpeter equation and Goldstone bosons, zero bare mass for e 7=16336

chilar-symmetric photon theory, six and eightcomponent 7=9855

Compton scattering, high-intensity, frequ. shift 7=3524 and correspondence principle 7=9670 covariant pole approx. 7=5944 differential cross section dip obs. 7=16454

Protons and antiprotons-contd

scattering, proton-proton

```
S 312 SUBJECT INDEX
Quantum electrodynamics-contd
          dual invariance 7=5948
         dual transformation generation through fields 7=9671 e'-e'-180' scatt. test at 200, 500 MeV 7=6127 e.m. radiation velo. 7=5946 electron in intense field, Green's function 7=6125 fermion systems, Green's function eqns. of motion, linked
               cluster theorem 7=2859
         finite, sixth-order contrib. to Z_3 7=9674 gauge invariance for spin ^{1}\!\ell_2, Schwinger terms 7=5947 gauge-invariant model without spinor fields 7=3338
          history 7=9675
          nstory 1=9013
integral ambiguity removal 7=9673
limits of validity, from four-lepton meson decay
data 7=16550
          nonlinear effects in vacuo possible obs. 7=12875
operator representations, Fock, normal and
diagonal 7=12774-5
           optical coherence semiclassical treatments 7=309
          photon coalescence in nuclear Coulomb field, calc. 7=9856 photon, hard, radiative correction to pair production 7=16531
           photon self-energy function renormalization 7=16482
          guantization, relativistic, in ang. momentum basis 7=15854
S-matix invariance and two gauge classes 7=3337
           S-matrix theory 7=12772
          S-matrix theory 7=12772
S-operator, formal decoupling 7=9672
small distances, test by asymm. μ-pair photoprod. 7=3539
space-time view, development 7=12773
spin 2 fields, Lagrangian formalism 7=9770
test by photoproduction of muon pairs 7=730
          two-particle processes, double logarithmic asymptotics 7=375 unitary representation of locally compact groups,
                decomposition theory 7=5930
           vacuum polarization 7=12776
           validity at small distances evidence reviews 7=16594
validity at small distances evidence reviews ?=16594 validity at small distances, test by expt. \gamma + C \rightarrow e^+ + e^- + C ?=13393 Quantum electronics. See Lasers; Masers; Optics; Photons. Quantum field theory. See Field theory, quantum. Quantum generators. See Masers. Quantum mechanics. See Quantum theory. Quantum statistics. See Statistical mechanics.
 Quantum theory
                See also Electron theory; Field theory, quantum;
          Elementary particles.
advanced graduate textbook on field, symmetry and collision theories 7=365
algebra of observation 7=16322
algebraic formulation based on δ-group algebras 7=5925
          anharmonic oscillator, functional calculus 7=12763 atomistics reconciliation with divisibility of space and
                time 7=16416
           Boltzmann-equation, quantum mechanical extension 7=9132
           book 7=5924
           Cauchy—Riemann operator 7=12754 collision of particle with harmonic oscillator 7=6743
           fiction and fact 7=9644
          finite groups ray representations 7=9020
fluctuation-dissipation theorem, generalized 7=12364
           Galilei rel. to internal symmetry groups for non-
                relativistic particles 7=6015
           Gaussian function in calcs. 7=15899
           generalized master equation, derivation 7=9128
           group representations, decomposition theory, appl.
           to quantum dynamics 7=5930

Hamiltonian operator H<sub>op</sub> and square of angular momentum operator M<sub>op</sub> interpretation 7=3320
harmonic oscillator, matrix elements of general potentials 7=3321
           harmonic oscillator, n-dimensional, structure of
           invariants in wave eqn. 7=16326
Hellmann-Feynman theorem, extension to functions of
the Hamiltonian 7=369
           Hilbert space, normal operators functional-
          representations 7=13
of lasers 7=12597
           mechanics, generalization of non-Hilbert-space
               formalism 7=3313
           mechanics, interpretation, nature of physical theory and future of physics 7=12752
           Navier-Stokes analogue of quantum mechanics 7=9649 noncommuting observables, simultaneous
                measurement 7=9648
          noncompact groups, inhomogeneous 7=2771 of optical maser 7=12598
           oscillators with same dependence on period and energy, proper energy values 7=5931
           pair production effect on quantum theoretical meas. 7=9645
          perturbation method based on principle of moments 7=9643 pertubation theory formulation in quantum
          mechanics 7=368
perturbation theory, nondegenerate, class of sum
                rules 7=12761
```

```
Quantum theory-contd
         principle of superposition in quantum mechanics 7=12753 quantum hydrodynamics and the existence of particles 7=15987
          quaternion quantum mechanics, rel. to theory of
               submicroscopic events 7=366
          radiation field, e.m., characteristic states 7=9650
          radiation sources, classical vs quantum, exptl. characterization 7=16209
          Raman scatt., conformity with semiclassical
               theory 7=4055
          random phase approximation and the generalized configuration mixing method 7=3315
          random processes 7=2846
          relativistic, arbitrary dynamical variables manifestly
          covariant description 7=9665
relaxation of oscillators in gas 7=6492
          spin-forbidden transitions, operator for 7=805
          spontaneous radiation by molecules, effect of surround-
               ings 7=852
          stochastic systems equivalent to quantized systems \, 7=2857 three-particle systems, Born-Oppenheimer
               separation 7=6496
          time evolution of coherent states 7=370 tunnelling, e.m. waveguide analogue obs. 7=12576
          two-state systems, ang. change of state and bounds on transition probabs. 7=12759 variational principles for dynamic and static polarizability 7=6498
U<sub>3</sub> finite transformations, representation matrices 7=2781
     application methods
          analogue circuit for spinless particles 7=9776
atoms arbitrary mixture, LCAO method 7=9654
Bohr's collective Hamiltonian, complete numerical
               soln. 7=13212
          boson commutation rules, group theory deriv. 7=12901
          classical rotation operator use 7=12760 diffusion as statistical path 7=2866
          e.m. mode energy dissipation in lossy cavity 7=5933 eigenfunctions of vibration interactions in a resonator 7=16327 electron energy spectrum in many potential field calc. 7=7769
          energy eigenvalues, lower-bound procedure 7=9653
entropy microscopic interpretation 7=9095
Heitler-London method nonorthogonality
difficulties 7=8088
           Hellmann-Feynman theorem and H<sub>3</sub> calc. 7=6667
           JWKB-type approximations, higher order, general
               theory 7=5661
           light coherence, Bose field props. 7=9532
           momentum operators integral forms 7=9652
           nucleus, nucleon-phonon interaction 7=10092
           one-dimensional H atoms ground state 7=9656 operator calculus 7=5929 optical coherence 7=16214
           perturbation method generalization 7=16324
           perturbation problems, extended-average-energy
method 7=9651
scattering, potential, involving rainbow, uniform
approx. 7=3322
           scattering problem, nonrelativistic, amplitude density functions method 7=12764
           total angular momentum covariant decomposition
centre-of-mass operators 7=12762
transformations in quantum systems using
"Superoperators" 7=3316
           tunneling through rectangular one-dimensional barrier, simple calc. 7=9655
      many-particle systems
See also Bosons; Fermions; Helium/liquid; Statistical mechanics; Superconductivity; Superfluidity.
           BGGKY hierarchy, Boltzmann expansion, eqns. for 'divergent' many-body behaviour 7=9106
Bethe's hypothesis for ground state in finite system, spin-spin interactions 7=83-4
            Bloch's theorem for infinite systems 7=12757
            Bohr's collective Hamiltonian, complete numerical
                soln. 7=13212
           Boltzmann-Landau eqn. derivation 7=9133
boundary conditions effect on distrib. of quantum
states 7=5683
            Brillouin-Wigner perturbation theory 7=12374
            classical limit rel. to Schwinger functions 7=5685
           classical system compressibility, rigorous lower
bound 7=12372
classifying N-particle states, global and democratic
methods 7=12377
           memods 7=12377

cluster decomposition and spin-statistics theorem in S-matrix theory 7=15904

coherent states of oscillators, Gaussian distribution conservation condition 7=15905

compact-cluster expansion for many-body problem 7=10078

compact-cluster expansion for nuclear problem 7=10078
```

correlations of electrons in narrow energy bands 7=11382

# Physics Abstracts 1967 - Part I (Jan.-June) Quantum theory-contd many-particle systems - contd crystal anharmonic interactions 7=14420 degenerate levels perturbation theory 7=12375 Dirac density matrix, asymptotic expansions 7=12376 by duodynamics, allowance for dissipation processes 7=15897 dynamic, De Sitter algebra associated with Poincaré group and centre-of-inertia 7=9100 dynamic, relativistic, and massless states, global variables 7=9101 electron energy spectrum shape in one-dimensional random lattice 7=9090 electron gas, effect of Coulomb interaction 7=9116 electron groups formation pressure var., statistical model calc. 7=817 electron-ion gas single-particle states random-phase approx. 7=10632 energy current and stress tensor operators in many-particle systems 7=9105 factorization theorems for momentum correl. functions 7=12378 field theoretical methods in statistical physics 7=5689 field theories, range of forces and broken symm. 7=5690 Green function decoupling procedure 7=12290 Green function expansion 7=9107 Green function expansion harmonic oscillators infinite system with linear inter-action terms 7=9103 harmonic oscillators infinite system thermodynamics 7=9104 hole self-energy corrections in Brueckner theory 7=89 hydrodynamic equations for multicomponent systems 7=12370 many-body forces, induced 7=16597 N body problem, solvable 7=2852 N-electron Schrödinger eqn. theory 7=6499 noise sources 7=81 noncommuting observables, simultaneous meas. 7=12751 non-compact intrinsic symm.groups 7=6017 nonlinear response theory 7=7820 non-relativistic, functional derivations 7=5688 one-particle Pauli master eqn. 7=9130 one-particle Pauli master eqn. 1=2150 Pauli master eqn. for one-particle density matrix 7=9131 perturbation expansion about atomic limit 7=11382-3 plasma of oscillators, e.m. wave propag. 7=6846 quantum fluids, conference, Brighton, England, Aug. 65 7=157 quantum gas, second and third virial coeff.from two-particle scatt. 7=9098 quantum gas, third virial coeff., appl. of Faddeev techniques 7=9664 solution by variation principles 7=90 spectrum of N-particle Hamiltonian for locally squareintegrable potentials 7=2854 stability to external perturbations, moment inequalities 7=5686 stability to external perturbations by potential fields 7=5687

systems showing second order phase transitions,

exact soln. 7=11633 three-body calcs based on Fadeev eqns., range of applicability 7=482

wave propagation through assembly of spheres, single-particle eigenstate density 7=7016 He-like systems, ground state, Hulthén orbital and Hulthén

correlation factor 7=9099 He II, quantum cell model at nonzero temp. 7=5773 quantization

See also Field theory, quantum/quantization, and divergencies removal  $7\!=\!5936$ electromagnetic field, covariant method 7=5945 field, generalization 7=16328 general relativity, Hamilton-Jacobi 7=15882 generalized 7=5684 gravitation 7=12346 inverse square potential field, no discrete energy levels, elem. proof 7=3319

JWKB-type approximations, higher order, general theory 7=5661 radiation field, classical, criterion 7=3317

scattering, spherical potentials and dynamical groups 7=2791

Schrödinger equation, deriv. from Newton 7=3314 second, as graded Hilbert space representation 7=9660 in space with torsion 7=3318

time,  $\tau$  analogue to h 7=16321

### wave equations

we equations
analytic continuability of wave functions 7=12756
approximations in perturbation theory for molecules
and crystals 7=10474
atomic geminals with r<sub>12</sub> depend. 7=10371
Bloch's theorem for infinite systems 7=12757
configuration-interaction wavefunctions, perturbation corrections 7=5928

Quantum theory-contd wave equations-contd

Coulomb wave functions, expansion in powers of energy 7=9774 de Broglie wave field in space-time, eqns. 7=5926

exponential decay of solns. 7=12928 of field, covariant with respect to n-dimensional real

unimodular group 7=373 and heat relativistic transformation 7=12461 Hellmann-Feynman theorem in curvilinear coord.

systems 7=9646 linear and ang. momentum bases, relation 7=15856 minimization of width, alternative to variation method 7=6495

O(4) invariant potentials, theory and appl. to short-range example 7=9647

one-dimensional H atoms ground state 7=9656 overlap integral of wavefunctions of harmonic oscillators 7=5932

packets and de Broglie waves 7=16323

particles with internal struct, and mass spectrum, relativistic 7=16420

propagators, tensor and spinor 7=5934

rigid sphere, transformation props. rel. to Dirac spinor 7=16415 Schrödinger, derivation from Newton mechanics 7=3314

Schrödinger eqn. Hamiltonian resolvent kernal and scatt. operator analytic continuation 7=12927 Schrödinger eqn. with periodic external force, radiation 7=5927

Schrödinger eqn. phase shifts for  $A_n/R^n-B/R$  potential 7=9657 Schrödinger, minimal potentials with fixed

eigenvalues 7=12758 spinors, 2-component, and rel. to general relativity 7=12755 Quarks. See Elementary particles.

### Quartz

lpha-type, optical rotatory power and dispersion, effect of press. 7=11806

adsorption and electrokinetic studies for Na+, Cl and dodecylammonium chloride 7=2464

amorphous halo due to n irrad. 7=14643

compression, linear, X-ray diffr. obs to
150 kbar 7=17732
crystal imperfections on n-irradiation, rel.to impurities

obs. 7=1545 crystal oscillator film-thickness monitor,

calibration 7=17376

crystal resonators, effect of added mass on resonance frequency 7=11320 crystal resonators, effect of hydrostatic press., rel. to vacuum microbalances 7=12287

crystal vacuum microbalances, effects of gas pressure, in conference, Princeton (1965) 7=12286 crystalline and fused, Brillouin scatt, spectra 7=2339

defect clusters, slow n scatt. 7=14507

dielectric props at 1011 c/s 7=5063

dielectric relaxation 7=18042

diffraction of light by u.s. waves 7=11804

elastic waves generation and detection, coherent, 114 000 Mc/s 7=12410

elastic waves low attenuation at 9.3 Gc/s and 4.2°K 7=7734

elastic waves, propag. along free surface 7=17731 electro-optical effect, linear, dispersion characts. 7=11805

growth and solubility in 5% NaCO, soln. 7=4521 light scatt. and absorption, effect of n-irrad. 7=11807 longitudinal mode of crystal bars, reson. freqn. temp. depend. 7=11319

multiple stimulated Brillouin scatt. 7=153 neutron prod. expansion calc. 7=7733 optical mixing due to third order nonlinear 7=15304

polarization 7=2341

oscillators, temp. compensated, ageing obs. 7=2761 phonons, generation, propag., attenuation,  $70~{\rm Ge/s}$ ,

4.2-33°K 7=4641 piezoelectric constant, 1-5 Gc/s 7=18055

piezoelectric current prod. by shock, ionized impurities, effect calc. 7=8038 quartz-CdS piezoelectric resonator, photoconductivity effect 7=14759

 $\alpha$ -quartz, Ge, X-rayed, colour centres, optical absorpt.

and e.s.r. 7=14630 quartz-MgF<sub>2</sub> ¾ wave achromatic plate for u.v. 7=12696 Raman spectrum, polarization of E lines obs. for lpha-quartz 7=2340

Raman spectrum polarization obs. for  $\alpha$ -quartz 7=8439 seal to Kovar, for up to 400°C and 20 atm. 7=14006 specific heat × thermal cond. × density obs., for resist. thermom. substrates for shock tubes 7=7500 strength, etched samples, temp. depend. 7=4804 surface, polished, optical layer determination 7=14259

synthetic crystals, green and brown colours due to absorption by Fe ions 7=1642

S 314 SUBJECT INDEX Quartz-contd thermoluminescence, Al and Ge impurities, Fourier spectrometer obs. 7=18305 tridymite, elec. anisotropy 7=5061 twinning imperfections in amethyst, X-ray topographic obs. 7=1525 ultrasonic surface wave amplification by electron beam, calc. 7=7489 ultrasonic wave prod. by laser, nonlinearity calc. 7=17561 Xe ion bombard., radiation damage and Xe release 7=7636 Quartz resonators. See Acoustic transducers; Piezoelectric oscillations; Resonators. Quasars. See Cosmic radiations, radiofrequency; Cosmology; Galaxies; Stars. Quasi-particles. See Excitons, Magnons, Phonons, Polarons, etc. Quenching, optical. See Luminescence.

Quenching, thermal. See Heat treatment. RS coupling. See Atoms; Spectra/atoms. Racah coefficients. See Quantum theory. Radiation See also Acoustic radiators; Bremsstrahlung; Cherenkov radiation; Electromagnetic waves; Electrons/radiation; Emissivity; Radiative transfer; Stars/radiation; Sun/radiation; Sunlight. Stars/radiation; Sun/radiation; Sunlight.
auto-correlations in radiation field, measurement 7=3072
blackbody source, high-temp. 7=15966
frequency shift from collapsing cosmic body 7=5505
gases, nonisothermal, band models 7=4293
general relativity, dissipative forces rel. to field in
space 7=9086
i.r., use of Ge props., review 7=1939
lamp standards of total irradiance, W-filament 7=16244
mirrors, parabolic radiation in focal plane energy. mirrors, parabolic, radiation in focal plane energy distribution 7=2933 multiphoton transition probabilities, theory 7=5899 Planck function, intermediate region approx. 7=15965 plasma cylinder, dipolar modes, theory 7=4205 plasma, microwave emission, anomalous pulsed, at cycl. freq. 7=10647 on plasma, parametric effects theory 7=10670 quantum characterization criterion for classical field 7=3317 quantum system under periodic external force 7=5927 solids, spontaneous emission probability 7=8379

ratio of spectral radiances of arbitrary sources 7=9232 spectral line with resonance contours, approx. formula 7=6493

spin systems, relaxation transitions and radiation equil. 7=9469

blackness, calorimetric obs. 7=141 from cavities, diffuse, cylindrical and conical, numerical anal. 7=138

convective fluid, simple perturb, problem 7=9241 i.r. reflection polarizer 7=9621 i.r. standard source, "negative" 7=15967 in magnetoplasma rel. to antenna parameters 7=17065 metals, semiconductors, ceramics, films 7=7509 spatial distrib. of intensity, energy balance at boundary of two absorbing media 7=12473

spectral energy density distribution 7=9233 steel, heat transfer to moving strips, experiment and theory 7=14473 thermal radiation from a system of star-shaped radiators 7=139

 $\rm H_2O$  nonisothermal vapour at 2.7 $\mu$  7=4293 H<sub>2</sub>O nomisomermat vapour at z, the tensor Radiation belts. See Atmosphere/radiation belts. Radiation chemistry. See Chemical effects of radiations/ionizing radiations; Radiochemistry. Radiation damage. See Physical effects of radiations.

Radiation detectors

See also Bolometers; Photometry; Radioactivity measurement.

atmospherically distorted wave front, optical heterodyne detection 7=16218

detection (=10218) black coatings for absolute radiometers 7=9237 coherent homodyne detector, for 10.6  $\mu$  7=5738 for glass temp. meas. 7=9248 glow-discharge plasma for microwaves 7=12567 Golay, linearity 7=140 i.r., ellipsoidal mirror reflectometer 7=142

i. r., integrated cryogenic refrigerator 7=2927

i.r., solid-state, review 7-9236 light-pulse, wide range, using photomultipliers 7-16223 microscope, scanning, i.r. 7-9234 metal photocathodes as secondary standards in vacuum

7 = 3201

nonoxide chalcogenide glasses for i.r. materials 7=9560 opaque photocathodes, multiple beam interference 7=16225-6

optical communications, heterodyne and photoncounting 7=16219

Radiation detectors-contd

optical heterodyne receivers, antenna props. 7=3197 optical superheterodyne receivers, polarization selectivity 7=12681 in optical systems optimization 7=3219

photodetectors, high-speed, for visible and near i.r. region 7=5910

power limiter, using CaF<sub>2</sub>(Ce, Mn) phosphor 7=16224 quantum counter noise limitations 7=16221

quantum counters, for i.r., rare-earth doped fluorides 7=5290

quantum counters using stimulated emission, antinormally ordered correlations 7=9542 radiometer, crystal, with f. m. output 7=2928 selective receiver for mm and submm 7=3096 semiconductor element, avalanche-tunnelling combination 7=5960

statistical distribution of photoelectrons, dead-time corrections 7=8074

for temperature meas. 7=9248

u.v., for meas. in e.s.r. microwave cavity 7=9459 u. v., Na salicylate-photomultiplier, increased sensitivity 7=16080

CdS crystals, pulse counting or a.c. or d.c. conductivity 7=12791

CdS photoresistors together with phosphors for u.v. 7=9545 n-InSb for submm radiometer 7=12463

Radiation effects. See Biological effects of radiations; Chemical effects of radiations; Physical effects of radiations.

Radiation monitoring

See also Dosimetry. EWA reactor power determination by N<sup>16</sup> activity monitoring 7=792

in neutron generator, flux density close to target 7=16617 Radiation pressure

See also Acoustic streaming.
acoustic in liquids, C paper indicator 7=10834
torque from circularly polarized radiation, microwave
demonstration 7=9428

Radiation protection

See also Radiation monitoring. concrete, refractory, neutron irradiation effects obs. 7=4738

obs. 7=4708 EWA reactor 7=791 floor-barrier reduction factor in structure shielding theory 7=16500  $\gamma$ -radiation attenuation, growth factor B calc. 7=6113

γ-rays, plane source, 1.25 MeV, doses behind vertical and horiz, barriers 7=16505

γ-rays, semi-infinite media, experimental differential albedos 7=16494

 $\gamma$  spherical and cylindrical shields obs. 7=12957 graphite, n spectra, 2-12 MeV 7=10352 liquid and solid radioactive wastes, treatment at

CISE 7=13349

molecular sieve 4A for fission product decontamination  $7{=}10369$ 

Monte Carlo calcs., adjoint problems and importance functions 7 = 16741

n build up rel. to shield-detector distance 7=13089 neutron transport in air, calc. for protection design 7=16629

neutrons, accelerator shields, high-energy, leakage

spectra 7=16390 neutrons, by Fe-water shield configs., meas. 7=16628 neutrons, water shields, spectral and spatial details 7=16626

nucleon reactions, secondary nucleon prod., cross-sections empirical formulae 7=16782 penetration through secondary shields, calc. 7=16860

shield weight optimization with layered media and spher. geom. 7=16502

shielding, capture and fission  $\gamma$ -rays, effective spectra 7=16742

shielding experiment in real fallout field, analysis 7=16499 shielding of 14 MeV neutron generator 7=16616 space vehicles, shielding against high-energy nucleons, review 7=18402

space vehicles transistors from reactor n and  $\gamma$  7=18405

and 7 (=1640)
synchrotron shielding, skyshine radiation obs. 7=434
teaching institutions 7=10170
in triton accelerators 7=9720
water-Fe shieldings, n spectra and doses distrib. obs. 7=787

X-ray powder diffractometers ray proof slit mount 7=1404 Fe, concrete and water shields, high energy n flux 7=786  $\rm H_2O$ , n spectra, 2-12 MeV 7=10352

Sb125 contamination in antimonal Pb 7=18340

Radiative transfer

acoustic flow, weakly radiative, induced by radiation from stationary wall 7 = 17208

atmosphere, and decay of temp. perturbations 7=8634 atmosphere, nonconservative scatt., absorption bands and photon optical paths 7=15922

```
Radiative transfer-contd
        atoms, moving, freq. redistrib. function of radiation
             scattered from a thermal distrib. 7=15921
        Chandrasekhar's X and Y functions formulae in thick
            atmospheres 7=12392
        coherence function propag. in nonlinear dielectrics 7=16215
        cylindrical medium, homogeneous, theories 7=5704 in Doppler-broadened resonance lines,
            H-functions 7=12006
         flux, differential approximation 7=2931
         in gas flow near moving flat plate with finite Mach
            number 7=17185
        gas, non-isothermal 7=1081 gases, monochromatic absorption coefficient.
            nonlinearity 7=17210
        gases, nonisothermal, band models 7=4293
        gases, during plane flow over semi-infinity flat
            plate 7=17184
        gray atmosphere entropy defect and source
            function 7=15919
        greenhouse effect in scatt.semi-infinite atmospheres 7=12234
        heat transfer and general circulation of atmo-
            sphere 7=18352
        heating by inhomogeneous gases, Curtis-Godson approx.
            text 7=4294
        internal intensities in slab calc. 7=9143
        inverse problems, and inversion of Laplace
transforms 7=5703
        line absorpt. coeff. in blanketing effect computation 7=5705
        Martian atmosphere, relaxation times obs. 7=15768 moment methods 7=12390
        nongrey, equiv. of special model with neutron transport 7=9992
        nonlinear, three dimensional special cases soln. 7=12391
        nonlinear transfer of resonance radiation 7=15923
        nonLTE line form. with spatial var. in Doppler
            width 7=5706
        non-LTE source function, vel.-dependent, in discontinuous
            velocity-semi-infinite atmosphere 7=15920
        plane layer diffusion with nonisotropic scatt. 7=9144
        planets atmospheres limb darkening in i.r.calc. 7=12229 in plasma, theory 7=10649 polarized luminescence from plane parallel layer, reflec-
            tion effect calc. 7=12725
        resonance medium of two-level molecules,
        diffusion 7=9145 satellite thin surface exchange, temp. distrib.
            calc. 7=12109
        scattering of light in 1-D nonstationary medium, rel. to
            luminescence of novae 7=12393
        spectral line profiles and Voigt function calc. 7=12303
        through specular tubes 7=12699
        uniform picket fence model soln. 7=9142 X-ray, approximate theory 7=12967
Radiators. See Acoustic transducers; Electromagnetic waves/
    radiators.
Radicals. See Free radicals.
Radioactive dating
        earth, heavy elements and meteors 7=8925
        wood-rings of spruces in lower Silesia, β-radioactivity
        obs. 7=8995
Pb<sup>200</sup>-Th<sup>205</sup> and Pb<sup>208</sup>-U<sup>208</sup>,
systematics 7=15462
Pb<sup>210</sup>, neve layer dating of Antarctic continent 7=15489
       from U fission, spontaneous and by thermal
           neutrons 7=8615
Radioactive tracers
       alkali halide crystals activator distribution obs. 7=4507
       atmospheric transfer, Southern Hemisphere, artificial radioactivity 7=18362 for phase equilibria meas. at high press., using chromatography 7=10888 short-lived isotopes prod. by cyclotron 7=3824 for stratospheric circulation studies 7=15501 and stratospheric motions 7=18356 Ag<sup>110m</sup>, for dislocations surface emergence in single crystals obs. 7=7561
           crystals obs. 7=7561
        Pb<sup>210</sup> conc. in atmosphere relative to Po<sup>210</sup> 7=15486
       Rn, stratospheric mixing processes 7=18355 Xe<sup>133</sup>, in atmosphere 7=11996
Radioactivity
           See also Alpha-, Beta-, Gamma-rays; Atmosphere/
           radioactivity; Beta-decay theory; Chemical analysis,
           radioactive; Chemical effects of radiations/ionizing
           radiations; Fallout; Geophysical prospecting; Nuclear
           decay theory; Nuclear bombardment targets; Nuclear
       excitation; Nuclear reactions; Radiochemistry, angular correlations 7=6363 atomic and molecular effects of decay 7=6491
       beta decay and electron capture internal brems-
strahlung 7=711
       β-decay, particles ang. correlation 7=3842
       \beta-decay recoil or K-capture rel. to \nu rest mass obs. 7=3841
       \beta-\nu correlation rel. to \nu helicity 7=3844
```

Radioactivity-contd  $\beta$ -particles helicity obs. 7=3845  $\beta$ -spectra, shape obs. 7=3840  $\beta$  transition probabilities, log ft histogram 7=6378  $\beta^*\text{-decay}$  of neutron deficient isotopes 7=6376 far off instability line, reasons for obs. 7=3822 γ-ray energies, standard, precision meas. 7=16508  $\gamma$ -ray polarisation after  $\beta$ -decay obs. 7=3846 ground state spin and moment meas. 7=6295 of isotopes in cooling water of VVR-S reactor 7=790 near particle accelerators obs., effect on circuits 7=16391 proton emission 7=713 simulation by random number generation 7=702 table of angular correlation coefficients 7=6364 transuranic elements,  $\alpha$ -decay, structure of nuclear surface 7=3836 Ac<sup>228</sup>  $\beta$ -decay, spin obs. 7=10201 Al<sup>26m</sup> ft anomaly obs. 7=13356 Ars, 9, decay delayed protons emission obs. 7=10181
Au<sup>195</sup> decay, K-, L- and M-Auger and L-Coster-Kronig
spectra of Pt obs. 7=10441 spectra of Pr tops.  $7-10^{14}$ 1 Au<sup>196</sup>,  $\beta$ -decay,  $\gamma$ -ray spectrum obs. 7=13343 B<sup>12</sup>  $\beta$ -decay to  $\alpha$ -emitting C<sup>12</sup> state obs. 7=6379 Bi<sup>210</sup>, internal bremsstrahlung 7=13357 Ca<sup>37</sup>,  $\beta$ -decay delayed protons emission obs. 7=10181Ca<sup>40</sup> double  $\beta$  decay search using spark chambers 7=16747 Ca<sup>47</sup>, hindered first forbidden unique  $\beta$  branch evidence 7=10182 Ce<sup>131</sup> decay obs. 7=717 Cm<sup>242-246</sup>,  $\alpha$ -decay obs. 7=10204 Co<sup>60</sup> β-decay parity invariance violation obs. 7=3843  $\operatorname{Co}^{\operatorname{so}}\beta$  helicity var. with momentum, Mott scatt. obs. 7=13361 Dy.  $^{150,151}$  produced in Au by 600 MeV protons 7=16754 Fe<sup>59</sup> decay  $\beta-\gamma(\text{CP})$  correlation, Fermi matrix element 7=10184 Fm<sup>246,248-50</sup> production from U<sup>235,238</sup>(O<sup>16</sup>, xn) 7=6390 Ga<sup>67</sup>, decay to Zn<sup>67</sup> 7=3783 He<sup>8</sup>,  $\beta$ -decay 7=3685 Holss produced in Au by 600 MeV protons 7=16754 Il28 decay,  $\gamma$  line obs. 7=13308 Ir alpha-active isotopes, decay characteristics obs. 7=13372  $K^{40} \beta$ -activity in pure KCl obs. 7=714 Lu<sup>172</sup> decay to Yb<sup>172</sup>, multipolarity of K-forbidden 1094 keV y-transition obs. 7=10158 Mg<sup>24</sup>,O\*,T=2 state isospin-forbidden decay, 15.43 MeV 7=16707 Mn54 sources, self-absorption of Auger electrons and X-rays 7=16749

X-rays 7=16749

N<sup>12</sup> β-decay to α-emitting C<sup>12</sup> state obs. 7=6379

N<sup>12</sup> decay obs. 7=13355

Np<sup>24</sup>, 3.5 hr, search 7=3859 P<sup>32</sup>, internal bremsstrahlung 7=13357 Pa prod. by Th irrad, with protons at 50 to 70 MeV 7=10203 Pb<sup>210</sup> decay, Auger-vacancy satellites obs. 7=10440 Pt<sup>189</sup> → Ir<sup>189</sup>, K conversion coeffs. and transition intensities obs. 7=3812 Ra, history, rel. to theory of atomic structure and discovery of inert gases  $7{=}2751$  RaE  $\beta{-}$ spectrum end point  $7{=}16757$ So,  $\beta$ ', from  $\gamma$ -spectra 7=3847 Sb)<sup>124</sup>, specific effect on diffusion in Ge 7=14490 Ta<sup>182</sup>  $\beta$ ' decay obs. 7=6342 Sb)<sup>24</sup>, specific effect on diffusion in Ge 7=14490 Ta<sup>182</sup>  $\beta$ ' decay obs. 7=13370 Tb)<sup>183</sup>, 7.5 min, from Dy)<sup>182</sup>(n, p) and Ho)<sup>185</sup>(n,  $\alpha$ ), properties 7=13369 Th A, electrostatic pickup 7=526 Th fuels, irrad., radioactivity due to U232 and Th228 7=16894 Th, in mineral springs and coastal waters, n activation anal. 7=11981  ${
m Ti}^4, eta$ -decay delayed protons emission obs. 7=10181  ${
m Tm}^{170}\, eta$ -decay, transverse polarization obs. 7=10195  ${
m U}^{235}$ , forbidden a-decay, influence of Coriolis forces 7=6373 U<sup>50,5</sup>, iorbidden α-decay, influence of Coriolis force V<sup>50</sup>, search for decay with low level γ-spectrometer 7=6380
V<sup>52</sup> β-decay to Cr<sup>52</sup> first excited levels 7=16748
Zn<sup>65</sup> decay to Cu<sup>55</sup>, intensity of 1.114 MeV γ
transition 7=10186 dating. See Radioactive dating. decay periods cay persons coincidence meas, of short mean lives 7=6365 excited nuclear states, table of meas. 7=659 and  $\gamma$  angular distribs, from gas targets 7=13385isomers meas. up to 1 sec., accidental coincidence effects theory 7=13333 levels, Doppler-shift meas. 7=3731 levels, multichannel coincidence meas. convolution calc. 7=382 measurement by comparing  $\gamma$  with Cs<sup>137</sup> in mixed source, 10-100 days 7=719 measurement, by  $\gamma$ - $\gamma$  delayed coincidence 7=13310 measurement of nanosec. isomers, time-to-amplitude converter 7=10105

Radioactivity-contd

```
Radioactivity-contd
      decay periods—contd
measurement, pulse height spectra dead time correction
                       using computer 7=3834
               using computer t=0.54 measurement by stopping foil and e.s. methods 7=3825 measurement of subnanosecond lifetimes, by recoil, \beta spectrometers appl. 7=3825
               measurement ~10-20 sec by proximity scattering
              measurement ~10~20 sec by proximity scattering method 7=3826 A ^{200m}, accurate obs. 7=6386 A ^{125m} ft anomaly obs. 7=13356 A ^{125m} ft anomaly obs. 7=13356 A ^{125m} ft 200 Am ^{243}, ^{2}, 1013 MeV state, excited-core model 7=13260 Am ^{243}, ^{2}, ^{2} correl., decoupling expt. 7=6389 A ^{41} levels, 165 and 518 keV, (f<sub>1/2</sub>)2 configuration 7=10133 A ^{41} level at 518 keV obs. 7=13266 Au ^{180}, half-life, and Ptie9 levels 7=16755 Au ^{180} obs. 7=13373
               Au189 obs. 7=13373
               Ba^{137m}, accurate obs. 7=6386 C^{12}(4440 \text{ keV}) levels rel. to Be^{9}(\alpha, n)C^{12*} obs. 7=10112
               Ca<sup>40</sup> first excited state obs. 7=10135 Ca<sup>40</sup> first excited state obs. 7=10135 Ca<sup>40</sup> s. Levels at 594 keV obs. 7=13266 Ca<sup>40</sup> neutrinoless double \beta decay lower limit obs. 7=3848 Cf<sup>240</sup> isomer, spontaneous fission \sim 10^{-7} sec 7=16849
               Cm<sup>240</sup>,<sup>241</sup> 7=13379
Cm<sup>241</sup> 7=13379
              Co<sup>59</sup>, 1. 10 and 1. 29 MeV states obs. 7=13279
Co<sup>533</sup>, 81 keV level 7=13310
Er<sup>163</sup> 1095 keV state obs. 7=13327
Es<sup>247</sup> obs. 7=10205
               ES<sup>-108.</sup> Obs. 7=10203
F<sup>21</sup> level at 0.28 MeV obs. 7=16704
F<sup>21</sup> 0.279 and 1.10 MeV states from O<sup>18</sup>(Li<sup>7</sup>, α) obs. 7=10123
               Ga<sup>71</sup> levels obs. 7=13284

Gd<sup>155</sup>, 86.5 keV and 105.4 keV levels 7=10154

Gd<sup>162</sup>, 10.4 -min to 7.4 -min Tb<sup>162</sup> isomer obs. 7=13368

Hf<sup>177</sup> 1.1 sec isomer obs. 7=13333

Hf<sup>179</sup> 7=6357
               Hf<sup>181</sup> obs. by comparing γ with Cs<sup>137</sup> in mixed source 7=719
Hg<sup>189</sup> obs. 7=13373
               Ho<sup>155</sup>, conversion \beta-spectrum obs. 7=10193
               Ho<sup>165</sup> level at 95 keV, Mössbauer obs. 7=16734
I<sup>125</sup> levels at 243 and 188 keV obs. 7=10149
I<sup>132</sup> levels at 52 and 284 keV 7=10135
               K^{36}, from Ar<sup>36</sup>(p, n)K^{36}, T = 1 analog in Ar<sup>36</sup> 7=13359
La<sup>139</sup> first excited levels 7=10150
               Li'(477 keV) levels rel. to B¹°(n, \alpha)Li'* obs. 7=10112 Mn⁵¹ from Cr⁵°(d, n), half-life 7=715 Na²³ 2.98 MeV level, mean life obs. 7=10126
               Nb<sup>94</sup> obs. 7=13550
Nd<sup>138</sup> obs. 7=3856
               Ne<sup>21</sup> levels lifetimes obs. 7=10125
O<sup>15</sup> level, excitation energy, 7276 keV 7=10120
              O<sup>16</sup>, 8.88 MeV state, mean lifetime 7=10120
Os<sup>18</sup>0, 181, n-deficient, modes obs. 7=10197
Pa<sup>234</sup>, low energy excited levels, prediction and expt., in conference, Orsay (1965) 7=10167
Pm<sup>147</sup> first excited levels 7=10150
Pm<sup>149</sup> first excited levels 7=10150
Pm<sup>149</sup> 114 keV level obs. 7=6348
Pr<sup>134</sup> to Ce<sup>134</sup> obs. 7=16730
Pr<sup>136</sup>(1') ground state obs. 7=3856
                Pu<sup>244</sup>, to \alpha and spontaneous fission obs. 7=13378
                Rb87 obs. 7=6383
               Re<sup>179,180</sup>, n-deficient, modes obs. 7=10197
Rh<sup>106</sup>, accurate obs. 7=6386
               Rh<sup>106</sup>, accurate obs.
Sb<sup>129</sup> obs. 7=13306
               Sc46 52 keV level, Sc45 thermal n capture γ-γ delayed coincidence obs. 7=13269
               Se<sup>73g,81m</sup> obs. 7=16721
Si<sup>30</sup> levels obs. 7=10129
Sm<sup>152</sup>, 963 keV 1<sup>-</sup> level 7=13319
               \mathrm{Sn^{118,120}} first excited states obs. by \gamma resonance
                scatt, 7=6343
Ta<sup>182m</sup> obs. 7=6358
Tb<sup>155</sup> 226.9 keV level obs. 7=3803
              TD159, 226. 9 keV level obs. 7=3803 TD159, 227 keV obs. 7=16732 TD157, 326 keV, obs. 7=16732 Te159, 110 delayed proton emission obs. 7=10188 Te125, 35. 3 and 426 keV levels 7=13305 Tm170n, Tm150 thermal n capture \gamma - \gamma delayed coincidence obs. 7=13269
               Tm<sup>171</sup> levels at 5.1, 4.25 keV 7=16735
W<sup>183</sup>, 453.08 keV level 7=694
               W183 453.1 keV level, transition probabilities obs. 7=13335
               W<sup>185</sup> 7=10196
               Xe<sup>144</sup>, new estimation 7=6385
               Y<sup>95</sup> obs. 7=16752
Yb<sup>177m</sup> 7=6357
      decay schemes
              and \beta and \gamma-ray intensities obs. 7=701
              coincidence technique review 7=380
```

element 102, mass 251-8 7=16758

decay schemes—contd
Ag103 decay and Pd103 levels 7=3853 Ag<sup>107,109</sup>, low lying levels 7=13297 Au<sup>192</sup> decay, Pt<sup>192</sup> levels obs. 7=3858 Au<sup>196</sup>, 6. 2d, rel. to levels in Pt<sup>196</sup> 7=16736  $Ba^{133}$  7=3797  $Be^{8}$  in  $B^{10}+d \rightarrow \alpha + \alpha + \alpha$  at 0. 4 MeV 7=6449 Be9, neutron decay from 2.43 and 3.03 MeV states 7=10180 Br82, Kr82 energy levels obs. 7=10145 Cl32 7=13358 Cl<sup>32</sup>  $^{7}$  =13358 Co<sup>54m</sup>( $^{7}$  ( $^{1}$ <sub>1/2</sub> = 1.43 min) 7=10143 Co<sup>56</sup>  $^{7}$  =10185 Cs<sup>129</sup>  $^{7}$  =10190 Cs<sup>129</sup>, to Xe<sup>129</sup>, tall levels obs. 7=13309 Es<sup>245</sup>. <sup>246</sup>. <sup>247</sup>,  $\alpha$ -decay rel. to e capture obs. 7=10205 Eu<sup>145</sup>, and half-life obs. 7=13367 Cs<sup>58</sup> bink right high papers is given of 7=6328 Fe<sup>53</sup>, high-spin high-energy isomer 7=6338  $Ga^{64}$   $\beta$ -decay,  $Zn^{64}$  levels obs. 7=13285 Ho<sup>159</sup>, conversion electrons spectra obs. 7=10194  $H_{0}^{159}$ , conversion electrons spectra obs. 7=10194  $H_{0}^{151}$ , effect of physical state 7=16753  $H_{0}^{151}$ , to  $K_{0}^{129}$ ,  $H_{0}^{151}$  levels obs. 7=13309  $H_{0}^{152}$ , decay to levels in  $H_{0}^{152}$  representation of  $H_{0}^{152}$  decay to levels obs. 7=16729  $H_{0}^{152}$  hose  $H_{0}^{152}$  representation of  $H_{0}^{152}$  representation of  $H_{0}^{152}$  representation of  $H_{0}^{152}$  representation, in conference,  $H_{0}^{152}$  representation of  $H_{0}^{152}$  representation of HPm<sup>151</sup> 7=10152 Pu<sup>236,237</sup> 7=13379 Rb89, to levels in Sr89 7=6382 Rb<sup>90</sup>,  $\beta$  and  $\gamma$  spectra obs. 7=10187 Re<sup>186</sup>  $\beta$ -decay 7=10162 Ru<sup>94</sup>, 53 min, rel. to Tc<sup>94</sup> levels obs. 7=13296 Sb<sup>118</sup> 7=16751 Sc<sup>40</sup> 7=13358, 13360 Sc48 decay and Ti48 levels obs. 7=10183 Se $^{75}$  7=13362 Sm $^{155}$ ,  $\gamma$ -spectrum and Eu $^{155}$  energy levels 7=3802 Sn<sup>121m</sup> rel. to Sb<sup>121</sup> low-lying energy level obs. 7=6384 Sn123 to Sb123 levels 7=13302 Ta<sup>178</sup>, 9.3 min, obs. 7=13371  $Tb^{162}$ , decay to levels in  $Dy^{162}$  7=3804 Tel<sup>19s</sup>, 16h, and 4. 7d Te<sup>119m</sup>, spin assignments 7=10147 Te<sup>121m</sup> rel. to Sb<sup>121</sup> low-lying energy level obs. 7=6384 Te<sup>129m</sup>, I<sup>129m</sup>, I<sup>129</sup> levels obs. 7=13365 Te<sup>131m</sup>, I<sup>131</sup> levels, coincidence obs. 7=13307 Tl<sup>208</sup>,  $\beta$ -decay 7=13374 U<sup>232</sup> 7=13379  $U^{232}$ , and  $\alpha$ -decay spectrum 7=6388 U<sup>232</sup>, and  $\alpha$ -decay spectrum  $\tau$ =0368 V<sup>48</sup> decay and Ti<sup>36</sup> levels obs. 7=10183 W<sup>178</sup>, 22d, obs. 7=13371 Y<sup>85</sup>  $\tau$ =16751 Y<sup>86</sup>,  $\beta$  and  $\gamma$  spectra 7=3851 Yb<sup>185</sup>  $\rightarrow$  Tm<sup>185</sup> levels 7=6353 Yb<sup>187</sup>  $\rightarrow$  Tm<sup>187</sup> and Tm<sup>187</sup> levels obs. 7=691  $\tau$ <sup>188</sup>  $\tau$ -12909  ${
m Zn^{62}}$  7=13283  ${
m Zn^{63}} 
ightarrow {
m Cu^{63}}, \gamma$  spectrum obs. 7=10144 electron capture  $Co^{55}$  7=3849  $Co^{57}$ , rel. to K X-ray prod. obs. 7=16750  $Es^{246}$ .240, 247, rel. to  $\alpha$  decay obs. 7=10205  $Eu^{149}$ ,  $\gamma$ -ray spectra 7=3800 Test, Y-ray spectral 7=3800 7=10412 128, L + M + .../K ratio, meas. 7=10189 Lu<sup>171</sup>, to excited states of Yb<sup>171</sup> 7=692 Tl<sup>204</sup>, discrepancy in Q values 7=10198 protection. See Radiation protection. Radioactivity measurement See also Dosimetry; Radiation monitoring; and the specific radiation, e.g. Gamma rays.  $\alpha$  counting, absolute, review 7=6370  $\beta$  activity, global, method for dense source 7=13352 coincidence technique review 7=380 computer programme for decay curves analysis 7=10171 counter calibration rel. to scattered  $\gamma$  7=3831 decay periods, by comparing  $\gamma$  with Cs<sup>137</sup> in mixed source, 10-100 days 7=719 far off instability line, recent on-line proposals review 7=3823 -spectra unfolding by stepwise statistical method 7=6366 half-life, by delayed  $\gamma$ - $\gamma$  coincidence 7=13310 modulation methods for low levels 7=408 pulse height spectra dead time correction using computer 7=3834 solutions nuclide concs. at low levels, by  $\gamma$  spectra least squares analysis  $7{=}5352$ source-to-detector geometry computer programme 7=705 C<sup>14</sup>, rapid technique 7=16746 Co<sup>57</sup> standardization 7=6381

Radiochemistry

```
Radioactivity measurement-contd
        Ra, \gamma scatt. buildup factors calc. 7=3831 T in H<sub>2</sub>O at low levels 7=5353
         Th, photonuclear method, in rocks · 7=5351
        U, photonuclear method, in rocks 7=5351
     apparatus
            See also Particle detectors.
        air fallout, monitor for long lived \beta activity 7=2535 \alpha-active isotopes, airborne concs., pulsed ionization
            chamber meas. 7=5392
        \alpha-disintegration rate determination, liquid scintillation
        spectrometer 7=10172 \beta activity of solns. meas. by Geigers 7=3830
        \beta, in gas samples, plastic scintillator cell 7=10174 \beta spectrometer, toroidal 7=704 coincidence circuits for meas. of short mean
            lives 7=6365
        electrodepositon cell 7=16743
         \gamma and \gamma - \gamma sources automatic sample chamber 7=10175
        ionization chamber, spherical, for gases 7=3828 liquid scintillation spectrometers review 7=6369
        liquid surface electrostatic precipitator for fission
            products 7=16854
        logarithmic ratemeter using saturating diode-pump,
        random fluctuations simple approx. 7=16367
low levels, continuous recording, use of digital to analogue
            converter 7=13350
        ratemeters, linear, response corrections comparison 7=9703
        ratemeters, nonlinear, correction of response 7=9704 scintillation counter build-up factors for scattered
              obs. 7=3832-3
        scintillation detector, compact electronic unit 7=393
        source, point-like, production by evaporation in gas
            stream 7=706
        source strength standardisation techniques,
            review 7=3827
        spark chamber, crossed-wire, for radionuclide distribution
            meas. 7=3829
        for subnanosecond lifetimes, by recoil, \beta spectrometers
            appl. 7=3825
        three-dimensional energy spectra, with pulse height
            analyser 7=3835
        \chi and \gamma source gas image amplifier 7=703
        Ge(Li) spectrometer with plastic anticoincidence mantle,
           for fuel element analysis 7=10367
       {\rm H^{3},glass} vessels with roughened surface, for liquid scintillators 7{=}10173
        H<sup>3</sup>, at surfaces, plastic phosphor scintillation
       counting 7=13119
NaI scintillation valley-to-peak ratios for zero
       thickness γ sources 7=6117

NaI(TI) for flat sources, efficiency and peak-to-total ratio, 0.145-1.33 MeV 7=6368

NaI(TI) γ peak/total ratios 7=10168-9
        Ra, scintillation counter build-up factors for scattered
             obs. 7=3832
       T gauge for H<sub>2</sub>O vapour pres. meas. 7=7157
Radioastronomy
           See also Cosmic radiations, radiofrequency; Sun/
            radiation, radiofrequency.
       angular structure deriv. from interplanetary
            scintillation 7=8956
       axial pattern crosscorrelation meas. using radio-star
            sources 7=8990
       diffraction of angular spectrum of waves by phase-
changing screen 7=9441
       interferometer, maser applications 7=16145
Jupiter, decametric radiation satellites effect obs. 7=2706
       Moon, brightness distribution obs. 7=12215
       moon mapping at 3mm, temp. var. during lunation rel. to
       surface model 7=8915
Moon, 1-3 mm obs. 7=12214
       Moon, thermal obs. of surface, review 7=12224
       photographic polar tube at Tokyo 7=2641
planetary characteristics 7=12227
planets, thermal obs. of surface, review 7=12224
       polarization of az-el mounted aerial viewing celestial objects 7=8992
       polarization meas.of distributed sources, optimum wave-
length and spectral range 7=15829
       quarks, searching possibility by radio astronomical techniques 7=16412 telescope at Bordeaux, 930 Mc/s readings 7=2739
       telescope, cross type, constant phase local oscillator
system 7=8991
telescope, Illinois 400 ft, performance, electronics 7=15830
telescopes, review 7=2738
telescope, surface deform., meas. 7=5638
       telescope for 35 Gc/s 7=15831
       telescopes adjustment using optical telescope surface control methods 7=8993
       Uranus, temp. at 8 Gc/s 7=5596
       Venus, radar obs. at 3.8 cm 7=8942
Venus, radar obs. at 23 cm, 1965/66 7=8941
```

Radiocarbon dating. See Radioactive dating.

```
See also Chemical analysis/radioactive; Chemical
                 effects of radiations/ionizing radiations; Radioactive
                 tracers
            energy distrib. of energetic atoms in gaseous
                 medium 7=15451
           hot-atom reactions, general theory 7=2483
hot-T reactions with H<sub>2</sub> and D<sub>2</sub> 7=8586
review of 1963-6 developments 7=16670
H atom-mol. exchange at energies above
                threshold 7=8585
            T recoil reactions, T + SiH<sub>4</sub> 7=11966
            ZnS Cu, Al and Cl impurities, inclusion, investig. 7=17600
 Radiography
           See also Luminescent devices; X-ray tubes. for dislocations surface emergence in single crystals obs. 7=7561
           graphite, pyrolytic, auto, for metal diffusion obs. 7=1510
           neutron, thermal, image intensification system 7=13098 therapy X-ray beams in water, energy absorption factors obs. 7=3513
 Radiolysis. See Chemical effects of radiations/ionizing
       radiations.
radiations.

Radiometer gauges. See Vacuum gauges.

Radiosondes. See Meteorological instruments.

Radiosources. See Cosmic radiations, radiofrequency.

Radiostars. See Cosmic radiations, radiofrequency; Stars.
 Radiotelescopes. See Radioastronomy.
 Radiowave propagation. See Electromagnetic wave propagation.
Radiowave spectra. See Nuclear magnetic resonance and
      relaxation; Paramagnetic resonance and relaxation; Spectra.
          No entries
 Radium compounds
          No entries
 Radium emanation. See Radon.
          atmosphere, decay prod. conc. in surface layer and
                washout 7=15547
          atmosphere, lower, continuous meas. 7=15491
atmosphere, lower, temporal and spatial variations of
short-lived decay prods. 7=15493
          daughter aerosols, mech. of formation in air 7=14141 daughter ions and elec. props. of atmosphere 7=15548
          decay prods. in atmosphere, comparison with thoron 7=15544
           diffusion meas. in lower layers of Earth's
               atmosphere 7=15546
           measurement of mean total conc. by dosimeter 7=10200
           stratospheric mixing processes, investigation by decay
               prods. 7=18355
          Rn<sup>220</sup> content in atmosphere, meteorological influences 7=15488
          Rn<sup>220,222</sup> in atmosphere, continuous meas. 7=15490
Rain
               See also Condensation; Snow.
          collection efficiencies of solid particles by water drops
               and snow flake obs. 7=8659
          drop evaporation in thunderstorm downdraughts 7=8656
          drop evaporation in vertical descent 7=8658
measurement of rate, continuous 7=5380
radioisotopes, short-lived, prod. in troposphere, cosmic
ray prod. 7=15542
          realities of calendaricities, India 7=2525 I_2 vapour, radioactive, washout coeff. 7=2534
Raman spectra
         n spectra
See also Luminescence.
angular var.rel.to depolarization 7=3246
gases, in absorpt band region, theory 7=4056
gases, effect of intermediate state 7=854
gases, exitation by laser, high resolution 7=12712
and intermolecular mechanics 7=935
light sources, Hg 4358 and 5461 Å and He-Ne laser
compared 7=3262
liquids, forward emission rel. to feedback 7=14101
liquids, stimulated, ang. emission props. 7=14086
liquids, temp. var. of intensity of 2nd order lines 7=17272
molecular motion determ. 7=858-9
          molecular motion determ. 7=858-9
          molten salts, apparatus 7=14100
          phonon scattering 7=15300
         polaritons scattering 7=1808 powders meas. 7=18260
          pressure broadening, theory 7=4054
quantum electronics, conference, San Juan, 1965 7=12588
         Rayleigh effect, laser stimulated, self-focusing of laser stimulated, self-focusing of beam 7=3185
          resolution of adjacent lines of photoelectrecording 7=9583
         resonant scattering in crystals 7=15301
         scattering, in anisotropic media 7=8360 selection rules 7=855 semiconductor carriers in Landau levels calc. 7=8359 solutions, binary, intensities 7=4359 stimulated backward scatt. in CS<sub>2</sub>, obs. of intense light bursts 7=0520
```

bursts 7=9529

spin-lattice relax.of ions in LaF  $_2, 1.3\mbox{-}5^{\circ}K$   $7\mbox{=}2214$  stannides, D8  $_8$  phases  $7\mbox{=}17517$ 

Raman spectra -contd

organic substances-contd

Raman spectra-contd

```
stimulated by electrons, theory 7=9477
                                                                                                                                                                        methane, liq., and cold n scatt. 7=17246
pentaerythritol tetrahalides 7=13768
phenanthrene-d<sub>10</sub>, vibr. assignment 7=10543
     stimulated, emission of components of different
    orders 7=16154
stimulated scatt., anomalies in conversion
efficiencies 7=16151
stimulated, Stokes and anti-Stokes components emission
angles calc. 7=12720
stimulated, theory 7=3117
theories, semiclassical and quantum-mech.,
conformity 7=4055
two-phonon, interpretation 7=18201
vibrational structure, selection rules 7=10469
X-ray Raman, scattering, evit. obs. 7=359
                                                                                                                                                                        polypropylene, isotatic, laser-excited 7=15362 solids, combination and repetition of low freq.
                                                                                                                                                                               vibration 7=18202
                                                                                                                                                                        vinylene carbonate 7=13771
C_6D_6, laser excited 7=3194
                                                                                                                                                           C<sub>0</sub>D<sub>6</sub>, laser excited 7=3194
C<sub>6</sub>H<sub>5</sub>, stimulated, time variations and relaxation 7=1145
C<sub>0</sub>H<sub>6</sub>, laser excited 7=3194
CH<sub>3</sub>. NO<sub>2</sub>, laser excited 7=3194
CS<sub>2</sub>-nitrobenzene mixtures, intensity of stimulated emission 7=3187
[Me(H<sub>2</sub>O)<sub>6</sub>]SiF<sub>6</sub> 7=8460
Ramsauer effect. See Electron beams; Electrons/absorption; Particle rapres
     X-ray Raman scattering, expt. obs. 7=8358
inorganic substances
    organic substances
alkali halide colour centres first-order scatt.
calc. 7=18214
diatomic mols. with two overlapping excitation
levels 7=10458
gas laser obs. 7=12711
α-quartz, polarization of E lines obs. 7=2340
                                                                                                                                                           Particle range.
Random functions. See Random processes.
                                                                                                                                                           Random processes
                                                                                                                                                                               See also Brownian movement; Fluctuations; Statistical
     α-quartz, polarization obs. 7=8439

ΛgNO<sub>3</sub>-univalent nitrate melts 7=7083

AlSb, i.r. obs, at room and liquid He temp. 7=5257

BaCl<sub>2</sub>. 2H<sub>2</sub>O or . 2D<sub>2</sub>O, rel. to H bonding 7=8375

C<sub>2</sub>O<sub>2</sub> condensed phases 7=2280
                                                                                                                                                                               analysis.
                                                                                                                                                                         convergence problem of variational technique, appl.
                                                                                                                                                                               of local potential 7=9125
                                                                                                                                                                         first-occurrence time of high-level crossings in
                                                                                                                                                                        continuous process 7=5677
fragmentation in two and three dimensions 7=80
packing of spheres, radial distribution function, fine
structure 7=82
     CS_2, condensed phases 7=2200 CS_2, nonlinearities prod. by Raman laser obs. 7=4361 CS_2, stimulated, time variations and relaxation 7=1145
     Ca<sub>2</sub>Co<sub>3</sub> stimulated emission increase on decreasing temp. obs. 7=16189 Ca(No<sub>3</sub>)<sub>2</sub> aq. solns. 7=10843 Ca<sub>2</sub>Sr<sub>1-x</sub>F<sub>2</sub> and Sr<sub>x</sub>Ba<sub>1-x</sub>F<sub>2</sub>, mixed, first order 7=2284 CdS crystals, enhanced cross-sections, explan. 7=2286
                                                                                                                                                                         in quantum theory 7=2846
radioactivity simulation by random number
generation 7=702
                                                                                                                                                                         relaxation to Markov perturbations 7=9030
                                                                                                                                                                         scatt. phase shift in stochastic fields 7=477 shadowing of randomly rough surfaces 7=15859 spheres packing in rubber containers obs. 7=12365
      CdS, multiphonon processes obs. 7=18277
      CsBr, combined density of states, meas, and from freq.
            distrib. 7=7472
                                                                                                                                                                         stochastic control maximum theorems 7=15894
      EuYGa garnet, laser excitation 7=2298
FeF<sub>2</sub>, phonon frequencies 7=18270
GaAs, i.r. obs. at room and liquid He temp. 7=5257
                                                                                                                                                                         time correlation functions, non-Markov kinetic eqn. 7=15915
vibration of mass suspended from steel rope calc. 7=15926
      GaP, electronic Raman scatt by acceptors 7=8394 GaP, i.r. obs. at room and liquid He temp. 7=5257
                                                                                                                                                                         vibrations, first-passage problems 7=9151
      Ge-Si alloys, scatt. by localized vibrational modes 7=8400 H, stimulated, rel. to pressure effect determ. 7=6528
                                                                                                                                                            Range of particles. See Particle range.
      H, stimulated, Stokes emission 7=3138
H,SO<sub>2</sub>, polarization, 30°, 150°, 250°, 350°C 7=10846
Hg(CN)<sub>2</sub>, absolute intensities in \Sigma^+ modes 7=6672
InP carriers in Landau levels calc. 7=8359
InP, i.r. obs. at room and liquid He temp. 7=5257
                                                                                                                                                            Rare earth metals
                                                                                                                                                                         See also the individual metals, abundances in anorthosite and mangerite obs. 7=15463 activating BaF<sub>2</sub>, cooperative sensitization of
                                                                                                                                                                         luminescence 7=11840 crystal elec.field screening calc.for ions 4fn
       InSb carriers in Landau levels calc. 7=8359
                                                                                                                                                                          shells 7=10913
e.s.r. of ions, point defect prod. of disymmetry 7=11705
       K atoms resonance i.r.emission obs. 7=16917
       KCl F-centre scatt. calc. 7=8423
                                                                                                                                                                          exchange integrals, sign and interatomic distance depend. 7=14786
       KCl F centres first-order spectrum calc. 7=18214
       KNO<sub>3</sub> at phase transition obs. 7=8412
LiNbO<sub>3</sub> obs. 7=8415
MgF<sub>2</sub>, phonon frequencies 7=18270
MgO:Fe and Cr translational symmetry of medium rel. to
impurities 7=8416
                                                                                                                                                                          exchange interaction spin Hamiltonian 7=11358
                                                                                                                                                                         exchange interaction spin Hamiltonian 7=11358 fluorescence in LiNbO<sub>3</sub> 7=2377 mag, props, of metals and alloys, unconventional 7=8094 in silica-alumina catalysts, X-ray spectrographic determ. 7=18339 solid solubility in Ag, by meas. elec. resistivities 7=4896 spectroscopy in solid state 7=15292 trivalent, in CeO<sub>2</sub> and ThO<sub>2</sub>, fluorescence props. 7=11848 earth compounds
       MnF<sub>2</sub>, phonon frequencies 7=18270
cis N<sub>2</sub>F<sub>2</sub> 7=13740
NaCl F-centre scatt. calc. 7=8423
        NaCl F centres first-order spectrum calc. 7=18214
                                                                                                                                                             Rare earth compounds
        NaCl, ultramicroscopic point defects, first-order
                                                                                                                                                                                 See also the compounds of the individual metals;
             effect 7=8426
                                                                                                                                                                                 Ferrites.
        Na<sub>2</sub>MoO<sub>49</sub> molten 7=14100
                                                                                                                                                                          alloys of heavy metals, mag.props. at high press. 7=18095 alloys, n.m.r. shifts, expt. and theory 7=15258 binary alloys, cryst. struct. 7=4595 chlorides, aqueous, relative viscosities 7=1134
       NaNO<sub>2</sub>, ferroelec. phase 7=2329
NaNO<sub>2</sub>, ferroelec., and phase transition 7=2330
       NaNO<sub>2</sub>, near ferroelec transition point 7=11789
Na<sub>2</sub>WO<sub>4</sub>, molten 7=14100
       Pa(V) in HF solns., rel. to identification of species, in conference, Orsay (1965) 7=11796

RbPaF<sub>6</sub>, rel. to identification, in conference, Orsay (1965) 7=11796
                                                                                                                                                                          chlorides, XCl<sub>3</sub>. 6H<sub>2</sub>O, cryst. struct. 7=7442 chromites magnetism obs. 7=8099
                                                                                                                                                                           cubic, ferromag., Green's function theory of the spin
                                                                                                                                                                                 wave 7=15165
      Orsay (1965) 7=11796

Rb<sub>2</sub>PaF<sub>7</sub>, rel. to identification, in conference,
Orsay (1965) 7=11796

Sr<sub>x</sub>Ba<sub>1-x</sub>F<sub>2</sub> and Ca<sub>x</sub>Sr<sub>1-x</sub>F<sub>2</sub>, mixed, first order 7=2284

TiO<sub>2</sub>, phonon frequencies 7=18270

YPO<sub>4</sub>, PO<sub>4</sub> complexes and internal PO<sub>4</sub><sup>3-</sup> vibr. obs. 7=5280

YbPO<sub>4</sub>, PO<sub>4</sub> complexes and internal PO<sub>4</sub><sup>3-</sup> vibr. obs. 7=5280
                                                                                                                                                                          garnets, calorimetric investigation of mag. transitions 0.35-4.2°K 7=18150
                                                                                                                                                                           garnets, near i.r. Faraday effect 7=5272
                                                                                                                                                                           germanides, mag. and struct. characts. 7=2084
                                                                                                                                                                           kainosite, crystal structure eval. 7=11058
                                                                                                                                                                           Ln<sub>2</sub>MoO<sub>6</sub>:Eu<sup>3+</sup>, energy-transfer and fluoresc. 7=2379
Ln<sub>2</sub>WO<sub>6</sub>:Eu<sup>3+</sup>, energy-transfer and fluoresc. 7=2379
        ZnF_2, phonon frequencies 7=18270 ZnNO_3 in H_2O, ion pairing 7=7085
                                                                                                                                                                           monotellurides, high-press. high-temp. phases 7=14249
 Zno, multiphonon processes obs. 7=18277
ZnSe, multiphonon processes obs. 7=18277
organic substances
                                                                                                                                                                           nitrides, electronic and mag. props., low temp., specific
                                                                                                                                                                          nitrides, electronic and magnetic products heat 7=18096 oxides, Eu³* activated fluorescence, rel. to crystal struct. 7=15379 oxides of type R_2O_3, partial dislocations and C \rightarrow A transformations 7=1615
        acetone, nonlinearities prod. by Raman laser obs. 7-4361
       benzene, rel. to conc., refractive indices and absorption freq. obs. 7=4360
       benzene, nonlinearities prod. by Raman laser obs. 7=4361
                                                                                                                                                                           oxyselenides, cryst. struct. 7=4594
       cyclanes, rel. to boiling and melting points 7=14152 cyclohexane, nonlinearities prod. by Raman laser
                                                                                                                                                                          paramagnetic, crystal fields 7=18098
plumbides, D8<sub>8</sub> phases 7=17517
rare-earth-Fe, garnets, ferrimagnetic coercive force near
compensation temp. 7=15186
sesquioxides, prod. of single crystals by Verneuil
method 7=4519
            obs. 7=4361
       cyclohexane, stimulated, meas. 7=13759 diacetylene \Sigma_t^* modes calc. 7=10528 ethane 7=4107
```

liquids, combination and repetition of low freq. vibration 7=18202

Rare earth compounds-contd

```
S 319
```

```
trichlorides, covalency contribution 7=1208
                                                                                                                                   Nb-Zr-Re internal oxidation simultaneous with external
          with Fe, magnetic props. obs. 7=8100
Hg-rare earth systems, phase diagrams 7=7248
                                                                                                                                    scaling in O<sub>2</sub> at 1000°C 7=11936
O atoms, excited in NO<sub>2</sub> photolysis, deactivation 7=2473
with Mn, magnetic props. obs. 7=8101
Rare gases. See Inert gases.
Rayleigh scattering. See Scattering/light.
Rayleigh waves. See Elastic waves; Seismic waves.
                                                                                                                                    O atoms with H_2, CH_4, and C_2H_8 at high temp. 7=11932 O_2^+ + O_2^- 7=15427
                                                                                                                                    RNA, photochemical 7=15440
                                                                                                                                   U, powdered, with ND<sub>3</sub> 7=8547
 Reaction kinetics
                                                                                                                          UC,2°, energy transfer to Eu3° in soln. 7=14115
W + O<sub>2</sub>, high temp. 7=15429
Reactors. See Nuclear reactors, fission; Nuclear reactors, fusion.
               See also Catalysis; Chemical reactions; Exchanges,
          chemical; Explosions.
activated mols., high-press. unimolec. rate const. 7=8524
                                                                                                                          Re(h)binder effect. See Mechanical strength; Surface phenomena.
          in atmosphere, ionic processes, rate constants 7=2570 atom-molecule at high temp., rate consts.
                                                                                                                          Recombination. See Ions, recombination; Semiconductors.
                                                                                                                          Recombination radiation. See Luminescence.
               by e.s.r. 7=11932
          bimolecular, in liquids, many-particle theory 7=15415
                                                                                                                                   See also Sound recording.
in spectrophotometry, magnetic tape input for digital computer 7=9599
          bimolecular rate const., effect of chem. reactions 7=15412
          binary alloys simultaneous internal oxidation and
          external scale formation 7=11931 classical mechanics of linear collisions 7=8526 collisional energy transfer, thermal unimolec.
                                                                                                                                    trace analyser, optical 7=12270
                                                                                                                         Rectifiers
                                                                                                                                        See also Electron tubes; Semiconducting devices.
               systems 7=8528
                                                                                                                                   Se, impedance and other props in forward direction 7=7985
Si, p-n junction, breakdown voltage, transient
component 7=18021
         cross-sections, quasiequilibrium, and generalized activated complexes 7=2427
          cross-sections, statistical-dynamical model 7=2431
                                                                                                                          Recrystallization (metals). See Heat treatment.
         electrochemical reactions, intermediates 7=4120 electrochemical reactions, intermediates 7=8558 energy distrib. of energetic atoms in gaseous
                                                                                                                          Red giants. See Stars.
                                                                                                                          Red shifts. See Astronomical spectra; Cosmology; Relativity/
               medium 7=15451
                                                                                                                          Reflectance. See Reflectivity.
          energy transfer, nonstatistical 7=6749
         energy transfer, nonstatistical 7=6749
excited molecules in soln., press. effects 7=15413
gaseous reaction rates at high temp. 7=6739
graphite with H<sub>2</sub>, above 2000 K 7=15421
growth of multicomponent chains 7=8523
isomerization of restricted rotor 7=2425
isotope effects, in absence of force const. changes 7=2433
isotopic rate-const. ratios, temp.-independ.
                                                                                                                          Reflection
                                                                                                                                        See also Neutrons/reflection; X-ray reflection.
                                                                                                                                   diffuse, of quanta from medium of finite optical thickness 7=12723
                                                                                                                                    plastic wave, plane, at interface between two half-
spaces 7=2884
                                                                                                                                    and polarized luminescence from plane parallel
                                                                                                                                        layer 7=12725
               factor 7=11927-8
                                                                                                                                    semi-infinite medium with isotropic scatt. albedo 7=9038
          large molecules, isotope effects 7=6759
                                                                                                                                    waves, at discontinuity in refractive index gradient 7=9037
          methyl iodide with CN, isotope effects cals. 7=8534 methyl iodide with OH, isotope effects calc. 7=8544 methylene with dichloromethane 7=5326
                                                                                                                                    waves by elliptically striated surfaces calc. 7=2790
                                                                                                                               acoustic waves
                                                                                                                                    See also Echo; Reverberation.
in divergent channel, refracted/reflected ray
transmissions 7=15948
          microwave obs. of reaction fronts 7=12416
          near equilibrium theory model 7=11935
          organic ions, unimolec. decomp. in high elec.
                                                                                                                                    lossy bottom, waveform distortion calc. 7=9208
monostatic, from rigid objects defined by quadric
surfaces 7=5721
          fields 7=16973
phase-space theory, with activation energy 7=2430
photochemical, in solutions 7=5343
                                                                                                                                    ocean lossy bottom, waveform distortion calc. 7=9208 plane finite surfaces, geometric calc. errors 7=2908
          polyacrylonitrile, structural changes 7=2436
          quantum mechanics of linear collisions 7=8525
                                                                                                                                    pulse group velo. dispersion on reflection from freq.
dependent boundary impedance 7=9207
reflectors, directional, for underwater transducers 7=12432
          radiative recomb. of atoms and transition-state rate
               theory 7=16971
          relaxation in solns., press.-wave apparatus 7=18325 solids, bimolecular recovery processes, reaction
                                                                                                                                    shallow lakes, elimination by use of dipole near field 7=12446
                                                                                                                               transition layers 7=9206
acoustic waves, ultrasonic
liquid surface waves, for velo. meas. 7=14024
         order 7=1536
in solids, meas. 7=18330
solution reactions, shock-wave apparatus 7=18326
stochastic models, equilibrium state 7=2429
termolecular atomic recomb., temp. depend.
of rate 7=11930
                                                                                                                                   Ag, and elastic consts., 300°-800°K 7=1711
Au, and elastic consts., 300°-800°K 7=1711
Cu, and elastic consts., 300°-800°K 7=1711
Pb-Tl(1.17%) obs., rel. to elastic consts. 7=1734
          unimolecular, general theory 7=2426
                                                                                                                                    pulse group velo. dispersion on reflection from freq.
          unimolecular, nonequilib. effects, theory 7=8527
                                                                                                                               dependent boundary impedance 7=9207 electromagnetic waves
          unimolecular, in shock waves 7=15420 Ar^+ + D_2 \rightarrow ArD^+ + D 7=6802 C^+ and CO^+ with O_2 and CO_2 7=15419
                                                                                                                                    from anisotropic slab, between isotropic media 7=3080 for clouds and precipitation phase struct. obs. from polarization 7=8664
          CdTe, film formation on hot quartz and Mo by coevap. of
               Cd and Te, obs. 7=14275
                                                                                                                                   dielectric coatings, effect on microstructure, obs. 7=17465
Doppler radar velo. meas. for air-track 7=12288
through plasma layer over metal mirror 7=3081
          C_2F_4 dissociation in N_2 shocks 7=8551 1,1,2-C_2H_3Cl_3, nonequilib. unimolec. reactions 7=5326
          C<sub>2</sub>H<sub>4</sub>Cl<sub>2</sub>, unimolec. rates, R. K. M. theory 7=5323
C<sub>2</sub>H<sub>5</sub>Cl, nonequilib. unimolec reactions 7=5323
C<sub>2</sub>H<sub>5</sub>Cl, nonequilib. unimolec reactions 7=5323
                                                                                                                                    plasma-vacuum boundary, theory 7-13873
Poynting vector flux curves for passage past reflecting
                                                                                                                                        half-plane, met normally by polarized wave 7=12572
          C2H5Cl, unimolec. rates, R. R. K. M. theory 7=5323
                                                                                                                                    Poynting vector flux curves for reflection by half-plane of
          CliCO, atomic combination 7=15422
ClNO, atomic combination 7=15422
CO<sub>2</sub>, decomp. in shock waves 7=15420
CO<sup>2</sup> + CO 7=15427
                                                                                                                                        polarized wave 7=12573
                                                                                                                                    semiconductors, for meas, of elec. cond. at microwaves, {\rm TE}_{\rm ol}{}^\circ mode use 7{=}17942 solar corona, of galactic emission 7{=}5561
          CO+OH, rate from mass spectrum 7=2440
                                                                                                                                    In superconducting films, microwave obs. 7=4965
           CS, decomp. in shock waves 7=15420
                                                                                                                                    Sn superconducting films, microwave obs. 7=4965
           {\rm Fe_{1-x}O} (wustite) reduction near equilibrium in {\rm H_2 + H_2O}, model test 7=11935
                                                                                                                               light
                                                                                                                                        See also Mirrors; Optical films.
           H atoms, with acetylene and ethylene 7=6526
                                                                                                                                    from aggregate of particles, diffr. effects 7=14193
          H + H<sub>2</sub>, cross-sections, theory 7=15425

H_2^* in H_2 7=10611

H_2 + I_2 reaction 7=11959

HCl, irrad. gas, thermal H-atom reactions 7=5344
                                                                                                                                    antireflection neutral coatings calc. for materials with
                                                                                                                                        refractive indices ≥ 2 7=16277
                                                                                                                                    ceramic fibres as standard 7=11759 for detonation front smoothness in fluid meas. 7=15941
          KCl solid, reaction intermediate with F<sub>2</sub> 7=8300 N ions, charge-transfer with CO and CO<sub>2</sub> 7=6813 N_2^* in air and N_2 7=10611 N_2^* + D 7=6802 N_2^* + D 7=2463 N_2^* + D 7=2463
                                                                                                                                    diffuse, from one-dimensional 3-level atomic medium 7=12719
                                                                                                                                    dividing field in inhomogeneous medium 7=12715
                                                                                                                                    film rough surface, thickness and r. m. s. roughess
meas. 7-17373
integrating sphere, generalized theory 7=16228
labradorite, colour of 7=8370
          N_{13} decomp. by N_{1} atoms 7=8538 N_{2}^{+} + N_{2}^{-} 7=15427 NaCl solid, reaction intermediate with F_{2}^{-} 7=8300 Nb–Zr internal oxidation simultaneous with external scaling in O_{2} at 1000°C 7=11936
                                                                                                                                    measurement at liquid He and room temps, with small
```

samples 7=18195

Reaction kinetics-contd

```
Reflection-contd
       light-contd
             measurement, solar 7=341 metal films, rel. to \nu and \chi indices calc. 7=2259
             metal surface, freq. shift search 7=5227 photons, law from mechanics 7=9604 reflectometer, ellipsoidal mirror 7=142 resonators, equivalent confocal system 7=3234
             resonators, equivalent contocal system 7=3234
from rough surfaces correl, function in Kirchhoff's
soln. 7=16293-4
second harmonic, by III-V and II-VI
piezoelectrics 7=11727
semiconductor plasma in i.r. for surface conc.
meas. 7=14847
              semiconductors, effective mass from far i.r.obs. 7=1776
             semiconductors and insulators coefficients, absolute meas.
method 7=2261
           method 7=2261
soap films, thickness measurement, theory 7=1111
solids, vacuum chambers for meas. in high temp. i. r.
range 7=8351
spectroscopy by internal reflection, effective thickness of
bulk materials and films calc. 7=3250
stellar binaries, close, effect calc. 7=12722
total internal, in digital electro-optic light deflector 7=3229
water, liquid, reflectance for polarized light, meas. 7=14096
Au, temp.-modulated reflectance, 2-10 eV meas. 7=18216
CS2, intense reflection of laser light 7=1147
GaAs, 0. 2-25\mu, decrease by coating 7=11763
n-GaAs, 100-290°K, doping var. 7=8392
GaAs, plasma edge rel. to electron conc. 7=14866
GaAs, Pl.-, i. r. lattice vibr. obs. 7=2304
            GaAs, plasma edge ref. to effection conc. T=1 GaAs, P_{1-y}, i.r. lattice vibr. obs. T=2304 GaS, S_{0-y}, and absorption obs. T=5300 In films obs. T=11776 n-InAs, 100-290^\circK, doping var. T=8392 InSb, 2-25\mu, 130^\circ -550^\circK T=1785 KBr, piezooptical expts. on excitons T=7818 KI, piezooptical expts. on excitons T=7818 KI, piezooptical expts. on excitons T=7818 KI, T=1818 Cap. NOV. in unper atmosphere mass T=1818 Cap. NOV. in unper atmosphere mass T=1818
             for NO* in upper atmosphere meas., laser use 7=18376 Si plasma in i.r. for surface conc. meas. 7=14847
              Si, stressed, differential, obs. by sample rotation 7=8438
              SrTiO<sub>3</sub>, stressed, differential, obs. by sample rotation 7=8438 V-grooved surfaces spectrum obs. 7=9605
              VO2, i. r. above and below transition temp. 7=11811
Reflectivity
                    See also Diffusion/light; Optical constants; Optical films.
              anthracene, reflection spectra, 192-700 µ 7=8452
              crystals, absorbing, with and without coatings, for optical
             crystals, absorbing, with and without coatings, for of consts. meas. in i.r. 7=15289 integrating-sphere reflectometer for absolute hemispherical spectral reflectance 7=9606 Kramers-Kronig analysis, approximations 7=2260 Mars, near i.r. 7=5587 measurement in i.r. for microsamples 7=11730
              metals, coeff. and phase for optical consts. calc. using Kramers-Kronig rels. 7=11729 multilayer, iterated, and phase envelopes 7=9565
              perovskites, far i.r. 7=2281
              phosphor powders, vac. u.v. spectrometer meas. 7=5285
              plastic wave, plane, at interface between two half-
spaces 7=2884
             spaces 7=284

of polarized components of beam, relation when angle of incidence is 45° 7=9607

reflectance attachment for i.r. spectrometers 7=3259

semiconductors, rel. to plasma resonance and dimensionless param. 7=1810

Al, coeff. and phase for optical consts calc. using Kramers-Kronig rels. 7=11729

Ba evaporated films, 1500-3000 Å 7=5246

BaTiO electroreflectance rel to formules.
              BaTiO,, electroreflectance rel. to ferroelec.
                     props. 7=18219
              CaCO<sub>3</sub>-MgCO<sub>3</sub>, with and without coatings, for optical consts.
meas.in i.r. 7=15289
              CdTe 7=11406
              CoAl, at normal incidence 7=11793
              Fe, high press.obs. 7=18485
             FeCO<sub>3</sub>, with and without coatings, for optical consts. meas. in i.r. 7=15289

GaAs, i.r., rel. to plasma wavelength 7=11764

GaAs, reflectance, rel. to band structure 7=8393
             GaAs<sub>1-x</sub>P<sub>x</sub> alloys, reflectance, rel. to band structure 7=8393
GaP, 80-290°K 7=15324
             GaP, ref lectance, rel. to band structure 7=8393
             GaS, u.v., dependence on initial polarization 7=2303
             GaSe, u. v., dependence on initial polarization 7=2303
Ge, u. v. spectrum meas. 7=8397
KTaO<sub>3</sub>, far i.r., rel. to temp. and ferroelec. 'soft'
mode 7=18249
             Lif spectrum oscillator analysis 7=2323
MgO spectrum oscillator analysis 7=2323
             MnCO3, with and without coatings, for optical consts. meas.
                    in i.r. 7=15289
             NiAl, at normal incidence 7=11793
             PbCO<sub>3</sub>, with and without coatings, for optical consts. meas.
in i.r. 7=15289
PbS films, 1-5 eV 7=15346
```

```
Reflectivity-contd
             SiO<sub>2</sub> on Si, thickness var. in i.r. 7=15351
SnTe,i.r.obs. 7=18266
               Te, near fundamental absorption 7=5277
              ThO<sub>2</sub>, i.r. dielectric dispersion 7=5279
UO<sub>2</sub>, i.r. dielectric dispersion 7=5279
              ZnCO_3, with and without coatings, for optical consts. meas. in i.r. 7=15289 ZnO, reflectance charges due to adsorbed O_2 and O_3 O_4 O_5 O_6 O_7 O_8 O_8 O_8 O_8 O_8 O_8 O_8 O_9 O_
                ZnO:In free electrons obs. 7=8449
              ZnSe, ZnSe-Na<sub>3</sub>AlF<sub>6</sub>, ZnSe-ThOF<sub>2</sub>, dielectric mirror coatings 7=11814
              ZrO<sub>2</sub> with Cr and V, reflectance spectra for cryst, field studies 7-7189
Refraction
               Miyamoto-Wolf vector potential, props. 7=3205
               plane shock wave at air-CH4 and air-CO2
                      interfaces 7=10727
        acoustic waves
                      See also Dispersion/acoustic.
               in divergent channel, refracted/reflected ray transmissions 7=15948
               heterogeneous medium in air obs. 7=128
               underwater, analog. computer programme 7=5363
        acoustic waves, ultrasonic
              double, for shear-wave transformers at micro-
waves 7=12436
               focusing and self-focusing in laser beam 7=15949
        electromagnetic waves
                      See also Electromagnetic wave propagation.
                No entries
                      See also Double refraction.
                diamond, birefringence, inclusions and structure obs. 7=17466
               filaments, self-trapped, standing waves 7=16270
                index of non-dissipative media rel. to intensity, semi-
                      macroscopic calc. 7=17267
                photons law from mechanics 7=9604
              polarized wave by isotropic media, obliquity 7=316 ray scanning impossibility using internal conical refraction phenomenon 7=3208-9 reversibility of beams in stratified media 7=16271 self-focusing of ray in polarizable media 7=16267
               stigmatic, first discoverer 7=9549 in ultrasonic wave, calc. 7=3206
Refractive index
               liquids, supercooled, on water, rel. to precrystallization, theory 7{=}10839
              theory '1=10839 for pressure meas.in gas 7=2765 radio, of troposphere, variation with height 7=15533 water, complex, 2.5-25 \( \text{\mu} \) meas. 7=14097 wave reflection with discontinuity in gradient 7=9037 Cdl<sub>2</sub>, ordinary and extraord, wavelength depend. 7=5226 MgO, ion-bombarded, F-centre evidence 7=2325 N, liquid, dielec. at 2.3 mm 7=1164 PbL. ordinary and extraord, wavelength depend. 7=5226 mgO, ion-bombarded, respectively.
                PbI<sub>2</sub>, ordinary and extraord., wavelength depend. 7=5226
        light
               See also Dispersion, optical; Double refraction; Optical constants. air, rel. to pressure, temp. and composition 7=13988 computing indices of optical materials, 0.365-2.6\mu range 7=315
                gases, interference-refractometer meas. 7=12697
                glasses, var. on annealing and compression obs. 7=11770
                inhomogeneous gases, interferometric meas. 7=4297
                intensity depend. materials, for variable focal length
              intensity depend, materials, for variable focal length lenses 7=12688 liquids, interference-refractometer meas. 7=12697 liquids, nonlinear, molecular redistribution effect 7=7077 metals, incandescent, 0. 47-2. 0μ 7=5225 non-dissipative media, rel. to light intensity semi-macroscopic calc. 7=17267 optical system with k surfaces, changes to compensate for deviations. 7-9558
                for deviations 7=9556 organic liquids, i r. obs. 7=17269
                polyethylene terephthalate film 7=2360
                rough films, optical reflection meas. 7=17373
sinusoidal variation, for laser pulse frequency
shifting 7=3196
                thin films, ellipsometry calc. 7=16275 Ag-0.05-1.25%Au solid solns. 7=15308
               Ag = 0. 05 = 1. 25% Au solid solns. 7=15308 Ar solid Lorentz-Lorenz function 7=11747 Ba evaporated films, 1500-3000 Å 7=5246 BaF_2, pressure var. up to 7 kbar at 5893 Å 7=5251 CaF_2, pressure var. up to 7 kbar at 5893 Å 7=5251 CdS, temperature and press. var. obs. 7=2287 CsBr, at room and liq. N_2 temp. 7=11784 CsI, at room and liq. N_2 temp. 7=11784 GaP_180-290 K 7=15324 H_290 and D_290 7=14098 H_29 by ellipsometry at 5461 Å 7=4257
                Hg, by ellipsometry at 5461Å 7=4357
```

LiF, at room and liq.  $N_2$  temp. 7=11784 LiNbO<sub>3</sub>, in far i.r. 7=8414

Relativity-contd

```
Refractive index-contd
     light—contd
LiNbO<sub>3</sub>, sinusoidal variation, as laser light frequency
shifter 7=3196
         MoO_3 films, 0.42-1.2\mu meas. 7=11787
         NaCl, at room and liq. N2 temp. 7=11784
         \beta-PbF<sub>2</sub>, pressure var. up to 7 kbar at 5893 Å 7=5251
         Si, Franz-Keldysh effect, 95 °K 7=15349 SiO<sub>2</sub>, vitreous, nonlinear var. with press. to 7 kbars 7=11803 W-Re(0.46-1.57%), 0.5-8.0 \mu 7=18273
         α-ZnS, non-linear piezo-optic behaviour to 7 kbar 7=2348
Refractive index measurement
         ionic crystals with layer structures, interference
             methods 7=5226
         by polarimetry, variations meas. 7=3207
         interference-refractometer for gases and liq. 7=12697 RDU universal dispersion 7=16239
Refractories. See High-temperature production and effects.
Refrigerators. See Low-temperature production.
Regge poles. See Scattering, particles.
         absolute versus relative space and time, Leibniz-Clarke
controversy 7=12274
addition of velocities, correction 7=12333
Boltzmann equation, geometrical aspect 7=102
         degeneracy, accidental 7=12271
         elementary particle theory space time structure 7=6009
         equivalence principle of Einstein rel. to D'Alembert's
              forces 7=61
         general, as necessary extension of special theory 7=67 Lorentz group asymptotes 7=12297
         matter into energy, conversion, interpretation 7=66 quantizing relativistic field theories, new principles 7=3332 singular double 2-forms, conditions, derivation 7=60
         spinors appl. 7=59
         transformation laws for thermodynamics and classical
               electron theory 7=5671
         transformation properties and equations covariance importance 7=58
         transformation quantities indenticality 7=12330
         See also Cosmology; Gravitation. and astronomy, discrepancies obs. 7=12350
          bosons and fermions, five dimensional 7=9777
         centre-of-mass hypothesis in Einstein's theory of gravitation 7=12349
charged fluids, conducting and inductive, eqns. 7=2830
collapsing or expanding body, radiation freqn. shift 7=5505
comet orbits with long periods in interstellar and interplanetary matter 7=8944
conservation laws 7=12347
conservation laws review and bibliography 7=2825
          \begin{array}{l} {\rm conservation\ laws,\, review\ and\ bibliography\ 7{=}2825}\\ {\rm constant{-}curvature\ space, field\ theory\ 7{=}15878}\\ {\rm curvature\ tensor\ principal\ directions\ 7{=}15885} \end{array}
          Dirac's eqn. in Riemann space 7=15879
          e.m. waves, rel. to Huyghen's principle 7=15893
Einstein equations in flat space, exact, derivation 7=12353
         Einstein theory of gravitation, group theoretical approach to spinors 7=12352
Einstein's gravitational equations, uniform axially symmetrical solution 7=12114
          electromagnetic behaviour in conformal spacetimes 7=12334
          energy-impulse vector of body in arbitrary gravitational field 7=15887
          equations of motion, review 7=12345
          equations in time-dependent three-dimensional
          tensors 7=2835
equilibrium state of self-gravitating cylindrical
field 7=12340
           exact solutions construction 7=12348
          five-dimensional relativistic scheme, general
              theory 7=12336
          flat background, and graviton of non-zero mass 7=5674
          fluid mass, uniformly rotating, virial relations 7=15886 fluid spheres, regular, gen. inequalities 7=71
          fluid systems, Lagrangian density 7=5672
Fock-Tetrode matrices 7=12351
gas sphere static model 7=12341
          gaseous masses stability, post Newtonian hydro-
dynamics 7=15627
geometry and Newtonian physics 7=69
Gödel's universe, generalization 7=5501
          gravitational field, localisation of energy and
               impulse 7=15888
          gravitation in flat space-time 7=15890 gravitational lens effect 7=15628
         gravitational lens effect 7=15628
gravitational waves, conserved quantities 7=2833
Hamilton-Jacobi quantization 7=15882
Hamilton's eqns., quantization 7=15883
hydromagnetic relativistic waves, and group velocity 7=2831
integral form of Einstein eqns. and covariant form of
Mach principle 7=9077
```

```
general-contd
    kinetic eqn. power distribution calc. 7=2832
    Kruskal space diagram rel. to special relativity of
        uniformly accelerated rigid rod 7=9075
    Lense-Thirring fields, rel. to London moment of rotating superconds. 7=4908 m.h.d.shock waves 7=12560
    Maclaurin spheroids deformation 7=9080
    magnetic star gravitation collapse 7=15673
Mercury quadrupole precession separation from precession
    due to general relativity 7=2708 motion of multipole calc. 7=2838
    motions, nonstationary adiabatic centrally-
symmetric 7=2840
    negative mass hypothesis, consequences 7=12355
    negative mass and quasars 7=12356
    one-graviton exchange interaction of elementary particles 7=460
    oscillating isotropic universe without singularity 7=12354
    oscillations of singular sphere calc. 7=12338 perfect fluid, matter tensor from Marx's variational principle 7=9078
    post-Newtonian approx. for binding energy of massive
stars 7=2650
    precession of spinning satellite calc. 7=8767
    principles 7=15880 pulsating collapse viewed by external observer 7=8780
   quantization by integrals in curved functional
space 7=5673
quantum theory 7=12346
radiation, equivalent states 7=2827
    radiation, reln. between energy lost and that spreading
        through space 7=9086
     red shift, gravitational, route dependence 7=2829
    Riemannian space, with boundary, nonexistence of pseudo
         (harmonic, killing) tensor fields 7=15
    Riemannian space, union congruences of an embedded subspace 7=14
    Riemannian spaces, completeness and function-theoretic degeneracy 7=12335
    rotating fluid masses 7=9081
    rotating stars equilibrium, var. principle 7=8800
Schwarzschild soln. dust oscillations, external
obs. 7=8781
    Schwarzwald's problem of determining the metric with
    purely Euclidean space continuum 7=2841 smooth fluid approximation, Hoyle-Narlikar theory 7=12344
    solar oblateness, new value, rel. to Mercury perihelion
    test 7=15792
space research 7=9082
    space-time, axiomatization of properties 7=12357 space-time metric and non-linear fields 7=73
    spatial distance definitions, equivalence 7=68
    spherically symmetric space-time manifolds 7=15884
    spin particles motion in weak gravitational field in two
models 7=12358
    spin particles, two models, field eqns. soln. 7=9766 spinors, use of, in theory 7=12755 stars, massive rotating, equil. models 7=12133
    static, axially symmetry, interior solution 7=15881 superpotentials 7=72
    test particles, equations of motion 7=12343
    test of, using superconductors 7=2828
theories of space 7=2826
three bodies problem 7=2839
"""'s solution VI of Einstein's field equations for fluid
             ere 7=12339
    rotating fluid-in-shell bodies 7=9079 wo rotating spheres calc. 7=5510
    verification by artificial satellite, possibility 7=12337
    Weyl group on a space-time curve and generalized
Yang-Mills field 7=70
    dynamics of body with variable rest mass 7=9072
    e.m. interactions with matter, constitutive eqns. 7=9074 electron diffraction dynamics 7=11055 equations of motion with forces depending on particle velocity 7=65
    equivalent vector Lorentz transformations 7=63 heat quantity transformation 7=12462
   heat quantity transformation t=12402
heat transformation rel. to wave mechanics 7=12461
kinematic principle transformations deduced 7=64
Lorentz invariants, phase geometry framework 7=12331
Lorentz transform., inifinitesimal 7=12331
Lorentz transform. for moving plasma 7=1012
Lorentz transformation, linearity 7=9071
    Lorentz transformations equation elementary
        approach 7=62
```

entz transformations in phase space and physical

mechanics and thermodynamics, continuum, constitutive eqns. 7=9073 optical experiments to verify second postulate 7=15875

space 7=15902 m.h.d.shock waves 7=12560

```
SUBJECT INDEX
Relativity-contd
        particle dynamics, inhomog. Lorentz group, unique canonical represent. 7=2822 particle with variable mass, relativistic dynamics 7=2824 quasars luminosity fluctuations relativistic limits rel. to
    special-contd
            local ejection model 7=12190
         radiating charged point particle, eqn. of motion 7=5820 statistical mechanics, covariant formulation 7=15901
        teaching graphs 7=9070
temperature transformation 7=12462
         thermodynamic quantities transformations 7=12462
         thermodynamics, amended 7=9121
         thermodynamics of particles, hidden 7=15876
        thermodynamics, transformations 7=15877
time change calc. for electron subject to radiation
             damping 7=2823
        uniformly accelerated rigid rod, rel. to general relativity
Kruskal space diagram 7=9075
     unified field theories
         e.m. waves in general relativity, rel. to Huyghen's principle 7=15893
         Einstein, solutions embeddable in flat five-dim. space 7=12362
        interaction of spin and gravitational fields 7=518 mass of an electric dipole in the second approx. 7=2845 quantization by integrals in curved functional space 7=5673
         spinor and e.m. fields 7=12363
Relaxation
             See also Acoustic wave propagation; Dielectric
             phenomena; Elastic relaxation; Ferroelectric phenomena;
             Ferromagnetic relaxation; Molecules/relaxation;
```

Nuclear magnetic resonance and relaxation; Paramagnetic resonance and relaxation, analogy with chem, exchange 7=263 during nonadiabatic transition 7=7165 during nonadiabatic transition 7=7165 gases, entropy maximization method 7=17203 harmonic oscillators in gas 7=6492 measurement with "jump", 7-meter adaptation 7=9010 for metals elasto-visco-plasticity rapid meas. 7=17653 particles in Maxwell gas 7=6961 path probability method for co-operative systems 7=88 plastic deformation of metals with friction 7=1686 polyethylene, crystalline, linear, stress data 7=1747 polymers, y-transition obs. and interpretation 7=8002 quartz, dielectric 7=18042 to random Markov perturbations 7=9030 quartz, dielectric 7=18042 to random Markov perturbations 7=9030 in rocks, stress, behind elastic shock waves 7=2500 spin-spin, temp.-dependent, appl. to ferric hemin 7=14181 In films on insulating substrates, thermal at 4°-300°K 7=1498

Si dislocations, internal friction obs. at low temp. 7=7732 Remanence. See Magnetization state.

Renner effect. See Molecules.

Replica techniques. See Electron microscopy.

Reproduction. See Sound reproduction. Resistance, electrical

See also Conduction, electrical; Conductivity, electrical; Contact resistance; Magnetoresistance; Piezoresistance. alloy film resistors ageing mechanisms obs. 7=7870

contactless resist. meas. using eddy current method 7-9307 high ratio comparison, new instrument 7-9308 integrator for recording potentiometer 7-2966 low, a. c. bridge for meas. 7-2968

manganin coil, to 7 kbar and 200°C, for press. meas. 7=17874

measurement, self-balancing bridge for Pt thermo-

meter 7=9260 measurement with Smith bridge 7=149

metal films, temp. var. 7=1823
metals, magnetic s-d exchange scattering
contribution 7=7756
Ohm's lab. notebooks as example of scientific

method 7=12275

Ohm's law in multicomponent nonisothermal plasmas with temp. and press.gradients 7=13859 semiconducting diodes, bulk resistance 7=18017

semiconductor circular wafers meas. errors using 4 probes 7=11497 size effect of circular orifice in plane insulating

diaphragm 7=9141 skin response meas. apparatus 7=12269 superconductor intermediate state, rel. to mixed

state 7=4924

superconductors, type II in mixed state, calc. 7=4927 wires meas., temp. control for -186° to + 400°C 7=11419 Ag-Mn dilute alloys, low temp. 7=4655 Al, calculation 7=4898

Al, of dislocations, anisotropy 7=14882 C-kaolin composites, temp. dependence 7=11427

C-kaolin composites, temperature dependence 7=11428 CdS, volt-ampere characteristics 7=4988 Cr masks for photoresistors prod. 7=164

Resistance, electrical—contd
Cu, of dislocations, anisotropy 7=14882
Cu whiskers at 4.2°K rel. to e reflection at surface 7=17872

Fe-Co, temperature dependence 7=11436 Ga-In liq., Hall coeff., elect. resist., mag.

susceptibility 7=10867 Hg-In liq., Hall coeff., elect. resist., mag. susceptibility 7=10867

susceptibility 7=10867  $\text{Li}(\text{NH}_3)_4$  7=1945 Mg in Li solns. in liquid and solid states 7=14122  $\text{NiFe}_2\text{O}_4$  with Co substitution 7=1946 Pb-Cu films, low temperatures 7=14891

Pt, reversible change after repeated quenching 7=7865

PuC 7=14967 PuP 7=14967 PuS 7=14967

Fusion Fig. 12. Fusion Fig. 7. Fusi

Resistance thermometers. See Thermometers/resistance. Resistivity. See Conductivity, electrical.

Resolving power, optics

See also Optical instrument testing.

hologram, parallel and perpendicular to its plane calc. 7=16299
in holography, and field range 7=9625
increase beyond classical limit 7=3204

in interferometry, multiple beam, diffraction

depend. 7=3264

lenses, zone corrector plate improvement 7=16230 limiting, looking down through atmosphere 7=5385 Raman spectra, resolution of adjacent lines on

photoelec. recording 7=9583
spectrometers for far i.r., diffraction grating rel. to
Fourier transform 7=9586
spectrometers, single and double-pass 7=3252
superresolution imaging of reduced object field 7=16233 super resolution in aging of reduced object field '=:
telescope, annular aperture, resolution of objects of
unequal intensity 7=9563
telescopes, limit of resolution 7=9562

through randomly inhomogeneous medium for very long and very short exposures 7=323

Resonance, elementary particles. See Hyperons/resonances; Mesons/resonances.

Resonance, magnetic. See Magnetic resonance and relaxation. Resonance spectra. See Spectra.

Resonators

'flat-roof', modes, phase shifts and losses 7=3075micromechanical translator, voltage activated, with elec. readout 7=9195 multiple-mirror, natural frequencies 7=314 open, using plane mirrors, theoretical exam. 7=242

optical, curved-mirror, stability diagrams 7=3235 optical, review 7=9489 ruby laser, thermal distortion obs. 7=5891

strings, stretched, with viscous damping 7=12394 acoustic. See Acoustic resonators.

electromagnetic. See Electromagnetic oscillations.

Reverberation

See also Architectural acoustics; Echo. ambiphonic, in system with echo chamber 7=135 classical formulae, doubts for existence 7=2918 halls, rel. to resonances 7=12449 howlback in reverberant rooms theory 7=5729 rooms, review 7=12448 sea-surface acoustic, model 7=2507 sea, surface, masking by volume reverberation

volume, from deep scattering layer, meas. 7=2506

acoustic wave propagation in metallic liquids 7=4347 acoustics of rooms 7=12448 ALGOL 60 language 7=2800 alkali halide dipole centres, OH and F4, recent

obs. 7=1576

alloys, ordered, mechanical props. 7=1665 alpha-decay 7=6371 $\alpha$  emitters absolute counting 7=6370

ancient life on earth obs. 7=5639 artificial earth satellites instrumentation 7=5495

atomic stopping post 1960 developments 7=4047 atoms ionization by electron impact obs. 7=4161  $\beta\text{-decay},$  theory 7=6375 binaural interaction 7=5734

broken symmetries and Goldstone theorem 7=16423 Brownian movement of linear chain particle, theory 7=15895

bubble chamber advances at conference on high-energy physics in 1964 at Dubna 7=5985 bubble chambers, hydrogen 7=16379 ceramic-metal bonds 7=14003 chemical analysis of stable isotopes, new aspects and

methods 7=5347

#### Reviews-contd

coincidence circuits for nuclear pulse spectroscopy 7=6365

coincidence technique 7=380 computer applications in education 7=1

computer applications in science 7=27 computer applications in technology 7=28

conferences on nuclear struct. study with n, Antwerp 1965, summary 7=13200

conservation laws in general relativity 7=2825 cosmic ray neutrinos at high energy obs. 7=13138 cosmic ray ninth international conference proceedings, London, 1965 7=13127

counting circuits, basic instrumentation and trends 7=3376 counting circuits multichannel and multiparameter analyser systems 7=3379

covalent crystals electron band structure 7=17781 creep in crystalline bodies 7=14663

creep of eng. alloys and creep theories 7=14662

crystalline lasers, hosts and impurities 7=3151

cyclotron beam diagnostics and instrumentation 7=12821

cyclotron beam props. effect on experiments 7=12835 cyclotron external source ion injection 7=12830

cyclotron regenerative beam extraction 7=12838

cyclotron regenerative beam extraction 7=12838 cyclotrons, AVF, research in USA 7=16759 cyclotrons central region 7=12820 cyclotrons, isochronous, 8-130 MeV 7=12861 cyclotrons polarized ion sources 7=12829 deuteron-nucleus, optical potential 7=16829 dislocations electron microscopy contrast theory 7=1583 dislocation theories of age-hardening 7=17668 diurnal tide in atmosphere, theory 7=15503 dosimeters, glass, using optical density var. 7=3374 dosimetry in nuclear reactors 7=10366

dosimetry, grass, using optical density var. 7=337 dosimetry in nuclear reactors 7=10366 e.p.r., August 1963-July 1965 7=5193 earth gravitational potential derived from satellite

motion 7=8602

motion 7=802 earth's dust cloud obs. 7=8927 earth's mantle convection theory 7=8603 elastic wave propagation, thermodynamics, materials with memory 7=15930 electric discharges in vacuum 7=9727 electro-electronic propulsion systems for space

craft 7=12107

electroluminescence and semiconductor lasers 7=16178 electromagnetic interaction experiments 7=16594 electromagnetic interactions 7=6062

electromagnetic interactions (=0002)
electron diffraction crystal structure analysis,
recent Russian work 7=1406
electron microscopes resolution improvement 7=5826

electron microscopy, development in Holland 7=16066 electron microscopy Jan. 1964-Jan. 1966 7=5827

electron spectroscopy for chemical analysis 7=16895 electron transport theory < 10 MeV 7=16525 electron and X-ray counters, low-background, gas-

filled 7=16527

elementary particle resonances quark model 7=16449

elementary particle symmetries 7=16426

elementary particles at high energy, books series for Trieste 1965 seminar 7=12882

equations of motion in general relativity 7=12345

Fermi surface 7=17787

field cathodes with thin insulator films 7=11610 film deposition techniques 7=14269

films of II-VI compounds, activation and recrystal-lization 7=10957

friction, lubrication and wear, last decade 7=7667

fuel cells 7=9328

fusion power, progress 7=13897 galaxies and quasars, identification, review 7=2688 γ-radiation studies since World War Π 7=5306 γ-ray backscatt. 7=9863

scattering by nuclei, resonant 7=6401

Geiger-Muller tubes, sample and window technique 7=384 geomagnetic rapid var. equatorial obs. 7=5488 glass fining, kinetics and mechanisms 7=4496

graphite, pyrolytic, prod. and props. 7=1206 Gunn effect 7=1924 history of NBS of USA 7=15840

hyperons non-leptonic decay,  $\Delta I=\frac{1}{2}$  rule tests  $\ 7{=}13104$  i.r. detectors, solid-state  $\ 7{=}9236$ 

interactions with C-nonconservation of local trilinear

type 7=16453
intermetallic cpds. as permanent magnets,
survey 7=5139
internal conversion high resolution obs. appls. 7=6309

internal conversion meas., mainly K 7=3728 interplanetary bodies 7=12250

interstellar absorption var. with wavelength, recent advances 7=8872

interstellar and intergalactic media 7=15720 ion implantation 7=14637

ionic bombard, of solids expt. technique 7=4727

Reviews-contd

ionosphere, F-region theory 7=15596

ionospheric absorption of cosmic radio noise since 1962 7=8736

1962 7=8736 ionospheric physics 7=8726 K meson decay 7=13026 K meson weak interactions CP violation 7=16577 K<sub>1</sub>-K<sub>2</sub> mesons mass difference obs. 7=13034 laser beams and resonators 7=3126 laser interferometers for fluid mechanics 7=9612 leptonic decay selection rules tests 7=12895

light coherence and fluctuations 7=9533

light modulators for i.r. over wide band 7=5906 light scattering in liquids and gases 7=17268

liquid dielectrics ion mobility rel. to viscosity, 5-2 × 10-5P 7=10856

liquid scintillation spectrometers 7=6369

liquid state 7=1103

liquids, Bernal's theory 7=17243

luminescence decay times estimation by method of moments 7=2362

magnetic cooling, recent methods 7=9268

magnetic storms associated phenomena 7=8757

magnetization creep in films 7=8149
of magnetoelastic interactions, basic sources 7=8227
magnetosphere interaction with solar plasma 7=8718
meson prod in accelerators, developments and appl.
prospects 7=12997

metallic crystallites orientation obs.by optical reflection method 7=1298

metals and alloys, vacancies 7=1532 metals, damping props., influence of dislocations 7=11262 metals interstitials due to irradiation, annealing 7=1532

metals magnetic impurities, theory 7=4831

meteorological rocket network 7=11982 meteorology, radio 7=5372

mica synthesis 7=1346

Michelson interferometric spectroscopy in far i.r. 7=329 microscopic transport phenomena in liquids 7=7043

microstructure scanning apparatus for counting, sizing and integration 7=7350

molecular multipole moments 7=4064

Moon and planets thermal obs. of surface 7=12224 Mössbauer effect, with applications 7=7194

Mössbauer ettect, with applications 7=7194 Mössbauer effect recent appls. 7=17328  $\mu$  capture recent developments 7=6416 muons, weak interactions 7=16636 n. m. r. spectrometry, techniques, equipment and theory, 1963-65 7=3102 n.m.r. spectroscopy 7=5346

n-N scattering 7=16620 neutrino experiments reported at high energy physics

conference in 1964 at Dubna 7=3515

neutron capture cross. recent obs. and meas. techniques, 5-100 keV 7=13474

neutron sources, very intense, accelerator based, comparison 7=13093

neutron spectroscopy of solids 7=14422 noctilucent clouds 7=11994 noctilucent clouds 7=12047

nuclear fission, multiparameter expts., and semi-conductor detectors 7=3965 nuclear fusion research 7=4225

nuclear fusion research, controlled 7=10338 nuclear physics data handling at high energy, post-1962

progress 7=5953

nuclear physics instrumentation at high energy novelties, comments 7=5954

nuclear physics multichannel data acquisition and digital

computers at low energy 7=3346 nuclear radiation detectors, solid-state 7=9695

nuclear radiations and their interaction with matter 7=6005 nuclear reactor theory, Polish work 7=775 nuclear reactors development and construction, irradiation damage to fuel elements 7=10340

nuclear reactors, high-temp. gas-cooled 7=16862

nuclear reactors, high temperature 7=16863 nuclear structure analysis, use of computers 7=3706

nucleonics 1963-6 developments 7=16670 ocean, acoustics 7=15467

optical resonances 7=9489

organic impurities effects on inorganic crystals, review 7=1311

origin of elements 7=12121 particle accelerators, low and medium energy 7=425

particle beam separation advances at high energy physics conference in 1964 at Dubna 7=5824 particle sizing, automatic recording instruments 7=12282

particle spectrometers for penetrating radiations 7=16360 particle track vizualization apparatus, use of computers 7=3385

pion-nucleon interactions, above 1 GeV, theory 7=9903  $\pi$ -N interactions below 1 GeV, theory 7=9902

planets earth, Venus and Mars internal struct. recent papers 7=8926

```
Reviews-contd
           ews—conta
plasma confinement, in h.f. fields 7=10660
plasma diagnostics, laser methods 7=6871
plasma diffusion, of electrons and ions, in mag. field,
                   obs. 7=6835
          plasma, incompletely ionised wave propag. 7=171
plasma measurement techniques, instrumentation
developments 7=4211
plasma oscillation 7=10665
plasma physics at Nagoya university, April 1965—
March 1966 7=17036
plasma spectroscopy 7=6864
plastics 7=7300
point defect clusters, energy calcs. 7=14512
polarographic theory, methodology, literature
1963-65 7=5348
polymorphism in one dimension in crustical
             plasma, incompletely ionised wave propag. 7=17111
             polymorphism in one dimension in crystals review 7=7214
             positron annihilation and positronium 7=530 process control 7=2744
           process control 7=2744
pyrometers, optical, i.r. and two colour devices 7=9257
pyrometers, types and appls. review 7=9248
quality requirements, high-purity, in semiconductor
technology 7=11498
quantum field theory, axiomatic approach 7=9680
quantum transport in high mag. fields 7=17744
quasars 7=15742
rf. synttoning, theory and reserve 7=14000
             r.f. sputtering, theory and practice 7=14270 radioactive source strength standardization
                   techniques 7=3827
             radioactivity meas. far off instability line, recent on-line proposals 7=3823
radiotelescopes 7=2738
Regge poles theory 7=3495
           resonant scatt. of electron by atomic systems relato autoionization 7=10442 \rho, f'', \pi\pi\eta, A, E, \varphi and baryon resonances 7=6198 rotating fluids 7=1051
             scattering amplitudes asymptotic rels. in local field
                   theory 7=16468
             scattering forward amplitude at high energy from unitarity and analyticity 7=16466
             scattering of particles by Yukawa potential 7=3467 scintillation counters resolving time theories and obs. 7=3356
             scintillation detectors recent developments 7=3355
             semiconductor detectors for nuclear spectrometers,
background information 7=3366
              semiconductor particle spectrometers 7=9689
             semiconductors negative magnetoresistance, rel. to impurities 7=17937
             semiconductors, organic 7=1915
solar cells 7-9331
              solar cells, irradiation effects 7=12514
             solid plasma instabilities post 1964 work 7=17835 space vehicle shielding against high-energy nucleons 7=18402 space vehicles, data processing and receiving 7=2616 spectroscopy 7=328
             spectroscopy, atomic absorption 7=2488
spectroscopy, with solid-state emphasis 7=15292
             stellar atmosphere models for late type 7=
stellar chromospheres 7=15638
stellar structure theory, historical 7=12132
strong interactions at high energy 7=16448
strong particles, weak interactions 7=16572
             sulphates, inorganic, decomposition 7=18324 superconducting devices 7=1872
             superconductivity in degenerate semiconductors 7=17881 superconductors quantized mag.flux 7=1867
             superconductors, type II 7=11463
superfluid systems vortices 7=5762
superfluidity in Bose and Fermi liquids 7=5761
synchrocyclotron conversion 7=12850
             synchrotrons, isochronous, at international
           synchrotrons, isochronous, at international conference 7=426 thermal neutron elastic scatt. equipment 7=3654 thermal neutron elastic scatt. equipment 7=3655 three particles, production near threshold 7=12915 transistor operation, second breakdown 7=5039 transport processes recent developments 7=9127 transpheric trans-horizon propag. 7=2532
            tropospheric trans-horizon propag. 7=2532 vibronic spectra in ionic crystals 7=11102 viscoelasticity in polymer solns., liquids and gels 7=4335 weak interaction theory 7=6065 weak interactions conference at Argonne, 1965,
                   summary 7=12924
            weak interactions present status 7=16456
whiskers, strength meas. and metal reinforcement 7=4756
X-ray absorption and emission 7=5349
             X-ray dynamic diffraction theory for perfect crystals,
             historical 7=1399
Zeeman effect research in E. Europe 7=9579
Zeeman effect work at MIT 7=9580
             zone refining, rel. to semiconductors purification 7=7316
```

CO, band spectrum 7=4071

```
Reviews contd
         CdS thin film solar cell 7=12508
         GaAs, Gunn effect devices 7=9427
        GaP, radiative recombination at isoelectronic traps 7=18296
         Ge, electron irradiated, disordered regions production
            obs. 7=7633
         Ge, semiconductor props. 7=1939
H<sub>2</sub>O flow visualization techniques 7=10781
         He superfluid microscopic theories 7=5769
         He3 liquid very low temp. obs. 7=5751
         N-N and \pi-N interactions, expt. data 7=9971
O negative ions excitation possibility 7=6571
         Si, surfaces, thermionic emission of electrons 7=11605
        SiO<sub>2</sub> in MOS devices 7=1984
         ZnTe, radiative recombination at isoelectronic
            traps 7=18296
Reynolds number. See Flow; Hydrodynamics.
Rhenium
         adsorption of N<sub>2</sub> 7=7292
         de Haas-van Alphen effect high field rel. to Fermi
             surface 7=1788
         Fermi surface and band structure calc. 7=4870 oxidation of films obs. 7=5329
         solubility in Au and Au-Pt alloys 7=4446
         structure of field-evap. surface 7=7261
         work function reduced by alloying with Zr 7=8067
         work function in vacuo, effect of O2 adsorption 7=2052
         C solubility 7=7208
        N adsorption, of H, obs. with field emission
microscope 7-14296
Re<sup>185</sup>, Re<sup>187</sup>, Re<sup>186</sup>, Re<sup>188</sup>, hyperfine struct. of I-lines 7-4010
W-Re thermocouples, for nuclear reactor fuel temp. and
             thermal time const. meas. 7=13654
Rhenium compounds
         Re bronzes, alkali, cubic, structure and cond. 7=7443 \rm ReO_4 , exchange of O with \rm H_2O 7=15437
         Re-Th alloys, electron emission props. 7=15090
        See also Plasticity; Viscoelasticity.
asphaltic bitumens, rel. to fracture 7=14766
Bingham solid, extremum principles application 7=14646
        Bingnam solid, extremum principles application (=14040 gels, relaxations, review 7-4335 irreversible processes, rheology and thermodyn. 7=12329 liquids, relaxations, review 7-4535 poly(methyl methacrylate) solns. in θ-solvents, anomaly 7=10819
         polymer melts 7=1133
        polymer ments 7=1133
polymer solns.,relaxations,review 7=4335
resins, thermoplastic, plane stretching and
moldability 7=4751
rheometer, servo-controlled for viscoelast.liqs. 7=7045
         viscoelastic Maxwell liquids subject to large elastic
              deformations 7=4309
         CaTiO<sub>3</sub> dispersions electroviscosity 7=17295
         SiO<sub>2</sub> dispersions electroviscosity 7=17295
Rhodium
         with alkaline-earth metal film, adsorption and electron
         emission 7=5107
chemisorbed O structures on (110) surface 7=2460
        de Haas-van Alphen effect, Fermi surface 7=2401
de Haas-van Alphen effect, Fermi surface 7=4871
Fermi surface, de Haas-van Alphen effect 7=4871
films with adsorbed CO i.r.spectra 7=17406
sorption of N<sub>2</sub> 7=1285
Rh(II), spin-lattice relax. in ZnWO<sub>4</sub> 7=8304
Rhodium compounds
Rh<sub>17</sub>Ge<sub>22</sub>, new type of superstructure, obs. 7=17514
Riemann-Cristoffel tensors. See Relativity; Tensors,
Righi-Leduc effect. See Magnetothermal effects.
Ring currents. See Atmosphere; Ionosphere.
Riometers. See Ionosphere measuring apparatus.
Rochelle salt
         crystal growth, supersaturation effect on shape 7=1336
         dielectric const. at 9.3 Gc/s, minimum at Curie temp. 7=18045
        dielectric parameters, compression effects
meas. 7=11566
pyroelectricity, -30° to +30°C 7=8039
Cu-doped seignette salt, e.p.r. 7=2208
Na<sup>23</sup> n. m. r., quadrupole splitting obs. 7=8336
Rock magnetism
         disaccommodation of magnetic susceptibility and
              stabilization of remanent magnetization 7=2605
         and ferromagnetic transition anomalies 7=5147
         red sandstones, variation 7=15615
         remanent magnetization, differences between types 7=18399
         remanent magnetization, oriented, stability obs. 7=18401
         remanent magnetization types associated with thermally induced transformations of Fe<sub>2</sub>O<sub>3</sub>. nH<sub>2</sub>O 7=18400
         sediments, remanent magnetism, grain size effects 7=2603 viscous magnetization 7=2604
Rockets
```

astronomical, i. r. night-sky radiation upper limit

Cosmos, orbits and upper-atm. density 7=2537

obs. 7=12127

```
Rockets-contd
```

electric fields in ionosphere obs. 7=2579 ionization with solid propellants obs. 7=8530 ionospheric rarefaction meas. following transit 7=5444 Luster sampling of micrometeorite shower 7=12239 ozonesonde 7=11991

sound ranging for supersonic missile location, theory 7=9196

trajectories, optimal, 4th necessary condition 7=2811

## Rotating bodies

See also Angular velocity measurement; Centrifuges; Earth/rotation; Gyroscopes.

angular momentum teaching demonstration 7=9045 asymmetric rigid, angular momentum components fourth-order power products 7=6617

classical rotation operator use in quantum
mechanics 7=12760
damping of gyrostat by inertial pendulum masses 7=12314 discs, unsteady, flow between of viscous incompressible fluid 7=10697

fluid masses in general relativity 7=9081 galaxies, equilibrium calc. 7=8881 gravitational instability of collapsing cloud 7=15715 ground glass, for var. coherence of laser light 7=9571 gyrostat with fixed point, permanent axes of rotation 7=12315

Maclaurin spheroids deformation in general relativity 7=9080 and n.m.r. moment, theory 7=5871 optical incremental shaft resolver using plastic radial

gratings 7=12283

rigid, Euler's eqns. derivation, forces role 7=9044 spherical caps, viscous fluid motion prod. 7=6931 star systems, hydrodynamics 7=5546 stars in general relativity, equilibrium, var. principle 7=8800 two fluid-in-shell bodies in relativity 7=9079

HeII between rotating cylinders, second sound absorption and velo. obs. 7=9295 HeII liquid, density increase near  $\lambda$  point mechanism 7=9289 Rotation, molecular. See Molecules/rotation.

Rotatory power, dispersion. See Optical rotation. Rubber

> dynamic Young's modulus by ultrasound 7=4744 fatigue life and cut-growth characts. 7=14779 fracture and fatigue behaviour 7=14780 freezing head for ultramicrotome 7=8998 ideal incompressible, transverse shock waves 7=14650laminated rubber systems, shear strength  $\,7{=}4826\,$  microfibrillar textures in fibres  $\,7{=}7301\,$ vulcanizates, crosslinking and creep 7=1749

# Rubidium

absorption flame-photometry, removal of foreign bodies influence 7=10417

 $\begin{array}{ll} \text{atom, } ^2P_{1/2} - ^2P_{5/2} \text{ excitation, cross-section in} \\ \text{collisions } 7 - 4018 \\ \text{atoms excitation and ionization by electrons, initial} \end{array}$ 

energy var. obs. 7=10438 atoms, excitation by slow electrons 7=4030

atoms resonance lines excitation by electrons, cross. obs. 7=10433

atoms, spin-exchange cross-section, maser expt. 7=13704 ions, electromigration in molten RbNO<sub>3</sub>, isotope effect 7=7060

lattice dynamics, electronic struct, and elect.

props. 7=11109 light source for frequency standards and magnetometers, spectrum obs. 7=9573

liquid, isotope thermal diffusion meas. 7=7058

maser, pumping-light effects 7=12589

n.m.r.enhancement 7=2245 n.m.r.in metallic Rb 7=15279

vapour, r.f. modulated optical transients 7=4029

vapour, r.f. modulated optical transients 7=4029 Rb8s atoms electric dipole moment upper limit, optical pumping obs. 7=10439 Rb8-Cs<sup>133</sup> collisions spin-exchange cross., optical pumping obs. at 78°C 7=10453 Rb8-Collisions spin-exchange cross., optical pumping obs. at 78°C 7=10453

## Rubidium compounds

furantetracarboxylic acid, Rb salt, struct. 7=17527 Rb-graphite lamellar cpds., thermodynamic props. 7=7161 RbBr, isotope mobilities in liquid, temp. var. obs. 7=8561 RbCl, Brillouin light scatt. obs. of phonons and elastic consts. 7=2316 RbCl, isotope mobilities in liquid, temp. var. obs. 7=8561 RbC1:Agr absorption spectrum 7=10914 RbC0s<sub>3</sub>, infrared absorption, 750-2000 cm<sup>-1</sup> 7=15341 Rb-Cs liquid mixtures theory and struct. 7=14044 RbD, absorpt. spectrum 7=6694 Rb<sup>5</sup>51<sup>-19</sup>5 molec. beam determ. of h.f. s. 7=6695

RbH, vibr. numbering 7=6694

RbH2PO4 elastic consts.temp.var.obs.,rel.to ferroelec. 7=7730

Rubidium compounds-contd

RbI colour V<sub>K</sub>-centres 7=14629 RbI, elastic constants, anisotropy (20-500°C) 7=14757 RbI, internal friction and Young's defect modulus, amp.

and time depend. 7=11303

RbI, lattice dynamics and phase transformation 7=14246

RbMnF<sub>3</sub>, equilibrium spin configuration and resonance behaviour 7=2168

RbMnF<sub>3</sub>, exciton-magnon interaction in absorption 7=15348 RbMnF<sub>3</sub>, paramag., energy distrib. of n scatt. 7=8111 RbMnF<sub>3</sub> spectrum, absorption fine struct at 4.2 K 7=8411 RbNO<sub>3</sub>, molten, electromigration of Rb ions, isotope effect 7=7060

RbNiF<sub>3</sub>, hexagonal, Ni<sup>2+</sup> transitions, optical absorpt. 7=14840

absorpt: 1=14040

RbPaF<sub>8</sub>, Raman and absorption spectra rel. to identification, in conference, Orsay (1965) 7=11796

Rb<sub>2</sub>PaF<sub>7</sub>, Raman and absorption spectra, rel. to identification, in conference, Orsay (1965) 7=11796

RbssF<sup>19</sup>, meas. of Zeeman effect, Stark effect and-hyper-fine struct. 7=13752

## Ruby

absorption linewidths temp.dependence 7=18211 adiabatic demagnetization to obtain infralow temp. 7=12482 cathodoluminescence due to electron, spectrum and

obs. 7=2368 crystal growth by Czochralski method 7=7319

crystal growth by Verneuil method for optical quality 7=11001 destruction by strong laser radiation 7=7629 disk-grown for lasers, precipitates 7=17625 electron excited, optical emission in R lines 7=15370 energy transfer from single to closely coupled pairs of Cr ions 7=15369

excited absorpt. spectrum 7=2276

Fluorescence of principal and secondary line 7=8468 laser, characts., effects of gamma radiation 7=16185 laser, coherence of emission peaks 7=292 laser, continuous high-output 3-in. cryst. 7=3161 laser, control using u.s. modulator 7=293-4

laser Doppler shift by Kerr cell traveling wave line 7=5908 laser, emission characts. 7=5890

laser emission, obs. of change in occupation number 7=9519

laser emission, var. of population inversion 7=12656 laser, energy balance with threshold pumping 7=3163 laser, generation of sum freq. with Nd<sup>3\*</sup> glass laser by KH<sub>2</sub>PO<sub>4</sub> 7=12651 laser, giant pulse, direct spectral detection of off-axial

mode structure 7=297

laser, giant pulses, intensity depend. frequency shift 7=16186

laser, increase time, pulsation period and loss factor 7=9521 laser \( \lambda / \) Kerr cell as radar for atmospheric turbulence

meas. 7=5376

laser, linewidth with Ga phthalocyanine shutter 7 = 9522 laser, for liquid light scatt, and molecular anisotropy obs. 7=7079

laser, mode-locking and competition by saturable absorbers 7=12650

laser, near and far field, 90° rotation 7=16184 laser, noise generation effect on operations 7=12653 laser, with nonresonant feedback 7=9520 laser oscillators, simultaneous giant pulses

production 7=300

laser, with passive Q-switch element 7=298 laser, passive, Q-switched, coupling effects 7=3155 laser, pumping power determ. 7=3162

laser, resonator thermal distortion obs. 7=5891
laser rod, internal self-damage 7=299
laser rod length effects on inversion population and
power for single pulse calc. 7=9517
laser rod, luminesc. amplification 7=291

laser, second harmonic wave emission, holographic

obs. 7=16188 laser, single giant pulse 7=9523

laser on solid surfaces, plasma prod. obs. 7=11614 laser with thermal lens resonator, c.w. 7=295

laser time var. emission of individual modes obs laser with vibrating mirror, relaxed emission obs. 7=3160

light amplifiers, anomalous absorption due to excited-state effects 7=12652

luminescence, quantum yield of R-line 7=8467 luminescence yield, spectral distrib. 7=2367

maser, traveling wave, YFe garnet resonance isolators 7=8446 microwave maser, gain characts. 7=12594 microwave mixing, with travelling-wave maser 7=5244 photon echoes after laser excitation 7=12655 pink, absorption of polarized light 7=11746 R and N lines for heavy doping, temp. depend. 7=11845 R2-line generation in cavity with dispersion 7=12654

atmospheric drag effects on motion calc. 7=15617

Cosmos 41, outer radiation belt particle intensity

Satellites, artificial-contd

```
Ruby-contd
           spectra, optical and microwave, anal. rel. to trigonal crystal-field model 7=7175
            spin-lattice relax., effect of elastic anisotropy 7=4618
spin-lattice relax., effect of elastic anisotropy 7=4018 synthetic, dielectric props at 10<sup>11</sup> c/s 7=5063 trigonal field parameters, covalent contrib. 7=7176 Cr concentration meas., 4 methods compared 7=2484 Cr impurity pairs, structure, rel. to luminescence 7=15371 Russell-Saunders coupling. See Atoms; Spectra/atoms.
            de Haas-van Alphen effect 7=1790
            dislocations, two-leaved spirals obs. rel. to Burgers vector 7=7589
            radioactive isotope in atmosphere 7=11995
            structure of field-evap. surface 7=7261
 Ruthenium compounds-contd
No entries
Rutile. See Titanium compounds.
SC (sudden commencement). See Magnetic storms.
S-matrix theory
                 See also Dispersion relations.
            for arbitrary spins 7=6094
            axiomatic formulation 7=9679
            difference eqns. in sound mathematical basis 7=11097
            discontinuity across normal thresholds in subenergy variable, calc. 7=3481
            electron scatt. in metals 7=14787
           electron scatt, in metals (=1476) equations for matrix elements, from axioms 7=9678 hadrons, strong and e.m. interactions, T-invariance 7=3454 icecream-cone singularity, anal. 7=3482 Jost function, Levinson theorem and multichannel problems, relativistic 7=3480 Lee model V-0 sector eigenphaseshifts and Levinson's
                  theorem 7=6095
            linear chain vibration with impurities 7=11098
n-particle scatt., elements construction 7=6092
and non-compact symmetry groups 7=12940
            non-relativistic three-particle scatt. 7=16471
            particles and resonances, recent developments 7=16473
             Peres-model field theory, perturbation expansion
                   validity 7=9840
             phase-space integral, exact analytical evaluation 7=9881
            quantum electrodynamics 7=12772
quantum electrodynamics, invariance, two gauge
classes 7=3337
             quantum electrodynamics S-operator, formal
             decoupling 7=9672
scattering of composite systems 7=16472
scattering of composite systems 7=16472
singularities, Riemann sheet structure, by Hermitian
analyticity 7=12941
spin and statistics 7=486
             and spin-statistics and cluster decomposition 7=15904
             strong interactions, bootstrap model, Mandelstam iteration 7=3453
             unitarity in broken SL(6) 7=3479
             unitarity, causality and Fermi statistics 7=6096
 unitarity, for multichannel scatt. 7=487

SU<sub>s</sub> group theory. See Elementary particles; Field theory, quantum/interactions, strong; Group theory.
 Safety precautions. See Radiation protection.
 Sakata model. See Elementary particles.
 Samarium
             atomic K-electrons incoherent \gamma-scatt. at 662keV 7=10415 ion, Sm<sup>2+</sup> in CaF<sub>2</sub>, g-factors by mag. dichroism 7=11751 ions, Sm<sup>3+</sup>, in phosphors, broad-band and u.v.
                  excitation 7=5310
            low-temp. elec. resist., thermal cond., mag.
props. 7=11440
in KCl, obs. of monovalent Sm* ions 7=8408
           in KCl, obs. of monovalent Sm<sup>+</sup> ions 7=8408
Sm<sup>2+</sup> in alkaline-earth fluorides, levels and
transitions 7=2344
Sm<sup>3+</sup>, in CaF<sub>2</sub>, Fi<sup>3</sup> n. m. r. 28-300°K obs. 7=2232
Sm<sup>3+</sup> e. s. r. in CaF<sub>2</sub> trigonal sites obs. 7=8307
Sm<sup>3+</sup>, energy levels in LaF<sub>3</sub> 7=17339
Sm<sup>3+</sup>, energy transfer mechanisms 7=2400
Sm<sup>3+</sup> in Na rare-earth tungstates, energy transfer with
Eu<sup>3</sup>, Tb<sup>3+</sup> and Dy<sup>3+</sup> 7=2391
Sm<sup>3+</sup> in YVO<sub>4</sub>, <sup>6</sup>H<sub>5/2</sub> level 7=8387
SmI, Zeeman effect 7=828
rium compounds
Samarium compounds
            Sm orthoferrite mag. curves around reorientation temp.
                 obs. 7=8240
Sm<sub>5</sub>Ge<sub>4</sub>, crystal structure 7=14394
Sampling. See Statistical analysis.
            γ-ray field distribution for soft radiation 7=9861 red sandstones, mag. properties var. 7=15615
singing, freq. analysis 7=5717
singing sands 7=124
Satellites, artificial
```

Alouette I, ionospheric topside obs. 7=12094

Ariel 2 (1964-15A), orbit 7=8769

```
var., meas. 7=12059
          Cosmos-65, reflected atmospheric radiation,
2250-3070 Å, meas. 7=12011
Doppler-Fizean effect, differential, meas. apparatus 7=5443
          Echo 2 orbital period change, exospheric densities
          derived 7=8688
Explorer VI, absolute atm. densities from spin and
          orbital decays 7=8689
Explorer XX, conjugate e.m. wave ducting obs. 7=12067
          instrumentation, photomultiplier tubes 7=18403
          instrumentation review 7=5495
          in ionosphere, equilibrium potential 7=8742
          ionospheric Faraday-effect, depend. on rot. and angle
          var. 7=8733
laser communication, velo. aberration and atmospheric refraction effects calc. 7=5494
          Lunar Orbiter for photographing moon 7=8908
Luna-10 motion, Moon's gravitational field 7=12203
          luni-solar perturbations over 24 hours 7=2611
Mariner 2, solar plasma flows, obs. 7=12260
          of moon, orbit meas. by classical binary star method using Doppler radio obs. 7=8902 of moon, orbits calc. 7=12110
          motion calc. from exact soln. of two fixed centres
               problem 7=2610
          motion rel. to earth gravitational potential, review 7=8602 motion, equations, asymptotic methods of integration 7=2612 motion inside a resisting atmosphere 7=12108
          near earth, dynamical theory 7=2608 optical observational characteristics 7=2607
          orbital decay, semi-annual effect 7=2613
orbits, determination using lasers 7=5493
orbits, Enke perturbation method 7=2614-15
         plasma sheath from V × B interaction with
environment 7=18404
range meas. system, programmed multipulse
laser 7=15841
relativistic precession of spinning satellite calc. 7=8767
relativistic rotation of perigee 7=8768
resonance with longitude-dependent gravity 7=15616
          rotational symmetry perturbation, numerical study 7=2609
solar cells, low energy proton damage, partially shielded 7=3000
          temperature distribution of thin surfaces with radiative
               heat exchange, calc. 7=12109
          Van Allen belt investigation 7=5413 visual appearance, 1965 list 7=8766
1965 launchings, table 7=2606
Scalers. See Circuits; Counting circuits.
Scandium
          group elements, Laves phases with Ru, Rh, Os, Ir and Pt 7=7222
          X-ray emission spectrum K\beta_5 band and K absorption edge 7=5274
          X-ray emission spectra, K<sub>8</sub> 7=11877
Scandium compounds
          ScF, electron struct. and ground state 7 = 10521
          Sc-Fe system, Laves phases obs. 7=11075 Sc<sub>2</sub>(WO<sub>4</sub>)<sub>3</sub>, cryst. struct. 7=1433
Scattering
          beam of wave packets of arb.form 7=2789
Bethe-Salpeter eqn.for absorptive parts of forward scatt.amplitudes 7=3470
          book 7=6072
          crystal dynamic interference, temp. dependence 7=11738 in crystals, selection rules 7=4833
          glory extrema in total cross-sections, potential-well
               characts, 7=13698
          Hadamard formula generalization and "invariant imbedding" 7=2792
          high energy, use of dispersion techniques 7=3469
          infinitely strong potential of finite rank 7=16325 inverse at fixed energy, Newtons method 7=9820 inverse problem, 1-D, generalized 7=16110 long-range, from anisotropic potentials 7=6755
          matrices, for representations of state of
polarization 7=9617
molecular beams, dipole-dipole 7=6756
          molecular beams, iterative mapping of phase-shift to potential space 7=937 N/D method, applications 7=3487
          one-channel, integral equations, solution 7=488 peratization of logarithmically singular potential 7=12298
          peratization of singular potentials 7=9819
phase matrix, variational principle 7=3478
phase shift in stochastic fields 7=477
potential, asymptotic behaviour of partial wave
amplitude 7=6074
          potential, involving rainbow, uniform approx. 7=3322 potential well resonances optical analysis 7=12930
           quantum problem nonrelativistic, amplitude density
                functions method 7=12764
```

Scattering-contd

```
Physics Abstracts 1967 - Part I (Jan.-June)
Scattering-contd
          relation between real part of phase shift and number of
              bound states 7=9821
          Schrödinger eqn. Hamiltonian resolvent kernal and
               scatt. operator analytic continuation 7=12927
         Schrödinger eqn. phase shifts for A<sub>n</sub>/R<sup>n</sup>-B/R potential 7=9657 by semi-infinite grating of isotropic scatterers 7=5852 shadowing of randomly rough surfaces 7=15859 small-angle, from anisotropic potentials, classical calc. 7=10558
         solid-state theory, t matrix and phase shifts 7=17320 two nuclei in mutual Coulomb field with n exchange,
               formalism 7=3961
          waves by elliptically striated surfaces calc. 7=2790
    acoustic waves
          array of spheres, resonance 7=5724
         backscattering, average coeff. of a layer in a freq. band 7=15959
          curved interface between media of very different
         densities 7=9209
deep-sea, field fluctuations prod. calc. 7=5367
         deep-sea, held fluctuations prod. caic. 7=5367
elastic cylindrical shells between fluids calc. 7=5722
elastic layer with rough boundaries 7=132
in ocean, volume scatt., time var., fish study 7=15469
ocean, W. Pacific, volume-scatt. at 12 kc/s 7=18349
omnidirectional, by rough imperfectly reflecting
surfaces 7=15950
sphere, rigid, movable, calc. 7=5723
underwater from artis ice. roll to roughbook. 7=11055
         underwater from arctic ice, rel. to roughness 7=11975
          volume, from deep scattering layer, meas. 7=2506
    acoustic waves, ultrasonic
          No entries
    electromagnetic waves
         from convex cylinders near grazing incidence, asymptotic behaviour 7=9447 cylindrical, by circular cylinder 7=5853 dielectric spheres of index 4/3, Mie theory calc. 7=3273
         electron gas containing finite objects 7=9449
         half-space, sinusoidally stratified 7=3086 interplanetary plasma 7=8953
         inverse problem, uniqueness theorem for cylinder 7=9444
         by magnetically lossy particles in Rayleigh scatt.
              limit 7=9619
         microwave, by underdense turbulent plasma 7=6852
         on molecules, multiphoton transitions, diag. perturb.
               theory 7=4053
          near turning point, smooth perturbations method
               calc. 7=12575
          numerical solns. for long strips, wedges and notched
              cylinders 7=5854
         plane wave on thin cylindrical conductor 7=9446 plasma, computed profiles 7=6853
         plasma cylinder, ang. distrib. of phase and intensity 7=13880 plasma oscillation, nonlinear, quantum statistics 7=10671 semiconductors, for microwave transport parameters meas. 7=17943 by semi-infinite grating of isotropic scatterers 7=5852
          shadowing effect on backscattering of waves from random
         rough surface 7=9448
two plane waves, Born-Infeld nonlinear electro-
dynamics 7=3085
         See also Diffusion, light; Raman spectra. acetone, shock-compressed, Brillouin scatt. 7=4355
         by acoustic waves, rel. to deflection and modulation
             devices 7=3230
         aerosols, photons obs. rel. to theories 7=14138 air sparks, laser-induced, of laser light 7=13814 aniline, stimulated optical frequency mixing obs. 7=4356
         anisotropic nonconservative of cloud layer 7=15775
         anisotropic nonconservative of cloud layer 7=15775
anisotropic, plane layer 7=9618
atmospheric, of laser beam 7=15524
back, by spheres of index 4/3, Mie theory calc., rel. to
glory 7=3273
         benzene derivatives, disubstituted, reorientation rate
               meas. 7=13758
         Brillouin, cubic crystals, from thermally excited
phonons 7=2316
Brillouin effect, laser stimulated, self-focusing of
beam 7=3185
         Brillouin, stimulated, rel. to stimulated phonon
         generation 7=15303
Brillouin, for u. s. velo. and absorption meas. 7=9211
cellophane gel, solvent-exchanged, swollen 7=1186
coherent light, in aerosol medium 7=17302
         comblike branched mols., ang. distrib. of intensity 7=14090 in cosmological angle meas., due to gravitation 7=8776
```

critical opalescence, Rayleigh linewidth 7=7080

dispersions, for particle size distribution meas., angle range 7=7125

by dielectric spheres, polydispersion, cross-sections 7=1179

electrolyte solns.conc.scatt. 7=7081

```
light-contd
   electro-optical films, multi-layer 7=3281
   ferrosoferric oxide colloid, for magnetic multipole field
centre location 7=9345
films with nonrandom orientation fluctuations,
theory 7=2271
    four-photon, stimulated, rel. to Rayleigh-wing scatt. 7=3274
   Freon-13, superheated, nucleation obs. 7=14160 gases, compressed, normal Brillouin 7=1088 glass inclusions, internal flux component struct. meas. using polarized light 7=11773 by glasses 7=2342
    in glasses, Brillouin, stimulated, and laser fracture 7=15329 and granular structures spectral reflection rel.to
        transmission 7=18194
    inclusions, internal flux component struct. meas. using polarized light 7=11773
    in insulators, by photons 7=5232
    isobutyric acid-water mixture, critical, concn fluctuations, time-depend obs 7=17271
    laser, electron scattering, non-linear 7=12613
laser light, by gases, polarization 7=4298
    laser light, object-image relationships 7=16292
    laser, by plasmons, acoustic and optical 7=15302
liquids, Brillouin scatt. rel. to dispersion of hypersonic
waves 7=14082
    in liquids and gases, review 7=17268
    liquids, molecular anisotropy obs. by pulsed ruby
        laser 7=7079
    liquids, multiple stimulated Brillouin scatt. 7=14087
    liquids, stimulated Brillouin, laser Q-switch
        techniques 7=16149
    by magnetically lossy particles in Rayleigh scatt.
        limit 7=9619
   methane, at 100 atmos., nonlinear scatt. 7=13990 molecules, double-quantum scatt. 7=4052 by molecules, resonant Raman, selection rules for vib. structure 7=10469
   vib. structure 7=10469
multicomponent fluids, statistical mech. theory 7=1048
multiple in turbulent atmosphere 7=12007
nitrobenzene, stimulated Rayleigh scatt. obs. 7=14093
m-nitrotoluene, stimulated Rayleigh scatt. obs. 7=14093
nonlinear, angular dependence 7=5904
in 1-D nonstationary medium, rel. to luminescence of
        novae 7=12393
   in one-dimension with periodic var. illumination, appl. to close binaries 7=12722
   organic liqs., depolarized Rayleigh scatt. 7=14092 oriented systems, effect of birefringence 7=2270
   in paramagnet, superfine structure of Rayleigh line 7=5231
   particle size meas. by mean scattering cross-
sections in polydispersions 7=1180
by photons, in solids 7=5232
   plasma, asymmetry in thetatron obs. 7=17074
   plasma, of coherent light, plasma correlation function
        meas. from statistics 7=10653
   by Plasma, Thomson, from laser, rel. to electron density
   and temp. 7=17075
in plasmas 7=1016
   poly (ethylene terephthalate), films, rel. to structure and
   spherulite forms 7=1295
by polygonal cylinders, cross-sections 7=12718
   polymer films, use of polychromatic divergent light
   source for obs. of patterns 7=1294
polymer solns., elastic scatt., theory 7=10838
   polymers in mixed solvents 7=14091
polypropylene films, rel. to structure and spherulite
forms 7=1295
   polypropylene solns., mol. wt. distrib. determ. 7=13788 polyvinyl acetate latex films obs. 7=2361 Pyrex glass, Brillouin scatt. spectra 7=2339
   quantum electronics, conference, San Juan, 1965 7=12588
   quartz, effect of n-irrad. 7=11807
   quartz, fused and crystalline, Brillouin scatt. spectra 7=2339
   quartz, multiple stimulated Brillouin scatt. 7=15304
Raman, induced in anisotropic media 7=8360
   Raman, resonant scatt. in crystals 7=15301
   Raman, stimulated, emission of components of
different orders 7=16154
Raman, stimulated, Stokes and anti-Stokes components
emission angles calc. 7=12720
   Raman, stimulated, Stokes rad. rel. to laser pump
modulation 7=16152
Rayleigh-Brillouin spectrum, light-beating techniques
for meas. 7=16249
   Rayleigh effect, laser stimulated, self-focusing of
       beam 7=3185
   Rayleigh, in low-density gases 7=13986
   reciprocity eqns. for 7 polarized beams and cell scatterers 7=5919
   from rough surfaces correl function in Kirchhoff's
        soln. 7=16293
   from rough surfaces, correl function in Kirchhoff's soln. 7=16294
```

```
S 328 SUBJECT INDEX
Scattering-contd
     light-contd
           from rough surfaces rel. to thin film deposition 7=1254
           seawater 7=14095
in semiconductors, by photons 7=5232
          solids, multiple stimulated Brillouin scatt. spectroradiometer, submersible 7=5364
                                                                                            7=15304
           spheres, tables 7=12721
Thomson scatt. of high intensity beam with radiation
                 reaction 7=3499
           by three-component system, correl.between theory and expt. 7=1186
           toluene, quasielastic scatt. by entropy fluct.,
           spectrum 7=4352
tungstosilicic scid-NaCl-H<sub>2</sub>O, turbidity and activity
data 7=1120
          turbid medium, light field rel. to illumination asymmetry 7=9620
           water 7=14095
Ar, near 1 atm. press., Rayleigh scatt. 7=13986
Ar, Rayleigh radiation, depolarization 7=1089
           CO<sub>2</sub>, Rayleigh law breakdown obs. near critical liquid-
vapour point 7=4413
          vapour point 7=4415

CS<sub>2</sub>, stimulated Brillouin and Raman scatt.,
interference 7=14094

CS<sub>2</sub>, stimulated optical frequency mixing obs. 7=4356

D<sub>2</sub>O, molecular aggregates search 7=7028
           H, near 1 atm. press., Rayleigh scatt. 7=13986
           in H plasma, laser beam source 7=4210
          in H plasma, laser beam source ?=4210

$\frac{42}{16}$ Derillouin for u. s. velo. and absorption obs.,
$500-1500 Mc/s 7=9211

$\frac{42}{16}$ Odroplets glory, Mie theory calc. 7=3273

He plasma, Thomson scattering of laser light rel. to
electron temp. and conc. 7=975

KCl, Brillouin, phonons and elastic consts. obs. 7=2316
           KCl:Ca<sup>2+</sup> impurity precipitates obs. 7=8407
           KI, Brillouin, phonons and elastic consts. obs. 7=2316
           LiCl solutions in organic solvents, Rayleigh scatt.
intensity 7=14099
          MgCO<sub>3</sub>, compressed, visible and u.v. 7=11786
NaCl, role of dislocations 7=15339
NaCl solns. 7=14095
NaCl:TL, Cs, Cd, temp. and ang. vars. obs. 7=11788
RbCl, Brillouin, phonons and elastic consts. obs. 7=2316
           SF<sub>6</sub>, Rayleigh law breakdown obs. near critical liquid-
vapour point 7=4413
     SrTiO<sub>3</sub>, phonons, Brillouin and critical, 300°-80°K 7=8441 X-rays. See X-ray scattering.
Scattering, particles
                g,particles
See also Collision processes; Field theory, quantum/
interactions; Elementary particles; Nuclear forces;
Nuclear reactions; Particle range; Particle tracks;
                S-matrix theory; and under individual particles, e.g.
                Alpha-rays.
           albedo of semi-infinite medium with isotropic scatt 7=9038
          albedo of semi-infinite medium with isotropic scatt 7=9038 amplitude, four non-relativistic particles 7=9838 amplitude, high-energy behaviour 05t54m² 7=9811 amplitudes, essential singularities 7=6086 amplitudes and hadronic currents, coupled equations 7=9815 amplitudes in non-relativistic three-body problem 7=6089 arbitrary spin, super convergence relations 7=9831
          asymptotic rels.between amplitudes in local field theory, review to 1964 7=16468
           axial-vector current components, equal-time
          commutator 7=9810
backward, quark model 7=12934
          beam props. effect on experiments 7=12835
Bethe-Salpeter eqn., bounds, Padé approximants 7=6084
book 7=6072
           Born series convergence for nonlocal potentials 7=6075
          bound state, dispersion theory and impulse approximation calc. 7=3488
          bound-state, in Lee-model-type field theory 7=9812
bound state, propagator and vertex function in Green's
function formalism 7=6042
         bound states for central potential, counting 7=16461 causality, R-matrix and collision matrix, amplitude analyticity calc. 7=3466 central and peripheric interactions, high-energy 7=9789
          chamber, beam position indicator and stabilizer 7=10213 chamber with semiconductor detectors 7=13479
          charged, non-singular potentials deduction from phase-
                shifts 7=9828
         charged, shape-dependent phase-shift expansions 7=9827 charges in mag. field with moving random inhomogeneities,
               multiple 7=9370
          Chew-Low type equation general solution 7=12933
          classical mechanics, spherical potentials and dynamical groups 7=2791
        collimating system, multipurpose 7=6391
composite systems, S-matrix 7=16472
Coulomb, for arbitrary spin, cross-section to lowest
order in e<sup>2</sup> 7=3461
```

critical potential, perturbation calc. 7=9823 cross-sections in terms of local observables 7=12936

```
Scattering, particles-contd
       crystals, inelastic, atomic scatt. potential reconstruction 7=7618
       current algebra sum rules rel. to dynamical assumptions 7=12906
       differential elastic cross. extremal value 7=6081
       diffraction effects in prod., unlikelihood 7=12911 diffuse, for focusing 7=5823
       Dirac particle by Coulomb potential, asymptote for wave
           function 7=6076
       dispersion relations, subtractions 7=16474
       dispersion sum rules and high energy scatt. 7=16476 dispersion sum rules theory 7=6097 dispersion-theoretic approach to current algebras 7=16475
        doorway rel. to isobaric analogue states 7=13235
       doorway states rel.to n intermediate resonance struct.
obs. 7=13445
        "doorway states" rel. to n strength functions 7=13442
       double-scattering integrals, approximation method 7=9833 dynamical conditions in soluble model 7=6215
       elastic, by central potential, approximations for cross-
section 7=9818
       elastic, by central potential, dispersion formula 7=9817 emulsion camera for gas and solid targets 7=12809 extinct bound states single and multichannel \rm N/D
           calc. 7=456
       Fadeev equations, inelastic 7=9814
Fermi gas, using new disp. relns. and sum rules 7=9847
fermion by identical particles, couple-equations
method 7=485
        Feynman integrals with spin, high-energy behaviour 7=3545
        and form factor, energy integral by algebra of current
           commutators 7=6079
        formal theory compared with channel approach 7=3465
       forward amplitude, high-energy restrictions 7=9825 forward amplitude at high energy from unitarity and analyticity, review 7=16466 forward and backward peaks at high energies 7=6046 four different particles kinematics 7=483
        Froissart N/D method, threshold behaviour of partial-wave
           amplitude 7=9846
        Green's functions, class, analytic expression 7=484
        high energy collision, ang. distrib. dependence on
           transverse momentum calc. 7=3472
        hadronic amplitudes, nonresonant 7=16467
        and hadrons, composite models 7=9836
        hadrons, diffraction, and form factors 7=450
        heavy ions, elastic and inelastic, differential cross section 7{=}10317
        heavy ions from nuclei, elastic and inelastic 7=6452
        high energy obs. rel. to asymptotic theory 7=16448
        high energy, overlap matrix formalism appln. 7=6228
        high-energy, rel. to quark model 7=12935
        impact parameter formalism for nonzero spin 7=6082
        inelastic, analytical expressions and Blair phase
            rules 7=16763
        inelastic, change of parity, and new deriv. of Glendenning's rule 7\!=\!9830
        inelastic, high energy particle production 7=16445
inelastic, normal threshold behaviour in presence of
   anomalous thresholds 7=6080
        inelastic scattering, reactions of spin type 1 + 0 \rightarrow 1 + 0, nondyn. struct. 7{=}16764
        inverse at fixed energy, Newtons method 7=9820 inversion problem on scatt. data for systems of Dirac
            equations of order 2n 7=6078
        isovector current conservation and e.m.
           amplitudes 7=16462
        Jost function generalised, three channel integral
        eqn. 7=16470
leading Landau curve of single-loop scatt.diagram, with
            internal diagonal line 7=3464
        leptons, vector meson emission in nuclear Coulomb
        fields 7=9879
Levinsons' theorem for energy-dependent
potentials 7=12929
        localized potential, using new disp. relns. and sum rules 7=9847
        magnetic monopole system, classical theory 7=3002
        Mandlestam cuts obs. possibility 7=12876 Mandelstam representation and \pi NN vertex function 7=3490
        many channel potential scatt., Gel'fand-Leviton
            eqns. 7=6093
        many, structure of physical region 7=6091
        model for elastic scatt. at high energy and large momentum
            transfer 7=9829
        modified effective-range approx.based on Regge poles, \pi-N phase shifts 7=479
        Monte Carlo calcs., adjoint problems and importance
            functions 7=16741
        multichannel dynamics in new strip approx. 7=16465 multichannel states, definition and existence 7=3477
        multichannel, unitarity of S-matrix 7=487
```

multichannel, rel. to unstable-particle decay 7=6026 multiparticle, off-shell eqns. for neg. energies 7=6088

```
Scattering, particles-contd
         multiple, in inhomogeneous medium, lateral deflection and spurious scatt. 7=6071
         multiple scatt. of charged particles in spark
             chambers 7=422
         N/D effective-range theory with SU(3) symmetric short-range forces 7=9843
         N/D eqns., existence of solutions 7=3492
         N/D eqns., separable soln. 7=9845
N/D equations for elastic scatt. amplitude 7=3491
        N/D solns. for singular potentials, nonuniqueness 7=3493
        n-particle, S-matrix elements construction 7=6092 in non-local potential 7=10212
        non-local theory appl. at high energy 7=6040
        nonvanishing asymptotic cross-sections, compatibility of
        symm. and universality 7=9832
with nuclear excitation of collective levels, nonsphericity
higher approxs. 7=10100
        nuclear resonances at low energy 7=10211 for nuclear structure studies 7=10071
        nuclei, and muonic molecules levels shift 7=6287
        optical potential for high-energy physics, theory and
        appl. 7=16464
partial-wave amplitude, zeros 7=9807
partial-wave amplitudes, high-energy consistency conditions 7=3473
        partial-wave amplitudes, kinematic singularities 7=9816
partial wave amplitudes possible instability rel. to left-
hand discontinuity 7=6085
        partial-wave amplitudes, threshold behaviour 7=9806 phase integral, steepest descents calc. method, correction 7=9835
       polarization phenomena for spin-\frac{1}{2} and spin-\frac{1}{7}=9824 potential, approximation method \frac{7}{4}=476
        potential, completeness, unitarity and dispersion
            relations 7=3484
       potential, inverse problem solution 7=3463 potential, perturbed bound-state poles 7=3483
        potential theory, extinct ghosts 7=9850
       production amplitudes, use in theory 7=3468
proximity, for nuclear lifetime (~10-20 sec) direct
determination 7=3826
"quark-droplet" model, high-energy cross-
sections 7=3474
       quark model, total cross-sections 7=9834 real amplitude, high energy elastic 7=3471
       Regge asymptotic behaviour 7=16480
       Regge formulae, unequal-mass, analyticity constraints 7=3496
       Regge-pole couplings, Chew-Low model 7=9851
Regge pole model, tests in sum rules 7=16477
       Regge pole and single particle exchange models
                                                                                 7=16478
       Regge poles, connection with group theory 7=6099
       Regge-poles, R-matrix theory 7=9854
Regge poles, theory review 7=3495
       Regge poles in unequal-mass scatt. processes 7=6101
       Regge poles and unequal-mass scatt, processes 7=16481
Regge poles at zero energy, solvable example 7=3497
Regge recurrences, algebraic structure rel. to symm.
schemes 7=12947
       Regge representation and optical model 7=10206
       Regge trajectories, subsidiary with singular
           residues 7=12946
       Regge trajectories and theory of nonlocal separable
           potential 7=9839
       Regge-trajectory intercept, P¹, new determination 7=9848 regularization method 7=475
      regularization method (=470 relativistic, impact-parameter description 7=6083 relativistic 3-body, with 3-body forces 7=3475 residues of interaction poles in N/D method, right measure of forces? 7=3494
       resonance, by non-central potential 7=3462
       resonance, one-particle exchange, higher spin propagators appl. 7=9914
       resonance, Regge poles and polarization effects 7=10217
       resonances, dynamical relations 7=3426
       review of AVF cyclotrons research in USA 7=16759
      spin ½ by nuclei, polarization phenomena elementary description 7=13058 spin-½, two, elastic, Lorentz- and spin-invariant 7=480 spin-independent, phase-shift ambiguities 7=478 by spin-independent potential, model of the optical
           model 7=6392
      statistical collision matrix 7=16761-2
statistical, with diffraction, rel.to Orear formula 7=16469
statistical potential model for large forward
angle 7=12937
      strong and electromagnetic effects, separation, charged particles 7-9800
      strong-interact.
                                      ip approx., by Mandelstam
         approx. 7=3570
      sum rules based on causality 7=16431
      sum rules for high energy phenomena 7=481
      superconvergence relations in presence of Regge
          cuts 7=16479
```

```
Scattering, particles-contd
              superconvergent amplitudes and representation of SL(2, R) 7=12932
              superperturbation theory 7=9813
              symmetry breaking, disperse approach 7=9783
             three-body, measuring chamber 7=9685
three-particle model time delay and resonances 7=12939
              three-particle, non-relativistic scatt. 7=16471
             three-particle, relativistic linear integral eqns. 7=3476
             three-particle scatt., unitarity eqns. time delay prod. operator 7=6077
                                                                               7=6090
             time-reversal invariance, crossing relations, for helicity amplitudes 7=9795 time within certain distance, quantum calc. 7=12938
             total cross-sections from subalgebra of SU(6) 7=3561
             transformation matrices T<sub>l.l.</sub>, explicit forms 7=10209
Treiman-Yang criterion for particles with spin 7=12913
             two-body, kinematical anal., appl. of transversity amplitudes 7=9837
              two-particle, N/D method off the mass shell 7=9844
             two-particle propagator, free, Cutkosky rules for
analytic structure 7=9676
ultrahigh energy, transverse momentum of secondaries,
distrib. meas., methodology 7=9688
             uncoupled-phase method with many perturbing
                 channels 7=9808
             unequal mass, Born approx. equivalent potential 7=6087
             unequal mass particles, and Regge poles 7=12945
             unitarity relation in impact parameter represen-
tation 7=16463
             variational bounds in theory 7=12931
             virtuality effects of intermediate particle in quasielastic
           scatt. in graph theory 7=10210
Yukawa potential, cuts in irregular momentum plane,
review 7=3467
zero-energy, by compound system, lower bound to reciprocal
of scale length 7=6073
C12 + C12, elastic and inelastic, differential cross section,
127 MeV 7=10317
C12 + Pb<sup>206</sup>, elastic and inelastic, differential cross
section, 125. 6 MeV 7=10317
L16,7 in Wiss (L16,7, L16,7, Y), low-energy states Coulomb
excitation obs. 7=3796
Ni isotopes, effective interactions using reaction matrix
theory calc. 7=13281
O16 + C12, elastic and inelastic, differential cross section,
168 MeV 7=10317
                  scatt. in graph theory 7=10210
 O<sup>18</sup> + C<sup>12</sup>, elastic and inelastic, differential cross section, 168 MeV 7=10317
Pb<sup>206</sup>(t, p)Pb<sup>208</sup>, pairing vibration and particle-hole states excitation 7=10165
Pt<sup>190-198</sup>-O<sup>18</sup> at 36 MeV, Coulomb excitation of Pt 7=3813
W<sup>182,183,184,186</sup>(O<sup>18</sup>, O<sup>185</sup>/), energy levels obs. 7=13336
Schizons. See Elementary particles; Field theory, quantum/
       interactions, weak.
 Schlieren systems
plasma diagnostics, multipass, for high orders of
magnitude 7=6872
  Schottky defects. See Crystal imperfections/vacancies.
 Schottky effect (noise). See Electron tubes; Fluctuations/elect-
rical; Semiconducting devices.
 Schrödinger equation. See Quantum theory/wave equations.
 Schwarzschild space. See Cosmology; Gravitation; Relativity/
      general.
 Scintillation. See Luminescence.
Scintillation chambers. See Luminescence chambers. Scintillation counters. See Counters/scintillation.
 Seals, glass-metal. See Glass-metal seals.
 Seawater
           electrical conductivity, 50-20000 c/s 7=7106
           history, geologic 7=8617
light scattering 7=14095
           muddy, u. s. attenuation 7=5726
          physical properties 7=5361
          thermal and radio emissivity contrasts 7=15466
tide flow structure 7=8622
Second sound. See Helium/liquid, sound propagation.
Secondary electron emission. See Electron emission/secondary.
 Sedimentation
          ferromagnetic particles in liquid, earth's mag. field effect 7=14132
          illite hydrophobic colloids, u. s. prod. 7=7127
wormlike coils 7=17297
Seebeck effect. See Thermoelectricity.
Seidel theory. See Aberrations, optical.
Seignette salt. See Rochelle salt.
Seignettoelectric materials. See Ferroelectric materials.
Seismic waves
               See also Seismology.
          absorption theory 7=2883 explosion in cavern in elastic-plastic medium calc. 7=8607
          from explosions, least squares computer program 7=8611 and ferromagnetic transition anomalies in elastic wave velo. 7=5147
```

from sudden phase transition, exam. of model 7=8608 SH, reflection from core-mantle boundary 7=5356

spectra of waves from spherical emitter in uniform absorbing medium 7=8606

Seismographs. See Seismology. Seismology

See also Geophysical prospecting; Seismic waves. Fourier anal., faster by use of recent algorithm 7=8610 optical maser strainmeter 7=8609 seismic refraction meas., global analysis 7=15460 theoretical understanding in seismometry 7=5355 ultrasonic-pulse spectra analyzer 7=18345

amorphous, atomic radial distrib. 7=10985 amorphous, electroabsorption at optical absorption edge 7=8434

amorphous, g-values of paramag. centres 7=8306 amorphous and hexagonal, heat capacity 7=11124 amorphous, layer lattice, Fourier analysis 7=7024 amorphous, optical absorption in high electicities 7=2333

carriers in vitreous state, impurity effects obs. 7=1766 conductivity, thermal in softening region, amorphous 7=1499

crystallization of amorphous films by electron beam 7=17391

elastic constants in hexagonal, rel. to glassy states obs. 7=1735

electroreflectance spectrum, 1.5 to 4.1 eV 7=8433 Franz-Keldysh effect 7=2332

luminescence, when treated with Hg vapour 7=18307 measurement of cond. without contact electrodes 7=15077 p-n junctions, study of pre-breakdown region 7=1969 photoconductivity, lux-ampere characteristics 7=5100 photocurrent, space-charge-limited, kinetics 7=5099 radicals, MO theory 7=6742

rectifiers, capacity meas. 7=15001 rectifiers, forward biased, inductive props. 7=11532 rectifiers, props in forward direction 7=7985 self-diffusion in CdSe, mechanism 7=4666

semiconducting polymer, conductivity mechanism 7=7958 sols, extinction coeffs. rel. to wavelength and particle diam. calc. 7=17305 spherulites, crystallization formation mechanism 7=4520

surface dye sensitization 7=11596

thermal dissociation and tunnel effect currents obs., amorphous 7=1948 thermo-e.m.f. and thermal conductivity, hexagonal, very

pure 7=1500

trigonal, photoluminescence spectrum 7=18306 in GaP as donor, e.s.r. and g value at 77°K 7=18170 in GaAs, free electron density 7=7787 Se, dissociation energies 7=7160

Selenium compounds

Se-As-Tl layers, intrinsic photo effect rel. to visible light and X-rays 7=11598 SeOCl<sub>2</sub>:Nd<sup>3+</sup> liquid laser, characts. 7=308 SeOCl<sub>2</sub>:Nd<sup>3+</sup> liquid laser, prep. 7=307 Se-Te system solidus and liquidus temps. obs. 7=7134

Self-diffusion. See Diffusion in gases, in liquids, in solids. Semiconducting devices

See also Counters/semiconductors; Lasers; Masers. coaxial-drift intrinsic region formation, time. var.

calc. 7=12788

detectors, for nuclear fission multiparameter expts. 7=3965 field-effect devices, Hall meas., electrode config. 7=17996 Hall effect variable reactance element 7=9310 heterojunction, with tunnelling forward current-voltage characts. 7=7990

heterojunctions, boundary conditions 7=5020-1 high-power 7=14975

ingle-power (=14976)
i.r.detectors, review 7=9236
impedance of semiconductor-insulator interface, surface
states effects theory 7=7979
induced current due to moving charges calc. 7=214

inductive element using magnetoresistance 7=5014 injecting point contacts, characts. 7=1962

for integrated circuits, radiation effects 7=5013 ionizing radiation detectors, avalanche—tunnel diode element 7=5960

laser amplifier, saturation 7=16181 lasers, electron-beam-pumped, excit.

inhomogeneity 7=12646 low-current, for experiments on space vehicles 7=1960 magnetoresistance and its applications 7=1958

magnetoresistance and its applications 1=1500 metal-metal oxide-metal tunnelling junctions, mol. vibration spectra 7=5019 metal-semicond. contact, blocking layer capacitance rel. to majority carrier density 7=14977

metal-semiconductor barriers, current transport 7=5030 metal-semiconductor point contact maximum inverse voltage calc. 7=17995

metal-semiconductor surface barriers 7=5029 metal-SiO<sub>2</sub>-Si, barrier energies 7=7997 MOS, ideal curves for Si 7=1983 MOS structures, for surface state meas. 7=1796 MOS, with two complementary modes 7=1981

negative conductance amplifiers, using n-GaAs 7=4992

Semiconducting devices-contd

n-v-n, normalized characteristic 7=18003 oscillator, plasma density role separation from elec. field 7=14978

oscillistor excitation threshold, surface recombination effect 7=11527

p-i-n, for fast n flux obs. 7=6235

p-n junction, recombination radiation obs. 7=5301 p-n-p-n structure, switching process 7=18004 point contacts, injecting, photoeffects 7=5015 quantum oscillator and amplifier study 7=12599 radiation detector, cryostat for cooling 7=398 radiation effects 7=14976

relaxation effects in semicond. insulator inter-

faces 7=11545 semiconductor-insulation-semicond. struct., negative resist. 7=18032

space-charge-limited, noise, meas. 7=14991 spectrometers for penetrating radiations, review 7=16360 surface phenomena obs. by light spot scanning 7=17994 thermal field meas. from luminescence 7=17993 thermal transients, practical calc. 7=1959

thermistor temp. integrator, portable 7=9256 thermistor vacuum gauge for 5 mtorr-2 torr 7=10770

thermistors, thermoelectric osmometer calibration, for v.p. of solutes in solutions 7=17316

thyristors, forward switching voltage 7=5045 travelling-wave amplifier, using carrier drift 7=5843 tunnel diodes and transistors in counting circuits 7=16368 Al-SiO2-Si structures, surface charge after annealing

under bias 7=5016 Ba-Sr titanate: La thermistors, thin-film, positive temp.

coeff., preparation and props. 7-7972
BaTiO<sub>3</sub> PTC thermistors, props. and applications 7=17997
CdS-metal contacts, temp. var. obs. 7=7973
GaAs, bulk, amplifiers, temp. effects 7=17998
GaAs Gunn effect epitaxial high power oscillators 7=14979
n-GaAs Gunn oscillators, multiple current spiking 7=4991
GaAs injection laser, self-modulation of emission 7=12662 GaAs MIS structures, a. c. minority carrier injection electroluminescence 7=15384

GaAs p-π-p structures, avalanching 7=14983 GaAs solar cells, silicone coating for reflection and emissivity var. 7=11763

GaAs-Ge epitaxial heterojunctions, room temp.to

4°K 7=1966

GaAsP solar cell, efficiency at high light
intensities 7=182

GaSb, injection laser 7=12666

Gasb tunnel junctions, secondary tunneling 7=11538
Ge contact barriers of cleaved surfaces with Hg, rel. to
structural disorder 7=11528
Ge, diffused resistors, for 20 -70°K thermometry 7=9266

Ge fused contacts with electron cond in strong elec-fields 7=7974

In contacts, on CdS 7=5018

n-InSb detector for absorption spectra in sub-mm.

range 7=16105 Ni-P alloy electrode for BaTiO<sub>3</sub>, comp. and resist. 7=5017 PbTe layered structure helicon-drift current interaction obs. 7=14868

Se rectifiers, forward biased, inductive props. 7=11532 Si, contour deposition, new epitaxial deposition technique 7=1365

Si, detection of PO layers with i.r. spectro-photometer 7=1961

Si detectors, surface barrier layer form. 7=1971

Si, double-diffused, base dopant impurities abnormal diffusion mechanisms 7=1978 Si, Hall-effect probes, radiation stability 7=17999

Si, inversion level detector, n-type, production methods 7=16365

methods (=1030)

Si metal-oxide-semiconductor field effect structure, surface origin of 1/f noise 7=5008

Si solar cell, annealing of proton rad. damage 7=16035

Si, solar cells, review 7=9331

Si N-π-N structures, space-charge-limited current 7=1977

Si(Au) scamistors, resolving power 7=12701

Si-GaP heterojunctions 7=14989 SiO<sub>2</sub> film MOS structures 7=1345

SiO2 of MOS, built-in voltage and charge distrib.

obs. 7=15009
SiO<sub>2</sub> MOS, review 7=1984
SiO<sub>2</sub> MOS structure, bias temp. treatment and charge distribution 7=1986 SiO<sub>2</sub> MOS structures, transient ion currents 7=1985

 $\mathrm{Si}\text{-}\mathrm{SiO}_2$  MOS capacitor voltage var. rel. to impurity

distribution in Si film 7=17982 Te, laser, electron beam excitation 7=16203 TiO<sub>2</sub> film MOS structures 7=1345

diodes bulk resistance 7=18017

epitaxial, hemispherical, electroluminescent 7=18320 Gunn effect, non-uniform motion of high field domains 7=14995

# Semiconducting devices-contd

diodes-contd

Gunn, Sn contacts alloyed to epitaxial GaAs 7=14998 impedance of semiconductor-insulator interface, surface states effects theory 7=7979 leakage current, spontaneous fluctuations 7=5031

as multiplier element in phototube 7=219 p-i-n, construction and characteristics 7=14993

p-n-p, base region power distrib. and lifetime variation for high levels of injection 7=7980 point contact, second breakdown and relaxation

oscillation 7=7983 second breakdown, scanning electron microscope

study 7=5042

second breakdown, simplified structure approach 7=5040 space-charge limited, detection characters, at v. h. f. 7=5033

space-charge limited, h. f. admittance 7=7982 space-charge limited, h. f. thermal noise 7=5032 space-charge-limited, thermal noise 7=18018 thermometric characteristics 7=14992 transfer characteristic calc. 7=7981

Zener, breakdown voltage press. var. mechanism 7=14994 Zener, breakdown voltage rel. to pressure obs. 7=5034 (Al<sub>x</sub>Ga<sub>1-x</sub>)As p-n junction graded energy gap, injection electroluminescence obs. 7=2415

Au-Si 7=7986

CdS, "diode", electron voltaic effect 7=14996 CdS, negative resistance peculiarities 7=1972

CdS, space-charge limited, deviations 7=18007 CdTe diodes, luminesc. and elec. props. 7=15376 CdTe, electroluminescence injection mechanism

and recombination kinetics obs. 7=2416 CdTe, luminescence 7=15410

n-GaAs, bulk, switching and low-field breakdown 7=1973 GaAs, electrical props., luminescence and lasing

of three-layer structures obs. 7=2419 GaAs, electroluminescence, 300°K 7=5298

GaAs Gunn-effect oscillators, epitaxial vapour phase growth of contact layers  $7{=}14331$ 

GaAs, i.r. absorption induced by elec. field at p-n junction waveguide obs. 7=15323

GaAs, injection amplifier, high gain 7=3168 GaAs laser optically coupled, theory 7=12658

GaAs, laser, by solution regrowth on (111) plane 7=14333 GaAs, lasers, photon energy, threshold current depend. 7=5895

GaAs, low temp. minimum in differential cond. at zero voltage 7=18019

GaAs, for microwave region, vapour-phase growth 7=4515

GaAs oscillator operational mode 7=14997 GaAs pnin diode light-activated switch 7=18074

GaAs, radiative recombination 7=2420 GaAs Schottky barrier, capacitance, transient phenomena 7=5036

GaAs, Schottky contacts, electrodeposition of Cu and Au 7=5035

GaAs<sub>0.59</sub>P<sub>0.41</sub> laser diode, internally reflected filaments, expt. obs. 7=16193 GaP, recombination radiation var. with current and temp. obs. 7=18319

GaSb, laser action 7=16194

Ge mesa, localized breakdown due to inclusions 7=7984

Ge, minority carrier lifetime rel. to injection levels 7=11362

Ge photodiodes, Au doped, noise and oscills. 7=15089

Ge, p-i-n, oscill. meas. in crossed fields 7=14999
Ge, PIN, transient response 7=15000
InAs, ionization energy of Cd atoms 7=14838
InAs, recombination radiation spectra 7=15389
on KTaO<sub>3</sub>, surface barrier, capacitance and photoresponse obs. 7=18020

Nb-Nb<sub>2</sub>O<sub>5</sub>-Au, hole and electron injection and impurity band obs. 7=8519
PbS, PbSe and PbTe lasers, magnetoemission obs. 7=16202

Se rectifiers, capacity meas. 7=15001 Si avalanche, phase-locked oscillations at 1 Gc/s 7=7989 Si, breakdown voltage, effect of junction curvature 7=18013 Si, double-base, noise meas. 7=11533

Si, double-injection, noise suppression, 10 kc/s-  $10~{\rm Mc/s}$   $7{=}15003$ 

Si, irradiated, point contact 7=14990

Si, minority carrier lifetime rel. to injection levels 7=11362

Si, in neutron diffraction 7=7404

Si, p-n-n diodes, recombination of excess carriers 7=17773
Si p\*-p-n\*, avalanche radiation 7=2421
Si, reversed, for mm detection 7=15002

Si, scanning electron microscope obs. of depletion layer widening 7=7987-8
Si surface barrier detectors for charge exchange neutrals and ions, 10-200 keV 7=6870

Semiconducting devices-contd

diodes-contd

Si Zener diodes breakdown and ionization at low temps. 7=11534

SiC, electroluminescence obs. 7=2422 SiO<sub>2</sub> films, switching action 7=11535

Si-Ta<sub>2</sub>O<sub>3</sub> system as MOS diode 7=5028 V-Si, barrier height obs. 7=11022

p-n junctions

capacitance var.in mag.field theory 7=18001 circuits using capacitance, nonlinear, forced oscillation

mode theory 7=5786 diffusion voltage meas. by scanning electron microscope 7=14980

electrical conductivity, in almost intrinsic semi-conductor 7=14981

electroluminescence of deep levels in carrier

diffusion region, recombination 7-2417
epitaxial, galvanomagnetic and photomagnetic meas. 7-1965
Franz-Keldysh effect, differential photocurrent
meas. 7-18236

heterojunctions, capacitance, effects of interface states 7=18000

high injection theories 7=18005-6 hole-electron product 7=18002

as low temperature thermometers, (4-100°K) 7=12477

nondegenerate, strong injection 7=5023
p-n-p-n, minority carriers distrib. and conc., switching delay time for four-layer structure obs. 7=7975
parametric action in back-biased junctions carrying injected current 7=14982

recombination-generation current and injection coefficient rel, to forward bias voltage 7=1964

relaxation at high polarization 7=5022

stress effects on generation-recombination current, theory 7=1963

tunnelling with non-uniform elec. fields, W. K. B. calc. 7=7991

tunnel radiative recombination theory 7=8477

CdTe, electroluminescence 7=15375 CdTe, electroluminescence injection mechanism and recombination kinetics obs. 7=2416

CdTe, optical absorpt., photoconductivity 7=11406

GaAs, avalanche multiplication 7=18009 GaAs, epitaxial films 7=17954 GaAs epitaxial layers on Ge 7=14332

GaAs epitaxial layers on Ge 7=14332
GaAs, Franz-Keldysh effect, differential photocurrent obs. 7=18236
GaAs, i.r. absorption induced by elec. field obs. 7=15323
GaAs, injection laser, electron beam scanning 7=12663
GaAs, laser, characts. 7=3153
GaAs laser, electroluminesc. 7=12664
in GaAs lasers, gain perp. to junc. 7=3169
GaAs lasers and tunnel diodes, thermal degradation, surface effects 7=12661 surface effects 7=12661

GaAs, microwave oscillation frequency 7=5024 GaAs, radiative recombination of excess carriers, kinetics 7=11861

GaAs, radiative recombination, mechanism 7=15380 GaAs, recombination radiation 7=15386 GaAs, recombination radiation obs. 7=18321

GaAs, stress prod. band gap widening and defect

effects 7=7976
GaAs, tunnel radiative recombination 7=8477 GaAs, Zn-doping by ion beam, apparatus 7=16085

GaAs<sub>0.65</sub>P<sub>0.55</sub>,1-V curves for diffused junctions 7=18008 GaP, alloyed, pseudo-abrupt, capacitance obs. 7=11529 GaP, diffusion length obs. by scanning electron beam 7=1970 GaP, electroluminescence obs. 7=2418

GaP, epitaxial soln. grown, V-I curves obs. 7=1967 GaP:Si electroluminescence with forward bias,
~ 1.96 eV, 77°K 7=18293
GaSb, radiative recomb. in junctions pulled from

melt 7=15385

GaSb, recombination radiation obs. 7=8480 GaSb, tunnel radiative recombination 7=8477 Ge, avalanche multiplication 7=18009

Ge, breakdown voltage, mechanical stress effects 7=1968 Ge, distribution of impurities 7=14985

Ge, fluctuations in current with reverse bias, bistable, obs. 7=18011

Ge, Franz-Keldysh effect, differential photocurrent obx. 7=18236

Ge, p-n-p-n-p 7=14984

Ge, phonon-assisted tunneling current press. var. obs. 7=18012

in n-Ge, prod. by B, Al ion bombardment 7=7977 Ge, surface potential relief, visualization 7=14988 Ge-GaAs heterojunctions, degenerate Ge layer 7=18010

Ge-GaAs heterojunctions, elec. props. 7=14986 nGe-pGaAs, heterojunctions, elec. properties 7=5025 InAs, avalanche multiplication and ionization coeff. 7=14987

InAs, photosensitivity spectra, photon range 0, 9-5 eV 7=11591

# Semiconducting devices-contd

p-n junctions-contd

InP, tunnel radiative recombination 7=8477 InSb epitaxial layers grown in vacuum 7=14334 Pb, Sn, , Te, photovoltaic effect, up to  $12\mu$  7=5098 Se, study of pre-breakdown region 7=1969

Si, avalanche breakdown voltage, calc. 7=11531 Si, avalanche-to-second breakdown, transition time,

input power depend. 7=5027 Si, breakdown voltage, effect of ambient temp. 7=18016 Si, breakdown voltage, mechanical stress effects 7=1968 Si, diffusion length obs. by scanning electron beam 7=1970

Si, drift-field effects, mobility and lifetime vars. 7=18075 Si, Franz-Keldysh effect, differential photocurrent obs. 7=18236

ons. 7=1823b
Si, influence of surface line defects after thermal oxidation 7=14611
Si, ion drift effect 7=7978
Si, light emission, effect of O 7=15399
Si, light emission from microplasmas rel. to

breakdown 7=18308

Si, p-i-n detectors, impurity distrib., elec. field, in drift region 7=5026

region (=5026 Si, p=i-n structures, detection method 7=11530 Si photovoltaic energy converter prod. by P ion bombardment of p=Si at ~30 keV 7=5798 Si, prod. by ion implantation, hot electron emission obs. 7=2059

Si rectifiers, breakdown voltage, transient component 7-18021 Si, stress-depend., effect of generation-recomb. centers 7-18015

Si, surface potential relief, visualization 7=14988 Si, temp. of microplasma 7=7828 SiC, radiative recombination in space-charge

layer 7=8492

Si-CdTe heterojunctions, p-n and p-p 7=18014 Si-ZnTe heterojunctions, p-n and p-p 7=18014

channel, by two-stag-diffusion method 7=18027 failures, due to second breakdown 7=5043 field effect, optimum noise conditions rel. to gate bias obs. 7=11540

frequency and power parameters, limitations 7=15007 incremental stress effects 7=18030

insulated gate field effect, influence of hot electron effects 7=18028

junction type, effects of nuclear radiation 7=5038

lateral, theory 7=18029

MOS, complementary, design, fabrication and evaluation 7=1982

MOS, effect of diffusion current on characts. 7=1980

MOS, effects of Al electrode and H<sub>2</sub> during heat treatment 7=11542 MOS field-effect, h.f. thermal noise anal. 7=1979

MOS, temperature effects 7=15008 MOS, v. h. f. amplification 7=11543

MOST, new N channel epitaxial, performance 7=11544 metal-oxide-semiconductor, characteristics, operation and circuit appls. 7=7996 parametric amplifiers and freq. doublers, operation 7=14982 Sah-tetrode, 1/f noise meas. 7=18026 second breakdown, forward and reverse base current region. 7=5044

region 7=5044

second breakdown, review 7=5039
second breakdown, simplified structure approach 7=5040 in space vehicles, protection from reactor

n and  $\gamma$  7=18405 thin film, a. c. response, effect of distrib, of traps in energy 7=1974 thin-film, h.f. meas. and equiv. circuit 7=11541

thin-titing it it interest and equive credit (-1474)
V-I static characteristics, high injection level,
anal. 7=11539
CdS thin film 7=5046
CdS, thin film field effect, failure mechanisms 7=1975

CdSe, power gain from h.f. meas. 7=11541 CdSe thin film 7=5046 CdSe, thin film field effect, failure mechanisms 7=1975 GaAs, base regions formed by Sn and Zn diffusion from doped SiO<sub>2</sub> layers 7=1976

Ge alloyed junction, second breakdown 7=5047 InAs, thin film field-effect, high gain 7=7994

Si, dislocations on diffusion of B with P obs. 7=17615 Si, double-diffused, base dopant impurities abnormal diffusion mechanisms 7=1978

si, failure mechanisms deduced from step stress tests 7=7995
Si, MOS, substrate doping rel. to d. c. characteristics 7=15010
Si planar epitaxial, degradation due to Au ingress into Si obs. 7=18031
Si, power transistors, current distrib., thermal instability 7=5041

Si power transistors, second breakdown 7=5048

Semiconducting devices-contd

transistors-contd

Si surface-inversion layers, effect of surface states on electron mobility 7=7998

tunnel diodes

calculation for non-uniform elec. field in p-n junction 7=7991

junction 7=9312 circuit, stability criterion 7=9312 in crossed elec. and mag. fields, diagnonal tunneling 7=18023 equivalent circuit 7=5037

hot electron energy loss by optical phonon scatt. 7=11537 inelastic electron-molecule interaction theory 7=18024 metal-oxide-semimetal junctions space charge effects calc. 7=7992 monostable circuits, nomogram for design 7=165

oscillations, simultaneous 1.f. relaxation and microwave modes 7=11536

thin film, barrier-height determ. 7=15004 zero-bias anomalies exchange model 7=18022

Al-Al<sub>2</sub>O<sub>3</sub>-SnTe and Al-Al<sub>2</sub>O<sub>3</sub>-GeTe junctions, electron

barriers 7=17793 GaAs, p-n junctions, effect of pressure 7=15005 GaAs p-n, space charge effects calc. 7=7992

GaSb, In(I/V) response versus applied voltage 7=7993 GaSb, reverse current temp. and voltage var. 7=18025 Ge:As, Cu effects on excess current, 77 % 7=15006

Nb, conductance peak obs. 7=4875 Ta, conductance peak obs. 7=4875

Semiconducting materials

See also Magnetoelectric effects; Photoconductivity;

Photovoltaic effects.

A<sup>II</sup>B<sup>VI</sup>, A<sup>IV</sup>B<sup>VI</sup>, single crystal chalcogenide films, photoelectric props. and structure 7=18066

A<sup>III</sup>B' type, unstable, crystal growth, apparatus 7=17430 antimonides, liquid, elec. props. meas. 7=4388 bilirubin. O adsorption effects obs. 7=18073 chloranile-p-phenylenediamine single crystals, g-factor orientation var. 7=2190

DPPH solid free radicals obs. 7=7970
diamond, doped, synthetic, electrical transport
meas. 7=4987
doped with I, elec. conductivity and Hall effect 7=11522

electroreflectance measurements, electrolyte method in i.r. 7=5236

epitaxial films on GaAs by vacuum evaporation 7=1362 films, thin 7=10963

galvinoxyl solid free radicals obs. 7=7970 hexamethylbenzene,  $85\text{-}135^{\circ}\text{C}$ , transition ~110°C 7=11 as i.r. modulators, using electrooptical effects 7=5256 impurities, thermodynamic limiting laws 7=17342 measurement of cond. without contact electrodes 7=15077 minerals, rel. to adsorption-chemical properties 7=7777

organic radicals containing N-O obs. 7=17992 organic, review 7=1915

organic, review (=1918) quality requirements, high-purity, in technology 7=11498 resistance, electron beam meas. 7=14943 tellurides, liquid, elec. props. meas. 7=4388 thin films in photocells 7=11499 II-VI compounds surface props. obs. 7=15098 II-VI cpds., acceptor action of alkali metals 7=4854 AgBr. bole transping and ionigation of native acceptors.

AgBr, hole trapping and ionization of native acceptor centres 7=4840

centres 7=4840
AlSb films, thin, preparation and elec. props. 7=11500
AlSb, mixed scatt. calc. of electron mobility 7=17755
AlSb:Te, electron mobility temp. var. calc. 7=1756
As selenide, glassy, carrier mobility 7=17756
As, S4, mobilities of electrons and holes obs. 7=11586
Au-Cs-O, Hall effect 7=11501
B, forbidden-band width, determ. by
"intrinist thermometer" 7=14825

"intrinsic thermometer" 7=14825 BaPbO<sub>3</sub> ceramics, conduction etc. 7=1927

 ${\rm BaTiO_3}$  containing controlled amounts of Nd, preparation 7=11003

BaTiO<sub>3</sub>, ferroelec., free carrier densities and props. 7=17944

Bi, damped Alfvén wave transmission at 4.2°K 7=7826 Bi, effect of compression on elec. cond. 7=14699 Bi films, cond., temp. and thickness depend. 7=4985

Bi films, size effects, 300°, 77°, 4.2°K 7=17945 Bi, magnetoelectric props., single crystal, 20.4°K 7=7933

Bi magnetoplasma waves carrier insensitive mode cyclotron damping obs. 7=7827

Bi, magnetoresistance oscillations due to electron inelastic scatt. by optical phonons 7=7934

Bi, use for modelling current distrib. in m. h. d. channel 7=16090

BiSBr, band gaps by optical absorption obs., 80°-310°K 7=11801
Bi-Sb(5, 10%) obs. 7=11581
Bi:Sn magnetoresistance oscilis. and Hall effect obs. 7=14828

 $\rm Bi_2Te_3$  cpds., Peltier cooling, devices and theory 7=2023  $\rm Bi_2Te_3$  , disorder effects ~7=14531

 $\mathrm{Bi_{2}Te_{3}}$ , inelastic carrier scattering 7=17772

```
Semiconducting materials - contd
```

Bi<sub>2</sub>Te<sub>3</sub>, microsegregation impurities rel. to thermo-electric characteristics obs. 7=4986

p-Bi<sub>2</sub>Te<sub>3</sub>, proton effects on Hall effect and magnetoresistance obs. 7=1929

CaTiO<sub>3</sub> crysts., elec. cond. 7=11502

n-Cd<sub>3</sub>As<sub>2</sub>, Shubnikov-de Haas obs. of electron band struct. 7=17946

struct. 7=17946 CdGeP<sub>2</sub>, preparation and properties 7=7968 CdO films, optical fundamental absorpt. and dielect. consts. 7=11755 CdP<sub>2</sub> obs. 7=7936

CdS, carrier capture mechanisms on single recombination centre 7=8471

CdS, current saturation and instabilities rel. to phonon amplification obs. 7=17949 CdS, distrib. of elec. active defects in surface

Cds, distrib. of elect. active defects in surface region 7=11153 Cds, double injection effects 7=2374 Cds, field inhomogeneities, surface pinned layer-

like 7=7938

CdS films, crystal orientation rel. to elec. cond. obs. 7=7275

CdS, films, electrical properties, crystal anisotropy 7=17948 CdS, Hall mobility anisotropy and field var. theory 7=14794

CdS, holes, nonequilibrium lifetime and mobility 7=15075 CdS layers deposited in vacua, Hall mobility var. 7=7937

CdS luminescence, green-edge, distant-pair recombination, 4.2° and 77°K 7=2373
CdS, multilayer Ohmic contacts technique 7=11503
CdS, n-type, cond. electrons scatt. mechanisms anal. 7=4842

p-CdS near hole injecting anode obs.from Franz-Keldysh effect 7=18069

CdS, nonlinear theory of current saturation 7=14945 CdS, oscillations in current damping in high elec.

fields obs. 7=17947

CdS, p-type, high-resistivity, obs. 7=1931

CdS, phonon buildup, higher-order effect 7=7940

CdS, resistivity decay at low temp. 7=1930 CdS, space-charge-limited current, effect of

impurities 7=17950

CdS, space-charge-limited current, and effect of light 7=8050

CdS, supersonic electron-microwave interaction 7=15076 CdS, temperature var. of carrier conc. and mobility 7 = 7973 CdS, thin film solar cell, review 7 = 12508

CdS, ultrasonic Rayleigh waves interaction with conduction electrons 7=4771

CdS, volt-ampere characteristics 7=4988

Cds, Cdsellar films, structure obs. 7=17387
Cds-CdTe crysts., optical props. and energy struct. 7=2288
Cds:Cu films, photoelectromotive force, optical quenching 7=18067
Cds:I bands gap uniaxial press.var., e.s.r.g value obs. 7=11388

p-CdSb magnetoelectric effects rel. to electron band struct., obs. 7=17951 CdSb magnetoelectric effects >77 %, < 7500G 7=14946 CdSe anisotropy in intrinsic state obs. 7=17952

CdSe films, electroabsorption 7=8380 CdSe, hot excitons 7=7815

CdSe, In doped, electron affinity meas. 7=14947

CdSnAs<sub>2</sub> magnetoelectricity, 1.3-450°K, rel. to electron states 7=7939

n-CdSnAs<sub>2</sub> obs. 7=17953 CdSnAs<sub>2</sub>, p-type, optical properties and hole mass 7=18224 CdSnAs<sub>2</sub>, reflection spectra and effective electron mass 7=18225

CdTe diode, luminescence 7=15410

CdTe, doping by In ion bombardment 7=14948 CdTe, n-irradiation effects for impurities obs. 7=17602

CdTe, shallow acceptor states 7=1793

 $\text{Co}_{0..94}\text{Fe}_{2..06}\text{O}_4, \text{Hall} \text{ and Nernst-Ettingshausen}$  effects  $7{=}5003$ 

CoO, electronic transport, single crystal 7=7799

Cr<sub>2</sub>O<sub>3</sub> sintered conductivity 7=11504 Cr<sub>2</sub>O<sub>3</sub>-BeO, elec. resistivity rel. to concn. 7=14949

Cs-Sb films in equil. with Cs vapour, temp.
discontinuities 7=11505
CuI films, inhibition of grain growth by oxygen 7=1394
Cu<sub>2</sub>O, Hall effect at high temp. 7=14950

Cu<sub>2</sub>Se-Bi<sub>2</sub>Se<sub>3</sub>, thermoelec. props. 7=14216

 ${\rm FeO_x-P_2O_5}$  (45 mole%) glasses, dielec. props. temp. and freq. var. obs.  $~7{=}8005$ 

Ga-In liq., Hall coeff., elect. resist., mag. susceptibility 7=10867

 $\beta\text{-Ga}_2O_3,$  elec.props. and electron mobility ~7=17958 GaP, electronic Raman scatt by acceptors ~7=8394 GaP, excitons, Auger recomb., bound to neutral donors, meas. ~7=7817

GaP, mixed scatt. calc of electron mobility 7=17755

GaP films, homogeneous, prep. 7=17390 GaP, forbidden band width, 80-290°K 7=15324

Semiconducting materials—contd

GaP, n-type epitaxial, carrier scatt. mechanisms 7=4844 GaP, radiative recombination at isoelectronic traps 7=18296

GaP:Bi, isoelectronic donors and acceptors 7=11906 GaP:Co, crystal field theory 7=17959 GaP:Cu, optical and elec. props. 7=5259

GaP-GaS, solid soln. films, homogeneous, prep GaS, dark injection of holes, rhombic 7=1947

GaS electron band structure tight binding calc. 7=17809 GaSb, anomalous high-temp. Hall effect 7=7944 GaSb, conduction band meas. 7=7789

GaSb, electronic processes, effect of residual acceptors 7=14953

GaSb films, homogeneous, prep. 7=17390 GaSb, i.r. magnetoelectroreflectance 7=2310

n-GaSb, magnetoelectric oscillations at 4.2°K above 30kG 7=17961

GaSb, mixed scatt. calc. of electron mobility 7=17755 GaSb, n-type, oscillatory magnetostriction meas. .7=5125 GaSb, residual acceptor centres, structure rel. to crystal

growth 7=11007 Gasb,S doped, donor level ass. with (100) conduction band 7=7790

p-GaSb:Li, acoustoelectric domain prod. current oscills.

obs. 7=17960
GaSe electron band structure tight binding calc. 7=17809
GaSe, Hall effect and elec. cond. obs. 7=7945
Hg-In liq., Hall coeff., elect. resist., mag.

susceptibility 7=10867  $\alpha$ -HgS photoconductivity for X-rays obs. 7=8055 HgTe, band structure from Shubnikov-de Haas effect 7=11392 HgTe, effective mass, millimeter microwave determination 7=7792

HgTe films, surface structure rel. to carrier mobility

obs. 7=1269
n-HgTe magnetoelectric props.at low temps.obs,rel.
to electron states 7=17971

HgTe, temperature dependence of intrinsic conductivity 7=17970 (HgTe)<sub>1-x</sub>-(CdTe)<sub>x</sub> (0  $\leq$  x  $\leq$  0.3) electron band struct. obs. 7=7793

HgTlS<sub>2</sub> obs. 7=11511

 $Hg_{1-x}Zn_xTe(x\leq 0.74)$  7=17439 In alloys, Hall coeff., temp. effect 7=14960

InAs, Cd-compensated, electrical properties 7=14961 InAs, diodes, spontaneous recombination radiation 7=18299

InAs epitaxial on GaAs, high electron mobilities 7=17765 n-InAs, longitudinal magnetoresistance oscillation, 14°K 7=7940

n-InAs, longitudinal magnetoresistance, 20.4°-608°K, to 460 kOe 7=1942

n-InAs, magnetoresistance of surface layers, Corbino, elec.field var., 4.2°, 68°, 77°K 7=17972 n-InAs, transverse magnetoresistance, 20.4 -600°K, to

420 k0e 7=7949

In<sub>2</sub>O<sub>3</sub>, electron energy band structure 7=14837 InP, electrical props. at low temp. 7=17973

n-InP, Hall effect and magnetoresistance at low temp. 7=1943

n-InSe, to  $4\times10^4$  V/cm, 140 -300°K 7=7953 In<sub>2</sub>Se<sub>3</sub>,  $\alpha$ -phase, elec. props. meas. 7=5001 Mg<sub>2</sub>Sn, heat capacity meas., 5-300°K 7=14466

 $\frac{Mn}{(o_{-0.5})^{C}r_{[1-(o_{-0.5})]}O_{2}}$  solid solutions 7=5002  $\frac{Mn}{(o_{-74}Fe_{2.28}O_{4})}$  Hall and Nernst-Ettingshausen effects 7=5003

MnP, magnetic field var. of thermoelec. and elec. 7=17981

Nb-Mo(10at.%), surface effects on resistance obs. 7=17914 Nb<sub>2</sub>O<sub>5</sub>-based ceramic, negative differential resistance due to microheating obs. 7=7954

Nb<sub>2</sub>O<sub>5</sub>, films on Nb, effect of heat treatment 7=15021

Nb<sub>2</sub>O<sub>5</sub> films, negative differential resistance due to microheating obs. 7=7954
NiFe<sub>2</sub>O<sub>4</sub>, Co substitution effect on resistivity 7=1946
Ni<sub>0-65</sub>Fe<sub>2-1</sub>O<sub>4</sub>, Hall and Nernst-Ettingshausen effects 7=5003

NiO, drift mobility of carriers 7=14965 NiO, electronic transport, single crystal 7=7799

NiO, Li-doped, Hall effect, influence of native

defects 7=7955
NiO, Li' doped, carrier mobility 7=8013
Pbl, photocond and photovoltaic effects 7=5097
PbS, band structure from elec. and optical
meas. 7=11397

PbS films, properties meas. 7=7956 PbS-type, recombination processes 7=17754 PbSe films carrier mobility rel. to growth conditions 7=1765

PbSe films, properties meas. 7=7956 PbTe, energy band structure 7=17815 PbTe films carrier mobility rel. to growth conditions 7=1765

```
Semiconducting materials -contd
            n-PbTe films, conductivity increase with ion bombardment 7=11518
              PbTe, inelastic carrier scattering 7=17573
              PbTe, inelastic carrier scattering 7=17772
             PbTe, n-type, cyclotron absorption rel. to carrier concn. 7=4891
             PbTe, nonparabolicity of valence band, by meas. of thermal
                   e.m.f. 7=11398
            e.m.1. 7=11398

PbTe, temp. variation in intrinsic range, thermal energy gap 7=11396

PbTe, valence band structure 7=4868

0.85PbTe + 0.15PbS, electrical properties, effect of pressure 7=14966
              PbTe-PbSe, inelastic carrier scattering 7=17573
              PuC 7=14967
PuP 7=14967
             PuS 7=14967
S, dark injection of holes, rhombic 7=1947
            S, electron hopping transport and trapping in orthor-
hombic crystals 7=7957
SbSBr, band gaps by optical absorption obs.,
80°-310°K 7=11801
             SbSI, band gaps by optical absorption obs.,

80°-310°K 7=11801

SbSI, band structure rel. to double chain structure 7=11400
              Se, amorphous, optical absorption in high elec.
                    fields 7=2333
            Se, amorphous, thermal dissociation and tunnel effect currents obs. 7=1948
Se carriers in vitreous state, impurity effects obs. 7=1766
Se, determination and effect of O<sub>2</sub> content 7=4872
Se, Franz-Keldysh effect 7=2332
             Se, as polymer, conductivity mechanism 7=7958
Se, trigonal, photoluminescence spectrum 7=18306
             Si, electrical cond. correlation with microhardness obs. 7=7959
             SiC, electrical props. deduced from e.s.r. 7=15243
SiC, mobility of electrons limitations by scatt. in
polytypes 7=17777
             SiO<sub>2</sub> thermally grown films 7=11519
Se, electroabsorption at optical absorption edge 7=8434
Se, electroreflectance spectrum 7=8433
             Si oxide layers on Si cond., elec. field and humidity effects obs. 7=5009
              Si, oxidized, surface charge, effect of H and Na 7=14970
              Si:Au, conductivity obs. 7=5005
              Si:Au, lifetime of excess carriers obs. 7=4846
              SiC, cubic, high electron mobility, and selection rules 7=11376
              SiC, mobility of electrons in polytypes obs. 7=17778 SiC, charge distribution on thermal growth obs. 7=1954
            SiO<sub>2</sub>, charge distribution on thermal growth obs. Y=1 SiO<sub>2</sub>, energy structure, by ultrasoft X-ray spectroscopy 7=11401
Si<sub>2</sub>Te<sub>3</sub>, p-type resistivity 7=5010
Sn, high-press. modification 7=17921
SnTe films prep., controlled carrier conc. 7=1271
p-SnTe Hall coeff., nonellipsoidal nonparabolic band model calc. 7=7727
              p-SnTe, Shubnikov-de Haas oscills. obs. of Fermi
            p-SnTe, Shubnikov-de Haas oscills.obs. of Fermi surface 7=17987
SnTe-InTe crystals, thermoelect. power and elect. cond. 7=11578
SrTiO<sub>3</sub> conduction band obs. 7=17819
SrTiO<sub>3</sub> superconductivity obs. 7=17922
Te, acoustoelectric domains rel. to current saturation and oscills.obs. 7=17988
Te, oscillations of magnetoresistance 7=11520
Te Shubnikov-de Haas obs.of valence band surfaces of const. energy 7=17820
Te:Sb. microsegregations obs. 7=174744
              Te:Sb, microsegregations obs. 7=17474
TiC<sub>x</sub>(x=0.82-0.96), Hall effect 7=17989
TiO<sub>2</sub>, conductivity mechanism 7=14809
              TiO<sub>2</sub>, Li-doped, electron mobility and donor centres 7=4849
              TiO<sub>2</sub>, negative differential resistance due to microheating obs. 7=7954
             TiO<sub>2</sub>, polaron and effective masses 7=4876
TiO<sub>2</sub>, reduced, generation recombination noise 7=1955
             Ti<sub>2</sub>O<sub>3</sub>, transition to metal, mag. props. 7=5011
Ti<sub>3</sub>O<sub>5</sub>, transition to metal, mag. props. 7=5011
             T1-S alloy, liquid, apparent effective charge meas. 7=14074
             Tl-Te system, with lower Tl content than Tl<sub>5</sub>Te<sub>3</sub> 7=1842
            TI-re system, with lower TI content than TL<sub>5</sub>Te<sub>3</sub> UO<sub>2+2</sub>, hopping mechanism of elec. cond. 7=7966 VO<sub>0-8-1-2</sub>, 77°-300°K 7=14972 VO<sub>2</sub> powder, Hall effect 7=11523 VO<sub>2</sub> powder, temp. var. of cond. meas. 7=7967 Y<sub>2</sub>O<sub>3</sub>, electrical props. and defect struct. 7=5012 ZnGeAs<sub>2</sub>, elec. props. 100°-450°K meas. 7=17990 ZnGeP<sub>2</sub>, preparation and properties 7=7968 ZnO. conductivity. effect of vars. in cope. of atm.
             ZnO, conductivity, effect of vars. in conc. of atm. constituents 7=14973
```

ZnO noncrystalline films obs. 7=1281

```
Semiconducting materials-contd
         ZnO, non-Ohmic props., 77°-500°K 7=17991
         ZnO, transient current decay due to acousto-elec.
         effect 7=15249
ZnP<sub>2</sub> obs. 7=7936
         ZnS, electroluminesc.as recomb.in elec.field 7=2403
ZnS single crystals 7=1956
          ZnSiAs, preparation and properties 7=7968
         ZnTe, radiative recombination at isoelectronic
              traps 7=18296
         ZnTe, shallow acceptor states 7=1793
ZnTe;Al recombination processes 7=7768
ZnTe:O, isoelectronic donors and acceptors 7=11906
ZrB<sub>2</sub>, galvanomagnetic effects 7=7969
     gallium arsenide
         acoustoelectric domain prod. current oscills. obs. in n-type 7=17960 avalanche and tunnelling currents rel. to specimen thickness 7=7941
         bound excitons in Cu-doped crystals 7=17832 bulk, amplifiers, temp. effects 7=17998 carrier lifetimes temp. var. in n-type 7=1760 conduction band bottom struct.obs. 7=7788
         conduction band edge, temp. and doping var., reflection obs. in n-type 7=8392 crystal growth inhomogeneities, elec.obs. 7=1328 crystal growth, in vapour phase, for microwave
              diodes 7=4515
          crystal layers, growth rate in iodide process obs. 7=17437
         current waveforms, meas. 7=1933
deep centres obs.in n-type 7=1759
         diffusion lengths of excess carriers meas.by
              cathodoluminescence voltage var. 7=17753
         cathodoluminescence voltage var. 1=17753
donor-acceptor pair recombination in n-type deduced from
luminescence bands freq. shift, 25°-35°K 7=15382
donor electrons in i.r. absorption, calc. 7=11734
drift velo. var. with field calc. 7=14797
         drift velocity, elec. field depend. 7=4989 e.m. oscillations, domain and circuit props. effects 7=7943
         electroacoustic gain interaction, 30-90 Uc/s 7=4638
          electroluminescence, at high frequencies 7=5299
          electroluminescence, injection, maximum energy
               yield 7=11878
         electroluminescence, 300°K 7=5298
         electroluminescent diodes, aging effects 7=11863 electron conc.rel.to plasma reflection edge 7=14866
          electron energy bands for imaginary \overline{k} vector 7=11391 electron velo., short pulse obs.interpretation 7=11368
          electron velocity, field depend. 7=4993
          in electrostatic field, refractive index change and shift
               of absorption-band edge 7=11765
          epitaxial and dislocation free cryst. growth 7=17450 epitaxial films, elec. and photoelec. props. 7=17954
          epitaxial vapour phase growth of contact layers rel. to
         Gunn-effect oscillators 7=14331 epitaxy on GaAs and Ge 7=7347 films, homogeneous, prep. 7=17390
          Gunn diodes, Sn contacts alloyed to epitaxial
               GaAs 7=14998
          Gunn effect oscillators and amplifiers, review 7=9427
          Gunn effect, stable domain propag. 7=4990
          Gunn effect two-valley mechanism obs. 7=17956
          Gunn effect two-valley model calc. 7=17936
          Gunn oscillators, multiple current spiking in n-type 7=4991
Hall mobility and Nernst-Ettingshausen effect 7=17957
heterojunctions with Ge, degenerate Ge layer 7=18010
with high-field domain, transient changes in cond. due to
impact ionization 7=1935
          impurity levels of Ag and Au,77°-770°K 7=1782 as i.r. modulator, using electrooptical effects, 10 \mu and
               above 7=5256
          interaction of two avalanching layers 7=15381
          laser diodes, Fermi controlled recombination 7=12659
          laser, intensity fluctuations and correls. 7=16196
          in lasers, gain perp. to junc. 7=3169
in lasers, internal self-damage 7=3167
luminous emission near i.r.rel. to current oscillation due
to electron-phonon coupling 7=2381
          magnetoelectric obs. of conduction band and e scatt.
anisotropy in n-type 7=17808
n-type, epitaxial, resistivity and Hall coeff., temp.
dependence 7=1934
           in negative conductance amplifiers 7=4992
          non-ohmic currents obs. 7=14951
          optical nonlinearities due to mobile carrier 7=5262
          p-type, in heterojunctions, with nGe 7=5025
          photoluminescence, excitation depend. 7=18295
plasma wavelengths in p-type, from i. r. refl. 7=11764
positron decay features 7=7831
          potential distribution, along surface 7=4993
p-n junctions, recombination radiation 7=15386
radiative recombination, effects of e-irradiation and annealing obs. 7=2382
```

shallow donors impurity band conduction in n-type,

4. 2-360°K 7=11506

Semiconducting-materials-contd

```
Semiconducting materials -contd
   gallium arsenide-contd
       single crystal, prep., Si contamination from glassy
carbon boat 7=14324
space charge stable layers in high elec. fields
           calc. 7=1932
       surface photo-e.m.f. 7=11589
       traveling domains of high elec.field 7=17955
travelling electrical domains obs. in n-type 7=7942
       GaAs<sub>1-x</sub>P<sub>x</sub>, Te-doped, semiconducting props. 7=14952
       n-InAs conduction band edge, temp. and doping var.,
       reflection obs. 7=8392

Mn acceptors, photoexcitation and photoionization 7=17760 with Se impurity, free electron density 7=7787

Si-doped, i.r. local mode absorption 7=2302
       absorption coeff., intrinsic, method of minimizing strain
       in crystals 7=2311 acceptor states, two-centre, theory 7=14833-5
      amorphous films obs. 7=17966 anisotropy in n-type elec. cond. in high elec. fields, 78 , 290^{\circ} \text{K} 7=7947
      carrier concentration, hot, n-type 7=4858 complex dielectric constant, intrinsic, obs. 7=8006
       current oscillations, injected-plasma instability 7=4994
       cyclotron res., freq.-depend. linewidth 7=11415
       cyclotron resonance, far i. r. laser excited 7=4890
       degenerate layer, in heterojunctions with GaAs 7=18010
       degenerate, surface conductivity 7=1940
      donor electrons in i.r. absorption, calc. 7=11734
       doped with Au and Sb, effect of structural defects 7=11509
       electric conductivity, thermal coeff., time lag, diffusion
          analysis 7=11508
      electric domain movement in n-Ge 7=14955
electrical domains in n-type Cu-doped crystals 7=14957
      electrodes surface states prod. by radicals 7=11954
electron absorption in single crystal, normal and
abnormal 7=7832
      electron irradiation rel to disorder regions production, review 7=7633
      electron momentum distribution by positron
          annihilation 7=4874
      electron scattering, anisotropy 7=17761
      electron scattering by dislocations 7=17762
      electrophysical surface props., effect of oxide film 7=14267
      energy gap, from electroreflectance meas. 7=5236
     epitaxial films on (111) CaF<sub>2</sub>, defects rel. to Hall props. obs. 7=17964 etching by H<sub>2</sub>S vapour, obs. 7=17426 fast surface states, influence of Cu ions 7=7809
     film form on Ge anodes in alkaline electrolytes 7=8564 films, epitaxial growth, apparatus and obs. 7=17452
     films, epitaxial growth, iodide sandwich method 7=17451 films, piezoresistive elements 7=14958
     Ge, films, polycrystalline, amorphization by Ar ions
obs. 7=17366
     free carrier piezobirefringence obs. of shear deformation
         potentials 7=8399
     Hall effect in hopping region obs. rel. to Holstein's theory with correction 7=17985
      Hall effect, in n-type material 7=17968
     heavily doped, recombination radiation 7=2383
     helicon wave propag., meas. in n-type 7=11413
     hole population, light, excess, optically pumped,
         p-type 7=1938
     holes transport props., on (111) surface 7=4845
     hot carrier transport, path variable calc. at 77 % 7-17748 hot electrons Monte-Carlo calc. in p-type 7-17764 impedance, at 1.4 Mc/s, in mag. fields 7-17963
     impedance, at 1.4 Mc/s, in mag. fields i.r. magnetoelectroreflectance 7=2310
     instability and domain movement due to hot electron
     recombination obs. 7=17965 inversion layers prod. in n-type by B, Al ion
     bombardment 7=7977
e-irradiation at 4.5 MeV and 78°K effects in
p-type 7=17967
     magnetoplasma reson.in n-type 7=1813
     magnetoresistance in impurity band conduction region,
         uniaxially stressed 7=14956
     magnetoresistance of n-type at low temps. rel. to thermo-
         elec. spin-drag component 7=4999
     magneto resistance, phonon-assisted hopping conduction at
        high magnetic fields, n-type 7=4998
     microwave conduction, hot electron conditions in
         n-type 7=18239
     microwave excitation of direct voltage by hot
        electrons 7=4995
     minority carrier lifetime, non-ohmic contact and electron
        beam obs. 7=7761
     monocrystal with radial heterogeneity, electric characteristics obs. 7=14959
     n-type, heavily doped, forbidden band with temp.
var. 7=17810
```

```
germanium -contd
      n-type, in heterojunctions, with pGaAs 7=5025
      n-type, two-centre electronic states, and corrections to hopping cond. 7=11377
      n-type, voltage induced by electron beam 7=7929
      negative photoconductivity, Cu and Sb doped samples, 78°K 7=5095
      neutron damage to n-type impurity conduction 7=11507 optical absorption when doped with Zn and compensated
          with Sb 7=11812
      optical absorption due to free holes, theory rel. to
          obs. 7=8398
      p-n junctions, breakdown voltage, mechanical stress
          effects 7=1968
      p-n junctions, distrib. of impurities 7=14985
permittivity calculation 7=14954
      photoconductivity when anisotropically deformed 7=2037
      photoconductivity, doped with group III impurities 7=15080
      photoconductivity kinetics, n-type, Be-doped
         crystals 7=15081
      photodielectric effect 7=15079
      photomagnetic anomaly 7=11624
      photon-assisted magnetotunneling 7=2309
      piezo-Hall effect 7=17962
      piezoresistance, elec. field effects at 77°K 7=1937
      piezoresistance in p-type obs. 7=11510
PIN diode, transient response 7=15000
      plasma instability due to nonlinear cond. with Au doping
         obs. 7=17837
      properties of use with i.r. radiation, review 7=1939
    properties of use with 1. F. radiation, review 7=1939
pseudopotential form factors and u.v. reflection spectra
press. var. 7=17811
radiative interimpurity recombination between Ga and As,
and Sb and Ga 7=11866
radiative recombination in heavily doped crystals 7=15388
recombination of electrons and donors at liquid He
temps. calc. in n-type 7=14801
     recombination radiation intensity changes in mag.
         field 7=15387
     relaxation of hot electrons in n-type in elec.
         fields 7=17763
     second-harmonic generation from surface, by laser 7=12677
     shock-loaded, reversal of Hall effect voltage
polarity 7=17969
     strained, magnetoelec. effects 7=4997
     strained, magnetoelec. and thermomag. effects 7=4996
     structure, atomic, modified form under simultaneous
        pressure and shear strain obs.
    surface cond. of cleaved surfaces 7=1941 surface conductivity 7=1925
    surface layers, conductivity type and concentration profile 7=7946
     surface magnetoconcentrational effects theory 7=14942
    surface properties and lattice defects 7=17403 surface recomb, kinetics from photocond, decay
                                                                         7 = 7808
    surface recombination velo., etching effect obs.
    surface states, generated in oxidation 7=14850 thermoelect. power, amorphous p-Ge 7=2022
    thermoelectric power, in mag. field 7=5084
thermoelectric power, temp. depend. in amorphous
Ge 7=15055
    thermomagnetic effects 7=5084
    tubes, production 7=17438
valence band structure, from optical
absorption 7=14836
    n-Ge, carrier scatt. and sotropy, depend. on impurity conc. 7=14800
    Ge: Au instability effects during carrier injection 7=7948
    Ge:Li detectors, Fano factor 7=12787
   Ge:_x Mn_x Te 7=18121 GeO_2 - P_0O_{10} - V_2O_3 glasses, i.r. spectra 7=11769 GeSi alloys, energy gap, electroreflectance meas. 7=5236 GeTe carrier scatt. mechanisms and mobilities 7=1761
   GeTe, superconducting energy gap obs. 7=1875
O<sub>2</sub> doped, and e irrad., photocond. spectra 7=11590
indium antimonide
    A and B {111} surfaces, field effect meas. 7=7811
   acoustoelectric current oscillation, depend. on transverse
       mag.field angle, 77°K 7=14449
   acoustoelectric current oscillations, transverse mag.field depend., 77°K 7=14448
   acoustoelectric domain prod. current oscills. obs. 7=17960
   breakdown in p-type avalanche plasma prod. and instabilities at onset 7=17980
   coherent radiation generation in electron-hole plasmas 7=16198
   conduction-band g-factor anisotropy 7=1783
   conduction—sandy and negative magnetoresistance in
n-type, 4.2°-0.1°K 7=14963
deep-lying energy levels 7=11393
   dendrites, elec. and galvanomag. props. 7=11514
donor electrons in i.r. absorption, calc. 7=11734
effective mass of holes 7=1784
```

```
Semiconducting materials-contd
```

indium antimonide-contd

ilum antimonide - contd electrical conductivity of thin films, surface effects 7=11592 electron scatt. mixed mechanism 7=17769 electron states, optical obs. 7=1785 Hall effect elec. field var.~ 4°k in n-type 7=7951

Hall effect elec. field var. ~ 4°K in n-type 7=7951
Hall effect and magnetoresistance, n-type 7=17974
hole capture cross-section, temp. depend.
i.r. magnetoelectroreflectance 7=2310
ionization energies and their press. depend. of Cu and
Ag impurities 7=11371
Landau levels computer calc. 7=7795
laser, electron beam excitation 7=16203
laser emission by ontical numping. 7=12667

laser emission by optical pumping 7=12667
Lorentz field effects on carrier density obs. 7=17766
low temp. obs. of n-type rel. to localized spins 7=17979

magnetoelectric anisotropy in p-type, meas., and Fermi surface 7=7952 magnetoelectric nonlinearities due to hot electrons in

n-type at 1.5°K 7=17978 magnetoresistance in n-type in extreme quantum limit, 10°-77°K 7=11512

no - 17 K = 11012
magnetoresistance oscillations due to inelastic electronoptical phonon scatt. obs. in n-type 7=17977
magnetoresistance, p-type, 77-200°K (up to
320 kOe) 7=14962

magnetoresistance, quantum oscs, influence of spin 7=11517

microwave emission, coherent 7=5302 minority carriers transport coeffs. obs. 7=11373 mobility of electrons and light holes mass. obs. in

p-type 7=1763

n-type, Faraday effect, singularities in mm band 7=11778 n-type, impurity photocond. in strong mag. field 7=11593 n-type, oscillations of Nernst effect 7=11515

n-type and p-type inter-conversion rel to heat treatment temp. obs. 7=5000 n-type, thermoelectric power in strong mag. fields 7=15056 Nernst-Ettingshausen effect and carrier scattering 7=17976 optical nonlinearities due to mobile carrier 7=5262 p-type, doped by nuclear reactions, elec. props. 7=17975

plasma oscillations in crossed elec. and mag.

fields, theory 7=11411 quantum oscills in mag. field at liquid He temps. obs. in n-type 7=8045

recombination processes in p-type material 7=17767 scattering of electrons in n-type meas, from magnetoresistance in low fields 7=14795 scattering mechanisms at low temperatures 7=1762 sector structure in Ge doped single crystals obs. 7=1944 Shubnikov-de Haas oscillation maxima, shift due to elec. field 7=11516

silicon

field 7=11516
stimulated and spontaneous radiation from electron-hole plasma in 14000 G at 10 K 7=3176
surfaces, relax. phenom. at high elec. fields 7=1797
thermal acceptor production 7=11372
time var. of V-I curves in n-type 27°,77°,145°K 7=17768
valence band, spin-degeneracy splitting meas. 7=4860
Ge and Au impurities, lifetime of excess charge carriers 7=14802

n-InAs, magnetoresistance oscillations due to inelastic electron-optical phonon scatt. obs. in n-type 7=17977 (InSb)<sub>x</sub>. (InTe)<sub>1-x</sub>, effective mass of electrons obs. 7=11394

acceptor states, two-centre, theory 7=14833-5 avalanche multiplication, temp. depend. 7=4983 B-doped, hole capture and scatt., elec. field effect 7=5006 breakdown voltage, effect of junction curvature 7=18013 carrier lifetime, high-resistivity samples 7=4848 carrier lifetime meas. device, phase method 7=17776 crystal growth, axial d.c. effect on impurity diffusion calc. 7=7335

calc. 1=1335
defect production by electrons, energy dependence of anisotropy 7=1543
donors, ion-implanted, deep penetration (1-10μ) 7=1951
e.s.r. of A centers and P, effect of light 7=15247
electron absorption in single crystal, normal and abnormal 7=7832

electron-hole pair creation energy, 6-77°K 7=4847 electron irradiation of n-type, annealing 7=14968 electron momentum distribution by positron

annihilation 7=4874 electron scattering on acoustical phonons, anisotropy 7=14804

electronic states of ionized impurity-pairs 7=14842 ENDOR of ionized impurity-pairs at 4.2 and 1.3°K 7=15280

energy structure, by ultrasoft X-ray spectroscopy 7=11401

spectroscopy (=1140) epitaxial films, avalanche injection 7=17983 epitaxial films, carrier conc. and Hall mobility, 77-450°K 7=7960 epitaxial layers, low elect resistivity 7=4532

excitonic molecules, expt. obs. 7=1807

Semiconducting materials-contd

silicon-contd

excitons, Auger recomb., bound to neutral donors, meas. 7=7817

filamentary double injection in semi-insulating Si  $\,$  7=1950 film single crystals on sapphire obs.  $\,$  7=7282  $\,$ 

free carrier piezobirefringence obs. of shear deformation

potentials 7=8399 ray effects obs. in p-Si:Bi 7=7964

γ-ray effects obs. in p-Si:Bi 7=7964
Hall effect in hopping region obs. rel. to Holstein's theory
with correction 7=17985
Hall mobility rel. to impurities, temp. dependence 7=1767
heterojunctions with ZnTe and CdTe, p-n and
p-p 7=18014
hole conc. in epitaxial film obs. from Si-SiO<sub>2</sub> MOS
capacitor voltage var. 7=17982
holes photoemission into SiO<sub>2</sub> obs. 7=8076
impurity radiative recombination obs. 7=2398
interface with electrolyte 7=1798

interface with electrolyte 7=1798

ionized impurity pairs relaxation temp. var. calc. 7=14803

lifetime and epitaxial film resistivity, electron irradiated, n-type 7=7963

light emission, effect of O 7=15399 longitudinal magnetoresistance 7=7961 magnetoplasma reson.in n-type 7=1813 mesoplasma, second breakdown model 7=5007

minority carriers lifetime, effect of transition metal impurities 7=14807

Mössbauer effect, optical analogue 7=8491

n-type, two-centre electronic states, and corrections to hopping cond. 7=11377

nnº epitaxial layer, i.r. interf. spectra 7=2336 N-π-N structures, space-charge-limited current 7=1977

negative magnetoresistance in n-type with heavy doping, liquid He temps, 0-40kG 7=17986 oscillations in current due to deep levels, localized nature obs. 7=1952

oscillatory magneto-conductance obs. of surface electron states 7=17825
P doped, mobility and e.s.r. linewidth 7=14808
p-n junctions, breakdown voltage, mechanical stress effects 7=1968

photoconductivity, rel. to meas, of inhomogeneities 7=1949 photoconductivity, quenching 7=15084 positron decay features 7=7831

pseudopotential form factors and u.v. reflection spectra press, var. 7=17811 recombination at A-centres and P atoms 7=14806 recombination at Cu-O complexes 7=14805

recombination of electrons and donors at liquid He temps.

calc. 7=14801 screened impurity potential of shallow donor 7=4873 second breakdown, mesoplasma model 7=5007 second-narmonic generation from surface, by

laser 7=12677 space-charge-limited current 7=17984

sputtered on quartz, elec. cond. rel. to granular struct. obs. 7=7284

structure, atomic, modified form under simultaneous pressure and shear strain obs. 7=1238 surface barrier layer form. on Au coated Si 7=1971 surface conductivity 7=1925 surface resistivity, effect of surface prep. 7=14969 surface states, on clean specimens 7=4879

transverse Hall effect in p-type, to 260 kOe  $\,$  7=7962 In impurity, photoionization cross section  $\,$  7=15085

Si:  $(\beta$  and phosphor), Hall coeff. and conductivity temp. var. obs. 7=5004

Si:P, e.s.r. obs. 7=5202

levels 7=15290

 $\begin{array}{c} n{-}Si{-}SiO_2 \text{ interface, photoelectron emission} \\ \text{obs. } 7{=}8077 \end{array}$ 

Si-SiO2, interface states and disorder 7=14851 Si-SiO2 interface, steam-grown, surface states, meas. 7=11404

 $\mathrm{Si}\text{-}\mathrm{SiO}_{\scriptscriptstyle 2}$  system, charge effect of Na and H 7=4880 Si-SiO2-Al structures, surface charge after annealing 7=5016

## Semiconductors

See also Crystal electron states; Magnetoelectric effects; Photoconductivity; Photovoltaic effects.

A IIB II, A IIIB II and A IIIB III type, h.f. electroluminescence 7=11838

A III B II - type, heat conductivity 7=1492

absorption of laser light and electron photo-

emission 7=15292

acceptors ionization energy meas, from lasing 7=14791 acoustic amplification in d.c.elec. field theory 7=17553 acoustodensity effect 7=14438 acoustoelectric effects rel. to amplification of lattice

waves 7=14936

alloyed, plasma resonance and dimensionless param. by refl. coeff. var. 7=1810 anisotropic, coexistence of exciton and Landau

S 337

```
Physics Abstracts 1967 - Part I (Jan.-June)
Semiconductors -contd
        antiferromagnets, interaction between spin waves and
        carriers 7=18144
antiferromagnetic, photoferromag. effect, cond.
electron coupling 7=5135
avalanche multiplication, temp. depend. 7=4983
band non-parabolicity effects on kinetics calc. 7=7928
band shift, electrostatic fields of impurities 7=1772
breakdown, doping effects at low temps. theory 7=17940
carrier additions ambipolar diffusion and drift in mag.
field tensors 7=17751
cathodes residual gases short period obs. 7=5112
of chalcopyrite structure, electron-energy
spectrum 7=11386
             carriers 7=18144
              spectrum 7=11386
        charge effects on mobility, Hall effect and magneto-
resistance, theory 7=1922
         charge transfer in deep impurity levels, during elec.
              injection 7=11362
         condenser photo-e.m.f., distrib. on surface 7=15067
        conductivity electrons in mag. field force on moving
             dislocation calc. 7=11171
         conference, Kyoto, Japan, 1966 7=17932
        crystal growth, axial d.c. effect on impurity diffusion calc. 7=7335
        degenerate, quantum absorption by direct transition 7=11733 degenerate, scatt. of electrons meas. from magnetoresistance in low fields 7=14795
        diamond-type, complex band structure due to impurities 7=1777
        dielectric function at h.f., one-phonon collision corrections
        with dynamic screening 7=18034 diffusion, influence of an internal field 7=14482
        diffusion lengths of excess carriers meas.by
        cathodoluminescence voltage var. 7=17753 dislocation distribution control device 7=4702
        dislocation effects on mobility, Hall effect and magneto-
        resistance, theory 7=1923 dislocation line hole states, effective mass calc. 7=7778
        dislocations surface emergence in single crystals
             obs. 7=7561
        dislocations velocities rel. to transport props. 7=14567 disorder in binary cpds. 7=14531 domain struct., multi-valley, large currents 7=14812
        donor-conduction electron indirect exchange 7=4836
        e.s.r. of shallow impurity centres 7=18157
        effective mass of electrons and holes, meas by laser emission 7=4853
        effective mass from far i.r.obs. 7=1776
        electrical cond. quantum theory with non-standard
energy band 7=11493
electrical domain motion (erratum) 7=14941
        electrical domain theory in hot electron case 7=17935 electrical domains motion with hot electrons 7=7923
        electromagnetic wave excitation by electron beam 7=15366
        electromagnetic waves, surface, excitation 7=15367
electron band structure pseudopotential form
             factors 7=17781
        electron beam induced voltage 7=7929
        electron energy spectrum of doped semiconductors,
theory 7=7779
        electron gas in films, density of states and chemical potential calc. 7=7822
        electron-hole pair photoprod. and diffusion meas. 7=14792
        electron-hole pair prod. on irradiation rel. to plasmons 7=17842
        electron mirror microscopy of surfaces 7=1385
        electron-phonon interaction nonlinear theory 7=17749
        electron states density in mag. fields for strong doping
            calc. 7=1775
        electron states and transitions, effect of strong elec.
             fields 7=14789
        electroreflectance meas.using electrolyte 7=18206
       electroreflectance spectra obs. of electron states 7=18208 electrostatic oscillations in bounded semiconductors 7=9319 energy tap temp. dependence 7=17791 excess carrier distribution on illumination approx. 7=17823
        excess carriers life-time, photoconductive phaseshift
of spreading resistance meas. 7=4839
excitation-recombination statistics 7=7762
        excitons bound to ionized impurities, quantum
            theory 7=14854
       field domains, uniformly propag., solns. of transport
and Poisson eqns. 7=17938
field effect theory with trapping centres 7=1919
film, quantum energy spectrum 7=14783
       films, optical anisotropy obs.for prod. with oblique incidence of molecular beam 7=18209
        films, probe meas. solution 7=1926
```

Gunn-effect diagram 7=4982 Gunn effect review 7=1924

Gunn effect two-valley model calc. 7=17936

```
Semiconductors—contd
Hall effect and magnetoresistance, effect of field of
            charged impurity centres calc. 7=7925
        heavily doped, density of states in elec. field 7=14813 heavily doped, forbidden band width 7=14823
        helicon-phonon interaction in multi-valley case 7=17840 helicon wave instabilities 7=14859
        hot carriers distribution function calc. from Boltzmann's eqn. 7=11384-5
        hot carriers, path variable method 7=17748
        impurity band states Monte Carlo calc..
degenerate 7=17792
impurity band tails calc. in degenerate case 7=17790
        impurity band tails in high-density limit, higher order corrections 7=14820
        impurity levels electronic structure 7=4851
impurity states, distrib, function 7=1771
impurity states with narrow forbidden band,
            theory 7=7780
        injected carrier flow, deep impurity density gradient 7=17752
        instabilities due to non-uniform distrib. of current and
            field 7=4980
        instability with non-uniform current or mag. field 7=7833 ionic, impact ionization theory 7=14790
        kinetics, stochastic interpretation 7=1820
        Knight shift, temp. and field dependences 7=15257
        Kronig-Penney model, optical absorption 7=15297
LCAO method for atoms arbitrary mixture 7=9654
laser emission by band-band transitions 7=12647
laser emission by indirect transitions 7=12648
        laser modes 7=12615
light scattering in, by photons 7=5232
longitudinal Hall effect theory 7=7926
        low-mobility nonstoichiometric, determination of
           mobility 7=1755
        luminescence, effect of strong magnetic field 7=8463
magnetoelectric effects in polar crystals, effect of
electric fields 7=14937
        magneto-optics, band population effects calc. 7=18204
        magnetooptics meas. 7=18203
        magneto-optics, nonlinear, of electrons and holes 7=18205
        magnetoresistance and its applications 7=1958
        magnetoresistance, Corbino-type, effect of
            scattering 7=14940
        magnetoresistance, longitudinal effect 7=14939
       magnetoresistance, negative, rel. to impurities, review 7=17937
        magnetoresistance in plates, size effects 7=11495
       measurement of elec. cond. at microwaves, from TE or mode reflectivity 7=17942
       metal-semicond. contact, blocking layer capacitance
rel. to majority carrier density 7=14977
       metal-semiconductor barrier, electron tunnelling 7=1916 microwave second harmonic generation at low temps. 7=15327
        microwave transport parameters meas. 7=17943
       minority carrier lifetime, non-ohmic contact and
       electron beam obs. 7=7761
momentum loss rate to polar modes 7=1920
       with negative diff. conductivity, inhomogeneous field distribs. 7=1917
       negative differential resistance due to microheating,
           theory 7=7954
       Nernst-Ettingshausen effect, electron scattering
mechanism 7=4832
       Nernst-Ettingshausen effect, quantum theory 7=14938
       non-Ohmic conduction, inelastic scatt. effects 7=17934 optical absorption in degenerate semiconductors, exciton effects calc. 7=15298
       optical absorption and dispersion, interband, single-photon and two-photon processes calc. 7=11736
      optical absorption at h.f., many-body effects calc, 7=15296 optical constants, analytical solution to Avery method 7=5224
      optical mixing by mobile carriers, theory 7=5223 optical transitions, by bound and unbound excitons,
      for extreme anisotropy 7=11735 optical transitions induced by carrier interaction 7=18193
      optical transmission and reflection coefficients, absolute
meas. method 7=2261
"opto-electric effect" 7=14876
      organic, diagram technique applied to calc. of conductivity tensor 7=17865
       organic, magnetoresistance and Hall constant obs
      organic, photocond. var. in mag. field, mechanism 7=8049 organic, zone refining purification 7=7316
      oscillations in current at h. f. due to gradient
      instability 7=4981
oscillistor modes, depend. on magnitudes of elec. and mag.
field 7=7930
      p-type, electron lifetime 1.5°-4.2°K, rel. to temp. and
```

p type, with exponential impurity profiles, photo-

voltaic effects 7=11584

```
Semiconductors - contd
       paramagnetic impurities theory 7=11496
       paramagnetic, photoferromag. effect, cond. electron
           coupling 7=5135
        Peltier cooling, Seebeck effect 7=2023
        phonon heating, effect on elec. cond. 7=14406
       photoadsorption and desorption 7=14280
photoconductivity, effect of trapping centres 7=5089
photoconductivity, linear initiation 7=15065
       photoconductivity, oscillatory, Boltzmann-equation approach 7=2025
        photocurrent noise recording apparatus 7=18063
        photoelectricity, thermally stimulated currents
       photoelectricity, inermany stimulated contributions calc. 7=8047 photo-e.m. f. at impurity ionization change boundary 7=18065 photosensitivity, two mechanisms 7=18062 piezoelectric, acoustic wave propagation, steady-state and unstable conditions 7=14434 piezoelectric, acoustoelectric current contribution to current saturation 7=1918
       piezoelectric, moving domain double-Doppler effect inter-
action with elastic waves or i.r. calc. 7=15307
piezoelectric, sound polarization rotation in mag. field
            calc. 7=4630
        pinch effect, theory 7=14862
        plasma drift acoustic amplification, h.f. conductivity,
            carrier waves 7=4886
        plasma, instab. in crossed elec. and mag. fields 7=11411 plasma instability due to nonlinear cond. 7=17837
        plasma wavelength rel. to carrier const., for low
mobility 7=11764
polar, in elec, field, electron energy exchange with
            lattice 7=7757
         polar, electron cooling in elec. field, theory 7=11363
        polar, electron mobility and distrib. 7=4852
polar, electron temp.var.by elec.field 7=7760
polar, electrons mobility and temp.calc. 7=7759
         polar, hot electron scatt., nonparabolic bands 7=4837
         polar, magneto-plasma waves coupling with optical
         phonons possibility 7=17841
positron decay features 7=7831
         quasi-superconductive transitions in strong mag.
fields 7=17883
         radiative transitions in heavily doped crystals 7=15363
         Raman scatt. by carriers in Landau levels calc.
         recombination through exciton states 7=14853 recombination waves in finite sample 7=7924
         resistivity meas. errors with circular wafers using
             4 probes 7=11497
         resonance of electrical domains 7=17939
         runaway of electrons in mag. field, singularities of V-I characts. 7=11494
         scattering mechanism, indicated by Nernst-Ettingshausen
             effect 7=4832
         scattering processes, anal. for soln. of Boltzmann
eqn. 7=17750
semiconductor-dielectric contact space-charge
             layer 7=14935
         semiconductor-electrolyte interface, electroreflectance,
                    7=2275
         size effects in cond. with several groups of carriers 7=17933
         space-charge-limited currents 7=1989
space-charge noise suppression at low freq. 7=4984
         spin-lattice relaxation of conduction electrons 7=15214
         superconductivity, bulk establishment from specific heat meas. 7=17900
        meas. 7=17900
superconductivity in degenerate semicond.,
review 7=17881
superconductivity in non-degenerate films 7=1853
surface cond. meas. 7=1925
surface electron states, contribution to level
density 7=14848
         surface magnetoconcentrational effects theory 7=14942
        surface photo-e.m.f., with short life of minority current carriers 7=11589 surface region, distrib. of elec. active centres from chemisorption data 7=7806
         surfaces, small-signal photovoltage, theory 7=11585
         theory, conference, Kishinev, 1964 7=11492 theory of shallow impurity states 7=1794
         thermal conductivity meas. in He bath, integral
             method 7=11130
         thermal radiation 7=7509
         thermoelect. power, anisotropic, theory 7=2016
         thermoelectric cylotron resonance 7=1814
        thermoelectric efficiency meas. 7=2018
         thermoelectric Seebeek coeff. automatic meas. 7=18056
        thermoelectricity, quantum oscills. in transverse mag.
             field calc. 7=8041
        transmission, influence of uniaxial press., measdevice 7=8349
        transport coefficients, temp. depend., mixed conduction effects 7=4979
        velocity of sound waves, and damping oscs 7=17551
Zener emission, multi-electron theory 7=7758
```

```
Semi-insulating materials (high-resistivity semiconductors).
   See Semiconducting materials
Semimetals. See Metals; Semiconductors.
Series
        electromagnetic fields, series expansions 7=9362
        Lie series for multigroup-multizone eigenvalue problems
            calc., analytical continuation 7=10343
        for magnetic field of axysymmetric current distrib.,
magnetospheric appls. 7=9350
        perturbation, with zero radius of convergence, validity 7=9840
Sferics. See Atmospherics.
Shadow universe. See Cosmology; Elementary particles. Shear strength. See Mechanical strength/shear.
Shell model. See Nucleus/models.
Shielding. See Radiation protection.
Shock tubes
        attenuation, theoretical derivation 7=2889
        boundary layer flows, turbulence and wall roughness
        effects 7=15933
curvature of wave in tube with circular cross-section,
correction 7=114
        discharge, conical electrode, plasma prod. spectral obs. 7=113
        discharge, conical electrode, wave processes 7=112
        electromagnetic, study of precursor waves 7=17042
        energy spectra from line charge fired under water, calc. 7=15942
        exploding liquid filaments by elec. current, use 7=15943
        flow nonuniformity for max. shock-contact surface separation 7=2888
        heat transfer meas., low rates 7=9176 interferometer meas. 7=2887
        laminar boundary layer and test time, series soln. 7=9177 light source, for invest. in near vacuum u.v. 7=9575
        low-pressure, test time and particle paths 7=15932
         resistance thermometers quartz substrate obs. 7=7500
        for C plasma prod., with arc 7=1045
        H-Ar, temperatures obs. shocks obs. 7=1075
         He plasma ionization equilibrium, generated by electric
             shock tubes 7=4198
Shock waves
            See also Detonation; Explosions; Supersonic flow.
        air, ionization at high speed, mechanisms 7=4164 alkali metals, Hugoniot eqn. of state calc. 7=14459
         in atmospheres with exponentially decreasing density,
             formation 7=15936
         coupling between spinning detonation and osc. behind wave 7=2893
         2-D irrotational flow, impossibility of three confluent
             shocks 7=15934
         dissociation-vibration coupling, transient phenomena,
        theory 7=4121 in dusty gases, propagation and reflection 7=116
        e.m.produced, electron density and collision freq. 7=13867 elastic solids, transverse, in incompressible 7=14650 electron density meas. by attenuation of u.h.f. waves 7=6876 and equations of state 7=1682
         flow behind long tube, approx. calc. 7=9178
         in gas possessing thermal conductivity and viscosity,
structure 7=12412
         gases, Boltzmann equation, orthogonal polynomial
             solution 7=6959
         in gases, dissipative, evolution, reflection, boundary value problems 7=17183
         hydraulic, formation and decay 7=9175
         hydromagnetic, propag.in magnetosphere, intensity decrease obs. 7=18377
         implosion effects of cavitation bubbles 7=1140 interactions, rotational discontinuities 7=9372 interplanetary, following solar flare 7=2721 ionization discontinuity propagation in gas-dust medium calc. 7=8870
         kinetic theory boundary valve problems, restricted variational princ. methods 7{=}15935
         liquid, barotropic, propagation and regular reflection 7=7003
         MGD, ionization effect on structure 7=9423
         m.h.d. intermediate waves in neutral sheets, existence
             obs. 7=16095
         in m.h.d., oblique, evolution, sweep conditions
restrictions 7=9424
in m.h.d., relativistic cases 7=12560
         at magnetosphere boundary, exciting r.f. emission 7=12034 in any media, stability and charact. eqn. for frequency 7=115
         in metals, calcs. of propag. parameters 7=1681 in metals, shock and particle velocities relation, rel. to curvature 7=7669
         microwave obs. of reaction fronts 7=12416
moment methods and "restricted variation" 7=15937
          in non-conducting media in presence of electric
             field 7=15931
          "piston problem", plane radiating, zeroth-order approx. 7=2890
```

plane explosion in elec. cond. gas for inclined mag. field 7=13865

Shock waves-contd effects-contd

NaCl, viscosity and melting 7=17689

```
S 339
```

```
Shock waves - contd
plane ionization front, struct. 7=8869
        plane, refraction at air-CH<sub>4</sub> and air-CO<sub>2</sub>
             interfaces 7=10727
         plane solution for motion through slightly curved inter-
             face 7=2891
        in plasma, excitation of strong collisionless waves 7=17063 plasma flow-mag. field interactions 7=6845 in plasma m.h.d. oblique waves in cold collision-free
             case 7=17062
        in plasma from solids, due to focused laser
radiation 7=13870
precursor, in e.m. shock tube 7=17042
        pressure distribution behind strong shock front
            obs. 7=5716
        propagation in bar of finite length 7=11235
        RDX plastic-bonded explosive, plane shock
             initiation 7=11234
       in rarefied plasma, lab. study 7=17064
       reactive impulse of a gas at high impact velocity 7=13973
       reflection for heat transfer in gas calc. 7=1065 reflection, regular, from rigid wall calc. 7=118
       regular interaction conditions for weak shock
            waves 7=12415
       in rocks, elastic, stress relaxation 7=2500
       solids, profile meas., immersed-foil method 7=11233 strengthening by area convergence 7=12411 strong, propag. in plasma across mag.field 7=1002
       structure in gas containing ablating particles 7=17190
       structure, plane, in binary mixture, Mott-Smith distribution 7=4285 structure of strong shock in kinetic theory 7=12413 viscoelastic, h.f., finite acceleration, theory 7=12409
       in Ar plasma, microwave method for structure of front 7=1001

CO<sub>2</sub> + Ar mixture behind direct shock wave, thermodynamic parameters 7=1084
       in H<sub>2</sub>, propag. of normal ionizing shocks 7=17026
       in He hollow cathode discharge obs. 7=957 in O<sub>2</sub>, vibrational relaxation zone structure 7=4286
       acetone, shock-compressed, stimulated Brillouin
       scatt. 7=4355
air emissivity,65-13000 K 7=6972
       ceramic powders obs. 7=7212
       compression of metals, thermodynamics 7=1685
       compression of substs., eqns. of state 7=17319
     compression of subsis, eqns. of state 7=17319 drops aerodynamic breakup behind shock waves, high-speed photography 7=1100 equation of state meas. 7=2861 ethylene, pyrolysis 7=2443 flow discontinuities numerical calc.using artificial heat conduction 7=12414
      gas ionization in mag.field theory 7=17013
hydrocarbon-O<sub>2</sub> reactions, electron recomb. 7=15431
      melting of polycrystals, kinetics 7=14150 metals, thermodynamics of shock compression 7=1263 nitromethane, initiation to detonation 7=12419
     phosphor suspension in solid dielectric excitation peaks theory 7=18286
      in plasma, with dissipation due to thermal cond. and
      viscosity, calc. in cylindrical symmetry 7=13869
plasmas as light sources for optical pumping 7=17072
     plasma prod., laser Thomson scattering rel. to electron density and temp. 7=17075
      plasmas, Rankine-Hugoniot calc. 7=13866
quartz, elec. current prod., ionized impurities, effect
          calc. 7=8038
     for solids equations of state meas, at very high pressure using light-gas gun 7=1672
     solution reactions, apparatus 7=18326
unimolecular reactions 7=15420
unsteady interaction with blunt bodies obs. 7=117
     Al magnetically imploded foils in "theta" pinch, magnetic flux compression 7=3007
      Al, viscosity and melting 7=17689
      Ar, growth of ionization, effect of impurities 7=4165
     Ar, ionizing, relaxation leading to thermal equilibration 7=10615
     C_2F_4 dissociation in N_2 7=8551
     CO<sub>2</sub>, decomp. 7=15420
CS<sub>2</sub>, decomp. 7=15420
     Cl, radiative recomb. 7=16975
     Fe-Ni(30 wt.%), ferromag.-paramag.transition prod.
          obs. 7=18117
     Ge, reversal of Hall effect voltage polarity 7=17969 H_2 and D_2, density change on vibr. relax. 7=6751

    H-O-Ar mixtures, reflected waves, detonation initiation 7=10726
    He-CO<sub>2</sub>(5%), plasma temp. meas. from O Π lines 7=10405

     Kr, ions prod., mass spectrometer obs. 7=13836
MgO, X-ray line broadening obs. of particle size 7=7363
     N<sub>2</sub> spectrum prod., first positive band electronic transition
strength obs. 7=10509
NH<sub>3</sub> crystals obs. 7=11307
```

```
Nact, viscosity and merting terrors

Ne ionization, mag. interaction effect on plasma luminosity obs. 7=985

Ni ferrite, anomalous demag. obs. 7=2152

Pb, viscosity and melting 7=17689
             Xe, ions prod., mass spectrometer obs. 7=13 ZnO + SiO<sub>2</sub>, Zn<sub>2</sub>SiO<sub>4</sub> formation 7=8548 Zn<sub>2</sub>SiO<sub>4</sub>(Mn), treatment for high luminescence intensity 7=8500
Shot noise. See Fluctuations/electrical.
Showers. See Cosmic rays/showers and bursts.
Shubnikov-de Haas effect. See Magnetoresistance.
                   See also Semiconducting devices; Semiconducting
                   materials/silicon.
            materials/sincon, adsorbed vapors rel. to surface conductivity 7=15023 adsorption of O<sub>2</sub>, effect on e.p.r. 7=7293 adsorption on W, field electron microscope obs. 7=7296 adsorption on W in field emission microscope 7=14302
            annealing polygonalization obs. 7=4803 atoms, Si I and II, u. v. multiplets 7=10400
            bremsstrahlung, coherent, interference obs. 7=14393
             carrier lifetime meas., high-resistivity samples 7=4848
            counters, "through conducting channel" 7=12790 crack formation in single crystals obs. 7=1736
           crystal atomic struct., neutron diffr. time-of-flight obs.
on powder 7=7405
crystal growth axial d.c. effect on impurity diffusion
calc. 7=7335
           crystal growth on Ge 7=1329
           crystals, scattering factor of (222) forbidden line calc. 7=11057
           cyclotron resonance line width in quantum limit obs. 7=17855
defect annealing, complex kinetics 7=1528
defect annealing kinetics rel. to conc. 7=17592
defect structure and reactivity of Cu-doped
                  crystals 7=14508
           defects prod. by e in n-type, irradiation temp. var., i.r. absorption bands obs. 7=14520
           diffused with B or P, lattice contraction due to elastic
          diffused with B or P, lattice contraction due to elastic strain 7=11076
diffusion coeff. of P 7=7525
diffusion and electrotransport of In and Ag 7=14493
diffusion of P, autoradiographic study of distrib. 7=7526
diffusion of P, slip generation conditions and depth of dislocation motion calc. 7=1619
diffusion of Pt, rel. to helical dislocations and loops induced 7=7593
          diffusion profiles of P, dislocation-induced deviation 7=17589
          diode scanning electron microscope obs. of depletion layer widening 7=7987-8 dislocation detection in monocrystals 7=7581 dislocation loops prod. by Au diffusion obs. 7=7591 dislocations, localised diffusion prod. obs. 7=7592
          dislocations prod. by diffusion of B and P, electron
microscopy 7=17614-15
divacancies, direct production calc. 7=14539
          donor shallow levels due to P, As and Sb, chemical
                shifts calc. 7=17817
          double refraction mechanical, free carrier, rel. to shear deformation potentials 7=8399
          e.s.r. interacting donors, exchange narrowing of linewidth temp. depend. 7=5192
         e.s.r. of P, motional effects 7=2211
         elasto-optic constants, 3.39 \mu, meas.
         electrical cond. correlation with microhardness obs. 7=7959
         electro-optical effects, 95°K 7=15349
         electron band model with small empirical
correction 7=17800
electron double resonance of ionized impurity pairs
obs. 7=18177
         electron emission from hot surfaces 7=11605
electron-hole pair creation energy, 6-77°K 7=4847
         electron-hole pair prod. on irradiation rel. to
plasmons 7=17842
        electron scatt. by neutralised acceptors, cyclotron
resonance obs. 7-17774
electron scattering on acoustical phonons,
anisotropy 7-14804
         electron state form factors and u.v. reflection spectra
              press.var. 7=17811
         electroreflectance spectrum 7=2335
        epitaxial films carrier conc. and Hall mobility,
77-450°K 7=7960
epitaxial growth by mass transfer method 7=4533
epitaxial layers, low elec. resistivity 7=4532
epitaxial nucleation on Si, electron microscope C replica
              obs. 7=7349
        epitaxy, on Si, early stages 7=4531
etching, anomalous, on crystals grown in Ar by pulling
method 7=1581
```

```
SUBJECT INDEX
S 340
Silicon-contd
            excitation-recombination statistics 7=7762
             exo-electron emission, from ground surfaces 7=5110
            (III) extinction distances for electron diffr., rel. to two beam theory 7=1435 film single crystals growth on BeO 7=7283
            film single crystals grown on BeO 7=1263
film single crystals on sapphire, deposition by pyrolytic decomposition of SiH<sub>4</sub>-H<sub>2</sub> 7=7282
force constants of Li interstitial impurities 7=7475
            fracture types compared with glass 7=1725
Franz-Keldysh effect in p-n junctions, differential photocurrent obs. 7=18236
frequency of localized modes of vib. of interstitial
                   Li 7=7476
            group III acceptors symmetry obs. from spectra
stress var. 7=17816
growth, rheotaxial with Ge-Si alloys 7=1366
Hall-effect probes, radiation stability 7=17999
            hall-effect propes, radiation stability (=1700)
hole conc. in epitaxial film obs. from Si-SiO<sub>2</sub> MOS
capacitor voltage var. 7=17982
holes photoemission into SiO<sub>2</sub> obs. 7=8076
hot electron emission from p-n junctions prod. by ion
implantation obs. 7=2059
             impurity centres, singly-charged donor 7=7552 impurity radiative recombination obs. 7=2398 interface with electrolyte 7=1798
              internal friction at low temps, obs. of dislocation
                    relax. 7=7732
              interstitial, migration energy theory 7=11159 ion-bombarded, channelling pattern formation on
                    surface 7=1662
              ion, Si II, 5 lines, transition probabs. in solid vortex arcs 7=6543
              ionization energy due to X-rays, 30-50 kV, 300-77°K 7=4735
              ionized impurity pairs relaxation temp. var. calc. 7=14803
              junction devices, drift-field effects, mobility and lifetime
              vars. 7=18075
"kink pressure" and interaction energy obs. 7=7562
lattice parameter obs. using double-diffraction
effect 7=17516
lattice plane spacing and orientation local var. meas. by
                     X-ray double-crystal topography 7=7608
              lattice vibration interpretation of diffuse streak diffraction
                    patterns 7=1454
              line imperfections prod. by double diffusion obs. 7=17616 magnetoplasma reson. 7=1813 minority carrier lifetime, n and \gamma effects obs. 7=1527 MOS ideal curves 7=1983
              MoS transistors, substrate doping rel. to d.c.
             MoS transistors, substrate doping rei. to d.c. characteristics 7=15010
Mössbauer effect, optical analogue 7=8491
n-irradiation carrier removal energy var. obs. 7=17593
n-type, two-centre electronic states, and corrections to hopping cond. 7=11377
nearest-neighbour electron scatt. 7=7446
neutron irradiated, atomic displacement number 7=4697
              optical absorption in n-type by free electrons, calc. 7=8436 optical absorption resonance in far i.r. due to donor-pair conduction in n-type 7=18265 outer energy bands, K\beta_5 emission and K-absorpt. edge 7=14822
              p-n junctions diffusion length and dislocations
recombination obs. 7=1970
p-n junctions as low temp. thermometers 7=12477
              peak formation due to electron beam irrad. 7=1631 photocells, effect of impurities 7=2996
              photoconductivity decay meas., using eddy
              currents 7=18071
photoconductivity, rel. to meas. of inhomogeneities 7=1949
photoconductivity of surface in i.r., rel. to traps
                     obs. 7=2042
              photoelectric emission energy distribution, electron states density effects calc. 7=18084 photoelectron emission into SiO<sub>2</sub> obs. 7=8077
              photovoltaic energy converter p-n junctions prod.
by P ion bombardment of p-Si at ~30 keV 7=5798
piezoabsorption, indirect, matrix elements 7=2334
             piezo-optics obs. by sample rotation 7=8438 proton channelling at 375 keV 7=4741 pyrometry of wafers, 100°-700°C 7=146 range distrib. of implanted ions 7=7623 recombination at A-centres and P atoms 7=14806
              recombination at Cu-O complexes 7=14805
              recombination of electrons and donors at liquid He temps. calc. 7=14801
              resistance thermometer for low temps. with
```

diffused B 7=155

S donors spectral i.r. absorption stress var. obs. 7=18264

single-crystal growth on  $\alpha$ -Al<sub>2</sub>O<sub>3</sub> substrate 7=11020

solar cells, nonuniform proton damage 7=12516

slip and dislocation, X-ray topography of deformation by drawing 7=11188 solar cell, photovoltaic e.m.f., laser illum, 7=12515

```
Silicon-contd
        solar cells spectra and temp. curves 7=9332
        solid solution with Au, decomposition 7=14189
       solubility in Al-Si alloys, by low-temp. resistivity meas. 7=1227
        space-charge-limited current 7=17984
        specific heat anharmonic contributions 7=11125
        spectral i.r. absorption bands on e and n irradiation rel.
            to divacancies 7=8435
        spin-lattice relax.of donor electrons, elec.field var.at
            1.3°K 7=18178
        sputtering on quartz, elec. cond. rel. to granular struct. obs. 7 = 7284
        stress fields of tilt boundaries 7=7559 stress relaxation atom, by dislocation motion 7=14758
        structure, atomic, modified form under simultaneous
        pressure and shear strain obs. 7=1238 surface conc. meas. by i.r. plasma reflection 7=14847
        surface electron states oscillatory magneto-conductance
            obs. 7=17825
        surface, oxidized, surface charge, effect of H and
        Na 7=14970
surface states, bombarded and annealed in high
vac. 7=7812
        surface work function, use of Saha-Langmuir formula 7=5121 surfaces, line defects after thermal oxidation, rel. to p-n junctions 7=14611
        three-phonon processes temp.var. 7=11095
transistors, double-diffused, base dopant impurities
        abnormal diffusion mechanisms 7=1978
u.s. diffraction of laser radiation by photoelastic
            effect 7=1460
        ultrasonic waves X-ray diffraction obs. 7=17560
        wafer, meas, of scratch tilt angle with aid of K_{\alpha}
            doublet 7=11024
         wafers, coated, X-ray topography, strain
            effects 7=4487
        web crystals, dislocation free, growth 7=4522
work function, temp. dependence 7=18079
X-ray absorption meas. divergence of primary beam
             effects calc. 7=7392
        X-ray atomic scatt. factors, by pendellösung fringes 7=4561
         X-ray intensity of (222) forbidden refl. 7=7426
         Au alloyed, photoconductivity on surface in i. r., Au conc. var., field effects, 100°-130°K 7=11599
         Au+Zn doped, photoconductivity centres temp. var.
            obs. 7=11600
         Ni-doped, impact ionization microwave limiter 7=3076
         n-Si,thermal phonon transport 7=11369
Si II spectrum, gf-values 7=2655
Si II spectrum obs. and calc., 1492-1602 Å 7=4006
         \mathrm{Si}^{31} prod. in troposphere by cosmic rays, rain anal. 7{=}15542
         Si:Au, lifetime of excess carriers obs. 7=4846
Si(Au) scanistors, resolving power 7=12701
         Si:B, hole capture and scatt., electric fields effect 7=5006
         Si:O irradiated with fast n or 2 MeV e at -50°C,
O-defect complex i.r. absorption bands obs. 7=1574
         with Si<sub>2</sub>O groups, fine structure of i. r. absorption 7=11802
Si:P e.s.r.in metallic conduction region at liquid He
temp. 7=18179
         Si:P e.s.r., P conc. var. at liquid He temp. 7=18180
         Si:P, scattering of spin polarized electrons from spin
             polarized impurities obs. 7=17775
 Silicon compounds
             See also Quartz.
         alumina-silica films, low temp. deposition 7=4484 cristobalite in ceramics, internal stresses 7=7694
         oxide films, i.r. transmission spectra 7=8437
         silica-alumina catalysts, determ. of rare earths by X-ray
              spectrometry 7=18339
          silica, fused, elastic constants rel. to temp. 7=11231
         silica, fused, Xe ion bombard, radiation damage and
Xe release 7=7636
          silica gel granules adsorption of N2, Ar, H2 at liquid
              H<sub>2</sub> temp. 7=14290
         silica, i.r. spectra of adsorbed H<sub>2</sub>O 7=14297 silica melts, surface props. 7=14062 silical gel 7=10884
          silicate glass melts, form of bubbles at high temp. 7=10795
         silicate glasses luminescence, nonradiative excitation
energy transfer between Yb³, Nd³ and Pr³ 7=11879
silicates, bulk modulus and sound vels. at high temp., rel.
              to earths mantle 7=7641
          silicates, sphere, apophyllite, tremolite and scheelite,
e.p.r. study 7=15252
silicates, X-ray fluoresc. anal. 7=11969
          silicone n-hexane mixture, elec. breakdown and high field
             conduction 7=4375
          silicone oils, surface tension 7=14063
          silyl compounds spectra in vacuum u.v.obs. 7=6700
          Au-Si diodes 7=7986 Si boride, X-ray emission spectra, K_{\rm B} 7=11877
```

```
Physics Abstracts 1967 - Part I (Jan.-June)
Silicon compounds-contd
         Si carbide, X-ray emission spectra, K_8 7=11877
Si nitride, X-ray emission spectra, K_8 7=11877
Si oxide layers on Si elec. cond., elec. field and humidity
              effects obs. 7=5009
         Si oxide, X-ray emission spectra, K_8 7=11877 SiAs, crystal structure, by transmission electron
              micr. 7=14351
         Si-Au photoconductivity on surface in i.r., Au conc.var., field effects, 100°-130°K 7=11599
        Si-Au-Zn, photoconductivity centres temp. var. obs. 7=11600 n-SiC absorption in i.r., impurity sensitive, obs. 7=15350 SiC, cathodoluminescence, effect of K* bombard. 7=5309
         SiC, cathodoluminescence of radiation-damaged
              crystals 7=15398
        α-SiC crystal growth with high purity 7=17444
SiC, cubic, high electron mobility, and selection
rules 7=11376
        n-SiC, diffusion of B and Al 7=1520
        SiC, e.s.r. of N, rel. to elec. props. 7=15243
        SiC, electroluminescence, injection, maximum energy
        yield 7=11878
SiC electroluminescent diodes obs. 7=2422
SiC electroluminescent diodes pulse duration obs. 7=3243
        SiC, epitaxial growth on Si substrate, and crystal
             structure 7=1367
        SiC epitaxial nucleation on Si obs. 7=1368
        SiC film growth by thermal decomposition of
        methyldichlorosilane 7=17392
SiC, 4H, crystal structure, hexagonal, meas. 7=11077
        Sic, luminesc. band scheme 7=18309
       SiC, luminesc band scheme 7=18509
SiC, electron mobility limitations by e scatt. in polytypes 7=17777
SiC, electron mobility in polytypes obs. 7=17778
SiC, optical charge transfer, e.p. r. study 7=15086
SiC, radiative recombination in p-n junction space-charge layer 7=8492
SiC, Al. N. diffusion into 2000, 2550°C, 7=4876
       SiC:Al, N diffusion into, 2000-2550°C 7=4676
Si(CH<sub>3</sub>)<sub>n</sub>Cl<sub>4-n</sub>, viscosity of vapour 7=13994
n-SiC:N, electron irradiated e.s.r. 7=2215
       Si-Cr films, temp. coeffs. of resistance, and influence
            of substrates 7=4901
       \operatorname{SiF}_2, emission spectrum of \gamma-system, and \operatorname{Franck-Condon}
            factors 7=896
       Si-GaP heterojunctions 7=14989
       Si-Ge alloys, Raman scatt. by localized vibrational
       modes 7=8400
SiGe-PbTe segmenting for thermoelec, efficiency 7=16031
       SiH and SiD, absorpt. spectra 7=10522
       SiN, reactively sputtered films, prep. and props. 7=17393
       Si<sub>3</sub>N<sub>4</sub>, hole injection and trapping in sputtered films
           obs. 7=18041
       SiO beam, interference filter image study 7=6758
      SiO, dielectric breakdown in evaporated thin films 7=5062 SiO, stresses in evap. films 7=10968
      SiO<sub>2</sub>, absorption of microwave phonons obs. 7=7480
      {
m SiO_2}, adsorpt. of {
m H_2O} vapour \, 7=17402 {
m SiO_2}, charge distribution on thermal growth obs. \, 7=1954
      {
m SiO_2} crystallization kinetics at high pressure 7=11012 {
m SiO_2} dispersions electroviscosity 7=17295
      SiO<sub>2</sub> film deposition from glow discharge O reaction on
           tetraethoxysilane 7=10969
      SiO<sub>2</sub> film grown on Si substrate, thermal stress and
strain obs. 7=17733
      SiO<sub>2</sub> films, electric strength in alternating field 7=15024
      SiO<sub>2</sub> films by reactive sputtering on glass 7=11571
      SiO<sub>2</sub> films, structure, electron diffraction study 7=17394
      SiO<sub>2</sub> films, switching action 7=11535
SiO<sub>2</sub> films, thermally and vapour grown, i.r.
absorption 7=2337
      SiO<sub>2</sub> films, vapour growth and electron states 7=1345
      SiO<sub>2</sub>, fused, optical transmittance at high
temperatures 7=2338
      SiO<sub>2</sub>, fused, physical solubility of gases and free vol.
calc. 7=7040
      SiO<sub>2</sub> gel, Ag stabilized free atoms on surface, e.s.r.
obs. 7=8280
     SiO<sub>2</sub> gel for Ca tartrate. 4H<sub>2</sub>O by diffusion 7=1322
SiO<sub>2</sub> gel for Ca tartrate. 4H<sub>2</sub>O by diffusion 7=1322
SiO<sub>2</sub> layers, props., and elec. determ. of
imperfections 7=1280
    SiO<sub>2</sub> of MOS, built-in voltage and charge distrib.
obs. 7-15009
SiO<sub>2</sub> in MOS devices, review 7-1984
SiO<sub>2</sub> MOS structure, bias temp. treatment and charge distribution 7-1986
     SiO<sub>2</sub> MOS structures, transient ion currents 7=1985
     SiO_2, n-Si electrons photoemission into SiO_2 obs. 7=8077
     SiO2 particles in Cu, determ. of number, size etc. from
    extraction replica 7=7418
SiO<sub>2</sub> photoelectron emission from metals obs.
    SiO<sub>2</sub>, range and depth distrib. of Xe ions 7=7635
SiO<sub>2</sub>, range distrib. of implanted ions 7=7623
    SiO<sub>2</sub>, thermally grown films, electronic cond. 7=11519
SiO<sub>2</sub>, Si holes photoemission into SiO<sub>2</sub> obs. 7=8076
```

```
Silicon compounds-contd
               SiO<sub>2</sub> on Si, reflectivity in i.r., thickness var. 7=15351
SiO<sub>2</sub>, viscosity-temperature relationships, vitreous 7=10818
SiO<sub>2</sub>, vitreous, nonlinear var. of refractive index with
                     press. to 7 kbars 7=11803
               SiO<sub>2</sub>, vitreous, ratio of intensity of double X-ray scatt.
               SiO2, vitreous, X-ray small-angle scatt., upper bound
                      calc. 7=17410
               Si<sub>2</sub>O groups in Si, fine structure of i. r. absorption at low
             Si_2O groups in Si, fine structure of i. r. absorption at low temp. 7 = 11802 SiO_2(76wt.%)-Al_2O_3(8wt.%)-Li_2O(12wt.%)-K_2O(4wt.%):CeO_2, Ag glasses microcrystallization, u. v. effects 7 = 17445 SiO_-cdS multilayer piezoelec. transducer 7 = 12434 SiO_2 in Na_2O-SiO_2-Fe_2O_3 melts, interdiffusion with Fe_2O_3 7 = 10826 SiO_2-Si system, charge effects of Na and H 7 = 4880 SiO_2-UO_2 molten system, elec. props. meas. 7 = 17286 SiP, crystal structure, by transmission electron micr. 7 = 14351
                     micr. 7=14351
            Si-Ta<sub>2</sub>O<sub>3</sub> system, prepared by reactive sputtering 7=5028
Si-Te phase diagram, search for solid forms 7=5010
Si<sub>2</sub>Te<sub>3</sub>, prep., p-type elec. and thermal props. 7=5010
Silver
            \alpha\text{-particle energy loss} and energy straggling rel.to foil thickness obs. 7\text{=-}3683
              atoms, elastic electron scatt. 7=6579
            atoms, radiation-induced in glasses 7=2477
cold-rolling twinning obs. 7=11265
condensation coeff., effect on film thickness meas. by
                   multiple interference 7=10958
             corrosion and growth of crystal under hydrothermal conditions 7=7317
            creep, effect of impurities on grain boundary
                   sliding 7=7672
            creep, effect of O on grain boundary sliding and migration and voids 7 = 7671
            creep pore growth, impurity effects, 650-800°C 7=17699
            diffusion in Ag-Zn(0-4at.%), 747°, 880°C 7=17578 diffusion and electrotransport in Si 7=14493 diffusion, interstial, in In 7=4674
           diffusion and solubility in InAs 7=17584
dislocation faulted loops on quenching and ageing,
annealing obs. 7=1599
dislocation pinning by irrad. defects 7=17609
            dislocations on deformation, elec. cond. anisotropy
                  obs. 7=11424
          ools. 1=11424
distribution coeff. in Bi grown by normalfreezing 7=1509
e.s.r. of free atoms stabilized on SiO<sub>2</sub> gel obs. 7=8280
elastic consts. of second, third and fourth orders
                 calc. 7=7698
           elastic consts., 300°-800°K, u. s. pulse-echo obs. 7=1711
           elastic and Grüneisen consts. calc. in continuum model 7=14713
           elastic moduli, theory 7=11259-60
           electron absorption, 30-50 keV, in films 7=11418 electron damage thresholds at low temps. obs. 7=7628
           electron diffr.gegenfeld filter obs.of films 7=1419
electron emission microscope, image contrast 7=12543
          electron emission, non-classical, dependence on polariza-
         electron emission, non-classical, dependence on polar tion of laser beam 7=11604 electron energy loss spectra 7=7630 electron gas viscosity effect on u.s. absorption at low temps. calc. 7=14865 electron scatt., 1 MeV 7=3525 electron scatt., 2 epitaxial growth, by sputtering, on NaCl 7=4528 epitaxial growth of Children differentiation 7=1855
          epitaxy of Cu, electron diffr. satellites 7=1355 of epitaxy and dislocations 7=1357
          epitaxy on NaCl and KCl cleaved in vac., nuclei
          orientation 7=11019
epitaxy on NaCl, orientation rel. to evaporation rate
obs. 7=7345
         film, optical rad prod by electrons, rel to thickness and
energy 7=8465
films on alkali halide cleavage planes 7=7344
        films on arkali natice cleavage planes 1=1344
films, melting temp. meas. by quartz oscillator, rel. to
film thickness 7=17377
films on mica and NaCl, growth of evaporated rel. to
sputtered films obs. 7=1272
films on SiO, evaporation and deposition rates, sticking
probability and press. obs. 7=7266
foil bombarded by electrons, bremsstrahlung and transition
radiation 7=16515
       radiation 7=16515
grain-boundary relaxation 7=14342
hyperfine structure in ice 7=11484
ionization in K-shell by electrons, 0. 10-1 MeV 7=8075
lattice dynamices, surface, low-energy electron Debye-
Waller factor 7=4616
liquid layer lattice, Fourier analysis 7=7024
        optical consts., effect of precipitation and annealing 7=2295
        (111) plane, molec. beam scatt. 7=1258
plasma reson. radiation excited by light 7=14864
       pure, thermal cond. and thermopower at low temp. 7=4656
```

radiation excited by photons 7=1811

Silver compounds-contd Silver-contd recovery, stage I, and correspondence with Cu 7=1828 second-harmonic intensity reflected from surface 7=15287 single crystals, high temp. flow stress 7=14707 stacking-fault dipoles, plastically deformed single crysts. 7=7597 stacking fault energy in Ag of various purities 7=7599 stacking fault energy in ag of various particle instacking fault energy from electron microscope diffr. contrast 7=11189 stacking fault energy X-ray diffr. meas. 7=17620 surface, electron microscopic obs., electrolytically grown 7=1257 grown (=1207 thermopower, effect of Fe impurity 7=4657 thin layers, resistivity during heavy-ion irrad. 7=1829 twin boundaries in {111} film, electron diffr. contrast 7=4499 vacancies, single and multiple 7=1554 vapour pressure, 50-4000 torr 7=17317 vapour pressure, 30-3000 torr = 1317 vibration spectrum and Debye temp. calc. 7=4617 Ag\* dipole strengths in alkali halides, temp. depend. 7=10914 Ag\* ions in irrad., alkali chlorides, paramag. Age 10ns in 1774d., atkath chlorhed, params resonance 7=18159  $Ag^{107,109} {}^{2}D_{5/2}$  and  ${}^{4}F_{9/2}$  states h.f. s. obs. 7=821  $Ag^{110m}$  h.f. s., atomic beam magnetic resonance obs. 7=16726  $Ag^{110m}$  tracer for dislocations surface emergence in single crystals obs. 7=7561 in Al-11%Mg solid solution, rel. to ageing obs. 7=4459 in A<sub>2</sub>S<sub>3</sub> in glassy state as impurity, fundamental absorption edge var. prod. 7=8374 in GaAs, impurity levels, 77°-770°K 7=1782 in InSb, ionization energy and press. depend. 7=11371 NaCl, Ag doped, paired-ion band 7=5268 O free, rel. to creep, 250-550°C 7=7670 Pb diffusion, effect of α-bombardment 7=1507 7=85.88 diffusion correlation feature 807°-050°C 7-175 Zn<sup>65.69</sup> diffusion correlation factor, 697°-952°C 7=17578 Silver compounds alloys, thermoelectric power 7=15049 Ag-base alloys, recrystallisation rel. to conc. of alloying additions 7=17433 Ag clathrates, metallic cond. and supercond. 7=7847 Ag-5% graphite sintering thermal expansion obs. 7=17345 Ag halides, imperfection ionic surface space charge 7=1524 Ag halides, imperfections interaction obs. 7=1564 Ag halides, optical absorption rel. to electronic polarization 7=5239 AgAl elastic constants, single crystals 7=11266 Ag-Al(20%), Guinier-Preston zone size distribution effect on diffuse X-ray scatt, obs. 7=14337 Ag-Au dilute alloys specific heat conc. var., low temp. obs. 7=7498 obs. 7=7498
AgAu elastic constants, single crystals 7=11266
Ag-0.05-1.25 at. %Au, solid solns., optical
properties 7=15308
β-Ag<sub>3</sub>AuSe<sub>2</sub>, crystal structure 7=7408
β-Ag<sub>5</sub>AuTe<sub>2</sub>, crystal structure 7=7408
AgBiTe<sub>2</sub> crystal atomic struct. obs. 7=14371-2 AgBr, effect of electron irrad., electron microscope obs. 7=14340 AgBr emulsion, π interactions at 17.2 GeV 7=16828 AgBr-gelatin dispersions, adsorption of cationic surfactants  $7{=}10885$  AgBr in gelatine sols., particle spectrum from transparency,  $0.4{-}1.2\mu$   $7{=}7128$ AgBr, hole trapping and ionization of native acceptor centres 7=4840

AgBr optical absorption edge, surface effects obs.in suspensions in H<sub>2</sub>O 7=15310 suspensions in H<sub>2</sub>O '7=15310 AgBr, photog, sensitization by dyes, mobility of electrons and holes 7=9631 AgBr, Se- and Te-doped, e.s.r. 7=2187 AgBr single crysts., Herschel effect 7=9632 AgBr spectrum, tall in absorption with chalcogen doping, -190°C 7=11743 Ag(CN), mean amn of withoution, 7=6779 Ag(CN), mean amp. of vibration 7=6672 α-AgCd alloys, particle size from X-ray linebreadths 7=4542 Ag-Cd diffusion couple electron absorption anomaly obs. 7=14486 AgCl, crystal minority atomic defects obs. 7=1553 AgCl, elastic props. effect of press. up to 20 kbars 7=14691 AgCl, embrittlement, complex-ion, double layer mechanism 7=14690 AgCI, luminescence and photocond., with laser excitation 7=2365 AgCl luminescence, trapping centre effects obs. 7=2366 AgCl, optical absorption of Ni2, temp. var. calc. 7=8445 AgCl, photosensitivity changes, influence of h.f. vibrs. 7=15309 AgCl shear strength, 520 -77.4°K 7=7673 AgCl spectrum, mm and submm, and molecular

consts. 7=6636 AgCl, stability to light 7=5340

```
AgCl,thermal dissociation and tunnel effect currents obs. 7=1948
         AgCl, thermostimulated currents, pulse meas.,
               200-300°K 7=2019
          AgCl for vacuum bakeable seals, sheets prod. 7=14005
         AgCl/Mn<sup>2*</sup>, thermoluminescence 7=11842
AgCl:Ni, optical bleaching 7=7609
Ag<sub>2</sub>F, superconductivity 7=7898
         Ag, *, superconductivity '='898
AgI, activity in ice nucleation 7=14154
AgI shell cylinders piezoelectric oscillations
calc. 7=9174
AgI sols, coagulation and reversal of charge by
Al<sub>2</sub>(SO<sub>4</sub>)<sub>3</sub> solutions 7=17301
Ag-In, stacking-fault energy rel. to composition 7=4710
Ag-In stacking fault energy X-ray diffr.
                meas. 7=17620
          Ag-Kr dilute alloys elec. cond. and thermoelec., sp virtual bound states interpretation 7=11575
          AgMg crystals, temperature and strain-rate effect on flow stress 7=1698
          Ag-Mn alloys, stacking faults, X-ray determ. 7=11190
          Ag-Mn dilute alloys, low-temp. thermal and elec.
                cond. 7=4655
          AgNO<sub>3</sub>-Univalent nitrate melts Raman spectra 7=7083
          AgNO<sub>3</sub>-TINO<sub>3</sub> fused system, transport and thermoelec. props. 7=14118
          Ag<sub>2</sub>O exciton spin-orbit splitting obs. in spectral absorption 7=17829 (Ag, Pb, Sb)Te<sub>2</sub> alloy systems, lattice thermal cond. 7=4659 Ag-Pd alloys, Hall effect and elec. cond. 7=7781
          Ag-Pd, thermoelectricity and resistivity, conc. var.,
0.1°-4.2°K 7=4897
          O. F-4.2 K 7=4897
Ag-Sb alloy, thermopower, effect of Fe impurity 7=4657
Ag-Sb(2, 4, 6 wt %), cold work stacking faults X-ray
obs. 7=4711
Ag-Se dilute alloys elec. cond. and thermoelec., sp virtual
           bound states interpretation 7=11575

Ag<sub>2</sub>Se-Bi<sub>2</sub>Se<sub>3</sub>, phase diagram 7=14216

Ag-Sn alloys, relative thermodynamic props. of liquid and solid phases 7=7066

Ag-8at. % Sn alloy, stacking-fault energies 7=17618
           α-Ag-Sn alloys, stacking faults, X-ray diffraction
           meas. 7=1622
Ag-Sn, stacking fault energy, dislocation node
determ. 7=14606
            (Ag,Sn,Sb)Te<sub>2</sub> alloy systems, lattice thermal cond. 7=4659
           eta'-AgZn, de Haas-van Alphen effect and Fermi surface 7=17805
Ag-Zn (0-4at.%), diffusion of Ag, 747°, 880°C 7=17578
Sinanoğlu's theory. See Atoms/structure.
Sintering
           changes in pore systems 7=14197
heavy metals bonding to BeO ceramics
1300,1500° C 7=14004
mechanism 7=14196
           topological parameters meas. 7=10934-5
Ag-graphite (5%), thermal expansion obs. 7=17345
           Al<sub>2</sub>O<sub>3</sub>, Mo dispersion for inhibition of grain growth and recrystallization 7=7688
            Ba ferrite, crystallites orientation var. obs. 7=CaF<sub>2</sub>, formation of dislocation clusters 7=7576
                                                                                                    7=10988
           CaO, produced in lime-burning, Cu X-irrad, effect on
surface area 7=11965
Cu, thermal cond. and liquid flow obs. 7=7505
            Cu, thermal cond. and liquid flow obs. 7=7505 MgO, as h.f. insulator, reduced pressure sintering 7=11549 MgO, initial, effects of water vapour 7=10936 MnZn ferrite interaction with O<sub>2</sub> atmosphere obs. 7=7213 41NiO-3ZnO-1COO-55Fe<sub>2</sub>O<sub>3</sub>(mol. %), temp. rel. to saturation mag. and elec. cond. 7=18140 UO<sub>2</sub>, TiO<sub>2</sub> addition effects mechanism 7=4450
            UP, effect of temp. on densification 7=11081
Skin effect
            e.m. fields, time-periodic, and magnetoresistance \, 7=5791 modal network theory, for flat conductors \, 7=5790 \,
            plasma with sharply varying parameters 7=13876
Bi, damped Alfvén wave transmission at 4,2°K 7=7826
Sky brightness
                  See also Airglow; Twilight.
            balloon-borne photoelec.polarimeter 7=18379
             for earth's dust cloud obs. 7=8927
polarimeter, photoelectric, for Stokes parameters 7=5381
             star field, satellite observations 7=18430
 Sliderules
              No entries
```

active volume concept in plasticity 7=11244 alloys, ordered, review 7=1665

secondary 7=7658

brass, torsion fatigue, disloc. density obs. 7=4775 in dispersion-hardened crystals work hardening,

for metal f.c.c. crystals orientation, using {111} slip traces on single surface 7=4497 metals, b.c.c., dislocation theory of geometry 7=11240 metals, h.c.p., basal or prismatic preference rel. to stacking fault energy 7=14669

#### Slip-contd

polycarbonate, oriented glassy, grain slip and bond flexing 7=1745

polycrystal, stress-strain, theories of von Mises and Tresca 7=7656

polyphenylene oxide, oriented glassy, grain slip and bond flexing 7=1745

relation to mechanical twin nucleation 7=17422 Schmid Law of resolved shear stress, and extended dislocations 7=1587

sliding process as fracture-inducing mech. 7=14678

soil, planar deform, and double slip 7=7655 thoria crystals, and fracture, room-temp. -900°C 7=4805 Ag, dislocations elec. cond. anisotropy at liquid He temps.

obs. 7=11424 Al bicrystals, slip band continuity across grain

boundaries 7=11187 Al, polycrystalline, direction of bands under uniaxial

tension 7=4774  $\alpha$ -Al<sub>2</sub>O<sub>3</sub>,  $\gamma$ -trradiated, 30 kbar 7=7689 Au, dislocations elec. cond. anisotropy at liquid He temps. obs. 7=11424

CaWO4, dislocations obs. by electron microscope 7=1597 Cu, dislocation motion, conservative, jog concn. effect 7=14583

Cu, dislocations elec. cond. anisotropy at liquid He temps. obs. 7 = 11424

Cu, polycrystalline, direction of bands under uniaxial tension 7=4774

 $\alpha\text{-Fe},$  change to twinning,  $-185^\circ$  to 20°C  $\,$  7=11286 Fe, cross-slip, effect of interstitials  $\,$  7=1722

Fe electron microscope obs. 7=11283

Fe-Si(3%) isoaxial bicrystals obs. 7=14730

Fe-3%Si, polycryst., nucleation of mechanical twins 7=10995 Ge, dislocations obs. 7=1606 In, plastic deformation 7=14740

LiBr, plane 7=1727 LiCl, plane 7=1727

LiF, screw dislocation path in slip bands 7=14590

LiF, under third-harmonic vibr. 7=11181
MgO single crystals, kinking, high confining
pressure 7=14744

pressure (=14/44 Mo, easy glide in crystals 7=14601 Mo<sub>2</sub>C, rel. to microhardness anisotropy 7=7718 NaCl compression along [011], shape change obs. 7=11308 NaCl, edge dislocations passage through slip bands 7=11183

NaCl-type crystals preferred direction rel. to

radius ratio 7=14668
NiAl {110}{001} system, by electron micr. 7=4799
Pb, fatigue crack formation in bicrystals 7=4801
Si,on diffusion of P, critical surface impurity conc. for generation calc. 7=1619

Si, X-ray topography of deformation by drawing 7=11188 Sn-Bi(5%), rel. to superplasticity 7=14760
Ti, dislocation mechanisms, 0° to >400°K 7=11324
Tl bromo-iodide obs. 7=11326
W, proportional limit stresses for <100> and <110> cried to the control of the contro

orientations obs. 7=7740

Smectic phase. See Liquid crystals.

Smokes. See Aerosols.

Snoek effect. See Crystal imperfections/interstitials; Elastic relaxation.

# Snow

collection efficiencies of solid particles by flakes and raindrops obs. 7=8659

electrification of artificial snowstorms 7=15504 snow-crystal sondes 7=8629

I vapour, radioactive, washout coeff. 7=2534

## Sodium

arc discharge, charged particle concentrations and line broadening 7=10596 atom, electron impact, rel. to electron-electron

repulsion 7=4017

atom-free electron collisions, spin-exchange 7=6588 atom, resonance fluoresc. yield factor, meas. in

flames 7=6568 atomic h. f. s. anomaly meas. 7=3721 atomic 3<sup>2</sup>P states lifetime, effect of radiation imprisonment obs. 7=10435

de Haas-van Alphen effect, Fermi surface 7=4864 diffusion, self, and isotope effect 7=1519

elastic constants, thermal contribs. 7=17723 electromigration and thermal transport obs., Soret heat

of transport 7=17585 electron-ion pseudopotentials 7=1778

emission spectra, for determ. of charged particle conc. in
d.c. arc 7=10595

Fermi surface, de Haas-van Alphen effect 7=4864 helicon standing wave dipersion non-local effect

obs. 7=17850 helicon standing-wave resonance in cylinder 7=4888 laser action 7=5886 Sodium-contd

lattice dynamics, electronic struct, and elect. props. 7=11108 lattice dynamics, electronic structure and electrical props. 7=17814 melting relations 7=10894

optical absorption, phonon-aided 7=2328 solar D lines intensities and profiles calc, without

assuming local thermodynamic equilibrium 7=15795 solution in liq. NH<sub>3</sub>, Knight shifts 7=1176 specific heat, 300°-475°K, melting point and latent heat, obs. 7=17568

upper-atmospheric, stratospheric warnings 7=15553 vapour, charge exchange of protons forming excited H atoms 7=984

in N2 discharge, Joshi effect 7=10583

Na-covered Ge, surface struct. effect on work function 7=11602

in Na, diffusion and solubility, 29°C 7=7523
Na<sup>22</sup>, radioactive tracer for stratospheric circulation

studies 7=15501

Na<sup>23</sup> n. m. r. in Rochelle salt, quadrupole splitting obs. 7=8336
Na<sup>23</sup> n. m. r. in rotated NaCl obs. 7=8335
Na<sup>23</sup>, optical excitation, polarization 7=10423

Na<sub>2</sub>, binding energy calc. 7=892 Na-Kr and Na-Xe systems, atomic collision processes 7=4044

and Si-SiO<sub>2</sub> system, effect on surface props. 7=4880 Sodium compounds

dislocations, new edge, selective etch 7=14595 halides, melting points to 40 kbar 7=7138

Na bentonite, adsorp. of cetyl dimethyl benzyl ammonium chloride, study by streaming current detector 7=17397 Na disilicate glasses doped with Eu³\*, competitive trapping 7=7616

Na nitroprusside, for Fe57 chemical shift standardization 7=17335

Na nitroprusside, Mössbauer quadrupole splitting and

Na nitroprusside, Mossbauer quadrupole splitting and isomer shift obs. 7=4440

Na rare-earth tungstates, energy transfer between Sm³\*, Eu³\*, Tb³\* and Dy³\* 7=2391

Na silicate glasses, low-alkali, liquational nature of fine structure 7=4545

Na silicate glasses, X-irradiated, optical props. 7=7615

Na Al.Si O. 2HO (natrolite) e.s.r.of Fe³\*, 7=15320

 $Na_2Al_2Si_3O_{10}$ .  $2H_2O$  (natrolite), e.s.r. of  $Fe^{3+}$  7=15320  $Na_2B_4O_6(OH)_2$ .  $3H_2O$  kernite, crystal struct. 7=11070

NaBr, colour centre formation 7=1638 NaBr, gradient elastic tensor meas.by n.m.r. 7=2243 NaBrO<sub>3</sub>, photolysis 7=11960

NaClO<sub>3</sub> crystal growth rates in slightly supersaturated solns. obs. 7=7330 NaClO<sub>3</sub>, dielec. const. at microwave freqs. 7=18040

NaClO3 electric field gradient and Cl n. q. r., point charge approx. 7=10915

NaClO<sub>3</sub>, growth from solution, convection current detected 7=10998
NaCoF<sub>3</sub>, infrared absorption, 750-2000 cm<sup>-7</sup> 7=15341
Na-Cs liquid mixtures theory and struct. 7=14043
NaD<sub>3</sub>(SeO<sub>3</sub>), y-irradiated, e.s.r. 7=2207

NaF, dislocation network formation by electrolysis 7=11184 NaF, elastic constants 7=1730

NaF,  $F_3$ - absorption 7=1640 NaF,  $F_3$ \* centre rel.to 5456Å line 7=1641 NaF,  $F_3$ \* centre from 5456 Å line 7=4725

NaF, growth and impurities rel.to transparency in i.r. and u.v. regions obs. 7=1335

NaF, internal electric field, rel. to elastic deformation 7=14171 NaF lattice mechanics, neutron inelastic scatt.

obs. 7=14430

NaF, nuclear double resonance, with multiple echo trains 7=5212

NaF,p-irrad,etching 7=10997 NaF, shearing stress distrib. in region of cleavage 7=4792 NaF (villiaumite), crystal struct.amplitudes X-ray obs. 7=1430

NaF, zero-phonon lines of colour centres 7=1635 NaF:Fe<sup>3+</sup>, e.p.r. absorption 7=18169 NaFHF, F-centres and imperfections prod. by γ-rays obs.

by n.m.r. and e.s.r. 7=1639

NaF: U, colour centre prod. and luminescence, X- and γ-ray effects obs. 7-14628
Na<sub>2</sub>[Fe(CN)<sub>8</sub>NO], 2H<sub>2</sub>O, e.s.r. hyperfine interaction 7-15218
NaGdO<sub>2</sub>:Eu<sup>3</sup> activated, fluoresc. props. 7-2392
NaH<sub>3</sub>(SeO<sub>3</sub>)<sub>2</sub>, γ-irradiated, e.s.r. 7-2207

NaH<sub>s</sub>(SeO<sub>3</sub>)<sub>2</sub>, proton distrib. by n.m.r. meas. 7=16187

NaH<sub>3</sub>(SeO<sub>3</sub>)<sub>2</sub>, two distinct ferroelectric phases 7=11561 NaH<sub>3</sub>(SeO<sub>3</sub>)<sub>2</sub>, two distinct ferroelectric phases 7=11561 NaH<sub>3</sub>, n.m.r. of Na<sup>23</sup>, quadrupole splittings 7=5213 Na<sub>2</sub>H<sub>3</sub>, n.m.r. of Na<sup>23</sup>, quadrupole splittings 7=5213 Na<sub>3</sub>H<sub>3</sub>, n.m.r. of Na<sup>23</sup>, quadrupole splittings 7=5213 Na<sub>4</sub>H<sub>3</sub>, n.m.r. of Na<sup>23</sup>, quadrupole splittings 7=5213

NaI, colour centre formation 7=1638 NaI colour V<sub>x</sub>-centres 7=14629

Nai reflectance, Kramers-Kronig analysis, approximations 7=2260

Sodium compounds-contd

sodium chloride-contd

```
Sodium compounds-contd
            NaI:Eu luminescence 7=8489
             NaI:Sr, thermoluminesc. 7=1638
            NaI(T1), \alpha and \gamma scintillation yields, temp. depend. 7=8475
            NaI(T1), a and y scintillation yields, tempt dependent
NaI(T1), deep capture levels, effect on X-ray
luminescence 7=11876
NaI(T1), scintillation efficiency, expt. and theory 7=5305-6
NaI(T1), temp. depend. of luminescence 7=8488
Na-K liquid mixtures theory and struct. 7=14043
             Na-K seeding syringe for plasma m.h.d.converters
and propulsion units 7-17159
            NaLa(MoO<sub>4</sub>), laser emission and luminescence 7=16199
NaMo bronze anion vacancies obs. 7=1558
Na<sub>2</sub>MoO<sub>4</sub>, molten, Raman spectra 7=14100
            NaN<sub>3</sub>, decomposition, effect of size and orientation 7=2445 NaN<sub>3</sub>, F-centres and imperfections prod. by \gamma-rays obs. by n.m.r.and e.s.r. 7=1639
             Na-NH<sub>3</sub> solns., elec. cond. at high press. 7=14124
NaNO<sub>2</sub>, absorption and luminescence spectra similarity
                                7=2390
             NaNO<sub>2</sub>, ferroelec., Raman spectrum 7=2329
NaNO<sub>2</sub>, ferroelec., Raman spectrum and phase
transition 7=2330
             NaNO<sub>2</sub>, fundamental optical absorption near phase transitions 7=15343
NaNO<sub>2</sub>, phase diagram to 40 kbar 7=1244
NaNO<sub>2</sub>, plasticity critical stress temp. var. rel. to ferroelec. obs. 7=14752
              NaNO<sub>2</sub>, Raman spectrum near ferroelec. transition point, vibr. anal. 7=11789
              NaNO<sub>3</sub>, ferroelec., inter-dipolar interact. 7=11562
NaNO<sub>3</sub> liquid, dielectric constant and absorption
obs. 7=1165
             obs. 7=1165
Na<sub>2</sub>O-B<sub>2</sub>O<sub>3</sub>(100-60 mole %) melts, solubility of H<sub>2</sub>O vapour, 750°-1050°C 7=7033
NaOCN, F-centres and imperfections prod. by γ-rays obs. by n. m. r. and e. s. r. 7=1639
Na<sub>2</sub>O-SiO<sub>2</sub> melts, solubility of SO<sub>3</sub>, 1150°-1250°C, rel. to O ion activity 7=7038
Na<sub>2</sub>O-SiO<sub>2</sub>-Fe<sub>2</sub>O<sub>3</sub> melts, interdiffusion of Fe<sub>2</sub>O<sub>3</sub> and SiO<sub>2</sub> 7=10826
Na<sub>2</sub>O-SiO<sub>2</sub>-SHO<sub>3</sub> incorported by SiO<sub>2</sub> 7=10826
              Na<sub>2</sub>O. SiO<sub>2</sub>, 6H<sub>2</sub>O, isostructural Na<sub>2</sub>O. GeO<sub>2</sub>. 6H<sub>2</sub>O cryst. struct. 7=17513
Na<sub>2</sub>O.2SiO<sub>2</sub>-SiO<sub>2</sub> glass, crystallization polymorphs 7=14237
              Na<sub>4</sub>P<sub>2</sub>O<sub>7</sub>. 10H<sub>2</sub>O, cryst. struct. 7=7436
               NaPaO, structure, and solid solns. in Na2O-Pa2O, system,
              Narao<sub>3</sub> structure, and solnd solns. In Na<sub>2</sub>O-Pa<sub>2</sub>O<sub>5</sub> syst in conference, Orsay (1965) 7=11072

Na<sub>15</sub>Pb<sub>4</sub>, Knight shift of Pb<sup>207</sup>, 7=8338

Na<sub>15</sub>Pb<sub>4</sub>, Knight shift of Pb<sup>207</sup>, temp. depend. 7=15278

Na-Rb liquid mixtures theory and struct. 7=14043

Na<sub>8</sub>Co<sub>3</sub>, cubic, structure and cond. 7=7443

Na<sub>5</sub>O<sub>4</sub> formation on soln. of SO<sub>5</sub> in Na<sub>2</sub>O-SiO<sub>2</sub> melts 7=7038
               \rm Na_2S_2O_3, \gamma\text{-}irrad.\,cryst., trapped\,S_2O_3^-ions\,\,7\text{=-}895\,Na_2SiO_3,\,cryst.\,struct.\,\,\,7\text{=-}7435
                Na2WO4, molten, Raman spectra 7=14100
               Na<sub>x</sub>WO<sub>3</sub> conduction band, W 183 n.m.r. transients obs.,
1-4 K 7=7797
                Na<sub>0.5</sub>(Y, Eu, Nd)<sub>0.5</sub>WO<sub>4</sub>, energy transfer between Eu
and Nd 7=11860
NaY[SiO<sub>4</sub>], crystal structure 7=11069
         sodium chloride
                binding energy, theoretical calc. 7=14166
                block boundaries, dislocation structure 7=14349
                cleavage surfaces struct. around precipitates 7=17425
                colloid formation and bleaching, divalent cation
                impurities effects 7=17635 colour centres, F\to C, transformation conditions 7=11216
                colour centres prod. by ionizing radiation 7=11217
               colouring yield depend, on electron beam angle of incidence 7=14627 cracked, dislocation-nucleated cleavage pattern 7=14754
                creep of single crystals obs. 7=7719
                crystal growth with homogeneous nucleation and luminescence prod. 7=8486
               dielectric breakdown, electrical strength rel. to current
emitted from cathode 7=8011
dielectric const., 4.2°-300°K 7=1998
dielectric loss tangents, 40-1000 Mc/s, below
                        4.2°K 7=11791
                dielectric losses of unhydrolysed crystals from
                       melt 7=15020
                dielectric saturation, calc. of static const. from rigid ion
crystal model 7=18033
dislocation arrays charge obs. 7=1610
                dislocation density and u.s. attenuation rel. to deformation
                       obs. 7=7585
                dislocation motion during creep obs. 7=7587 dislocations, cleavage effects on number obs. 7=1611
                dislocations elastic interaction with Ca-cation vacancy
                pair calc. 7=1612
dislocations, electric field prod. motion obs. 7=7588
```

dislocations, role in light scatt. 7=15339

```
dislocations, static pinning, γ-irrad. 7=11182
dislocations; visualization by microdrop
condensation 7=14572
edge dislocation motion 7=14594
edge dislocations passage through slip bands 7=11183 elastic const. of third order, u.s. obs. 7=14753
electric conduction, transient and steady state 7=5060 electron scatt. from (100) face, energy distribs. 7=18039 electrostatic charge on dislocations 7=7586 epitaxial growth of Au on NaCl, initial stage obs. 7=1354
epitaxial growth of b.c.c. metals on cleavage faces 7=7343 equation of state, numerical tables 7=14468 etch pit rotation on (001) surface 7=4708
etched cleaved surfaces, obs. of loops and spirals 7=1613
F-centre formation by y-irrad. 7=7610
F-centres, coagulation 7=14625
F-centres, microscopic theory 7=14626
F' and M' traps obs. by photostimulated thermoluminescence 7=8485
film growth obs. using matching cleavage faces 7=1278 fracture characts rel. to Cd additions 7=17724 gradient elastic tensor meas. by n. m. r. 7=2243
 growth of dendrites by electrolysis, dislocation formation obs. 7=7341
 growth microstep distrib. on faces 7=17442 hardness decrease on illumination obs., rel. to marginal
hardness decrease on illumination obs., rel. to marginal dislocations mobility var. 7=4794 hydration number, determ. by n. m. r. 7=7121 internal electric field, rel. to elastic deformation 7=14171 internal friction, effect of elec. field 7=14750 interstitial Cl°, Cl° calcs. 7=1566 lattice dynamics, X-ray study 7=1452 light self-focusing 7=8425 luminescence of NaCl:Ni 7=15396 luminescence of NaCl:Ni 7=15396 luminescence spectrum on irradiation, 83°-540°K 7=11874 melting at high pressures 7=4403 metals epitaxial growth 7=1353 microhardness dependence on load 7=17681 microhardness, effect of plastic deformation 7=14749 moving crack tips, shear-stress distrib. and dislocation processes 7=14651 moving single dislocations obs. 7=1609
  moving single dislcoations obs. 7=1609
  (100) surface, electron diffraction exam. 7=1259
  phosphors with NiCl<sub>2</sub>, PbCl<sub>2</sub> and both, spectra of activators and supplementary absorption obs. 7=8424 photoelectric emission, by X-rays, electron range 7=15099
  point defects, Debye-Hückel potential 7=14519
  polarization, interfacial, single crystal 7=1999
  radiation hardening after prestraining 7=11310 radioluminescence flash 7=18304
   Raman effect, first-order, on ultramicroscopic point
         defects 7=8426
   Raman scatt. by F centres calc. 7=8423 range and depth distrib. of Xe ions 7=7635 refractive index meas. 7=11784
   rocksalt, breakdown elec. in micron range of thickness 7=11550 rocksalt, hardening through γ-irradiation 7=7720
    shearing stress distrib. in region of cleavage 7=4792 shock compression, viscosity and melting 7=17689 shock waves' effect on colour centre transform. 7=14624
    slip in compression along [011], shape change obs. 7=11308
    solid reaction with F<sub>2</sub>, e.s.r. 7=8300
solution density current velo. meas., Bagnold's meter
modification 7=10787
     solution H<sub>2</sub>O self-diffusion, neutron scatt. obs. 7=10825
    solutions, light scattering 7=14095
    spin locking, a.m. of r.f. fields obs. 7=18188 sticking coeff. of Au 7=7147
    substrate thinning for Au films obs. 7=17384 thermoluminescence activation energy temp.var.
          obs. 7=5307
    Urbach tails and reflection spectra 7=15342 vacancy-Mn^{2^+} complex aggregation, e.s.r.obs. 7=1559 whiskers, microhardness 7=14751
     X-ray irradiation effects, hardening 7=11309
     X-ray spectrum intensity distribution by isochromat obs. 7=15340
     Ag doped, paired-ion band 7=5268
     Ag films on, epitaxial growth 7=4528
     Cl X-ray \rm L_{2,3} absorption spectrum obs. 7=15320 Ga doped, absorpt., emission and excitation spectra 7=5264
     \mathrm{Mn^{2+}} e.p.r. rel. to point defects, effects of temp. and time \ 7{=}18174
     Na<sup>28</sup> n. m. r. in rotated NaCl obs. 7=8335
NaCl, internal friction hysteresis meas. 7=4793
NaCl:Ag luminescence under X-rays at 40 kV, decay mechanism 7=8487
NaCl-CaCl<sub>2</sub>-H<sub>2</sub>O solns., thermodynamic props. 7=7037
      NaCl:Cu, absorpt. and luminesc. spectra 7=11790
NaCl-KCl, separation and remixing kinetics, X-ray
diffraction obs. 7=7209
```

Solida

```
Physics Abstracts 1967 - Part I (Jan.-June)
 Sodium compounds-contd
       sodium chloride-contd
           NaCl:Mn<sup>2+</sup>, hyperfine coupling, temp. depend. 7=14186
NaCl-NaBr liq. mixtures, significant-struct, theory 7=4326
           NaCl. NaBr-Ag, e.p.r. relaxation and luminesc. 7=15233
NaCl:Tl, Cs, Cd, light scatt. temp. and ang. vars.
obs. 7=11788
Ni films on, epitaxial growth 7=4528
Sofar. See Sound ranging.
 Sogicons. See Semiconducting devices.
          cohesive, elastic const. from stress relaxation using one-
               sided Fourier transform 7=1738-9
           dynamics, plane elastic-plastic waves 7=2501
           neutron dose meas. 7=9990
planar deform, and double slip 7=7655
plasticity theory, book 7=7676
Solar activity. See Sun; Sunspots.
Solar batteries. See Electricity/direct conversion.
Solar cells. See Electricity/direct conversion; Semiconducting
     devices.
Solar constant. See Sunlight.
Solar corona. See Sun/corona.
Solar corpuscular streams. See Sun/radiation, corpuscular.
Solar eclipses. See Sun/eclipses. Solar flares. See Sun/flares.
Solar furnaces. See Heating; High temperature production and
     effects.
Solar noise. See Sun/radiation, radiofrequency.
Solar prominences. See Sun/prominences.
Solar system
               See also Planets, etc.
          scale 7=2697
          spin-orbit coupling of planets and satellites 7=5582
          sun, earth and moon parameters relation 7=8904
Solar wind. See Sun/radiation, corpuscular.
Solid solutions
               See also Alloys; and under compounds of the individual
               elements. Solid solutions such as Au-Cu, Au-Cu-Zn
               are indexed under compounds of the first named element, i.e. "Gold compounds" in these examples.
          binary, lattice parameter conc. var., departures from ideality 7=11041
          binary metal, diffusion, thermally-induced 7=14480 double-kink model for low temp. deformation of b.c.c.
               metals 7=14616
           impurities in semiconductors, thermodynamic
                limits 7=17342
          luminescence, resonance quenching theory 7=11829 metal, crystal growth in new phases obs. 7=1305 metal-nitrogen, degassing kinetics, theory 7=10978
          metallic mixed crysts., directional ordering effect on mag. props. 7=3146 separation of constituents, thermodynamics 7=7206
          third transition series, specific heat, low temp.
               obs. 7=1471
          X-ray examination, interact. with defects, anomalous
          transmission 7=4689
Ag-0.05-1.25 at.%Au, optical properties 7=15308
          in Al-Ag-Ge and Al-Cu-Ge alloys, decomposition
          obs. 7=1389
Al-Cr, decomposition, activation energy 7=7205
          Al-Mn, decomposition, activation energy 7=7205
Al<sub>2</sub>O<sub>3</sub>, with Cr<sub>2</sub>O<sub>3</sub>, hardness 7=17688
          Au, insolubility of Re 7=4446
         Au, in Solubility of Re 7=4446
Au, in Sl, decomposition 7=14189
AuPt, insolubility of Re 7=4446
C activity meas. 7=4447
C solubility in Mo, W and Re 7=7208
Fe alloys, C activity, substitutional solutes effects 7=4447
Fe-C-V, C activity at 1000°C, V effect 7=4447
αFe-H, partial molal vol. of H from stress effects on permeability obs. 7=4449
Fe-11 at, % Monastic deformation 7=11200
          Fe-11 at. % Mo, plastic deformation 7=11289
FeV<sub>2</sub>O<sub>4</sub>-Fe<sub>3</sub>O<sub>4</sub>, thermodynamic props. 7=1468
HfB<sub>2</sub>, UB<sub>2</sub> and transition metal diborides 7=10932
         In-Al-As, system, phase diagram 7=14228

KBr-KI, energy of formation and solubility gap 7=14187

La-Gd, mag. susceptibility and specific heat

meas. 7=18154
         Li<sub>2</sub>O-Pa<sub>2</sub>O<sub>5</sub> system obs., in conference,Orsay (1965) 7=11072 MgAl<sub>2</sub>O<sub>4</sub>-Al<sub>2</sub>O<sub>3</sub>, thermodynamics 7=1223 Na<sub>2</sub>O-Pa<sub>2</sub>O<sub>5</sub> system obs., in conference, Orsay (1965) 7=11072 Nb-C, solubility of C, 1500°C to eutectic 7=10933
          Ni-Zr, Ni-rich alloys, composition 7=14188
          PaO<sub>2</sub>-ThO<sub>2</sub>, in conference, Orsay (1965) 7=11073
Ta-C, solubility of C, 1500°C to eutectic 7=10933
Ta-N, degassing kinetics 7=14190
          \frac{V_4 \text{TIBiS}_2}{\text{TIBiS}_2} in Pbs-\frac{V_7 \text{TIBiS}_2}{\text{TIBiS}_3} continuous series obs. 7=4599 V-C, solubility of C, 1500°C to eutectic 7=10933 V<sub>2</sub>O<sub>3</sub>-Al<sub>2</sub>O<sub>3</sub>, magnetic props. 7=15114
          Y-Gd, mag. susceptibility and specific heat meas. 7=18154
          ZrO<sub>2</sub>-CaO, thermodynamics 7=1223
ZrO<sub>2</sub>-MgO, thermodynamics 7=1223
Solidification. See Freezing.
```

See also Crystals; Films/solid; Metals; Plastics; Powders; Semiconductors; Vitreous state.
absorption of longit. phonons at low temp. 7=14433 acoustic-wave interaction with solid-gas interface 7=14143 atomic chain, disordered, energy spectrum, LCAO calc. 7=4426 charged-particle beam interaction with solid-state plasma 7=14631 Cherenkov, radiation of beam through slit in solid 7=14632 conference, Khar'kov, 1965 7=10796 creep in crystalline bodies, review 7=14663 damage by laser irradiation 7=17671 elastic, propag. of plane waves of finite amplitude 7=1680 inert gases, at abs. zero, potential energy integrals 7=4428 melting of polycrystals by shock compression, kinetics 7=14150 paramagnetic spin absorption, nonlinear 7=15213 polar, dielec. const. dispersion 7=5052 radioactive wastes, treatment at CISE 7=13349 shock waves, profile meas., immersed-foil method 7=11233 stimulated emission of plasmons 7=15302 surface analysis by mass spectrometer 7=15454 structure See also Crystal structure; Electron diffraction examination of materials; Electron microscope examination of materials; Granular structure; Neutron diffraction examination of materials; X-ray examination of materials.
anisotropy meas, from mechanical strength under tension
with torsion 7=7687 glass inclusions, light scatt. internal flux component struct. meas. using polarized light 7=11773 graphite, pyrolytic, rel. to metal diffusion autoradiographic obs. 7=1510 Heisenberg model, classical, specific heat and suscept. 7=4643 Heisenberg model, one or two-dim., no ferro or anti-ferromagnetism 7=4445 high-pressure effects 7=14781 inclusions, light scatt. internal flux component struct. meas. using polarized light 7=11773 n.m.r. of isolated groups of nuclei and molecular interaction 7=14172 polyethylene, electro-graphical investigation 7=10987 polyisoprenes, microstruct. by n.m.r. 7=11038 scanning apparatus for counting, sizing and integration, review 7=7350 triglycine sulphate, deform, of  $SO_4^{\,2}$  by phase transition  $7{=}17324$ two-phase, description rel. to topological parameters meas. 7=10934-5 Fe-Ni, order increase by vacancies 7=7543 Fe<sub>3</sub>O<sub>4</sub>, disordered state, rel. to Fe<sup>2</sup>\*/Fe<sup>3</sup>\* distrib. 7=7234 Ga, radial distrib. function 7=10931  $({\rm NH_4})_3{\rm ZrF}_7, {\rm from~H^1~and~F~spin~absorption~and~relax.}~7{=}15266$  Pa oxides  $~7{=}10069$ Rb-graphite lamellar cpds. 7=7161 cell-cluster theory, modified, applied to the harmonic model 7=4431 channeled particles, energy spectra 7=14635 crystal wave function in approxs. in Rayleigh-Schrödinger perturbation theory 7=10474 deuteromethanes, restricted rotation 7=10928 electric conductivity, Landau and Peierls criteria 7=7835 electric conductivity, log. depend. on impurity density 7=4894 fractional parentage coefficients calc. 7=7200 fractional parentage coefficients in f" configurations 7=7201 Gaussian wave functions, potential energy integrals 7=7168 Heisenberg model, one or two-dim., no ferro or antiferromagnetism 7=4445 Heitler-London method nonorthogonality difficulties 7=8088 instability of linear spin array 7=8086 intermolecular potential 7=932 ionic crystals, binding energy calc. 7=14 Ising models, planar, dimer soln. 7=7204 material transport in solid state reactions 7=14481 relaxation during nonadiabatic transition 7=7165 scattering of excitation, t matrix and phase shifts 7=17320 specific free energy calc. from modified all-cluster theory 7=4431 Thomas-Fermi eqn., atomic sphere approx., approx. solns. 7=4427  ${\rm Al_2O_3}, {\rm V^{3+}}$  spin-Hamiltonian calc. by tensor operators 7=17340 Solions. See Acoustic transducers. Sols See also Colloids; Sedimentation, AgBr in gelatine, transparency, 0.4-1.2μ 7=7128 AgI, coagulation and reversal of charge by Al2(SO4)3

solutions 7=17301

```
S 346 SUBJECT INDEX
           Se, optical extinction coeffs. rel. to wavelength and
           particle diam.calc. 7=17305
UO<sub>2</sub>, preparation of sols, aggregate and spheres 7=10883
Solubility
See also Phase equilibrium.
alkali halides, rel. to dielec. const. of solvent 7=10811
           gases in liquids, apparatus for determ. 7=17250
          gases, solubility in liquids meas. 7=17250 gases in water, effect of liq. struct. 7=1113 metal surface step atoms, surface wave effects
                theory 7=7032
          in organic scintillator solutes, rel. to efficiency 7=14110 stainless steels, of tritium, 80°C 7=1513
Ag, in InAs 7=17584
C solubility in Mo, W and Re 7=7208
           CaHPO<sub>4</sub>, 2H<sub>2</sub>O, ion pairs in Ca(OH)<sub>2</sub>-H<sub>3</sub>PO<sub>4</sub>-H<sub>2</sub>O at 37.5°C 7=17252
          H<sub>2</sub> in Mi, isotope effect 7=17588

H<sub>2</sub> in Ni, isotope effect 7=17587

H<sub>2</sub> in Ni and Ni-V alloy 7=17588

H<sub>2</sub>O vapour in alkali borate melts, 750°-1050°C 7=7033
           He<sup>3</sup> in liquid He<sup>4</sup> at 0°K obs. 7=5768
           HfB2 in UB2 and transition metal diborides 7=10932
          N in glass melts, physical and chemical, obs. of N<sub>2</sub> in liquid Co, Co-Ti and Co-Mo 7=7034
           S in liquid and solid Fe-Mn alloy, potential diagram
               obs. 7=18323
           SO2 into H2O and aqueous gels, monomolecular film
           effects obs. 7=10820
SO<sub>3</sub> in Na<sub>2</sub>O-SiO<sub>2</sub> melts, 1150°-1250°C, rel. to O ion activity 7=7038
           Si crysts. in Al melt, anisotropy of dissolution 7=10956
          Si crysts, in Al meit, anisotropy of dissolution of Si in Al-Si alloys, by low-temp. resistivity meas. 7-1227

ZnSe in Ga and In 7=10814

ZnTe in Ga and In 7=10814

In Ag, of rare-earth metals, by meas. electoresistivities 7=4896

Au, insolubility of Re 7=4446

AuPt, insolubility of Re 7=4446
           Fe alloy multicomponent liquids, of N2, mutual interaction
                effects obs. 7=10812
            Fe, b. c. c., of O, 1450, 1510°C 7=4672
           αFe, H partial molal vol. from stress effects on permeabi-
                lity obs. 7=4449
           α-Fe limits, effect of binary transition element
          additions 7=17504
Hg, SO_2 absorption, press. var. at 25^{\circ}C 7=10813
K_2SO_4-K_2O-SiO_2, miscibility gap at 1300^{\circ}C 7=14042 in Na, of Au, 29^{\circ}C 7=7523
SiO_2, fused, of gases, free vol. calc. 7=7040
Solution energy. See Heat of solution.
Solutions
            See also Heat of solution; Liquids; Solid solutions. acids, light and heavy, dissolved in light or heavy water 7=10864
           aqueous electrolytes, adiabatic compressibility 7=1142
           aqueous, high press. and temp. effects 7=14041
           aqueous, n.m.r. chem. shift 7=4390
binary liquids, diffusion theory 7=7051-2
cations in aq. soln., hydration no. determ. 7=10798-9
           chain macromolecule, flow orientation 7=13786
concentrated, convective diffusion temp. var. 7=7050
critical opalescence, Rayleigh linewidth 7=7080
            diffusion near critical point, thermodynamic
                 theory 7=14064
           electrolyte, density meas. 7=4308
electrolytes in methanol, u.s. velocity 7=1143
            free radicals, Heisenberg spin exchange 7=7111
            free radicals, nuclear relax, and molec. motions 7=14128
           heavy salt, turbulent jet with neg. or reversing
buoyancy 7=7008
interfacial tensions of binary and ternary two-phase liquid
           systems, theory, from solubility data 7=4337 ionic, Debye effect obs. by passing u.s. pulses 7=4380 isobutyric acid-water mixture, critical, concn. fluctuations, time-depend. obs. 7=17271
           liquid-crystal solvent effects on e.s.r. 7=10869
methyl alcohol, mol. rotational mobility in soln. with
univalent ions 7=14039
mixed solvents, u. s. absorpt. theory 7=7075
           mixtures of two polar components, dielec.
meas. 7=1161
            n.m.r.solvent effects 7=7116
           nonpolar gases in aq. solns., scaled particle theory 7=17251
           organic molecules in LiCl ionic field, orientational
                relax. 7=14040
          relax. 7=14940
organic two-component, electronic spectra 7=1151
paramagnetic ions, dilute, proton mag, relax. 7=7119
partial molal vols. in regular solns. 7=10809
phthalimide derivs., effect of temp. and aggregation
           state of solvent on spectra 7=1152
polar mol. in nonpolar solvent, intermolec. potential 7=7030
```

```
Solutions-contd
         polyacrylic acid, conc. aqueous, flow 7=10780
         polyelectrolytes, hydration, free OH groups by i.r.
               spectr. 7=7084
          polymer, asymptotic methods in statistics 7=10815
         polymer, dilute, three-parameter theory 7=1123 polymer, dynamics, theory 7=1122 polymer, elastic light scatt., theory 7=10838
         polymer, interactions between dissimilar chains 7=1121 polymers in mixed solvents, light scatt. 7=14091 polymer, mol. wt. distrib. curve calc. from dielec. absorpt 7=10817
         polymer, neutron-scatt., free-draining limit 7=14045 polymer, oscillatory flow birefringence 7=4354 polymers in \Theta solvents, environment effects 7=7042
         polystyrene, conformation changes 7=13789-91
Raman intensities in binary solns. 7=4359
relaxation meas., pressure-wave apparatus 7=18325
          saturation temps, of crystal in its own solution obs. 7=1119
solvent effects on geminal H-H coupling 7=1178
          thermodynamic props., 'central atoms' theory 7=14456
transfer phenomena with intermediate type of bond, by
Onsager method 7=14038
          tungstosilicic acid-NaCl-H<sub>2</sub>O, turbidity and activity
               data 7=1120
          vapour press. of solutes, thermoelectric osmometer
               calibration 7=17316
          viscous, fluorescence depolarization due to molec.
               rotation, thermodynamic theory 7=10848
          C, at high pressures 7=14317
          G(OH)<sub>2</sub>-H<sub>3</sub>PO<sub>4</sub>+H<sub>2</sub>O, formation of ion pairs at 37.5°C 7=17252

H<sub>2</sub>O-CaCl<sub>2</sub>-MgCl<sub>2</sub>, props. and thermodynamics 7=7036
          H<sub>2</sub>O-D<sub>2</sub>O, near i.r. spectra 7=1154
H<sub>2</sub>O-NaCl-CaCl<sub>2</sub>, thermodynamic props. 7=7037
          He³ atoms in superfluid He⁴, effective long-range interaction 7=2962
          K in Cs, mixing theory for liquid 7=14044 K in Rb, mixing theory for liquid 7=14044
          LiCl solutions in organic solvents, Rayleigh scatt.
intensity 7=14099
          nitensity 7=14099
Nain Cs, mixing theory for liquid 7=14043
Na in K, mixing theory for liquid 7=14043
Na in Rb, mixing theory for liquid 7=14043
O in two metals, thermodynamics, meas. errors 7=9005
           Pa 7=10069
          Rb in Cs, mixing theory for liquid 7=14044
VO acetylacetonate in benzene, e. s. r. 7=6725
Sonar. See Sound ranging.
Sonic boom. See Aerodynamics; Shock waves/effects.
Sonoluminescence. See Luminescence/liquids and solutions.
Soret effect. See Diffusion in liquids, thermal.
Sorption
          See also Adsorption.
chemisorption, band theory rel. to electron interaction, energy obs. 7=15434
chemisorption and oxidation, saturating rate 7=2458
desorption, one-dimens. theory 7=7287
desorption, thermal, of inert gases from W 7=1289
dimer problem, series expansion method 7=7288
          glass, ion He ionic pumping at surface obs. 7=4493 on graphite, low energy electron diffr. of physisorbed materials 7=10976 local vibrations calc. 7=7289
          measurement at high press.by tracer pulse
chromatography 7=10888
metal-nitrogen solid solutions, degassing kinetics,
                theory 7=10978
           metals, desorption of gases prod, by e beam temp. var.
                100-600 eV 7=14288
           metals, hydrogenic wave functions of impurities
          calc. 7=17396
metals on W and oxygenated W, evaporative lifetimes,
1250°-1750°K 7=1200
           minerals, semiconducting rel. to adsorption-chemical
               properties 7=7777
           molecular sieves, of CO, obs. 7=17399
           polyethylene, drawn and undrawn, effect on solvent 7=14303
           quartz, chemisorption of Na+, Cl-, and dodecylammonium
                chloride 7=2464
           semiconductors, electron mirror microscope for
                meas. 7=1385
          semiconductor, surface region, chemisorption data rel. to elec. active centres 7=7806 silicagel, of Pa<sup>233</sup> in acid solns., in conference, Orsay (1965) 7=10884
           stainless steel, desorption of gases prod. by e beam. temp
var., 100-600 eV 7=14288
stainless steel, H<sub>1</sub>' implantation at 35 keV 7=14293
           superconductors, interactions with molecules 7=17925
          thermodynamic state of perfect solid-fluid interface 7=8553
           Vycor glass, of activated H, obs. 7=10980
```

#### Sorption-contd

Ar, by glass, from Ar-Ne mixtures, rel. to gas discharge lamps 7=6765

Ar, solubility in polystyrene films 7=10984

CH<sub>4</sub>, solubility in polystyrene films 7=10984 CO<sub>2</sub>, solubility in polystyrene films 7=10984

H atoms on ZnO, chemisorption, effect of additives 7=11942  $\rm H_2$  on Nb films, at 77°K and 293°K 7=4494

He cryosorption pumping by molecular sieve 5A

at 4.2°K 7=10765

N2, solubility in polystyrene films 7=10984

of O<sub>2</sub> on W, mass spectrometry 7=11941 Rh, chemisorbed O structures on (110) surface 7=2460

SO, into H<sub>2</sub>O and aqueous gels, monomolecular film effects obs. 7=10820

S-Pt and S-Au system, adsorpt. meas. by chromatographic anal. 7=8556

Al, chemisorption of  $O_2$  and water rel. to change in work function 7=8064

C, thermoelectric power effect of O2 chemisorption 7=11576 CaO, chemisorption of O<sub>2</sub> 7=18335

CdS, of O<sub>2</sub>, chemi-distrib. of elec. active defects in surface region 7=11153

Co powders of binary phase, of Ar, N<sub>2</sub> 7=18332 Cu, descrption of gases prod. by e beam temp. var. 100-600 eV 7=14288

Cu-Ar or CO2 molecular beam collision, energy

transfer and adsorption time 7-17401 Fe films, of H<sub>2</sub>O, elec. cond. var. obs. 7-14886 Fe-Ar or CO<sub>2</sub> molecular beam collision, energy transfer and adsorption time 7=17401 Ir, of  $N_2$  7=1285

MgO, chemisorption of O<sub>2</sub> 7=18335 Ni, H<sub>1</sub> implantation at 35 keV 7=14293

Pt, finely divided, chemisorption of CO 7=8555

Pt, thermal desorption of Hg 7=10979

Pt, thermal desorption of Hg '7=10979'
Pt-Pd alloy, isotope effect for H<sub>2</sub> 7=14295
Rh, of N<sub>2</sub> 7=1285
T-Ar or CO<sub>2</sub> molecular beam collision, energy transfer and adsorption time 7=17401
Ta,H<sub>1</sub> implantation at 35 keV 7=14293
Ta-N solid solns., degassing kinetics 7=14190
Ti,H<sub>1</sub> implantation at 35 keV 7=14293
TiO<sub>2</sub>, of H<sub>2</sub>O, and heat of immersion 7=8557
V superconductors, interactions with molecules

V superconductors, interactions with molecules 7=17925 W, chemisorbed  $\beta$ -phase  $N_2$  7=11940 W, chemisorption of NO 7=2461

W, chemisorption of O<sub>2</sub> 7=15433 W, desorption of H<sub>2</sub>O, CO, CO<sub>2</sub> by giant pulse laser obs. 7=17409 W, of Li, field emission projector obs. 7=7295

Sound. See Acoustics.

Sound field. See Acoustic radiators; Acoustics; Intensity measurement/acoustics.

Sound ranging

in shallow lakes, use of dipole near-field 7=12446 for supersonic missile location, theory 7=9196

## Sound recording

No entries

# Sound reproduction

See also Acoustic radiators; Acoustic transducers;

Sound recording. response time meas by howlback 7=5729 stereophonic, head-oriented, transmission defects 7=2903 talking levels in loudspeaker communication obs. 7=9216 wind-instrument tones, synthesis 7=15952

# Space charge

current, space-charge-limited, in non-metallic solids 7=1989 in cyclotron ion bursts theory 7=12846 in dielectric, capacitative effect 7=8000

dielectric diodes, noise suppression 7=11570
diodes, SCL, thermal noise 7=18018
in drifting electron stream, waves, convection current,
nonlinear theory 7=16058

in electron accelerators, effect on periodic structure electrodynamics 7=16399 electron clouds in toroidal mag. field, equilib. 7=17095

in insulating films 7=5049

limited diodes, thermal noise 7=216

limited unipolar current with nonuniform distribution of

traps 7=1988 limited unipolar current in solids, differential step response calc. 7=1987

in metal-oxide-semimetal tunnel junctions calc. 7=7992 over sea 7=8625

in particle orbital accelerators, rel. to phase motion 7=9732

photoconductors, rel. to surface cond. and band bending calc. 7=8048

in plastics, by trapping electrons 7=5065

polyethylene films, rel. to conduction and breakdown 7=5070 semiconductor-dielectric contact space-charge layer 7=14935 semiconductors with hot electrons, elec. domains motion 7=7923

# Space charge-contd

semiconductor, noise suppression at low freq. 7=4984 semiconductors, surface magnetoconcentrational effects theory 7=14942

solid-state devices, space-charge-limited, noise, meas. 7=14991

in vacuum gauge with cold cathode 7=10766

waves in drifting electron beam, nonlinear theory 7=16057 Ag halides, imperfection ionic surface space charge 7=1524

GaAs, stable layers in high elec. fields calc. 7=1932 in GaAs tunnel p-n diodes calc. 7=7992

SbSI, drifting patterns under d. c. bias obs. 7=15037

Si interface with electrolyte 7=1798

Si, space-charge-limited current 7=17984

Space groups. See Crystal structure, atomic.

## Space research

See also Atmosphere. charged-particle collision frequency alleviation technique for e.m. plasma-interaction in re-entry problems 7=6857 dust layer at 80 km rel. to stellar extinction, Gemini 9

obs. 7=15475 and general relativity 7=9082

lunar international laboratory conference, Athens,

1965 7=18459 Mars via Venus, optimum transfer 7=8771

nuclear reactor operation 7=13636

nuclear reactor operation 7=13636
polymers stability obs., degassing 7=8764
polymethyl siloxane resin host for optical filters for
2000-3000 Å 7=9568
re-entry communications rel. to radiation through plasma

with field-dependent conductivity 7=8773 thermoelectric specialists conference Washington, D. C., USA, 1966 7=5080

## Space vehicles

See also Rockets; Satellites, artificial. aerials, with plasma sheath, radiation 7=3092

electro-electronic propulsion systems, review 7=12107

motion parameters approx., two matrix forms 7=12111

Ranger VII-IX, moon surface photographs 7=15757

rocket exhaust plasmas, radio propagation effects 7=8772 shielding against high-energy nucleons, review 7=18402 speech intelligibility in O<sub>2</sub>:He or O<sub>2</sub>:N<sub>2</sub> atmos. 7=12454 table, launched in 1958-1965 7=8765 transitions between elliptic coplanar orbits of a var. mass in central Newtonian field 7=9054

transitions from hyperbolic orbit in central Newtonian force field 7=9053

## instrumentation

balloon payloads orientation system for celestial obs. 7=8775

data processing and receiving, review 7=2616 ionization chamber with matched Geiger, response to p, e,  $\gamma$  obs. 7=15618

laser communication, velo. aberration and atmospheric refraction effects calc. 7=5494

Lunar Orbiter for photographing moon 7=8908
photoelectric imaging system, atmosphere radiation
belts effects obs. 7=8774
photomultiplier tubes 7=18403

for planets atmosphere composition meas.,

acoustic 7=5497

protection of transistors from reactor n and  $\gamma$  7=18405 receivers for v.l.f., plasma-induced interference 7=12112 review for satellites 7=5495

solar cells 7=12510

for solar plasma H\*, He²\* separation, mass spectrometer
average charge detector 7=5498
solid-state devices, low-current 7=1960
telescope, rocket-borne i.r., liquid N cooled 7=5496
X-ray proportional counters and "telescope" 7=12113
Spallation. See Nuclear spallation.

# Spark chambers

air-argon, basic characts., investigation 7=16381 for beam profile meas., with magnetostrictive delay line readout 7=12807 and counter hodoscopes, digital on-line data handling 7=5957

for  $\gamma$  astronomy 7=629

gaps series supply, rel. to parallel 7=3399
gas mixture filling, investigation 7=16385
geometrical reconstruction of high-energy interactions in
non-uniform mag. field 7=3398

high-energy physics conference, Dubna, USSR, (1964) 7=3413

irradiation with emulsion stack in p synchrotron 7=5998 isotropic, for reaction meas. at high energy 7=5990 large magnet, description and performance 7=9713 magnetostriction, elastic pulse propagation in wires obs. 7=12803

measurement of track brightness 7=3396

Molière's theory of multiple scatt., application 7=422 neutrino, electron shower meas. 7=6275

particle pβ meas. rel. to multiple scatt, and secondary sparks 7=3395

particle spectrometer, on-line, 5-30 GeV/c 7=378

7 = 7498

Specific heat-contd

coverage 7=11117

```
Spark chambers-contd
              particle trajectory reconstruction accuracy 7=16382 for p magnetic analyser localization on focal
                                                                                                                                                                                    solids-contd
                                                                                                                                                                                          alloys, dilute, magnetic, at low temperatures 7=14462 benzoic acid, 25 -80 k 7=9262 constantan, 0.05°-0.15 k 7=2080
                     plane 7=13070
             plane 7=13070 for radionuclide distribution meas., crossed-wire 7=3829 self-triggering on scintillation pulse 7=5993 shower efficiency with large "memory" 7=6274 simultaneous irradiation with emulsion chamber 7=3401 for slow-particle detection 7=16383 sonic, assembly of four 7=3400 ith cost locations of speaks 7=16384
                                                                                                                                                                                          cork films, transient heating obs. 7=1473
                                                                                                                                                                                         cork nims, transient neating obs. 7=1473
Debye temps. calc. for 82 cubic crystals 7=7493
dilute mag. alloys, low temp. var. theory 7=11119
graphite, low temps., increase on borination obs., rel. to
electron states density 7=7785
Heisenberg model, classical, high-temp. series 7=4643
helicons calc. 7=7824
mag.Surepport by differential coordinates also in the following contractions of the coordinates of the coor
              with sonic location of sparks 7=16384
              spark maximum angle, var. with gas filling and press. and
                                                                                                                                                                                          measurement by differential scanning calorimetry 7=1472
              pulse amplitude 7=421
spectrometer, mag. 7=5989
spectrometers 7=5988
                                                                                                                                                                                          measurement at low temp. by decreasing temp.
                                                                                                                                                                                                  method 7=17564
             system, design and performance 7=9712
trigger using Si-controlled rectifier with matching
                                                                                                                                                                                          measurement, metals 0 -900° 7=7515
                                                                                                                                                                                          measurement simultaneously of metal and two dilute
                                                                                                                                                                                          alloys 7=7498
metal film, surface effects rel. to conductivity
electrons 7=7805
              circuit 7=16380
wide gap, characteristics and appls. to cosmic rays 7=12804
wide gap, detection of particles prod. in gas 7=5987
wide gap, detection of particles prod. in gas 7=5987
                                                                                                                                                                                          metals, high temp. obs., and vacancy formation energy
and conc. 7=1548
metals meas. 7=2929
              wide gap, discharge mechanism, particle ion capacity obs. 7=5986
              wide gap, momentum meas. and efficiency obs. 7=9714
                                                                                                                                                                                          metals, and melting point, rel. to tensile strength and
              wide gap, two electrode, cylindrical, near earthed objects 7=3394
                                                                                                                                                                                                 hardness 7=14676
                                                                                                                                                                                          8 metals, pressure dependence of thermal capacity 7=1470
              wire, large area and two-coordinate read-out 7=12806
                                                                                                                                                                                          metals, pure, Debye temps., approx. calcs. 7=11118 off-centre impurity, elec. field effect in tunnelling approx. 7=14550
              wire, with magnetostrictive delay line readout, design
             wire, with magnetostrictive delay line readout, design
and performance 7=12805
X-ray prod.from discharges in He obs. 7=3397
p-C12 scatt. 145 MeV, study 7=13423
H-He, isotropic 7=5992
He streamer chamber, high press. 7=5991
Si Li-drifted diodes for spark coordinates meas. 7=3368
                                                                                                                                                                                          polyethylene films, transient heating obs. 7=1473
                                                                                                                                                                                          polyethylene, ht. capacity 2.5-30°K 7=17566 polyethylene terephthalate films, transient heating
                                                                                                                                                                                                 obs. 7=1473
                                                                                                                                                                                          polymer films meas. by transient heating 7=1472
Spark counters, See Counters/spark.
                                                                                                                                                                                         polymethyl methacrylate, low-temp. excess obs. 7=1478
Sparks, electric
                                                                                                                                                                                         polystyrene, low-temp. excess obs. 7=1478 poly(vinyl chloride) compositions 7=4649
              See also Breakdown, electric; Lightning. acoustic pulse generators for diffr. meas. 7=12441
              air, dimension change invest. with two synchronized
                                                                                                                                                                                         quartz, specific heat × thermal cond. × density obs. for
                     lasers 7=970
                                                                                                                                                                                                 resistance thermometer substrates for shock
             air, by laser beams, obs. and spectrum of plasma 7=969 air, laser-induced, optical props. 7=13814 air, laser prod., plasma diamag. perturbation of external mag. field obs. 7=10644
                                                                                                                                                                                                 tubes 7=7500
                                                                                                                                                                                          rare earth nitrides, electronic and mag. props., low
                                                                                                                                                                                          temp. 7=18096 refractory materials while cooling, true 7=1474
            air, streamer-spark transition, cathode field
emission 7=13815
cutter with servo-driven electrode 7=5646
discharges, 32000A, optical investigations 7=13816
discharge zone, entry of components of probe mats,
diffusion processes 7=6783
                                                                                                                                                                                         for superconductivity establishment in semi-
                                                                                                                                                                                                conductors 7=17900
                                                                                                                                                                                         superconductors, jump with overlapping bands 7=11470
                                                                                                                                                                                         thermal characteristic equation in crystal growth \,7{=}17428 third transition series solns., low temp. obs. \,7{=}1471
                                                                                                                                                                                         transition metals alloys, b.c.c. applicability of rigid
model for 3d band 7=17821
              gap, low-inductance, 50 kV 7=6782
                                                                                                                                                                                        transition metals and alloys, low temp. sp. ht. 7=11126
triglycinefluorberyllate ferroelectric phase transformation
obs. 7=8031
Ag, dilational term, 300°-800°K 7=1711
             gap pulse front slope, effect of interelectrode capacity calc. 7=2979
             laser, interferometry holographic investigation 7=4153 light source, 7 to 15 n sec flash duration 7=9570
                                                                                                                                                                                         Ag, Grüneisen parameters calc. in continuum
              lighting a reacting gas 7=9247
           Igning a reacting gas 7=9247
multiple vacuum disc switches strength 7=13817
predischarge currents of spark gap at mixed
voltages 7=10588
recovery process, electrode heat transport effects 7=10587
spectroflash unit with triggered spark gap 7=11956
threshold electron density 7=10586
                                                                                                                                                                                               model 7=14713
                                                                                                                                                                                         Ag, 0, calc. from vibr. spectrum 7=4617
Ag-Au dilute alloys conc. var., low temp. obs. 7=7498
Al, Debye temp. X-ray obs. 7=7469
                                                                                                                                                                                         Al, Debye temperature from 14.4 keV γ-ray
                                                                                                                                                                                        An, Debye temperature from 14.4 KeV γ-ray scattering 7=7497
Al dilute alloys < 4°K, electronic component var. with valence electron conc. obs. 7=14463
Al < 4°K 7=14463
Au, dilational term, 300°-800°K 7=1711
             and C graphitization, energy var. obs. 7=17357
He, due to laser, spectra 7=4155
on TiO<sub>2</sub> ceramic surface in Ar and Xe, as light
                    source 7=9574
Specific heat
                                                                                                                                                                                         Au, Grüneisen parameters calc. in continuum model 7=14713
            See also Thermodynamic properties.
calorimeter for 2 -80°K 7=9262
λ transition statistical thermodynamics 7=10886
                                                                                                                                                                                         Au, O, calc.from vibr. spectrum 7=4617
Au, 2 to 4°K 7=1475
AuSn, 2 to 4°K 7=1475
            mixes superconductive state, and H_{\rm cl} transition 7=17891 molecular crystals, lattice, theory 7=14457 polymer solutions, asymptotic methods 7=10815
                                                                                                                                                                                         Cd, temperature dependence of lattice contribution at 300^{\circ}\text{-}575^{\circ}\text{K} 7=1709
             superconducting state 7=17897
                                                                                                                                                                                         Ce ethyl sulphate effect of spin h.f. phonon interaction 7=17565
Co around Curie point obs. 7=7494
           in equation of state, modified using sonic velocity meas., rel.to determ.of compressibility factors 7=17201 pressure var.at const.temp., Lennard-Jones (18-6) potential appl. 7=6965
                                                                                                                                                                                       Co around Curie point obs. 7=7494
Cr alloys, rel. to antiferromagnetism, low temp. 7=18146
Cr alloys with Mo, W, V, Ru and Os at 1.5 to 4.2 K 7=11120
Cr, X-ray Debye temp., thermal variation 7=4647
CrH<sub>0.84</sub>, electron and λ-anomaly 7=11121
CsBr, Debye temp., temp. depend. calc. 7=7472
Cu compds., magnetic transitions 7=18091
Cu, dilational term, 300°-800°K 7=1711
Cu, Grüneisen parameter, temp. var. calc. 7=7503
Cu, Grüneisen parameters calc. in continuum model 7=14713
            relativistic degenerate electron gas calc. 7=9117
     liquids
           alkali halides, molten, significant-struct. theory calc. 7=14032
            heat capacity estimation method 7=10827
           metals meas.
theory 7=7065
                                               7=2929
                                                                                                                                                                                                model 7=14713
            water, first and second derivs., discontinuities, data 7=10829
                                                                                                                                                                                         Cu, temperature var., lattice dynamical calc. 7=4620
          water, first and second derivs., discontinuities, data 'He \(\) transition statistical thermodynamics 7=10886 He in pores of Vycor glass, boundary effects, 0.5-2.5 K 7=5752 Hes, temp.var.rel. to zero sound 7=12493 Na, melting point to 475 K 7=17568 P, supercooled 7=1193
                                                                                                                                                                                         CuCl<sub>2</sub>, 2H<sub>2</sub>O, 2 -80° K 7=9262
Dy, 3 to 25° K 7=1476
EuS in magnetic field, low temp. obs. 7=7495
                                                                                                                                                                                         Fe dilute alloys conc. var., low temp. obs.
Fe and Fe-Si, effect of mag. field 7=7496
                                                                                                                                                                                         Fe-Ni(30 wt.%), ferromag-paramag. transition var.
    solids
                                                                                                                                                                                         obs. 7=18117
Fe-(7at.%Ni + 3.1at.%Al), ageing obs. 7=4471
Fe-Si, 3.34 wt.-%Si 7=8110
           adsorbate, heat capacity depend. on surface
```

Specific heat-contd solids—contd Fe-V alloys, meas., 125-625°K 7=14464 GaSe obs. 7=11133 Gd, 3 to 25°K 7=1476 Gd-Pr, hyperfine coupling obs., rel. to Pr 7=1477 Ge, anharmonic contributions 7=11125 Ge, 350°-650°C meas. 7=14465 GeTe, specific heat meas, to test superconductivity 7=17905 He4, h. c.p., Grüneisen parameter, vol. and temp. dependence 7=12494 Ho, 3 to 25°K 7=1476 I Debye temp., elastic wave velo. obs. 7=7731 KCl, Debye temperature from 14. 4 keV γ-ray scattering 7=7497 KMnF<sub>s</sub>, heat capacity, 80-300°K 7=4644 La compounds, superconducting, overlapping bands interpretation 7=11470 La compounds, and superconductivity 7=17910
La, superconducting, 1.1-10°K 7=17909
La-Gd solid solns, and mag. susceptibility meas. 7=18154 La-Y alloys, and superconductivity of La 7=17910 Li, calc. 7=7473  $({\rm Mg_{1-x}Mn_x})_2{\rm P_2O_7}$  (0< x < 0.04), near  $\alpha\text{-}\beta$  phase transition 7=14233 Mg<sub>2</sub>Sn, heat capacity meas., 5-300°K 7=14466 MnNi, nuclear specific heat contrib., 3.3-4 °K obs. 7=17567 MnNi3, nuclear specific heat contrib., 0.3-4°K obs. 7=17567 Mo compounds superconducting, overlapping bands interpretation 7 = 11470Mo, electronic, calc. from density of states curve 7=11127 Na, 300°K to melting point 7=17568 NaF (villiaumite) characteristic temp., X-ray obs. 7=1430 obs. 7=1430

Nb compounds superconducting, overlapping bands interpretation 7=11470

Nb, electronic, calc. from density of states curve 7=11127

Nb, 0-2740°K 7=1469

Nb, superconducting, rel. to u. s. absorption, 290-1280 Mc/s 7=7903  $\begin{array}{c} {\rm NbB_2,\,superconductive\,\,anomaly}\ \ 7{\rm =}17913\\ {\rm NbS_2\,\,superconductive\,\,anomaly}\ \ 7{\rm =}17913\\ {\rm Nb_3Sn,\,anomalous,\,liquid\,\,He\,\,region}\ \ 7{\rm =}1479\\ \end{array}$ Ne, lattice vibr. calc., zero-point-energy effect 7=11122 Ne, lattice vibr. calc., zero-point-energy effect 7=11122 Ni alloys, low temp. meas. 7=17569 Ni, effect of mag. field 7=7496 Ni, effect of mag. field 7=7496 Ni, electronic, and electron states calc. 7=7774 Ni, magnetic 7=4646 Ni near Curie point 7=1480 Ni, X-ray Debye temp., thermal variation 7=4647 Ni-16 wt. % Mo-7 wt % Cr-5 wt % Fe, 50-700°C 7=4645 NiSiF<sub>8</sub>. 6H<sub>2</sub>O, 0.35°-4.2°K, in mag. field 7=11123 Pb, superconducting transition width obs. 7=1888 Pr. hyperfine coupling rel to Gd-Br. 7=1477 Pr, hyperfine coupling rel. to Gd-Pr 7=1477 Pt surface Debye temp., low energy electron diffr. obs. 7=1260 Pt-Au, 1. 2 to 4. 2°K 7=7499 Pt-Ir, 1. 2 to 4. 2°K 7=7499 Sb, and electronic density of states 7=11399 Se, amorphous and hexagonal 7=11124 Si, anharmonic contributions 7=11125 Sn, high-press. modification, Debye temp. 7=17921 Ta, Grüneisen const. from room temp. to 500°C 7=1741 Ta, Grüneisen const. from room temp. to 500°C 7=1741
Tb, 3 to 25 K 7=1476
Th, low temp. obs., rel. to supercond. 7=7916
Ti-16at. % Mo, in applied mag. fields 0≤H≤29kG 7=17923
Ti-V-Fe, low temp. 7=15281
TlBr, Debye temp., calc. 128°K 7=11080
Tm, 3 to 25°K 7=1476
U, low temp. obs., rel. to supercond. 7=7916
α-U, at 10 kbar, 0.3 to 6°K, superconducting
transition 7=1906
ULL 1.7 to 25°K 7=4648  $\alpha$ -U, 1.7 to 25°K 7=4648 VC superconductive anomaly 7=17913 W, Grüneisen const. from room temp. to 500°C 7=1741 Xe, lattice vibr. calc., zero-point-energy effect 7=11122 Y compounds, superconducting, overlapping bands interpretation 7=11470 Y compounds and superconductivity of La 7=17910 Y-Gd dilute solns., interpretation 7=14467 Y-Gd solid solns., and mag. susceptibility meas. 7=18154 Zr, electronic, calc. from density of states curve 7=11127 Zr-Nb-Mo, low temp. 7=15281 ZrZn<sub>2</sub>, 1.4-4.2°K 7=4650 Spectra

See also Absorption/light; Astronomical spectra; Atmospheric spectra; Colour; Mass spectra; Raman spectra; Spectrochemical analysis; Spectroscopy; Stark effect; X-ray spectra; Zeeman effect. abscissa, the best independent variable 7=9577 absorption, in optical region, induced by laser and intense continuous rad. 7=13708 air, electron beam excited, 13 keV, rel. to 37 keV p and aurora 7=10508

SUBJECT INDEX S 349 Spectra-contd air shock layers 7=17209 air sparks, by laser beams, plasma obs. atlases at Vatican Observatory, 1935-65 7=804 benzene, absorption, conjugation phenomena effect on vibration, 77-450°K 7=10531 crystals, absorption and luminescence similarity 7=2390 crystals i.r. absorption, anharmonicity effects 7=14420 crystals, i.r. lattice vibr. spectra with no imperfections 7=15291 crystals, insulating, absorption, singularity
reversal 7=5230
crystals, orientationally disordered 7=15330-31
Doppler-broadened lines, H-functions in theory of
resonance radiative transfer 7=12006 electrodeless ring discharges 7=10579 electron spectroscopy for chemical analysis, review 7=16895 emission coefficients from emitted intensities, asymmetrical source 7=332 excitons, bound, for radiation damage obs. 7=11150 fluctuations of quantal spectra 7=9578 gas, radiances and equivalent widths of Lorentz lines for nomisothermal paths 7=13710 gases, and nonisothermal radiation band models 7=4293 general, rigorous theory of difference eqn. 7=11097 granular structures reflection rel. to transmission 7=18194 indirect transitions with Coulomb interaction between electrons 7=2262 laser beam traversing atmosphere, wavelength depend. 7=15521 line absorpt. coeff. in blanketing effect computation 7=5705 line with resonance contours, formula for radiation 7=6493 molecules in gases, monochromatic absorption coefficient, nonlinearity 7=17210 molecules, i.r. intensities calc. in Born-Oppenheimer approx. 7=6601 molecules in i.r., vibr. degeneracy elimination by e.s. field of cation 7=6616 molecules, photoelectron, resolving power 7=16931 nonLTE line form. with spatial var. in Doppler

width 7=5706 off-centre impurity, elec. field and stress effects in tunnelling approx. 7=14550 optical materials emittance in i.r. for props. meas. 7=11732

optical transitions between impurity centres and Landau levels, linewidth 7=8363 from plasma from solids, due to focused laser

radiation 7=13870 polyatomic mols., vibronic intensity distrib. 7=6614 resolution distortion corrections to distributions 7=9002 review with solid-state emphasis 7=15292 rotational, quadrupole hyperfine interaction energies 7=10464

energies (=10404 semiconductor plasma reflection in i.r. for surface conc. meas. 7=14847 singlet-triplet transitions, point-group selection rules and polarization 7=11739

solid impurities, conc. var. theory for absorption and dispersion 7=11737

solid-state ions and imperfections 7=14821

solids absorption, coexistence of local and band structures,

line shape theory 7=18196 solids, excitation considered as many-body effect 7=18210 structural analysis, use of Zeeman effect 7=9581

transmission due to overlapping lines 7=12704 two-component solns. molecular electronic

spectra 7=1150

two-phonon i.r. absorption, interpretation 7=18201 Wiener, in meas.photographic granularity 7=12740 V-grooved surfaces reflection obs. 7=9605

CO<sub>2</sub>, 9. 4 $\mu$  and 10. 4 $\mu$  bands transmission calc. Ne-He electrodeless ring discharges 7=10579 Tm<sup>169</sup>, ground state hyperfine struct. 7=13022 Xe electrodeless ring discharges 7=10579

atoms

See also Atoms/excitation; Atoms/structure. air 7=16904

air radiation, from shock layers 7=17209 alkali metals, electron excited, polarization 7=10422 alkali metals, resonance lines perturbed by foreign

gas 7=6515 "anticrossing" signals in resonance fluorescence

calc. 7=10420 arc obs. 7=17003

coherent radiation interaction with two-level atom and atomic systems 7-9536

collision broadening and shift, theory 7=16907 configuration interaction effects calc. 7=6517 Coulomb field accuracy from Lamb shift 7=10384 in e.m. wave field, shift and splitting calc. 7=6523 electron excited, polarization 7=10422 electron mass shift in intense photon field, proposed

test 7=3520

```
Spectra-contd
  atoms-contd
```

electron spectroscopy for chemical analysis, review 7=16895

flame temp. effect on emission and absorption 7=818 fluorescence, resonance, mag. field modulation 7=10389 freq. redistrib. function of radiation scattered from a thermal distrib. 7=15921 hydrogenic, Kerr absorption line, theory 7=3997

integrated line intensities 7=12707 ions, electron-impact broadening, one-electron approx. 7=3987

isotope shifts in medium-heavy elements rel. to nuclear

charge distrib. 7=6520 isotope shifts and nuclear charge distrib. 7=10377 isotopic shift quasiclassical calc. 7=6296 Lamb shift, dispersion theory calc. 7=3994
Lamb shift, fourth-order corrections calc. 7=3995 Lamb shift of H-like atoms, dispersion theory 7=6509 level crossing and anticrossing techniques 7=10390

level shifts due to confinement by conducting walls 7=13675 lifetimes, explicit formulae 7=16913 line breadth, interaction effects theory 7=6522 magnetooptical rotation, apparatus 7=11740
metals, 3d, highly ionized, configuration interaction 7=4004

µ 2p-1s transition energies in S, Cl, Ar, K, Ca,
and Cr obs. 7=10456

µ pair prod. in bound-bound transitions calc. 7=8813

photoabsorption cross sections obs. 7=13694 photosphere surface temp. distrib., effect of line absorpt. 7=5624

π-mesic, higher transitions meas. for Z=16-94 7=4051 radiation damping of degenerate states, appl. to two-atom systems 7=4038

resonance lamps as monochromators in absorption spectroscopy 7=6521

resonance lines excitation by electrons, cross. meas. 7=10433

cross. meas. 7=10433
resonance transitions in non-metals, dipole transition integrals calc. 7=10392
review, analytical 7=2488
shift of ground state in intense field, semiclassical dispersion theory 7=3993
theory of hyperfine structure 7=3720
thermalization lengths and the homogeneous transfer equation in line formation, 7=10387

equation in line formation 7=10387

Transition probabilities meas., new technique 7=13672
X-ray, biography of Barkla 7=13663
X-ray emission wavelengths reevaluation 7=10394
Zeeman effect work at MIT 7=9580

Ag<sup>110m</sup> h.f.s., atomic beam magnetic resonance obs. 7=16726 Ar, continuous absorpt. cross-section 7=6535 ArI 4s-4p array, experimental transition probabilities 7=13677

ArII, u.v. multiplets 7=10400 Ar-H laser discharge line shapes obs. 7=16163 As, KLL Auger transitions, relative intensities and energies 7=13678

Au III, energy levels 7=16905

Ba II, isotope shifts and intrinsic deformations 7=13703

BeI, social. strengths calc. with config. mixing 7=10410 C, He-like 7=6536 CI, obs. and calc., 1492-1602 Å 7=4006 CII multiplets rel. oscillator strengths obs. 7=10405

CIII, oscill. strengths calc. with config. mixing 7=10410 Ca, \( \), 6573, collision broadening and shift 7=16906

Cd in Kr and Ar at low temps., triplet structure obs. 7=8448

Coll doublets relative strengths calc. 7=10419 Cl, gas-phase electron resonance 7=6538 ClH, 3 c.w. laser lines, 0. 4-0.5  $\mu$  7=5879 Co²+, in spinels, calc. 7=11792 Cr VI 3ps3d-3ps3d4s lines classification 7=10407

Cs, absorption in Xe atmos., collision enforced

transitions 7=6537

Cs resonance lines excitation by electrons, cross. obs. 7=10433

Cs<sup>133</sup>, Cs<sup>135</sup> and C<sup>137</sup>, isotope shift in reson.lines of arc spectrum 7=13679

Cu, level population in hollow cathode discharge 7=10577 Cu, specific isotope displacements calc. 7=6546

Cu sputtered particles, electron beam excited 7=1652 Cu II, obs. and calc., 861-1623 Å 7=4006

Erss X-ray L-emission new diagram lines obs. 7=11762 F, gas-phase electron resonance 7=6538 Fel, u. v. lines, oscillator strengths 7=6540

Fe VIII 3p63d-3p53d4s lines classification 7=10407

Fe XII to Fe XVIII, new lines and their isoelectronic sequences 7=16908

Fe XIV-XVI, wave functions and oscill. strengths with

config. mixing 7=10410 Fe XVII calc. 7=6541 GeI, isotope shift 7=825

Ge II, obs. and calc., 1492-1602Å 7=4006

Spectra-contd

atoms-centd

h, Balmer lines and quasistatic line profiles 7=3999
H, Kerr absorption line, theory 7=3997
H, LTE deviations in stellar atm. 7=8822
H, line blanketing and LTE deviations effects on stellar atm. 7=8823

H lines broadened by electrons and ions in plasma,

Holtsmark formula corrections 7=16900 H, mag. field effect on broadening 7=6529 H in plasma wings of Balmer and Paschen lines 7=6867 H, pressure shift and collisional narrowing by stimulated Raman emission 7 = 6528

H, radiofreq. 7=9457

H, stimulated Stokes on Raman emission 7=3138 H, Stark broadening theories 7=4000

H(2s), Lyman- $\alpha$ , formed in charge transfer to 40-200 keV protons 7=4170 He excited by electrons, polarization obs. 7=10429

He isoelectronic sequence extrapolations and

interpolations 7=4003 He neutron, diffuse series lines and quasistatic line

profiles 7=3999

He, optically oriented, resonance detect. 7=6560

He, in plasma arc, meas. 7=6791

He, polarization of 5016Å line excited by electrons 7=830

He, polarization of 5016A line excited by electrons 7=831 He, polarization of lines excited by electrons 7=831 He, relative intensity of lines and electron temp. and density 7=10397 He, singlet state 7=4002

He I 4472A half-width and time-distance values 7=13674 HeI, Fowler-α-line, electron impact excitation 7=832 He<sup>-</sup>, metastable (1s2s2p)<sup>4</sup>Po state, energy calc. 7=16902 in Hg discharge lamp, high press., intensity changes 7=10625 Hg in negative glow of Hg-H<sub>2</sub>, discharge obs. 7=16996 Hg Raman light sources at 4358 and 5461 A rel. to He-Ne

laser 7=3262

Hg resonance line broadening and shift by He 7=10452 Hg, resonance line, Zeeman effect 7=10408 Hg, resonance lines perturbed by foreign gas 7=6515 Hg trapped in low-temperature inert gas matrix 7=8404 Hg,  $7\%_1$  and  $6^3D_1$  levels extinction obs. on collisions with  $N_2$  7=13702 Hg 2537Å component profile perturbation by isotope

collisions obs. 7=13701

HgI oscillator strengths ratios obs. by excitation 7=13681 Hg  $^{199,201}$  6 $^{18}$ G<sub>0</sub>- $^{68}$ P<sub>0</sub> line transition probabilities obs. 7=13680 Ho $^{9^{\circ}}$  in LaCl<sub>3</sub>, h.f.s. by Zeeman splitting 7=11774 I, 651.6 nm laser transition 7=5883

K resonance lines excitation by electrons, cross obs. 7=10433

oos. '=10433 Kr, double excitations obs. in L spectrum 7=6564 Kr, laser emission, 0. 46 μ 7=5884 Kr I, in extraphotographic i.r. 7=13682 Li "anticrossing" signals in resonance fluorescence

calc. 7=10420

Li, excitation functions 7=6567 Li, metastable (1s2s2p)\*P° state, energy calc. 7=16902 Li, resonance lines, self-broadening meas. 7=6542

Li<sup>6.7</sup>, optical excitation, polarization 7=10423 Li<sup>6.7</sup> 2<sup>2</sup>P term h.f.s. obs. 7=10411 Mg, specific isotope displacements calc. 7=6

Mn, from flash heating of KMnO<sub>4</sub> 7=889

Mn, KLL Auger spectrum from Fe<sup>55</sup> e capture decay 7=10412 Mn II, 5 lines, transition probabs. in solid vortex

arcs 7=6543

Mn VII 3p63d-3p53d4s lines classification 7=10407 Mn436I, lines, transition probabs. in solid vortex

arcs 7=6543

N, absorpt. 600-1100Å 7=4090 N, continuum radiation, analysis rel. to ionization 7=6547

N, extreme, u.v. absorption in He-N discharge obs. 7=4008N, He-like 7=6536

N, he-like 7=0505 N ions, Grottrian charts 7=4009 N, pulsed laser transition, 0. 4 μ 7=5885 N, transitions <sup>2</sup>P - 4S of ground configuration 2s<sup>2</sup>2p<sup>3</sup> 7=13684

NI, 78 lines in vac.u.v. 7=13683

NI, 76 lines in vac. u.v. 7=13683

NIV, oscill. strengths calc. with config. mixing 7=10410

N', recombination continuum, vac. u.v., meas. 7=6545

Na<sup>23</sup>, optical excitation, polarization 7=10423

Na<sup>24</sup>, h. f. s. anomaly meas. 7=3721

Nd<sup>3\*</sup>, in crystal field, group theory analysis 7=10927

Ne, excited by Ne<sup>2\*</sup> ions hitting a C foil 7=6569

Ne, g-value for strong lines obs. 7=16910

Ne, He-like 7=6536

Ne isotope shift for 6328A obs. by interferometer laser 7=279

Ne, press. effects on 2s-2p transitions, using He-Ne laser 7=16172
Ne, specific isotope displacements calc. 7=6546

Ne II, u.v. multiplets 7=10400

Ne<sup>20</sup>, shifts due to press. and current in  $2p_4 \rightarrow 3s_2$  transition obs. 7=13795

```
Physics Abstracts 1967 - Part I (Jan.-June)
Spectra-contd
         atoms-contd
                   Ni, specific isotope displacements calc. 7=6546
                   Ni2+, in spinels, calc. 7=11792
                 Ni<sup>2*</sup>, in spinels, caic. 7=11792
O, continuum radiation, analysis rel. to ionization 7=6547
O ions, Grottrian charts 7=4009
O multiplets transition probabilities from arc in SO<sub>2</sub>Cl<sub>2</sub> liquid vortex 7=6550
OI, u. v. multiplets 7=10400
OIV levels decay obs. 7=16911
OIV oscill strengths cale with confirmining 7=10410
                 O V, oscill, strengths calc, with config. mixing ~7{=}10410 O', Hertzian spectrum, 80-240 Mc/s ~7{=}6548 O('D), in photolysis of O_2 ~7{=}2474
                  PI, u. v. multiplets 7=10400
                 PI, u.v. multiplets 7-10400
PI, u.v. multiplets 7-10400
Pa<sup>230</sup>, fine structure, in conference, Orsay (1965) 7-10202
Pb<sup>206-6</sup>, muonic, X-ray spectra, meas. 7-6598
Po, 6p<sup>3</sup>(4S)7s-6p<sup>3</sup>(4S)np series obs. 7-10416
                 Po<sup>209,209</sup>, h. f. s. 7=827
Rb, absorption flame-photometry, removal of foreign bodies influence 7=10417
                 Rb, magnetic-dipole and electric-quadrupole radiation,
                            interference 7=826
                 Rb resonance lines excitation by electrons,
                           cross. obs. 7=10433
                Rb vapour, r.f. modulated optical transients 7=4029 Re<sup>185</sup>, Re<sup>187</sup>, Re<sup>188</sup>, Re<sup>188</sup>, hyperfine struct of I-lines 7=4010
                 S multiplets transition probabilities from arc in
                           SO<sub>2</sub>Cl<sub>2</sub> liquid vortex 7=6550
                SI.u.v. multiplets 7=10400
SII, u.v. multiplets 7=10400
Sb, new laser transitions 7=5888
                Si I. u. v. multiplets 7=10400
Si II, 5 lines, transition probabs. in solid vortex
arcs 7=6543
               Si II, u. v. multiplets 7=10400
Si II, obs. and calc., 1492-1602 Å 7=4006
SmI, Zeeman effect 7=828
Tb I, structure 7=10418
Te, new laser transitions 7=5888
               Te, new laser transitions 7=5000 TI, absolute intensities rel. to TI vapour temp. 7=4032 TI<sup>197</sup> h.f.s., obs. 7=4011 U, self-reversal in lines 7=6551 Xe, laser emission, 0. 47 \mu 7=5884 Xe, resonance lines oscill strengths meas. 7=6552
               Yb, isotope shifts of resonance lines 7=829 Yb<sup>2</sup> in cubic fields 7=17341
                Zn in Kr and Ar at low temps., triplet structure
obs. 7=8448
Zn II doublets relative strengths calc. 7=10419
     inorganic molecules
                        See also Molecules.
               air, in electric discharge, time variation 7=944 air radiation, from shock layers 7=17209
               Franck-Condon factors from photoelectron
                        spectra 7=13829
               i.r.bands in gases, self-broadening effect 7=16929
i.r., molec. motion determ. 7=858-9
Kerr absorption line theory 7=3997
              radiative lifetimes of u.v.transitions 7=871
C vapour condensed in inert-gas matrices 7=2277
              COS+, emission spectra 7=6654
             CuI, emission 7=5255 \rm H_2, \, B^{1}\Sigma_{\star}^{*} state anomalous behaviour rel.to non-adiabatic perturbations 7=16947
               O, condensed, absorpt. 1. 26-0. 3\mu 7=4097
              SO_2, isotopic, rotation spectra obs. 7=4099 Y_2O_3 (B^2\Sigma-X^2\Sigma) band, Frank-Condon factors and \gamma centroids 7=16960
    inorganic molecules, diatomic
              electronic transitions spectral absorption coefficients,
            diatomic 7=13720
Hönl-London factors for 3\Sigma^{\pm}-3\Sigma^{\pm} transitions 7=6632
hydroxyl radical, band absorption in u.v. range 7=6688
radiation damping of degenerate states 7=4038
rotational structure, computer analysis 7=10462
              AlO, new band system 7=4067
             Ar, continuum radiation from positive column 7=961 AsO, band spectrum to \lambda~2100\,A~7{=}4068
              AsO rotation structure of C2 Δ - X2π system bands
            ASO Totation Structure of the polynomial of the 
             BiS, absorption bands, rotational analysis 7=13727
           BiS, absorption bands, rotational analysis 7=13727 BiSe, absorption bands, rotational analysis 7=13727 C vapour flames 7=874 C<sub>2</sub> excited in d<sup>9</sup><sub>1</sub> state obs. 7=6643 C<sub>2</sub>, growth curves calc., self-absorption 7=6644 C<sub>2</sub>, Swan band, vibr. lines meas. 7=6645 C<sub>3</sub>, Swan emission from oxyacetylene flames 7=875 CN, growth curves calc., self-absorption 7=6644 CN violet system. electronic transition moment
```

CN violet system, electronic transition moment

CO, forbidden  $I^1 \Sigma^- - X^1 \Sigma^+$  absorption bands obs. 7=6647

variation 7=6646

```
Spectra-contd
       inorganic molecules, diatomic-contd
               CO, fundamental band intensity
               CO, new vac.u.v.bands 7=877
             CO, hew Vac. (1.7. bands ==617

CO<sub>2</sub> band spectrum, review 7=4071

CO* band systems, transition probability parameters

calc. 7=6651

CS, A*II - A*IX ÷ isotope shifts 7=10491

CdCl emission, B*2 - X*2 vibr. bands obs. 7=10492
             CsD, absorpt.
CuI 7=4077-8
                                                 7=6655
             Cusquar E-X bands rotational consts. 7=16945
D<sub>2</sub>, in D<sub>2</sub>-He, D<sub>2</sub>-Ar and D<sub>2</sub>-N mixtures, induced i.r. absorption 7=6656
             \mathbf{F}_2, emission bands, 4500–8500Å 7=6658 \mathbf{F}_2^+, emission bands, 4500–8500Å 7=6658
             GeH, GeD<sup>2</sup>∆-<sup>2</sup>∏ band system rotational analysis 7=4080
             \rm H_{2}, molecular constants, determinations 7=10498 \rm H_{2}, rotation-vibr. bands lines calc. 7=4082 HBr, press. -induced rot. quadrupole spectra 7=10500
            HBr, press. -induced rot. quadrupole spectra 7=10500 HCl, \nu_0 \rightarrow 2, 3 bands obs. 7=10501 HCl, press. -induced rot. quadrupole spectra 7=10500 HCl<sup>37</sup>, 1-0 band above 800°C, new lines 7=3257 HCl and DCl polymers in solid inert gases, i. r. 7=2313 He<sub>2</sub><sup>+</sup> in early afterglow obs. 7=4145 HF flame, temperature obs. 7=143
             HF in inert-gas lattices, vibr.-rot. 7=5260
            HF matrix spectra 7=8401
HgF, new bands in 2230-2100Ă region 7=13735
L<sub>2</sub>, Franck-Condon calcs. using Morse-potential 7=10505
L<sub>3</sub>, trapped in benzene matrix 7=2314
L<sub>2</sub> vapour, u.v. absorpt. 7=16952
InH, a<sup>3</sup>Π<sub>2</sub>,(0<sup>-</sup>) → X<sup>1</sup>Σ<sup>+</sup>(0<sup>+</sup>) transition 7=4088
K<sup>39</sup>H and K<sup>39</sup>D 7=6673
             N<sub>2</sub>, activated, absorpt. 600-1100Ă 7=4090
            N_2, broadening of electronic-vibr. system, calc. 7=13746 N_2, electron beam excited, 0. 1-20 keV, rel. to 37 keV p and
                   aurora 7=10508
            N_2, electron excitation of C\mathfrak{I} \to B\mathfrak{I} \pi, apparent cross-
                   sections 7=13738
            N_2, electron-impact, quadrupole allowed transitions 7=4092 N_2, first positive band electronic transition strength, shock obs. 7=10509
            N2, pulsed laser lines 7=16176
            N<sub>2</sub>, radiative lifetimes in Vegard-Kaplan system 7=10510
            N_2, 3-8.5\mu, stimulated 7=4091
            N_2, broadening of electronic-vibr. system, calc. 7=13746 N_2, proton excited, 20-600 keV 7=13737 NCl, the b<sup>1</sup>\Sigma*-X<sup>3</sup>\Sigma band system 7=16954
           ND, d^{1}\Sigma^{+} -e^{1}\Pi system, \Delta\nu=0 sequence 7=13741
NF a^{1}\Delta -X^{3}\Sigma^{-} O=0 band obs. 7=10512
NF, band system 7=4094
NH, d^{1}\Sigma^{+}-e^{1}\Pi system 7=10511
           NH, d^1\Sigma^+-c<sup>1</sup>I system, \Delta\nu=0 sequence 7=13"41 NH, d^1\Sigma^+-c<sup>1</sup>I system, \Delta\nu=0 sequence 7=13"41 NH(A^3 II \rightarrow X^3\Sigma^-) oscill. strengths, shock tube meas. 7=6684
           NO absorption bands < 1600Å 7=891
          NO, broadening of electronic-vibr. system, calc. 7=13746
NO, fundamental vibr.rot., dispersion 7=6682
NO, fundamental vibration-rotation band integrated intensity obs. 7=13742
           NO, \gamma-band intensities var. with r-centroid obs. 7=6680 NO, ^2\Delta states interactions obs. 7=6679
          NO, laser action, 5. 84-6. 43 \mu 7=3149 NO, 600-950 \Lambda 7=10627
          O<sub>2</sub>, absorpt, in 2800-2350Å range 7=16956
O<sub>2</sub>, broadening of electronic-vibr. system, calc. 7=13746
O<sub>2</sub>, electron beam excited, 13 keV, rel. to 37 keV p and
                  aurora 7=10508
         aurora 7=10006  
Q<sub>2</sub> Herzberg I system, \nu''=0,1,2 and photodissociation continua calc. 7=13745  
Q<sub>3</sub>, millimeter absorption 7=6687  
Q<sub>2</sub> Rydberg series calc. 7=13750  
Q<sub>2</sub> 'proton excited, 20-600 keV 7=13737  
OH stimulated emission associated with H II regions 7=15722  
OH' in KBr, vibr. absorpt., elec.-field modulation 7=5270  
Q<sub>2</sub>=N. mixtures, absorpt in 2800-23504 range 7=16856
          O_2-N_2 mixtures, absorpt. in 2800-2350Å range 7=16956 PO, \beta-spectrum analysis 7=6693
         PO, $\textit{$\text{PO}$} \text{ system, molec. consts. calc. } 7=13749 PtC, absorption, in $3100-6400\text{A}$ 7=10519 RbD, absorpt. $7=6694$ Rbes $\text{Fig. meas. of hyperfine struct. with mol. beam reson.} \text{app. } 7=13752
         app. (=15152
SH and SD, vac. u. v. absorpt. 7=4098
SiH and SiD 7=10522
SnCl, chemiluminescent emission 7=10523
         SrCl, emission spectrum 7=6697
          YCl, two isotopic species, emission 7=10525
          ZrO, C-X band system, Franck-Condon factors and r centroids 7=13753
  inorganic molecules, diatomic, radiofrequency
See also Nuclear magnetic resonance and relaxation;
                Paramagnetic resonance and relaxation.
          AgCl, mm and submm 7=6636
          ClO, electron reson., Stark effect 7=4076
```

```
Spectra-contd
               inorganic molecules, diatomic, radiofrequency-contd
           H<sub>2</sub> 7=9457
InCl, rotational 7=4087
O<sub>2</sub>, in atmosphere 7=10515
inorganic molecules, polyatomic
silyl compounds, vacuum u.v. obs. 7=6700
                        BF<sub>3</sub>, Fermi resonance 7=4069
B<sub>2</sub>H<sub>6</sub>, u.v. 7=6638
                         CN halides, u.v. absorpt. 7=10487-8
                        CO<sub>2</sub>, difference bands, intensity 7=6653
CO<sub>2</sub>, emissivity of 15µ-band at high temp. 7=10489
                        CO<sub>2</sub>, pressure-broadened i. r. absorpt spectra band strength at 15 microns, by digital integration 7-13730 CO<sub>2</sub>, vib. -rotation transition and collisional half-width for band at 1064 cm<sup>-1</sup> 7-4073
                       for pand at 1004 cm ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^{*} ^
                         COS+ emission bands obs. 7=10490
                        ClNF<sub>2</sub>, i. r. vibr. 7=4075
D<sub>2</sub>O<sub>2</sub>, far i. r. 7=878
                         D.S., i.r. fundamentals 7=879
                        \frac{2}{100} And \frac{2}{100} A
                        HNF<sub>2</sub>, absorption, and <sup>2</sup>A' ~ <sup>2</sup>A transition of HNF radical 7=4084
                         H_2O adsorbed on Al_2O_3 and NiO-Al_2O_3 i.r.
                        absorption 7-8402

H<sub>2</sub>O,i.r.,appl.to electronic structure theory 7-6670

H<sub>2</sub>O vapour, N- and self-broadened, total emissivity at 600-
                        3000°K and opt.depths from 0.1 to 10000 cm atm. 7=13734 (H<sub>2</sub>O<sub>2</sub> rotational, calc. 7=16950 H<sub>2</sub>O<sub>2</sub> torsion-rotation group theory analysis 7=6671
                        HgCl<sub>2</sub>, vac.u.v., modification of analysis of 1700 Å band system 7=4086
                        KMnO<sub>4</sub>, flash heating and kinetic spectra 7=889

Li<sub>2</sub>O matrix-isolated vapours, i. r. 7=6674

MgF<sub>2</sub>, vibrational 7=13736

NoF, hyperfine quadrupole structure of rot lines 7=4096

N<sub>2</sub>O<sub>4</sub>, i. r., spontaneous emission probability 7=6677
                       N<sub>2</sub>O, 1, r., spontaneous emission probability 1=0011
(NPBr<sub>2</sub>)<sub>3</sub> and (NPBr<sub>2</sub>)<sub>4</sub>, i.r. 7=13743
(NPCl<sub>2</sub>)<sub>4</sub>, i.r. 7=13743
NiBr<sub>2</sub>, electronic-absorpt. 7=13744
NiCl<sub>2</sub>, electronic-absorpt. 7=13744
NiCl<sub>2</sub>, electronic-absorpt. 7=13744
OCS, emission microwave spectroscopy, coherence phenomena by 7=10517
                                     mena obs. 7=10517
                        OF<sub>2</sub>, i.r. 7=6689
PH<sub>2</sub>, O-O band of <sup>2</sup>A<sub>1</sub>-<sup>2</sup>B<sub>1</sub> transition, rotational
anal. 7=6691
                         PH_2, rotational analysis of 000-020 band 7=13748 SF_6, absorption, 4.1 to 7.3 nm 7=6696
                       \mathrm{SiF_2}, \gamma\text{-system} emission, and Franck-Condon factors 7\text{=}896 \mathrm{SnCl_2}, chemiluminescent emission 7\text{=}10523
                        SnH<sub>4</sub> and SnD<sub>4</sub>, i.r. intensities 7=13751
UCl<sub>4</sub> 7=10524
          inorganic molecules, polyatomic, radiofrequency
See also Nuclear magnetic resonance and relaxation;
                        Paramagnetic resonance and relaxation.
DNCO, mm-wave rot. Stark spectra 7=10513
                       DNCO, mm-wave rot. Stark spectra 7=10513
F<sub>3</sub>PBH<sub>3</sub> 7=10518
HN<sub>3</sub>, mm-wave rot. Stark spectra 7=10513
HNCO, mm-wave rot. Stark spectra 7=10513
N<sup>14</sup>O<sup>16</sup>O<sup>17</sup> 7=6683
                       OCF<sub>2</sub> 7=921
OCS, self broadening of microwave line 7=16958
SO<sub>2</sub> double emission on pumping obs. 7=10520
                         SOF<sub>4</sub>, microwave, and possible structures 7=16959
           inorganic liquids and solutions
                     organic Inquids and solutions
apparatus, absorption for pressures to 300 atm
and temp. to 600°C 7=1149
polar mol. in nonpolar solvent, band shape 7=7030
water, far i.r. 7=1155
C<sub>3</sub>O<sub>2</sub>, i.r. 7=2280
CS<sub>2</sub>, stimulated optical frequency mixing obs. 7=4356
                         Ca(NO<sub>3</sub>)<sub>2</sub> aq. solns. 7=10843
                        EuCl<sub>2</sub> solutions absorption obs. 7=10844
H<sub>2</sub>O, thermally induced transition in intensity at
2100 cm<sup>-1</sup> 7=10845
                        H_2O-D_2O solns., near i.r. 7=1154
                     H<sub>2</sub>O - D<sub>2</sub>O Solitis, fleat 11. 1-1103

NH<sub>4</sub>* ions in aq. solns., i. r. 7=10847

(NPBr<sub>2</sub>)<sub>3</sub> in CCl<sub>4</sub> 7=13743

ZnNO<sub>3</sub> in H<sub>2</sub>O, i. r., ion pairing 7=7085
         inorganic solids
                   alkali halide films on metals emission for transverse optical resonance meas. 7=18250 alkali halide phosphors with heavy metal ions, dynamical Jahn-Teller effect 7=5242 alkali halides with impurity ions, D-bands 7=5241
                     alkali halides, resonant-mode sidebands theory 7=5240
                    alkali silicate glasses, i.r. obs. 7=2343
```

```
Spectra-contd
      inorganic solids-contd
            aluminosilicate catalyst, i. r., rel. to active centres 7=8373 calcite, 1085 cm<sup>-1</sup> linewidth 7=2282
            corundum, resonance absorption of V<sup>3+</sup> ion at \lambda \simeq 1.21 mm 7=11810
            dalkali silicate glasses, i.r. obs. 7=2343
diamond coat, infrared 7=15314
diamond, i.r. absorption, elec.-field induced 7=5249
            ferromagnets and antiferromagnets, impurity absorption
            and emission 7=15293
glass, Fe-containing, Ho<sup>3+</sup> stimulated emission, internal
                   Q switching 7=3173
             graphite arc, spectral radiance at low current 7=15315
            ice, Ih and Ic, i.r. 7=15330-31
metal carbonates absorption, 70-350 cm<sup>-1</sup>, rel. to
lattice vibr. 7=5250
            metal films, absorption and emission, effects of conduction
                   electrons 7=18200
             metal particles, fine, plasma resonance absorption 7=5228
            metals, exciton states, existence 7=17827
minerals, i.r. emission, by multiple-scan interfero-
metry 7=5360
           optical materials emittance in i.r. for props. meas. 7=11732 oxides in crystalline and glassy states rel. to struct. 7=18260
             protoactinium complex halides, in conference, Orsay
            (1965) 7=11010 rocks, i.r. emission, by multiple-scan interferometry 7=5360
            ruby, absorption linewidths temp. dependence 7=18211 ruby, anal. rel. to trigonal crystal-field model 7=7175 ruby, excited absorpt. 7=2276 ruby, R and N lines for heavy doping, temp. depend. 7=11845
            semiconductors, anisotropic, coexistence of exciton and La
Landau levels 7=15290
semiconductors electroreflectance obs.of electron
                  states 7=18208
            semiconductors, heavily doped, radiative transitions 7=15363 silica, i.r. spectra of adsorbed H<sub>2</sub>O 7=14297
             sulphates, metallic, absorption in far infrared obs. 7=5273
             transition element ions absorption in octahedral
                   environment, temp. var. calc. 7=8445
           environment, temp. var. calc. 7=8445
AgBr absorption edge, surface effects obs.in suspensions
in H<sub>2</sub>O 7=15310
AgBr, tail in absorption with chalcogen doping,
-190°C 7=11743
Ag<sub>2</sub>O, exciton spin-orbit splitting obs. 7=17829
Al, proton beams, characteristic Lyman-α emission
            meas. 7=4731
\alpha-Al<sub>2</sub>O<sub>3</sub>,\gamma-irradiated, 30 kbar 7=7689
             Al<sub>2</sub>O<sub>3</sub>, i.r. absorption of adsorbed H<sub>2</sub>O 7=8402
             γ-Al<sub>2</sub>O<sub>3</sub>, i. r., rel. to active centres 7=8373
            Al<sub>2</sub>O<sub>3</sub>, press, shift of Cr<sup>3</sup> levels (ruby R lines) 7=18213
As<sub>2</sub>S<sub>3</sub>, 7=18215
As<sub>2</sub>S<sub>3</sub>, glassy, fundamental absorption edge, Ag impurity
effect 7=8374
             B amorphous films i.r. absorption, no peaks obs. with
            high purity 7=18217

B<sub>3</sub>O<sub>3</sub>Cl<sub>2</sub>F<sub>3</sub>, i.r. 7=15312

B<sub>3</sub>O<sub>3</sub>Cl<sub>2</sub>F, i.r. 7=15312

Ba, interband transitions rel. to structure in elec.
                  cond. 7=8389
           cond. 7=8389

BaCl<sub>2</sub>·2D<sub>2</sub>O, i.r.rel. to H bonding 7=8375

BaCl<sub>2</sub>·2H<sub>2</sub>O, i.r.rel. to H bonding 7=8375

BaF<sub>2</sub>·Ce³ doped, u.v. absorption 7=18222

BaTiO<sub>3</sub>, fundamental absorption edge shift, in phase transition 7=5247

C vapour condensed in inert-gas matrices 7=2277
           CO, adsorbed on metal films, i.r. 7=17406
CO, cryst film, far i.r. 7=8421
CO, films, i.r., at nonnormal incidence 7=8377
C<sub>3</sub>O<sub>2</sub>, i.r. 7=2280
           Ca aluminates, i.r., in various dispersing media 7=15316
Ca ferrites, i.r., in various dispersing media 7=15316
Ca fluoxyantimoniate, photocoloration and optical bleaching, reversible phenomena obs. 7=2283
            \rm CaF_2, Ce^{3+} doped, u.v. absorption 7=18222 \rm CaF_2, normal~i.r. emissivity at 500°-600°C 7=15317
           Car<sub>2</sub>, normal 1,r. emissivity at 500 -500 C 1=15317
CaF<sub>2</sub>: F<sup>3</sup>; rel. to e.p.r. and spin-lattice relax. 7=11701
CaF<sub>2</sub>: Us* crysts. 7=2370
CdCr<sub>2</sub>S<sub>4</sub>, absorption, around mag. ordering
temp. 7=5253
CdCr<sub>2</sub>Se<sub>4</sub>, magnetoabsorption meas. on single
crystal 7=5235
            CdGeP<sub>2</sub>, n-type 7=15069
Cd<sub>x</sub>Hg<sub>1-x</sub>Te epitaxial films on BaF<sub>2</sub> obs. 7=2285
            Cdl<sub>2</sub>, excitons obs.from reflectivity, 2.5-10 eV, 300°, 77°K 7=17830
            Cd in Kr and Ar at low temps., triplet structure obs. 7=8448
             CdS, exciton band shift with temp., theory 7=4882
            CdS films, absorpt., reflect., temp. depend. 7=18227
```

Spectra-contd

inorganic solids-contd

# Physics Abstracts 1967 - Part I (Jan.-June) Spectra-contd inorganic solids-contd CdS films, absorpt. at 77°K 7=2375 CdS, two-photon absorption spectrum obs. 7=11753 CdS:Li, local mode absorption bands in i.r. obs. 7=18278 CdSe, multiphonon processes obs. in transmission 7=18277 CdSnAs<sub>2</sub>, p-type, absorption and reflection 7=18224 CdSnAs<sub>2</sub>, 3-20 µ 7=2289 CeO, absorption band rotational analysis 7=18228 Cm<sup>3</sup> in LaCl<sub>3</sub> 7=2293 Cr<sup>5</sup>· in phosphate glass 7=15222 Cr<sup>5</sup>·<sub>2</sub>, CrF<sub>2</sub>, 2H<sub>2</sub>O, KCrF<sub>3</sub> and Na<sub>2</sub>CrF<sub>4</sub>, in range 1600-35000 cm<sup>-1</sup> 7=8382 CrO<sub>2</sub>, i.r., metallic electrical props. deduction 7=15321 Cr<sub>2</sub>O<sub>3</sub>, absorption, Davydov splitting of E lines obs. 7=18229 CsBr, absorption at colour centres, at liquid He temp. 7=1633 CsMnF<sub>3</sub>, magnon sidebands obs. 7=8383 CSMnr<sub>3</sub>, magnon sidebands obs. 7=8383 CSSnAs<sub>2</sub>, reflection spectra and effective electron mass 7=18225 Cu in ZnS, zero-phonon lines origin 7=18281 CuCl, absorption, vib. structure at low temp. 7=2296 CuI, effect of I on sensitive lines 7=8385 CuN<sub>3</sub> films absorption obs. 7=8386 Cu<sub>2</sub>O crystals, exciton absorption lines shape 7=2297 Cu2O, u.v., rel. to band structure 7=18231 Cu<sub>2</sub>O. d. v., ref. to band structure 7=18231 Cu<sub>2</sub>O. dg. red continuous spectrum and yellow exciton series, 77°K 7=11760 Er³\* in LaBr<sub>3</sub> 7=1221 Er³\* in Y<sub>2</sub>O<sub>3</sub>, conc. var. obs. 7=11761 Eu, interband transitions rel. to structure in elec. cond. 7=8389 Eu<sup>3</sup> in YVO<sub>4</sub>, 9D<sub>1</sub> and 9D<sub>2</sub> levels 7=8387 Fe<sup>2</sup> absorption in ZnS, CdTe, MgAl<sub>2</sub>O<sub>4</sub> obs. 7=8391 FeF<sub>2</sub>, far i.r.line, two-magnon absorption theory 7=2299-300 Fe<sup>2</sup>\*:MgO, strain broadening of zero phonon lines 7=8289 FeO, i.r. absorption, obs. 7=11785 FeO-MgO, i.r. absorption, obs. 7=11785 FeO-MnO, i.r. absorption, obs. 7=11785 FeO-MnO, i.r. absorption, obs. 7=8234 GaAs edge absorption, neutron effects obs. 7=18235 GaAs, i. r. reflectivity, rel. to plasma wavelength 7=11764 GaAs reflection, 0. $2-25\mu$ 7=11763 GaAs, reflection plasma edge rel. to electron conc. 7=14866GaAs, reflection plasma edge rel. to electron conc. 7=1486 GaAs; Cu, bound states, rel. to optical props. 7=17832 GaAs; P local mode absorption bands, 80°, 290°K 7=18243 GaAs; P local mode absorption bands, 80°, 290°K 7=18243 GaAs, P, reflection, 1.r. lattice vibr. obs. 7=2304 GaP reflection, 1-6 eV 7=11768 GaSb reflection, 1-6 eV 7=11768 GaSe, exciton series in polytypes interpretation 7=17833 GaS\_Se\_1-x, reflection and absorption obs. 7=5300 Gd³::MeF\_(Me = Ba, Sr, Ca), multiple spectra 7=15325 Gd(NO\_3)\_3, 6³/2H\_2O, i.r. absorption obs. 7=2322 $\beta$ -GdOF:Eu, Eu³\* emission line splitting rel. to site symmetry 7=18274 Gd³\* in SrF\_2 and BaF\_2 7=11766 Ge³\* absorption, rel. to valence band structure 7=14836 Ge, electroreflectance meas, 2-6, 5 eV 7=8396 Ge, electroreflectance meas., 2-6.5 eV 7=8396 Ge excitons, effect of strain 7=14856 Ge excitons, effect of strain 7=14856 Ge reflection, 1-6 eV 7=11768 Ge, u. v. reflection meas. 7=8397 Ge, u.v. reflection press. var. calc. from electron state form factors 7=17811 GeO<sub>2</sub>-P<sub>4</sub>O<sub>10</sub>-V<sub>2</sub>O<sub>5</sub> glasses, i. r. spectra 7=11769 Ge Zn acceptors, symmetry obs. from stress var. 7=17816 HBr in Ar, polymerization obs. on freezing from -170° to -196°C 7=11952 -170 to -190 C (=11952) HCl in Ar, polymerization obs. on freezing from -170° to -196°C 7=11952 HCl-HBr in Ar, polymerization obs. on freezing from -170° to -196°C 7=11952 HCl and DCl polymers in solid inert gases, i.r. 7=2313 HF in inert-gas lattices, vibr.-rot. 7=5260 HF matrix spectra 7=8401 Hg atom trapped in low-temperature inert gas matrix 7=8404 Hg halides (mercuric), far i.r. 7=8403 $\alpha$ -HgS, fundamental absorption edge, 20. $4-290^{\circ}$ K. 7=5261HgS, red, self-absorption edge, 20. 4-310°K 7=8405 HgS<sub>x</sub>Se<sub>1-x</sub>, absorption, rel. to semimetal-semiconductor transition 7=15333 transition 7-15333 ' T-2384 Ho', activated glasses obs. 7-2384 Ho', in Fe-containing glasses, i.r. emission 7-3173 I, charge transfer complexes with acetamide and thioacetamide, formation obs. 7-11821 In' in CSBT, vibration fine structures of A and C bands obs. 7-18248 InAs reflection, 1-6 eV 7-11768 InAs reflection, rel. to electron energy structure 7-14837 n-InSb, inelastic light scatt, from Landau-level n-InSb, inelastic light scatt.from Landau-level electrons 7=11777

n-InSb, phonon bands in far i.r.obs. 7=18242 InSb reflection, 1-6 eV 7=11768

```
InSb:Al local mode absorption bands, 80°, 290°K 7=18243
K halides, mixed, A band of Tl° centres 7=5311
KBr, exciton absorption peak, elec. field effect 7=5263
KBr F-band u. s. modulation 7=11202
   KBr films on metals, emission in far i.r., transverse
   optical resonance obs. 7=18250
KBr, Ga doped, absorpt., emission and excitation
spectra 7=5264
   KBr:Cu* compressed samples absorption 7=5304
  KCl, colour centres absorption on doping with Zn<sup>2</sup>*, Cd<sup>2</sup>* and Hg<sup>2</sup>* obs. 7=11206
KCl, irradiation temp.var., 80°-300°K 7=14549
KCl, Sm doped, rel. to presence of monovalent Sm* ions 7=8408
  KCl:Cu, absorpt. 7=11790
KCl:Cu* compressed samples absorption 7=5304
   KCI-KBr reflection fundamental bands, 2000-900A 7=11779
  KCl:Pb and :Tl, absorption, diffuse structure, temp. depend. 7=15335
   KCoF<sub>3</sub>, infrared absorption, 750-2000 cm<sup>-7</sup> 7=15341
   KIO3, fundamental optical absorption near phase
         transitions 7=15343
   KMgCl<sub>3</sub>, Ni(II)-doped 7=8429
  KMnF<sub>3</sub>, absorption fine struct. at 4.2°K 7=8411
KMnF<sub>3</sub>, exciton-magnon interaction in absorption 7=15348
  KMnO<sub>4</sub>, obs. 7=2319
  KNO2, luminescence and absorption similarity
         obs. 7=2390
  KNiF, phonon-induced, spin-dependent i.r. absorption
  band, temp. var. obs. 7=15336
LaBr<sub>3</sub>:Np<sup>3+</sup> 7=11782
  La(NO<sub>3</sub>)<sub>3</sub>. 6H<sub>2</sub>O, i.r. absorption obs. 7=2322
  LiF absorption and reflection 60-120 eV, K edge
        fluctuations 7=8413
  LiF, absorption in vac.u.v., irradiated 7=18254
  LiF F-aggregate centres prod. by \gamma-irradiation obs. 7=17633
LiF, neutron prod. colour centres i. r. absorption obs. 7=1214
LiF reflectivity oscillator analysis 7=2323
LiH monocrystals, absorption, 201-1100 µ meas. 7=18255
Li(N,H,)SO<sub>4</sub>, ferroelectric, i.r. 7=18252
LiNDO<sub>3</sub>, as optical parametric oscillator, 7300-19300 A 7=3177
MeF<sub>2</sub>:TRS*, (Me=Ca, Sr, Ba), y-irrad., u. v. band 7=8378
MgF<sub>2</sub> colour F and M centres prod. by X-rays at 50 kV 7=14623
MgO, i. r. absorption, obs. 7=11785
MgO, 9572 cm<sup>-1</sup> line, stress effects, irradiated 7=2326
MgO reflectivity oscillator analysis 7=2323
MgO-Cr<sub>2</sub>O<sub>4</sub> (50-66 mol.%) spinels, Jahn-Teller distortion
  LiF, neutron prod. colour centres i.r. absorption
 MgO-Cr<sub>2</sub>O<sub>3</sub> (50-66 mol.%) spinels, Jahn-Teller distortion
by Cr<sup>2+</sup> obs. 7=8417
by Cr² obs. 7=8417 \rm Mg_2Si, crysts., reflection 7=8419 Mg_2Si, crysts., reflection 7=8419 Mn(II) salts, theory 7=8420 <math>\rm Mn^2 absorpt. in KCl 7=5266 MnO, i. r. absorption, obs. 7=11785 \alpha-MnS absorption, 0.1-14 eV 7=18257 MoO<sub>3</sub> films, absorption meas. 7=11787 \rm MoO_3 films, absorption meas.
                                                                      7=11787
  N2 cryst.film, far i.r. 7=8421
 (\tilde{NH}_4)_0^2 Cr_2O_7, low temp. absorption spectrum pressure var. 7=8422
NaCl, Ga doped, absorpt., emission and excitation spectra 7=5264
NaCl, reflection, and Urbach tails 7=15342

NaCl:Cu, absorpt. 7=11790

NaCl with NiCl<sub>2</sub>, PbCl<sub>2</sub> and both activators obs. 7=8

NaCoF<sub>3</sub>, infrared absorption, 750-2000 cm<sup>-1</sup> 7=15341

NaF, F<sub>3</sub> centre from 5456 A line 7=4725
NaI V _{\tt K} centres prod. on low temp. irradiation 7=14629 NaNO_{\tt Z} , fundamental optical absorption near phase
transitions 7=15343
NaNO<sub>2</sub>, luminescence and absorption similarity obs. 7=2390
\mbox{Nd}^{3^+} coupled ions absorption in \mbox{NdCl}_3 and \mbox{NdBr}_3
NG° coupled ions absorption in NdCl<sub>3</sub> and NdBr obs. 7=8427
Ni² in alkali tetraborate glasses 7=15344
Ni² in AgCl, temp. var. calc. 7=8445
NiCl<sub>2</sub> activator in NaCl obs. 7=8424
NiCl<sub>2</sub> + PbCl<sub>2</sub> activators in NaCl obs. 7=8424
NiO, monocryst. antiferromag., absorption linewidth 7=18259
NiO-Al<sub>2</sub>O<sub>3</sub>, i.r. absorption of adsorbed H<sub>2</sub>O 7=8402
Ni<sup>2</sup> in Sr<sub>2</sub>(NiW)O<sub>6</sub> 7=5183
OH in KBr, vibr. absorpt., elec.-field modulation 7=5270
Pa fluorides, i.r. spectra, in conference, Orsay (1965) 7=11074
 Pa fluoro complexes, Raman and absorption spectra, rel.
       to identification of species 7=11796
```

inorganic solids, radiofrequency

```
SUBJECT INDEX
S 354
Spectra-contd
       inorganic solids-contd
             Pb, absorption, 50-500 eV, d-electron photoionization
                    obs. 7=8442
             Pb in alkali chlorides with hydroxyl ions, complexes
            Oata 7=11800

Pb borate glasses, irradiated, optical absorption rel. to structure 7=11797

Pb in mixed KCl+KBr, absorption bands 7=11799

Pb silicate glasses, two component, u. v. 7=11798

Pb, superconducting, e. m. absorption, "precursor" absence 7=14923
                    data 7=11800
              PbCl<sub>2</sub> activator in NaCl obs. 7=8424
             Pbl<sub>2</sub>, excitons obs. from reflectivity, 2. 5-10 eV, 300°, 77°K 7=17830
              PbI<sub>2</sub>, microabsorption 7=3249
             PbO, SiO<sub>2</sub> glasses, i.r. and u.v., rel. to composition and bonding 7=18261
              PbS, rel. to band structure 7=11397
             PbS, carrier absorption, 3-15\mu, 293°-100°K 7=8430
PbTe, absorption edge at high and low temps. 7=11396
PbTe, absorption, 50-500 eV, d-electron photoionization
              obs. 7=8442
Pr<sup>3+</sup> in LaBr<sub>3</sub> 7=1221
Pr<sup>3+</sup> in YGaG and YAIG 7=8431
              Pr<sup>59</sup>, L emission, quadrupole lines obs. 7=18262
             Pt(NH<sub>3</sub>)<sub>4</sub>PtCl<sub>4</sub> (Magnus' green), polarized reflect. 7=15347 RbCl:Ag* absorption 7=10914
             RbCoF<sub>3</sub>, infrared absorption, 750-2000 cm<sup>-1</sup> 7=15341
RbI V<sub>k</sub> centres prod. on low temp. irradiation 7=14629
RbMnF<sub>3</sub>, absorption fine struct. at 4.2°K 7=8411
             RbMnF<sub>3</sub>, exciton-magnon interaction in absorption 7=15348 n-Si, e-irradiation i.r. absorption bands, irradiation temp.
                    var.obs. 7=14520
             Si group III acceptors, symmetry obs. from stress var. 7=17816
             var. 7=17616
Si irradiated with e and n. i. r. absorption rel. to divacancies 7=8435
Si, nn' epitaxial layer, i. r. interf. 7=2336
Si oxide films, i. r. transmission 7=8437
Si plasma reflection in i.r. for surface conc. meas. 7=14847
             Si S donors i.r. absorption stress var. obs. 7=18264
             Si S donors i.r. absorption stress var. obs. 7=18264
Si, u.v. reflection press. var. calc. from electron
state form factors 7=17811
Si:O irradiated with fast n or 2 MeV e at -50°C,
O-defect complex i.r. absorption bands obs. 7=1574
Sm²* in alkaline-earth fluorides, press. effect 7=2344
Sm³* in LaF<sub>a</sub>, i.r. 7=17339
Sm³* in YVO<sub>4</sub>, 6H<sub>3/2</sub> levels 7=8387
Sn, absorption, 50-500 eV, d-electron photoionization
                    obs. 7=8442
             SnO<sub>2</sub>, absorption, exciton structure 7=2345
SnO<sub>2</sub>:Cr<sup>3+</sup>, heat treatment effects 7=18162
              SnTe, absorption, 50-500 eV, d-electron photoionization
                     obs. 7=8442
              SrF<sub>2</sub>, Ce<sup>3+</sup> doped, u.v. absorption 7=18222
             SrF<sub>2</sub>, LaF<sub>2</sub>:Nd<sup>3+</sup>, absorption, stimulated emission meas. 7=18268
             meas. (=10200
Te, absorption, 50-500 eV, d-electron photoionization
obs. 7=8442
Th(NO<sub>3</sub>), hydrate and anhydrous 7=5278
Tl' in KCl, semiclassical theory of <sup>2</sup>P<sub>3/2</sub>
                     splitting 7=18272
              TIC1, two photon absorption 7=2346 T1° in KC1-T1C1, KBr-T1Br and KI-T1I on \gamma-irradiation,
                    ^{2}P_{1/2} - ^{2}P_{3/2} bands obs. 7=18271 Cl_{4} 7=10524
             UCl_4, \overline{7}=10524

UCl_2^4; \overline{1}=10524

UO_2^{2+} in K_4[UO_2(CO_3)_3], vibr. struct. 7=2347

UO_2(NO_3)_2, hydrate and anhydrous 7=5278

UO_4, 4H_2O_3, r. absorption, obs. 7=11809

UO_4, 4H_2O_3, r. absorption, obs. 7=150
              UO2SO4 modifications A and B bands obs. 7=15353
             V silicides, fine structure, absorption 7=15354 V in soda-boric acid glasses 7=10930 Y(No<sub>3</sub>)<sub>3</sub>, 6H<sub>2</sub>O, i.r. absorption obs. 7=2322 β-YOF:Eu, Eu<sup>3*</sup> emission line splitting rel. to site symmetry 7=18274 Yb<sup>2*</sup> in cubic fields 7=17341
               ZnCr<sub>2</sub>Se<sub>4</sub>, absorption, around mag. ordering
                     temp. 7=5253
               ZnGeP<sub>2</sub>, p-type 7=15069
               Zn in Kr and Ar at low temps., triplet structure
                     obs. 7=8448
              ZnO:alkali metals, sharp lines from exciton complexes
                     ~1°K 7=18280
              ZnS, absorpt., stoichiometry effect 7=11813

Zns. Ausorpt., stoichiometry effect 7=11813
Zns excitons obs. 7=15357
Zns-CdS, rel. to electron states and crystal field composition var. 7=18279
ZnSe, multiphonon processes obs. 7=18277
ZnSe, multiphonon processes obs. 7=18277
ZnSelLi, local mode absorption bands in i. r. obs. 7=18278
ZnSiP<sub>2</sub>, optical reflection spectra, 2800-3600Å 7=2349
ZnTe:Cr'. hotoconductivity and protein and processes.
```

ZnTe:Cr', photoconductivity and photo-induced e.s.r. rel. to energy levels 7=15220 ZrO<sub>2</sub> with Cr and V, cryst. field studies 7=7189

```
See also Nuclear magnetic resonance and relaxation;
         Paramagnetic resonance and relaxation.
    metal-oxide-semiconductor structures, absorption,
relax.time obs. 7-8369
InSb, coherent K-band emission 7-5302
organic molecules and substances
         See also Molecules.
    acenaphthene, single cryst in polarized light 7=2350 acridine yellow in cyclohexanol, 288-371 K 7=17273 acridlavine in cyclohexanol 288-371 K 7=17273 alcohols, liquid, 20° to -196°C, rel. to molec. relax. 7=14102
    relax. 1-14102
3-amino-1-14102
and fluorometric obs. 7-4365
    aniline and some N-derivatives, SCF MO calcs. 7=10529 aniline, stimulated optical frequency mixing obs. 7=4356
     anthracene, absorption band red side struct. as interference
         not exciton 7=15359
     anthracene and derivatives, change of equilibrium separations, -196\,\text{-}400\,^\circ\!\text{C}\ 7\text{=}4103
     anthracene derivatives, fluorescence, absorption and
     fluorometric obs. 7=4365
anthracene dimers 7=8450
     anthracene-naphthacene mixtures in n-paraffin, absorption at 77°K 7=11819
     anthracene, quasiline, at 77.3 and 4.3°K 7=18312
     anthracene, reflection spectra, 192-700 µ 7=8452
     anthracenes, substituted, sandwich dimers 7=8451
     9, 10-anthraquinone, polarization of T \leftarrow S_0 transition \, 7=8453 aromatic hydrocarbons, Ham effect \, 7=5281
     1, 2-benzanthracene, quasi-line absorpt. 7=2409 benzene, C^{13}-H satellite spectrum 7=10533
     benzene, crysts. strained at low temp. 7=8455
     benzene and derivatives, change of equilibrium
separations, -196-400°C 7=4103
benzene, solid, second triplet 7=8454
     benzophenone, {}^1U(n,\pi) \leftarrow {}^1A band intensity 7=8456
benzyl radical in cyclopentane and methyl cyclopentane,
fluorescence obs. 7=8508
benzyl radicals in discharge, emission oscill.
          strengths 7=6741
     benzyl radical trapped in solid methylcyclohexane, absorption 7=5316
     coronene, quasi-line, effect of solvent polymorphism 7=8458
     cryptocyanine in methanol obs.
                                                           7=1148
     diacetylene, vibrational 7=10527
     9, 10-diazaphenanthrene, polarized absorpt. 7=7786
     2,5-dibromonitrobenzene, n. q. r. Zeeman 7=2250
     dimethyl sulphide rotational spectrum centrifugal
          expansion 7=6715
    expansion 7=6715 dimethylacetylene, vibrational 7=10527 divinylbenzene, diaryl derivatives 7=2414 1-ethyl-4-carbonmethoxypyridine complex with I<sub>2</sub> 7=4362 ethylene, electron-impact 7=13763 ethylene, single cryst, electronic bands 7=2351 ferrocenes 7=4113
     fluorenone, lower-lying excited states 7=904
hexamethylbenzene complex with tetrachlorophthalic
          anhydride 7=4362
     hydrocarbons, chlorinated, soft X-ray fluoresc., satellite analysis 7{=}13765 methane, with tuned laser spectroscope 7{=}16153 methylcyclopentadienyl ring 7{=}4113 methylcyclopentylketones, n \rightarrow \pi^* transition of carbonyl
          group 7=4114
     \alpha-methylnaphthalene, u.v. in vapour, soln. and cryst. 7=10541
     β-methylnaphthalene, vapour, soln., cryst., electronic
          spectra 7=6714
     nitrobenzene, vibr. calc. 7=910
     phenanthrene in mixed crysts., electronic 7=2354 phenol, electronic band system 7=6718
     phthalimide derivs., effect of temp. and aggregation
state of solvent 7=1152
     phthalocyanin Mg and Zn complexes, pseudo-line spectra obs. 7=913
     polar mol.in nonpolar solvent, band shape 7=7030
     polyethylene, irrad., u.v. absorpt. 7=2478
polyethylene, near u.v. absorpt. 7=2357
polyethylene, vac. u.v. absorpt. 7=2358
polypeptides (β config.), far u.v., theory 7=11826
     protoactinium complex halides, in conference, Orsay
           (1965) 7=11010
     quinones, aromatic, electronic transitions obs. 7=13769 rise-times of phosphorescence and delayed fluorescence 7=11907
      silyl compounds, vacuum u.v.obs. 7=6700
     tetrabenzene porphyrin Mg and Zn complexes, pseudo-
line obs. 7=913
     tetra-alkylamine analogs of Magnus' green, polarized
cryst.reflect. 7=15347
toluene, quasielastic light scatt. spectrum by entropy
     fluct. 7=4352
trans-[Co(1-pn)<sub>2</sub>Cl<sub>2</sub>], polarized cryst. spectra 7=11820
trans-[Coen<sub>2</sub>Cl<sub>2</sub>], polarized cryst. spectra 7=11820
```

```
organic molecules and substances-contd
        two-component solns., electronic transitions 7=1151 vinyl chloride, vac.u.v. absorpt. 7=915 CH<sub>2</sub>, singlet states 7=4105
        CH<sub>3</sub>NH<sub>3</sub>NiCl<sub>3</sub> cryst. absorpt. 7=7456
        Na chelates of Eu and Tb, rel. to molec, and ionic
 transitions 7=8457
Yb(III) cyclopentadienides, at liq. He temp. 7=11825
organic molecules and substances, infrared
acetone, far i.r. 7=909
       acetylacetone, enol forms 7=4101
benzene, absorption, conjugation phenomena effect on
vibration, 77-450°K 7=10531
bromocyclobutane 7=6706
        n-butane, gaseous, absolute intensities 7=6704
        charge-transfer complexes, polarized cryst.
              absorpt. 7=11817
       chlorobenzene, up to 35 kbars 7=15360 chlorocyclobutane 7=6706
       continuum absorpt., in acid and alkali solns., proton dispersion forces 7=10526
       p-dichlorobenzene, long wavelength, absorption 7-11823 diethylamine complex in benzene 7-6707 dimethylsulphide, far i.r. 7-909
       dioxane complexes of mercuric halides 7=8403
       diphenyl, long wavelength, absorption 7=11823 formaldehyde, optical collision diameter, by maser spectrometer 7=4110 formaldehyde, rot. -vibr., using tunable i.r. maser 7=4109 germylacetylene 7=10536
       hexafluoroacetylacetone, enol forms 7=4101
n-hexane, gaseous, absolute intensities 7=6704
       high polymers, absorption spectroscopy for structure obs. 7=8462
       isobutylene, far i.r. 7=909 melamine 7=907
       methane, liquid, and cold n scatt. 7=17246
      methane, nquid, and coid n scatt. 7=17246
methane, optical collision diameter, by maser
spectrometer 7=4110
methyl iodide 7=4863
3-methyl pyridine water solns., rel. to
association 7=14037
molecular crystals transition moments inter-
actions 7=18198
       molecular motion determ. 7=858-9
      naphthalene, long wavelength, absorption 7=11823 nitriles, C \equiv N band, theory 7=10534
      p-nitroaniline crystals, absorption anisotropy
meas. 7=11824
      nitroethylene 7=13767
pentaerythritol tetrahalides 7=13768
n-pentane, gaseous, absolute intensities 7=6704
      phenanthene-d<sub>10</sub>, vibr. assignment 7=10543
polybutene-1, polymorphism 7=14257
polyelectrolytes, hydration, free OH groups 7=7084
      polypropylene, pure and impure 7=11827
polytheylene, pure and impure 7=1827
pyrrole, ν(NH) band absolute intensity obs. 7=912
      solid and liquids, combination and repetition of low freq.
            vibration 7=18202
      thiophenol, absorption, 18.0-26.7 Gc/s,
      room temp. 7=13770
thymol, depend. on aggregation state 7=914
      triglycine sulphate deform, of SO2 by phase
      transition 7=17324
trimethylenecyclopropane 7=6713
      urea crysts. 7=2355
     trea crysts. 7=2355
vinylene carbonate 7=13771
CH<sub>2</sub>Br<sub>2</sub>, absorption, 77-200°K, liquid and solid 7=1156
CH<sub>2</sub>Cl<sub>2</sub>, absorption, 77-200°K, liquid and solid 7=1156
CH<sub>2</sub>I<sub>2</sub>, cryst. 7=2352
CS<sub>2</sub>, up to 35 kbars 7=15360
Cr(III) acetylacetonate, O<sup>18</sup> labelled 7=16961
Dy ethyl sulphate obs. 7=8459
Er ethyl sulphate obs. 7=8459
Hach O.) Sig. 7=8460
      [He(H<sub>2</sub>O)<sub>6</sub>]SiF<sub>6</sub> 7=8460
Mn(III) acetylacetonate, O<sup>18</sup> labelled 7=16961
      Sm ethyl sulphate obs. 7=8459 X-SO<sub>2</sub>-Y, 400-4000 cm<sup>-1</sup> 7=16966
organic molecules and substances, radiofrequency
           See also Nuclear magnetic resonance and relaxation;
     See also Nuclear magnetic resonance and reparamagnetic resonance and relaxation. acetyl iodide 7=4102 carbamyl fluoride 7=6705 formaldehyde, C<sup>13</sup> spin-rot. interaction 7=905 dioxaborolane 7=4116 ketene, high resolution 7=4111 nitrosobenzene, in excited vibr. states 7=6716 1 l-difluoromorphene 7=13764
     1.1-difluoropropene 7=13764
pivalaldehyde 7=6721
propylene 7=10542
spiropentyl chloride 7=911
     Eu α-naphthoyltrifluoroacetonate in soln. 7=1153
     H bonded, microwave spectra 7=16965
```

```
Spectral line breadth
                   See also Doppler effect; Stark effect; Zeeman effect.
             atoms, interaction effects theory 7=6522
             atoms, broadening and shift, theory 7=16907 calcite, 1085 cm<sup>-1</sup> line, temp. effect 7=2282 collective-interaction effects 7=2269
             Doppler widths, electronic determ.for Fabry-Perot
interferometers 7=16256
electron-impact effects, one-electron approx. 7=3987
             formaldehyde, optical collision diameter, by maser
                   spectrometer 7=4110
             gases, adiabatic theory 7=4057
gases, self-broadening effects in i.r. bands 7=16929
             impact approx. broadening density matrix
formulation 7=10373
impact broadening, density matrix approach 7=10447
methane, optical collision diameter, by maser spectro-
meter 7=4110
             microwave, rel. to intermolecular forces 7=16928
            microwave, rel. to intermolecular forces i=10928
of mixed optical transitions between Landau levels and
impurity centres 7=8363
narrow spectral lines 7=9584
polystyrene, X-ray broadening obs. rel. to crystallite
size and lattice distortion 7=1396
             pressure broadening of molec. multiplets 7=10457
            profile meas, with Fabry-Perot interferometer 7=12705
Raman lines, pressure broadening, theory 7=4054
solar Na D lines intensities and profiles calc. without
            assuming local thermodynamic equilibrium 7=15795 spontaneous emission profiles, absorption and gain meas. using Fabry-Perot interferometer 7=3248
            stars H lines quasistatic profiles calc. 7=15659 symmetric-top mols., microwave 7=6690
            theory, rel. to intermolecular effects and interaction with
            radiation modes 7=851 and Voigt function calc. 7
                                                             7=12303
            wings of Balmer and Paschen lines 7=6867
            Ca, \(\lambda 6573\), collision broadening 7=16906
H, mag. field effect on broadening 7=6529
           H, mag. fleux elect on proadening 7=5529

H in stars, electrons quasistatic and "impact" contributions
to broadening calc. 7=15660

He I 4472Å 7=13674

He, singlet state, self-broadening 7=4002

Hg, intensity-correlation obs. at 4358Å 7=10409

MgO.Fee*, strain broadening, theory 7=8289

Na, rel. to charged particle concentrations 7=10596

Nd*: in class laser. 7=3180
            Nd3* in glass laser 7=3180 OCS, microwave 7=6690
            CCS, microwave, self broadening 7=16958
Spectrochemical analysis
                 See also Chemical analysis/by mass spectrometry;
                 Spectroscopy.
            a.c. arc, electrode polarity rel. to current and luminescence 7=8591
            integrated line intensities 7=12707
            laser light source appl. theory 7=11967
           Michelson interferometric spectroscopy in far i.r., appl.review 7=329
           microanalysis of alloys, localization and sensitivity 7=18338
probe current in arc channel effects on calibration
lines arrangement 7=11968
           review, atomic absorption 7=2488
           structure of compound by n.m.r. spectroscopy review 7=5346
           As, superstoichiometric, in GaAs, with hollow cathode
           discharge 7=8592
Fe in Cu-Ni alloys, by conditional integral graphs 7=8593
          Fe in Cu-Ni alloys, by conditional integral graphs 7=858
Fe-Cr alloys, fluorescent X-ray intensities 7=2492
H -atom conc. by Lyman-a photometry 7=6526
Mg, isotopic composition, spectral method 7=8590
Ni-Fe alloys, fluorescent X-ray intensities 7=2492
Ni-Fe-Cr alloys, fluorescent X-ray intensities 7=2492
OH concentration in fused Sl, by meas of mol.
extinction coeffs. 7=2491
Sb, superstoichiometric, in InSb, with hollow cathode discharge 7=8592
                discharge 7=8592
Spectrometers
          See also Mass Spectrometers; Monochromators; Particle spectrometers; Spectrophotometers; X-ray spectrometers. apparatus function meas. using Fabry-Perot interferometer 7=5916
          astrophysical Ebert-Fastie plane reflection grating 7=18423
Czerny-Turner, astigmation correction 7=16255 double beam i.r. Faraday spectrometer 7=3254
Fabry-Perot, with electronic determ. of Doppler line-
                widths 7=16256
          Fabry-Perot photoelectric, response to line profile
                calc. 7=3253
          far-infrared, vacuum grating 7=909
Fourier, distortions due to irregular change
                of path length 7=9590
          Fourier polarization interferometer, aperture 7=334
          Fourier, polarization interferometer type
                aperture 7=5915
          high speed, for contours in pulse discharge 7=9589
```

Spectroscopy-contd flash heating and kinetic spectra 7=889 Spectrometers-contd i.r. absorption cell for high temps. 7=3257 i.r., balloon-borne, for radiance meas. 7=18366
i.r., high-speed, based on monochromator 7=16262
i.r., optimizing operating parameters 7=16252
infrared, r.f. interference effects obs. 7=3251
for large space bandwidth signal analysis on films 7=3247 line profile of spectrograph, influence of perfect grating 7=12706 grating 7=12706
for liquids absorption for pressures to 300 atm and
temp.to 600°C 7=1149
for luminescence meas, Fourier 7=333
for Mössbauer effect studies 7=10922
prism, computer calibration of wavelength drive 7=16265 prism, computer calibration of wavelength drive 7=16265 rapid-scan, with sweeping corner mirrors 7=16253 rapid-scanning, high resolution 7=16254 resolutions in far i.r. of diffraction grating and Fourier transform spectrometers 7=9586 single-beam, double-pass, for 400-173 cm<sup>-1</sup> 7=9587 single and double-pass, resolution, dispersion and signal-to-noise ratio 7=3252 slit, image orthicon and for corners and for co slit, image orthicon appl. for aurora and night glow meas. 7=2550 spectropolarimeter for 2-8  $\mu$  7=3276 spectropolarimeter for 2-8  $\mu$  7=5276 for sputtered particles, electron beam excited 7=1652 stellar, image slicers 7=8842 submersible spectroradiometer 7=5364 time resolution, Jarrell-Ash Model 75 adaptation 7=9595 21cm, with paramag. amplifier 7=9457 tunable i.r. masers 7=3256 u.v., electron synchrotron sources, 3-m grazing spectroreview 7=328, graph 7=16320 vacuum u.v., for phosphor powders 7=5285 accessories Fabry-Perot interferometer fringe splitter using fibre optics 7=9597 Goulay detectors, linearity 7=140 halide-disk holder for i.r. spectrometry 7=15332 i.r. gas cells, high temp. 7=3258 i.r. specular reflectance attachment 7=3259 integrator for spectrograms, automatic 7=3260 Lallemand-Duchesne camera in Raman spectroscopy 7=338 light discriminator, mechanical, for fluorescence meas. 7=9598 light sources Monk-Gillieson mount for plane gratings 7=3272 Raman cell for molten salts 7=14100 Spectrometers, radiofrequency See also Nuclear magnetic resonance and relaxation/ measurement; Paramagnetic resonance and relaxation/ measurement. cyclotron resonance type 7=4890 with decade frequency measuring system XZH 7=3991 e.s.r. automatic mag. field calibrator circuit 7=16127 e.s.r., RE 1301, double modulation system 7=16126 i.r., far, high-resolution grating, performance 7=16258 i.r., far, high-resolution grating, performance 7=16259 microwave, Zeeman-modulated absorption line profile 7=3094 opticoacoustical detect. of absorpt. by gases in cm range 7=17207 receiver for mm and submm 7=3096 spin echo, digital pulse generator 7=259 Stark modulation microwave spectrograph sensitivity 7=16123 ultraviolet illuminator for microwave spectrometer 7=3097 variable-frequency spin-echo, for ferromagnetics 7=12585 Spectrophotometers rophotometers Cary-14, adapted for luminesc. meas. 7=9594 cell viewing arrangement for Cary 14 7=339 digital computer magnetic tape input 7=9599 for luminescence in i.r. 7=9588 for  $0.7 \mu$  to  $1.2 \mu$  7=335 prism, instrument function and spectral slit width 7=336width 7=336 scanning, for low intensity unstable sources 7=9591 SF-4, modernization 7=16261 Spectrophotometry
See also Colorimetry.
digital computer magnetic tape input 7=9599
double-beam i.r., technique for small specimens 7=16260
Au, colloidal, particle dimensions determ. 7=14136

See also Spectra; Spectrometers; Spectrophotometry. atlases at Vatican Observatory, 1935-65 7=804 atoms, level crossing and anticrossing techniques 7=10390

far u.v., instrumental developments in France 7=3223

autocorrelation function of line shapes, meas.

rel. to electron temp. meas, in fluctuating arc,

method 7=16257

errors 7= 10591

Fourier, partial coherence theory 7=330 with gas lasers 7=16162 gas, radiances and equivalent widths of Lorentz lines for nonisothermal paths 7=13710 holographic imaging methods appl. 7 =9582 i.r. absorption cell for high temps. 7=3257 i.r. transmission meas. method for v. thin films 7=17406 infra-red, multiple reflection appl. 7=16251 integrated line intensities 7=12707 internal reflection, effective thickness of bulk materials and films calc. 7=3250 large space bandwidth signal analysis on films 7=3247 lasers, electronic 7=12703 light-beating techniques for Rayleigh-Brillouin spectrum 7=16249 line intensities meas., criteria for accuracy 7=16250 line profile meas, with Fabry-Peot interferometer 7=12705masers, far i.r., appls. 7=16144 Michelson interferometry in far i.r. review 7=329 microabsorption technique 7=3249 molecular level-crossing, theory 7=6602 nuclear, evolutionary trends 7-654 optical system for intensifying image contrast, application 7-358 photoelectron, resolving power 7=16931 plasma, review 7=6864 quantum-counting techniques, i.r. 7=12702 Raman, Lallemand-Duchesne camera appl. 7=338 resolution of two lines of photoelec. scanning 7=9583 review with solid-state emphasis 7=15292 slit images in partially coherent light 7=12708 spectral differentiation of weak decorrelated signals 7=16210 for sputtered particles meas., electron beam excited 7=1652 Talbot fringes 7=9585 teaching, experimental, advanced course 7=12671 total-reflection, high-sensitivity attenuated 7=331 transmission due to overlapping lines 7=12704 tuned-laser spectroscope, for organic vapours 7=16153 two-beam interferometric 7=9592 Zeeman effect work at MIT 7=9580 for Cu sputtered particles meas., electron beam excited 7=1652 arc, semiconductor current regulator 7=340 compensation of fluctuations, photomultiplier defection 7=12713 gas laser for Raman 7=12711 laser, c.w. for high-resolution Raman spectroscopy 7=12712 laser, pulsed 7=9600 pulsed discharge, supersonic plasma jet running over barrier 7=9601 Raman, Hg 4358 and 5461 À and He-Ne laser compared 7=3262 resonance lamps as monochromators in atomic absorption spectroscopy 7=6521 u.v., electron synchrotron 7=16320 Hg discharge lamp, high pressure 7=10625 Ng lamps, high-pressure, use of YVO<sub>4</sub>:Eu phosphor 7=3244 Ne and Xe flash tubes, optical and elec. char. 7=16266 Xe high pressure lamp spectral distrib., quantitative obs. 7=3261 Spectroscopy, radiofrequency
See also Nuclear magnetic resonance and relaxation; Paramagnetic resonance and relaxation; Spectrometers, radiofrequency. chemical exchange effects, theory 7=10544 microwave internal rot. splittings, calc. program 7=10461 Zeeman-modulated, for free radicals 7=3095 See also Hearing. in binaural noise, intelligibility on presentation to right or left ear 7=5737 bullfrog mating calls vocal response 7=9230 consonants, and recognition, by four language groups 7=5731 development in the deaf, analysis of auditory response 7=15955 hearing confusion among Swedish consonants in VC and CV syllables  $7{=}9218$  intelligibility for space vehicles in  $\rm O_2{:}He$  or  $\rm O_2{:}N_2$  atmos.  $7{=}12454$ loudspeaker communication talking levels obs. 7=9216 memory for English consonants 7=5732perception of segments of syllables 7=12453 recognition of articulation cues in stop consonants 7=2919 synthesis, time adjustment 7=15956 talker identification, effects of content and duration 7=12452 vertification of speaker using two-level adaptive linear threshold element 7=9217 in He-O, distortion correction technique 7=15958 in He-O, phonemic analysis of consonants 7=15957

Standards-contd

Spherical aberration. See Aberrations, optical. Spicules. See Sun, prominences.

Spin. See Elementary particles; Hyperons/spin and parity; Mesons/spin and parity; Nucleus/spin and parity; Rotating Spin echo. See Nuclear magnetic resonance and relaxation. Spin-lattice relaxation. See Crystals/lattice mechanics; Magnetic resonance and relaxation. Spin waves. See Ferromagnetism/spin-wave theory. Spinors. See Quantum theory, wave equations.

Spions (pions with spin). See Pions.

Spirality. See Elementary particles; Field theory, quantum. Sporadic-E. See Ionosphere/E-region. Sprays See also Aerosols; Drops; Jets. liquid, air entrainment, theory and expt., and comparison with gas jets 7=4320 liquid atomisation by ultrasonics 7=7013 Spurions. See Elementary particles. cathode holder, multiple, for disk specimens 7=7627 compounds by U ions at 30 keV 7=1650 crystalline structures, recoil numbers 7=7622 electron beam excited spectra of sputtered particles meas. 7=1652 heavy ion scatt., anomalous ang. distrib. 7=7619 insulators, equivalent d.c. yields 7=17637 ion sputtering microprobe for chemical analysis mass spectrometer 7=2485 magnetic films 7=8147 metal, coefficient and ion beam bombard.effect 7=1647 metals, rel. to depth of origin of recoil atoms obs. 7=1648 microbalance, quartz-vacuum deflection-type for meas. of yields 7=17636 of Vields '=1'636 neutral particle energies 7=1651 r.f., theory and practice, review 7=14270 ratio, depend. on ion energy 7=11219 source, duoplasmatron, low-energy 7=12549 stainless steel by Hi, 35 keV 7=14293 Ag/mica and Ag/NaCl films, growth rel. to evaporated films obs. 7=1272 Ag, onto NaCl 7=4528 Al, by Cs ions 7=17638 Al by Cs ions, yield obs. 7=1654 Al films, methods, growth and struct. obs. 7=7272 CdTe, atom ejection patterns obs. 7=1660 Co film prod., struct. obs. 7=7278 by Cs accelerated ion in bombardment on cathode 7=1649 Cu, crossover of yields in single crystals obs. 7=1659 Cu, by Cs ions 7=17638 Cu electron beam excited spectra of sputtered particles obs. 7=1652 GaAs, atom ejection patterns obs. 7=1660 GaAs, atom ejection patterns obs. 7=1660
Ge film deposition 7=14277
Ge films, effect on epitaxial deposition structure 7=1360
Ge films, yield change obs. of ion bombardment damage layer depth 7=1580
Ge targets, sputtered atoms distrib. preferential direction obs. 7=7634
InAs, atom ejection patterns obs. 7=1660
Kr ions, from Pyrex, by Ar\* 7=4736
Mo by Cs yield and ang distrib. meas. 7=14642 Mo, by Cs, yield and ang. distrib. meas. 7=14642 Mo on oxidized Si 7=7279 Ni by H<sub>1</sub>, 35 keV 7=14293 Ni, onto NaCl 7=4528 Pb-Te oxide films, by reactive sputtering on glass 7=11571 Si on quartz, elec. cond. rel. to granular struct. obs. 7=7284 ons. '=:1294
SiN films, prep. and props. 7=17393
Si<sub>3</sub>N<sub>4</sub> films prod., hole injection and trapping obs. 7=18041
SiO<sub>2</sub> films, by reactive sputtering on glass 7=11571
Sn, by O<sub>2</sub>, deposition of SnO<sub>2</sub> film 7=11938
Ta by H<sub>1</sub>, 35 keV 7=14293
Ta and Ta cpds, films, effect on elec. characts. 7=1270
Ti, by Cs ions 7=17638 Ti by H<sub>1</sub>, 35 keV 7=14293
Wf.c.c. films prod. 7=14279
ZnO noncrystalline films prod. 7=1281
Stacking faults. See Crystal imperfections. Standards See also Constants; Units. frequency, secondary 7=2762 high pressure scale, fixed points 7=12289 history of NBS of USA 7=15840 nistory of NES of USA 7=15840 instrumentation, conference, ISA Part I, New York, 1966 7=12278 lead-silica glass, viscosity 7=11316 NBS of USA, history of optics 7=16207 photography, history at NBS 7=16206 pyrometer, N.B.S., International Practical Temp. Scale, above 1063°C 7=9254 temperature scale, N.B.S., acoustical thermometer 7=9258

total irradiance, W-filament lamps 7=16244 X-ray wavelengths 7=12749 Stark effect atomic spectra, shift of ground state in intense field, semiclassical dispersion theory 7=3993 rel.to dipole moments, using microwave spectro-scopy 7=16938 in elementary particles annihilation at rest, mixing of orbital states soln. 7=9797 modulation microwave spectrograph 7=16123 molecules, Stark-Zeeman lines, theory of interference and polarization 7=856 stars H lines, electron "Impact" contribution to broadening calc. 7=15660
Al<sub>2</sub>O<sub>3</sub> (corundum) exchange coupled pairs of 3d³ ions calc. 7=8372 ClO dipole moment determ. by electron reson. spectrum 7=4076 Dy ethyl sulphate obs. 7=8459 Er ethyl sulphate obs. 7=8459 and H' capture of e in H, elec. field effect calc. 7=10623 H<sub>2</sub>O, mm wave 7=6669 KCl, F-centre, meas. 7=4724 N atom, comparison of calc. and meas. Stark effect 7=10414 Na vapour discharge, charged particle concentrations 7=10596 Nd\* in PbMoO<sub>4</sub>, due to crystal field calc. 7=8428 Rb<sup>95</sup>F<sup>19</sup>, meas. with mol. beam reson. app. 7=13752 Sm ethyl sulphate obs. 7=8459 Xk lines shock widening, electron and ion densities meas. 7=6873 YVO4:Nd in crystal field, reduction 7=15356 Stars See also Nebulae; Novae; Sun.
A III, orbit 7=15691
A688, orbit 7=15702
A2992, ADS11998, orbit 7=15705
accretion and wind, viscous transonic flow 7=8807
adiabatic outflow with near-stationary core calc. 7=8804  $\alpha$  and Proxima Centauri proper motions and parallaxes obs. 7=12164 atmospheres, inference of velocity fields from line asymmetries 7=2645 B, in orion, existence of mag. fields obs. 7=15662 B179, ADS7223, orbit 7=15697 B706, parabolic orbit 7=15694 B2092, α Doradus, orbit 7=15693 β-processes kinetic equilibrium 7=8812 β205AB, ADS6871, orbit 7=15695 8411, ADS7846, orbit 7=15699 binaries, visual, magnitudes and colours photoelectric obs. 7=2659 binary, close systems, mass exchange before and after central hydrogen burning 7=15708 binary, orbits of eclipsing V499 Scorpii and RT Sculptoris calc. 7=12163 binary stars, photometric obs., magnitude and colour 7=15690 binary systems, two, He-age content correlations 7=2664 binary, wide M-type, micrometer meas. 7=12160 carbon-flash in star of 50 7=2653 in Cassiopeia, photometric obs. 7=2649 catalogues of absolute declinations, LP1<sub>50</sub> rel. to FK3 7=12131 cepheids, evolutionary tracks, calc. 7=15645 chromospheres, review 7=15638 circumstellar ring, magnetic release, model 7=15636 close binary tides theory 7=12159 clusters, open, 5 new 7=8862 clusters, open, 5outhern, 22 new 7=8861 clusters, relaxation times 7=2666 cold, quantitative three-dimensional classification 7=8818 collisions, nuclear reactions obs. 7=15646 Coma cluster relative potential 7=2667 in Cygnus, i.r. polarization of i.r. star 7=15663 degenerate electron gas transport coeffs. 7=15643 δ Cephei companions 7=8857 δ Sct variable, HD 24550, photoelectric UBV obs. 7=18437 δ63, orbit 7=15701 diameter measurement, by Michelson interferometer, 1-km 7=8797 distances and mass from grav. lens effect 7=8796 double stars, interferometer meas, tables 7=15689 double stars, micrometer meas, tables 7=15686-8 doubles in with separation < 15" 7=8856 dynamic stability, nuclear excitation contrib to specific heat 7=12137 dynamical medium, polarization 7=5518 dynamics, collective effects, 1-D model 7=2665 early evolution for 1.2 $M_{\odot}$  calc. 7=5522 eclipsing variable HD 35652 data 7=8858 evolution, evidence for direct e  $\nu$  weak interaction 7=8811

evolution from main sequence to He burning for 1.

2.25 M<sub>©</sub> 7=12139

```
Stars-contd
           evolution from main sequence to red giants for 1, 1.25,
           1.5 M<sub>☉</sub> 7=12138

evolution with neutrino losses and thermal pulse in the helium burning shell, 5⊙ 7=2654
           evolution rel.to neutrino synchrotron radiation 7=16519 evolution before white dwarf stage for 1,1.2M\odot 7=5523
           formation in contracting cloud, mass function rel. to
                collisions 7=8860
           galaxies nuclei contraction with stellar collisions and
           evaporation, luminosity time var. calc. 7=12179 general relativity equil. model for massive rotating
           stars 7=12133
in globular clusters, horizontal branch attempted
                explanation 7=8809
           gravitational collapse rel. to weak e-v interactions 7=8779
           gravitational contraction to expansion change 7=5527
           HdO296, orbit 7=15706
          HdO296, orbit 7=15706
Hertzprung-Russel diagram on evolution theory 7=8808
high velocity, third integral of motion rel. to galactic
mass distrib. 7=15632
Hu181, ADS10683, orbit 7=15704
           Hu 1176 visual binary, parallax and mass ratio
                 obs. 7=5568
           Hyades cluster, 778 low-luminosity members, proper motions 7=5551
           Hyades distance revision and its implications 7=8794
          "infrared stars" additional obs. 7=18433 infrared, in Taurus and Cygnus and TX Cam 7=8817 K-type, seven, atmospheric microturbulences 7=12136 KP Persei, beat period 7=8848
          M giants variability upper limit 7=8844
M5 cluster, lack of neutral H 7=5545
          M14 cluster, lack of neutral H 7=5545
M37, proper motion of stars 7=5549
          magnetic, corotation of atmosphere rel. to wind 7=8985 magnetic, snape 7=12135 magnetospheres theory of self-gravitating bodies 7=18440 mass distribution 7=2647
           mass ejection of graphite grains from red giants,
          mass ejection of graphite grains from red giants, theory 7=5525 mass 10³-10° × sun, pulsation excit. during contraction 7=15648 massive, binding energy in post-Newtonian approx. of gen. relativity 7=2650 model, linear, and dynamical stability 7=18436 motion of A stars, normal and metallic 7=8799 neutrino absorption at superhigh temps. 7=12142 neutron or collapsed, nuclear phenomena obs. 7=15670 neutron, effects of nuclear forces 7=2663 neutron, matter, nuclear binding energy 7=15669
           neutron, effects of nuclear forces 7=2663
neutron, matter, nuclear binding energy 7=15669
neutron prod, processes 7=5528
neutron, theory 7=15671
neutron, vibrating, neutrino energy loss calc. 7=15672
NGC6031, open cluster 7=15707
non-radial oscillations and convection 7=8843
in normal galaxies, types and evolution 7=8880
nucleosynthesis s-process termination 7=18410
O-subdwarf system HD 188205 spectroscopic arbit and
           O-subdwarf system HD 128220 spectroscopic orbit and
           approx. masses 7=8859
orbits of globular clusters and high velocity stars in
                 mass model of galactic system 7=2676
           orbits, in time-varying gravitational field 7=5516
           oscillations of gas masses in mag. field, var. principle 7=5538 parallaxes, early meas. attempts 7=8795 \varphi335, orbit 7=15696 \varphi347, orbit 7=15698
           photographic images, location, intrinsic limitations 7=2646 polytropes oscillations, non-radial 7=12154 populations, narrow-band photometry 7=8825-6
           proper motions, reduction of relative photographic to
           absolute 7=5515
pygmy, first pair 7=12161
          quasar red shifts, Doppler interpretations 7=8895
quasars, red-shift 7=2690
           R Aquarii variable, minimum-light spectrum in
           1964-65 obs. 7=15681
R155, orbit 7=15700
RR Lyrae, faint variables near north galactic pole 7=12156
           RU Camelopardalis behaviour as example of oscillation
                hysteresis 7=15651
          RX Arietis eclipsing system, magnitudes and orbital elements 7=5540
          radial pulsations stability calc. 7=5537 radiating, gravitational collapse 7=15674 red, emitting in 2.0-2.5 \mu window, list 7=2657 rotating, equilibrium in general relativity, var.
          principle 7=8800
rotating systems, hydrodynamics 7=5546
           in rotation, free oscillations 7=12153
          rotation and hydrogen convection zones obs. 7=15647 Rst 33, orbit 7=15692
```

```
Stars-contd
        Rst 3972, orbit 7=15703
        Sco X-1, X-ray source, optical identification 7=2632
        Scorpius X-1 X-ray source, physical characteristics 7=8786
        self-gravitating system, one-dimensional model
        computer experiments 7=15640
spectral class F, mean obs. magnitude 7=8830
stellar cluster NGC 6694=M26, distance and colour-brightness diagrams 7=8864
        subgiants, F, G and K type, Li abundances inter-
pretation 7=8824
        temperature gradient in atmospheres of mag. and peculiar
            stars 7=8803
        third integral of motion rel. to galactic mass
        distrib. 7=15632
Tonantzinfla catalogue of blue stars, nonstellar
objects 7=12201
        36, trigonometric parallaxes obs. 7=5513
        tracking, automatic, matrix solution of geometrical
            problems 7=2642
        II Pup association and AQ Pup Cepheid distances
            obs. 7=12158
        UV Leonis eclipsing system, magnitudes and orbital
            elements 7=5539
        ultraviolet dwarf lifetimes rel. to electron-neutrino
            interaction 7=12145
        V 1216 sagittaric, flares obs. 7=15682
        variable, long-period, UBV obs. 7=15678 velocity dispersion perpendicular to Galactic plane for
            main sequence types, obs. 7=5517
        velocity distribution values, effect of incompleteness of
        observational data 7=8798
white dwarf, evolution from He shell burning star 7=5542
        white dwarfs, mass > M_3 if differential rotation allowed 7=2652
        white dwarfs, rotating, structure, oscillations and stability 7 = 8801
        Wolf-Rayet, northern, new search 7=5514
        Wolf-Rayet, and rapidly losing mass stars 7=12144
        young open clusters, colour functions 7=12165
Be, in h and x Persie region, classification 7=2648
        C, pure, vibrational stability rel.to \nu losses 7=15677 N burning in stars of 20MO calc. 7=5526
    composition
            See also Elements/origin.
        carbon stars, Li-Ca abundance ratio 7=15661
K-type, seven 7=12136
metal-to-hydrogen ratios in Galaxy 7=2675
        molecules depth var. calcs. for K and M types 7=15641
        Population I objects, H and He content obs. 7=15637
Sirius, metal abundances 7=5520
Vega, metal abundances 7=5520
        C abundances in M and S stars obs. from molecular
            spectra 7=5532
        H abundances in M and S stars obs. from molecular
            spectra 7=5532
        He burning, products, α-width of O<sup>16</sup> 7=5521
He weakness in globular cluster and halo B
            stars 7=5535
         Li abundances in Pleiades and F stars obs., rel. to
            evolution 7=5531
        Li in β Hydri, δ Eri and other stars 7=15642
Li/Be in F dwarfs and K giants obs. 7=5530
Li/Ca ratio in early M-stars obs. 7=12143
        N abundances in M and S stars obs. from molecular
            spectra 7=5532
        O^{16}, 7. 12 MeV state, \alpha-width, He burning 7=5521
        O abundances in M and S stars obs. from molecular
             spectra 7=5532
        VO i.r. bands in 3 Mira stars 7=8828
    magnetism
            See also Sun/magnetism.
        creation of mag, fields, theory 7=15635 HR 1732 mag, stars absolute magnitude 7=8841 neutron stars field upper limit \ll 2 \times 10^{14} G 7=12152 plasma turbulence under action of Coriolis forces 7=5519
        polytrope distortion by weak dipole-like field 7=15634 and temperature gradient in atmosphere 7=8803 Zeeman effect, systematic study 7=12130
    radiation
            See also Cosmic radiations, radiofrequency; Sun/
            radiation.
         absolute magnitude of magnetic star HR 1732 7=8841
        absolute fragilitude of magnetic star file 1705 and \alpha Ori, radio emission possible detection 7=18432 B.D. + 45 3637, photovisual obs., near W Cygni 7=18434
        binaries, reflection effect in close systems calc. 7=12722
        cepheids, nine, colour, S. A. 193 section 7=8845 colour anomalies and metal deficiencies in solar type
            disc stars, errata 7=8820
         convective core, Taylor series 7=8805
        DQ Cephei, 3-colour photometry 7-8836
extinction rel. to dust layer at 80 km above Earth's
surf. 7-15475
```

flares in AD Leo obs. 7=8847

```
Stars-contd
     radiation-contd
         giants in globular cluster M3, bolometric corrections and effective temps, obs. for 2 stars 7=5534
         gravity darkening for stars with convective envelopes 7=8815
         gray atmosphere entropy defect and source
               function 7=15919
          HR8494, very short period variability 7=5541
         Hyades cluster, 778 low-luminosity members, visual magnitudes and B-V colours 7=5551 infrared star in Orion nebula obs. 7=12169 infrared stars variability obs. 7=12155
          integrated isophotes meas., atmospheric scatt. calc. 7=8792
         inverse Compton effect from high energy electrons calc., rel. to flares 7=15650
         irregular variable statistics calc., flares 7=15675 main sequence visual binaries mass-luminosity and
                spectrum-luminosity rels. structure 7=5547
         \rm MH\alpha\,328\text{-}116,3\text{-}colour} observations 7=8855 MS3,three new variables, light curves 7=5544
          NGC 2281 cluster stars UBV obs. 7=8863
         neutron stars gravitational radiation calc. 7=18435
         non-grey atmospheres, rotating, continuum
         emission 7=15657
Nova GK Persei 1901, 3-colour observations 7=8855
Nova Herculis 1963, 3-colour observations 7=8855
\nu pair prod. in bound-bound transitions cale. 7=8813
         \pi Aur, radio emission possible detection 7=18432
         ### Aur, radio emission possible detection 1-10432

RR Lyncis, UBV photometry 7=8838
p Puppis, variability 7=8849
rotation var. 7=2651

Scorpius X-1, 3-colour observations 7=8855
sky brightness, satellite observations 7=18430

UBV photoelectric obs. near N selected areas 7=8831

When right catallite obs. of 96 stars 7=8834
          ultraviolet, satellite obs. of 96 stars 7=8834
variables near NGC6304 and Abell 6 clusters obs.
W Ursae Majoris stars, gravity darkening 7=8815
          H molecules continuous absorption in solar-type stars
               calc. 7=15658
    spectra
          AG Peg binary obs. 7=5548
A, OI triplet intensity at 7772Å obs. 7=8827
          Algol H_{\alpha} emission 7=15664 \alpha Lyrae, light variations obs. 7=15680
         Arcturus, Fe II and O I lines, forbidden, obs. 7=8962
B and A, in upper scorpius complex, characteristics
obs. 7=15653
BD + 37°442 obs. 7=15668
          B, OI triplet intensity at 7772Å obs. 7=8827 B, rotating, theoretical H\beta line profiles 7=2656
          \beta Corona Borealis null line \lambda 4065 of Fe I width rel.to
          rotation obs. 7=12149
blanketing-effect models, emergent flux and
intensities 7=8814
          classifications for long-period variables, M dwarfs, planetary nebulae and S and M-S classes 7=8829

    clusters stock 2, open, strongly reddened, photometric and polarimetric obs. 7=15709
    Coma Berenices, Hα and Mgb lines, photometry 7=8826

         Coma Berenices, H\alpha and Mgb lines, photometry 7=8826 \delta, \epsilon, \zeta, \eta, l and k Orionis, far u, v, obs. 7=15654 EK Cephei, spectroscopic orbit 7=5550 electron density determ. from line merging 7=4212 \eta Carinae, 1961, absorption and emission lines 7=2661 flares in AD Leo obs. 7=8847 4 canum venaticorum (HD 107904), light variation obs. 7=15679 G and K types, forbidden oxygen lines obs. 7=18431 G type stars, surface gravity effect on UBV colours 7=8816 Hyades F stars, strong-line profiles 7=2025
           Hyades F stars, strong-line profiles 7=8835 Hyades, H\alpha and Mgb lines, photometry 7=8826 image slicers 7=8842
           infrared star in Orion nebula obs. 7=12169
infrared, in Taurus and Gygnus and TX Cam 7=8817
           inverse Compton effect from high energy electrons calc., rel.to flares 7=15650
           K-line possible rapid var. in two A stars 7=8846
K-type, seven 7=12136
           LTE deviations in stellar atm. 7=8822
late-type stars, NaD lines, photometry 7=8825
line blanketing and LTE deviations effects on stellar
                 atm. 7=8823
           long period variables emission lines and atomic
                 luminescence 7=15676
            low-dispersion spectra, Schmidt telescope 7=12129 low temperature, 1.5-1.8, 1.9-2.5 \mu 7=12147
            main sequence visual binaries mass-luminosity and
                  spectrum-luminosity rels. structure 7=5547
            of moving envelopes, Balmer lines intensity rel. to atom and electron collisions 7=12146
            NGC 2281 cluster stars UBV obs. 7=8863 neutron stars absorption lines calc. 7=12151
             nonLTE line form. with spatial var. in Doppler
                  width 7=5706
```

non-uniform rotation effect on stellar luminosity 7=8819

```
Stars-contd
     spectra-contd
          O-type, rel. to law of interstallar extinction for emission
          nebulae 7=15652
Orion belt region, Hβ photometry 7=2658
          peculiar, twenty-three stars, obs. 7=15667
Procyon, continuous and line blanketing, rel. to model
atmosphere 7=2660
         RV Ursae Majoris, photometric and radial-velocity
variations in 90-day cycle 7=15655
R Mon, with associated cometary nebula NGC 2261 7=5553
17 Leporis, orbital elements derivation 7=12162
          sky brightness, satellite observations 7=18430
          standard, for yellow and blue magnitude in UBV
          system 7=15665
subdwarfs, F and G, location in theoretical H-R
diagram 7=15656
             Scorpi, analysis 7=8840
          telescope with transmission wire grating 7=5529
types for 43 bright southern stars in MK system,
K2-M6 7=5533
          UBV photometry, 1055 stars 7=8833
         U Cephei Ho emission search 7=8837
UMiA, UBV data 7=8850
UMiB, UBV data 7=8850
U Mon, turbulence, composition, mass loss 7=8839
ultraviolet multiplets, radiative lifetimes 7=10400
          variation of types for Mira variables R Cen and
T Cen 7=5543
          YZ Cassioperiae, spectroscopic orbit 7=12148
Be, OI triplet intensity at 7772Å obs. 7=8827
C abundances in M and S stars obs.from molecular
                spectra 7=5532
          Ca, in carbon stars, zero-volt lines, equiv. widths 7-15661
CaI, \(\lambda\)6362 auto-ionization, central depth 7-8821
H abundances in M and S stars obs. from molecular
                spectra 7=5532
           H, Balmer lines and quasistatic line profiles 7=3999
         H, Balmer lines and quasistatic line profiles 7=3999
H lines, electrons quasistatic and "impact" contributions
to broadening calc. 7=15660
H lines quasistatic profiles calc. 7=15659
H, Stark broadening theories 7=4000
H<sub>8</sub> photometry, photoelec., for 1217 bright stars 7=8832
He-burning, inhomogeneous models, sequence 7=15644
He in galactic disk B stars 7=15666
He neutral diffuse series lines and quesistatic line.
           He neutral, diffuse series lines and quasistatic line
                 profiles 7=3999
          Li abundances in Pleiades and F stars obs., rel. to evolution 7=5531
          Li, in carbon stars, zero-volt lines, equiv. widths 7=15661 Li/Be in F dwarfs and K giants obs. 7=5530
          N abundances in M and S stars obs. from molecular
                spectra 7=5532
          O abundances in M and S stars obs.from molecular spectra 7=5532
          Si II lines, gf-values 7=2655
          VO i.r. bands in 3 Mira stars 7=8828
     structure
          angular diameter by intensity interferometer, correlation
               determ. 7=2644
          angular diameter, by intensity interferometer, principles 7=2643
          atmosphere models for late type review 7-15639
atmospheres, fitting of radiative layers to convective
ones 7-8802
          central temp. rel. to density with gravitational
               equilibrium 7=8806
          circumstellar envelopes formed through rotationally
          forced ejection 7=18427
convective core, Taylor series, with radiation
press. 7=8805
         press. 1-8000 evolution, comparison of models with obs. 7-18428 evolution from main sequence to red giants for 1, 1.25, 1.5 M<sub>☉</sub> 7-12138 general relativity gas sphere static model 7-12341 massless particle gravitational binding in superdense stars 7-18425 non-grey atmospheres 7-5520 quark state possibility 7-12150
          quasi-homology relations rel. to Eggen-Sandage residue 7=12134
          rotating, luminosity var. 7=2651
Sirius, non-grey atmospheres 7=5520
          supermassive convective stars 7=15633
supermassive, plasma diffusion effect calc. 7=18426
theory, historical review 7=12132
Vega, non-grey atmospheres 7=5520
          He shell burning, relaxation oscillations, evolution to white dwarf 7=5542
           He stars, small mass 7=5524
Stars (nuclear). See Particle track visualization.
Statistical analysis
                See also Measurement/errors; Probability; Random
                 processes
           clusters in random mixtures, low-density expansion 7=2847
```

```
Statistical mechanics-contd
                                                                                                                                       equilibrium condition for constrained system of
Statistical analysis-contd
        data errors, range affecting anal of fluctuating excitation function 7=2797
                                                                                                                                            particles 7=12305
                                                                                                                                       entanglement of polymer chain 7=16987
         deviations, mean and standard, resultant density by
                                                                                                                                       entropy microscopic interpretation 7=9095
        photographic method 7=2755
fluctuation-dissipation theorem 7=9092
                                                                                                                                       equilibrium states extremal props. for similarity
        fluctuation-dissipation theorem, generalized 7=12364
Green function decoupling procedure 7=12290
                                                                                                                                            transformations 7=5681
                                                                                                                                       finite systems, asymptotic expansions, two petit canonical
                                                                                                                                            ensembles 7=12371
        N degenerate modes, effect of bilinear coupling 7=2853 non-linear parameters, from least square residuals 7=25 nuclear statistical collision matrix 7=16761-2
                                                                                                                                       flow through porous media 7=4270
Gaussian function in calcs. 7=15899
                                                                                                                                        general relativity kinetic eqn. power distribution
        particle photographs, size obs, method and apparatus 7=5
                                                                                                                                             calc. 7=2832
        r-particle distrib., effect of boundary conditions 7=5683 r-particle distrib, function in classical physics 7=4287 smoothed variables, time dependance models 7=12302
                                                                                                                                       generalized quantization 7=5684
                                                                                                                                       glass-forming liqs., expressions for coop. props. 7=1104
Green function decoupling procedure 7=12290
                                                                                                                                       Hamilton-Jacobi eqn., soln, for conservative systems with 2 deg. of freedom 7=87
        xmdx distributions, maximum likelihood estimate of
                  7=12301
                                                                                                                                        hard convex-body fluid, scaled-particle calc. 7=10689
                                                                                                                                        hard-core lattice gas, phase transition 7=5679
    applications
        See also Counters/statistical analysis.
Boltzmann equation collision term, model 7=4289
centrosymmetry of cryst.structs. 7=4557
                                                                                                                                        hard-core system, thermodynamic props. 7=5700
                                                                                                                                       hard disks, press., collision rate, and number
        condensing systems, irreducible cluster
representations 7=10897
condensing systems, uniform convergence of thermo-
                                                                                                                                       depend. 7=9119
hard sphere mixtures pseudo-potential model test
                                                                                                                                       calcs. 7=5699
hard-square lattice-gas, phase transition 7=10890
Heitler-London method nonorthogonality
difficulties 7=8088
             dynamic functions 7=10898
        dynamic functions 7=10898 counters, forward-backward 7=9699 crystal struct. papers 7=7367 diffusion, Feynman's quantum mechanics appl. 7=2866 fluids, classical, Percus-Yevick, hypernetted chain and Born-Green equations 7=10687 y spectra complex photopeaks intensity 7=3510 creates at high parms semipators is using non-linear control of the parms semipators.
                                                                                                                                       inequalities derived from Schwartz 7=15903
invariant states, kinematical study 7=2850
invariant states with singular momentum spectrum
existence 7=7459
         γ spectra complex photopeans intensity (=3510)
γ spectra at high energy, semiautomatic, using non-linear
least squares 7=3508
γ spectra peak centres 7=3509
gases heat of mixing, corresponding states calc. 7=10742
hard-sphere packing in reflecting spherical cell 7=96
                                                                                                                                        Ising model in two dimensions, Toeplitz determinants
                                                                                                                                       and spin correlations 7=2090 isotope effects with large molecules 7=6759 λ transitions 7=10886
                                                                                                                                        lattice gas with extended hard core, phase transition 7=5678
         Markov chain theory of free molecule flow 7=6953
                                                                                                                                       lattice gases, square and triangular 7=95
linear coupled oscillators, time development of
ensemble 7=11100
linked cluster expansion for s-d interaction 7=7750
         Monte Carlo, adjoint problems and importance functions 7=16741
          Monte Carlo, some flux estimators, variance 7=15917
          n Monte Carlo calcs., comparison 7=9993
                                                                                                                                        liquids, molecular thermodynamic props. 7=17263
loaded-sphere gas, quantum mech. 7=10729
Lorentz transformations in phase space and physical
          phase transitions, second order, general theory 7=17306
          photomultipliers threshold sensitivity 7=5828
         photomultipliers threshold sensitivity 7=5828
plasma scatt, of coherent light, for plasma correlation
function meas. 7=10653
precipitation processes 7=12001
radar echo patterns in atm. 7=8676
radioactivity y-spectra unfolding 7=6366
spatial spectral functions decomposition in time
                                                                                                                                             space 7=15902
                                                                                                                                         magnetic relaxation near phase transition 7=8141
                                                                                                                                        many-particle systems, appl. of variation principles 7=90 many-particle systems, perturbation method with creation operators 7=5692
               domain 7=5369
                                                                                                                                         many-particle systems, renormalization 7=5691
          turbulence, Burgers' model eqn. 7=13966
                                                                                                                                        many particle systems stability to external perturbations 7=5686-7
          virial coefficients optimal recovery from compressibility
                                                                                                                                        molecules, ring-chain equilibria 7-2424
momomer-dimer configurations lower bound for hyper-
               data 7=10739
Statistical mechanics
               See also Bosons; Fermions; Quantum theory/many-
                                                                                                                                              cubical lattice 7=9089
                                                                                                                                        monatomic bodies, sublimation 7=1205
multicomponent fluids, nonequilib. theory 7=1048
nonconservative systems 7=12369
               particle systems.
          adsorption theory, effect of molecular interaction 7=14285 alkali halide crystals, thermal expansion, calc. 7=1484
                                                                                                                                         para-field theory of bound states 7=15896
          asymmetric ground states and Bose-Einstein
                                                                                                                                         path probability method for co-operative systems 7=88
               condensation of symmetry multiplets 7=15907
                                                                                                                                         perturbation expansion about atomic limit 7=11382-3
         condensation of symmetry multiplets (7=1590)
Bernoulli chain, momentum autocorreln. function 7=2848
Bogoliubov functional, modified, general solution 7=2851
Bogolyubov and Prigogine theories, equivalence 7=4288
Bose liquids, T<sup>4</sup> law for density of normal
component 7=15908
Brillouin-Wigner perturbation theory 7=12374
Brownian motion, Rubin's model and Langevin equ. 7=12366
                                                                                                                                         physical system in contact with thermostat 7=86
                                                                                                                                         plasma, gravitational 7=988
                                                                                                                                         plasmas, bound states, statistical thermodyn. 7=13847
                                                                                                                                         polymer solns., interactions between dissimilar
                                                                                                                                              chains 7=1121
                                                                                                                                         polymer solutions, asymptotic methods 7=10815
quantum, classical limit rel. to Schwinger
functions 7=5685
          cell-cluster model for pair distrib. function 7=9120 cell theories for hard particles 7=94 chemical reaction cross-sections 7=15425
                                                                                                                                         quantum by duodynamics, allowance for dissipation processes 7=15897
                                                                                                                                        quantum field theoretical methods 7=5689
quantum finite systems, irreversibility 7=15898
quantum lattice gas, p-V diagram 7=9091
quasiparticle descriptions and kinetic eqns. 7=15906
          chemical reaction cross-sections, dynamical model 7=2431 classical one-body distribution function, evolution 7=15900
         cluster integrals and distrib functions of particle
number 7=12373
                                                                                                                                         random line end-state densities distribution, rel. to
         compensation of dangerous diagrams principle, best
energy criterion 7=9108
                                                                                                                                         random line end-state densities distribution
hard spheres 7=5693
real time quantities, nonequil., variational
approach 7=9126
relativistic, covariant formulation 7=15901
          complex temperatures limit and phase transformations
              picture 7=10887
         complexion number in Maxwell-Boltzmann and Fermi-
Dirac statistics 7=2849
                                                                                                                                          rigid-disk fluid eqn. of state 7=10688
         Convergence problem of variational technique, appl. of local potential 7=9125 copolymer systems, configurational statistics 7=4134 correlation functions, decoupling procedures 7=15861
                                                                                                                                         rigid disks at high density 7=9120
self-consistent field rel, to particles correlation
distribution functions 7=9096
                                                                                                                                          spin systems, relaxation transitions and radiation
                                                                                                                                         equil. 7=9469
stiff chains, theory 7=16988
         correlations of electrons in narrow energy bands 7=11382-3
Coulomb two-dimensional gas exact pair correlation
                                                                                                                                         stochastic systems equivalent to quantized systems 7=2857 stress tensor of monatomic fluid 7=6928
              function 7=17040
        covariance algebras structure of theory 7=9664
density expansion of transport coefficient, does log. term
exist? 7=12387
diffusion in binary liq. solns. 7=7051-2
elementary particles, creation and annihilation
system 7=10339
                                                                                                                                         strongly coupled gas, thermodynamic entropy 7=10743 systems at two temperatures 7=9097
                                                                                                                                         theory of electrolyte solutions of medium
concentration 7=18336
                                                                                                                                          thermodynamic equilib., covariant definition 7=5682
```

```
Physics Abstracts 1967 - Part I (Jan.-June)
 Statistical mechanics-contd
                                                                                                               Steel-contd
         thermodynamics, special relativistic 7=9121 uniqueness theorem for nonlinear irreversible thermo-
              dynamics 7=12368
dynamics (=12506

Van Hove diagonality conditions and ensemble averages 7=9102

He liquid λ transition 7=10886

Statistical thermodynamics. See Statistical mechanics.

Steady-state theory. See Cosmology.
         adsorption by Fe films, elec. cond. var. obs. 7=14886
         bubbles in channel boiling, formation and
              growth 7=1198
         convection, free flow under variable conditions, theory 7=6970
         desorption from W by giant pulse laser obs. 7=17409 emissivity at 600°K-3000°K and optical depths from 0.1 to 10000 cm atm. 7=13734
         laser, pulsed, spiking and time behaviour obs. 7=12632 thermodynamic props. digital computer calc. 7=6968
         with \rm H_2, diffusion in porous Fe from reduction of Fe<sub>2</sub>O<sub>3</sub>, 800°, 900°, 1000°C 7=15424
         (H<sub>2</sub>O)<sub>2</sub> rotational spectrum obs. 7=16950
Steel
         adhesive strength of polyvinylchloride laminates 7=17741
         austenite, \rm M_{23}C_6 shape and mechanism of formation \, 7=14220 austenite, strain-ageing, systematic study 7=4781 \,
         beams on immovable supports, elastic-plastic
         deflections 7=1683
brittle crack nucleation during twinning 7=14726
        brittleness at high temp. after n-irradiation, phase-transition effect obs. 7=14735
        α-carbon steel, anisotropy of displaced atoms, n-irradiated 7=7537
        cleavage fracture, effect of pre-strain and
strain-ageing 7=11294
creep and polygonisation activation energies obs. 7=7709
crystallization theory 7=7327
         deformation effect on coherence length and stacking
             faults 7=1626
        deformation and recrystallization textures 7=11297 diffusion, solubility and permeation of tritium in stainless steels, 80°C 7=1513
         dislocation struct, with low C, heating rate var.
             obs. 7=11178
                                                                                                              Stereoscopy
         dislocations, Burgess vectors, deformed samples 7=4705
         ductility hydrostatic pressure var. 7=1723
         dynamic yield stress, strain-rate sensitivity 7=14721
         edge-crack, propagated by cyclic stress 7=17710
                                                                                                                  Scattering/light.
         18 Cr-8 Ni steels, stress-corrosion cracking 7=17696
         elastic consts. of third order, u. s. velo. under stress
             obs. 7=11298
         En2E high-speed extrusion 7=14693
         fine struct. in electron diffr. pattern of foils with stacking
        faults 7=11026
fracture, effect of notch depth 7=17707
        heat transfer to moving strips, experiment and
             theory 7=14473
                                                                                                                  Thunderstorms.
        helical plug, neutron and \gamma-ray atten, meas. 7=16630
high-manganese, effect of pre-strain and strain-ageing
on cleavage fracture 7=7707
                                                                                                                  deformation.
                                                                                                             Strain gauges
        high-strain fatigue behaviour, effect of irradiation 7=17708
        internal friction in 18%Ni maraging steels, dislocation and precipitation mechanisms, 420°-612°C 7=11299 low carbon, cleavage fracture, effect of pre-strain and strain-ageing 7=11294
                                                                                                             Strange particles
        magnetic meas. of Si-steel strip, continuous air coil
        appl. 7=8184
magnetic props. of grain-oriented Si-steel cores with
a.c. excitation 7=5812
         martensite, crystallography of fracture 7=4782
       martensite, {hhl} habit 7=10994
martensite, Mössbauer meas. of hyperfine field, rel. to
C content 7=14179
martensite strength source 7=17712
        martensite on surface of deformed austenite 7=14219 mild, fatigue fracture and yield, relation 7=14717
                                                                                                             Stress analysis
        mild, low-stress fracture, appl. of fracture
             mechanics 7=14724
                                                                                                                          Torsion.
        mild, nucleation and growth of cleavage microcracks 7=14725
        notch brittleness at -196°C 7=17705
        pearlite, shock-loaded deformation twinning 7=10993
        plastic deformation, neutron irradiation in reactor
        effects obs. 7=4784
plastic deformation rel. to response to n radiation 7=17646
stacking faults, from bright field image 7=7596
        stainless desorption of gases prod. by e beam temp. var., 100-600 eV 7=14288
       stainless, fatigued, stacking fault tetrahedra
meas. 7=17623
stainless, H<sub>1</sub>* sputtering and implantation at
35 keV 7=14293
```

stainless, n irrad., form of dislocation loops or voids rel.

to temp. 7=14557

```
S 361
          stainless, reactor irrad. effect on surface
               structure 7=17645
          stainless, stacking faults and thin twins, distinction 7=7600
          stainless, type 304, (n, \gamma), capture, effective spectra
          meas. 7=16742
steel, austenitic, stainless creep, up to 1000°C in
          vacuum 7=17714
stress-corrosion crack propag. 7=7710
         stress, residual, wavelength effect in X-ray obs. 7=11293 stresses, applied and residual meas. by u. s. 7=11296 thermal fatigue under transient cross-section temp.
              gradients obs. 7=14716
         transformer tape, annealing, mag. props. 7=15141
          u. s. absorption in stainless steel obs., 2-15 Mc/s 7=9215
          VC formation in secondary hardening 7=17364-5
wire, device for testing fatigue 7=11295
B occurrence in oxide inclusions 7=17343
          0.3%C, strengthening effects of carbide size and
              spacing 7=17709
          C-Mn, grain refined 7=17469
         C-Mi, grain Teilled Teil 1798
CrN precipitation 7=17362
Cr-Ni, irrad. at const. load, vacancies 7=14728
Cr-Ni, volume fraction of phases 7=7220
Cr-Ni-Nb stainless, effect of fission fragment irrad.
on oxidation 7=11939
          (Fe-Cr) sigma phase precipitation from
              austenite 7=4466
         Mn, ferromag. at grain boundary and slip plane, work-
hardened 7=18118
          N-\alpha Fe, internal friction in solid solutions with different
              purity and grain size 7=11290
          18% Ni maraging, kinetics of ageing reactions 7=7233
          18% Ni maraging steel, transformations, effect of heating
              rate 7=14218
         Ni-Cr-Mo, Al killed, heat treatment rel. to austenite
 grain size 7=17470
Stellar atmospheres. See Stars.
 Stellar clusters. See Stars.
 Stellar composition. See Stars/composition.
 Stellar motion. See Celestial mechanics; Stars. Stellar structure. See Stars/structure. Stellarator. See Plasma/devices.
 Stereoisomerism. See Isomerism.
Stereophonic sound. See Acoustics.
 binocular rivalry and stereoscopic depth 7=12745
Stimulated emission. See Lasers; Luminescence; Masers.
Stimulated Raman scattering. See Lasers; Raman spectra;
 Stochastic processes. See Probability; Random processes;
    Statistical analysis.
Stokes flow. See Flow; Hydrodynamics. Stokes law, fluids. See Flow; Viscosity.
Stokes law, optical. See Luminescence.
Stokes lines. See Luminescence; Raman spectra; Spectra.
Stopping power. See Particle range
Storms. See Atmosphere/movements; Magnetic storms;
Strain effects. See Deformation; Elastic deformation; Plastic
         accelerometer 7=5653
for frozen gases and liquids elastic consts. and thermal
expansion meas. 7=14645
Strain hardening. See Work hardening.
        high-energy physics conference, Dubna, USSR, (1964) 7=3413
        in nonlinear spinor theory 7=6011 \bar{\nu} production cross upper limit obs. 7=12972
        reaction, high energy, branching ratio predictions 7=461
weak interactions conference, Argonne, USA, 1965 7=471
Strangeness. See Elementary particles; Field theory, quantum.
Stratosphere. See Atmosphere.
Streamers. See Discharges, electric.
Strength. See Electric strength; Mechanical strength.
            See also Bending; Photoelasticity; Strain gauges;
        circular cylinder, nonhomogeneous, rigid spherical
             inclusion 7=2813
        crack in elastic half-space 7=12321
        crack, elliptical, three-dimensional distribution for arbitrary load calc. 7=11254
        disc circle calc. for step temp. var. with time of edge 7=9069
        distribution along wall suffering ground movement 7=11239
        movement 7=1239
elastic finite hollow thin cylinder 7=12323
elastic quarter space, normal loads 7=9060
elastic quarter space, tangential loads 7=9061
elastic solid, stresses due to nucleus 7=2817
extremal stress-field concept 7=45
        fibrous-media, plane, with polar net 7=9055
```

```
SUBJECT INDEX
S 362
Stress analysis - contd
           indented strips and slabs, normal and shearing contact
          stresses calc. 7=52
linear deform, of sector plate 7=15872
nuclear reactor fuel rods radiation growth 7=784
photoelasticity method 7=1684
           plastic sphere under hydrostatic pressure 7=56
plasticity, continuum theory 7=17662
stress distrib. at rigid cylindrical inclusions 7=7564
           thin plates asymptotes 7=12326
           viscoelastic rod of linear Maxwell material, with pulse
force 7=9169
Cd, relaxation 7=17693
Stress effects
           ageing kinetics, plastic strain effects 7=17355-6
alloys, brittle fracture, influence of grain size and
dispersed particles 7=7659
          atspersed particles 7=1059

Armoo iron, impedance hysteresis var. under stress 7=3164
austenite, strain-ageing, systematic study 7=4781
benzene crysts., absorpt. spectra 7=8455
ceramic plates, prestressed, strength after nonuniform heating 7=11247
convex shell, critical stress condition 7=14658
          dislocation velocities in two-dimensional model 7=11168 dislocations in non-uniform stress field, equilibrium and
          stability theory 7=1591
ferromagnet, change in magnetization 7=8135
friction stress acting on moving dislocation 7=14568
           glass-reinforced plastics, rel. to criterion of
                 strength 7=4819
           glass-reinforced plastics, rel. to theory of anisotropic
                 creep 7=4818
          glasses, refractive index and density var., rel. to annealing effect 7=11770 graphite, neutron irradiated, obs. 7=7693 jogged screw dislocations uniform velo. var. calc. 7=14570
           magnetostriction, nonuniform form effect, surface
                stresses 7=15125
           necking under tension condition calc. 7=14667
          p-diamond luminescence from Al acceptors,
                0.30-0.37 eV 7=18288
          p-n junctions generation-recombination current,
theory 7=1963
          Permalloy mag, films props. tension var., l.f. ferromag. resonance obs. 7=8216 polyethylene, crystalline, linear, stress relaxation data 7=1747
          data (=1747)
polyethylene, drawn and undrawn, solvent sorption
depend. 7=14303
polyethyleneterephthalate films, creep 7=4814
polymer breakdown kinetics, loss of volatile products,
                 mass spectrometry 7=14771
           polymer fibres sound velo. obs. 7=11113
           polymer platelets, screw dislocations thermal initiation
          polymer platelets, screw dislocations thermal initiation theory 7=1592 polymers, oriented crystallizing, changes in structure 7=14657 poly-4-methylpentene-1, transitions 7=1748 Rochelle salt, dielectric parameters 7=11566 soil, cohesive, complex modulus from relaxation using one-sided Fourier transform 7=1738-9
           solids u.s. strain amplitude detector for 5-100 Mc/s 7=4747
           spectral absorption of off-centre impurity in tunnelling
         spectral absorption of off-centre impurity in tunnelling approx. 7=14550
steel, edge crack, propagated by cyclic stress 7=17710
steel, high-manganese, effect of pre-strain and strainageing on cleavage fracture 7=7707
steel, mild, dynamic strain ageing 7=7708
steel, ultrasonic meas. 7=11296
in transistors, incremental 7=18030
triaxial systems, effect on brittle fracture and brittle-ductile transition 7=14683
          Al, electron and neutron irrad..crit. shear stress 7=7679
Al, prismatic dislocation loop formation mechanism
on cyclic straining 7=7569
Al, ultrasonic meas. 7=11296
          Al-Cu, ageing kinetics, plastic strain effects 7=17355-6
Al-Mn(1.7%) cavitational erosion at 17 kc/s 7=17683
BeO, dislocation motion obs. by etching 7=7574
Bitwin layer growth rate obs. 7=10992
          C creep rate var. obs. in green mixes 7=14700
          Ca aluminate glasses, defects prod. obs. 7=11276
          Cd, effect of vacuum annealing on strain behaviour 7=1708
          CdS:I bands gap uniaxial press.var., e.s.r. g value
                obs. 7=11388
          Cr, N diffusion temp. var. obs. 7=17579
          Cu, creep 7=7695
          Cu, electron and neutron irrad., crit. shear stress 7=7679
         Cu, thermo-e. m. f. 7=15053
Cu, ultrasonic meas. 7=11296
```

Cu-Mn, effect on electrical props. 7=11433 Cu-Te couples, diffusion increase, phases 7=11140

```
Stress effects—contd Cu-W fibre composites, failure in repeated tension 7-1717 Fe, nitridic precipitation, direct obs. 7-4779 Fe, strain ageing 7-1720 \alphaFe-H permeability obs., and H partial molal vol. 7-4449
          Gre-H permeability oos., and H partial molal vol. 7=4
Fe-3%Si, magnetic props., elastic tensile strain 7=8192
GaAs junctions, band gap widening effects obs. 7=7976
Ge direct excitons, optical spectrum 7=14856
n-Ge double refraction obs. of shear deformation potentials 7=8399
Ge, magnetoelec. effects 7=4997
           Ge. magnetoelec. and thermomag. effects 7=4996
           Ge magnetoresistance in impurity band conduction
                 region 7=14956
           Ge p-n junctions, on breakdown voltage 7=1968
           Ge Zn aceptors spectrum, rel. to symmetry 7=17816
           In<sub>2</sub>O<sub>3</sub>, e. s. r. due to conduction electrons in degenerate
           In<sub>2</sub>O<sub>3</sub>, elsivitate at conduction tector on a weg

In<sub>2</sub>O<sub>4</sub>, large strain sensitive g shift 7=8294

In<sub>2</sub>Sb recombination radiation obs. 7=18300

KBr dislocations velo.obs. 7=1607
           KBr, piezooptical expts. on excitons 7=7818
           KCl R centre e. s. r. calc. 7=8295
           KCl, shearing stress distrib. in region of
cleavage 7=4792
KI, piezooptical expts. on excitons 7=7818
           LiF, shearing stress distrib. in region of
           cleavage 7=4792
Mg-Li (12 at.%) prismatic creep obs. 7=14743
MgO, 9572 cm<sup>-1</sup> line, irradiated 7=2326
           NaBr, gradient elastic tensor meas. by n.m.r. 7=2243
           NaCl, gradient elastic tensor meas.by n.m.r. 7=2243
           NaCl, shearing stress distrib. in region of
                 cleavage 7=4792
           NaF, shearing stress distrib in region of cleavage 7=4792
           Nb, strain ageing 7=1720
           Ni, dislocations prod., 100°-600°C 7=17613
           Ni domains obs. 7=11654
Pu-Ga (1 wt. %), recrystallization critical strain 7=4518
          Sb-doped Ge Zeeman effect, rel. to e.s.r. 7=8305
Si donors spectral i.r. absorption obs. 7=18264
           Si, double refraction obs. of shear deformation
                potentials 7=8399
           Si, effect of generation-recomb. centers 7=18015
           Si, failure mechanisms deduced from step stress tests 7 = 7995
          Si group III acceptors spectra, rel. to symmetry 7=17816
Si optical differential absorption and reflection obs.
by sample rotation 7=8438
Si p-n junctions, on breakdown voltage 7=1968
          Si persoabsorption, indirect, matrix elements 7=2334
Si wafers, coated, X-ray topography 7=4487
Sn, supercond. strain effects on u. s. attenuation 7=11481
Sn whiskers, superconductivity, uniaxial tension effect 7=7915
           SrTiO<sub>3</sub> optical differential absorption and reflection obs.
           by sample rotation 7=8438
Ta, strain ageing 7=1720
          Ta-O alloys, equilib. Cottrell atmosphere and discontinuous yield 7=11186

Tm<sup>2</sup>*:CaF<sub>2</sub>, laser, rel. to ligand field splitting 7=7183

Tm<sup>2</sup>*:SrF<sub>2</sub>, laser, rel. to ligand field splitting 7=7183
           V<sub>3</sub>Si phase transformation at low temps.obs.
           W, proportional limit stresses for (100) and (110)
                orientations obs. 7=7740
           Zn, concentration, effect on deformation twins.
                bicrystals 7=14311
           Zn, twin boundary movement rate 7=17423 \alpha\text{-}\mathrm{ZnS}, non-linear piezo optic behaviour to 7 kbar 7=2348
Stress measurement. See Strain gauges.
Stress/strain relations
          See also Elastic constants.
beams on immovable supports, finite elastic-plastic
deflections 7=1683
           in buckling of inelastic orthotropic plates 7=5665
           composite elastic media, rel. to basic eqns. 7=5664
           cyclic, mathematical model for anal. 7=11237
dispersion-hardened crystals work hardening, secondary
                 slip theory 7=7658
          slip theory 7=7658
dynamic, determ. by Hopkinson bar expt. 7=7646
elastic solids across transverse 7=14650
graphite, 10-3-10-4 in./in./sec. 7=11270
laminated rubber systems, rel. to shear strength 7=4826
Lucite, 10-3-10-4 in./in./sec. 7=11270
mechanical equation of state 7=14652
Missayte 10-1-10-4 in./in./sec. 7=11270
           Micarta, 10-3-10-4 in√in./sec. 7=11270
perfect crystal, rel. to bonding forces, theory 7=4753
plastic-elastic model with variable slider under
sinusoidal stress 7=54
           plastic, glass-reinforced, theory of stress-strain state
           under uniaxial load 7=4817 plastic materials 7=7649
           plastics, apparatus for up to 14.5 m/sec 7=7652
polycarbonate, oriented glassy, grain slip and bond
flexing 7=1745
```

```
Physics Abstracts 1967 - Part I (Jan.-June)
 Stress/strain relations-contd
          polycrystal, plasticity theories of von Mises and
Tresca 7=7656
           poly(dimethylsiloxane), isotherms meas. 7=11333 polymers, critical molecular weight and shear
            stress 7=17256
          polymers, hysteresis rel. to strength 7=14769
          polyphenylene oxide, oriented glassy, grain slip and bond
          flexing 7=1745
Snoek peak, relaxation strength 7=7648
          stress distrib. in cracked plates, effect of geometry and thickness 7=14687
          in successive biaxial tension, relns. between
              tensors 7=11238
          two-dimensional plastic deform., monotonic loading 7=12327 yield and fracture conference, Oxford, 1966 7=14656
          AgMg crystals, temperature and strain - rate effect on
          flow stress 7=1698
Al, discontinuous yielding, commercially-pure 7=14695
          Al, flow stress, influence of strain rate and strain ageing 7=14694
          Al, polycrystalline, recovery, low temperature 7=11272
Al, 10<sup>-3</sup>-10<sup>-4</sup> in./in./sec. 7=11270
          Al-Cu (96-4), cyclic strain, Bauschinger effect
meas. 7=4764
Be, effect of pressures up to 27 kbar 7=17691
          Be, microstrain behaviour as function of prestrain 7=1706
         Cu fatigue hardening, hysteresis stress var. 7=17700 Cu, strain-rate and deformation rate, stage III 7=1715 Fe single crysts. strain rate sensitivity, effect of C 7=7701-2
          Fe, yield stress, effects of orientation and C 7=1718
Fe-C alloy, solid-soln strengthening 7=14737
Fe-Ni alloy, solid-soln strengthening 7=14737
          MgO, strain-hardening 7=17717
          Mo, strain rate depend. of flow stress 7=17722
          NaCl, internal friction hysteresis meas. 7-4793
NaCl, shear-stress distrib. at moving crack tips 7-14651
         NaCl, strained, radiation hardening 7=1310 Ni<sub>s</sub>Fe, ordered and disordered, tensile results 7=17726 Ni<sub>s</sub>Fe, strain-ageing effect rel. to ordering obs 7=17727 Ni<sub>s</sub>Fe(), strain-ageing effect rel to ordering obs. 7=17727
          Ni<sub>3</sub>(FeMn), strain-ageing effect rel. to ordering obs. 7=17727
          SiO<sub>2</sub> film grown on Si substrate, thermal stress and
strain obs. 7=17733
Sn-Bi(5%), rel. to superplasticity 7=14760
          ThO2, rel. to creep 7=4806
          Ti, 10-3-10-4 in./in./sec. 7=11270 α-U, rel.to single crystal growth by strainannealing 7=11014
Stresses, internal
         bimetallic interface, screw disloc. planar array, shear modulus effect 7=17605
         in buckling of inelastic orthotropic plates 7=5665
ceramics containing cristobalite 7=7694
concentration near sharp comer, displacement 7=14655
         crystals, X-ray source-image distortion meas.
         cylindrical shell with rigid inclusion 7=15868 and dislocations 7=7563
         dislocation loop hexagons calc. 7=11165
         dislocation loop polygons and ellipses calc. 7=11164 elastic medium with exterior crack and cyl. cavity 7=7663
         epoxy coatings, relation with wear resistance and modulus
of elasticity 7=4813
fibrous-media, plane, with polar net 7=9055
films, evaporated, detection by wavefront
reconstruction 7=14654
          flow and dislocation density in Peierls-Nabarro
              deformation 7=14659
          glasses rupture, effect of residual stress 7=11302
         long range, work-hardening, theory 7=14674 measurement in evap. films 7=10968
         resin coatings on Aerosil, molecular interaction
              effects obs. 7=17742
         screw dislocation in and near lamellar inclusion, and image calc. 7=7565
          steel, ultrasonic measurement 7=11296
         steels, ferritic, wavelength effect in X-ray determ. of residual stress 7=11293 and vacancy condensation on precipitate particles 7=7215
         viscoelastic cylinder, linear stress waves 7=9170
Ag, flow, high temperature 7=14707
Al, ultrasonic measurement 7=11296
Al-Si alloys, thermal stresses for varying Si 7=7684
         Au, flow, high temperature 7=14707
Cu, flow, high temperature 7=14707
         Cu, ultrasonic measurement 7=11296
         Fe, lattice strain rel. to ductile deformation obs. 7=17468
Fe propagating twin head obs. 7=14727
         KTaO<sub>s</sub> surface barrier diodes, rel. to barrier potentials 7=18020
```

Stresses, internal-contd  ${\rm Lif}, \gamma{\rm -irrad}$  iated, dislocation bunching prod., photoelastic obs.  $7{=}14592$ NaCl, elastic interaction of dislocations with Ca-cation vacancy pair calc. 7=1612 Nb, during gaseous oxidation at 400 and 425°C 7=7736 Ni at dislocations, 100°-600°C 7=17613 Ni, effect on Barkhausen effect 7=15152 Si, on diffusion of B with P obs. 7=17615 Si, on double diffusion, obs. 7=17616 SiO evap. films 7=10968 Ta, during gaseous oxidation at 350-550°C 7=7736
Ti alloy VT 5, elastic microstrains, correlation functions 7=4808
Ti, distribution of elastic deformations 7=1742
U neutron irradiated fuel bars with helical crystallographic texture, axial and torsional stresses calc. 7=7735 Striations. See Discharges, electric. Stripping reactions. See Nuclear reactions. Stroboscopes No entries Strong interactions. See Field theory, quantum/interactions, strong. Strontium electron band struct, in f.c.c. state under press. calc. 7=17801 Fermi surface calc. in f.c.c. state 7=17818 isotopes relative abundance measurement using mass spectrometer dual collector 7=15452 vapour in upper atmosphere obs. 7=15552 in KCl and KBr, effect on colour centre accumulation 7=11209 Sr\* ions, obs. of long-lived auto-ionization states 7=13832 Strontium compounds Sr ferrite demagnetization calc. in ellipsoidal grains model 7=11663 Sr ferrite magnet d. c. motor 7=3017 Sr ferrite magnets 7=5174
Sr ferrite magnets 7=5174
Sr-titanate, diffusion of oxygen vacancies 7=14541
Sr-titanate, formation of point defects 7=14540
Sr\_Ba<sub>1-x</sub>F<sub>2</sub> and Ca<sub>x</sub>Sr<sub>1-x</sub>F<sub>2</sub>, mixed, Raman spectra 7=2284 Sr\_Bal\_xF\_2 and Ca\_xSr\_1xF\_2, mixed, Raman spectra 7=2284

(Sr\_0\_8Ba\_0\_2)\_2Tn\_Fe\_1Q\_0\_2, helicoidal spin ordering 7=15187

g-Sr\_2\_Cd\_0\_g(PQ\_d)\_2xPb, var.x obs. 7=2399

SrCl, emission spectrum 7=6697

SrCr\_0\_4, cryst. struct. 7=11079

Sr\_2\_rO\_4, cryst. struct. 7=11079

Sr\_2\_y discrete saturation of e.p.r.lines 7=14974

Sr\_2\_rare-earth doped, as i.r. quantum counters 7=5290

SrF\_2\_rare-earth doped, as i.r. quantum counters 7=5290

SrF\_2\_rstruct. transformation at high press. 7=14205

SrF\_2\_rCe³ doped, u.v. absorption spectra 7=18222

SrF\_2\_iCd³, optical spectra 7=11766

SrF\_2\_LaF\_2:Nd³, spectra, stimulated emission meas. 7=18264

SrF\_2:Ms², electron and nuclear spin-lattice relax. 7=15264

SrF\_2:TS², raranag.resonance obs. of Jahn-Teller effect 7=11696

SrF\_2:TR³, rarad., u. v. absorpt. 7=8378

SrF\_2:TR³, rarad. and rarad. resonance obs. SrF\_2:Ts², rarad. and rarad. enects caic. 1=1183 SrF<sub>2</sub>:Y, thermoluminescence 7=11849 Sr<sub>3</sub>Fe<sub>2</sub>O<sub>6-7</sub> Mössbauer effect 7=1219 SrLaFeO<sub>4</sub>, mag. suscept. meas., 4.2°K-800°K 7=5165 Sr(MnO<sub>4</sub>)<sub>2</sub>.3H<sub>2</sub>O<sub>3</sub> cryst. struct. 7=4597 SrMoO<sub>4</sub>, e.s.r. of Nd<sup>5</sup> obs. 7=15244 Sr(NO<sub>4</sub>)<sub>2</sub>, dislocation etch pits on three faces 7=7594 Sr(NO<sub>3</sub>)<sub>2</sub> liquid, dielectric constant and absorption 7=1165 obs. 7=1165  $Sr_2(NiW)O_6$ , mag. props., optical and e.s.r. spectra of  $Ni^{2+}$  7=5183  $SrO, \gamma$ -ray prod. centres e.s.r. obs. 7=1541  $SrO. 4Fe_2O_3$ .  $2Al_2O_3$ , magnetization reversal 7=8241  $SrO. 4.4Fe_2O_3$ .  $1.6Cr_2O_3$ , reluctance at  $100-430^{\circ}C$  7=15169  $SrO:Mn^{2+}$ , temp. depend. of hyperfine coupling 7=15238 SrSe, vaporization thermodynamics 7=7160SrTiO $_3$ , cation self-diffusion, dislocation depend. 7=11145 SrTiO $_3$  conduction band obs. 7=17819 SrTiO $_3$ , dielectric properties, pressure and temp. dependence 7=5076 SrTiO<sub>3</sub>, Fe clusters, Mössbauer obs. 7=17473 SrTiO<sub>3</sub> optical props. in elec. field and under stress. calc. 7=18267 SrTiO<sub>3</sub> photoconduction, pure single crystals 7=18072 SrTiO<sub>3</sub> photoelectric emission rel. to electron states 7=18085 States (=1000)
STFIO, superconductivity obs., rel. to semiconductivity 7=17922
STTIO,, Gd3+ e.s.r., elec. field var. obs. 7=15232
STTIO,, light scatt., Brillouin and critical,
300°-80°K 7=8441 SrTiO<sub>3</sub> piezo-optics obs. by sample rotation 7=8438 5SrTiO<sub>3</sub>, 3La<sub>23</sub>TiO<sub>3</sub>, Young's modulus and internal friction anomaly 7=11323 SrWO<sub>4</sub>:Mn<sup>2\*</sup>, e.p.r. 7=15240

Sulphur compounds-contd

Sun

S 364 SUBJECT INDEX Structure factors. See Crystal structure, atomic; X-ray crystallography.
Structure of matter. See Crystal structure; Liquids/structure; Solids/structure. Sublimation See also Heat of sublimation; Vaporization.
monatomic bodies, statistical mechanics 7=1205
parahydrogen, and heat transfer 7=4423
Ar, isotopic differences in energies 7=7162 NdF<sub>3</sub>, sublimation pressure 7=4424 Ne, isotopic differences in energies 7=7162 Sudden commencement. See Magnetic storms. Suhl effect. See Hall effect; Semiconductors. adsorption on Cu and Cu surface self-diffusion var. obs. 7=4668 Sulphur adsorption on Cu, sites obs. 7=4492 atomic spectrum, multiplets transition probabilities from arc in SO<sub>2</sub>CL liquid vortex 7=6550 atoms, excited, d orbitals 7=4031 atoms, SI and II, u. v. multiplets 7=10400 dark injection of holes, rhombic 7=1947 dark polarization, single crystals 7=15022 dark polarization, single crystals 7=1022 electron hopping transport and trapping in orthor-hombic crystals 7=7957 flames, rarefied, e.p.r. 7=2454 ion, charge distribs. after stripping 7=226 measurement of cond. without contact electrodes 7=15077 melting curve to 90 kbar 7=14151 phase diagram to 60 kbar, differential thermal cond. obs. 7=14247 photovoltages larger than band gap in orthorhombic S 7=11594 radicals, MO theory 7=6742 surface dye sensitization 7=11597 in GaP as donor, e.s.r. and g value at 77°K 7=18170 in GaSb, donor level ass. with (100) conduction band 7=7790 S<sub>55</sub>, (insoluble), structure 7=17515 S<sup>35</sup>, radioactive tracer for stratospheric circulation studies 7=15501 S38 prod. in troposphere by cosmic rays, rain 7=15542 anal. in Si as donors, spectral i.r. absorption stress var. obs. 7=18264 Sulphur compounds alum crystal growth from water, effect of u.s. field 7=1344 hydrogen polysulphides in molten S, anal. by n.m.r. technique 7=7122 sulphate, thiosulphate and related ions, MO energy levels 7=894-5 sulphates, inorganic, decomposition, review 7=18324 sulphates, metallic, absorption spectra in far infrared obs. 7=5273 Fe-Mn-S system, potential diagram 7=18323  $\rm H_2SO_4$  Raman spectrum polarization,  $30^\circ, 150^\circ, 250^\circ, 350^\circ C$   $7{=}10846$ S(ON), cryst and molec. struct. 7=7444 SF<sub>6</sub>, absorption spectrum, 4.1 to 7.3 nm. 7=6696 SF<sub>6</sub>, correl. length and mass transfer near crit. point 7=14066 SF<sub>6</sub>, electron capture 7=6818 SF<sub>6</sub> gas-liquid coexistence curve near critical point obs. 7=17313 SF<sub>6</sub>, pulsed discharges, laser oscs. of SI, SIII and SV 7=12642 SF<sub>6</sub>, Rayleigh scatt. breakdown obs. near critical liquidvapour point 7=4413 SF6, recombination processes and characts. of neg. ions 7=4175 SF<sub>6</sub> ultrasonic propagation, -100° to 150°C 7=12447
 S + H<sub>2</sub>S flow in porous materials with S precipitation, calc. 7=6932 SH and SD, vac. u. v. absorpt, spectrum 7=4098 SO(<sup>1</sup>Δ) formation mechanism 7=6699 SO<sub>2</sub> absorption in Hg, press. var. at 25°C 7=10813 SO<sub>2</sub>, liquid, radiation chem. 7=8580 SO<sub>2</sub> molecules, isotopic, rotation spectra obs. 7=4099 SO<sub>2</sub> partial pressure in terrestrial and Venusian atmosphere 7=15474 SO<sub>2</sub>. pulsed discharges, laser oscs. of SI, SIII and SV 7=12642 SO<sub>2</sub> sorption into H<sub>2</sub>O and aqueous gels, monomolecular film effects obs. 7=10820 SO2 spectrum in r.f., double emission on pumping obs. 7=10520 SO<sub>2</sub>, vibr. relax. 7=13985 SO<sub>2</sub> solubility in Na<sub>2</sub>O-SiO<sub>2</sub> melts, 1150°-1250°C, rel. to
O ion activity 7=7038
SO<sub>4</sub> ion, mean vibration amplitudes calc. 7=6698 S<sub>2</sub>O<sub>3</sub> ion, mean vibration amplitudes calc. 7=6698 S<sub>2</sub>O<sub>4</sub> ion, mean vibration amplitudes calc. 7=6698 S<sub>2</sub>O<sub>6</sub> ion, mean vibration amplitudes calc. 7=6698 S<sub>3</sub>O<sub>9</sub>, structure 7=7445

 $SO_2$ -Ar mixtures, vibr. relax. 7=13985  $SO_2$ Cl<sub>2</sub>, S I multiplets transition probabilities and arccolumn wobble 7=6550 SOF4, microwave spectrum and possible structures 7=16959 SO2-Kr mixture, interdiffusion coeff. 7=6982 S-Pt and S-Au system, adsorpt meas by chromatographic See also Sunspots. active region during 1963 eclipse, radio spectrum 7=5625 active regions, geomagnetic effects 7=18398 activity rel. to Einstein's deflection of light 7=12350 activity rel. to eocambrian and subsequent glaciations 7=5359 activity rel. to geomagnet and ionosphere 7=18474 activity rel. to geomagnet and ionosphere 7=18474 activity rel. to E- and F-region character figures 7=2587 activity, and ionosphere e.m. absorption at 2.6 Mc/s 7=5426 activity, max. and min., rel. to whistlers occurrence obs. 7=5388 activity rel. to sporadic E reflections stability 7=5455 activity, twenty-two year cycle 7=15819 atmosphere, oscillation production by indiv. granule 7=15814 atmosphere resonant response to gravitational-hydrodynamic waves calc. 7=8986 chromosphere, accel. of plasma cloud rel. to geomag. storm and origin of flares 7=5622 chromosphere, height of formation of Hlpha 7=5631 chromosphere metallic emission regions electron conc. obs. 7=5635 chromosphere, radiative energy loss 7=5636 chromosphere structure from spectroheliograms in 10830Å 7=5634 chromosphere, velocity fields from line asymmetries 7=2645 chromospheric structure and limb 7=5633 corotation of atmosphere rel. to wind 7=8985 cycle, average profile of K-line 7=15818 cycle, and ionosphere f<sub>0</sub>F2 and h<sub>m</sub>F2 daily var. 7=5471 cycle rel. to ionosphere f<sub>0</sub>F2 normal daily var. scatt. 7=5472 cycle variation rel. to occurrence of geomag. bays 7=15608 electron energy distribs.rel.to microwave and X-ray bursts 7=15800 granule motion, horizontal, obs. rel. to supergranulation 7=15815 limb, dark surges and mottles, spectrographic obs. 7=12267 limb intensity profiles at centre of  ${\rm H}\alpha, {\rm calc.}$  7=5637 mass and distance rel. to earth and moon 7=8904 modulation and energy density of galactic cosmic rays 7=18413 motion with respect to local group and exterior galaxies 7=8960 galaxies (=0500) oblateness, new value, rel. to gen. relativity 7=15792 occulting of galactic radio emission 7=5561 orbit in mass model of the galactic system 7=2677 penetration of streams into stable layers below the hydrogen convection zone 7=8961 photosphere surface temp. distrib., effect of line absorpt. 7=5624 photosphere, upper, CH  $^2\Delta-^2\pi$  band lines, center-limb obs. 7=15817 radar obs. at 38 Mc/s 7=5615 sensing device for sunshine for long period recording 7=8673 short-wavelength observation techniques from moon 7=18472 synodic periods in polar cap absorption 7=5434 temperature distribution by neutrino flux obs. 7=5608  $\rm C^{18}$  content 7=5632 Ca flocculi and sunspots 7=2731 corona active region, type I bursts 7=15827 corotation rel. to wind 7=8985 electron, polar plots of pB 7=2737 flattening, total light, brightness distribution and polarization 7=2735 prominences 7=8976
radar obs. at 38 Mc/s 7=5615
radiative energy loss 7=5636 recombination, dielectronic, calc. for overlapping metastable levels 7=17019 reflection of galactic radio emission 7=5561 Surveyor 1 observations 7=8974
Surveyor 1 observations 7=15826
temperature of condensations 7=8987
variation with latitude and polar temperature 7=2736 viscosity effects in expansion calc. 7=8988 Fe XIII i. r. lines excitation 7=18477 Xe, via solar wind into Earth's atmosphere 7=15477

X-ray photography 7=12254

```
Sun - contd
                                                                                                                                                                        Sun-contd
      eclipses
                                                                                                                                                                              radiation-contd
           annular, effect on equatorial F-region 7=18395 galactic radio noise increase during total
                  eclipse 7=2722
            and geomagnetism var. at equator 7=5490 July 1963, partial, obs. at 4.6 cm 7=12252
           magnetic observations, Pc-1 micropulsations 7=2600 observation from moon, projected 7=18471 radio obs. of total eclipse at 2700 Mc/s 7=12258
           total, 2nd October, 1959, effect in equatorial
F-region 7=18396
20th May, 1966, effect on atm. pot. gradients 7=18371
1963 July 20, radio spectrum of active region 7=5625
    flares
           corpuscular radiation anisotropy obs. 7=2727
          corpuscular radiation anisotropy obs. 7=2727
corpuscular radiation collimation by interplanetary mag.
field obs. 7=2726
cosmic rays from flare of 28/9/61 7=15808
crotchet effects detection in geomag. storms using
also ionosphere effects 7=15614
data corrections 7=15822
           rel. to disturbances in Earth's upper atmos, polyphase
                 aspects 7=15584
          duplex model for great flares 7=8983 effect on geomag, field 7=8747 Feb. 9-12, 1958, rel. to polar geomag. disturbances 7=15610
           Forbush effects and possibility of interaction of magn.
                 bottles produced by solar flares 7=10068
         and Forbush effects, statistical analysis 7=13187 hard X-ray emission obs. 7=2734
         hard X-ray emission ous. (=2107)
heliograph, monochromatic, at Mitaka, for obs. 7=8979
importance rel. to apparent area calc. 7=8980
interplanetary scintillations enhanced 7=15789
         interplanetary shock wave prod. 7=2721 mechanism, theory 7=5627 neutron production, high energy 7=12262
         origin rel. to plasma cloud accel., and geomag.
                 storms 7=15806
         rel. to plasma cloud accel. in chromosphere 7=5622
        plasma flow generation 7=15811
plasma flow neutral H flux obs. 7=2730
proton, longitude distrib. rel. to recurrence period 7=15812
                                                                                                                                                                                        index 7=8907
         r.f., X-ray and optical prod. mechanisms 7=15796
         rare-gas ion implantation in interplanetary dust 7=8955
         receiver with automatic scanning recording of solar flare effect 7=12266
         spectra in chromosphere, lines asymmetry rel. to
         motions 7=8984
X-ray sources 7=5628
        X-ray sources, impulsive and continuous bursts 7=15798
1966 August 28, observations 7=8981
  magnetism
        above sunspots, rel. to r.f. emission 7-8974 fields and polar surges at limb obs. 7-15823 forceless fields rel. to corpuscular radiation 7-15809
       forceless fields rel.to corpuscular radiation 7=15809 large-scale structure of mag. field during min. phase of activity cycle 7=15790 magnetic fields on sun, migration 7=8977 magnetograph, influence of slit size on meas. 7=12251 review of fields on quiet sun and theory of cycle 7=8973 spot to corona rel. to loop prominences 7=8976 sunspot groups, field strength, secular vars. 7=15821 sunspots potential field structure calc. 7=5626 topology, Zeeman effect data 7=12130 Tuominen assumptions about Babcock theory 7=15791 ominences
 prominences
      ominences
magnetic field configuration in loop-type rel. to
expansion 7=8976
radial velocity obs. 7=15824
surges, polar, and mag. fields obs. 7=15823
D<sub>s</sub> dark structure obs. 7=2733
H<sub>α</sub> dark structure obs. 7=2733
H<sub>α</sub> limb patrol system 7=6982
H<sub>α</sub> spicules in chromosphere, motion and nature
obs. 7=5629
       He I excitation in chromospheric spicules calc. 7=5630
 radiation
             See also Sunlight.
       absolute radiation intensity in range 3288 \le \lambda \le 12480 \mbox{\normalfont\AA} \ 7{=}8964
      enhanced particle emissions rel. to terrestrial disturbances 7=15805
y-ray spectra, upper limit to 10 MeV 7=12256
gamma rays, from quiet sun 7=5613
      quiet, γ-rays, search from balloon altitudes 7=5613
reflection meas. 7=341
X-ray bursts, rel. to energy distrib, of electrons 7=15800
X-ray bursts with heavy nuclei (Z≥15) increase
possibility 7=12124
      X-ray emission, hard, from flares 7=2734
X-ray flux obs. by 1964-01-D solar radiation satellite
during I.Q.S.Y. 7=15797
```

```
X-ray sources of flares 7=5628
         X-ray sources of flares, impulsive and continuous
bursts 7=15798
X-rays, 44-60 Å and E-layer ionization 7=12076
          X-rays producing SID's, time variations 7=15799
    radiation, corpuscular
         from active regions, quasistationary gas outflow, rel. to
         magnetic disturbances 7=8970 affecting earth's magnetosphere 7=12105 affecting earth's magnetosphere 7=12106 \alpha-particles, importance rel. to PCA events 7=15583
        da-particles, importants
anisotropy in flares obs. 7-2727
bow shock near earth on wind, theory 7-17062
collimation by interplanetary mag. field obs. 7-2726
         and corotation of atmosphere 7-8985
cosmic-ray multiply charged nuclei, rel. to 1961
event 7-5618
         cosmic ray prod., spectra, composition and propagation 7=15807
        cosmic rays of 21 and 22/9/1963, spectrum and diffusion 7=5617
        earth, mag. field vars., and magnetosphere shape 7=12046 earth magnetosphere interaction 7=8700
        on earth's dust cloud 7=8724
        on earth, impact zones for low solar activity 7=13178 electrons, cyclofron radiation, as origin of type I noise storms 7=12259
        flare of 28/9/61 cosmic rays 7=15808
flares rel. to geomag, sudden commencements 7=2601
       with forceless mag. fields 7=15809 y search 7=2728
        geomagnetic field interaction theories 7=8699
      geomagnetic field interaction theories 7=8099 heavy nuclei (Z=15) increase with X-ray bursts possibility 7=12124 intensity, var. due to mutual earth-sun positions, anal. 7=13180 interaction with comet tail streamers 7=15781 interaction with geomag. field, theory 7=2543
       and lunar eclipse brightness, rel. to geomag. planetary
       M-regions 7=8978
       magnetic field, rotation and self-gravitation effects on wind calc. 7=5621
       magnetosphere interaction review 7=8718
       model of plasma intrusion into magnetosphere obs. 7=17156
       neutrinos calc.from thermonuclear reactions in stars 7=15649
      neutrinos prod. and detection calc. 7=15813 neutrons, high energy from flares 7=12262
       neutrons, satellite search near solar minimum 7=5619
      plasma cloud accel, in chromosphere 7=5622
      plasma cloud accel. rel. to flares and geomag.
      storms 7=15806
plasma flow neutral H flux obs. 7=2730
      plasma flow struct., generated by solar flares 7=15811
plasma flows, as free rotating streams, Mariner 2
obs. 7=12260
      plasma wind rel to geomag. disturbances 7=8756 proton flares, longitude distrib. rel to recurrence
           period 7=15812
     prefited (=15012)
proton fluxes anisotropy and fluctuations,
0,6-100 MeV 7=2729
proton velocity distributions, calcs. 7=6972
protons, high energy, in interplanetary mag. field, propagen. 7=12249
      protons, lunar surface activation 7=15753
      solar-terrestrial physics conference, Japan,
1965 7=15573
      solar wind interact, with comets, simulation with plasma
          and CO2 7=6837
      solar wind, low en. protons rel. to lunar thermo-
luminescence 7=15752
     solar wind outside plane of ecliptic 7=15810
solar wind, rel. to outgassing processes on Moon and
Venus 7=15749
solar wind, positive-ion component, space vehicle
obs. 7=5620
     solar wind, Xe, into Earth's atmosphere 7=15477
     universal blackbody and high-energy primary
         electrons 7=16662
    wind, angular momentum of 7=18473
wind, interaction with earth magnetosphere 7=12043
Al foils, trapping probability 7=5615
H', He²' separation, mass spectrometer average charge
detector 7=5498
radiation, radiofrequency
active region during 1963 eclipse 7=5625
     bursts at decimeters, plasma shock wave in chromo-
         sphere mechanism 7=8969
    bursts, frequency splitting 7=15801
bursts of type III at decametres, digital polarimeter
obs: 7=5614
```

Sun-contd radiation, radiofrequency-contd

with flares, X-ray and optical prod. mechanisms 7=15796 Ilux density, rel. to 27 day recurrence tendency of

ΣK<sub>p</sub> 7=15804 line splitting of type II outburst, plasma explanation 7=1013

microwave impulsive bursts, rel. to energy distrib. of

electrons 7=15800 radar obs. at 38 Mc/s, rel. to spots and corona 7=5615 spots, rel. to atmospheric struct. above 7=8974 storm bursts, type I, theoretical dynamic spectra 7=8968 at total eclipse, 2700 Mc/s 7=12258

type I bursts, active region corona 7=15827 type I bursts, chains, statistic study 7=8967 type I noise storms, origin in electron stream cyclotron radiation 7=12259

type III bursts drifts, 40-8 Mc/s 7=15802

type III bursts rel. to noise centres at 169 Mc/s and

condensations at 3 cm 7=15803 type IV event spike bursts, 5/2/65, 345, 230 Mc/s 7=12257 1000 Mc sec 1 and atm. potential gradient in polar

regions 7=15528

#### spectra

See also Sun/corona; Sun/flares; Sun/prominences.

absolute radiation intensity in range  $3288 \le \lambda \le 12480 \text{Å}$  7=8964

flares in chromosphere, lines asymmetry rel. to motions 7=8984

Fraunhofer lines along polar and equatorial dia., intensity and wavelength centre-to-limb var.  $\gamma$ -ray, upper limit to 10 MeV 7=12256

microwave and X-ray bursts, energy distribution of electrons 7=2725

photosphere surface temp. distrib., effect of line absorpt. 7=5624

photospheric lines periodic oscillations obs. 7=12253 quiet sun, 30-128A, Nov. 1965 7=12255 rocket UV, auto-ionization lines of AlI 7=5610

rocket UV, auto-ionization lines of Al1 7=5610
solar models, blanketing approximations 7=5609
table of wavelengths, 2935Å to 8770Å 7=15793
u.v. emission lines of heavy elements rel. to relative
abundance obs. 7=2724
u.v. limb darkening profiles, correction for instrumental
astigmatism 7=2723
u.v., quark detection 7=8966
far u.v., search for quarks 7=5611
X-ray emission obs. 7=5612
8668Å line interpreted as CN 7=8965
and Cl<sup>2</sup>/Cl<sup>3</sup> lower limit in photosphere rel. to Cl<sup>3</sup>N
absence 7=12263
CO bands in u.v. obs. 7=8963

absence 7=12263
CO bands in u. v. obs. 7=8963
CaII, H and K-lines, centre-limb variation 7=15828
Fe II lines, forbidden, obs. 7=8962
Hi.r. profiles in facula and photosphere 7=5623
H<sub>2</sub> bands in spectrum of sunspot 7=12265
Ly-α, near solar minimum obs. 7=15794
NaD lines intensities and profiles calc. without assuming local thermodynamic equilibrium 7=15795
O I lines, forbidden, obs. 7=8962

Sra4607 line oscillations, atomic beam spectro-

photometer obs. 7=15816

# Sunlight

See also Sky brightness. direct radiation up to 30 km 7=18365

measurements above 3000 m, lack of variations 7=12005

rel. to net radiation 7=15517

pressure contribution to earth's dust belt 7=12042

reflection meas. 7=341

# Sunspots

groups, mag.field strength, secular vars. 7=1 K-line profile, average, during cycle 7=15818

magnetic field ascent into corona, rel. to loop prominences 7=8976 magnetic potential field structure calc. 7=5626 minimum, best observing times for terrestrial effects 7=2551

minimum, satellite search for solar neutrons 7=5619 opacity properties 7=15820 penumbrae, variation in continuum brightness and equivalent widths of lines 7=2732 and radar obs. of sun at 38 Mc/s 7=5615

radio emission rel. to atmospheric struct. above 7=8974

rotation period, rel. to active proton-emission clustering 7=15812

shearing interference of diffraction image obs. 7=12264

and temperature, comment and reply 7=11988

and weather, note on sampling methods and data treatment 7=8975 and Ca flocculi 7=2731 H<sub>2</sub> bands in spectrum 7=12265

# Superconducting materials and devices

See also Magnets.

alloys, critical currents, effect of micro-heterogeneities 7=14913

Superconducting materials and devices-contd

alloys, "dirty", gapless superconductivity in magnetic field 7=11465

in alternating mag. fields 7=9358

barriers plasma resonance 7=4917 bubble chamber magnet 7=5976 cavities for microtrons 7=431 coil, internal phenomena 7=14932

contacts between supercond. and paramag. metal films, theory 7=11488 cryotron relaxation oscillator as thermometer for

liquid He 7=15984

cryotron relaxation oscillator with var. freq. 7=1907 cryotron switches, small size prod. 7=4971

cryotrons, phase characteristics, direct

cryotrons, phase characteristics, direct determination 7-17931 current modulator, bolometric 7-16005 cylinders, quantized flux obs. 7-1913 double coil mag. field source 7-189 electromagnets for >100 KG 7-9353 for electron mag. lenses aberration correction, type II 7-16064

electron tunneling second derivatives meas. 7=4937 entropy of hysteretic states obs. 7=17926 eutectic alloys, structural effects 7=1865 film critical fields calc. 7=4923

flux motion, evidence from use of point contacts 7=11487 4d transition metal carbides and nitrides, stoichiometry effect 7=7897

graphite-alkali metal lamellar cpds., dimensionality 7=14914

hard tube in changing mag. field power dissipation 7=17929 high field with A15 structure, transition, magnetic field effects with high currents obs. 7=4950 hollow sphere for zero mag. field prod. 7=1867

interferometer, for inertia and rotation rate meas. 7=9008 i.r. detectors, review 7=9236

laminated strips, critical parameters 7=14933

Lipowitz alloy, low field mag. behaviour 7=11476 magnetic acceleration of solenoid to hypervelocities, proposal 7=15837 magnet for maser, with supercond. dynamo 7=16145

magnet, normal region initiation and propag.obs. 7=190 magnet for optical meas., lightweight, for up to ~50 kG 7=16240

magnet, after S-N transition, distribution of normal region 7=5810

magnetic structure microscopy 7=11450 magnetization, equilibrium, type Π, calorimetric method 7=17899

method T=17899 in magnetometer, lock-on 7=9342 magnets, high-field 7=9356 organic, critical currents 7=11486 organic molecules 7=4910

penetration depth and flux quantum meas. 7=1861 polymer, organic, Little model 7=1847

pulsed current meas, of transition, shunt 7=17903 review of devices 7=1872

rings interrupted by Josephson junctions, flux quantization obs. 7=4976

rotating, mag. field prod. obs. 7=1868

rotating solid cylinder in transition, London moment obs. 7=1908

shorted coil rapid field reversal method 7=191 solenoid of type II wire, flux penetration 7=17930 superconductor, cylindrical enclosed, differential mag. effect and harmonic generation 7=1871

switch 7=7920

thermodynamic properties of films 7=14461 transition metal two-band, number-phase fluctuations 7=7880

transition metals, electron interactions obs. transition of rotating hollow cylinder 7=1909

transition temp., change due to electron capture 7=4939 tunnel diode, phonon quantum generation and detection 7=14931

tunnel junction density of states calc. for current parallel to junction 7=4921

paramet to junction 7=4921
tunnel junctions, r.f. modes driven by a.c. Josephson
current obs. 7=4975
tunnelling meas. at low-impedance at room temp., metal
film resistance effects theory 7=14934
two-layer films, crit. mag. field 7=17928
type I, motion of macroscopic flux tubes 7=17904
type II alloys, microwave surface resistance 7=4964
type II cylinders surface currents obs. 7=7895
type II, low field mag. behaviour. 7=11476

type II, low field mag. behaviour 7=11476 type II low-κ, hysteresis surface mechanism obs. 7=7896

type II, noise and transverse effects obs. 7=4934 type II, speed of flux jumps, meas. 7=14911 type II, surface effects on resistance obs. 7=17914 waveguides for electron accelerators 7=3406 Ag Clathrates 7=7847

Ag<sub>2</sub>F 7=7898

```
Superconducting materials and devices-contd
```

Al energy gap anisotropy in films, tunnelling obs. ~1.2°K 7=11466

Al, microwave surface impedance, mag. field var. anomalies obs. 7=4941

Al, millimeter absorption, mag. field var. obs. 7=4942 Al, transition temp., contrib. of electron-phonon interact. 7=11364

Al:Ag, mm absorption obs. of energy gap 7=4940 Al-Pb diodes, tunnelling induced by longit, microwave phonons 7=7921

Al-In tunnelling junctions, capacity, temp. and mag-field depend. 7=4972

Al-Sn diodes, tunnelling induced by longit. microwave phonons 7=7921

Al-Sn tunnelling junctions, capacity, temp. and mag. field depend. 7=4972

Be, thin film, electron diffr. exam., 4. 2°K 7=7359 Bi, film, thin, electron diffr. exam., 4.2°K 7=7358 Bi phases with many elements 7=1873

Cu dichalcogenides, high-pressure synthesis 7=4943 Cu-Pb superposed films, transition temps. 7=4916 Ga,  $\alpha$  and  $\beta$ -phase transition, hysteresis effects 7=7899 Ga, film, thin, electron diffr. exam., 4.2°K 7=7358
Ga, strong-coupling supercond., high-T<sub>c</sub> phases 7=14915
Ga, transition and critical field obs. 7=1874
GeTe, energy gap obs. 7=1875
GeTe obs. 7=17906

GeTe, specific heat and magnetization meas, to test superconductivity 7=17905 GeTe:Ag, transition temp. obs. 7=4944 Hf-Rh alloys, transition temp. 7=7900

Hg rotating solid cylinder in transition, London moment obs. 7=1908

Hg thermodynamics calc.  $7{=}4960$  Hg-In(13%) with dispersed Fe, hysteresis obs.  $7{=}1876$  In cylinders, quantized flux obs.  $7{=}1913$ 

In, effect of Cd on T<sub>e</sub> and topology of Fermi surface 7=11467

In energy gap anisotropy in films, tunnelling obs.
~1.2°K 7=11466
In film interaction with Permalloy mag. film domain wall obs. 7=14916

In films, critical mag. fields 7=7901

In films, interactions with molecules 7=17925

In films, microwave transmission and reflection obs. 7=4965

In, intermediate state thermal resist. 7=1877

In low conc. alloys critical temps., impurity effects 7=1893 In, mag. props. of films, torque meas. 7=1894

In-Bi films penetration depths, size effects obs. 7=4963 In-Pb alloy film with Mn surfaces, thermal conductivity 7=11468
In-Pb alloys, type II when Pb > 4.1 at.% 7=11469
In-Pb, magnetic and resistive transitions obs. 7=4945

In<sub>90</sub>Pb<sub>10</sub>, magnetic flux motion obs. 7=4951

InSb, high-press. phases 7-1240 InSb, transition temp. var. with quenching press. and temp. 7=7902

In-Sn alloy, mag. props. of films, torque meas. 7=1894 In-TI system, transition temps. of range 7=17907

La compounds specific heat jump, overlapping bands interpretation 7=11470

La, low temp. specific heat of La-Y alloys, La and Y compounds 7=17910

La, specific heat 1.1-10°K 7=17909

La, ultrasonic absorption temp. var. obs. 7=4946

Mo compounds specific heat jump, overlapping bands interpretation 7=11470

MoC, Mn, Cr, and Fe replacement of Mo effects on transition temp. 7=17911

Mo-Re alloys, low temp. mag, props. 7=14917

Nb compounds specific heat jump, overlapping bands interpretation 7=11470

Nb critical temp., effect of interstitial N, H or O obs. 7=1882 Nb, dislocation density and hysteresis, torsion ang. var.

obs. 7=11474

Nb, effect of deformation 7=11471 Nb, flux line pinning by twin boundaries 7=1880

Nb, high current capacity rel. to flux trapping, network model 7=4967

Nb hollow cylinder, screening of mag. fields 7=11480 Nb, hysteretic, flux retention processes 7=1881 Nb, hysteretic supercond., surface effects 7=4955

Nb, impure, u. s. attenuation at low magnetic field 7=11472 Nb, magnetic flux motion obs. 7=4951 Nb, magnetothermal effects obs. 7=4948

Nb, microstructure rel. to magnetization, current density 7=14930 Nb, microwave losses obs. 7=4957

No mixed state 1. f. high-Q resonances obs. 7=11473

Nb, neutron diffr. by vortex lines obs. 7=1878
Nb, rotating, flux-trapping 7=11479
Nb, transition of rotating hollow cylinder obs. 7=1909 Nb, type II state, mag. field distrib., n. m. r. 7 = 4953

Superconducting materials and devices-contd

Nb, u. s. attenuation near Hc2 7=11475 Nb, ultrasonic absorption, 290-1280 Mc/s 7=7903

Nb unannealed, Faraday unipolar induction 7=1879
Nb unannealed, Faraday unipolar induction 7=1879
Nb, upper critical field temp.var., obs.rel. to
theory 7=7904
Nb wire longitudinal paramagnetic oscillations
obs. 7=4947

Nb-Al, high transition temps. obs. 7=4949

Nb<sub>3</sub>Al, degradation on high temp. annealing due to new phase obs. 7=4956

Nb<sub>3</sub>Al, elastic softening on coolings 7=17915

 $Nb_3Al$ , n. m. r. of  $Nb^{93}$  and  $Al^{27}$  obs. 7=17912  $Nb_3Al$ - $Nb_3Sb$  transition temps. obs. 7=7905

NbB<sub>2</sub>, anomaly in specific heats 7=17913 NbC-NbN, effect of composition 7=14918 Nb-Cu at 4.2 K, 50 c/s a. c. losses 7=1883

Nb<sub>3</sub>Ca, elastic softening on coolings 7=17915
Nb<sub>3</sub>Nb<sub>6</sub>Ca, elastic softening on coolings 7=17915
Nb<sub>3</sub>Nb<sub>6</sub>C, In, Sn or Pb, d.c. pair tunnelling at finite-voltages obs. 7=4973
Nb<sub>6</sub>C, transition temp. obs. 7=4944

NbO<sub>x</sub>N<sub>y</sub>, high transition temps. obs. 7=4952

NbS2, anomaly in specific heats 7=17913

Nb-Sn alloys, multiphase 7=11478

Nb-Sn, high transition temps. obs. 7=4949 Nb-Sn junction, two-band model, tunnelling currents 7=7879 Nb-Sn plates mag. shielding obs. 7=12818

Nb-Sn, transition, magnetic field effects with high currents obs. 7=4950

Nb<sub>3</sub>Sn, critical current density var. on p-irradiation 7=11477

Nb<sub>3</sub>Sn, degradation on high temp. annealing due to new phase obs. 7=4956

Nb<sub>3</sub>Sn, elastic softening on coolings 7=17915 Nb<sub>3</sub>Sn, neutron prod. defects effect on current capacity obs. 7=1884

Nb<sub>3</sub>Sn ribbon quadrupole lens 7=9378

Nb<sub>3</sub>Sn ribbon quadrupole lens 7=9378
Nb<sub>3</sub>Sn ring disks, mag. field penetration obs. 7=4974
Nb<sub>3</sub>Sn tape, diffusion processed 7=14920
Nb<sub>3</sub>Sn tape fabrication 7=11489
Nb<sub>3</sub>Sn, transition temp. 7=14919
Nb<sub>5</sub>Sn<sub>5</sub>, crit. temp. and field 7=11478
Nb-Ta cylinders in a. c. and d. c. mag. field obs. 7=7911
Nb<sub>5</sub>Ta upper critical field temp. var. obs. rel. to

Nb-Ta, upper critical field temp. var., obs. rel. to theory 7=7904

Nb<sub>5</sub>Ta<sub>50</sub>, magnetic flux motion obs. 7=4951 Nb-Ti alloys, magneto-acoustic attenuation 7=17917 Nb-Ti(50%), flux jumps in superposed a. c. and d. c. mag. fields obs. 7=7906

Nb-Ti wire, re-estab. of normal state 7=4954 4%Nb-Zr alloy, ageing, precip. of supercond. β-phase 7=7918

Nb-Zr alloys, magneto-acoustic attenuation 7=17917 Nb-Zr cylinders in a. c. and d. c. mag. field obs. 7=7911
Nb-25% Zr, internal surface, resistive and bulk upper critical fields 7=1885
Nb-Zr lenses for high resolution electron micro-

scopy 7=211

Nb-25% Zr, losses in alternating state 7=14921

NbZr magnets for n.m.r. and e.s.r., with high homogeneity 7=9463 NbZr, peak effect due to d irrad. 7=7907

NbZr, peak effect due to d irrad. 7=7907
Nb-Zr(25%), persistent current loops in wire obs. 7=14922
Nb-Zr quadrupole lens 7=9377
Nb-Zr stabilized strip appl. to magnets 7=9354
Nb-Zr, surface layer induced critical currents 7=1886
Nb-Zr, surface layer induced critical currents 7=4848
Nb-Zr, surface layer induced critical currents 7=4948
Nb-Zr wire, re-estab. of normal state 7=4954
Nb<sub>0-Z</sub>Zr<sub>0-25</sub> tube, power dissipation 7=17929
Nb-Zr-N, critical fields, currents and temps. 7=7908
Pb, amplitude-dependent u.s. attenuation 7=7488
Pb, apparent energy gap from u.s. meas. 7=7909
Pb cylinders, quantized flux obs. 7=1913
Pb, e. m. absorption spectrum, absence of

Pb, e. m. absorption spectrum, absence of "precursor" 7=14923

Pb energy gap anisotropy in films, tunnelling obs.
~1.2 k 7=11466
Pb, energy gap anisotropy, meas.by tunnelling 7=14928
Pb hollow cylinder, screening of mag. fields 7=11480
Pb-insulator-metal tunnel junctions, & V\_characteristic structure, 7=1010.

V characteristic, structure 7=1910

Pb, intermediate state thermal resist. 7=1877

Pb, microwave losses obs. 7=4957
Pb, n. m. r. Knight shift rel. to particle size 7=14924
Pb, narrow thin film, critical current behaviour 7=7914
Pb, precursor absorption 7=1887

Pb, quenching of surface supercond. by contiguous Cu film 7=17918

Pb rings interrupted by Josephson junctions, flux quantization obs. 7=4976

Pb, rotating, flux-trapping 7=11479 Pb surface above H<sub>c</sub>, tunneling obs., 1.4°-4.2°K 7=4958 Pb, surface, suppression by coating with Cu obs. 7=4961 Pb thermodynamics calc. 7=4960

Pb thermodynamics calc. 7=4960
Pb, transition of rotating hollow cylinder obs. 7=1909

```
Superconducting materials and devices-contd
     Pb, transition width obs. from specific heat and
       mag. 7=1888
```

Pb, u.s. attenuation, amplitude-dependent 7=7487 Pb-Bi alloys, anisotropy of energy gap 7=7910

Pb-Bi alloys, anisotropy of energy gap 7=7910
Pb-Bi(2%), Cu plated, a. c. flux penetration obs. 7=1891
Pb-Bi, 50 c/s phase transition 7=1890
Pb-Bi(5 at.%) films, density of states near upper critical fields obs. 7=4959
Pb-Bi(0.085%), Ginzburg-Landau coeff. temp. var. obs. 7=1898
Pb-Bi(1.5-13%), hysteretic, flux retention processes 7=1881
Pb-Bi(7.5 wt. %), removal of surface-sheath by
Cu-plating 7=1889
Pb-12% Bi, thin film electron differences

Pb-12%Bi, thin film, electron diffr. exam., 4.2°K 7=7359

Pb-In cylinders in a.c. and d.c. mag. field obs. 7=7911 Pb-In mixed state resistance mechanism 7=17893
Pb-Pb diodes, tunnelling induced by longit. microwave phonons 7=7921
Pb-PbO-Pb contacts, 'supercurrents' at mag. fields

> H<sub>2</sub> 7=1912 Pb-PbO-Pb tunnel junctions, r.f. modes driven by a.c. Josephson current obs. 7=4975

Pb-PbO-Pb tunnel junctions, 2△p/n structure 7=1911 Pb-Tl alloys 7=7912

Pb-Tl alloys i=1812

Pb-Tl(4.3-13.5 at.%) films, tunnelling to Al supercond. films in mag. field obs. 7=4977

Pb-Tl(1%), Ginzburg-Landau coeff. temp. var. obs. 7=1898

Pb-Tl, quantized flux lines obs. 7=4933

Sn. cumulative flux transport across film carrying d. c.

in alternating polarity pulsed mag, fields obs. 7=17920 Sn cylinders, quantized flux obs. 7=1913 Sn, de Broglie wavelength for drift current obs. 7=1892

Sn, doped, u. s. studies of energy gap 7=7913

Sn droplet junctions to Nb, voltage oscillations rel. to

magnetic field 7=11490 Sn energy gap anisotropy in films, tunnelling obs. ~1.2°K 7=11466

Sn film constrictions, burst effect due to vortex motion obs. 7=4978

Sn films, geometrical resonance effect 7=1897

Sn films, mag. props. 7=11482 Sn films, microwave transmission and reflection obs. 7=4965

Sn films, type I, parallel critical fields calc. 7=1895 Sn low conc. alloys critical temps., impurity effects 7=1893

Sn, mag. props. of films, torque meas. 7=1894

Sn, n. m. r. and spin-reversing scatt. obs. 7=11483 Sn, narrow thin film, critical current behaviour 7=7914 Sn, parametric amplification and side-band osc. 7=7922 Sn, search for surface supercond. induced by elec.

field 7=17880 Sn, superheating and supercooling fields of spheres

obs. 7=17919 Sn, thin film junction, Josephson current, temp. and mag.

field depend. 7=11491

Sn, ultrasonic attenuation, strain and impurities effects 7=11481

Sn whiskers, transition temp. and resist., uniaxial tension effect 7=7915

Sn, white, anisotropic energy gap 7=14929
Sn-Bi films penetration depths, size effects obs. 7=4963
Sn-Sb(5%), hysteretic, flux retention processes 7=1881
Sn and Sn:Cd and electrical resistivities, anisotropic

obs. 7=1896 Sn-SnOx-Sn Josephson junction, tunnelling

transitions 7=1914 SnTe, critical mag. fields 7=496?

Sn<sub>1-x</sub> Te with high carrier concs., obs. 7=4966 SrTiO<sub>3</sub>, rel. to semiconductivity 7=17922

Ta, Ginzburg-Landau coeff.temp.var.obs. 7=1898 Ta90Nb10, high current capacity rel. to flux trapping,

network model 7=4967

Ta-TaO<sub>x</sub>-In, Sn or Pb, d.c. pair tunnelling at finite voltages obs. 7=4973

Ta-Ti alloys, transition temp., composition depend. 7=11484
Ta-W-C, critical temp. meas. 7=4968
Tc-Re alloys, transition temp. 7=1899
Th, specific heat and mag.obs. 7=7916

Ti alloys, h. c. p., transition anomalies obs. 7=1901 Ti-Cr, rel. to phase transforms 7=1900

Ti-Mo alloy, Pauli-paramag. supercond. from specific heat meas. 7=14925

Ti-16at. % Mo, specific heat and magnetization 7=17923 TiN<sub>1-x</sub>, critical temp. meas. 7=4968 TiO, transition temp. obs. 7=4944 Ti-V alloys, experimental upper critical field 7=14926

Ti-V, upper critical field temp.var.,obs.rel.to theory 7=7904

energy gap anisotropy rel. to press. 7=14927 Tl films transition temps., surface charge effects obs. 7=1902

TI-In alloys, b. c. c., transition temp. 7=17908

Superconducting materials and devices-contd

TI-Pb mixed state resistance mechanism 7=17893  $\alpha$ -U, press. depend of transition temp. 7=17924 U, specific heat and mag.obs. 7=7916  $\alpha$ -U, at 10 kbar, 0.3 to 6°K, heat capacity 7=1906

U<sub>e</sub>Fe, press. depend. of transition temp. 7=17924

U<sub>e</sub>Mn, press. depend. of transition temp. V, critical field temp. depend. 7=17927 V cylinders, quantized flux obs. 7=1913

V, effect of deformation 7=11471

V, entropy of hysteretic states obs. 7=17926 V films, interactions with molecules 7=17925

V, flux motion and pinning 7=4969 V, Ginzburg-Landau parameter 7=1903

V, hysteretic, flux retention processes 7=1881 V, microstructure rel. to magnetization, current density 7=14930

V<sub>3</sub>In transition temp. obs. 7=17455
VC, anomaly in specific heats 7=17913
VC<sub>1-x</sub> critical temp. meas. 7=4968
V-Ga, high transition temps. obs. 7=4949
V-Ga, transition, magnetic field effects with high currents

obs. 7=4950

 $V_3$ Ga, elastic softening on coolings 7=17915  $V_3$ Ga wires, preparation and properties 7=4970  $VN_{1-x}$ , critical temp. meas. 7=4968  $V_3$ Si, energy gap meas. 7=7917

V-Si, high transition temps. obs. 7=4949 V-Si, transition, magnetic field effects with high currents obs. 7=4950

 ${
m V_3Si}$ , elastic softening on coolings 7=17915  ${
m V_3Si}$ , lattice instability and elastic constant var. 7=17916

V<sub>3</sub>Sn, n. m. r. of V<sup>51</sup> and Sn<sup>110</sup> obs. 7=17912 V-Ta(5 at. %), magnetothermal effects obs. 7=1904

V-Ti alloys, H<sub>c3</sub> ar 30 kOe 7=1905 and critical surface current to

V-Ti alloys, magneto-acoustic attenuation 7=17917 V<sub>s</sub>X cpds., spin-lattice relax., and in normal state 7=15282Y compounds specific heat jump, overlapping bands

interpretation 7=11470 YN, critical temp. meas. 7=4968

Zn films with Mn paramag. impurities, critical temp.

suppression obs. 7=11446 Zr-Nb, H<sub>e2</sub> temp.var.analysis 7=7919

Zr-Nb, transition rel. to phase transformation 7=11485 Superconductivity

See also Quantum theory/many-particle systems. acoustic dispersion, transverse, at transition 7=1854 alloys, calc. of e.m. absorption edge 7=8352 alloys, electron microdiffraction 7=1377 alloys, with ferromag., possibility rel. to impurity spins 7=11452

anisotropic, critical temp., resonance scatt. effect calc. 7=11460
BCS approximation for systems with two unperturbed levels, corrections 7=13210
band-structure effects, formalism 7=14896

barriers plasma resonance 7=4917

bulk, establishment in semiconductors from specific heat meas. 7=17900 collective excitations with P-pairing 7=7881

compensation of dangerous diagrams principle, best energy criterion 7=9108

correlation function method, Boltzmann eqn. 7=14895 correlation function method with mag. field 7=14894

coupling between ferromagnets through superconducting layer 7=2109

critical currents, pulsed, in films 7=4915

critical field, effect of energy gap anisotropy with non-mag.impurities 7=14903 critical mag. field meas, in high-field superconductors in

pulsed fields 7=1860 de Broglie wavelength for drift current obs. 7=1892

detection by resonant bridge circuit 7=4932

dilute alloys, effect of Coulomb interaction between d electrons and of d-s pairing interaction 7=11457 dirty alloys, spin-lattice relax, in strong fields 7=7886

dislocation effects, review 7=14900 electron mechanism, theory 7=14897

electron tunneling second derivatives meas. 7=4937 ellipsoidal, magnetization 7=14901

excitation spectrum, with variation of space-varying order parameter 7=1844

extreme currents in surface sheath, theory 7=7888

and Fermi level 7=11449

field enhancement in tubes, new mode 7=1863 field penetration with surface layers obs. 7=1891 film critical fields calc. 7=4923 films, angular dependence of pinning and flow of vortices 7=1862

films, superposed, critical mag. field and transition temp.

obs. 7=1852 flux penetration and mobility, magneto-optical obs. 7=4936

```
Superconductivity-contd
```

flux vortex in hollow cylinder of type II supercond. 7=17896 fluxoid pinning by space inhomogeneities rel. to type II mixed state resistance 7=17893

foil with surface sheath, maximum lossless current 7=1851
Frohlich-Terreaux quasi-superconducting state,
observational difficulties 7=7873

functional averages in theory of supercond. 7=14898

in general relativity test 7=2828

Ginzburg-Landau eqn., time dependent, appl. to resistivity in mixed state 7=17890

Ginzburg-Landau eqn., time dependent, resistivity in mixed state 7=11454

Ginzburg-Landau eqns., mag. irreversible soln. 7=7874 Ginzburg-Landau equations, derivation 7=11453

Ginzburg-Landau equations, derivation 7=11453 Ginzburg-Landau non-linear eqns. in cylindrical symm., solns. for type I supercond. 7=4925 Ginzburg-Landau order parameter time var.theory 7=7876 Ginzburg-Landau theory, time-dependent 7=7875

Landau-Ginzburg theory for anisotropic energy gaps 7=17889

granular, theory and props. from isospin formulation 7=17887

hard tube in changing mag. field, power dissipation 7=17929

dissipation 7=17929
heat capacity of superconducting state 7=17897
heat flow, between normal and supercond. regions 7=4913
high field, temp. dependence of critical fields 7=4914 hydrodynamic eqns., two-fluid, for London supercond. 7=17885

hysteretic, critical-state model, expt. tests 7=17901 hysteretic, flux retention processes 7=1881 induction phenomena recent developments 7=7871 interactions between molecules and super-

conductors 7=17925 intermediate state electrodynamics 7=7884 intermediate state resistance and Hall effect, rel. to

mixed state 7=4924 internal surface, resistive and bulk upper critical fields 7=1885

Josephson effect in couplings with I=1 7=14905 Josephson effect in couplings with 1=1 7=14905
Josephson effect in crossed fields with vortices 7=11455
Josephson freq.-voltage relation obs. 7=1869
Josephson junctions, 'normal', rel. to quantum
coherence 7=1870

Josephson tunneling flux quantization, charged Bose gas at 0°K model 7=4920 junction, two-band model, tunnelling currents 7=7879

magnetic field effects on energy gap calc. 7=4919 with magnetic impurities, anomalous scatt. 7=14902 magnetic losses at r.f. 7=7872

magnetic props. of double-band supercond, near upper critical field calc. 7=7885

magnetic structure microscopy 7=11450 magnetics, conference Stuttgart, 1966 7=5138 mechanism 7=1846

metals dielectric const., difference from normal state in weak coupling limit 7=11461 metals, electron pairing microscopic theories 7=7883

mixed superconductive state, thermodynamical remarks and H<sub>21</sub> transition 7=17891 model Hamiltonians, Green's functions generalised to finite temps. 7=4909

neutrons, slow, scattering by cond.electrons 7=14899 non-ideal, hysteresis theory 7=11462 nucleation at tunnelling barrier of high transmissivity 7=14904

observations, summary of quantum fluids 1965 Brighton conference 7=4935

order parameter, magnetic, dependence, verification 7=1866 paramagnetic impurity effect, electron order variation nearby 7=11381

penetration depth and flux quantum meas. 7=1861 polarization operator with P-pairing calc. 7=17884 pseudoferroelectrics, electron-phonon theory 7=4911 pure, effects of energy gap anisotropy 7=11459 quantized mag.flux review 7=1867 quantized vortices 7=1843

quantized vortices in films theory 7=4922 quantum fluids, conference, Brighton, England, Aug. 65 7=157

quantum hydrodynamics and the existence of particles 7=15987

quantum liquids theory, suggested future developments 7=5759

quantum fluids theory, summary of 1965 Brighton symposium results 7=9281

quasi transition, Frölich's, Fermi surface shape effect 7=17882

relaxation of order parameter, mechanism 7=17886 resonance and impurity scatt, in anisotropic supercond. 7=7887

rotating body, rel. to Lense-Thirring fields in gen. relativity 7=4908 rotating, mag. field prod. 7=1868

Superconductivity-contd

screening currents in normal metal backed by superconductor 7=11448 semiconducting films, non-degenerate 7=1853

semiconductors, degenerate, review 7-17881 semiconductors in strong mag. fields, quasi-supercond.

semiconductors in strong mag. fields, quasi-supercond. transitions 7=17883 soft, mag. props. of films, torque meas. 7=1894 specific heat jump with overlapping bands 7=11470 spin static susceptibility theory 7=14906 superconductor, "gapless", electron dispersion relation Tomasch effect obs. 7=1845

superfluid phase, Fermi liquid effects 7=5767 superfluid system vortices review 7=5762

superfluidity in Bose and Fermi liquids, review 7=5761

superheating field calc. 7=1788 surface, strong field effects 7=4907 symmetry breaking average and field theoretical method 7=7882

thermodynamic fluctuations, evidence 7=14912 thermodynamic properties of films 7=14461 Tomasch effect, theory 7=11451 Tomasch tunnelling in films, additional structure in

McMillan-Anderson model 7=11458 transition temps. of supercond. double layers, theory 7=4916

transport theory, two-fluid model microscopic derivation 7=7877

tunnel characts, effect of delay on shape 7=11456 tunnel effect in alternating field 7=7890 tunneling current calc. 7=4912

two-band, number -phase fluctuations 7=7880 two-zone model, Coulomb interaction, calc. 7=7878

type I films in mag. field, mixed states 7=17892 type I, Ginzburg—Landau coeff. temp. var. obs. 7=1898 type I, surface supercond. and supercooling obs. 7=4938 type II, Abrikosov vortices interaction calc. 7=7894

type II, analogues of Ettingshausen and Peltier effects in mixed state 7=1859
type II, critical fields with electron spin effects 7=1858
type II, de Haas-van Alphen oscs., in critical temp. 7=7893

type II, dirty, response functions for gapless regime 7=17895 type II, electrodynamics of vortex lines 7=14908 type II, 50 c/s phase transition 7=1890

type II films critical fields calc. 7=17894 type II films, density of states near upper critical fields obs. 7=4959 type II, hysteretic phenomena 7=1864

type II, isothermal calorimetry 7=17898 type-II, k<sub>1</sub>(T) and k<sub>2</sub>(T) meas. for arbitrary impurity conc. 7=14910

type-Π, λ-transition at lower critical field? 7=7891 type II, mag. field distrib. law 7=1856

type II, with mag. impurities, upper critical field 7=4930 type II, magnetic flux motion obs. 7=4951 type II, magnetothermal effects obs. 7=4948 type II, mixed state calc. 7=4929

type II mixed state resistance mechanism 7=17893 type  $\Pi$  mixed state resistivity and Hall angle calc. 7=4927

type II, motion of flux lines 7=1855

type II, new meas. method for energy gap 7=17902 type II, noise and transverse effects obs. 7=4934

type II, nonideal, Faraday unipolar induction 7=1879

type II, quantized flux lines detection method 7=4933 type II, removal of surface-sheath by Cu-plating 7=1889

type II, review 7=11463

type II, surface instabilities 7=7892

type II, surface sheath, effect of magnetic film coating 7=1857

type II, tunnel current to normal metal calc. 7=11464 type II, two-band conductor, Abrikosov structure 7=4931

type-II, upper crit. field, anisotropy and temp. depend. 7=14909
type II upper critical field temp. var., obs. rel. to theory 7=7904

type III, wire, current carrying capacity in zero mag. field 7=14907

ultrasonic absorption theory with mag. impurities 7=4918 ultrasound dispersion, electron resonance effects, theory 7=7767 vortex lines 7=1849

vortex lines lattices free energy calc. 7=4928 vortex structure near metal-air interface calc. 7=1848 vortex viscous motion theory 7=4926

vortices formation by moving ion, critical velocalc. 7=5756

weak, rel. to Josephson tunnelling 7=1850 weak loops with single Josephson junction, LC-time behaviour calc. 7=7889

Supercooling

betol, nucleation recovery phenomena 7=1318 crystal growth, stability of solid-liquid interface thermal effects 7=14314

S 370 SUBJECT INDEX Supercooling-contd o-terphenyl, glass transition 7=17412 piperine, nucleation recovery phenomena 7=1318 piperine, nucleation recovery phenomena 7=1318
polypropylene, effect of basic aluminium
dibenzoate 7=1341
polypropylene isotactic droplets obs. 7=1343
refractive index on water, rel. to precrystallization,
theory 7=10839
in superconductivity in superconductivity type I, obs. 7=4938 water, solidification kinetics, basal plane, impurity effects 7=14155 water, turbulent, ice crystal size distribution 7=14153
Ga, cavitation nucleation obs. 7=17310
P, solidification and sp. ht. of liq. 7=1193
Superexchange. See Antiferromagnetism. Superfluidity See also Helium/liquid; Quantum theory/many-particle Bose and Fermi liquids, review 7=5761
Bose system, kinetic equations and their solutions 7=91
critical velocity rel. to backflow 7=15988
Fermi liquid effects 7=5767
flow in annulus, stability 7=160 fluctuations near T , macroscopic phase and amplitude 7=12491 quantum fluids, conference, Brighton, England, Aug. 65 7=157 vortices review 7=5762 He, doubly connected, persistent currents 7=2958 He experiments, commentary on quantum fluids 1965 Brighton symposium 7=5771

He liquid flow, Josephson eqn., phase slippage and vortex lines 7=5765 He, microscopic theories review 7=5769 He, quantized vortex rings near wall calc. 7=9288 He, superfluid, a.c. Josephson effect analogue obs. 7=5766 He II, breakdown rel. to quantized vortices 7=5695 He II, gravitational flow, dissipative heat prod. 7=2959 He II, gravitational flow, dissipative heat prod. 7=2959
He II, half-integer values of quanta of circulation, implication 7=12492
He II new model rel. to supercond. and lasers, with "off-diagonal long-range order" 7=5772
He II, quantum cell model at nonzero temp. 7=5773
He II, rotating, theory of Ginzburg-Pitaevskic 7=5778
He II, scatt. of He³ impurities by vortex 7=5774
He³, possible superfluid phase, zero sound existence 7=2961
He³, charge trapping by vortex lines calc. 7=9287
He³-He⁴ solutions, flow velocity of films 7=15986
He⁴ in He³, dilute, film formation 7=12490
He⁴ and He³-He⁴ unsaturated mixtures, onset of super-He4 and He3-He4 unsaturated mixtures, onset of superfluidity 7=9284 Superlattice structure. See Alloys; Crystal structure, atomic; Solid solutions. Supernovae. See Novae. Superparamagnetism. See Ferromagnetism. Supersonic flow See also Shock waves. air, H injection turbulent mixing and diffusion obs. 7=10725 deceleration at half-space boundary, m.h.d. boundary layers 7=16098 gas with vibrational relaxation, breakdown of characteristics solns, 7=10723 liquid jets, by ballistic extrusion, 4.58km/sec. 7=14026 Newtonian theory, separation points from shock layer eqns. 7=10728 "piston problem", plane radiating, zeroth-order approx. 7=2890 plasma disturbance by body, Poisson-Vlasov eqns. 7=13868 plasma in shock discharge tubes with conical electrodes, wave processes 7=112

self-similar gas motion under relaxation conditions 7=10722 Supersonics. See Ultrasonics.

Surface diffusion. See diffusion in liquids; Diffusion in solids; Surface phenomena.

Surface energy

alkali halides, rel. to microhardness 7=7675 atomic roughness transition of crystal with soln. 7=10949 crystals, determ.from equilibrium states 7=1255 crystals, rel. to equilibrium form phenomenological theory 7=7304 diffusion of impurities along surfaces 7=14264 diffusion of impurities along surfaces 7=14264 ionic crystal with vacancy sources, potential meas. 7=10950 liquid-vapour systems calc. from surface tension 7=4412 liquids, theory and experiment comparison 7=17259 metals, solid-liquid, rel. to grain boundary melting 7=17311 metals rel. to work function 7=5104 paraffinic solids, specific free 7=10952 paratimic sonus, specific tree T=10952 Al<sub>2</sub>O<sub>3</sub>, lowering by adsorpt. 7=14265 Co, rel. to twin boundary energy,  $880-1290^{\circ}$ C 7=7604 Fe-C alloys, at  $\alpha$ ,  $\gamma$ -interface T=10977 Pt, temp. depend. of anisotropy 7=10951 Pt, rel. to twin boundary energy,  $920-1560^{\circ}$ C 7=7604

Surface ionization. See Ionization, surface.

Surface measurement.

See also Area measurement. crystals, by low energy electron diffr. 7=1261 density gauge with Cs<sup>137</sup>  $\gamma$ -source, calcs.for  $\gamma$ -ray scatt. 7=1256

dusts, respirable areas meas. 7=4392 electron diffr.at low energy 7=1262 glass, by triboelectricity 7=7258 interference microtopography with incoherent light 7=4482

limestone pellets, rel. to dry compressive strength 7=17692 metals, slope, use of interference contrast 7=7254 metals, slope, use of interference contrast 1-1207 optically selected area replication technique 7=17370 quartz, polished, optical layer determination 7=14259 semiconductors, electron mirror microscope 7=1385 sintered substances, changes in pore sizes 7=14197

small areas, by Krypton adsorption 7=4481

Specific area, by Kr adsorpt. 7=14262 X-ray photograph apparatus 7=17372 Al density, from X-rays prod. by protons 7=17383

Cu density, from X-rays prod. by protons 7=17383
Yb density, from X-rays prod. by protons 7=17383
ZnS, electron diffr. at low energy obs. of cleaved (110)
surfaces 7=1262

Surface phenomena

See also Adsorption; Capillarity; Catalysis; Electron emission; Films; Ionization, surface; Liquid waves/ surface. Sorption.

surface. Sorption.
acoustic omnidirectional scatt., rough imperfectly
reflecting 7=15950
acoustic-wave interaction with solid-gas and liquidvapour interfaces 7=14143
air-water surface, acoustic interaction from two
transducers 7=12438

alloys, field evaporation 7=2073

analysis by alpha particle scattering 7=2494 arc initiation on metals in H discharge 7=6789 atomic beam specular reflection conditions from crystals

rel. to surface defects 7=7255

ceramic surfaces 7=17371 ceramics, conference, London (1964) 7=10948 colloidal particles, deposited on smooth solids 7=10878 crystal step motion 7=1312

diffusion of impurities along surfaces 7=14264 elastic waves in b.c.c. lattices 7=11236 electrohydrostatics of free liquid surface 7=9317 electrons thermal diffuse scatt. calc. at low

energy 7=14415 emission, ions and particles, due to low power laser beams 7=9524

equilibrium shape of small particle on foreign

substrate 7-14261 glass, He ionic pumping obs. 7-4493 helicon wave in stability in multilayer structures,

theory 7=7823

i.r.fluorescence, meas. 7=12684 metal film, rel.to cond.electrons 7=7805

metal surface step atoms dissolution, surface wave effects theory 7=7032

metal-water interface, ice growth rate 7=1332 metals, hydrogenic wave functions of impurities

calc. 7=17396 metals, liquid, surface temp. meas. by thermocouple 7=14076

metals optical harmonic generation interband contributions calc. 7=15288

molecular beam thermal accommodation single-phonon energy transfer theory 7=14263 oscillator recombination, effect on excitation

threshold 7=11527

phase mixtures thermodynamics 7=4411

photoconductors elec. cond. rel. to band bending and space charge calc. 7=8048 plastics, aged 7=7262

polyethylene electrification after  $\gamma$ -irradiation obs. 7=18054

polyethylene, single crystal aggregates, wettability 7=10953 polystyrene electrification after y-irradiation obs. 7=18054

secondary emission effect on charge, low energy electron diffr.obs. 7=1261

semiconductor, condenser photo-e.m.f., distrib. 7=15067 semiconductor devices, obs. by light spot scanning 7=17994 semiconductor dislocations emergence in single

crystals obs. 7=7561 semiconductors, magnetoconcentrational effects

theory 7=14942

semiconductors, small-signal photovoltage 7=11585 silica melts 7=14062 solids, analysis by mass spectrometer 7=15454 solids long-distance order changes 7=7257 superconductivity, type I, obs. 7=4938 superconductors, change in transition temp. due to electron capture 7=4939

superconductors, strong field effects 7=4907

Surface phenomena-contd.

superconductors, type II low-κ, hysteresis surface mechanism obs. 7=7896

superconductors of type II, surface effects on resistance

obs. 7=17914 Ag halides, imperfection ionic surface space charge 7=1524 Ag, low-energy electron Debye-Waller factor 7=4616 Ag, (111) plane, scatt. of molec. beams 7=1258

AgBr optical absorption edge, surface effects obs.in suspensions in H<sub>2</sub>O 7=15310
Al, electrical cond. increase at microwaves by lowering

temp., for linear accelerators 7=1832

Al, photon excitation of surface plasmons 7=11412

Al, superconducting, microwave impedance, mag. field var. anomalies obs. 7=4941

Al<sub>2</sub>O<sub>3</sub> grain growth, effect of metal oxides, 1400-1650°C 7=1392 Au self-diffusion, scratch-flattening analyses 7=4664 Au surface wettability, effect of residual abrasives 7=7256 CaO, produced in lime-burning, Cu X-irrad. effect on

surface area 7=11965 CdS, (0001) faces, field-effect and photovoltage 7=11402 CdS, photopotential of single crystals in alternating electric field 7=2028

Cu, diffusion coeffs. meas. by coalescence of gas bubbles 7=17581

Cu, electrical cond. increase at microwaves by lowering temp., for linear accelerators 7=1832

Cu, evaporation in H 7=1204

Cu, rehbinder effect in lubricated cutting 7=14715

Cu self-diffusion, S adsorption effect obs. 7=4668 Cu-Ar or CO2 molecular heam collision, energy

transfer and adsorption time 7=17401 Fe-Ar or CO<sub>2</sub> molecular beam collision, energy

transfer and adsorption time 7=17401
Ge, conductivity type and concentration profile 7=7946

Ge, electrophysical surface props., effect of oxide film 7=14267 Ge (111) surface, holes transport props. 7=4845

Ge, oxidation kinetics 7=2455

Ge photoconductivity, surface defect capture of nonequilibrium carrier effects 7=8054

Ge, photoelectric props. and oxygen adsorpt. 7=1740 n-inAs magnetoresistance, Corbino, elec. field var., 4.2°.68°, 77°K 7=17972 InSb, oxidation kinetics 7=2455 Li migration on Li adsorbed film obs. 7=7259

MgO surface defects, e.p.r. study 7=7538

NaCl(100) surface prod. by cleavage in air, electron diffr. study 7-1259

Nb-Mo(10at. %), superconducting, surface effects on resistance obs. 7-17914

Nb-Zr superconductors, surface layer induced critical currents 7=1886

Ni, reaction with F 7=2456 Ni<sub>3</sub>Fe order var. 7=7257

Pb superconductivity above  $H_{\rm e},$  tunneling obs., 1. 4°-4. 2°K  $\,7\!=\!4958$ 

Pb superconductivity, suppression by coating with Cu obs. 7=4961

Pt Debye temp., low energy electron diffr.obs. 7=1260 S, dye sensitization of photocond. 7=11597 So, oxidation kinetics 7=2455

Se, dye sensitization of photocond. 7=11596

St, conductivity, rel. to adsorbed vapors 7=15023
Si, oxidized, surface charge, effect of H and Na 7=14970
Si, surface preparation, effect on surface resist. 7=14969

Si-Au photoconductivity in i.r., Au conc. var., field effects, 100°-130°K 7=11599
SiO<sub>2</sub> gel, Ag stabilized free atoms on surface, e.s.r. obs. 7=8280

Si-SiO<sub>2</sub> system, charge effect of Na and H 7=4880
Si-Ta<sub>2</sub>O<sub>3</sub> system, prepared by reactive sputtering 7=5028
Ta-Ar or CO<sub>2</sub> molecular beam collision, energy transfer and adsorption time 7=17401
TiO<sub>2</sub> ceramic sparks in Ar and Xe, as light source 7=9574
Tl superconducting films transition temps., surface charge effects obs. 7=1902

Surface tension

See also Capillarity.

benzene, drop formation in glycerine-water mixtures, effect of interfacial tension on drop volumes 7=14031 binary mixtures obs. 7=7009

binary mixtures obs. 7=7009

contact angle hysteresis, effect of liquid structure 7=10822
drop formation in liquid-liquid systems, effect of interfacial tension on drop volumes 7=14031
evaporating layer, effect of Coriolis force on surface-tension-driven convection 7=7152
interfacial tensions of binary and ternary two-phase liquid systems, theory, from solubility data 7=4337
in jets and solitary waves theory 7=14025
line-tension effect 7=1188
liquid, in circular disk exact interfacial area, 7=14058

liquid, in circular disk, exact interfacial area 7=14058 liquid-vapour systems, surface energy and entropy calc. 7=4412

Surface tension-contd

and liquid waves 7=7005

and liquid waves 7=7005 liquids, rel. to bubble and drop motion 7=14028 metal film, rel. to cond. electrons 7=7805 metal oxides rel. to metals at melting obs. 7=45 rel. to plane motion of ideal liquid 7=4321 significant structure theory 7=14060 silicone oils 7=14063 thermocapillary hysteresis 7=10821 twinning dislocations 7=14560

wetting by polymer melts, contact angle analysis 7=14027 and Young's calc. of molecular size and Avogadro's number 7=10797

Hg-Cd(≤8%)-KorCs(≤1%) obs. 7=18078 Sn, solid, calc. near melting point 7=11322

Surface tension measurement acid solutions, dilute 7=1136 interfacial, by shape of rotating drop 7=14061 by 'microcone tensiometer' 7=10791 viscous liquids 7=14063

Surface texture

atomic roughness transition of crystal with soln. 7=10949 binary alloys, size of cellular interface struct. depend.

on solidification conditions 7=14157

on soliditication conditions 7=14157 crystal surfaces 7=17424 crystals, rel. to atomic beam specular reflection conditions 7=7255 field-evaporated h.c.p. metals 7=7261 fractive, interpretation 7=11249 friction for discrete roughness obs. 7=12466

glass, by moisture pattern method 7=14260 glass, strengthening by SO, treatment 7=11300 heat transfer for discrete roughness obs. 7=12466 ice in arctic rel. to acoustic underwater scatt. 7=11975

interference microtopography with incoherent light 7=4482

light scattering, diffuse, rel.to thin film deposition 7=1254 mica, cleaved, low energy electron diffr. obs. 7=1261 mica substrate cleavage steps effect on Cu phthalocyanine epitaxial growth orientation 7=7346

Michelson interferometer end mirror effects 7=9610 nuclear fuel canning materials on deformation microscope, vacuum hot stage straining 7=6486

optical reflection meas. of r.m. s. roughness of films 7=17373

polytetrafluoroethylene, rel. to friction and wear 7=4829 precision polishing 7=14266 precision polishing for optics and microwave acoustics 7=5645

rough, randomly, wave shadowing 7=15859 steels, stainless, reactor irrad. effect 7=17645

wires, effect of surface struct. on field ionization 7=8080 Ag, electrolytically grown, electron microscopic obs. 7=1257

Al, rel. to electrical surface cond. at microwaves at low temps. 7=1832

Al sputtered films, rel. to elec. cond. obs. 7=7272

Au, scratch flattening by self-diffusion, analyses 7=4664 Cd, crystal aggregates formation during cooling of drops obs. 7=4512
CdS film precision polishing 7=14266
CsI windows polishing for i.r. 7=9561

Cu on corrosion in vacuo, thermal 7-8535 Cu, rel. to electrical surface cond. at microwaves at low temps. 7=1832

Temps. 1=1052

Fe with 3wt. %Si, secondary recryst. textures, effect of cold working 7=7324

Ge cleavage planes, kinetics of N<sub>2</sub>O decomposition 7=1284

Na-covered Ge, effect on work function 7=11602

NaCI growth, microstep distrib, on faces 7=17442

NaCl, struct. of cleavage surfaces around precipitates 7=17425
Nb(110) surface, low-energy electron diffr. 7=7260
O structures on W(110) surface 7=10983

PbO films 7=4486
Pt single crystal low energy electron diffr.obs.,temp.
var., 340 eV Ar ion effects 7=1260
Re,field-evap. 7=7261
Ru, field-evap. 7=7261

Si wafers, coated, strain effects 7=4487

Ti alloys foils electropolishing for electron microscope exam. 7=10971

Ti foils electropolishing for electron microscope exam. 7=10971

Surveys. See Reviews

Suspensions

See also Aerosols; Sedimentation; Sols. air-glass  $30\mu$  beads flow in elec. field, heat transfer and particle transport obs. 7=10873 coagulation by Brownian motion, kinetics 7=9093

colmatage accompanied by diffusion process, simplied model 7=14133

gas-solid flow in elec. field, heat transfer and particle transport obs. 7=10873

SUBJECT INDEX Suspensions-contd magnetic particles in liquid, fluidmag. buoyancy 7=10872 motion in narrow horizontal channels 7=17294 nylon fibers, straight, rigid; relative viscosity 7=10876 particles in viscous turbulent fluid, motion 7=1063 phosphor in dielectric, shock excitation peaks theory 7=18286
solid particles fluidisation, crossed electric and mag.
fields effect obs. 7=4396
turbid medium, light field rel. to illumination
asymmetry 7=9620
viscometry, cone-plate, particle migration
errors 7=17298
viscosity, straight, rigid rods 7=10876
AgBr in H<sub>2</sub>O, optical absorption edge, crystal surface
effects obs. 7=15310 theory 7=18286 effects oos. 7=15510

BN in n-octadecane for high press, transmission to fragile structures 7=18486

Fe-enriched particles, frozen, mutual effect 7=2114

Suzuki atmospheres. See Crystal imperfections/dislocations. Switching time, ferroelectric. See Ferroelectric materials; Ferroelectric phenomena. Switching time, ferromagnetic. See Ferromagnetism; Magnetic properties of substances/ferromagnetic. Symbols. See Nomenclature and symbols.
Symposia. See Conferences.
Synchrocyclotrons. See Particle accelerators/orbital, cyclotrons. Synchrotron radiation. See Electrons/radiation. Synchrotrons. See Particle accelerators/orbital. Szilard-Chambers reactions. See Radiochemistry. Tables, mathematical transport integrals 7=5701

Tables, physical. See Collections of physical data.

Tachometers. See Angular velocity measurement. Tandel. See Dielectric devices. Tantalum atomic K-electrons incoherent y-scatt. at 662 keV 7=10415 bulk modulus relation and Grüneisen const. from room temp.to 500°C 7=1741 deformed in tension, dislocation arrangements 7=1740 dislocation mechanism in single cryst., up to 620°K 7=14597 e\* annihilation spectra obs., annealed and plastically deformed 7=1817 electrical resistivity and emissivity, 1000 to 2500°C 7=11441 electron states, singularity in density at Fermi energy, tunneling obs. 7=4875 energy losses, temp. dependence 7=1819 fillm deposition, effect of sputtering on elec.charac. 7=1270 films f.c.c. -b.c.c. transformation as thickness increases in growth obs. 7=7285 ionization by laser of surface, ion energy rel. to laser power obs. 7=15103 liquid structure, changes, temperature functions 7=10802 oxidation, oxide platelets origin and identity 7=5330 phonon dispersion, theory and expt. 7=11107 relaxation due to diffusion of interstitital H atoms 7=1521 strain ageing, stress effects 7=1720 strain aging and yield point, search for responsible interstitial atom 7=14761 stress measurements during gaseous oxidation at 350-550°C 7=7736 superconducting, Ginzburg-Landau coeff.temp.var. obs. 7=1898 surface-Ar or CO2 molecular beam collision, energy

surface-Ar or CO<sub>2</sub> molecular beam collision, energy transfer and adsorption time 7=17401 thermal expansion, 1500-3000°C 7=1489 thermite reaction 7=5327 work function of crystal faces obs. 7=2053 work function reduced by alloying with Hf 7=8067 H diffusion, coeff. rel. to temp. 7=17590 H<sub>1</sub> sputtering and implantation at 35 keV 7=14293 in Ni<sub>3</sub>Fe, effect on galvano- and thermo-magnetic effects, longitudinal 7=4905 alum compands.

Tantalum compounds

Ta oxide platelets on oxidation, origin and identity 7=5330 Ta oxides crystal atomic structure, electron diffr. obs. 7=1406 TaC, diffusion of C 7=14494

Ta-C, solubility of C, 1500° C to eutectic 7=10933

TaC<sub>0.5-1</sub> electrical and mag.props.obs. 7=1839 TaC and Ta<sub>2</sub>C, C diffusion 7=7529 Tan film deposition, effect of sputtering on elec. charact. 7=1270 Ta-N solid solns., degassing kinetics 7=14190

Ta<sub>90</sub>Nb<sub>10</sub>, superconducting, high current capacity rel. to flux trapping, network model 7=4967

Ta-O alloys, equilib, Cottrell atmosphere and discontinuous yield 7=11186

Tantalum compounds-contd

TaO2, film deposition, effect of sputtering on elec. charact. 7=1270

 $Ta_{s}O_{s}$  anodic layers, dielec, props. 7=5064  $Ta_{z}O_{s}$  electroluminescence and photoresponse obs. 7=8495  $\beta$ -Ta<sub>2</sub>O<sub>5</sub> films, sputtered, trapping 7=14844 Ta<sub>2</sub>O<sub>3</sub>-Si system, prepared by reactive sputtering 7=5028

Ta-TaO,-In, Sn or Pb, superconducting d.c. pair tunnelling at finite voltages obs. 7=4973
Ta-Ta<sub>2</sub>O<sub>5</sub>-Au diodes electron transfer obs. 7=8040

Ta-Ta, superconducting transition temp., composition depend. 7=11484
Ta-W-C, supercond. crit. temp. meas. 7=4968
Targets. See Nuclea. bombardment targets.

Teaching

Bloch eqn. simple derivation 7=9468 Carnot cycle diagrams 7=97 computer applications 7=1 digital computer appl. in physics 7=2 e.m. Poynting vector significance in static fields 7=12524 elementary particles literature 7=9742 equilibrium condition for constrained system of particles 7=12305

general physics courses, learner-centered 7=2752 by Henry, Joseph, rel. to research = -9001 impact inelasticity, time-reversal symmetry appl. 7=12310

induced currents due to moving charges in electronic devices calc. 7=214

devices carc. (=214 ionosphere m.h.d. resonances with monopole magnetization calc. 7=13910 kinematics of rigid body finite displacements 7=43 laws of motion 7=32 laws of motion for variable mass systems 7=31

magnetic induction field concept 7=3005 mathematics for scientists and engineers, creative and not critical 7=9014

mechanics, housecleaning need 7=2801

moon weighing by vector analysis of tides meas. 7=8922 Newton's law form 7=30 nucleons polarization phenomena 7=13058 particle optics matrix conventions 7=9376 physics, collateral reading 7=12276

physics, computers use 7=9039 plasma waves and radiation 7=4227 quantum theory fact and fiction 7=9644 relativity transformation properties and equations

covariance importance 7=58
special relativity, by graphs 7=9070
spinors appl. in relativity 7=59
X-ray diffraction, Bragg law elementary
derivation 7=4559-60

H2O flask with unequal holes calc. 7=10790

demonstrations
acoustic diffraction, spark-prod. pulses appl. 7=12441
acoustic interferometer using telescoping plastic tubes
with microphone and loudspeaker 7=131
angular momentum 7=9045

angular momentum, experiment to illustrate its conservation 7=9046

Atwood's machine attachment 7=41

 $\beta$ -rays e/m experiment with a.c. heating of filament advantages over d.c. 7=12978

availages over it. (=12376) bubble chamber elementary particle expt. 7=3390 conservation of a real velo. with central forces 7=2804 electrons and photons at Berkeley laboratory 7=9875 electrostatic lines of force 7=2985 g measurement through circular motion 7=11972

glucose pentaacetate, transition 7=7253

hysteresis, meas. of loop 7=2099

interference, He-Ne laser appl. 7=12716 laboratories for physics 7=2753 mechanics laws Galilean invariance 7=12304

neutron howitzer, versatile and inexpensive 7=10015 optica and spectroscopy advanced course 7=12671

quantum tunnelling, e.m. waveguide analogue obs. 7=12576

radiation protection in institutions 7=10170 radioactivity simulation by random number generation 7=702

stacking fault closest packed spheres model for f.c.c.h.c.p. transformation 7=4454 statistical mechanics 7=9094

torque from circularly polarized microwaves 7=9428 Welch central force apparatus modifications 7=42CO<sub>2</sub> laser 7=283

Technetium

No entries

Technetium compounds
Tc-Re alloys, supercond.transition temp. 7=1899 Tektites. See Meteorites. Telescopes

annular aperture, resolution of objects of unequal intensity 6=9563

limit of resolution, rel. to background in tensity etc. 7=9562 spurious light, determ.by photoelec. photometry 7=9564

#### Telescopes-contd

astronomical

See also Radioastronomy.

Airy-Simms eyepiece for neutralizing atm.

dispersion 7=18420

dispersion '=15420' balloon-borne, guiding by off-set sun-tracking 7=18422 balloon telescope optics 7=18421 collimating a three-mirror Cassegrain reflector 7=12125 eyepiece design, wide-field, seven-power, spherizing code 7=3212

photometry, photographic, colour eqns. 7=18419 radio, adjustment using optical telescope surface control methods 7=8993

radio, cross type, constant phase local oscillator system 7=8991

radio, Illinois 400 ft, performance, electronics 7=15830 radio, surface deform., meas. 7=5638

radio, 35 Gc/s 7=15831

rocket-borne i.r., liquid N cooled 7=5496 Schmidt, two objective prisms, low-dispersion

spectra 7=12129

stars spectroscopy with transmission wire grating 7=5529 2m reflecting equipment 7=2640

acoustoelectric domains rel. to current saturation and

oscills. obs. 7=17988
band structure, reflectivity and photoelec. props. 7=5277
co-evap. with Cd, determ, of impingement rates and CdTe
film formation rate 7=14275
conductivity, elec. and Hall coeff, effect of doping
with I 7=11522
cyclotron resonance, 730-940µ 7=17856
films\_conductivity\_temperature\_effect\_in\_election

films, conductivity, temperature effect in electric field 7=11442

Hall coeff. high temp. inversion 7=11521 laser, electron beam excitation 7=16203

laser transitions, new 7=5888 liquid, sound velocity 7=1141

magneto-absorption oscillations with polarized light obs. 7=18269

in multilayer film, i.r. photocond., modulated tunnelling 7=5103

parametric amplification of far i.r. laser radiation 7=9527 scattering by ionized impurities, anisotropy at 4.2 K calc. 7=7766

Schubnikov-de Haas effect, at 4.2°K 7=1840

spectral absorption, 50-500 eV, d-electron photoionization

obs. 7=8442 in GaP as donor, e.s.r. and g value at 77°K 7=18170 Te-Rb photocathode, spectral props. 7=15100

Te:Sb microsegregations rel. to elec. props. 7=17474

# Tellurium compounds

tellurides, liquid, elec. props. meas. 7=4388 SnTe-InTe crystals, thermoelect. power and elect. cond. 7=11578

Te-Ta alloy, Hall coeff. and elec. cond. 7=11521

#### Temperature control. See Cryostats; Thermostats. Temperature

See also High-temperature production and effects;

Low-temperature production. a.c. heated filaments, fluctuations calc. 7=9326 complex, thermodynamic limit and phase transformations picture 7=10887

fast changes apparatus for creep tests 7=17667 international practical scale 7=147

nuclear reactor plate fuel element with fuel-clad bonding defects, calc. of max. 7=10360

relativistic transformation 7=12462 scale proposed by Georgian 7=144

sine waves generation 7=145

surfaces exposed to sky, shape effects 7=8633 teaching demonstration 7=9094

### Temperature distribution

in acoustic absorption, Boltzmann eqn. calc. 7=9205 in acoustic absorption, macroscopic calc. 7=9204 annulus sector calc. 7=9251 crystals growing into melts, thermal and diffusion processes 7=1303

elastic disc circle calc. for step temp. var. with time at edge 7=9069

hollow orthotropic cylinder and sphere calc. 7=5739 laser cylinder of finite length calc. 7=9514 medium heated by spherical electrode 7=15978 plasma r.f. torch in H-mode obs. 7=10686 satellite thin surfaces with radiative heat exchange, calc. 7=12109

semiconducting devices meas, from luminescence 7=17993 superconductors superheating field calc. 7=17888
He, liq. and vap. phases, vert. temp. distrib. in cylindrical containers 7=9280

Sn, superconducting, superheating and supercooling fields of spheres obs. 7=17919

# Temperature measurement

See also Pyrometers; Thermocouples; Thermometers. cryogenic, carbon resistor sensors 7=12474

Temperature measurement-contd

in cryostat, 0.1°K to 20°K, by Wein bridge oscillator 7=9277

data logging by computer(P.D.P.-8) from on-line

thermocouples 7=9252 gas stream, rapidly varying temps. 7=1082 glass, i.r. sensors 7=9248 of glass Ni-Fe film substrate 7=1279

graphite arc radiance at 6550Å obs. for standard 7=2941

infrared sensors 7=9248 in ion engine exhaust, of electrons, double probe 7=225 metals, liquid, surface temp. by thermocouple 7=14076

microradiometer for i.r. 7=9234 with n.m.r. meas. 7=16135

with n.m.r. meas, 7=16135 normal oxygen boiling temperature 7=9249 plasma \$\theta\$-pinch by mag. probe 7=13899 precision resistance thermometry, radiation losses 7=5740 resistance, with Smith bridge 7=149 resistance thermometry, illumination effect in water triple-point cells 7=5741

semiconductor diodes 7=14992 sine waves 7=145

solar furnace appl. at  $0.65\mu$  7=9250 and stabilisation, by transistorised apparatus,  $0-180^{\circ}\mathrm{C}$  7=2940

thermistor integrator, portable 7=9256
20 -70°K, use of diffused Ge resistor 7=9266
Ba-Sr titanate: La thermistors, thin-film, positive tempocoeff., preparation and props. 7=7972
Ge resistors, comparison of eqns., 2-20°K 7=12475 He3, He4 vapour press. thermometry 7=15983 He<sup>4</sup> vapour press. scale empirical formula, 1.1°-4.4°K 7=12483

Ne triple point calibration apparatus for thermo-couples 7=15979

#### spectral methods

graphite arc radiance at 6550Å obs.for standard 7=2941 Langmuir probe and spectrometric electron,

comparison 7=1026

ratio of spectral radiances of arbitrary sources appl. 7=9232
HF flame 7=143

#### Tensile strength. See Mechanical strength/tensile. Tensors

anticommutation relations, representations in Hilbert

space 7=15846
curvature tensor principal directions 7=15885
multivectors geometrical interpretation 7=12525
Poincaré group irreducible representations tensor

products reduction 7=6007 propagators, tensor and spinor 7=5934

pseudo-harmonic and-killing fields, nonexistence in bounded Riemannian space 7=15

SL(2, R) discrete series representations tensorial product reduction 7=15855

variance-covariance, transformation 7=7373

# Terbium

energy transfer with Eu at 4.2°K 7=8497 in glasses, luminescence 7=8496

specific heat, 3 to 25°K 7=1476 CaF<sub>2</sub>(I):Tb³+, cubic-field energy-level schemes of fluorescence 7=18289

Tb-sensitized luminescence of Eu in complex compounds 7=8517 Tb I, structure of spectrum 7=10418

Tb 1, structure of spectrum 7=10418

Tb<sup>3\*</sup>, in CaF<sub>2</sub>, Fi<sup>9</sup> n.m.r. 28-300°K obs. 7=2232

Tb<sup>3\*</sup>, energy transfer mechanisms 7=2400

Tb<sup>3\*</sup> in Na rare-earth tungstates, energy transfer with Sm<sup>3\*</sup>, Eu<sup>3\*</sup> and Dy<sup>3\*</sup> 7=2391

Tb<sup>3\*</sup> pairs in rare-earth ethyl sulphates, e.p.r. 7=181

Tb<sup>3\*</sup>, sensitizing luminesc. by organic dyes 7=4366

Tb<sup>3\*</sup>:YFe garnet, relaxation process 7=5191

Y<sub>2</sub>O<sub>3</sub>:Tb:Eu, Tb<sup>3\*</sup> energy transfer to Eu<sup>3\*</sup> centres obs. 7=18310

#### Terbium compounds

Tb ferrite garnet, domain struct. var. at Néel temp. obs. 7=18141

 ${
m Tb^{3}}$  chelates, fluoresc., internal energy transfer 7=1158  ${
m TbC_2}$ , magnetic structure 7=2085

Tb<sub>n</sub>O<sub>2n-2</sub> crystal atomic structures generation from string 7=1421

Tb-Y alloys, paramag. props. (300-1100°K) 7=15112

Terrestrial electricity. See Earth/electricity.

Terrestrial heat. See Earth/heat.

Terrestrial magnetism. See Earth/magnetic field; Magnetic storms.

Tetraneutrons. See Neutrons. Thallium

atoms, wavefunctions of valence electrons 7=8341 e.s.r. of  $^2S_{1/2}$ -state, divalent centres in ZnS 7=8292 ion, T1\* centres in K mixed halides, A band 7=5311 liquid, absolute thermoelectric power 7=1168 liquid, sound velocity 7=1141

Thermal expansion-contd CdL, low temps. 7=1487 CsCl, alpha-phase, anomaly 7=7225 Cu, Grüneisen parameter, temp. var. calc. 7=7503 Cu, Grüneisen parameters calc. in continuum model 7=14713 Thallium-contd magnetoacoustic effect 7=14845 radiation produced by CO<sub>2</sub> laser 7=9506 spectral lines, in sensitized fluorescence of Tl and Hg vapours, obs. intensities 7=4032 spectrum of Tl° in KCl, semiclassical theory of <sup>2</sup>P<sub>3/2</sub> splitting 7=18272 Fe-Mn alloys, mag. volume expansion due to spin ordering 7-8254 Fe-Ni(30 wt.%), ferromag.-paramag. transition var. splitting 7=18272 spectrum of Tl° in KCl-TlCl, KBr-TlBr and KI-TlI on  $\gamma$ -irradiation,  ${}^{2}P_{\gamma\gamma} \rightarrow {}^{2}P_{3/2}$  bands obs. 7=18271 standard electrode potential in molten alkali nitrates 7=2467 superconducting films transition temps., surface charge effects obs. 7=1902 obs. 7=18117 He4, h. c. p., Grüneisen parameter, vol. and temp. dependence 7=12494 He4 liquid to 24. 5 atm., 0. 5-1. 4°K 7=5750 Her indicate 24.5 atm., 0.5-1.4 K. 7=5750 Kr, crystalline, linear coeff. 7=1486 LaF<sub>3</sub>, single cryst. 7=2320 Li(N<sub>2</sub>H<sub>5</sub>)SO<sub>4</sub> 7=11129 Mo oxides rel. to brittleness of oxide-contaminated superconductor, energy gap anisotropy rel. to press. 7=14927 vapour pressure, 50-4000 torr 7=17317 Tl'as impurity ion in alkali halides, D-bands 7=5241 Mo 7=4790 Tl<sup>97,198</sup> spectra h.f.s. obs. 7=4011 Tl<sup>205</sup> n.m.r. in Tl halide-Cs halide solid solutions chemical shift and covalency 7=8340 NH<sub>3</sub>, 24-175°K 7=1488 Pa obs., in conference, Orsay (1965) 7=11011 Ta, Grüneisen const. from room temp. to 500°C 7=1741 Tl205.203 separation by e.m. mass separator 7=16924 Ta, 1500-3000°C 7=1489 Thallium compounds Ti alloys, dilation during cycling through  $\alpha - \beta$ Tl bromo-iodide plastic flow obs. 7=11326 Tl-halide-Cs halide solid solns., Tl205 chemical shift transform, 7=7249 TlBr 7=11080 UO<sub>2</sub>, temp. dependence 7=11327 and covalency 7=8340 TlAl(SO<sub>4</sub>)<sub>2</sub>.12H<sub>2</sub>O, e.p.r. of Ti<sup>3+</sup> 7=2217 Tl-Bi-Pb alloy systems, lattice vibrations 7=17543  $\frac{1}{2}$ TlBiS<sub>2</sub> in PbS- $\frac{1}{2}$ TlBiS<sub>2</sub>, continuous series of solid solutions obs. 7=4599 UP, effect of temp. 7=11081 V axes, crystal distortion < 250°K obs. 7=14308 W, Grüneisen const. from room temp. to  $500^\circ\text{C}~7{=}1741$  W,  $1500{-}3000^\circ\text{C}~7{=}1489$  W,  $1300{-}2300^\circ\text{K}$ , by modulation method  $7{=}15971$ TIBr, elastic constants and thermal expansion 7=11080 TIBr, thermoelec. power 7=11579 40% TIBr-60%TII single crysts., photoelec. props. 7=8058 TICl doped with PbCl<sub>2</sub>, thermoelec. power 7=11579 Xe, crystalline, linear coeff. 7=1486 Zn 7=14470 TICL electron-coupled internuclear interactions 7=8341 Zr carbides, nonstoichiometric 7=7502 TIC1 films, structure, electron diffr. study 7=14278 TIC1, luminesc. at 4°K 7=8498Thermal measurement See also Calorimeters; Calorimetry; Conductivity, thermal/measurement; Temperature measurement; TICI two-photon absorption spectrum 7=2346 Vapour pressure measurement. Entries describing measurement methods for specific thermal quantities and effects may also be found listed under the various headings for the subjects concerned. fluxmeter 7=15968 polymer films, by transient heating 7=1473 Tl-In alloy, b. c. c., supercond. transition 7=17908 TI-In alloys, phase diagrams up to 38 kb and 135°C 7=14250 TIN<sub>3</sub>, decomposition, effect of size and orientation 7=2445
TINiF<sub>3</sub>, preparation and ferrimagnetic properties 7=15188
Tl<sub>2</sub>O<sub>3</sub>, new Corundum-structure high-pressure
phases 7=14229
Tl-Pb superconducting mixed state resistance
mechanism 7=17893 TI-S semiconducting liquid alloy, transport processes 7=14074 TISe amorphous films, electron diffr. exam. 7=7299 of radiations. Tl\_SeAs\_Be\_a glass, e.p.r. of Gd3- 7=11703 Tl\_Se. As\_Te\_a, photoconductivity, rel. to fluctuation levels 7=15087 Sublimation; Vaporization. Tl<sub>5</sub>Te<sub>3</sub>, conductivity meas. 7=1842

Thermal conductivity. See Conductivity, thermal.

Thermal decomposition. See Chemical reactions.

Thermal diffusion. See Diffusion in gases/thermal; Diffusion in Electron tubes. Thermionic tubes. See Electron tubes. liquids/thermal. Thermistors. See Semiconducting devices. Thermal diffusion columns. See Diffusion in gases/thermal; Thermochemistry. See Heat of reaction, etc. Isotope separation. Thermocouples Thermal diffusivity. See Conductivity, thermal; Heat conduction. Thermal expansion alkali halide crystals, statistical mech. calc. 7=1484 alkali halides, and ionic charge 7=1485 alkali halides, molten, significant-struct, theory calc. 7=14032 anisotropic solids 7=14470 rel.to atomic vib.amplitudes for cubic solids 7=1490 f.c.c. lattice, with central 2-body interact. 7=1482 graphite, crystal growth with preferential orientation obs. 7=7322 3-20°K 7=9265 Grüneisen constant and interatomic forces 7=4652 +89°C 7=15980 of linear lattice, coeff. using Green's function 7=1481 liquids, coefficient of expansion calc., statistical molecular
thermodynamic treatment 7=17263 measurement, modulation method for metals at high temp. 7=15971 temp. 7=15971
measurement in solids, dilatometer 7=4651
metals, h.c.p., calc. from Morse function 7=1483
metals, linear-lattice diff., rel. to vacancy concn. at
melting point 7=14521
molecular crystals, coefficient, theory 7=14457
naphthalene, expansion at low temp. 7=14469
molecular crystals, deficient, theory 7=14469
molecular crystals, and conductivity, growth obs. 7=7 W-Re, for up to 2600°C 7=9255 reaction; Latent heat. noble gases, solid, and conductivity, growth obs. 7=7332 optical materials for i.r.obs. 7=11128 strain gauge meas. by freezing in gas and liquid 7=14645 Vicalloy types Koerflex 300, 200 and 30 7=7361 Ag-graphite, rel. to sintering 7=17345
Ag, Grüneisen parameters calc. in continuum model 7=14713 Al, rel. to crystal lattice, for vacancy conc. temp. var. obs. 7=14527
Ar, crystalline, linear coeff. 7=1486 Ar, and X-ray lattice const. meas. 7=1418
Au, Grüneisen parameters calc. in continuum model 7=14713

solar furnaces for high-temp. props. 7=2930 spectral energy density distribution of radiation 7=9233 Thermal radiation. See Radiation/heat. Thermal spikes. See Crystal imperfections; Physical effects Thermal transformations. See Boiling; Condensation; Freezing; Heat of transformation; Melting; Phase transformations; Thermionic emission. See Electron emission/thermionic; Ion emission/thermionic; Ionization, surface. Thermionic generators. See Electricity/direct conversion; calibration apparatus for Zn, Sb, Ag and Au points 7=9253 data logging by computer (P.D.P.-8) from on-line thermocouples 7=9252 in furnace on-off control circuit, conversion to porportional operation 7=9261 metals, liquid, surface temp. meas. 7=14076 power generating, Mg<sub>s</sub>Sb<sub>2</sub> and Mg<sub>s</sub>Bi<sub>2</sub> as materials 7=15057 recorder, multi-channel, fast-scanning 7=5743 testers 7=16034 Au-Fe(0.02 at.%) versus Ag-Au(0.37 at.%), calibration Cu-constantan, high press. var. of e. m. f., -196°to Ne triple point calibration apparatus 7=15979 Pt30%Rh-Pt6%Rh, reference tables 7=2942  $\mathrm{Sb_2Te\text{-}Bi_2Te_3}, \mathrm{effect}$  of leg size and mechanical surface treatment 7=11582 W-Re,for nuclear reactor fuel temp, and thermal time const. meas. 7=13654Thermodynamic properties
See also Critical constants, thermal; Entropy; Heat of acids, light and heavy, dissolved in light or heavy water 7=10864 air, subcritical temps. to 1500°K 7=10744 alkali halide binary solid solns. 7=7206 alkali halide crystals containing divalent cation impurities 7=14460 alkali metals, liquid, at high-temps.obs. 7=1139 anharmonic lattices 7=17563 aqueous solns. at high temp. and press. 7=14041 concrete, refractory, neutron irradiation effects obs. 7=4738 constitutive eqns. for deformed isotropic materials 7=5783 cyclohexanethiol, chemical 7=13760

irreversible processes theory, second-law inequality appl. 7=9123

Kelvin and Caratheodory theories reconciliation 7=98

Thermodynamics-contd

laws, use and misuse 7=99

```
Thermodynamic properties-contd
                 diacetylene \Sigma^* modes calc. dihaloboranes calc. 7=10537
                                                                                     7=10528
                 2,4-dimethyl-3-thiapentane, chemical 7=13760
elastic constants, adiabatic isothermal and intermed
press. derivatives 7=17651
                 electron gas potential corrections in compensating
                       field 7=5698
                 Fermi liquid, normal, quasiparticle-ensemble
                        theory 7=12381
                ferromagnets and antiferromagnets, mapping of spin
Hamiltonians 7=11632
fluids, Monte Carlo calc. 7=13949
gas dense mixtures containing one or more quantum gases,
                        prediction 7=6966
                 gas at >2000°K 7=6967
                gases heat of mixing, corresponding states calc. 7=10742 imperfect Bose gas in n dimensions 7=9111 isobaric binary vapour-liquid equilib data treatment 7=17312
                 liquids, basis for Rao's rule 7=4346
                inquids, statistical molecular treatment 7=17263
metal film electrons, oscillations at low temp. and high
press. 7=7755
                 metal film, surface effects rel. to conductivity
                        electrons 7=7805
                 metals, shock compression 7=11263
                quartz, specific heat × thermal cond. × density obs., for
                resistance thermometer substrates 7=7500 semiconductor impurity soln. limits 7=17342 solutions, 'central atoms' theory 7=14456
                superconducting films 7=14461
                superconductor, thermodyn. fluctuations, evidence 7=14912
                vapour, digital computer calc. 7=6968 Ag-Sn alloys, relative of \alpha, \zeta, \epsilon and liquid phases 7=7066
                Al-Cu, Guinier-Preston I zones thermodynamic
                       stability 7=1390
                Ar, solid, free energy of vacancies 7=4685
               Au-Sn alloys, liquid, soln. of Au and Sn 7=4331

CCl<sub>4</sub>, to 750°K and 200 atm. 7=1138

CO<sub>2</sub> + Ar mixture, behind direct shock wave 7=1084

Cd solutions in CdCl<sub>2</sub>, activities and molar volumes
              obs. 7=7067

Cd<sub>2</sub>Cl<sub>2</sub>, from CdCl<sub>2</sub>-Cd solns, props. 7=7067

Cu-Pt, Knudsen effusion obs., 1542°-1673°K 7=10828

Fe-Ni(30 wt.%) ferromag.-paramag, transition on shock compression, calc. 7=18117

FeV<sub>2</sub>O<sub>4</sub>-Fe<sub>3</sub>O<sub>4</sub> solid solutions 7=1468

H liquid, normal and para, calc. 7=1107

H<sub>2</sub>-Ar heat of mixing calc., 169°K, up to 130 atm. 7=10742

H<sub>2</sub>-N<sub>2</sub>, heat of mixing calc., 147°K, up to 130 atm. 7=10741

H<sub>2</sub>-N<sub>3</sub>, heat of mixing, 150°-293°K, up to 130 atm. 7=10741

H<sub>2</sub>-N<sub>3</sub>, heat of mixing, 150°-293°K, up to 130 atm. 7=10741

H<sub>2</sub>-N<sub>3</sub>-Ar heat of mixing 150°-293°K up to 130 atm. 7=10741

130 atm. 7=10741
                       obs. 7=7067
                       130 atm. 7=10741
                H<sub>2</sub>O<sub>2</sub>, retardation pot., torsional vibrs., thermodyn.
               junctions 7=16951

H<sub>2</sub>O-CaCl<sub>2</sub>-MgCl<sub>2</sub> solns. 7=7036
               H<sub>2</sub>O-NaCl-CaCl<sub>2</sub> soln., and activity coeff. 7=7037
He plasma arc, local equil., spectral study 7=6791
               Hg, He, and atoms interaction potential calc. 7=10452
               Hg superconductor, calc. 7=4960
HgCl<sub>2</sub>, saturation functions 298°K to critical
point 7=1190
                Hg-In alloys, liquid and solid 7=10830
               KCl, M-centre formation 7=11212
KMnF<sub>3</sub>,80-300°K range 7=4644
              KMNIP<sub>3</sub>, 30-500 K range (1-10x)

KrF<sub>2</sub>, by harmonic oscillator model 7=10507

MgAl<sub>2</sub>O<sub>4</sub>-Al<sub>2</sub>O<sub>3</sub> solid solution 7=1223

Mg-Pu dilute solns., Pu activity, 650°-800°C 7=4342

N<sub>2</sub>-Ar heat of mixing calc., 169°K, upto 130 atm. 7=10742

N<sub>2</sub>-Ar heat of mixing 150°-293°K up to 130 atm. 7=10741
              ^{\rm NE}_{\rm 3} enthalpy of dissociation 7=16977 Nb, 0-2740 K 7=1469 O solutions in two metals, meas. errors 7=9005
              Pb superconductor, calc. 7=4960
PuN, from e.m.f. meas. 7=2447
Rb-graphite lamellar cpds. 7=7161
             RO-graphite lameliar cpds, '='(161
Sn-rich liquid alloys, rel. to solute-solute inter-
actions 7=7041
U<sub>3</sub>P<sub>4</sub>, from specific heat, 22.5°-349°K 7=7501
U-Zr, γ-phase 7=7492
Zr-F species 7=8521
ZrO<sub>2</sub>-CaO solid solution 7=1223
ZrO<sub>2</sub>-MgO solid solution 7=1223
Thermodynamics
              See also Atmosphere/thermodynamics; Entropy;
Equations of state; Statistical mechanics.
Carnot cycle diagrams 7=97
```

complex temperatures limit and phase transformations picture 7=10887

irreversible, nonlinear, uniqueness theorem 7=12368 irreversible processes, rheology and thermodyn. 7=12329

equilibrium, covariant definition 7=5682 irreversible expansions 7=100

Manley-Row power-freqn.eqns., reversibility 7=12383 melting point, high pressures, prediction with Clapeyron's eqn. 7=7136 nonequilibrium, Onsager relns., general trans-formations 7=12384 paradox of heat conduction theory 7=9240
particles, hidden, relativistic transformation 7=15876 plasmas, bound states, statistical thermodyn. 7=13847 relativistic constitutive eqns. for continuum 7=9073 relativistic transformation laws 7=5671 relativistic, transformations 7=15877 special relativistic, amended 7=9121 teaching demonstration 7=9094 transport processes and thermodynamic equilibrium, erratum 7=12385 applications adiabatic invariance, general physical applicability 7=9122 crystallization pressure, conditions for repulsion of foreign bodies 7=1308 foreign bodies 7-1308
diffusion in solutions near critical point 7-14064
gases entropy maximization for Grad's-type eqns
derivation and relaxation theory 7-17203
gases, irreversible polytropic processes 7-1080
ion-dipole solutions, molecular distribution functions,
stationary conductivity 7-1166
A transitions statistical theory 7-10866
metals, f. c. c., vacancy formation energy and vibr. entropy
calc. 7-4683 nonequilibrium, rel. to transport processes in solids 7=4653 plasma, Saha equation corrections due to interactions 7=6825
point defect-dislocation interactions 7=1531 shock compression of metals 7=1685 shock compression of powders 7=12424 surface phase mixtures and adsorption equilibria thermodynamics 7=4411 surface phase props. of liquid-vapour systems calc. from surface tension 7=4412 thermoelasticity coupled stresses 7=15874 viscoelastic deformations, large 7=9124 He liquid \(\lambda\) transition statistical theory 7=10886 Thermoelasticity ceramic plates, prestressed, strength after nonuniform heating 7=11247 coupled stresses in irreversible thermodynamics theory 7=15874 coupled, Weber's theorem generalization 7=5669 disc circle calc. for step temp. var. with time at edge 7=9069 distortion problems 7=9068 laser fracture prod. in transparent media 7=1695 magnetic, reciprocity theorems for anisotropic conductors 7=5799 plane wave, finite deformation 7=17660 plate, circular, variable thickness, solid, bending 7=5670 polyethylene rods, temp. generated in torsional oscill. 7=17739 reciprocity theorem for wave equations of thermomagneto-elasticity 7=5714 thermoelastic waves, propag. 7=9172 thermoelastic media wave fronts calc. 7=9173 thermoplastics, static moduli, -25 to +100°C 7=17647 SiO<sub>2</sub> film grown on Si substrate, thermal stress and strain obs. 7=17733

Thermoelectric conversion. See Electricity/direct conversion. Thermoelectricity See also Thermocouples.

A 'B'''C<sub>2</sub>'' type cpds. thermoelectric power in solid and liquid state 7=8043 alloying increase of phonon drag due to anisotropy of electron scatt, relax, time 7=11572 antimonides, liquid, meas. 7-4388 conference Washington, D. C., USA, 1966 7=5080 constitutive eqns. for deformed isotropic materials 7=5783 cooling modules, distortion, holographic interferometry 7=11583 d. c. transformer based on thermoelec. effects 7=2989 degradation in naval thermoelec. power devices 7=16029 distribution of current perpendicular to temp. gradient in anisotropic plate 7=11574 dyes. photo-semiconducting, e.m.f. obs. 7=8042 electron-phonon system, quantum and classical variation princs. 7=11573 fabrication of elements and generators, arc-plasma spraying 7=15061 figure of merit, upper limit 7=15048 generators, radioisotope-powered, performance 7=16033 graphite nitrates,  $\gamma$ -transition anomaly rel. to phase boundary carrier scatt. 7=18058

Thermoelectricity-contd

```
Thermoelectricity-contd
             ice, induction method meas. 7=5086 interband transitions effect theory 7: liquid metals and alloys 7=7104
              materials for high-performance generators 7=16030
            measurement in high resistivity materials 7=5081 measurement of tensor component without eddy currents 7=5083

0.85PbTe + 0.15PbS, thermoelectric power, effect of pressure 7=14966
            Peltier cooling, Seebeck effect 7=2023
polaron, small, thermoelect. props. 7=4884
semicond. anisotropic thermoelect. power, theory 7=2016
              in semiconductor plates magnetoresistance size
             effects 7=11495
semiconductors in classically strong mag.field 7=2017
             semiconductors, cyclotron resonance 7=1814
semiconductors efficiency meas. 7=2018
semiconductors, Peltier cooling, Seebeck effect 7=2023
             semiconductors, quantum oscills. in transverse mag. field calc. 7=8041
              semiconductors Seebeek coeff. automatic meas. 7=18056
              semiconductors, thermally stimulated photoelec.
            semiconductors, thermally stimulated photoelec.
currents calc. 7=8047
superconductors, type II, analogues of Ettingshausen and
Peltier effects in mixed state 7=1859
tellurides, liquid, meas. 7=4388
10 liquid metals, absolute thermoelec. power 7=1168
testers for power-generating couples 7=16034
            testers for power-generating couples 7=16034 thermoelectric osmometer calibration, for v.p of solutes in solutions 7=17316

Ag alloys, power at low temps. 7=15049

Ag, effect of Fe impurity on thermopower 7=4657

AgCl, pure, thermopower at low temp. 7=4656

AgCl, pulse meas., 200-300°K 7=2019

Ag-Kr dilute alloys, sp. virtual, bound states into
             Ag-Kr dilute alloys, sp virtual bound states inter-
pretation 7=11575
Ag-Mn dilute alloys, low temp. 7=4655
             AgNO<sub>3</sub>-TINO<sub>3</sub> fused system 7=14118
Ag-Pd, conc.var., 0.1°-4.2°K 7=4897
Ag-Sb alloy, effect of Fe impurity on thermopower 7=4657
              Ag-Se dilute alloys, sp virtual bound states inter-
             pretation 7=11575
Au-Pt alloys, annealed and quenched at low temp. 7=2020
              Bi-alloys, differential thermo-e.m.f. 7=15050
             Bi, magnetic field var., electron state theory 7=18057
Bi, size effect in thermopower 7=2021
             Bi, thin film, meas of thermoelec power 7=5082 Bi-3.5% Pb, plastic deformation effect 7=15051 Bi-Sb(5, 10\%), 0-15 kOe, temp. var. 7=11581
              Bi<sub>1.75</sub>Sb<sub>0.25</sub>Te<sub>3</sub>, Seebeck coeff. and figure of merit 7=8044
             Bi<sub>2</sub>Te<sub>4</sub> cpds., Peltier cooling, devices and theory 7=2023
Bi<sub>2</sub>Te<sub>3</sub>, microsegregation impurity effects obs. 7=4986
C, effect of O<sub>2</sub> chemisorption on T. E. P. 7=11576
            CaWO<sub>4</sub>, impurity effects, no rel. to thermo luminescence 7=18059
CdS, irradiation effects of γ and fast n 7=2027
            CdS, n-type, Seebeck coeff., rel. to transport props. 7=4842
CdSb anisotropy obs. 7=5083
CdSb, thermoelectric eddy currents 7=15052
CoO, single crystal 7=7799
              Cu films, rel. to resistivity 7=7853
             Cu, thermo-e, m.f., influence of plastic deform. 7=15053
Cu<sub>2</sub>Se-Bi<sub>2</sub>Se<sub>3</sub>, figure of merit 7=14216
Fe, magnon drag effect obs. 7=18060
            GaAs, illumination time effects obs. 7=15064
GaSb-GaTe, power 7=1936
GaSb-Ga<sub>2</sub>Te<sub>3</sub>, power 7=1936
Ge, amorphous p-type, thermoelect. power 7=2022
            Ge, amorphous, power, temp. depend. 7=15055
n-Ge at low temps., spin drag component from
magnetoresistance at low temps. 7=4999
Ge, in mag. field 7=5084
            Ge, strained, magnetothermal effects 7=4996
n-Ge, thermal phonon transport 7=11369
Ge, 2000 atm., 120°-280°K 7=18061
GeTe-PbTe 7=5085
            Hg alloys, dilute and liquid, power 7=10866
Hg-In alloys, liquid, under 6000 atm pressure 7=4384
80%InAs-20%AlAs 7=14228
InSb, rel. to mixed mechanism of electron
scatt. 7=17769
            InSb, n-type, power, in strong mag. fields 7=15056
          InSb, n-type, power, in strong mag. fields 7=15056 n-InSb, quantum oscills. in mag. field at liquid He temps. obs. 7=8045 In_Se_3, \( \alpha \)-phase 7=5001 KCl coloured additively, dielec. relax. obs. 7=8008 KCl:SrCl_ coloured additively, dielec. relax. obs. 7=8008 Mg_3Bi_2 for power generating thermocouples 7=15057 Mg_5D2, for power generating thermocouples 7=15057 Mm_xFe_3_O_4, y. Seebeck coeff. meas. 7=11662 Mn_xFe_3_O_4, Seebeck coeff. meas., 20°-600°C 7=11577 MnP, magnetic field var. rel. to ferromag. ordering 7=17981 ordering 7=17981 Mn-Si, new p-type material 7=15059
```

Mn-Si, new p-type material 7=15058

```
Mn<sub>4</sub>(Si<sub>0.995</sub>Ge<sub>0.005</sub>), material for intermediate temps. 7=15058
Ni, diffusion and phonon drag components, 1°-120°K 7=5087
           Ni, interband transitions effect 7=2015

Ni-Cr (0-34 at. %), plastic deformation and heat treatment effects obs. 7=8046

Ni-Cr (23 at. %)-Al(1-7 at. %), plastic deformation and heat treatment effects obs. 7=8046

Ni-Cr (23 at. %)-Mo (1-8 at. %), plastic deformation and heat treatment effects obs. 7=8046

Ni-Cr (23 at. %)-Tl (1-4 at. %), plastic deformation and heat treatment effects obs. 7=8046

Ni-Cu (dilute), diffusion and phonon drag components, 1°-120°K 7=5087

Ni-Cu, interband transitions effect. 7=2015
           Ni, interband transitions effect 7=2015
           Ni-Cu, interband transitions effect 7=2015
           NiO, single crystal 7=7799
           PbS films meas. 7=7956
PbSe films meas. 7=7956
Pb<sub>0.s</sub>Sn<sub>0.5</sub>Te thermoelements, evaporation rate 7=15059
            PbTe, in mag. field, nonparabolicity of cond. band 7=4869
            PbTe, nonparabolicity of valence band 7=11398
            PbTe, selection for high-performance generators 7=16030
PbTe thermoelements, bond degradation 7=15062
            PbTe thermoelements, bonding to electrodes 7=15063
            PbTe thermoelements, dopant concn., activation analysis 7=15060
            PbTe thermoelements, evaporation rate 7=15059
            PbTe-Si-Ge segmented thermoelements, prep. 7=16032
            PuC 7=14967
PuP 7=14967
            PuS 7=14967
           Se, thermo-e.m.f., hexagonal, very pure 7=1500 n-Si, thermal phonon transport 7=11369
           n-Si, thermal phonon transport 7=11369 SiGe-PbTe segmenting for improved efficiency 7=16031 SiO<sub>2</sub>-UO<sub>2</sub> molten system, 300^\circ-700°K meas. 7=17286 SnTe-InTe crystals, thermoelect. power 7=11578 Sr-titanate, meas., 600-1300°C 7=14540 \beta-Ta<sub>2</sub>O<sub>5</sub>, sputtered films, trapping 7=14844 TIBr 7=11579
            TlCl doped with PbCl<sub>2</sub> 7=11579
           UO<sub>2+x</sub> hopping mechanism 7=7966
VO<sub>2</sub> whisker, power 7=11580
Thermoluminescence
           amino acids mechanism obs. 7=11910 biphenol, with anthracene and naphthalene impurities, \gamma-irrad. 7=11922
           qiamonds, X-ray effects obs. 7=11847
glasses, commercial 7=8494
glow curves anal., rel. to trap depths 7=18285
           moon, terminator at dawn 7=15752
organic solids, y-irrad. 7=11922
quartz, Al and Ge impurities, Fourier spectrometer
           obs. 7=18305
Schön's balance equations approx. soln. 7=8464
AgCl/Mn<sup>2*</sup>, after X-ray and u.v. excitation 7=11842
Al<sub>2</sub>O<sub>3</sub> (corundum), 100-650°K 7=5288
           BaF<sub>2</sub>:Y, emission spectra and glow curves 7=11849 CaF<sub>2</sub>:Y, emission spectra and glow curves 7=11849 CaO, pure and rare-earth activated 7=11850 CaTiO<sub>3</sub>. Pr, method for capture levels 7=2371
           \mathrm{CaWO_4}, \mathrm{impurity} effects, no rel.to thermoelec. 7=18059 CdS 7=2372
            KBr, photostimulated, F' traps obs. 7=8485
            KBr-Ag, spectral comp. and emission band intensities 7=8466
            KCl, photostimulated, F' traps obs. 7=8485
            KC1-Ag, spectral comp. and emission band
                  intensities 7=8466
            LiF, activator, heat treatment and X-ray effects
                  obs. 7=2387
           LiF, rel. to defect levels and traps 7=11870

LiF, fading after low-dose irrad. 7=11871

LiF, radiation induced, early fading 7=11872

LiF:Mg, pre-irradiation annealing effects 7=2388

NaCl, activation energy temp. var. obs. 7=5307

NaCl, photostimulated, F' and M' traps obs. 7=8485
            NaI:Sr 7=1638
           SrF<sub>2</sub>:Y, emission spectra and glow curves 7=11849
ZnO, influence of hole traps 7=11885
of ZnS(Cu, Mn) electroluminescence, a. c. elec. field
effect 7=11895
Thermomagnetic effects. See Magnetothermal effects.
Thermometers
                  See also Pyrometers; Thermocouples.
            acoustical, National Bureau of Standards temp. scale 7=9258
            capacitance, for rotator, using ferroelectric above Curie temp. 7=2944
            cryotron relaxation oscillator for liquid He 7=15984
           inert, transfer function and applications 7=148 sonic, for upper atmosphere 7=15549 Si, p-n junctions, low temp. (4-100^{\circ}\text{K}) 7=12477
      resistance
            measurement with Smith bridge 7=149
            radiation losses in transparent thermometer
```

sheaths 7=5740

#### Thermometers-contd

resistance contd

for shock tubes, quartz substrates obs. 7=7500 thermistor integrator, portable 7=9256 in water triple-point cells, packed in ice, illumination

effect 7=5741

C, superheated, temp. jump between He II bath 7=9259 Ge, comparison of eqns., 2-20 K 7=12475

Ge with diffused As for low temps. 7=155 Ge:Ga, for 1.2-4.2 K, calibration 7=156 \(\alpha\)-Mn for low temps. 7=5742 Pb-Cu films, low temperatures 7=14891

Pt, self-balancing bridge 7=9260 Si with diffused B for low temps. 7=155

Thermonuclear devices. See Plasma/devices. Thermonuclear reactions

See also Elements/origin; Nuclear fusion. controlled, and plasma instability 7=16858 ( $e\nu_s$ )( $e\nu_s$ ) rel. to u.v. dwarf stars lifetimes 7=12145 elementary particles, creation and annihilation system 7=10339

explosions, H<sub>2</sub> using T and D tracers 7=18359 explosions, n multiple capture starting from U<sup>258</sup> for prod. nuclei up to A = 257 7=13566

in magnetic mirror calc. 7=6463 neutrino absorption 7=12142 neutron prod., in stars 7=18429

pair annihilation radiative corrections in stars calc. 7=8810

in stars, nuclosynthesis of heavy stable nuclei 7=18410 in stars, appl. to solar  $\nu$  prod. calc. 7=15649 stars  $\beta$ -processes kinetic equilibrium 7=8812 in stars and bombs, synthesis by multiple n capture calcs. 7=12140

in stars evolution from main sequence to He burning for 2.25 M<sub>☉</sub> 7=12139

in stars evolution from main sequence to red giants for  $1, 1.25, 1.5 \, \mathrm{M}_{\odot} \, 7 = 12138$  in stars, neutron prod. processes 7 = 5528

in stars of pure C, vibrational stability rel. to

 $\nu$  losses 7=15677 N burning in stars of 20M $_{\odot}$  calc. 7=5526 N<sup>14</sup>(p,  $\gamma$ )O<sup>15</sup> threshold in stars rel. to level in O<sup>15</sup> 7=12141

Thermopiles. See Thermocouples.

#### Thermostats

See also Cryostats.

for adiabatic mixing calorimeter 7=150 fast changes apparatus for creep tests 7=17667 furnace on-off control circuit using thermocouples, conversion to proportional operation 7=9261 for glass Ni-Fe film substrate 7=1279

for spin-echo experiments 7=16137 with stability of 10-3 deg. C. and temp. range 38-44°C 7=2943 for wires resistivity meas. 7=11419 Theta pinch. See Plasma/confinement.

### Thickness measurement

See also Particle size.

by alpha particles from Am241, dual method with semicond. detector 7=9007

in electron microscope, beam current meas. circuit 7=11028

by electron microscope goniometer 7=1384 element films 50 to 50 000Å, thickness meas. by X-ray fluoresc. anal. 7=10961

films, by  $\beta$ -ray back-scattering 7=17374

films, calibration of quartz crystal oscillator used as sensing device 7=17376

films, checking during evaporation 7=10959 films, during deposition in vacuum 7=17375

films, by electron probe analysis 7=10960 films, monitoring circuit during deposition 7=7265

films, by multiple interference, effect of Ag condensation

coeff. 7=10958
films, by oscillating quartz crystal, condensation effects
obs. 7=7264

films, quartz oscillator and microbalance

comparison 7=17377 films of solids, with quartz crystal microbalance 7=7263

films of solids, with quartz crystal microbalance T=1 glass on  $SIO_2$ , by near i.r. interference T=4485 graphite lamellae, from optical density T=2279 with interference microscope T=12280 metal films on Si, "enlargement" by polishing for microscopy T=17381 metal folls uniformity, by  $\alpha$  absorption and spectrum degradation T=12921

degradation 7=12281

multilayer films, by X-rays 7=14272 optical films, control in evaporation using rotary polarization channeled spectrum 7=5917

rough films, from optical reflection 7=17373
thin film monitor using fibre optics 7=4483
thin films, ellipsometry calc. 7=16275
wire dia. by laser beam diffr. 7=5652
Al foils uniformity, by α absorption and spectrum
degradation 7=12281

Thickness measurement—contd

MgF<sub>2</sub> films on glass, by oscillating quartz crystal, condensation effects obs. 7=7264

ZnS films on glass, by oscillating quartz crystal, condensation effects obs. 7=7264

Thirring model. See Elementary particles; Field theory,

Thixotropy

No entries
Thomas—Fermi method. See Atoms/structure.

Thomson effect. See Thermoelectricity.

in bone, at sub-microgram level, estimate by n activation 7=15832 cathode, dispenser, for electron gun 7=12546 diffusion of C, N and O, prod. by d.c. obs. 7=4677 electrical cond. temp. var. obs., pure 7=14893

electrical cond. temp. var. oos., pure 1=14055 electronic structure from angular correlation of annihilation radiation 7=17861 in natural waters, n activation anal. 7=11981 neutron irrad., Pa<sup>233</sup> separation by adsorption on silicagel in HNO<sub>3</sub>, in conference, Orsay (1965) 7=10884 photonuclear determination in rocks 7=5351

proton fread. at 15 to 70 MeV, Pa prod., in conference, Orsay (1965) 7=10203 superconductivity obs. from specific heat and mag. 7=7918 thoron in atmosphere, decay prod. conc. in surface layer and washout 7=15547

thoron, decay prods. in atmosphere, comparison with radon 7-15544

thoron and radioactive daughters, meas, of diffusion in lower layers of Earth's atmosphere 7=15546

Thorium compounds

thoria, slip and fracture, room-temp. -900°C 7=4805 Th phosphides, Gibbs free energy of formation from e.m.f. meas. 7=2448

Th-rare earth allows elec. cond. temp. var. obs. 7=14893

Th-N system, phase equilibria 7=17367Th<sub>3</sub>N<sub>4</sub>, cryst. struct. 7=4598Th $(NO_3)_2$ , hydrate and anhydrous, i.r. spectra 7=5278

Th<sub>0</sub>N<sub>2</sub>O, phases equilibrated with N, 7=17368 ThO<sub>2</sub> ceramic, emittance, 1200-1600°K 7=11745 ThO<sub>2</sub>, elec. cond., high temp. 7=7965

ThO2, fission fragment damage 7=11222

ThO<sub>2</sub>, fluorescence of trivalent rare earths 7=11848 ThO<sub>2</sub>, lattice dynamics and i.r. dielectric dispersion 7=5279

ThO<sub>2</sub> microspheres prod. 7=802

ThO<sub>2</sub>, phases equilibrated with N<sub>2</sub> 7=17368
ThO<sub>2</sub>, polycryst., creep rate for 1400° to 1800°C and for 4000, 7500 and 11000 psi 7=4806
ThO<sub>2</sub>, single crystal, flux-grown, removal of inclusions by temp. gradient 7=4526

ThO2, single crysts. grown in solar furnace 7=14325 ThO<sub>2</sub>, solid solns. with PaO<sub>2</sub>, in conference, Orsay (1965) 7=11073

ThO<sub>2</sub>-UO<sub>3</sub> microspheres prod. 7=802  ${\rm ThO_2-YO_{1.5}}$ , elec. cond., high temp. 7=7965 ThTi<sub>2</sub>O<sub>6</sub> (brannerite), cryst. struct. 7=7447

um
ion, Tm³\*, luminescence in K-Ba-Si glass, excitation
energy transfer by ions 7=18302
specific heat, 3 to 25°K 7=1476
Tm³\*, in CaF<sub>2</sub>, Fis n.m.r. 28-300°K obs. 7=2232
Tm²\*:CaF<sub>2</sub>, ligand field splitting radial var., covalency
effects calc. 7=7183
Tm²\*:SrF<sub>2</sub>, ligand field splitting radial var., covalency
effects calc. 7=7183

Thulium compounds crystal fields calc. 7=7182

Thunderstorms

See also Lightning. charge separation and related meteorological phenomena 7=15508 downdraughts rainfall evaporation 7=8656

electric potential gradients above thunderstorms 7=8675 electrification mechanism 7=2524

electricity, effect of freezing 7=5377 electrification, and NO<sub>3</sub> in precipitation 7=5378

tornadoes, electric field changes compared with other thunderstorms 7=2523

Thyratrons. See Gas-discharge tubes.

Tides. See Atmosphere/movements; Ionsphere; Oceanography. Time interval measurement

digital converter for nanosec range 7=2760

frequency accuracy of NH<sub>a</sub> maser 7=3112 frequency secondary standard 7=2762 pulse freq. subtraction,ferrite-transistor device 7=2763 pulse vernier chronotron 7=5965

quartz oscillators, temp. compensated, ageing obs. 7=2761 relaxation with "jump", \u03c4-meter adaptation 7=9010 tunnel diode circuit for picosec 7=2759

Cs atomic clock freq. shift by conducting plate confinement search 7=9880 Rb light source spectrum obs. 7=9573

```
Time measurement
```

chronograph, electronic 7=15843 chronograph, electronic in 120040 circuits with tunnel diodes, improvements 7=409 relaxation with "jump", \u03c4-meter adaptation 7=9010 scaler attachment, for intervals 7=15995

alloys of low conc., superconducting critical temps., impurity effects 7=1893

impurity effects 7=1693 atomic K-electrons incoherent y-scatt. at 662keV 7=10415 crystals, scattering factor of (222) forbidden line calc. 7=11057 dendrites, controlled growth 7=14329 diffusion in heterogeneous Sn-Zn alloys 7=7528 diffusion in Sn and in homogeneous Sn-Zn 7=7527 doped, supercond., u. s. studies of energy gap 7=7913 electrical and Hall cond, asymptotes rel. to mag. break-down and Fermi surface 7=17879 electron band model with small empirical

correction 7=17800 emissivity at melting point of solid and liquid obs. 7=14147 Fermi surface, from de Haas-van Alphen effect, white tin 7=1791 films, influence of charge effects on elec. conduc-

tivity 7=1838 high-pressure modification, supercond, and Debye

temp. 7=17921

temp. 7=17821
ion mobility; mechanism in the liquid 7=10868
ionization in K-shell by electrons, 0, 20-2 MeV 7=8085
lattice vibration interpretation of diffuse streak diffraction
patterns 7=1454

liquid, diffusion of impurity atoms 7=10824 liquid, mag. fields and forces in e.m. crystallizer obs. 7=4524

magnetoresistance quantum oscills, obs. of coupled orbits 7=7867 Mössbauer effect of Sm<sup>119m</sup> in Mg<sub>2</sub>Sn<sup>118</sup>O<sub>4</sub> on neutron irradiation, damage due to recoiling Sn119m obs. 7=1577

nucleation of solidifying high purity metal 7=10895 phonon spectrum 7=4625 phonon spectrum calculation 7=14404

photoelectric emission of K shell two electrons, 0.3-1.3 MeV calc. 7=6574 precipitation from Pb-Sn bicrystals, morphology 7=14242

residual resistivity, transition metal impurity effects 7=4899 spectral absorption, 50-500 eV, d-electron photoionization obs. 7=8442

superconducting cylinders, quantized flux obs. 7=1913 superconducting, de Broglie wavelength for drift current

obs. 7=1892 superconducting droplet junctions to Nb, voltage

oscillations rel. to magnetic field 7=11490

superconducting energy gap anisotropy in films, tunnelling obs. ~1.2°K 7=11466 superconducting film constrictions, burst effect due to vortex motion obs. 7=4978

superconducting film, mag. props., torque meas. 7=1894 superconducting films, geometrical resonance effect 7=1897

superconducting films, mag.props. 7=11482 superconducting films, microwave transmission and reflection obs. 7=4965

superconducting films, type I, parallel critical fields calc. 7=1895

superconducting, flux transport across film carrying d.c. in alternating pulsed mag.fields obs. 7=17920 superconducting, n. m. r. and spin-reversing scatt.

obs. 7=11483
superconducting, parametric amplification and oscillations 7=7922

superconducting, superheating and supercooling fields of spheres obs. 7=17919 superconducting thin film junction, anomalous Josephson current 7=11491 in superconducting tunnelling junctions, capacity, tempand mag. field depend. 7=4972

superconducting, ultrasonic attenuation, strain and impurities effects 7=11481 superconducting whiskers, transition temp. and resist., uniaxial tension effect 7=7915 superconductor, narrow thin-film, critical currents 7=7914

surface supercond induced by elec. field, search 7=17880 surface tension, solid, calc. near melting point 7=11322 ultrasonic magnetoacoustic attenuation, circularly polarized 7=4642

ultrasound absorption, freq. dependence 7=7490 white, supercond., anisotropic energy gap 7=14929  $\beta$ -Sn, press. dependence of Knight shift 7=8339  $\mathrm{Sn^{119}}$  isomer shift in Pd-H, Pd-Ag, composition var.

obs. 7=7199 Sn<sup>119</sup> in Cu<sub>2</sub>MnSn, mag.field strengths 7=8162 Sn-SnO<sub>x</sub>-Sn Josephson junction, tunnelling transitions 7=1914

Tin compounds

Mössbauer effect meas., vibration errors calc. 7=1218 rare-earth cpds., D8<sub>8</sub> phases 7=17517 superconducting alloys, type II, microwave surface resistance 7=4964

resistance r=4504 Sn-rich alloys, heats of solution of Au and In 7=7041 Sn-Be(1 wt.%), superplasticity at 22°C 7=11321 Sn-Bi, molten, heat of soln. of Au, meas. 7=4332 Sn-Bi superconducting films penetration depths, size

effects obs. 7=4963 Sn-Bi (5%) superplasticity origin 7=14760

SnCl, chemiluminescent emission spectra 7=10523 SnCl<sub>2</sub>, chemiluminescent emission spectra 7=10523 SnCl<sub>2</sub> chemiluminescent emission spectra 7=10523
SnH<sub>4</sub> and SnD<sub>4</sub>, absolute i.r. intensities 7=13751
SnO<sub>2</sub> adsorpt of H<sub>2</sub>O vapour 7=17402
SnO<sub>2</sub>, e.s.r. during reduction 6=2216
SnO<sub>2</sub> film, deposition by reactive sputtering of
Sn by O<sub>2</sub> 7=11938
SnO<sub>2</sub>, optical absorption spectrum, exciton structure 7=2345
SnO<sub>2</sub>: Cr<sup>3\*</sup>, e.p.r. and optical spectra, heat treatment
effects 7=18162
Sn-Ph. self-diffusion in liquid obs. 7=7061

Sn-Pb, self-diffusion in liquid obs. 7=7061 Sn-Sb, self-diffusion in liquid obs. 7=7061

Sn-Sb(5%) superconductor, hysteretic, flux retention

processes 7=1881 SnTe, Burstein shift of fundamental absorption edge 7=5276

SnTe, electron band struct., tunneling obs. 7=17798 SnTe, ferroelectric 7=2007

SnTe films prep., controlled carrier conc. 7=1271 SnTe, forbidden energy band 7=14843

p-SnTe Hall coeff., nonellipsoidal nonparabolic band model calc. 7=7927

SnTe, optical constants, near fundamental absorption edge 7=5275

SnTe, optical consts. in i.r. obs. 7=18266 p-SnTe, Shubnikov-de Haas oscills. obs. of Fermi surface 7=17987

SnTe spectral absorption, 50-500 eV, d-electron photo-ionization obs. 7=8442 SnTe, supercond., critical mag. fields 7=4962

 $\mathrm{Sn}_{\mathrm{1-x}}\mathrm{Te}$  superconductivity with high carrier concsobs.  $7\mathrm{=}4966$ 

Sn-Tl alloys, phase diagram 7=14248 Sn-Zn, heterogeneous alloys, diffusion of Sn and Zn 7=7528 Sn-Zn homogeneous alloys, diffusion of Sn and Zn 7=7527 Sn-Zn, self-diffusion in liquid obs. 7=7061

Sn3+:ZnS, photosensitive e.s.r. 7=15248

Titanium

adsorption and desorption of inert gas ions 7=4495 alloys,  $\alpha$ - and  $\beta$ -phase epitaxial boundaries obs. 7=1617 compressive strain-rate tests, 10-3-10-4 in./in./sec. 7=11270

elastic deformations distribution 7=1742 electrical resistance of films, Ar ion effects 7=1841 electron microscope exam., foils preparation by electropolishing 7=10971

getter pump, high vacuum 7=10762 Hall effect, orientation depend. 7=4906 inert gas ions adsorption on constantly renewed surface 7=17408

K-emission and absorption spectra obs. 7=8443 optical emissivity, 1100°K to m. p. 7=8444 outer energy bands,  $K\beta_s$  emission and K-absorpt.

edge 7=14822 plasma source, with magnetic field, strong, effect 7=6920 preparation for transmission electron microscopy 7=7448

resistance minimum due to dilute transition metal impurities 7=14875 slip dislocation mechanisms, 0° to >400°K 7=11324

sputtering by Cs ions 7=17638 textured sheet, yielding and plastic deformation 7=14762 thermite reaction 7=5327

yield stress, temp. depend., in  $\alpha$ -phase meas. 7=17736 yielding and flow of α-phase, rate-controlling mechanism 7=4807

 $\rm H_{1}^{+}$  sputtering and implantation at 35 keV  $\,7{=}14293$ Ti3+, e.p.r. in TlAl(SO<sub>4</sub>)<sub>2</sub>. 12H<sub>2</sub>O 7=2217

Titanium compounds

alloys electron microscope exam., foils preparation by electropolishing 7=10971 alloys, h.c.p., superconducting transition anomalies obs. 7=1901

alloys, h.c.p., yielding and plastic deformation 7=14762  $\alpha$ - $\beta$  transform., thermal dilation 7=7249 oxidation rel. to oxide crystal growth 7=8546

oxidation ref. to oxide crystal growth 7=0340
perovskites, far i.r. reflectance and dielec.
dispersion 7=2281
rutile, Cr-doped, for microwave maser 7=3114
rutile, Cr-doped, microwave maser, gain characts. 7=12594

rutile, fine struct in electron diffr. pattern 7=11026 rutile, O-deficient, crystal imperfection structure of foils obs. by electron diffraction microscope 7=1529 stress-corrosion cracking 7=17696

O3, atmospheric transport processes 7=15485

```
Physics Abstracts 1967 - Part I (Jan.-June)
                                                                                                                                                                                                         SUBJECT INDEX
 Titanium compounds-contd
                                                                                                                                          Transducers. See Acoustic transducers.
Transformations. See Phase transformations.
           β-Ti alloy, structure influence on resistance to crack
propag. 7=11325
            propag. 7=11325
Ti alloy (TS6), effect of plastic deformation 7=14763
                                                                                                                                          Transformations, mathematical
                                                                                                                                                     angular momentum transformation matrix elements 7=2798
            Ti alloy VT 5, elastic microstrains, correlation functions 7=4808
                                                                                                                                                     classical canonical, without Hamilton's principle 7=2767
                                                                                                                                                     classical rotation operator use in quantum mechanics 7=12760
           functions 7=4808

Ti magnetites, saturation magnetization and Curie point rel. to chemism 7=11658

Ti-Ag electron probe microanalysis, resolution improvement by specimen current method 7=15455

TiBr<sub>4</sub>, vapour press. 7=14163

TiC, elastic props. at 4.2°-298°K, rel. to electronic structure 7=1744
                                                                                                                                                     Hankel, complex, rel. to optical systems 7=16234
                                                                                                                                                     Laplace, Abelian and Tauberian theorems 7=5655
                                                                                                                                                     Laplace transforms, inversion, and radiative
                                                                                                                                                          transfer 7=5703
                                                                                                                                                     non-linear systems, iterative method 7=15848
Proca-type system of partial differential eqns.
            TiC, electrical resistivity, neutron irradiated 7=7868
                                                                                                                                                     Riccati transformation, alternative to invariant
           TiC<sub>s</sub>(x=0.82-0.96), Hall effect 7=17989
TiCl<sub>4</sub>, molec.struct.by gas diffr. 7=6701
Ti-Cr, superconductivity rel.to phase transforms 7=1900
                                                                                                                                                           imbedding 7=2794
                                                                                                                                          variance-convariance tensors 7=7373
Transistors. See Semiconducting devices/transistors.
            TiCr<sub>2</sub>Te<sub>4</sub>, ferromag. order obs. at 4.2°K 7=5166
Ti-Mo alloy, Pauli-paramag, supercond, from specific
heat meas. 7=14925
                                                                                                                                          Transition metals
                                                                                                                                                     atoms, three-body model interactions 7=10427 b.c.c., structure of conduction bands 7=7801
            Ti-16at. % Mo, specific heat and magnetization 7=17923
TiN containing excess N, bonding, lattice parameter
and defects 7=10909
                                                                                                                                                     electron interactions from supercond.obs. 7=4850
electron-phonon interactions, Bardean-Pines
generalization 7=7767
electron s-p and d bands in transition and noble metals,
interaction interpolation 7=14815
            {
m TiN_{1-x}}, supercond. crit. temp. meas. 7=4 TiNb diffusion, anodizing meas. 7=7530
           Tino diffusion, anodizing meas. 7=1030
Ti-O(40 at.%), ordering in foils, electron diffr.obs. 7=1436
aTi-O interstice lattice stacking faults obs. 7=14612
TiO, superconducting transition temp.obs. 7=4944
Ti-O system, Magneli phases, mag. susceptibility
                                                                                                                                                     electron states partial sum rules 7=14816
                                                                                                                                                     electron states s-d interaction model Hamiltonian
                                                                                                                                                           form. 7=14817
                                                                                                                                                     d-electrons, mag. behaviour in alloys "=8102 ferromagnetic, n.m. relax., itinerant electron contrib. 7=5204
                 meas. 7=18153
            TiO<sub>2</sub>, adsorpt, of H<sub>2</sub>O vapour 7=17402
TiO<sub>2</sub>, bare and SiO<sub>2</sub> coated, heats of immersion and water
sorption 7=8557
                                                                                                                                                    contrib. 7-5204
first group, X-ray spectra, 13-22Å 7=11741
ions in soln., e. s. r. linewidths 7=7113
liquids electron states density calc. 7=10803
mag. props. of metals and alloys, unconventional 7=8094
optical absorption of ions in octahedral environment,
temp. var. calc. 7=8445
specific heat at low temps. 7=11126
therminity emission and work function 7, 5105
            TiO2, bulk, thinning by Ar ion bombardment 7=4534
            TiO2 ceramic surface sparks in Ar and Xe, as
                 light source 7=9574
           TiO<sub>2</sub>, colour centres on surface, due to adsorbed mols. 7=4726
                                                                                                                                                    specific heat at low temps. 7=11126 thermionic emission and work function 7=5105 in Al as impurities, effects on residual resistivity 7=4899 in \alpha-Fe, binary, effect on lattice parameters and solubility limits 7=17504 in In as impurities, effects on residual resistivity 7=4899 in n-Si, effect on lifetime of minority carriers 7=14807 in Sana impurities, effects on residual resistivity 7=4809 in n-Si, effect on lifetime of minority carriers 7=14807
            TiO<sub>2</sub>, conductivity mechanism 7=14809
            TiO2, Cr paramagnetic relaxation mechanism 7=2196
            TiO2, electroabsorption obs. rel. to dichroic nature
            at absorption edge 7=11808 TiO _{\rm 2}, electroluminescence and photoresponse obs. 7=8495
            TiO<sub>2</sub> films, vapour growth and electron states 7=1345
                                                                                                                                                     in Sn as impurities, effects on residual resistivity 7=4899
            TiO2, mass spectra of evap. products 7=6819
                                                                                                                                                     in Zn as impurities, effects on residual resistivity 7=4899
            TiO2, negative differential resistance due to micro-

    TiO<sub>2</sub>, negative differential resistance due to microheating obs. 7=7954
    TiO<sub>2</sub>, paramag. susceptibility of trivalent Fe ion, ionic conc. effect obs. 7=5130
    TiO<sub>2</sub>, polaron and effective masses 7=4876
    TiO<sub>2</sub>, Raman spectra 7=18270
    TiO<sub>2</sub>, reduced, generation recombination noise 7=1955

                                                                                                                                          Transition metal compounds
                                                                                                                                                    alloys b.c.c. applicability of rigid model for 3d band by
                                                                                                                                                     specific heat 7=17821
alloys, mag. struct. 7=2142
                                                                                                                                                     alloys, sp. ht. at low temps. 7=11126
borides, electronic structure, resistivities and mag.
props. 7=7802
           TiO<sub>2</sub>, reduced and Li-doped, electron mobility and donor centres 7=4849
TiO<sub>2</sub> rutile, Fe doped, travelling-wave 8 mm maser 7=12596
TiO<sub>2</sub> rutile), Nb-doped, semicond, props. 7=14971
TiO<sub>2</sub>, s<sub>5-1,20</sub>, bonds, X-ray K spectra obs. 7=17323
                                                                                                                                                    chalcogenides order and disorder 7=1437
chalcogenides, phase transitions 7=4478
diborides-HfB<sub>2</sub> systems 7=10932
dithiocarbamates, photo-e. m. f. and electronic
spectra 7=2048
           Ti_{2}O_{3}, semicond. to metal transition, mag. props. 7=5011 Ti_{3}O_{5}, semicond. to metal transition, mag. props. 7=5011 Ti_{6}O_{5}, interstitial superlattice and transformation,
                                                                                                                                                     metal atom clusters, electron in box theory 7=10472
                                                                                                                                                    thermionic emission and work function 7=5105 transition metal-its oxide-metal junction tunneling
           Ti<sub>2</sub>O, interstitial superlattice and transformation, obs. 7=11160
TiO<sub>2</sub>:Cr<sup>3+</sup> travelling-wave maser amplifier 7=16143
TiO<sub>2</sub>:Fe<sup>3+</sup>, for 8mm maser 7=3113
Ti-Se vaporization gas products obs. 7=7163
Ti-V alloys, experimental upper critical field 7=14926
Ti-V superconducting upper critical field temp.var., obs.rel. to theory 7=7904
                                                                                                                                                          anomalies at zero-bias, exchange model 7=18022
                                                                                                                                          Transmission
                                                                                                                                                    semiconductors, influence of uniaxial press. meas. device 7=8349
                                                                                                                                               acoustic waves
                                                                                                                                                         See also Acoustic wave propagation.
                                                                                                                                                    in crystals, rel. to acoustic activity 7= cylindrical closed shell calc. 7=9203
Ti-V-Fe, n.m.r. and low temp. specific heat 7=15281 Torquemeters. See Mechanical measurement.
                                                                                                                                                                                                                       7=1456
                                                                                                                                                    deep-water paths near Cyprus, diffr. effects 7=15468
                                                                                                                                                    by double wall, of random sound 7=2914
                See also Elastic constants; Stress analysis.
                                                                                                                                                    floors, impact-noise rating, female footfall data 7=15953
           bar under bending, optimum cross-section design 7=2812
                                                                                                                                                    measurement of loss, effect of filter bandwidth and attenuation obs. 7=5727
           buckling of columns restrained at finite intervals 7=11240
           circular cylinder, nonhomogeneous, rigid spherical
inclusion 7=2813
                                                                                                                                                    partitions, static and dynamic transmission losses 7=12440
          polyethylene rods, temp. generated in torsional oscill. 7=17739 recovery of wires, effect of metallic coatings 7=7650 thermoplastics, static moduli meas. -25 to +100°C 7=17647
                                                                                                                                                    polyethylene, depend-on temp, cyclic cooling and
heating 7=11345
                                                                                                                                                    through polyurethane sandwich constructions 7=9201 tubes, non-axial mode effects 7=9202 LiNbO<sub>3</sub>, longit, attenuation 7=1464 LiNbO<sub>3</sub>, at microwave freqs. 7=1463
           Al alloys, yield strength at high strains by torsion tests 7=7681
                                                                                                                                                     YFe garnet, echo pulses, nonlinear 7=18142
            Al, plastic deformation 7=11267
                                                                                                                                               acoustic waves, ultrasonic
                                                                                                                                                    LiF, 0.5 to 2.5 kMc/s, anisotropy 7=17716
Ni, peak in attenuation with const. stress and varying
Total cross-sections. See under individual particles, no sub-
     heading.
Townsend coefficient. See Ionization/gases.
                                                                                                                                                          mag. field 7=7486
Tracers
                                                                                                                                               electromagnetic waves. See Electromagnetic wave
                See also Radioactive tracers; Radiochemistry.
                                                                                                                                                    propagation.
          D in atmospheric H_2 7=18359
D in atmospheric H_2 7=18360
                                                                                                                                                          See also Absorption/light; Filters, optical.
                                                                                                                                                    gases, inhomogeneous, i.r., Curtis-Godson approx.
test 7=4294
           ozone, Southern Hemisphere atmospheric transfer 7=18362
          T in atmospheric H<sub>2</sub> 7=18359
T in atmospheric H<sub>2</sub> 7=18360
volcanic dust, Southern Hemisphere atmospheric
transfer 7=18362
                                                                                                                                                     laser beam in atmosphere spectrum, wavelength depend. 7=15521
```

liquid crystal, second harmonic generation, direct obs. 7=17270

```
SUBJECT INDEX
    Transmission-contd
            light-contd
                  liquids, nonlinear, four-photon interaction
process 7=3274
                  metal films, rel. to ν and χ indices calc. 7=2259 nonlinear, sum-frequency experiments with incoherent light 7=12678
                 optical consts. determ., graphical method 7=9602 organic dye solns., effect of laser radiation 7=1144 perovskites, far i.r. 7=2281
                   semiconductors and effect of uniaxial press. meas. 7=8349
                  semiconductors and insulators coefficients, absolute meas.
                  method 7=2261
through electro-optic digital deflector 7=3228
                   through electrospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherospherosph
                   Al films data, 1-6500A 7=8371
                  CO2 inhomogeneous vapour in i.r., Curtis-Godson approx.
                         test 7=4294
                  CS<sub>2</sub>, laser light 7=1147
                  CdTe, as i.r. material .7=2292
                  GaAs, nonlinearities due to mobile carriers, meas. 7=5262
                  GaP, mixing of visible and near-resonance i.r.,
                           obs. 7=8395
                GeSeTe, i.r., glass 7=15328

H<sub>2</sub>O inhomogeneous vapour in i.r., Curtis-Godson approx.test 7=4294

In films obs. 7=11776
                InAs, nonlinearities due to mobile carriers, meas. 7=5262 InSb, nonlinearities due to mobile carriers, meas. 7=5262 InSb, 2-25\,\mu, 130^\circ-550^\circK 7=1785
                 LaF<sub>3</sub> films, e-irradiation var., 2200-9000Å 7=15337
PbS films, 1-5 eV 7=15346
                 PbTe, nonlinearities due to mobile carriers, meas. 7=5262 SiO<sub>2</sub>, fused, at high temperatures 7=2338
                  VO2, i. r. above and below transition temp. 7=11811
Transmission lines, r.f. See Electromagnetic wave propagation/
Transparency
                See also Optical constants; Transmission/light. films, semitransparent, Fresnel diffraction by slits 7=3268
                partial, use of plates to increase contrast 7=3217 AgBr in gelatine sols., 0.4-1.2\mu 7=7128 ZnS:Co<sup>2+</sup>, ruby laser irradiation increase 7=18276
Transport processes
               See also Diffusion; Kinetic theory; Liquids/theory;
Radiative transfer; Solids/theory; Statistical mechanics.
adsorbed molecules, surface transport, mechanistic
model, and expts. 7=4489
               model, and expls. 1=4405
air-glass 30\mu beads suspension flow in elec. field, particle
transport obs. 7=10873
anisotropic theory, singular eigenfunction expansion 7=2864
Boltzmann eqn., alternative derivation 7=2863
Boltzmann eqn. mag. corrections 7=75702
               Boltzmann eqn., soln. for electrons in crystals 7=4885
Boltzmann equation collision term, statistical
models 7=4289
               Boltzmann-equation, quantum mechanical extension 7=9132
Boltzmann equation, relativistic, geometrical aspect 7=102
Boltzmann gas, propag, of correls. 7=12388
               Boltzmann operator, linear, symmetry properties as
differential-operator expansion 7-15914
circular orifice in plane diaphragm, size effect of
resistance 7-9141
              coefficients and B-B-G-K-Y hierarchy resolution 7=4299 coefficients near critical point, correlation function
                        approach 7=1124
               coefficients, nonpower density expansion 7=4300 collision frequencies and energy transfer 7=10754 in conductors in magnetic fields 7=7751
               convergence problem of variational technique, appl.
              of local potential 7=9125
dense fluids, theory 7=17213
dense fluids, van der Waals theory 7=1047
dense gas of perfectly rough spheres 7=6975
               electrical conductivity, temp. dependence, theory 7=9324
             electron, below 16 MeV, review 7=16525
energy transfer and collision frequencies, ions 7=10755
fluids at high press. 7=14047
               Fokker-Planck eqn. with discontinuous coeffs. 7=9134
             gas-solid suspension flow in elec. field, particle
transport obs. 7=10873
gases, dilute polar, props from potential energy
function 7=17214
             generalized master equation, derivation 7=9128
generalized master eqns. "memory" props. 7=9129
half-space with anisotropic scatt., bi-orthogonality
rels. appl. 7=9138
             half-space one-speed time-independent solns. 7=9139 integrals tables 7=5701
```

kinetic models with velocity-dependent collision freq. 7=10730

```
Transport processes-contd
           Landau theory, nonequil., Green's function method 7=9135
linear Boltzmann eqn. perturbation terms closed
form 7=12386
          liquid solutions with intermediate type of bond, by
Onsager method 7=14038
macroscopic transport eqns., generalized 2nd-order 7=101
mass with heat, integral eqn. soln. by successive
approx. 7=12389
           mass transfer from sphere in acoustic field 7=15916
          mass trainer from sphere in acoustic field 7=159 master equation application to acousto-optical phenomena 7=2862 metals magnetic impurities theory review 7=4831 microscopic, in liquids, review 7=7043
           Monte Carlo, adjoint problems and importance
functions 7=16741
Monte Carlo, some flux estimators, variance 7=15917
           multi-dimensional spherical harmonics method,
               vacuum boundary conditions 7=6466
          neutron, invariant imbedding method for deep
               penentration 7=16625
          neutron, one-velocity, slab geom., transfer matrix 7=16868
one-particle Pauli master eqn. 7=9130
p-H, gaseous and liquid, from Enskog theory 7=4333
           partially ionized medium in plane channel 7=16091
           Pauli master eqn. for one-particle density
          Pauli master eqn. for one-particle density matrix 7=9131 plasmas, low-energy, calc. 7=993 polar gases, electric field effect 7=10751 polyatomic fluids 7=6975
          Prigogine operator, steady-state, and T-matrix 7=15913 quadrupolar gases 7=10752
          quantum, in high mag. fields, review 7=17744
          real time quantities, nonequil., variational approach 7=9126
          review of recent developments 7=9127 separation cascade transformation theory 7=104
          slab eqn. approxs. relaxation lengths reality 7=9140
          space-time symmetry restrictions on coeffs., two
theories compared 7=14164
spherical harmonics expansion truncation 7=9136
superconductors, two fluid model microscopic
derivation 7=7877
          and thermodynamic equilibrium, erratum 7=12385
          three-body interaction N hard sphere approach 7=1090 time correlation functions, non-Markov kinetic
               eqn. 7=15915
           two-dimensional gas, divergence in density expansion of coefficients 7=2865
          X-ray, approximate theory 7=12967
          O<sub>3</sub>, atmospheric 7=15485
Trapped free radicals. See Free radicals.
Traps. See Crystal electron states; Crystal imperfections;
     Semiconductors.
Travelling wave tubes. See Electron tubes.
Triboelectric emission. See Electron emission.
Triboelectricity
          glass, for surface meas. 7=7258
Triboluminescence. See Luminescence.
Trions (He3, H3). See Alpha-particles and helium nuclei;
     Tritons
Triple point. See Critical constants, thermal.
Tritium
         analysis in H2O at low levels 7=5353
          atmospheric, post 1960 increase 7=8685
         atoms, exchange reactions with \rm H_2, D_2 and \rm HD 7=11926 diffusion from neutron irrad. LiF 7=7521
         diffusion, solubility and permeation in stainless steels, 80°C 7=1513
          exchange with HD at high kinetic energies 7=15411
         exchange with HD at high kinetic energies 7=15411 hot-atom reactions with H<sub>2</sub> and D<sub>2</sub> 7=8586 radioactivity gauge for H<sub>2</sub>O vapour pres. meas. 7=7157 tracer in atmospheric H<sub>2</sub>, 7=18360 tracer in atmospheric H<sub>2</sub> from thermonuclear explosions 7=18359

T + SiH<sub>4</sub>, recoil reaction 7=11966
Tritium compounds. See Hydrogen compounds.
Tritons
              See also Nuclear reactions due to/tritons.
         accelerator, radiation protection 7=9720
D-T and D-D reactions, neutron yields obs. 7=622
d+t,n prod. energy spread corr. to Mg<sup>25</sup> level widths calc. from Si<sup>26</sup>(n, α) 7=13258
electron scattering rel. to neutron form factors 7=3527
         energy spectra from Pb204,206,207,208(p,t) reaction
              obs. 7=13435
         ground state with separable nonlocal interaction with hard
              shell repulsion 7=16656
         photodisintegration, role of interacts, between final state nucleons 7=6266
         plastic phosphor scintillation counting 7=13119 production by p on C, Al and Fe, 130-660 MeV 7=10244
         scintillation counter, liquid, glass vessels with roughened surface 7=10173
         three-nucleon, angular functions 7=6265
```

#### Tritons-contd

wave functions, form factors and binding energy calc. 7=13116 Al<sup>27</sup> elastic scatt., 12 MeV 7=13582 Ca<sup>40</sup> elastic scatt., 12 MeV 7=13582 Cu<sup>63,65</sup>(d,t), spectra 7=10301 H³ e.m. form factors with realistic potentials 7=13115 H³, ground state, complete, variational wave function 7=623 H<sup>3</sup>(n,d)nn, final state interaction, 14.4 MeV n 7=13123 H<sup>3</sup> and He<sup>3</sup> mass difference and Coulomb energy 7=13120 He<sup>3</sup>(d,n)He<sup>4</sup>, 14 MeV n associated particle counting meas. 7=3677

 $H_{\Lambda}^{a}$  lifetime calc., to explain large obs. value  $~7{=}10088$  Mg  $^{24,28,26}$  elastic scatt., 12 MeV  $~7{=}13582$ 

Ni(\gamma, t), yields, 36.2 and 49.2 MeV 7=13388 Ole scattering, inelastic 7=10306 Ole (t, p)Ole, differential cross section absolute value 7=13593

Value (=1505)
Pb(γ,t), yields, 36.2 and 49.2 MeV 7=13398
Pb<sup>260</sup>(t, p)Pb<sup>260</sup>, ang, distrib. and intensities of final states below 4 MeV obs. 7=13601
Sb<sup>121,123</sup>(d,t) reactions, spectra 7=10304

T(d, n)He<sup>4</sup>, low energy 7=13117 T(p, n)He<sup>3</sup> up to 1.4 MeV, hence He<sup>3</sup>(n, p)T, 5-300 keV 7=13118 Tl<sup>46</sup>(t, p)Tl<sup>16</sup>, energy levels obs. 7=13597 Tl<sup>46</sup>(t, p)Tl<sup>50</sup>, energy levels obs. 7=13597

from U235 fission yield and energy spectrum obs. 7=3970

#### Troposphere. See Atmosphere. Tungsten

adsorption of CO on (100) surface 7=10981 adsorption and field emission of W 7=14298 adsorption of H2 on oriented cryst. surfaces adsorption of K, effect of elec. field 7=1291 adsorption of K and field emission 7=14300 adsorption of Li on oxygen-coated crystals 7=14299 adsorption of N<sub>2</sub> and N<sub>2</sub>+CO on (100) surface 7=10982 adsorption of O and CO on (110) surface, low-energy electron diffr.obs. 7=1288 adsorption of O on oriented surfaces 7=1292 adsorption of O<sub>2</sub>, mass spectrometry 7=11941 adsorption of Si in field emission microscope 7=14302 with alkaline-earth metal film, adsorption and electron emission 7=5107 anisotropy of reluctance in high effective fields 7=15111

anisotropy of reluctance in high effective fields 7=151 arc-cast, creep, first-stages, eqns. 7=7653 boundaries, observations 7=14352 bulk modulus relation and Grüneisen const. from room temp. to 500°C 7=1741 catalytic decomp. of NH<sub>3</sub> 7=2463 chemical analysis by Wls(n, y)Wlssm in reactor, lack of utility without Wlss enrichment 7=10277 chemisorbed  $\beta$ -phase N<sub>2</sub> 7=11940 chemisorption of H on (100) surface 7=2462

chemisorption of H on (100) surface 7=2462 chemisorption of NO 7=2461 chemisorption of O<sub>2</sub> and oxidation 7=15433 clean or Zr-O coated, field electron emission 7=8069 coadsorption of O and CO on (110) surface 7=1290 creep, combined first and second stage eqns. tested 7=11330

crystal surfaces, C impurity crystallisation, electron and ion microscope examination 7=1575 deposition from W mesh heater above 2450°K 7=4422

desorption of H<sub>2</sub>O, CO, CO<sub>2</sub> by giant pulse laser obs. 7=17409 deuteron-irrad., 13 MeV near 80°K, effect on internal friction and modulus 7=11328

dislocation voids on n-irradiation obs. by field

ion microscope 7=17617 displacement spikes 7=1540

elastic consts. of third order, u. s. velo. under stress obs. 7=11298

electrical breakdown of wire, m.h.d. instabilities obs. 7=965 electrical resist. of lattice defects, low temp. 7=14598 electrical resist. of lattice defects, low temp. 7=14599 energy losses, temp. dependence 7=1819

f.c.c. films prod. by sputtering, f.c.c. → b.c.c. ~700°C 7=14279

filaments, single crystal, spark erosion fabrication 7=7336 films, adsorption of Kr and Xe 7=17407 grain-size effect on tensile and creep props. 7=7739

homogeneous, particle pair dispersion theory 7=4277 hot surface, interaction of O<sub>2</sub> 7=2457 interaction with B surface deposit 7=2438

metals evaporative lifetimes on W and oxygenated W, 1250°-1750°K 7=1200

morphology and texture of deposit from carbonyl decomposition 7=7364 n and fission fragment irrad., defect clusters

formed 7=14542 (110) surface, O structures 7=10983 oxidation, high temp. 7=15429

 $\begin{array}{c} \textbf{Tungsten-} contd \\ oxidation \ and \ mechanical \ performance \ at \ high \ temps. \\ and \ pressures \quad 7 = 7738 \end{array}$ 

plasma, formed by laser pulse, meas. 7=13843 plastic deformation, 77° 450° K, meas and analysis 7=4809 point defects energy and migration, computer calc. 7=1538 proportional limit stresses for (100) and (110) orientations obs. 7=7740

recoiled into Fe, Ni and Co, mag. hyperfine field 7=8167 rupture, cleavage fracture and crack nucleation meas. 7=481 0

thermal conductivity, 1500-3000°K 7=14477 thermal desorption of inert gases 7=1289 thermal expansion, 1300-2300°K, by modulation method 7=15971

method 7=15971
thermal expansion, 1500-3000°C 7=1489
trapping and thermal re-emission of He',
polycrystalline 7=11613
whisker growth in Ar 7=1352
wires, explosions in air and vacuum 7=9182
work function, anomalous, of (110) plane 7=8065
work function reduced by alloying with Hf 7=8067
work function of single crystals obs. 7=11603
work functions of faces, Cs adsorption effects obs. 7=8066
C solubility 7-7208

C solubility 7=7208 Cs adsorption, field emission data 7=4491 Cs coated, work function calc. 7=2054

Ge on, adsorption and electron emission 7=5111 Ge on, assorption and electron emission 7=5119 with La adsorbed layer, electron emission 7=5109 Li sorption, field emission projector obs. 7=7295 N adsorption on (113) plane 7=14301 Si adsorption on W, field electron microscope obs. 7=7296 W  $^{188}$  n, m, r. transients in  $\mathrm{Na_xWO_3}$ ,  $1-4^{\circ}\mathrm{K}$ , rel. to cond. band 7=7797

#### Tungsten compounds

alkali tungstates, glass-forming critical cooling rate 7=14305 tungstate, Tm³\* fluorescence excitations rel. to energy transfer from Yb³\* to Tm³\* 7=8499

tungstosilicic acid-NaCl-H2O, turbidity and activity data 7=1120

W borides in B fibres, cryst. structure 7=14356 W-Ba cathodes sealing by electron beam welding 7=2065 WC, indentation hardness rel. to creep 7=11255

W-C, solid soln. of f.c.c. phase W by reduction of carbonyl 7=11036

WC-Co, effect of notches and heat treatment on fatigue strength 7=11329

WF<sub>6</sub>, n. m.r. in liquid, rel. to molecular struct. and spin-rotation interaction 7=14129
 W-Mo work function composition var. 7=2055

53W-17Mo-30Re lattice distortion, field emission and ion

projector obs. 7=17475

projector obs. 7=17475
W-N crystal atomic structure, electron diffr.
obs. 7=1406
W<sub>3</sub>N<sub>4</sub>, y'-phase, cubic, crystal structure 7=11082
W<sub>4</sub>Nb<sub>26</sub>O<sub>77</sub>, struct. and multiple phases 7=4479
WO<sub>3</sub>, higher phase transformations, two 7=1250
WO<sub>3</sub>-Nb<sub>2</sub>O<sub>8</sub> system, phase equilib. rel. to structure 7=7242
WO<sub>3</sub>-ReO<sub>3</sub>, structure and cond. 7=7443
W-Re allows surface ionization, efficiency rel. to

W-Re alloys, surface ionization, efficiency rel. to work function 7=11615
W-Re (0. 46-1. 57%) optical absorption and refractive index, 0. 5-8.0 µ 7=18273
W-25Re, thermionic emission 7=15096

W-Re thermocouples, for nuclear reactor fuel temp, and thermal time const. meas. 7=13654

W-Re thermocouples for up to 2600°C 7=9255 W-Ta work function composition var. 7=2055

Tuning forks. See Vibrating bodies.

Tunnel diodes. See Semiconducting devices/tunnel diodes. Turbidimetry. See Chemical analysis.

Turbidity. See Scattering/light; Suspensions. Turbulence

See also Cavitation; Flow; Vortices. acoustic nearfield, effect on shielded transducer 7=12430 acoustic spectral densities, meas, based on Rice's formulae 7=2915

atmosphere, turbulent diffusion in model 7=8642 behind grid, in gas flow at high Reynolds numbers 7=1069 Boson gas, weakly coupled, condensate turbulence 7=15909 boundary layer in adverse press. gradient, mean velocity survey 7=10703 boundary layer in incompressible flow, step-induced separation obs. 7=10702 boundary-layer, infl. of flexible walls, preliminary expts. 7=4276

expts. 7=4276
boundary layer, irrotational fluctuations 7=13967
boundary layer, temperature-vorticity analogy 7=6940
Burgers' model eqn. statistics, computer calc. 7=13966
channel flow, stability, Malkus's theory applic. 7=13963
in closed volume with artificial turbulence 7=13967
concentration fluctuations in turbulent diffusion 7=13965
diffusion, mixing-length argument, generalization 7=6946
effect on laminar skin friction and heat transfer 7=15969 effect on laminar skin friction and heat transfer 7=15969 energy spectrum in range of large wave numbers 7=17236 Turbulence-contd

flames, photoelectric obs. 7=15976 flow, invariant integrals 7=13962 flow near compliant surface, radiation props. 7=9190

flow, shear, Reynolds stress maintenance mechanism 7=10701 flows, free, mechanism of entrainment 7=6945 fluid instability, due to viscosity stratification 7=13961 gas jets, importance of Reynold's number and geometry at origin obs. 7=17187

gases, new approach in kinetic theory 7=6963

heat transfer from turbulent separated flows, to wall, Stanton rel. to Reynolds nos. 7=9238 intermittent, mathematical model of flow 7=1064 isotropic, rel. to inertial-range structure 7=4274 jet, submerged, interaction with solid wall 7=17175 jets, submerged, up to 2 × 108 K study 7=6944 liquid explosives, detonating, in reaction zone, obs. 7=14016

magnetoturbulence, homogeneous, asymptotic law of decay 7=16097

measurement of conc. fluctuations by light probe 7=17178

measurement of conc. fluctuations by light probe 7=17178 mixing, isotropic, in second-order chemical reaction 7=4275 non-stationary, self-consistent field approach 7=13964 plasma with low  $\beta$  obs. 7=13924 polymer solns., dilute, flow props. 7=14015 sound generation, acoustic dipole distribution 7=2896 stability of swirling fluid with variable density in circular mag. field 7=12561

thermal convection, analytic results in theory 7=9242 viscous fluid, and particle motion 7=1063 wake behind cone, transition at low Reynolds numbers

obs. 7=17188

wall jet, momentum eqn. 7=6943 water, ice crystal size distribution 7=14153 water, nee drystal size under hosten in weak plasma, functional eqn. 7=17154 weak, of plasma, solvable model 7=13925
Hg jet growth in coaxial mag. field, velo. obs. 7=9421

Turbulent flow. See Flow.

Twilight

See also Atmospheric spectra; Zodiacal light. book 7=8705 solar ionizing radiation effects 7=8707 Ca<sup>+</sup>, 3968 and 3933 Å lines, obs. 7=12048 LiI 6708 A line, enhancement due to thermonuclear explosion 7=12049
N<sub>2</sub> emission 7=8706

 $O_2$ , 1, 27  $\mu$  band, morning-evening asymmetry 7=15561 Twinning. See Crystals, twinning.

Twistors. See Calculating apparatus; Magnetic devices.

#### Ultracentrifuges. See Centrifuges.

Ultrasonics

See also separate headings, e.g. Absorption. alum crystal growth from water, effect of u.s. field 7-1344

amplifier, heating and dispersion effects 7=5725 amplifier, parametric, proposal 7=2911 atomisation of liquids 7=7013

atomization of liq. 7=1185
bodies, u.s. dispersion 7=17296
deflection and modulation of laser beam for television
display 7=3225
elastic consts. of metals, meas. to 3000°K 7=1670

for flash evaporation particle feeding 7=10954 for hardness meas. 7=9146

hologram prod., and optical reconstruction 7=9210

light diffraction, simplification of equations 7=16286 measurement of pulses in thin samples, apparatus 7=1455 microwave, polishing crystal surfaces 7=5645 modulator for control of ruby laser 7=293-4 optical delay line, continuously variable 7=3226

standing waves for light modulation, Fourier series of light intensity 7=16285

vibrator for living cell study 7=15833

Cu, effects on hardness and yield point 7=14714

KH<sub>2</sub>PO<sub>4</sub> excitation of vibrs. by laser 7=14450

LiF, effect of rad. on creep 7=11304 Si, for meas. elasto-optic consts., 3.39  $\mu$  7=18263

Ultraviolet detectors. See Radiation detectors. Ultraviolet sources. See Light sources.
Umklapp process. See Crystals/lattice mechanics.

Uncertainty. See Indeterminacy; Probability.
Undor. See Electron theory; Field theory, quantum.
Unified field theory. See Relativity/unified field theories.
Unimolecular layers. See Adsorbed layers.
Units.

See also Constants; Dimensions; Nomenclature and

No entries

Upper atmosphere. See Atmosphere/upper; Ionosphere.

Uranium

See also Nuclear fission/uranium.  $\alpha$  and  $\gamma$ , deformed and hardened rods, texture distrib.,

α and γ, deformed and hardened rods, texture at X-ray obs. 7=7366 atoms ejection from foils by fission fragments obs. 7=1664 in bone, at sub-microgram level, estimate by n

activation 7=15832 compressive behaviour of natural U 7=7737 depleted for charging heavy-waver reactors 7=16887

depicted for charging neavy-waver reactors (=1088) electronic structure from angular correlation of annihilation radiation 7=17861 fissionable impurities, micromaps techniques 7=7553 ion, charge distribs. after stripping 7=226 ions sputtering of compounds at 30 keV 7=1650

isotope abundance anal. by alpha spectrometry 7=848 liquid, penetration of Armco Fe, 740-1300°C 7=4673 nuclear fuel bars, helical crystallographic texture 7=7735 obs.

photoelectric emission of K shell two electrons, 0.3-1.3 MeV calc. 7=6574

photonuclear determination in rocks 7=5351 powdered, reaction with ND<sub>3</sub> 7=8547 prospecting data analysis by digital computer 7=8614

pure,  $\alpha \Rightarrow \beta$  transform, study by X-ray diffractometry 7=14251

spectral lines, self-reversal 7=6551 superconductivity obs. from specific heat and mag. 7=7916

superconductivity, press. depend. of transition temp. 7=17924

thin films, structure obs. 7=17395 Wiedemann-Franz ratio at 50°-800°C 7=11445  $\alpha$ -U, cold worked, extended dislocations and stacking faults 7=14613

 $\alpha\text{-U},$  electresistivity 67-293°K 7=11443  $\alpha\text{-U},$  heat capacity, 0.3 to 6°K, 10 kbar, superconducting transition 7=1906

 $\alpha$ -U, heat capacity, 1.7 to 25°K 7=4648

 $\alpha\text{-U, irrad., elec. resistance}\ 7\text{=}11444$   $\alpha\text{-U, plastic flow and rupture, Petch relation}\ \text{applicability}\ 7\text{=}1743$ 

 $\alpha\text{-U}$ , single crystal growth by strain-annealing 7=11014  $\beta\text{-U}$ , cryst. struct. refinement 7=7449 Us' in CaF<sub>2</sub>, lower levels 7=2370 U<sup>4+</sup> in CaF<sub>2</sub>, paramag. resonance trigonal spectra obs. 7=2212

Uranium compounds

electrodiffusion of 0,,900-1000°C 7=11146 oxides,X-ray study at high temp. 7=14397 uranyl salts, luminesc. at high-level excitation 7=11880

U-graphite lattice, in RB-1, k<sub>o</sub> meas. by null reactivity method 7=10354
UB<sub>2</sub>-HfB<sub>2</sub> systems 7=10932

UC, elastic behaviour at 4.2-298°K rel.to electronic structure 7=1744

UC rod clusters,  $D_2O$  moderated, thermal neutron hyperfine structure  $7{=}10353$ 

tine structure  $^{\prime\prime}$ =10353 UC thermionic cathodes evaporation obs. 7=18083 UC2, cryst. structs. 7=4601 U2C3, cryst. struct. by neutron diffraction 7=7450 U-C-Si ternary system, equilib. of four solid phases 7=14252 U20C3Si\_{10}, crystalline structure obs. 7=7451 UC/SiC dispersed fuels irradiation obs. 7=6485

UC-ZrC thermionic cathodes evaporation obs. 7=18083
UCl<sub>4</sub>, gaseous, spectrum 7=10524
UCl<sub>5</sub> crystal structure 7=14395
UCoAl, crystal structure 7=14396
UCoAl, crystal structure 7=14396
UC<sub>5</sub>, n.m.r. and hyperfine interact. of F<sup>10</sup> 7=8326
UF<sub>4</sub>, F n.m.r., 78-400°K, 500-4000G, rel. to
susceptibility 7=15268

UF<sub>6</sub>, n. m. r. in liquid, rel. to molecular struct, and spin-rotation interaction 7=14129 U-Fe(34, 77 at. %) liquid, penetration of Armco Fe, 740-1300°C 7=4673

 $\rm U_6Fe,$  supercond., press. depend. of transition temp. 7=17924  $\rm U_2FeSi_3,$  new phase in U-Fe-Si system 7=7250

UIrAl, crystal structure 7=14396

U<sub>6</sub>Mn, supercond., press. depend. of transition temp. 7=17924

U-Mo alloys, decomposition of  $\gamma$ -phase 7=14254 U-Mo (9.2, 10, 10.8 at. %), metastable monoclinic phase

 $\alpha^{11}$ b structure and occurrence obs. 7=7452

UNiAl, crystal structure 7=14396

UO<sub>2</sub>, columnar grain growth, effect of organic additions 7=11035
 UO<sub>2</sub> crystal field calc. 7=7184

UO<sub>2</sub>, dielec. constant, and var. with porosity 7=8015 UO<sub>2</sub>, diffusion of Xe<sup>138</sup> obs. 7=7531 UO<sub>2</sub>, elastic consts. and thermal expansion, temp. depend. 7=11327

UO<sub>2</sub>, epitaxial growth on graphite lamellas 7=11021 UO<sub>2</sub>, fission gas release and bubble movement 7=10361

```
Uranium compounds-contd
                           UO<sub>2</sub> fuel problems 7=16891
UO<sub>2</sub>, lattice dynamics and i.r. dielectric dispersion 7=5279
                           UO<sub>2</sub>, porous, grain growth controlled by pore migration, theory 7=14195
                           UO<sub>2</sub> powder microstructure, milling effects obs. 7=4546 UO<sub>2</sub>, preparation of sols, aggregate and spheres 7=10883 UO<sub>2</sub>, range and depth distrib. of Xe ions 7=7635
                           UO<sub>2</sub> self-diffusion coeffs., by \alpha-spectrometry 7=1506 UO<sub>2</sub> sintered discs, ejection of U atoms by fission fragments obs. 7=1663
                          17 agnients obs. (=106) UO<sub>2</sub>, sintered, photocurrent, room temp. meas. rel. to O/U ratio 7=5101 UO<sub>2</sub> sintering, TiO<sub>2</sub> addition effects mechanism 7=4450 UO<sub>2</sub>, vibr. struct. in K_4 UO<sub>2</sub> (CO<sub>3</sub>)<sub>3</sub> 7=2347 UO<sub>2</sub><sup>2+</sup>, energy transfer to Eu<sup>3+</sup> in soln. 7=14115
                           UO2*, fluorescent glass, excited state absorption 7=15352
UO2**-glass, saturable filter action for use with
lasers 7=3121
                        lasers 7=3121  \begin{array}{l} \text{UO}_{2-12} \text{ crystal imperfection complexes neutron diffr.} \\ \text{obs., } 800^{\circ}\text{C} \quad 7=1546 \\ \text{UO}_{2^{-}\text{x}}, \text{UO}_{2} \text{ and } \text{UO}_{2^{+}\text{x}}, \text{ effect of irrad. on thermal conductivity } 7=11134 \\ \text{UO}_{2^{+}\text{x}}, \text{ evaporating, gross lattice bendings } \quad 7=4600 \\ \text{UO}_{2^{-}\text{x}}, \text{ eterm. of } \text{O/U ratio } 7=8587 \\ \text{UO}_{2^{+}\text{x}}, \text{ eterrical cond., hopping mechanism } 7=7966 \\ \text{UO}_{2^{-}\text{x}}, \text{ eterrical cond., hopping mechanism } 7=7966 \\ \text{UO}_{2^{-}\text{x}}, \text{ eterrical cond., hopping mechanism } 7=7966 \\ \text{UO}_{2^{-}\text{x}}, \text{ eterrical cond., hopping mechanism } 7=2496 \\ \text{UO}_{2^{-}\text{cq.}}, \text{ (x=0.033-0.248) paramagnetic susceptibility, } \\ 77^{\circ}-1100^{\circ}\text{K} \quad 7=8112 \\ \text{U}_{2}\text{O}_{8} \text{ reduction to UO}_{2^{-}\text{rel.to layer faults }} \quad 7=2449 \\ \text{U}_{4^{\circ}\text{g}}, \text{ stacking faults and antiphase boundaries } \quad 7=11191 \\ \text{UO}_{2^{-}\text{CeO}_{2}} \text{ system, thermal diffusion } \quad 7=11147 \\ \end{array}
                          O_4O_9, stacking rather and antiphase boundaries [=11191] UO_2-Ce<sub>2</sub> system, thermal diffusion 7=11147 UO_2-H<sub>2</sub>O lattices, thermal disadvantage factor 7=10358 UO_4, 4H<sub>2</sub>O, i. r. absorption, obs. 7=11809 UO_2(NO<sub>3</sub>)<sub>2</sub>, hydrate and anhydrous, i. r. spectra 7=5278
                          UO<sub>2</sub>SO<sub>4</sub> spectra and luminescence of modifications, A and B bands obs. 7=15353
                          UP, antiferromag, structure 7=2169 UP, effect of temp. on lattice, and other props. 7=11081 \rm U_3P_4 specific heat, 22. 5°-349°K, ferromag, order-disorder transform, at 138. 3°K 7=7501
                        U-UMn<sub>2</sub>-UAl<sub>2</sub>-UFe<sub>2</sub> phase diagram 7=14253
U-UMn<sub>2</sub>-UAl<sub>2</sub>-UFe<sub>2</sub> system, phase equilibria 7=1229
U-UMn<sub>2</sub>-UAl<sub>2</sub>-UFe<sub>2</sub> system with 10 at.-%Fe, study 7=7251
U-Zr, \( \gamma\) phase, thermodynamics 7=7492
Urey-Bradley forces. See Molecules internal mechanics.
```

V-centres. See Colour centres. V-particles. See Hyperons; Mesons. Vacancies. See Crystal imperfections/vacancies.

Vacancy breakdown. See Diffusion in solids. Vacuum apparatus See also Glass-metal seals bellows valve, miniature 7=2749 chambers for absorption and reflection meas of solids in i.r.range 7=8351 for chemical analysis mass spectrometer using inert ion microprobe sputtering 7=2485 with condensation pump 7=17219 with condensation pump (=1717) flashed getters, for prod. u.h.v. 7=17216 flowmeter for <10 ° g/sec 7=10714 foil window, bakeable 7=1096 furnace for ceramic fracture meas. 7=1710 furnace with low cost, for 1300°C 7=12478 mass spectrometer partial press. analyser, expanded sweep circuit giving step sawtooth 7=10773 metal-ceramic joints for high temp. and Cs exposure, Ti soldered 7=14002metal gaskets, bakable, high temp. 7=6997

microbalance quartz-crystal resonators, effect of hydrostatic press. 7=12287

microbalances, quartz-crystal, effects of gas pressure 7=12286 seal, for low temps. 7=17226 stopcock, steam jacketed 7=2423 trap, liquid He cooled 7=10775 traps for oil vacuum pumps 7=17228 ultrahigh-vacuum microbalance design 7=12285 vacuum microbalance techniques, conference, Princeton, 1965 7=10777

valve, glass electromag., 10-2-760 torr 7=10774 AgCl sheets prod. for bakeable vacuum seals 7=14005

Ar molecular flow meas, through high-vacuum components 7=13975 N liquid level control for cold traps 7=1097

Vacuum gauges

Bayard-Alpert, effect of initial ion-energy distribution 7=17223 Bayard-Alpert modification for below 1 × 10<sup>-10</sup> torr 7=6991 Bayard-Alpert, modulation obs. 7=10771 cold cathode, space charge and discharge role 7=10766 improvement 7=6990 Vacuum gauges-contd

um gauges—conto
ionization, coating cathodes with LaB. 7=4305
ionization, electron oscillations calc. 7=17222
ionization, for transient meas. 7=1094
magnetron gauge with hot cathode 7=4306
mass spectrometer partial press. analyser, expanded
sweep circuit giving step sawtooth 7=10773
molecular, control system 7=6992 monopole mass spectrometer for partial press. analysis 7=10769 analysis '=10'/69
Penning discharge, calibration 7=10772
Penning discharge triggering by Ni<sup>68</sup> 7=1095
thermistors for 5 mtorr-2 torr 7=10770
trigger discharge rel. to Bayard-Alpert and partial
press. analyser obs. 7=10768
trigger, response obs. 7=10767

Vacuum polarization. See Quantum electrodynamics.

Vacuum pumps

um pumps
absorption, with jalousie screen 7=17220
cryopump for cryostat 7=9275
cryosorption, for high vacuum 7=10759
for cyclotrons, isochronous 7=9733
getter-ion, pumping speeds for H<sub>2</sub>, He and N<sub>2</sub> for
10° to 10-10 Torr 7=17217 getter ion pumps, with Ti vaporizers 7=17218 in linear accelerators 7=9725 low temp., solid CO<sub>2</sub> on adsorption agent 7=14291 measurement of pumping speed rel. to location of pressure measuring print 7=14000 oil diffusion, unitarily designed system 7=6987 orbitron, effect of Hg vapour 7=10763 orbitron getter-ion 7=6988 orbitron getter-ion 7=6988

Penning, ang. and energy distrib. of incident ions, high voltage 7=14001

residual gases with oil and Hg pumped systems obs. 7=10764
speed determ., by orifice press. transducer 7=6986
triode magnetic-discharge, with cooled electrodes 7=1723
turbomolecular 7=10760 turbomolecular 7=10760
turbomolecular plus Ti sublimation for
5 × 10<sup>-12</sup> Torr 7=10761
for Van de Graaf for electrons, turbopump 7=9726
He cryosorption by molecular sieve 5A at
4.2°K 7=10765 Ti getter, high vacuum 7=10762

by W constantly renewed surface absorption of inert gas ions 7=17408

Vacuum technique

bakeout procedure for small glass u.h.v. systems 7=17229 breakdown elec., minimum energy 7=964 constant pressure device 7=4279 control of vacuum at liquid He temp. 7=14007 cryogenic seal 7=17227 depositions at elevated temps., use of quartz-crystal microbalance for monitoring 7=17378 electric breakdown rel. to clump theory and electrode erosion 7=6779 film deposition, high vacuum systems 7=14008 film deposition, thickness monitoring circuit 7=7265 films prep. by evap. under ultra-high vac. flashed getters, for prod. u h v. 7=17216 friction and adhesion meas. appar. at u.h.v. 7=7668 furnace with exchange heating system 7=9264 glass cathodes in electrostatic beam separators 7=424 leaks, discriminating between air and vapour 7=6996

particle accelerators vacuum system design method 7=9728 polymers in space simulation, stability obs., degassing 7=8764
residual gas analysis mass spectrometers working 7=10776
substrate cooling 7=7267

synchrotron vacuum chamber design 7=9738

synchrotron vacuum chamber design 7=9738
thermomolecular flow forces, between 0.1 and 100 torr,
in conference, Princeton (1965) 7=13969-71
thermomolecular flow forces in microbalances, in
conference, Princeton (1965) 7=13971
thermomolecular flow, rel. to microbalances, in conference
Princeton (1965) 7=13970
in triton accelerators 7=9720
vacuum micro balance, use in apparatus for meas. of
magnetic susceptibilities of solids 7=11616
CdTe, film formation on bot quarts and Mohre course of

magnetic susceptibilities of solids 7=11616 CdTe, film formation on hot quartz and Mo by coevap.of Cd and Te, rate determ. 7=14275
H bubble chamber large glass sealing system 7=5984
He permeability of glasses 7=17583
Lif window sealing for inert gas vacuum u.v.
resonance lamps 7=11955
Ni, oxidized, as heating element 7=4662
W, hot surface interaction with O<sub>2</sub> 7=2457
UM tubes. See Electron tubes

Vacuum tubes. See Electron tubes. Valence bands. See Crystal electron states.

alloys bands meas., soft X-ray spectrometer 7=11379 metals bands meas., soft X-ray spectrometer 7=11379 oxalate aqueous ion potential field and force consts. 7=10801

```
Valency -contd
                  (3d)<sup>5</sup> ions covalency in crystal fields, theory 7=10908
Eu cpds, covalency increase rel. to mag. transit. temp.
                          and isomer shifts 7=15137
                  57Fes* covalency in crystal fields, theory 7=10908
55Mn<sup>2*</sup> covalency in crystal fields, theory 7=10908
                  PuC, electron config. 7=14967
PuP, electron config. 7=14967
PuS, electron config. 7=14967
 Valves, thermionic. See Electron tubes.
 Vanadium
                 crystal growth on Si(111) substrates by H reduction of
                 VCl<sub>4</sub> 7=11022
crystal structure distortion < 250°K, thermal expansion
                         anisotropy obs. 7=14308
                 e.s.r.in MgO 7=8308
electric cond.,temp. depend. anomaly, pressure
effect 7=7869
                electric 1=1009 electron spin resonance in CaF_2 7=15250 Ginzburg-Landau parameter 7=1903 interstitial ordering meas. 7=4602 n.m.r. in VsiO_2, 418°K to room temp., shift and elec.field gradient 7=18190 outer energy bands, K\beta_s emission and K-absorpt. edge 7=14822
               superconducting cylinders, quantized flux obs. 7=1913 superconducting films interactions with molecules 7=17925 superconducting, flux motion and pinning 7=4969 superconducting hysteretic states entropy obs. 7=17926 superconducting props., effect of deformation 7=11471 superconductivity rel. to microstructure, foils 7=14930 superconductor, critical field temp. depend. 7=17927 superconductor, hysteretic, flux retention processes 7=1881 V<sup>2*</sup>, e.s.r. in ALO. (conundum). 7=15261
                 superconducting cylinders, quantized flux obs. 7=1913
                V<sup>2</sup>, e.s.r. in Al<sub>2</sub>O<sub>3</sub>(corundum) 7=15251
V<sup>3</sup>· e.s.r. in Al<sub>2</sub>O<sub>3</sub> at 4.2°K 7=9463
V<sup>3</sup>' in Al<sub>2</sub>O<sub>3</sub>, spin-Hamiltonian calc. by tensor operators 7=17340
               V^{4*} in rutile-type crystals, electronic structure 7=2218 in V_sSi, Knight shift, V_sSi, V^{51} Knight shift and elec. field gradient var. 7=2246
Vanadium compounds
                vanadyl complexes in liq.-cryst. solvents, e. s. r. relax. 7=10869
               C<sub>3</sub>Si-type films vapour diffusion prod. and crystal struct. 7=17455

M<sub>0.5</sub>··M<sub>0.5</sub>··M<sub>0.5</sub>··M<sub>0.4</sub>·Eu, orthovanadates, luminescence 7=2401

V silicides, Hall effect and X-ray fluorescence and absorption fine structure of V 7=15354

V in soda-boric acid glasses, struct. 7=10930
                 V^{3+}, corundum, resonance absorption at \lambda \approx 1.21 mm 7=11810
                V3.: Al2O3, resonance u.s. absorption, spin-lattice
                relax. 7=11690 V_{0.967} Be_{0.038} lattice vibr. spectrum obs. 7=7477 V-C, solubility of C, 1500°C to eutectic 7=10933
               VC, specific heat superconductive anomaly 7=17913 VC<sub>0.89</sub>, superstructure obs. 7=7453 VC<sub>1.x</sub>, supercond. crit. temp. meas. 7=4968
               VCl<sub>4</sub> reduction by H for V growth on Si (111)
substrates 7=11022
VCl<sub>4</sub>, vibronic interactions, by electron diffr. 7=6701
                V-Ga, superconducting, high transition temps.obs. 7=4949
               V-Ga, superconducting transition, magnetic field effects with high currents obs. 7=4950
              with high currents obs. 7=4950
V-Ga system, composition range obs. 7=1245
V<sub>3</sub>Ga, supercond., elastic softening on cooling 7=17915
V<sub>3</sub>Ga wires, preparation and superconducting properties 7=4970
VN<sub>1-x</sub>, supercond. crit. temp. meas. 7=4968
V<sub>0-x5</sub>Ni<sub>0-05</sub> lattice vibr. spectrum obs. 7=7477
VO acetylacetonate, e. s. r., coord. to 6th position 7=6725
VO in stars, Mira-type 7=8828
VO<sup>2*</sup> in glass, e.s.r. 7=11713
VO<sub>2**</sub> semiconductivity and mag. town see
              VO<sub>0.8-1.2</sub> semiconductivity and mag., temp. var. obs. 7=14972
              VO<sub>2</sub>, i. r. optical props above and below transition
temp. 7=11811
VO<sub>2</sub>, n.m.r. of V<sup>51</sup>, 418°K to room temp., shift and elec.field
gradient 7=18190
             VO<sub>2</sub> powder, electrical cond. temp. var. meas. 7=7
VO<sub>2</sub> powder, semicond. phase, Hall effect 7=11523
VO<sub>2</sub> whisker, thermoelec. power and elec.
                      conductivity 7=11580

m V_2O_3, antiferromagnetic ordering < \sim 140^{\circ} K, Fe^{57} Mössbauer
           \rm V_2O_3, antiferromagnetic ordering <\sim 140^{\circ}\rm K,\, Fe^{57} Mössheffect obs. 7=15199 \rm V_2O_5, solid and liq., elec. cond. 7=11524 \rm V_2O_3^{-1}Al_2O_3 solid solns., mag. props. 7=15114 \rm VOCl_2 gas, nuclear reson. fluoresc. of \rm Cr^{52} 7=10550 \rm V_{0.95}Pl_{0.06} lattice vibr. spectrum obs. 7=7477 \rm V -Si diodes barrier height obs. 7=11022 \rm V-Si, superconducting, high transition temps. obs. 7=49 \rm V-Si, superconducting transition, magnetic field effects with high currents obs. 7=4950 \rm V-Si, low temps phase transform. 7=7221
             V<sub>s</sub>Si, low temp. phase transform. 7=7221
```

Vanadium compounds - contd V<sub>3</sub>Si, microstructure, transmission electron microscopy low temp. 7=4547
V<sub>3</sub>Si phase transformation at low temps., stress effects obs. 7=1249 obs. 7=1249 V<sub>3</sub>Si, second order phase transition 7=7252 $V_s{\rm Si,\,supercond.}$  , elastic softening on cooling  $\,7{=}17915$   $V_s{\rm Si,\,supercond.\,energy\,gap}$   $\,7{=}7917$ V<sub>3</sub>Si, supercond., lattice instability 7=17916 V<sub>3</sub>Si, V<sup>51</sup> Knight shift and elec. field gradient var. on phase v<sub>3</sub>D<sub>1</sub>, v Alight shift and electheld gradient varion phase transformation obs. 7=2246
V<sub>3</sub>Sn, superconducting, n.m.r. of V<sup>51</sup> and Sn<sup>119</sup> obs. 7=17912
V-Ta(5 at. %), superconducting, magnetothermal effects obs. 7=1904 V-Ti alloys,  $H_{\rm e3}$  and critical surface current to 30 kOe 7 = 1905V-Ti alloys, supercond., magnetoacoustic attenuation 7=17917 V<sub>3</sub>X, (X = Si, Ga, Ge, Pt, Ir), spin-lattice relax in supercond. and normal states 7=15282 Van Allen radiation. See Atmosphere/radiation belts. Van de Graaff generators. See High voltage production; Particle accelerators/linear. van der Waals forces. See Atoms; Kinetic theory; Molecules/ intermolecular mechanics; Solids. Vaporization See also Boiling; Condensation; Distillation; Evaporation; Heat of vaporization; Vapour pressure, alloys, composition of liquid and vapour 7=7153 drops, spheroidal, film boiling, theory and expt. 7=10900 by electromagnetic energy, effect on acoustic energy conversion 7=12429 for film prod. from two substances in given ratio 7=17379 isobaric binary vapour-liquid equilib. data treatment 7=17312 solids, mechanicm 7=4420 vapour-liquid mixture, adiabatic, slip effect and friction in tubes 7=6955 wire during current burst 7=10905 Al<sub>2</sub>O<sub>3</sub> molten particle cloud emissive props. obs. 7=14103 As, single cryst. face 7=4420 CdSe, thermodynamics 7=7160 CoO, mass spectra 7=7159 H<sub>2</sub>, para, density-temp. formula 7=17308 HgSe, thermodynamics 7=7160 LiH, laser-beam irrad., high-temp. plasma prod. 7=4256 Sb, single cryst.face 7=4420 SrSe, thermodynamics 7=7160 Ti-Se, gas products obs. 7=7163 Vapour density. See Density/gases. Vapour pressure See also Humidity; Vaporization. alkali metals, 50-4000 torr 7=17317 alkaline earth metals, 50-4000 torr 7=17317 Ag, 50-4000 torr 7=17317 Ar liquid, rel. to gas compressibility 7=7146 BaF<sub>2</sub> 7=1203 Bi,50-4000 torr 7=17317 CO<sub>2</sub>, at 0.01°C, fixed pt.on high press.scale 7=12289 CaCl<sub>2</sub>-NaCl-H<sub>2</sub>O solns., 25°C 7=7037 Cr(CO)<sub>6</sub> 7=14163 Cu-Pt, of Cu, 1542°-1673°K 7=10828 H<sub>2</sub> triple point obs. 7=10928
H<sub>2</sub>O-CaCl<sub>2</sub>-MgCl<sub>2</sub> solns., 25°C 7=7036
He<sup>4</sup> temperature scale empirical formula,
1.1°-4.4°K 7=12483 HgCl2, to critical point 7=1195 Pb, 50-4000 torr 7=17317 PbTe 7=15059 Rb-graphite lamellar cpds. 7=7161 TiBr<sub>a</sub> 7=14163 Tl,50-4000 torr 7=17317 Vapour pressure measurement solutes in solutions, thermoelectric osmometer calibration 7=17316 thermistors, thermoelectric osmometer calibration, for v.p. of solutes in solutions 7=17316 CO<sub>2</sub>, obs. 7=1202 H, obs. 7=1202 H<sub>2</sub>O, using T gauges 7=7157 He<sup>3</sup>, He<sup>4</sup>, thermoelec. press, difference in thermoeter, 7=15083 thermometry 7=15983 N, obs. 7=1202 Xe, obs. 7=1202 Variable stars. See Stars. Variational calculus. See Mathematics.
Variational method. See Quantum theory/application methods. Vavilov-Cherenkov radiation. See Cherenkov radiation. Vectors (vector mesons). See Mesons. Vectors multivectors geometrical interpretation 7=12525 Velocity angular, analytic expression 7=44

Velocity measurement -contd

# Physics Abstracts 1967 - Part 1 (Jan.-June) Velocity-contd acoustic waves See also Dispersion, acoustic; Helium 'liquid, sound propagation; Shock waves. propagation; Shock waves. in fluids, non-associated, temp. depend. 7=10836 gas mixture, reacting, calc. 7=12439 gases, sonic velocity meas., use in determ. of compressibility factors 7=17201 gases, wavelength meas., refined tube method 7=12443 liquid metals, correl. with elec. cond. 7=1141 liquids, basis for Rao's rule 7=4346 liquids, variation with pressure 7=10835 in metals, damping oscs, in pressure of mag. in metals, damping oscs. in presence of mag. field 7=17551 oxides, at very high temp., rel. to earths mantle 7=7641 for planets atmospheres composition meas. 7=5497 in plasma, calc. 7=4189 polymer fibres, stress effects obs. 7=11113 polymethyl methacrylate obs., rel. to specific heat excess at low temps. 7=1478 polystyrene obs., rel. to specific heat excess at low temps. 7=1478 in semiconductors, damping oscs. in presence of mag. field 7=17551 silicates, at very high temp., rel. to earths mantle 7=7641 Gase obs. 7=11133 SO<sub>2</sub>, vibr. relax. 7=13985 SO<sub>2</sub>—Ar mixtures, vibr. relax. 7=13985 acoustic waves, ultrasonic See also Dispersion, acoustic/ultrasonic, alcohols, rel. to chemical constitution 7=17265 aqueous electrolytes, and adiabatic compressibility 7=1142 electrolyte solns. in methanol 7=1143 in friction plastics, rel. to dynamic Young's modulus 7=4744 liquids, to $4^{\circ}$ K and 1 Gc/s, interferometer meas. 7=14080 pulse group velo. dispersion on reflection from freq. dependent boundary impedance 7=9207 in rubber, rel. to dynamic Young's modulus 7=4744 single crystals, orientation det. method 7=17420 in solids, effect of surface voids and bonding material 7=14432 steel, under stress, and elastic consts. of third order obs. 7=11298 obs. 7=11298 Al alloys, under stress, and elastic consts. of third order obs. 7=11298 in Ar, solid 7=4634 B<sub>2</sub>O<sub>3</sub>, vitreous 7=4766 Bli<sub>12</sub>GeO<sub>20</sub> 7=4629 Cd acetate solns., 1-29 Mc/s 7=4350 CdS, waveform distortion due to nonlinear elasticity 7=14444 Cu acetate solns., 1-29 Mc/s 7=4350 Cu sheet, preferred orientation obs. 7=10990 Cu sheet, preferred orientation obs. 7=10990 Ge, to 600°C, 60 Mc/s 7=5720 H, solid (4.2-11.5°K) 7=14447 $\rm H_2O$ , Brillouin scatt. obs., 500-1500 Mc/s 7=9211 $\rm H_2O$ , 0-10°C, 6 Mc/s 7=4349 KCl, Brillouin light scatt. obs., 8-15 kMc/s 7=2316 KI, Brillouin light scatt. obs., 8-15 kMc/s 7=2316 Mg, under stress, and elastic consts. of third order obs. 7=11298 Mo, under stress, and elastic consts. of third order obs. 7=11298 Nb<sub>3</sub>Sn, room temp. to 4.2°K, 555 Mc/s 7=17558 Pd-Ag and Pd-Rh alloys 7=1465 RbCl, Brillouin light scatt. obs., 8-15 kMc/s 7=2316 W, under stress, and elastic consts. of third order obs. 7=11298 Zn acetate solns., 1-29 Mc/s 7=4350 light No entries Velocity analysis, particles. See Particle velocity analysis. Velocity measurement See also Angular velocity measurement; Stroboscopes. astronomical tangential velo. using transverse Doppler effect 7=8793 Doppler radar appl. to air-track 7=12288 fluids, 0-5 cm/sec range, quantitative, using pH indicator 7=10786 gas detonation front by cm Doppler effect 7=6960 liquid surface waves, by u.s. reflection critical angle 7=14024 m. h. d. plasma channel flow 7=9411 plasma, by induction 7=1022

plasma jets, photographic method 7=17165 NaCl solution density current, Bagnold's meter modification 7=10787

acoustic waves

polymer fibres 7=11113

by Brillouin scatt. 7=9211

acoustic waves, ultrasonic

```
acoustic waves, ultrasonic-contd
          pulse group velo. dispersion on reflection from freq.
               dependent boundary impedance 7=9207
           variable air transformer for impedance matching 7=2913
     light
No entries
Versus. See Planets.
Verdet constant. See Magneto-optical effects.
Verneuil process. See Crystals growth.
Vertex functions. See Elementary particles; Field theory
     quantum; Functions.
Vibrating bodies
              See also Crystals/lattice mechanics; Elastic waves;
              Pendulums; Piezoelectric oscillations
         acoustic radiation direction var. calc. for circular plates and membranes 7=9187 airfoils in incompressible flow, Possio's eqn. soln. 7=6957
        annular membrane, symm. vibr., Hankel transform 7=9162
bars constrained by electromech, feedback, freq.
charact. 7=108
        beam, damped clamped, finite transform soln. 7=12395
        beam, Timoshenko, finite-element approach 7=9154
        cantilever, on lateral impact of elastic load 7=9156-7
         cantilever under lateral impact of elastic load, energy
             of bar 7=2878
         cantilever under lateral impact of elastic load, general theory 7=2877
        chain with glass-like disorder calc. 7=14304
        circular membrane, approx. solns. of differential eqns. 7=2793
       circular thin rings, nonlinear flexing 7=9160
cylinder, spinning, thick-walled, finite radial
oscillations 7=12398
        cylindrical shell filled with liquid 7=2875
      cylindrical shells, static press. effect formula 7=5711 damped resonance freqs. calc. 7=5708 drum, shape from isospectral graphs 7=12397 dynamic stiffness of spinning disc clamped at centre 7=9063 elastic cylinders and prisms in longitudinal shear, large
            amplitude 7=109
      elastic disc contour modes not axially symmetric,
numerical calc. 7=9159
elastic, Rayleigh waves 7=110
       elastic rectangular bars, one-dimensional theories
            construction 7=9155
      electromechanical coupling factor rel. to critical
           freqs. 7=5709
      flexural, inverse design 7=2872
forced vertical vibration of rigid disc on semi-infinite
            elastic solid 7=9158
      hanging chain, approx. solns. of differential eqns. 7=2793 joints, gas-pumping damping theory 7=9150
      magnetoelastic vibrations in transversely isotropic elastic cylinder in mag. field 7=9337
      mass suspended from steel rope, probabilistic
           calc. 7=15926
      membrane, air layer impedance 7=2895
    nonlinear systems, periodic solutions and normal mode, vibrations 7=15925 nuclear reactor components, calc. 7=783 panel, rectangular, transduction of boundary-layer
          noise 7=12431
     plate, elastic, point-excited, radiated pressure 7=12428
    plate, elastic two-dimensional extensions,
coupled-mode analysis 7=9171
plates bounded by parts of elliptical and hyperbolic
cylinders 7=12396
    cylinders 7=12390
polyethylene rods, temp. generated in torsional
oscill. 7=17739
quartz-crystal resonators, effect of added mass on
resonance frequency 7=11320
quartz resonators, effect of hydrostatic press., rel. to vacuum
microbalances 7=12287
    quartz, temp. depend. of longit. mode of bars 7=11319
Rayleigh's frequency eqn., normalized numerical
solns. 7=15924
    rebound displacement, chatter vibr., higher mode effect 7=9153
    ring, circular, in-plane inextensional, calc. 7=9161
sandwich shell spheres natural freqs. calc. 7=2876
shell, closed spherical, with nearly uniform radial
impulse 7=12400
    shell, elastic, wave interaction with viscoelastic
medium 7=12403
    shell, thick-layered orthotropic, axisymmetric
        vibr. 7=12399
  stars, neutrino energy loss calc. 7=15672 stars of pure C, stability rel. to \nu losses 7=15677 string, sectionally uniform, initial-value problem 7=2873 stretched, with viscous damping, nonlinear resonance 7=12394
   thick cable calc. and obs. 7=2874
  thir plate, nonlinear vibrs., continuous soln. 7=9164
third-degree-of-freedom system natural freqs. graphical
```

S 386 SUBJECT INDEX Vibrating bodies-contd viscoelastic plates 7=9163 viscoelastic rod in medium giving viscoelastic damping 7=2879 viscometer pickups, interaction with liq. 7=1129 viscometer probes 7=1052 Vibration, molecular. See Molecules/vibration See also Acoustics; Damping; Oscillations; Vibrating bodies; Waves. acoustostructural problems, damped, variational formulation 7=2870 on adsorption, local, calc. 7=7289 circular thin rings, nonlinear flexing 7=9160 compliance of mechanical contacts 7=9146 compliance of mechanical contacts 7=9146 crystals, X-ray source-image distortion meas. 7=1579 damping by laminated beams, and constraint effect 7=5710 displacement method of structural system, reduction in unknowns 7=2869 double wall transmission of random vibr. 7=2914

elastic, coupled-mode analysis 7=9171 elastic cylinders and prisms in longitudinal shear, large amplitude 7=109

elastic half-space, dynamic contact problem 7=107 in elastic rectangular bars, one-dimensional theories construction 7=9155

elastic thin shell, analysis 7=15869 electrolyte-Hg systems, acoustic spectra of electrolyte excited to mech.vibs. by a. c. field 7=7073 electromechanical coupling factor rel. to critical freqs. 7=5709

isolation problem, h.f., general concepts 7=2871 in optical laboratory buildings, elimination 7=3222 nuclear reactor components, calc. 7=783

plastic structures, forced, rel. to elastic and damping props. 7=11337 polymers, effect on deform. 7=17740

random first-passage problems 7=9151 structural analysis, transfer matrix method 7=2868 viscoelastic plates 7=9163 KH<sub>2</sub>PO<sub>4</sub> excitation of u.s. vibrs. by laser 7=14450 and Pb plastic deform., obs. 7=4802

excitation

mean-square approximate systems uniqueness 7=5707 measurement

See also Seismology. and compliance of mechanical contacts 7=9146 transducer for transverse freq. of strings 7=9149 Vibronic states. See Molecules/electronic structure; Molecules

vibration.
Vidicons. See Electron tubes.
Virial coefficients. See Equations of state.

Virtuons (virtual phonons). See Crystals/lattice mechanics. Viscoelasticity

See also Plasticity. channel flow, elasto-m. h. d., suddenly pressurized, anal. 7=3064

composite elastic media, basic eqns. 7=5664 cylindrical shells response to moving loads calc. 7=2821 epoxy polymer, crosslinked, in transition region 7=11344 fibre-reinforced materials, composite cylinder macro-scopic model 7=14647 fluids constitutive eqns. for transients, Deborah

number 7=6930 gels, review 7=4335

gels, review (=4335 of insulating crystal, shear, correlation function evaluated by double-time Green functions 7=17658 liquids, review 7=4335 metals elasto-visco-plasticity rapid meas. by multiple relaxation 7=17653 micropolar, linear theory 7=17657

non-linear, linearization and determ. of relax. moduli 7=5668

polyethylene, crystalline, linear, stress relaxation data 7=1747

polymer solns., review 7=4335

polymer solutions, Couette flow, stability meas. 7=4310 polymers, linear and nonlinear, theory 7=11334 pulses and shocks, h. f., finite acceleration theory 7=12409

reciprocal theorem for ageing body 7=7645 rod of linear Maxwell material, stress waves calc. 7=9169 rubber vulcanizates, and crosslinking 7=1749 stress waves in linear cylinder 7=9170

thermodynamics of large deformations 7=9124 1:3:5-tri-α-naphthyl benzene 7=1131

vibration of viscoelastic rod in medium giving viscoelastic damping 7=2879 vibrations of viscoelastic plates 7=9163

viscoplastic film, structures, design, successive approx. method 7=11241

Volterra's model 7=7644

wave interaction of visc. medium with elastic shell 7=12403 wave propagation and attenuation 7=1678 work inequality in linear viscoelasticity 7=9067

Viscoelasticity-contd

C mixes, rel. to crit. stress in extrusion of polymers 7=7743

Viscometers

cone-and-plate, for meas.of normal stress differences in simple shear flow 7=1126 cone-plate, theory for non-Newtonian liquids 7=14052 cone-plate, theory for non-Newtonian liquids 7=14052 double capillary, for pure metals meas. 7=4334 elasto-viscometer, low-temp. for thickened systems 7=17254 high pressure, rolling ball type 7=1128 low-temperature liquids 7=14053 oscillating disk, high press. and temp. 7=14056 rheometer, servo-controlled for viscoelast, liqs. 7=7045 rotational, high temp. 109-10<sup>12</sup> poise 7=11305 rotational parallel-plane, for non-Newtonian fluids 7=17169 for suspensions, cone-plate, particle migration errors 7=17298

vibratory pickups, interaction with liq. 7=1129 vibratory probes, for Newtonian liqs. 7=1052 for viscoelastic coeffs. in dynamic conditions 7=7044 Viscoplasticity. See Plasticity.

Viscosity
cyclohexane derivatives, effect of shear 7=10535 damping correction for linear oscs. of cylinder and sphere in incompressible viscous fluid 7=17168 flow, past circular cylinder, unsteady, numerical study 7=10698

fluids, rel. to 2-D stationary flows, class of strict solns. 7=4269

of insulating crystal, shear, correlation function evaluated by double-time Green functions 7=17658 lead-silica glass, standard reference material 7=11316 partially ionized medium, viscous friction in plane

channel 7=16091 plasma, partially ionized, two-temp. 7=17050

polymers, coiled chain, intrinsic, solvent effect 7=14051 second-order fluid, heat transfer effect near stagnation point 7=10695 sphere in cyl. tube, periodic motions 7=10699

static theory, autocorrelation functions 7=13952 stratification, rel. to instability 7=13961
Tietjens function evaluation in stability calc. 7=17167
vapour-liquid mixture, adiabatic, slip effect and friction
in tubes 7=6955

viscoplastic substance, loss of heat equilibrium during motion 7=7675

Al, during shock compression 7=17689 Naturing dispersion electroviscosity 7=17295 NaCl, during shock compression 7=17689 Pb, during shock compression 7=17689 SiO<sub>2</sub> dispersion electroviscosity 7=17295

ses diffusion coeffs.calc. 7=6977 in field, with rotational degrees of freedom 7=10733 flow, influence of mag. field 7=13995 in flow of sonic stream past body of revolution Navier-Stokes eqns. 7=13968 molecular quadrupole moments determ. 7=10753 non-spherical molecules in mag. field 7=13982 plasma, in shock wave calc. in cylindrical symmetry 7=13869 polar, electric field effect 7=10751 quadrupolar effects 7=10752 quasi-spherical molecules,  $X(CH_3)_n$ ,  $Cl_{4-n}$  (X = C or Si) 7 = 13994 sun's corona, rel. to expansion calc. 7 = 8988 viscometer, oscillating disc, 20 - 950°C 7 = 6976 Ne- $CO_2$  mixtures 7 = 17215

See also Lubrication; Superfluidity. alcohols, rel. to chemical constitution 7=17265 apparatus for wide temp. range 7=17255 benzene-methyl alcohol second viscosity in critical region, rel. to complexes 7=4336 binary mixtures 7=17253 Couette flow, numerical study of Taylor stability 7=4311 dielectrics, rel. to ion mobility, 5-2 × 10-5P 7=10856 diethyl phthalate, temp. relation 7=7047 double capillary, for pure metals meas. 7=4334 drag on cylinder between parallel walls in Stokes flow 7=17233 drop formation in liquid-liquid systems, effect of viscosity on drop volume 7=14031 effects on electrical conductivity obs. 7=17281

electroviscous effect, secondary in charged spherical colloid 7=10877 flow in pipes with cores 7=14012 glycerine-water mixtures, rel. to benzene drop formation in 7=14031

hydrodynamics near critical point, theory 7=14010 lubricants, 500-2000 atm. 7=14050 macromolecules in soln., shear-rate depend. 7=1135 meas. of normal stress differences in simple shear

flow, cone-and-plate 7=1126

metals, rel. to acoustic wave propagation 7=4347

```
Viscosity-contd
liquids-contd
```

α-methylpolystyrene in toluene, intrinsic 7=7048 α-methylpolystyrene in var. solvents, 30°C 7=14057 near critical point, spatial dispersion of coeffs. 7=14054 newtonian and non-newtonian, viscoelastic coeffs, for dynamic conditions 7=7044

nylon fibers, straight, rigid; suspension 7=10876

o-terphenyl, undercooled 7=17412 polyethylene melt 7=1132

polyisobutylene in cetane 7=7045

polymer melts 7=1133

polymer solns., theory 7=1122

polymers, critical molecular weight and shear stress 7=17256

poly(methyl methacrylate) solns. in  $\theta$ -solvents. anomaly 7=10819

polystyrene latex, sulfonated, isoionic dilution, viscosity meas. 7=10877

polystyrene solns., intrinsic 7=17258

polystyrene solns., shear-rate depend. 7=1135

pressure depend and molec struct. 7=14047 rare earth chlorides, aqueous solutions 7=1134 shear-relaxation processes 7=7020-1

Stokes translation of particle along cylinder calc. 7=14048

calc. 7=14048
Stokes translation of particles along axis of infinitely long circular cylinder 7=14049
Stokes translation of particle of arbitrary shape 7=1125 strong electrolytes, theory 7=15436

suspensions of straight, rigid rods 7=10876 12 metals 7=4334

1:3:5-tri-α-naphthyl benzene 7=1131

validity of principle of corresponding states 7=14053 viscoelastic capillary flow, pressure loss due to elastic energy 7=1130 viscometer, suspended level dilution for volatile liquids 7=1127

water, in bistructural model 7=14055

water, compressed, rel. to u.s. absorption 7=17266

water, compressed, rel. to u.s. absorption 7=17266 water, 560°C and 3500 bar 7=14056 xylene substitutes in benzene obs. 7=10860 Ar, 1 to 100 atmospheres 7=7049 Ar, pressure dependence at 90°K, meas. by torsionally vibrating quartz crystal 7=17257 Ar, vol. viscosity, high press. 7=7046

CO 7=14053

CO 7=14053 CaCl<sub>2</sub> solution meas. 7=14036 CoCl<sub>2</sub> solution meas. 7=14036 CuCl<sub>2</sub> solution meas. 7=14036 CuCl<sub>2</sub> solution meas. 7=14036 GeO<sub>2</sub> viscosity-temperature relationships, vitreous 7=10818 He, force exerted on oscillating cylinders 7=15989 MgCl<sub>2</sub> solution meas. 7=14036  $N_2$  7=14053  $N_2$ , 1 to 100 atmospheres 7=7049 MiCl. solution meas. 7=14036

NiCl<sub>2</sub> solution meas. 7=14036 O2, 1 to 100 atmospheres 7=7049

O<sub>2</sub>, pressure dependence at 77°K, meas. by torsionally vibrating quartz crystal 7=17257

SiO<sub>2</sub>, viscosity-temperature relationships, vitreous 7=10818

Visibility. See Atmospheric optics.

Vision

See also Colour vision; Eye; Stereoscopy. alphanumeric reproduction tolerances 7=16316

angle and fixation, grating contrast as a function of 7-16315 automatic apparatusfor analysis of visual acuity 7-12742

blister effect, geometric optics 7=3303

category judgments and luminance-duration function 7=362 critical fusion freq.rel.to exposure time obs. 7=3300

experimental technique 7=361

extrafoveal visibility of test stimulus rel.to black and white background 7=16312
"facilitation", spatial and temporal aspects 7=3302 feedback control model 7=5923

interaction of visual and auditory sensory modalities 7=15960

Mach bands appearance for short durations and sharply

focused contours 7=363
masking stimulus, width movement effect, constant target
separation 7=16314

photopic mechanisms, interactions by mixing conditioning fields 7=9639

fields 7=9639
physiological optics, NBS bibliography 7=16311
positive afterimage as background luminance obs. 7=3304
psychophysical responses to homochromatic stimuli of
equal brightness but unequal luminance 7=16310
retina, effect of orientation on modulation sensitivity
for interference fringes 7=16309
size matching at short distances, exposure duration, cue
reduction and temporary monocularity effects 7=16313
space frequency doubling response obs. 7=3301
spatial sine-wave stimuli contrast rel. to eccentricity and

spatial sine-wave stimuli, contrast rel. to eccentricity and size of receptive field centres 7=3305

stripe of variable width 7=9638

Vision-contd

threshold signal-to-noise ratio for photon beam 7=12743 thresholds of contrast and acuity, statistical theory 7=12744

thresholds of energetic retinal illumination for positive macular contrast, spectral var. 7=9640

Vitreous state

See also Glass.

copolymers of N-n-alkylacrylamides and acrylonitrile, transition temp. 7=11343

ethylene oxide polymers transition temps. obs. 7=1293 glucose pentacetate for transition demonstration 7=7253

ionic polymers, glass transitions 7=14256

o-terphenyl, glass transitions 7=17475 o-terphenyl, glass transition 7=17412 oxides, Raman and i.r. spectra obs. 7=18260 poly (methyl methacrylate), rel. of glass transition temps. to mol. wt. and tacticity 7=1252

poly(vinyl benzoates), group motions 7=4828 polycarbonate, oriented, grain slip and bond flexing 7=1745 polyphenylene oxide, oriented, grain slip and bond

flexing 7=1745

polystyrene, internal order 7=14306 polystyrenes, group motions 7=4828 vibrations of a chain with glass-like disorder

calc. 7=14304

As borate glasses, gamma-induced colouration, rel. to structure 7=4719

As2S3 absorption fundamental edge, Ag impurity effect 7=8374

B<sub>2</sub>O<sub>3</sub>, h.f. moduli 7=4766

Ca aluminates, defects prod. by stress obs. 7=11276 Cu-Sn, fluorescent, excited state absorption 7=15352 Er3+, fluorescent, excited state absorption 7=15352 GeSeTe,i.r.transmitting glass 7=15328 Se,carriers var.by impurities obs. 7=1766 Se transition elastic consts.temp.var.obs. 7=1735

SiO2, refractive index var. with press. to 7 kbars 7=11803

Value of the condition of the condition

Volume measurement

gas, automatic recorder 7=6952

at high press., to 100kbar 7=5650

Vortices

See also Cavitation; Turbulence.
Bose liquid, struct. under press. calc. 7=9112
boundary-layer, temperature-vorticity analogy 7=6940
decay above boundary 7=10704
formation by moving ion, critical velo. calc. 7=5756

impulse, Lamb's procedure failure with boundaries 7=17177 lattices stability, mutual friction effects calc. 7=9286 rectilinear, in rotating container, equilibrium distribution 7=6947

in superconducting films, quantized, theory 7=4922 superconducting, lines lattices free energy cale. 7=4928 superconducting, structure near metal-air interface calc. 7=1848

in superconductors, lines 7=1849

in superconductors, quantized 7=1843

in superconductors of type II, Abrikosov vortices interaction calc. 7=7894 in superconductors, viscous motion theory 7=4926

in superfluid systems, review 7=5762 Taylor, in Couette flow, intensity meas. 7=4311

in turbulent liquids, rel. to abrasion of polycrystalline graphite 7=4770

in He liquid, ion obs. 7=5755

in He liquid, ion prod. of quantized vortex rings 7=5757

in He superfluid, quantized vortex rings near wall calc. 7=9288

HeII lattices stability, mutual friction effects calc. 7=9286 in He II liquid, capture of negative ions by vortex lines 7=5775

HeII. rotating, quantized vortex rings 7=2960 HeII liquid bubble chamber, bubble formation on vortices

obs. 7=5764 in He II, multiply quantized, possible obs. 7=5763 in He4 superfluid, charge trapping by vortex lines

calc. 7=9287 in Nb superconductor, neutron diffr.obs. 7=1878

WKB method. See Quantum theory. Water

See also Ice; Seawater; Steam. absorption and dispersion in range of valence vibrations, liquid 7=7082

acoustic meas. in lakes, use of dipole near-field 7=12446 acoustic radiation from piston with air bubbles with infinite baffle calc. 7=9189

Water-contd

```
SUBJECT INDEX
S 388
          adsorbed on Al<sub>2</sub>O<sub>3</sub> and NiO-Al<sub>2</sub>O<sub>3</sub> catalysts, i. r. absorption spectra 7=8402 adsorbed on edingtonite, molecules rotation, n. m. r. obs. 7=10975
Water-contd
          obs. (=10975)
adsorbed on MgO, proton n.m.r. 7=14292
adsorbed on silica, i.r. spectra 7=14297
afterglow 7=7094
boiling, heat transfer from metal, maxima and minima rel.
to temp. difference obs. 7=10903
boiling, pool, min. heat fluxes meas. 7=7156
contexture in continue the for H.O. compared with
           cavitation inception obs. for H2O saturated with
           atr 7=14018
cavitation resistance hydration of ions effect obs. 7=4313
chemisorption on Al, rel. to work function change 7=8064
conductivity and ionic dissoc., 1000°C, 100 kbar 7=14120
convection from evaporating layer heated from
below obs. 7=10832
convection near transposed critical point calc. 7=9243
in cumulus clouds obs. 7=12003
deuteron spin_lattice_relax_mass_hording_data_7=7117
                 air 7=14018
            deuteron spin-lattice relax. meas., bonding data 7=7117
           dielectric constant and relax, times obs. 7=1162 dielectric const., temp. depend. -5° to +25°C 7=7101
           diffusion through nonaqueous liq. membrane, mech. 7-14075
discharge channel broadening rel. to pressure and energy
of pulse obs. 7-4371
           discharges, high-freq., OH radicals 7=16978 discontinuities questioned 7=7068
            drops, disintegration, in elec. field 7=4323
           drops, metal destruction by impact 7=11256 drops, rates of evaporation and wet bulb temps. equation of state in critical region for liquid and vapour 7=7131
           evolution on exposure of glass to gamma radiation 7=4740 explosions, strong "throw-out", modelling 7=2892 flask with unequal holes calc. 7=10790 flow switches, glass, fail-safe 7=14013
            flow visualization techniques review 7=10781
           flows, air-entraining, aspects of similarity 7=14030 \gamma-ray field distribution for soft radiation 7=9861
            glow discharge, dissociation free radicals prod. of
            luminescence on ZnO 7=11884 in ice, meas. calorimeter 7=8616
            infrared transmission of inhomogeneous vapour, Curtis-
                  Godson approx.test 7=4294
            isobutyric acid-water mixture, critical, concn. fluctuations, time-depend. obs. 7=17271
           laser beam transmission characteristics, theory and
meas. 7=5365
            light or heavy water solutions with light or heavy acids 7=10864 light scatt. by droplets, glory, Mie theory calc. 7=3273
            light scattering 7=14095
magnetic field meas., by n. m. r. magnetometer 7=14126
on Mars, quantity approx. 7=8938
            on Mars, vapour var. spectral obs. 7=15770
molecule, electronic structure theory, appl. of i.r.
spectra 7=6670
            n.m.r. chem. shift 7=4390
           neutron diffusion obs. and calc., 10°C 7=10010
neutron dose meas. 7=9990
neutron transport flux, fast, spectral and spatial
details 7-16626
neutrons escaping from layers ang. distrib.
>0.7 MeV 7=13090
optical constants, polarized light, rel. to reflectance and
emissivity, meas. 7=14096
            penetration by electrons and positrons, direct
                  comparison 7=16526
            photoionization, mass spectrometric study 7=17028 radiation of nonisothermal vapour at 2.7\mu 7=4293 refractive index, complex, 2.5-25\mu meas. 7=14097
            self-diffusion, n. m. r. meas. up to crit. point 7=7057
           self-diffusion, neutron scatt. obs. 7=10825
solubility of vapour in alkali borate melts,
750-1050°C 7=7033
           sorbed on Na polymetacrylate, n. m. r. 7=8330
sorption on TiO<sub>2</sub> 7=8557
sound transmission in deep water, diffr.effects 7=15468
            specific heat, first and second derivs., discontinuities,
                  data 7=10829
           spectrum, absorption, thermally induced transition in
intensity at 2100 cm<sup>-1</sup> 7=10845
spectrum, far i.r. 7=1155
            stretching vibration, fundamental 7=14035
           structural shifts, effect on gas solubility 7=1113
           structure, and order-disorder theory 7=4328
           structure and props. 7=7022
           supercooled, solidification kinetics, basal plane,
                  impurity effects 7=14155
           surface elevations, space correlations, effects of dispersion 7=14022
```

surface waves on droplets obs. 7=4319

thermal diffusion of electrolytes in H<sub>2</sub>O and D<sub>2</sub>O 7=10823

```
ultrasonic absorption of fundamental freq. of finite amplitude at 5.65 Mc/s 7=4348
        ultrasonic absorption in H<sub>2</sub>O and D<sub>2</sub>O vapour, 137°C 7=6971
        ultrasonic velo. and absorption, Brillouin scatt. obs.,
        500-1500 Mc/s 7=9211
ultrasonic velo.,0-10°C,6 Mc/s 7=4349
        vap., pure and with D, photolysis at 1236 and 1470Å 7=8569
        vapour adsorbed on Si, rel.to surface conductivity 7=15023 vapour, adsorpt. on PbI_2 7=7291
        vapour adsorption on inorganic oxides 7=17402 vapour, atmospheric, \nu_2 band at 400 and 540 K, line widths and intensities obs. 7=15525
         vapour, effect on initial sintering of MgO 7=10936
        vapour, hot, total emissivity, high pressure limit \,7{=}1086 vapour on Mars and Venus \,7{=}15769
        vapour partial pressure in terrestrial and Venusian atmosphere 7=15474
        vapour press. meas. using T gauges 7=7157
        viscosity, in bistructural model 7=14055
         viscosity, 560°C and 3500 bar 7=14056
        viscosity (shear) and u.s. absorption, at high
             press. 7=17266
        water-dioxane solns., u. s. absorpt. 7=7075
         wave problem, eqns. 7=14023
         waves, depth gauge using i.r. absorption 7=4317 waves, nonlinear dispersion 7=14019
        wind-induced flow in closed channels, velocity and shear
             stress profiles 7=18348
        \mathrm{D_2O}, molecular aggregates search by n diffr.and Tyndall effect 7{=}7028
        D<sub>2</sub>O, neutrons scattering at 540^{\circ}K, S(\alpha,\beta) values 7=16615 D<sub>2</sub>O, structure, two-state theory 7=1105 H<sub>2</sub>O-CaCl<sub>2</sub>-MgCl<sub>2</sub> soln., activity coeffs. 7=7036
         H2O and D2O, refractive indices 7=14098
        h<sub>2</sub>O-D<sub>2</sub>O solns., near i.r. spectra 7=1154 H<sub>2</sub>O-D<sub>2</sub>O solns., near i.r. spectra 7=1154 H<sub>2</sub>O-NaCl-CaCl<sub>2</sub> soln., thermodynamic props. 7=7037 NH<sub>3</sub>-H<sub>2</sub>O systems at 77°K, e.s.r. study of \gamma radiolysis and photolysis 7=8578 SO<sub>2</sub> sorption, monomolecular film effects obs. 7=10820 T analysis at low levels 7=5353
Wave equations, quantum theory. See Quantum theory/wave
    equations.
Wave functions. See Quantum theory/wave equations.
Wave mechanics. See Quantum theory
Wavefront-reconstruction imaging. See Diffraction/light;
   optical images
Waveguides. See Electromagnetic wave propagation/guided
    waves.
Waves
             See also Acoustic waves; Elastic waves; Electro-
             magnetic waves; Liquid waves; Magnetohydrodynamics;
        Seismic waves; Shock waves.
atmosphere, solitary, with arb. wind and density
profiles 7=2519
         beam of packets of arb. form, scatt. 7=2789 classical, Feynman integral calc. 7=9031
         along dislocations, velo. 7=11169
         dispersion relations, exact inversion method 7=2786
        displaying propagation on c.r.o. 7=2974
of finite amplitude, formation by fluid source 7=1087
in fluid, compressible conducting, in mag. field 7=6949
gravity-shear waves in troposphere 7=2514-16
Helmhotz's solid harmonics, addition theorem 7=2782
Huygens principle, various formulations 7=12408
         instability with nonlinear dispersion 7=9034
         linear wave equations 7=15857
         in liquid thin films, wind-generated 7=1102
         magnetohydrodynamics, relativistic, Hall effect
dispersion 7=16098
penetrating a caustic surface, geometric optics method,
              modification 7=9036
         plane, propag. in elastic solids 7=1680
         plane wave propag. in layered medium, dynamic
programming appl. 7=9148
plasma, drift waves, excitation and damping 7=17124
plasma by interaction of ion beam 7=17131
         propagation through assemble of spheres, single-particle eigenstate density 7=7016 propagation through curved media, appl. of laws of geometric optics 7=9035
         propagation of mutual coherence function through random
media. approx. 7=2787
pulse response of backward two-wave systems
calc. 7=16101
          radiation pressure, general formula 7=9032
          in random medium and stochastic equations 7=9033
          reactive flow, one-dim., transverse waves theory 7=4278
          reflection at discontinuity in refractive index gradient 7=9037
          scattering and reflection by elliptically striated surfaces calc. 7=2790
          shadowing of randomly rough surfaces 7=15859
          string, sectionally uniform, initial-value problem 7=2873 surface harmonics, generalized 7=15856
```

```
Waves-contd
```

in thermoplastic media, fronts calc. 7=9173 in viscous fluid, finite amplitude, Keck-Beyer soln. convergence 7=6951 water, eqns. 7=14023 water, non-linear dispersion 7=14019 wave-equation, exterior to 3-dimens. obstacle, soln. decay 7=2788

wind, wave-driven 7=8654

#### Waxes

carnauba, elec. cond., field var., 64°76°C 7=15041 carnauba, magneto-electrets, charge decay meas. 7=8034 paraffin, irradiated, dielectric prop. obs. rel. to oxidation, cross-linking and degradation obs. 7=2004

Weak interactions. See Field theory, quantum/interactions, weak. Wear

epoxy coatings, relation between wear resistance, internal stresses and modulus of elasticity 7=4813 graphitoplast parts, increase of resistance by compression moulding 7=11340

plastics, resistance meas. by rubbing with abrasive cloth 7=11341

polytetrafluoroethylene, rel. to surface texture 7=4829 polyvinylchloride, plasticizing mechanism during abrasion obs. 7=4825 survey of work during last decade 7=7667 Al-Mn(1.7%) cavitational erosion at 17 kc/s, stress

effects obs. 7=17683

Weather. See Meteorology.

Weighting. See Balances; Mechanical measurement.
Weissenberg cameras. See Cameras; X-ray crystallography/ apparatus.

Wentzel-Kramers-Brillouin method. See Quantum theory. Wertheim effect. See Magnetomechanical effects.

See also Capillarity. line-tension effect 7=1188

by liquid metals, electron beam evaporation appl. 7=10792 metal-metal reacting systems sessile-drop spreading kinetics 7=10793

polyethylene single crystal aggregates 7=10953 polymer melts, kinetics, contact angle analysis 7=14027 Al on BN 7=4419

Au surface effect of residual abrasives 7=7256

Whiskers. See Crystals/whiskers.

Whistlers. See Atmospherics; Ionosphere.

White dwarfs. See Stars.

Wiedemann effect. See Magnetomechanical effects: Magnetostriction.

Wiedemann-Franz law. See Conductivity, electrical/solids;

Conductivity, thermal/solids.

Wien effect. See Conductivity, electrical/liquids, electrolytic.

Wigner coefficients. See Quantum theory.
Wigner effect. See Physical effects of radiations. Wilson cloud chambers. See Cloud chambers

Wind atmosphere, circulation and effect on movement of tracers 7=15500

blennial oscillation in equatorial troposphere 7=15506 effect on ionospheric F2-peak 7=18397 field structure in thermally stratified atmosphere 7=12000

frictional force on deep sea water surface, determination 7=2508

horizontal deform, fields, frontogenesis 7=8627 ionosphere, horizontal, vertical profiles, spectral energy densities estim. 7=12069

in ionosphere, meas. apparatus improvement 7=5448 ionosphere, meas. by gun-launched projectiles 7=5445 magnetic fluctuation induction 7=12072

and ocean acoustic noise correlation props. at

Bermuda 7=11977

profiles in lapse conditions 7=8643

stratosphere, equatorial, non-repeating variations 7=15505 surface frictional velocity, effect of velocity shear 7=15498 tidal 7=15503

tornados, mechanism with air saturated with Fe particles 7=15507

turbulent, in upper atmos., energy balance 7=2540 in upper atmosphere, meas. by Na cloud drifts 7=5397wave-driven 7=8654

zonal, in equatorial stratosphere and lower

mesosphere 7=2541

zonal, 26-month oscillation 7=8655

H2O flow induced in closed channels, velocity and shear stress profiles 7=18348

H2O wind-induced flow in closed channels, velocity and shear stress profiles 7=18348

#### Wolfram. See Tungsten. Wood

 $\beta\text{-radioactivity}$  of rings of spruces in lower Silesia obs., rel. to age  $\ 7\text{=}8995$ 

### Work function

See also Electron emission. adsorbed layer of polarizable ions penetration parameter calc. 7=2049

Work function-contd

alkaline earth metals, on W, Ir and Rh 7=5107 metal-SiO<sub>2</sub>-Si, barrier energies 7=7997 metals 7=5106

metals rel. to surface energy 7=5104

transition metals and their compounds 7=5105 Al, changes due to chemisorption of water and O<sub>2</sub> 7=8064 Au films 7=2050

CdSe, In doped, electron affinity meas. 7=14947

Cu, spherical single crysts. 7=5108 Hg-Cd(≥ 8%)-KorCs(≤1%) obs. 7=18078

Ir, rel. to surface ionization efficiency 7=11615 Mo, anisotropy 7=2051 Mo crystal faces obs. 7=2053

Mo crystar races do: 1-2007 Nb, reduced by alloying with Hf  $^{7}$ =8067 Re, reduced by alloying with Zr  $^{7}$ =8067 Re, in vacuo, effect of  $^{0}$ 2 adsorption  $^{7}$ =2052

Si, positive ion current, use of Saha-Langmuir formula 7=5121

Si, temp. dependence 7=18079 Ta crystal faces obs. 7=2053

Ta, reduced by alloying with Hf 7=8067

Ta, reduced by analysing with 11 - 3000 W with adsorbed O obs. 7=1288 W, electron, of (110) plane 7=8065 W faces, Cs adsorption effects obs. 7=8066 W(100) surface, with adsorbed N<sub>2</sub> and N<sub>2</sub>+CO 7=10982

W, oriented cryst. surfaces with adsorbed H<sub>2</sub> 7=7294 W, oxygen-coated of Li 7=14299

W reduced by alloying with Hf 7=8067 W single crystals obs. 7=11603

W of Cs, rel. to field emission 7=14298 W-La system 7=5109

W, Li sorption effect obs. 7=7295 W-Mo, composition var. 7=2055

W-Re alloy, rel. to surface ionization efficiency 7=11615 W-Ta, composition var. 7=2055

Work hardening

hardening

See also Cold working; Surface texture.
alloys of L1<sub>2</sub> structure, rel. to dislocations
along (110) 7=14580
dislocation theories, review 7=17668
disporsion hardened crystals, secondary slip theory 7=7658
f.c.c. metals, stacking fault propag. 7=7598
theory long range stress 7=14674

Al, in creep, recovery 7=4798
Al, rel. to secondary defects 7=14697
Al, sintered, recryst. and polygonised, comp. to normal

Al, sintered, recryst, and polygomised, comp. to normal Al 7=7677
Al-5% Ag alloy, influence of second-phase interface 7=1702
Al with Be, Ni, Ti, B or Mn, effect on recovery 7=7682
Cu, stage I, edge and screw dislocations 7=14708
Cu-Si, cold rolled, effect of Fe content 7=17702 Fe, containing C or N, cold-work peak and grain boundary segregation 7=14736

Fe slip, electron microscope obs. 7=11283 Fe-Ni-Cr martensites 7=7705 Ni, in creep, recovery 7=4798 Ni-Cr-Co-Mo austenite, by ordered precipitates 7=14673

Ni<sub>s</sub>Mn solid soln., temp. effect 7=7726

α-Zr, strain hardening, grain size depend. 7=11332

X-ray absorption

See also X-ray spectra/absorption.
atoms, cross-sections calc. for 10 wavelengths 7=16899 crystals meas., divergence of primary beam effects calc. 7=7392

in elements, attenuation coeff. 7=15299 luminescence corrections for slab 7=3556
mica, attenuation at 0.3-3.0Å 7=3512
in water, energy absorption factors for therapy beams,
200 to 300 kV 7=3513

Ge, anomalous, impurity and dislocation effects

obs. 7=7428

obs. 7=7428

Ge, three-beam interference obs. 7=7427

KBr, of bremsstrahlung, 200 keV 7=8409

KCl, of bremsstrahlung, 200 keV 7=8409

KI, of bremsstrahlung, 200 keV 7=8409

Si meas., divergence of primary beam effects calc. 7=7392

Xe, attenuation at 0.3-3.0Å 7=3512

X-ray analysis. See Chemical analysis/X-ray; Crystal structure, atomic; X-ray crystallography

X-ray astronomy. See Astronomy and astrophysics. X-ray characteristic temperature. See Specific heat.

X-ray crystallography
For results of structure analysis see Crystal

structure, atomic. anomalous scattering and phase problem 7=7386 Bijvoet ratio, expectation value 7=7375

organic compounds computer programme using molecular

X-ray crystallography-contd

calculation methods-contd

```
SUBJECT INDEX
X-ray crystallography-contd
           broadening of diffraction line due to lattice parameter var.
                and instrumental effects calc. 7=11049
          coherent rel. to incoherent sources, interference in
Bragg case 7=7391
complete data set, advantages 7=17479
          complete data set, advantages t=1/475 crystal mapping and meas., K_{\alpha} doublet in double cryst. X-ray pictures T=11024 Debye-Waller factor of films, substrate effect T=14268 defects, interaction with X-rays, anomalous
                 transmission 7=4689
            dispersion surface, by pendellösung fringes 7=4561
          dynamic diffraction theory for distorted crystals, with
           electrons 7=1401
dynamic diffraction theory, with electrons 7=1400
          dynamic diffraction theory, with electrons ?=1400 dynamic diffraction theory for perfect crystals, historical review ?=1399 f. c. c. crysts. with condensed sheets of interstitial atoms ?=7387 goniometer ?=17421 international tables, note on ?=14361 Kossel transmission photographs contrast, effects of sample thickness and operating voltage calc. ?=?
                sample thickness and operating voltage calc. 7=7389
            polarization mixing theory 7=8361
            radioactive sources of characteristic radiation 7=7385
          random alloys, coherent diffuse scatt.
singularities 7=1402
single-crystal intensity project report 7=7382
Umanskii biography 7=7393
          Umanskii biography 7=7393
unstrained and lightly strained perfect crystals,
theory 7=14358
Au, Debye-Waller factors 7=17545
Cs halides, Debye-Waller factors 7=7471
Cu, Debye-Waller factors 7=17545
Ge, three-beam interference obs. 7=7427
W. Debye-Waller factors 21, 7=14389
           Ni, Debye-Waller factor calc. 7=14389
      apparatus
                See also X-ray monochromators; X-ray spectrometers.
            camera with low pattern distortion 7=1405
           camera with row pattern distortion (7=1405)
camera for polymers, heating and cooling unit 7=4538
Debye-Scherrer chamber combined with heating
microscope 7=14362
           microscope 7=14362
diffraction chambers for low temps. 7=7396
diffractometer, on-line automation 7=7395
furnace for single crystal diffractometer, for
1300°C 7=14365
goniometer pattern distortion and correction for
rotating film 7=1405
goniometer, Weissenberg, gas-cooling attachment 7=7398
Guinier camera, intensity corrections 7=4564
for high press. meas. to 300 kbar 7=16485
           for high press, meas to 300 kbar 7=18485
low temp. diffr. camera 7=17491
Polaroid chassis adaptation to a Unicam camera 7=7394
Polaroid film photographs 7=11054
powder diffractometer slits 7=4570
            ray proof slit mount for powder diffractometers 7=1404
            specimen holder for lattice spacings comparison by back reflection 7=11053
            tubes, double shutter safety device 7=4571
            twin-chamber, focusing, for fine struct. determ. 7=11051
            Umanskii biography 7=7393
            Weissenberg chamber, universal mounting on cylindrical
                  monochromator 7=7397
            Weissenberg screens for low-temp. single cryst. 7=4568
      calculation apparatus
            film scanner, computer controlled 7=7399
      calculation methods
            absorption correction, evaluation, analytical and
                 numerical 7=17482
            angle calcs., 3- and 4-circle diffractometers 7=17486
            approximations for electron-density, minimization and
Patterson functions 7=11048
Bragg law elementary derivation 7=4559-60
           centrosymmetry, higher-moment test, effect of intensity errors 7=4556 computer, hybrid 7=11050 computer indexing of powder patterns of unknown errors 7=7286
                 structs. 7=7388
           computer programmes for Fourier transform of helical structure 7=17484 cubic space groups, phase relns. of reflections 7=17478 cylinder and sphere, dynamical theory of interference 7=4562
           dispersion effect elimination in line profile analysis 7=17480 dynamic theory, quantitative verification 7=11044 electron density maps of all 230 space groups 7=7380
            extrapolation correction of cubic crysts. lattice
                 consts.
                                 7=11043
           general diffraction theory in real crystals 7=17477
information content and intensity distrib, of refl. 7=11047
Lane ellipses and reciprocal-lattice plane packing
```

densities 7=17481

line profile analysis, systematic errors 7=14336

```
packing 7=17483
        Patterson function, deconvolution 7=7369
        Patterson function, internally weighted modified 7=11046
       phase determ., symbolic addition method 7=7374 rotation function programmes 7=7370 scaling of X-ray photographs 7=14359
        small-angle scatt. diagrams, unscrambling 7=11042
        statistical tests for distinguishing centrosymmetric
           structures 7=4557
        transformations of variance-covariance tensors 7=7373
        transmission factors, Monte Carlo method 7=4558
    triclinic cell parameters, from one cryst. setting 7=7383
Weissenberg intensity, a<sub>1</sub>, a<sub>2</sub> splitting correction 7=4563
structures. See Crystal structure, atomic.
   technique
        crystal mounting 7=4567
        crystal-to-source distance measurement 7=14360
        double oscillation photographs, off-central crystal,
            use 7=17489
        fibre photog., precession method 7=4451
        lattice dimensions with Polaroid-Land cassette 7=17492
        monocrystal and polycrystal interferences,
recording 7=17488
photographic dodger for reproduction of diffraction
patterns 7=4569
        polycrystals, structural anal., Fe<sup>55</sup> sources 7=11023 powdered samples for Debye-Scherrer chamber,
            prep. 7=17493
        setting single crysts, for precession camera geometry 7=4566
        simultaneous diffraction with 3-circle diffractometer, geom.
            conditions 7=17487
X-ray diffraction
            See also X-ray crystallography; X-ray scattering.
        atoms, electron correl. effects 7=6575
        crystal, dispersion surface, by pendellösung fringes 7=4561
        crystal mapping and meas., Ka doublet in double cryst.
            X-ray pictures 7=11024
        crystals, distorted, dynamic theory, with
        electrons 7=1401
crystals, dynamic theory, with electrons 7=1400
        crystals, perfect, dynamic theory historical
            review 7=1399
        crystals, polarization mixing theory 7=8361
        crystals, real, general theory 7=17477
diffractometer, high temp. attachment, up to
2500°C 7=4536
        diffractometer with ionization chamber 7=17490 dynamical, effect of lattice vibrations 7=11093 errors, background 7=1370
        formation geometry of lines, depend on instrumental factors 7=7390
         high temperature attachment for diffractometer 7=11052
        imperfect crystals, dynamic theory 7=14357 incoherent X-ray elimination by LiF monochromators 7=3308
         intensity meas., Bragg-Brentano goniometer 7=14363 low-temp. intensities, simple specimen holder 7=4537
         in metal crystals, characteristic X-ray prod. 7=5229
         Polaroid film photographs 7=11054 for stacking fault energy meas. 7=17620
         theory for unstrained and lightly strained perfect
             crystals 7=14358
         CdTe, compressibility, transitions and lattice
        care, compressionity, transitions and lattice parameters 7=11059 Ge, anomalous, impurity and dislocation effects obs. 7=7428 LiF, of Mn K\alpha X-rays from Fe<sup>55</sup> decay 7=1424 Ni-Be alloys, anomalous var. during ageing 7=7245
Si, bremsstrahlung, coherent, interference obs. 7=14393
Si u.s. waves obs. 7=17560
X-ray diffractometers. See X-ray crystallography/apparatus.
 X-ray examination of materials
             See also Chemical analysis/X-ray; Radiography.
         ARS-4 equipment for structural analysis 7=16319 electron microprobe symposium, Washington, 1964 7=11970
         films, thin, anisotropy of Debye-Waller factor for
Mössbauer effect 7=1264
         fringes of equal deformation in topographics 7=14558
         ice lattice vibrations, diffuse streak diffraction patterns
             interpretation 7=1454
         incoherent X-ray elimination by LiF monochromators in diffr. 7=3308
         lattice vibrations, from diffuse streak diffr.
             patterns 7=1450
         linear accelerator, electron, 100-500 kV, appls. 7=16398 metals, polycrystalline, plastic fatigue rel. to crystal orientation 7=11252
```

 $\alpha$ -quartz linear compression, diffr. obs. to

small-angle scatt., slit corrections, calc. 7=17458

150 kbar 7=17732

```
X-ray examination of materials-contd
```

urea lattice vibrations, diffuse streak diffraction patterns interpretation 7=1454

small angle scatt. collimation correction for finite apertures 7=364

stacking fault energy diffr. meas. 7=17620

steel,  $\kappa$ - and  $\alpha_1$ -phases, fine crystal structure obs. 7=7360 textured mats, volume fraction of phases 7=7220 transmission, anomalous, interaction with defects 7=4689

Ag stacking fault energy diffr. meas. 7=17620

Ag-In stacking fault energy diffr. meas 7=17620 Al lattice vibr. from temp. var. 7=7469 Al, radial density function at 25,325 and 655°C, liquid and solid 7=1116

Ar liquid 0.3°K above triple point, distribution functions calc. 7=10805

AuCuII periodicity var., by diffraction 7=1420 Au-Pd alloy, equiatomic, short-range order meas. BaTiO $_3$  lattice vibrations, from diffuse streak diffr. 7=10944 patterns 7=1450

C, graphitization by spark discharge obs. 7=17357 Cu, Borrmann topographic obs. of dislocations 7=14579 Cu microdiffraction technique 7=8596

Cu stacking fault energy diffr. meas. 7=17620 Cu-Zn stacking fault energy diffr. meas. 7=17620 Ge lattice vibrations, diffuse streak diffraction patterns

interpretation 7=1454

He<sup>3</sup> structure factor rel. to Fermi hole 7=9279 In, liquid, 160°C and 498°C 7=1118

MgO, cubic particles, low-angle scattering 7=7362
Mo, single crystals, substructure obs. 7=17372
NaCl-KCl, separation and remixing kinetics 7=7209

Ni3Al with or without Ti, Cr or W, structure obs. 7=1431 77Ni-20Cr-1Al-C-Mn-Si, deformation and

annealing 7=7365
Pb stearate, refl. coeff., X-ray meas. 7=15361

Si lattice vibrations, diffuse streak diffraction patterns interpretation 7=1454

Si, slip and dislocation, topography of deformation by drawing 7=11188

Si u.s. waves, diffraction obs. 7=17560

Si wafers, coated, topography, strain effects 7=4487 Sn lattice vibrations, diffuse streak diffraction patterns interpretation 7=1454

Ta, single crystals, substructure obs. 7=17372 U, pure,  $\alpha = \beta$  transform 7=14251 W, single crystals, substructure obs. 7=17372 Xe liquid 0.3 K above triple point, distribution functions calc. 7=10805

metals, monatomic 7=1110 Ar, in critical region 7=17248

CCl<sub>4</sub>, electron and molec. radial distrib. functions 7=10806 CCl4, structure 7=1117

# microstructure

See also Crystal structure/microstructure. amorphous materials, crystallite models, small-angle

scatt., upper bounds calc. 7=17410 camera for diffraction contrast topography 7=1535 crystal imperfections, dynamic theory of diffraction 7=1578

crystal lattice distortions, stresses and vibrations 7=1579

deformed h.c.p. crystals, integral breadth analysis 7=7556

diamond imperfections, X-ray topographic obs. 7=1525 dislocations, photographic emulsion relief technique for small-area intensity comparisons 7=1584 dislocations, X-ray topographic obs. 7=1525

graphite, crystal growth with preferential orientation obs. 7=7322

Guinier-Preston zone size distribution effect on diffuse scatt. calc. 7=14337

Kossel-line scanning of structure defects 7=11163 lattice plane spacing and orientation local var. meas. by X-ray double-crystal topography 7=7608 mica, dislocations 7=7590

pole diagrams, direct registration 7=7351

poly (ethylene terephthalate), crystallinity and orientation 7=10986

polycrystals, structural anal., Fe<sup>55</sup> sources 7=11023 polymer dislocations prod. by chain ends 7=1594 polymers, heating and cooling unit for camera 7=4538 quartz amethyst twinning imperfections X-ray topographic obs. 7=1525

small-angle scatt., optimum thickness for mono-chromaticity 7=17457

Ag-Al(20%) Guinier-Preston zone size distribution effect on diffuse scatt. calc. 7=14337

 $\alpha\text{-AgCd}$  alloys, particle size and strain values  $\,7\text{=-}4542$  Ag-Mn alloys, stacking faults  $\,7\text{=-}11190$  Ag-Sb(2, 4, 6 wt %), cold work stacking faults  $\,8\text{=-}4711$ 

Ag -50(2, 4, 6 wt %), cold work stacking faults 8-4711
Al dislocations, X-ray topographic obs. 7=1525
Al, intra- and inter-granular double reflections 7=7356
Al-Mg alloys with Ag, Cu or Zn, T-phases 7=4460
Al<sub>2</sub> films, vacuum deposited 7=7271

X-ray examination of materials-contd

microstructure contd

Co cold worked powder domain size obs. by integral breadth analysis 7=7556

breadth analysis 1=1000 Fe, polycrystalline, on ductile deformation, particle size effects obs. 7=17468 Fe<sup>55</sup> sources, for research 7=3310 Fe-Si(3.5%) dislocations X-ray topographic obs. 7=1525 Fe-Si magnetic domains, diffr. obs. using magneto-

striction 7=8189
GaAs, crystal perfection and disloc. density 7=11179
MgO, explosively shocked, particle size and
dislocations 7=7363

Nb crystal imperfections, growth effects obs. 7=11192 Ni, intra- and inter-granular double reflections 7=7356  $\beta$ -NiAl vacancies non-randomness 7=1561 Si lattice plane spacing and orientation local var. meas. by

X-ray double-crystal topography 7=7608

U,  $\alpha$  and  $\gamma$  deformed and hardened rods, texture distribution 7=7366

### molecular structure

ribonucleic acid, transfer, solutions 7=10563 Se, amorphous, atomic radial distrib. 7=10985

X-ray fluorescence. See Luminescence; X-ray spectra/emission. X-ray measurement

See also Dosimetry.

crystals absorption, divergence of primary beam effects calc. 7=7392

diffractometer, high temp. attachment 7=4536

Geiger tubes use up to 1 MeV 7=16511 image amplifier for sources 7=703

integrated intensity, for samples under irrad. 7=4565 intensity meas., Bragg-Brentano goniometer 7=14363 low background gas-filled counters, review 7=16527

1 to 12 Å band detector 7=16513

Polaroid film photographs 7=11054 proportional counter, 0.3-3.0Å 7=3512 proportional counters, advances in design 7=12113 standards of wavelength 7=12749

Si absorption, divergence of primary beam effects calc. 7=7392

# X-ray microscopes. See Microscopes.

X-ray monochromators
LiF, for incoherent X-ray elimination in diffraction exam. 7=3308

X-ray photoeffect. See Electron emission/photoelectric.

crystal, information content and intensity distrib. 7=11047 crystals, thickness var., divergence of primary beam effects calc. 7=7392 fibre optics 7=324

formation geometry of diffraction lines 7=7390

Au in collodion-amyl acetate matrix, peak shift on cooling obs. 7=1705 Ge, (222) forbidden reflection 7=7426

Si, thickness var., divergence of primary beam effects calc. 7=7392 Si, (222) forbidden reflection 7=7426

# X-ray scattering

See also Compton effect; X-ray diffraction.

amorphous materials, crystallite models, small-angle scatt., upper bounds calc. 7=17410
by amorphous samples, ratio of intensity of double to
single scatt. 7=1369
anomalous, and phase problem 7=7386
atoms, biography of Barkla 7=13663

Bijvoet ratio, expectation value 7=7375 condensed interstitials in f. c. c. crysts. 7=7387 crystal, cylinder and sphere, dynamical theory of interference 7=4562

crystals, anomalous transmission, integral characts. 7=1403 crystals, dynamic theory, quantitative verification 7=11044 imperfect crystals, dynamic theory 7=14357

phonons 7=14424

phonons meas. 7=14425

Raman scattering, expt. obs. 7=8358

random alloys, coherent diffuse, singularities 7=1402 small angle, collimation correction for finite apertures 7=364

small angle, rods and sheets, line-collimation results 7=10804

small-angle, slit corrections, calc. 7=17458 Al, electron band struct. calc. 7=14382

C atom, 1s22s2p3 valence state, partial form factors 7=17497

C, Fourier maxima, temp. factor and cutoff effect 7=17498 Cr, Debye temp., thermal variation 7=4647

Cu atomic factor obs. 7=14377 Cu, electron band struct. calc. 7=14382

KBr, thermal diffuse, lattice mechanics, 20°C 7=14428 NH<sub>4</sub> spherically symmetric ion, scatt. curve 7=4589 Ni, Debye temp., thermal variation 7=4647

O2- in MgO, form factors theory and obs. 7=14391 SiO<sub>2</sub>, vitreous, small-angle, upper bound calc. 7=17410

rel. to Zn elastic constants, thermal diffuse 7=4811

X-ray spectrometers

```
S 392
```

SUBJECT INDEX X-ray spectra See also Atmospheric spectra; Chemical analysis/X-ray. biography of Barkla 7=13663 element films 50 to 50,000Å, thickness meas.by X-ray fluoresc.anal. 7=10961 energy absorption factors for therapy beams in water, 200-300 kV 7=3513 metals and alloys,  $K\beta_5$  emission and K-absorpt. edges 7=14822 polystyrene, line broadening obs. rel. to crystallite size and lattice distortion 7=1396 standards of wavelength 7=12749 transition metals, first group, 13-22Å 7=11741 Cu, CuO, Cu<sub>2</sub>O, 13-22Å 7=11741 Cu, Lill, electron 4d and 3s bands obs. 7=14829 Cu, L<sub>111</sub>, electron 4d and 3s bands obs. 7=144 MgO, anomalous transmission obs. 7=18256 MgO-Al<sub>2</sub>O<sub>3</sub>-Fe<sub>2</sub>O<sub>3</sub> ferrites, and elec. cond. mechanism 7=1997 NiO, 13-22Å 7=11741 Ni-Zn ferrites, rel. to elec. cond. 7=1997 Si, rel. to energy band structure 7=11401 SiO<sub>2</sub>, rel. to energy band structure 7=11401 sorntien. absorption crystals, coeff. calc. 7-2267 crystals, single, coeff. of 1s-zone, polarization and orientation effects 7-2266 fine structure on high-energy side of edge, theory 7=8357 polycrystalline, anomaly and theory applicability 7=2268 review, fundamental developments and applications 7=5349 solids, influence of band struct., anomalies 7=14811 solids, influence of band struct, anomalies (=14617 Ag, K-anisotropy in single crystals, errata 7=18197 Al, near L<sub>II, III</sub> edge 7=11744 Al, <sub>2,3</sub> K obs. 7=15313 Al-Mg, L<sub>2,3</sub> of Al, Mg obs. 7=15313 Be, K obs. 7=15313 Bi, soft obs. 7=15313 Cl in KCl, L levels and photoeffect quantum yield, obs. 7=2315 ons.  $^{1-2,315}$  C.1 in KCI, NaCl, L.  $_{2,3}$  obs.  $^{7-15320}$  Co, plasma obs. in K spectrum  $^{7-11756}$  Co, 3d-band, unoccupied part, struct.  $^{7-14832}$  Cu, max. and min., calc. and expt.  $^{7-8357}$  Fe, 3d-band, unoccupied part, struct.  $^{7-14832}$ Ga, temperature melting of hyperfine structure in K spectra 7=2301 K-anisotropy in single crystals, errata 7=18197 KCl, intensity distribution by isochromat obs. 7=15340 KI, intensity distribution by isochromat obs. 7=15340 K in KCl, L levels and photoeffect quantum yield, obs. 7=2315 Kr, double excitations obs. in L spectrum 7=6564 NaCl, intensity distribution by isochromat obs. 7=15340 Pa<sub>2</sub>O<sub>5</sub>, 3Å region obs., in conference, Orsay (1965) 7=11795 Sb, soft obs. 7=15313
Ti, shape and width of band and absorption edge obs. 7=8443 TiO<sub>0.85-1.20</sub>, rel. to bonds and electron bands 7=17323 emission in atomic L and M subshells 7=6516
chlorofluoromethanes, gaseous, Cl emission 7=4106
chloromethanes, gaseous, Cl emission 7=4106
Coma galactic cluster 7=5567
elements in 2nd large period, rel. to energy
bands 7=14819 hydrocarbons, chlorinated, soft X-ray fluoresc., satellite analysis 7=13765 metals, quantum many-body theory of soft enhancement due to interactions 7=11731 metals, as thin crystals 7=5229 reevaluation of wavelengths 7=10394 review, fundamental developments and applications 7=5349 Al, bombarded by H and He ions 7=8483 Al, bombarded by H and He ions 7=8483 Al K in Al-Fe, alloying effect obs. 7=18212 Al, L<sub>2,3</sub> obs. 7=11379 Be, K obs. 7=11379 Be, K obs. 7=11379 Cu anode, characteristic and bremsstrahlung ratio 7=12748 Cu, bombarded by H and He ions 7=8483 Cu, k $\beta_{2,6}$  emission line 7=8384 Eres, L, new diagram lines obs. 7=11762 Fe, K yield from Cos or orbital e capture 7=16750 Fe L in Al-Fe, alloying effect obs. 7=18212 Li, soft, momentum eigenfunction 7=5265 Mg, bombarded by H and He ions 7=8483 Mg, L<sub>2,3</sub> obs. 7=11379 Ptrs, forbidden transition L<sub>11</sub>N<sub>11</sub> 7=2331 Sc boride, K<sub>B</sub> series 7=11877 Frey forbitation transition  $L_{11}N_{11}$  (=2331) Sc boride,  $K_{6}$  series 7=11877 Sc carbide,  $K_{6}$  series 7=11877 Sc,  $K_{6}$  series 7=11877 Sc,  $K_{6}$  band and K absorption edge 7=5274 Sc nitride,  $K_{\beta}$  series 7=11877 Sc oxide,  $K_{\beta}$  series 7=11877

Ti, shape and width of band and absorption edge

 $TiO_{0.86^{-1}.20}$ , rel. to bonds and electron bands 7=17323

obs. 7=8443

See also Gamma-ray spectrometers; X-ray crystallography/apparatus. for alloy valence bands meas., soft 7=11379 for astronomy, slitless, 2-10Å 7=8791 electron synchrotron sources, 3-m grazing spectrograph 7=16320 for fine structure meas. 7=3309 fluorescence 7=16514 for mesonic X-rays, at cyclotron 7=16926 for metals valence bands meas., soft 7=11379 X-ray spectroscopy See also X-ray crystallography; X-ray diffraction. No entries X-ray tubes ARS-4 equipment for structural analysis 7=16319 double shutter safety device 7=4571 intenstiy ratio of characteristic and bremsstrahlung spectra, Cu anode 7=12748
spectra, Cu anode 7=12748
linear accelerator, electron, 100-500 kV, appls. 7=16398
three-electrode, with automatic stabilization of radiation
intensity 7=3307 X-rays See also Gamma-rays. anomalous transmission, integral characts. 7=1403 biography of Barkla 7=13663 hard, from solar flares, obs. 7=2734 solar, 44-60 Å and E-layer ionization 7=12076 Sun, photography of emission centres 7=12254 transport processes, approx. theory 7=12967 effects See also Nuclear reactions due to/photons. adipic acid crystals free radicals prod., high press. var. of conc. 7=4125 alkali halides, point defect configurations prod. at low temps. 7=11155 anthracene, generation and recombination of electrons and holes 7=5102 2, 6-butylhydroxytoluene, radicals prod., e.s.r. obs. 7=8282 crystals, polarization mixing theory 7=8361 diamonds luminescence obs. 7=11847 diamonds luminescence obs. 7=11847 glutaric acid crystals free radicals prod., high press. var. of conc. 7=4125 glycine crystals free radicals prod., high press. var. of conc. 7=4125 hexane, ionization current at high fields, meas. 7=10865 lpha-quartz, Ge, colour centres, optical absorpt. and e.s.r. 7=14630 stilbene solns., isomerization 7=8583 Ag adsorpted on SiO<sub>2</sub> gel, stabilized free atom prod., e.s.r. obs. 7=8280 Al<sub>2</sub>O<sub>3</sub> (corundum) luminescence prod., 100-650°K 7=5288 CaF<sub>2</sub> coloration, electrical cond., dielec. loss and mag. obs. 7=4720 CaO, produced in lime-burning, Cu X-irrad. effect on surface area 7=11965 CdS, on photoconductivity, and annealing of defects 7=14533 Ge ionization energy, 30-50 kV, 300-77°K 7=4735 Hg, ions formed by inner-shell vacancies 7=6820  $\alpha-{\rm HgS}$  electrical obs. 7=8055 KBr, point defect configurations prod. at low temps. 7=11155

KBr.Pb, vacancy complexes dissociation 7=7545

KCl, F-centre production, temp. depend. 7=4722

KCl self-friction 7=7714 KCl, vacancy  $\alpha$  and F centre prod. at 4.2°K 7=7544 KCl:Pb, Sr vacancy complexes dissociation 7=7545 KI:Tl, low-temp., energy storage 7=2385 KI:Tl, luminesc. and optical burst 7=2386 KI:Tl, photoelectric sensitivity, spectral distrib. meas. 7=8057 LiF thermoluminescence obs. 7=2387 LiF:Ba²\*, e.p.r., after quenching 7=5200 MgF<sub>2</sub>, colour F and M centres prod., bleaching and e.s.r. obs. 7=14623 Na silicate glasses, optical properties 7=7615 NaCl, prod. of F-centres 7=11217 NaCl single crysts, hardening 7=11309
NaCl:Ag, luminescence decay mechanism 7=8487 NaF:U, luminescence, colour centres prod., obs. 'Si ionization energy, 30-50 kV, 300-77°K 7-4735 Xe, ions formed by inner-shell vacancies 7-6820 7=14628 protection. See Radiation protection. Xenon adsorption on pyrex glass at 77.3 to 90.2  $^{\circ}\! K$  and 10-11 to 10-5 torr 7=17404 adsorption on W and Mo evap. films 7=17407 atmospheric, from solar wind 7=15477 atom, resonance lines oscill. strengths meas. 7=6552 atoms excitation calc. 7=6565 atoms, laser emission, 0.  $47\,\mu$  7=5884 crystalline, linear coeff. of expansion 7=1486 cosmic-ray-produced, mass yield spectrum 7=3699

#### Xenon-contd

diffusion in UO2 of Xe188 obs. 7=7531

electrodeless ring discharges, spectra obs. 7=10579 excited states, h. f. s. and paramag. props., gas laser study 7=6573

film, photoemission, relative quantum yield 7=5115 flash tubes, optical and elec. characteristics 7=16266 fluorescence, alpha-induced, decay times 7=13676 ion bombardment of quartz and fused silica 7=7636 ion laser, c. w., emission-line widths 7=12625

ions prod. by shock waves, mass spectrometer obs. 7=13836 ions, range in ionic crystals and ceramics 7=7635 lamp, high pressure, spectral distrib. quantitative obs. 7=3261

light source max, ratings calc. 7=16245 light source, for shock tube invest, in near vacuum u.v. 7=9575

light source, u.v. 7=325

light source, u.v. 7-325 liquid distribution functions 0.3 K above triple point, X-ray diffr.obs. 7-10805 new laser oscillations 7-16177 partially ionized, e.m. wave amplification 7-16991 -physiosorption on graphite 7-1283 plasma, electron and ion densities from temps. 7-6873 plasma from focused coaxial gun 7-17163 plasma, highly radiative, using wall-stabilized pulsed arc.discharge 7-6865

arc discharge 7=6865 pulsed lamps, spectral distrib. and high power production 7=9576

solid and liquid, local mag. field shift n.m.r.obs. 7=2248 solid, local mag. field shift n.m.r.obs. 7=2249 solid, multiple-pulse n.m.r. transients of Xe<sup>129,131</sup> 7=18191 sparks in Ar and Xe, as light source 7=9574

specific heat of solid, lattice vibr. calc., zero-point-energy effect 7=11122 vapour pressure obs. 7=1202 X-irradiated, rel. abund. of ions formed by inner-shell vacancies 7=6820

vacancies 7=0820
X-ray attenuation at 0.3-3.0Å 7=3512
in Ca-poor achondrites, isotopic composition 7=2715
Na-Xe system, atomic collision processes 7=4044
Xe\* pulsed laser 7=12627
Xe<sup>139</sup>, in atmosphere as tracer 7=11996
Xe<sup>133</sup> meas. in atmos. 7=15492

Xe-He, phase separation of gases theory 7=10738

Xenon compounds

XeF<sub>6</sub>, mag. susceptibility 7=8103 Xerography. See Photography.

Y-particles. See Hyperons/resonances.
Yield. See Elastic limit; Plastic deformation; Plastic flow.

Young's modulus. See Elastic constants.

Ytterbium

films surface density meas. from proton prod.

X-rays 7=17383 ions, Yb<sup>3</sup>·, in II-VI cpds., e.p.r., host crystal effects 7=5195 and silicate glasses luminescence, nonradiative excitation energy transfer between Yb3, Nd3+ and Pr3+ 7=11879

spectrum, isotope shifts 7=829 Yb2\*, spectrum in cubic fields 7=17341

Yb3+, impurity centres in CeO<sub>2</sub> 7=14552

Ytterbium compounds

crystal fields calc. 7=7182 Yb\*:glass laser, characts. 7=3152 Yb<sup>170</sup> in intermetallic compounds, Mössbauer spectra 7=11680

YbCl<sub>3</sub>.6H<sub>2</sub>O, Mössbauer effect of Yb<sup>174</sup> 7=6355

Yb-Fe garnet, ferromagnetic relaxation Mössbauer study 7-11685 Yb<sub>2</sub>O<sub>3</sub>, electric gradient at C<sub>2</sub> site, Yb<sup>171</sup> Mössbauer effect obs. 7=10157

obs. 7=10157
YbPO<sub>4</sub> Raman spectrum, PO<sub>4</sub> complexes and internal PO<sub>4</sub><sup>3-</sup>
vibr.obs. 7=5280

#### Yttrium

interplanar angles and planar spacings for h.c.p.

### Yttrium compounds

hydrides, vibr. spectra by inelastic neutron scatt. 7=7478 superconducting, specific heat jump, overlapping bands interpretation 7=11470

Y ferrite garnet hysteresis, 78°-273°K 7=2155

Y oxyselenide, cryst. struct. 7=4594 Y-zirconate, nonexistence 7=11037

YAl garnet: Nd3+, c.w. pumping by water-cooled Kr arcs 7=9528

YAl garnet, Pt doped, e. s. r. absorption spectrum 7=8302
YAl garnet, Spectra of Pr\* 7=8431
YAl garnet, spectra of Pr\* 7=8431
YAl<sub>3</sub>B<sub>4</sub>O<sub>12</sub>:Eu<sup>3+</sup> fluorescence, elec.-mag. dipole emission ratio 7=5295

YAIG:Nd, laser oscillator, as noise amplifier 7=12670 YAIO<sub>3</sub>, Cr<sup>3\*</sup> luminescence temp. var. obs. 7=2376 YAI<sub>2</sub>O<sub>12</sub>, energy transfer from Cr<sup>3\*</sup> to Nd<sup>3\*</sup> ions 7=15393

Yttrium compounds-contd

Y<sub>2</sub>BeO<sub>4</sub>, crystal structure meas. 7=17519 YCl, emission spectra of two isotopic species 7=10525 [YCI(OH)<sub>2</sub>], monoclinic and orthorhombic forms, interrelation 7=17520 YCo<sub>5</sub> magnetocrystalline anisotropy obs. 7=8225

Y<sub>2</sub>CO<sub>1</sub>, magnetocrystalline anisotropy obs. 7=8225 YCrO<sub>3</sub>, antiferrom agnetic, weak ferromag. detection 7=11659

YCrO<sub>3</sub> magnetism obs. 7=8099 (Y, Eu, Nd)<sub>2</sub>O<sub>3</sub>, energy transfer between Eu and Nd 7=11660 YFe garnet, anisotropic absorption of ultrasound 7=14452 YFe garnet axially magnetized rod microwave delay

mode obs. 7=15355

mode Ous. 7=15555

YFe garnet e.m. absorption at room temp., 77°K, 4.2°K,
4.2 Gc/s 7=8446

YFe garnet, echo pulses, nonlinear effect 7=18142

YFe garnet: Ga modulator for i.r. over wide

band 7=5906

YIG, magnetic props., influence of tetrahedral Ni<sup>2+</sup> 7=8243

YFe garnet magnetoacoustic waves new mode obs. 7=17562 YFe garnet, magnetoelastic pulses, time lag 7=14453 YFe garnet magnetoelastic waves parametric

amplification, 1-10 Ge/s 7=18143
YFe garnet magnetoelastic waves polarization reversal by optical contact bonding of YAl garnet 7=12407
YFe garnet magnetostatic echoes obs. 7=2171

YFe garnet magnetostate echoes out, 1-2111
YFe garnet, magnen-phonon scatt. calc. of thermal cond.,
0.5-20°K 7=11135
YFe garnet, microwave magnetoelastic waves,
amplification 7=8271

YFe garnet, mode segregation from spin-wave manifold 7=11684

YFe garnet, molecular field calc.indeterminacy 7=18134 YFe garnet: NiO magnetic resonance, 9100 Mc/s, -185° to + 100°C 7=8272

YFe garnet rods, with mag. sleeves, magnetoelastic propag. 7=8242 YFe garnet, Si doped, magnetostriction constants 7=2154

YFe garnet, Tb-doped, spin-magnon relaxation 7=5191 YFe garnets, V subst., initial permeability, temp. depend. 7=5175

YFeGa garnets, substitutional disorder 7=4603  $Y_3$ Fe<sub>5-x</sub>Ga<sub>x</sub>O<sub>12</sub> garnet, Faraday effect, effect of Fe  $\rightarrow$  Ga substitution 7=18275

substitution 7=18275
YFeO<sub>3</sub>, mag. moments and parameters 7=2170
Y<sub>3</sub>Fe<sub>5</sub>O<sub>12</sub>-Ca<sub>5</sub>Fe<sub>5</sub>, V<sub>1</sub>, O<sub>12</sub>-PBi<sub>3</sub>Fe<sub>5</sub>O<sub>12</sub>", ferromagnetic resonance line width 7=2180
YGa garnet, Ce<sup>3</sup>·e.s.r.obs. 7=18161
YGa garnet, spectra of Pr<sup>3</sup>· 7=8431
YGaG:Er<sup>3</sup>·, expt. g factors 7=7179
Y-Gd dilute solns., specific heat and mag. 7=14467
Y-Gd, ordering 7=4548
Y-Gd solid solns., magnetic suscentibility and received

Y=64 old solns, magnetic susceptibility and specific heat meas. 7=18154
YMnO<sub>3</sub>, polarization reversal 7=18052
YMnO<sub>3</sub>, reversal of polarization under weak const.
field 7=11565

field 7=11565

YN, supercond. crit. temp. meas. 7=4968

Y(NO<sub>3</sub>)<sub>3</sub>. 6H<sub>2</sub>O, i. r. absorption obs. 7=2322

Y<sub>3</sub>Ni<sub>3</sub>Ge<sub>x</sub>Fe<sub>5-2x</sub>O<sub>12</sub> (x = 0.025, 0.13) magnetic → resonance, 9100 Mc/s, -185° to +100°C 7=8272

Y<sub>2</sub>O<sub>3</sub>(B<sup>2</sup>Σ-X<sup>2</sup>Σ) band, Frank-Condon factors and γ centroids 7=16960

 $Y_2O_3$ , electrical props. and defect struct. 7=5012  $Y_2O_3$ , phase transformations 7=14231  $Y_2O_3$ , Ers' spectrum conc. var. obs. 7=11761  $\beta$ -YOF:Eu, Eus' emission line splitting rel. to site symmetry 7=18274

Y203-T0.Eu, phosphor, effect of composition 7=11882
Y203-T0.Eu, Tb.'s energy transfer to Eu's centres
obs. 7=18310
YPO4 Raman spectrum, PO4 complexes and internal
PO43 vibr. obs. 7=5280

YVO, Eu phosphor, use for high-pressure Hg lamps 7=3244 YVO, Eu, red-emitting, of high luminous efficiency 7=11881 YVO, Eu³, Sm³, \*D<sub>1</sub> and \*D<sub>2</sub> levels of Eu³ and \*H<sub>5/2</sub> level of Sm³ 7=8387

YVO<sub>4</sub>:Nd Stark splitting in crystal field and laser 7=15356
Yukawa potential. See Field theory, quantum/meson field; Nuclear forces; Scattering.

#### Zeeman effect

crossing of h.f.s.giving mag.dipole transitions in static mag.field 7=16897 d-3-bromocamphor, n.q.r. 7=5217 diamond acceptors in semicond. state, 77°, 5°K, to 200 kG 7=18220

2,5-dibromonitrobenzene, n. q. r. spectrum 7=2250 fluorescence, resonance, mag. field modulation 7=10389 general review 7=10388

in lasers, gaseous 7=9493

```
Zeeman effect-contd
```

maser, rel. to cavity tuning 7=3107

maser, ref. to cavity tuning 7=3107 modulation of microwave spectrometer, absorption line profile 7=3094 molecules, Stark-Zeeman lines, theory of interference

and polarization 7=856

and polarization 7=856
nuclear Zeeman-dipolar cross relax time obs. 7=11716
paramagnetic materials, Mössbauer spectra
splitting 7=10920
research in E. Europe, review 7=9579
review of work at MIT 7=9580
rotation group analysis, and intra-atomic interactions 7=10391
structural graphysis of crostyness of 7=0521

actions (=10391 sum and stars, mag. field data eval. 7=12130 1,3,5-tribromobenzene n.q.r. obs. 7=15284 Ba<sup>155</sup>.137, Zeeman levels by optical pumping 7=649

CaF, nuclear Zeeman-dipolar cross. relax. time

car, nuclear zeeman-unpolar cross relatively obs. 7=11716
Cl n.q.r.of HgCl<sub>2</sub> 7=2255
Dy ethyl sulphate obs. 7=8459
Er ethyl sulphate obs. 7=8459
Fe<sup>57</sup> Mössbauer effect in Al, temp. var. obs. 7=7174

re<sup>37</sup> Mossbauer effect in Al, temp. var. obs. 7=7174 Fe<sup>37</sup>, nuclear line splitting, Mössbauer effect meas. 7=10923 Hg resonance line, review 7=10408 Hg<sup>188</sup>, double resonance, freq. shifts 7=4007 HgCl<sub>2</sub>, Cl<sup>38</sup> pure quadrupole resonance 7=2252 Ho<sup>3</sup> in LaCl<sub>3</sub>, h. f. s. meas. 7=11774 In He-Ne laser 7=12638 InSb hydrogenic donors, temp. var. obs. 7=18244 Lig<sup>2</sup>, 22P term h. f. s. obs. 7=10411

Li<sup>6.7</sup> 2PP term h.f.s. obs. 7=10411
Pb atom, magnetic-dipole and electric-quadrupole radiation, interference 7=826

Rb\*sFi\*, meas. with mol. beam reson.app. 7=13752 Sb-doped Ge, stress var. obs. of e.s.r. 7=8305 Sm ethyl sulphate obs. 7=8459

Sm2+ in CaF2, g-factors by mag. dichroism 7=11751 SmI 7=828

Sn119 in Cr, rel. to hyperfine fields in Cr 7=4443

Zener diodes. See Semiconducting devices/diodes. Zener effect. See Metals; Semiconducting materials; Semiconductors.

Zeta-potential. See Electrokinetic effects.

atomic levels, in h.f. discharge with Hg 7=835 atoms excited by e, 4°P<sub>2</sub> level obs. 7=13693 atoms in Kr and Ar at low temps., resonance lines triplet structure obs. 7=8448

absorption, u.s. waves, quantum oscillations 7=4639 bicrystals, deformation twins, nucleation 7=14311 cleavage crack initiation and fracture, theory 7=17737 cleavage, tensile of single crystals of Sohncke's law at -196°C 7=14312

creep-fatigue behaviour 7=17738 crystal growth, predetermined shape and orientation 7=7337

de Haas-van Alphen effect 7=11619

de Haas-van Alphen oscillations, low-frequency, pressure dependence 7=4877

diffusion in Cu, CuZn, isotope effects obs. 7=17582 diffusion in heterogeneous Sn-Zn alloys 7=7528 diffusion in Sn and in homogeneous Sn-Zn  $\,$ 7=7527 diffusion in whiskers of Cu  $\,$ 7=7518 dislocation effects of pressures up to 27 kbar  $\,$ 7=17691 dislocation etch orientation var. obs.  $\,$ 7=1616

elastic constants, by thermal diffuse X-ray scatt. obs. 7=4811

obs. 7=4811
films with Mn paramag, impurities, low temp. elec. cond. anomalies obs. 7=11446
films, vapour deposition effects on grain size and elec. cond. obs. 7=7286
growth of foils, single crystal, from melt 7=1348
Hall effect with impurities 7=11447
implanted GaAs p-n junctions, ion beam apparatus 7=16085
laser, gaseous 7=289
liquid, conduction electrons density of states and

liquid, conduction electrons, density of states and

momentum distrib. 7=7019 liquid layer lattice, Fourier analysis 7=7024 liquid, sound velocity 7=1141

luminescence excited by Pm147 β-radiation obs. 7=11900

magnetoelectric effects, theory 7=4904 mean-square atomic displacements 7=14431 nucleation of solidifying high purity metal 7=10895 phthalocyanin complex, pseudo-line spectra obs. 7=913 plastic deformation, effect of 1-5 MeV irradiation 7=14764

residual resistivity, transition metal impurity effects 7=4899

tetrabenzene porphyrin complex, pseudo-line spectra obs. 7=913

thermal expansion 7=14470

thermal switch appl. < 0.2°K, mag. field effects 7=17574 twin boundary movement rate due to stresses 7=17423

Zinc-contd

-contour Hg diffusion anisotropy and temp. var. obs.,rel. to Cd diffusion, vacancy mechanisms 7=17591
Sb, heat of mixing with Zn 7=7039
Zn II spectrum doublets relative strengths calc. 7=10419
Zn<sup>65</sup>.89 diffusion in Ag, 697°-952°C 7=17578

Zinc compounds

films with Mn paramag. impurities, low temp. elec. cond. anomalies obs. 7=11446

ZnAl<sub>2</sub>O<sub>4</sub>:Cr<sup>3\*</sup>, ferromag. exchange coupling 7=5167

Zn<sub>3</sub>As<sub>2</sub>, melting and polymorphism up to 40 kbar 7=4408

Zn<sub>2</sub>As<sub>2</sub>, melting and polymorphism up to 40 kpar 7=4408
Zn<sub>2</sub>Ba<sub>2</sub>Fe<sub>12</sub>O<sub>22</sub> ferrimagnetic resonance anisotropy 7=8273
ZnCO<sub>3</sub> optical consts, in i.r. obs.from reflectivity with and without coatings 7=15289
(Zn, Cd)S. Ag, luminescence 7=15402
(Zn, Cd)S./Mn, light wave prod. by Gudden-Pohl effect 7=11903

Zn-Cl boracite, new transition temp. from Mössbauer and optical meas. 7=17361

ZnCr<sub>2</sub>Se<sub>4</sub>, optical absorption, around mag. ordering

temp. 7=5253

Zn-Cu, X-ray microanalysis depth distribution in sandwich target obs. 7=15456

ZnF<sub>2</sub>, Raman spectra 7=18270

ZnFe<sub>2</sub>O<sub>4</sub>, by chem. precip., superparamagnetism 7=15166

ZnFe<sub>2</sub>O<sub>4</sub>, magnetic props. rel. to cation distrib., precipi-

tated from aqueous soln. 7=18133

ZnFe<sub>2</sub>O<sub>4</sub>, thermal conductivity 7=14475

ZnFe<sub>2</sub>O<sub>4</sub>, Fe<sup>57</sup> Mössbauer quad. splitting and field gradient 7=17327

ZnGeAs<sub>2</sub>, elec. props., 100°-450°K meas. 7=17990 ZnGeP<sub>2</sub>, p-type, photocond. and opt. transmission 7=15069 ZnGeP<sub>2</sub>, semiconducting, preparation and properties 7=7968 Zn(HCOO)<sub>2</sub>, 2H<sub>2</sub>O, Cu<sup>2+</sup> e.s.r. spectrum 4.2-77°K

Zn(HCOO)<sub>2</sub>, 2H<sub>2</sub>O<sub>3</sub> Cu<sup>2</sup> e.s.r. spectrum 4, 2-77 k obs. 7=2199

Zn, Hg<sub>1-7</sub> Te dielectric const. freq. var., 77-300°K 7=15025

ZnMnO<sub>4</sub>, linear antiferromagnetism 7=5184

ZnMn<sub>2</sub>Se<sub>4</sub>, mag. susceptibility 7=11676

ZnMn<sub>2</sub>Se<sub>4</sub>, mag. susceptibility 7=11676

ZnNO<sub>3</sub>, ion pairing in H<sub>2</sub>O 7=7085

ZnO, acoustic transducer films for microwaves 7=12433

ZnO, with adsorbed fatty acid layer, photo-

conductivity 7=2044 ZnO, adsorpt. of CO 7=7297

ZnO:alkali metals, sharp lines from exciton complexes ~ 1°K 7-18280 ZnO, chemisorption of H, effect of additives 7=11942

ZnO, conductivity, effect of vars. in conc. of atm. constituents 7=14973

ZnO, diamag. susceptibility, bond type 7=5128 ZnO, e.s.r. signal g = 1.957 7=11714 ZnO, edge luminescence 7=5315

ZnO, effect of hole traps on thermoluminescence 7=11885

ZnO, electron effective mass, Faraday rotation obs. 7=17822 ZnO, film, photocond. sensitization with org. dyes 7=18076

ZnO laser, electron-bombarded far field pattern,  $77^{\circ}\mathrm{K} \ 7{=}16191$ 

ZnO, luminescence prod. by free radicals and light obs. 7 = 11884

Ous. I=11004
ZnO noncrystalline films sputtering prod. and semiconducting and optical props. 7=1281
ZnO, non-Ohmic props., 77°-500°K 7=17991
ZnO, photoconductivity decay rate rel. to O<sub>2</sub>

pressure 7=8059

ZnO photosensitive donors prod. on u.v. irradiation, e.s.r. obs. 7=15254

ZnO-photosensitized photolysis of PbCl, 7=8571

ZnO, radical luminesc. 7=11883

ZnO, Raman spectrum obs. of multiphonon

processes 7=18277

ZnO, reflectance charges due to adsorbed O2 and H 7=18282

ZnO, transient current decay due to acousto-elec. effect 7=15249

ZnO-B<sub>2</sub>O<sub>3</sub>, X-ray diffraction study 7=11083

ZnO:In, optical props of free electrons obs. 7=8449  ${\rm ZnP_2}$  semiconducting props. 7=7936

Zn-Pb, internal friction rel. to grain boundary impurities 7=11331

 ${\rm ZnSO_4}$  decomposition at 600°C, sulphides effects obs.  $7{=}8549$ 

Ons. (=8549)
ZnSe, cathode luminescence obs. 7=5314
ZnSe, cubic, photoelasticity near intrinsic absorption
edge 7=11815
ZnSe, self-activated, luminescence and e.s.r. 7=11904

ZnSe solubility in Ga and In 7=10814
ZnSe solubility in Ga and In 7=10814
ZnSe, spectra of Ag activated 7=2405
ZnSe, spectral obs. of multiphonon processes 7=18277
ZnSe, ZnSe-Na<sub>2</sub>AlF<sub>9</sub>, ZnSe-ThOF<sub>2</sub>, dielectric mirror coatings 7=11814

ZnSe:Li, local mode absorption bands in i.r.obs. 7=18278 ZnSiAs, semiconducting, preparation and properties 7=7968 ZnSiF<sub>6</sub>·6H<sub>2</sub>O, Co divalent ions spin-lattice relax. obs. 7=8284

Zinc compounds-contd zinc sulphide-contd

```
Zinc compounds-contd
         Zn<sub>2</sub>SiO<sub>4</sub> formation from ZnO + SiO<sub>2</sub> by explosive
shock 7=8548
         \mathrm{Zn_{z}SiO_{4}(Mn)}, high luminescence intensity, pre-shock
         treatment preparation 7=8500
ZnSiP<sub>2</sub>, optical and photoelectric properties, single
crystals 7=11816
         ZnSiP<sub>2</sub>, optical reflection spectra, 2800-3600Ă 7=2349
        ZnTe, electro-optic effect, anomalous, polarity-
dependent 7=8447
         ZnTe, epitaxial films on ionic substrates 7=4549
        ZnTe films crystal structure rel. to growth and
stoichiometry obs. 7=10972
       ZnTe, radiative recombination at isoelectronic
traps 7=18296
ZnTe, shallow acceptor states 7=1793
       ZnTe, stimulated emission by electron bomb. 7=16204
ZnTe solubility in Ga and In 7=10814
       ZnTe, spectra of Ag activated 7=2405
       ZnTe, undoped, electroluminescence at 293°K 7=15403
ZnTe:Al recombination processes 7=7768
       ZnTe:Cr*, photoconductivity rel. to photo-induced
e.p.r. 7=15220
     e.p.r. 7=15220

ZnTe:O, isoelectronic donors and acceptors rel. to fluorescence 7=11906

ZnTe:O, luminescence decay of excitons bound to isoelectronic traps obs. 7=18294

Zn<sub>2</sub>Te<sub>3</sub>O<sub>8</sub> crystal structure, atomic 7=1438

ZnTe-Si heterojunctions, p-n and p-p 7=18014

Zn-Ti alloys, rolled, creep deformation 7=7741

ZnWO<sub>4</sub>, e.s.r. of Cu<sup>2+</sup> 7=15227

ZnWO<sub>4</sub>, e.s.r. of Mn<sup>2+</sup> 7=15241

ZnWO<sub>4</sub>, spin-lattice relax of Rh(II) 7=8304

nc sulphide
 zinc sulphide
     absorption spectrum, stoichiometry effect 7=11813 acoustic transducer film, longitudinal wave, for up to 600°C 7=5720
     band structure of hexagonal ZnS 7=1792
     crystal growth, dendritic, obs. 7=7342
     dielectric, piezoelectric and elastic consts. obs. of \alpha-ZnS 7=8016 electrical props. of single crystals 7=1956
     electroluminescence with Cu doping, Fe, Co and Ni
         effects mechanisms 7=8501
     electroluminescence rel to electron emission 7=8502
     electroluminescence as recomb. controlled by elec.
          field 7=2403
     electroluminescence in thin films, d.c. 7=5312
     electroluminescence transients under d.c. obs. for films
    with Cu, Mn, Cl doping 7=15400 electron band struct., cubic and hexagonal, APW calc. 7=7803
   electron diffr.at low energy obs. of cleaved (110)
         surfaces 7=1262
    electro-optic effect, anomalous, polarity-
         dependent 7=8447
     epitaxial deposit on ZnS obs. 7=4535
   films on glass, thickness meas by oscillating quartz
crystal, condensation effects obs. 7=7264
   as i.r. modulator, using electrooptical effects 7=5256
   i.r. wavelength depend of luminescent and photocond. processes 7=11886
   luminescence centres, nature 7=11887
luminescence rel. to defects 7=11839
phosphor, luminescence, pressure effects up to
        52 kbar 7=5313
   phosphors, i.r. spectra, effect of flux, meas. 7=18311 phosphors, spectra of Ag activated 7=2405
   polytypes, five new, X-ray obs. 7=17419
self-activated, luminescence and e.s.r. 7=11904
   spectral and magneto-optical obs. of excitons, electron
        bands and effective masses 7=15357
   stacking faults and polytypism 7=17624
   striated, elec. and optical characteristics rel. to heat and u. v. treatment 7=11888
   triboluminescence, pressure effects on recomb. centres 7=15368
  u.v. laser emission, by electron-beam excitation 7=305
  wurtzite, stacking faults and dislocations in
       growth 7=14614
  Cu activated, luminescence, rel. to structurized regions 7=11889
  Cu, Al and Cl impurities, inclusion, radiochem. investig. 7=17600
  Cu centres prod., and luminescence spectra 7=11894
Cu-doped, a. c. electroluminescence 7=11896
  Fe2+ spectral absorption obs. 7=8391
 re- spectral absorption dos. 1-331
Mn<sup>2</sup>* e.s.r. exchange narrowing 7-2206
(Zn, Cd)S, effect of Cu<sub>2</sub>O on photocond, polarization 7-2043
(Zn, Cd)S:Mn, i.r. enhancement of alpha-ray
luminescence 7-11902
```

α-ZnS, non-linear piezo optic behaviour to 7 kbar 7=2348 ZnS. Ag, luminescence 7=15402

ZnS-AgAlS<sub>2</sub>, luminescence spectra obs. 7=11905

```
Zns-Cds, spectral obs.of electron states composition
var. 7=18279
Zns:Co<sup>2+</sup> transparency increase by ruby laser
irradiation 7=18276
                         Irradiation 7=18276

ZnS:Cu, Al phosphors, internal electroluminescence, time depend. 7=11901

ZnS:Cu crysts., low-field electroluminesc. 7=11899

ZnS:Cu, effect of cryst. dimens. on electroluminesc. yield 7=11897
                       ZnS:Cu, electroluminesc.of individual particles 7=2404
ZnS-Cu electroluminescence, 10-2-10<sup>3</sup> c/s 7=11846
ZnS(Cu) electroluminescent cells, brightness wave meas.
under u. v. irrad. 7=11893
ZnS:Cu, luminesc. decay, for various excitations 7=5319
                        ZnS:Cu phosphors, blue and green electroluminesc
centres 7=15401
                       centres 7=15401
ZnS:Cu, prep. in O<sub>2</sub>, yellow and red luminesc. 7=11892
ZnS:Cu spectrum, zero-phonon lines origin 7=18281
ZnS:Cu stimulated by elec. field, glow maxima 7=11890
ZnS:Cu transition, green luminescence 7=2402
ZnS-CuAIS, luminescence spectra obs. 7=11905
ZnS/CuCl electroluminescent crystal, effect of i.r.
irrad. during excitation 7=11898
ZnS(CuCl) electron transition real to i.r. included light
                       ZnS(Cu, Cl), electron trapping rel.to i.r. induced light stimulation and e.p.r. 7=11378
                       ZnS(Cu, Cl) phosphor, blue-green transform. rel. to
                       trapping and i.r. response 7=11891
ZnS(Cu, Mn), thermoluminescence of electro-
luminescence 7=11895
                       ZnS:Sn3*, photosensitive e.s.r. 7=15248
                    onium \alpha-phase, secondary recrystallization 7=14326 deformed, low temp. recovery obs. in elec. cond. 7=7533 diffusion in b. c. c. Zr, anomalous 7=11148 diffusion of O and N, heat of transport 7=11149 dislocation loops form., when Kr ion irrad. and annealed 7=14600 dislocation loops after Kr, ion irradiation, 7=4700 dislocation loops after Kr, ion irradiation, 7=4700
                     dislocation loops after Kr-ion irradiation 7=4709
                     magnetic susceptibility and electronic specific heat
     calc. 7=11127

\[ \alpha = \text{Zr}, \text{flow and fracture, grain size depend.} \]

Zirconium compounds
                    perovskites, far i.r. reflectance and dielec.
                          dispersion 7=2281
                     Zircalloy, precipitation of oriented hydrides, effect of
                    texture, grain size and cold work obs. 7=4480
Zircaloy-2, growth of single crystals 7=11013
4% Nb-Zr alloy, superconductivity after ageing 7=7918
                    Zr carbides, thermal expansion, non-stoichiometric 7=7502
                  ZrB<sub>2</sub>, galvanomagnetic effects 7=7969
ZrC, elastic properties 7=7742
ZrC, elastic props. at 4.2°-298°K, rel. to electronic
structure 7=1744
                  ZrC thermionic cathodes evaporation obs. 7=18083
ZrCl<sub>4</sub>-HfCl<sub>4</sub>, liquid-gas equilibria 7=1196
Zr-Cu oxidation, intermediate layer formation at metaloxide interface, 750°C, Cu conc. var. 7=5331
                  Zr-F species, thermodynamic props. 7=8521
Zr-Nb, acoustic relaxation peaks meas. 7=14454
Zr-Nb superconducting H<sub>c2</sub> temp. var. analysis 7=7919
                  Zr-Nb superconducting transition rel. to phase transformation 7=11485
                 transformation 7=11485
Zr-Nb-Mo, n.m.r. and low temp. specific heat 7=15281
ZrO, C → X band system, Franck-Condon factors and r centroids 7=13753
ZrO, ceramic, emittance, 1200-1600 K 7=11745
ZrO, films, electroluminescence 7=8503
ZrO, internal friction, 20-1250 C 7=14765
                  ZrO<sub>2</sub> melting point obs. using solar furnace 7=9250
                 2rO<sub>2</sub> neering point obs. using solar turnace (=320)
2rO<sub>2</sub> phase transformations at high press. with
irradiation obs. 7=1251
2rO<sub>2</sub>-CaO solid solution, thermodynamics 7=1223
                 ZrO<sub>2</sub>-MgO solid solution, thermodynamics 7=1223
                Zr_0 and Zr_0 in the Zr-O system 7=14191 Zr_0Si, crystal structure 7=11084 Zr_0Si, interstitials prod. by \alpha-rays from U impurities
                       obs. 7=1545
               ZrSiO<sub>4</sub>, single crystal, flux-grown, removal of inclusions
by temp. gradient 7-4526
ZrZn<sub>2</sub>, ferromagnetism, itinerant electron 7-2145
                ZrZn<sub>2</sub>, specific heat, 1.4-4.2°K 7=4650
 Zodiacal light
               brightness var. during cycle of solar activity 7=8959
              for earth's dust cloud obs. 7=8927 isophotes meas., atmospheric scatt. calc. observation projects from moon 7=18470 polarization and brightness, rocket obs. 7
                                                                                                                   7=8957
polarization, Rayleigh particles 7=2716
and solar activity 7=8958
Zonal heating. See Atmosphere/thermodynamics.
Zone melting and refining
             anthracene refining with tetracene impurity 7=14315
```

continuous horizontal, apparatus 7=4505

# Zone melting and refining-contd

electron beam floating zone refining apparatus 7=4502 fusion, device for repeated purification 7=4504 metals with high melting point, electron beam device 7-4503 in organic semiconductors purification 7=7316 review, rel. to semiconductors purification 7=7316 CdSnAs<sub>2</sub> 7=17953 CdsnAs<sub>2</sub> 7=17953 Fe, Petch relationship, H charging effect obs. 7=11285 La, with electric transfer 7=7333 Mo,by electron beam, purity, perfection and orientation obs. 7=14328

Zone melting and refining-contd Mo-Nb, electron beam 7=17721

Zoology chinchillas, hearing, subharmonic generation 7=12459 fish as cause of acoustic attenuation in sea 7=15461 fish as cause of acoustic volume scatt. 7=15465 nish as cause of acoustic attenuation in sea 7=154/1
fish study in ocean by acoustic volume scatt. 7=15469
goldfish, hearing, rel. to man 7=15963
guinea-pig cochlea, membrane resistance in endolymphatic
walls 7=12460 marine invertebrates, ultrasonic vibration study 7=15833



U. of ILL. LIBRARY

JUL 27 1967

CHICAGO CIRCLE







